Honeywell

Health, Safety, Environment and Remediation
101 Columbia Turnpike MEY-3
Morristown, NJ 07962
(973) 455-4279

November 29, 2006

By Hand Delivery

Mark W. Lucas
Case Manager – LUST Enforcement Unit
TPD/Corrective Action Section
Arizona Department of Environmental Quality
1110 W. Washington Street, 4415B-1
Phoenix, AZ 85007

Re: *Third Quarter Status Report for 2006*
LUST File #0393.02-.10, .15
Facility ID #0-002227

Dear Mr. Lucas:

Honeywell is submitting this *Third Quarter Status Report for 2006* in accordance with requirements in the Arizona Department of Environmental Quality's (ADEQ) *Corrective Action Plan Final Approval* letter dated October 7, 2005.

On September 15, 2006, Honeywell submitted a letter to ADEQ proposing to modify the scheduled submittal dates of quarterly status reports such that they be submitted to ADEQ no later than 60 days following the end of each calendar quarter. ADEQ approved the requested CAP modification in a letter to Honeywell dated September 28, 2006. This quarterly status report represents the first to be submitted under the modified schedule requirements.

If you should have any questions or require discussion, please contact me at 973-455-4279 or Jeff Mieth at 480-377-6265. For your convenience, my e-mail address is troy.j.meyer@honeywell.com and Jeff's is jeffrey.mieth@ch2m.com.

Sincerely,

Troy J. Kennedy
Honeywell - Health, Safety, Environment and Remediation
Remediation Portfolio Director

Copies w/attachment:

Nadia Hollan, USEPA
Kris Paschall, ADEQ
Rebecca Godley, City of Phoenix Aviation
Donn Stoltzfus, City of Phoenix
Joe Francis, City of Phoenix Aviation (electronic copy)
Mark Kuhn, Hydro Geo Chem, Inc. (electronic copy)
Peter Mock, Peter Mock Groundwater Consulting (electronic copy)
Robert Forsberg, Levine-Fricke Recon
Mary Moore, Lindon Park Neighborhood Association
Mario Castaneda, Gateway Community College
Kathy Murphy, Honeywell

ARIZONA DEPARTMENT OF ENVIRONMENTAL QUALITY
Tank Programs Division
Underground Storage Tank (UST) Program

DOCUMENT SUBMITTAL FORM

[use as COVER SHEET when submitting the documents listed below]

ADEQ use only

UST FACILITY INFORMATION:

Honeywell 34th Street Facility — Facility Name
0-002227 — Facility ID
111 South 34th Street — Street Address
0393.02 - .10, .15 — LUST Number(s)
Phoenix — City
85034 — Zip Code
Maricopa — County

PERSON RESPONSIBLE FOR SUBMITTING DOCUMENT:

Troy Kennedy — Name
101 Columbia Turnpike — Street Address
Morristown, NJ — City
07962 — Zip Code
(973) 455-4297 — Telephone (daytime)

PERSON CATEGORY	ADEQ ID #
X UST owner	4875
☐ UST operator	
☐ UST volunteer	
☐ Property owner	

LUST, RELEASE OR CORRECTIVE ACTION DOCUMENT: (check all that apply; * indicates document requires signed certification statement)

- ☐* 14 day report (suspected release)
- ☐* 90 day report (suspected release)
- ☐* 14 day report (confirmed release)
- ☐* 90 day report (confirmed release)
- ☐* LUST site classification form
- ☐* Site characterization report (SCR)
- ☐* Free Product Report
- ☐* Tier 2 risk evaluation
- ☐* Tier 3 risk evaluation
- ☐* Corrective action plan (CAP)
- X * Periodic site status report (includes groundwater monitoring reports)
- ☐* LUST case closure request w/corrective action completion report
- ☐* Addendum (check related document type)
- ☐ Other: (please specify)

UST DOCUMENT: X

SAF DOCUMENT: ☐ Application #: _____

INFORMAL APPEAL:
- ☐ LUST
- ☐ SAF
- ☐ UST

CERTIFICATION STATEMENT OF UST OWNER, OPERATOR OR VOLUNTEER: (for only documents designated above by *)

"I hereby certify, under penalty of law, which this submittal and all attachments are, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are penalties for submitting false information, including the possibility of a fine and imprisonment for knowing violations."

Signature of UST owner, operator or volunteer

11/29/06
Date

Troy J. Kennedy
Name of UST owner, operator or volunteer (printed)

Remediation Portfolio Director
Title

Revised 8/05

Report

Third Quarter Status Report for 2006

Honeywell 34th Street Facility
Facility ID No. 0-002227
LUST File Nos. 0393.02-.10, .15

Volume 1 of 3

Prepared for

Honeywell International Inc.

November 2006

REGISTERED GEOLOGIST
CERTIFICATE NO.
35022
ROBERT J.
FRANK
Date Signed 11/30/06
ARIZONA U.S.A.

Prepared by

CH2MHILL

Contents

As reflected by this table of contents, the original hard copy of this document, provided to the Arizona Department of Environmental Quality, consists of three volumes. Remaining copies consist of one volume, including hard copy text, tables, figures, and Appendix A. Appendix B is provided in electronic format only. A complete electronic copy of this document is provided on the attached CD-ROM.

Volume 1 (Text, Tables, Figures and Appendix A)

Acronyms and Abbreviations vii

Introduction 1-1
1.1 Scope and Purpose 1-1
1.2 Background 1-1
1.3 Summary of Activities 1-2

Site Characterization Activities 2-1
2.1 Free Product 2-1
2.2 Groundwater – Second Quarter 2006 2-3
2.2.1 Water Level Elevations 2-4
2.2.2 Benzene 2-4
2.2.3 Methyl Tert-butyl Ether 2-5
2.2.4 Naphthalene 2-7
2.2.5 Benzo(a)pyrene 2-7
2.2.6 Total Benzene, Toluene, Ethylbenzene, and Xylenes 2-7
2.2.7 Total Recoverable Petroleum Hydrocarbons 2-7
2.2.8 Total Volatile Organic Compounds 2-8
2.2.9 Total Non-fuel Volatile Organic Compounds 2-8
2.2.10 Total Trichloroethylene 2-9
2.2.11 Total 1,1,1-trichloroethane 2-9
2.3 Groundwater – Third Quarter 2006 2-10
2.3.1 Water-level Elevations 2-10
2.3.2 Benzene 2-11
2.3.3 Methyl Tert-butyl Ether 2-12
2.3.4 Naphthalene 2-13
2.3.5 Benzo(a)pyrene 2-13
2.3.6 Total Benzene, Toluene, Ethylbenzene, and Xylenes 2-13
2.3.7 Total Recoverable Petroleum Hydrocarbons 2-14
2.3.8 Total Volatile Organic Compounds 2-14
2.3.9 Total Non-fuel Volatile Organic Compounds 2-15
2.3.10 Total Trichloroethylene 2-15
2.3.11 Total 1,1,1-trichloroethane 2-16

Site Remediation Activities 3-1
3.1 Free-product Recovery 3-1

3.2 Bioenhanced Soil Vapor Extraction 3-1
3.2.1 Bioenhanced Soil Vapor Extraction Air Permitting 3-1
3.2.2 Air Injection Pilot Test 3-2
3.2.3 Vapor Monitoring Program 3-2

Summary of Planned Work 4-1

Summary of Problems and Delays 5-1

Status of Deliverables 6-1

References 7-1

Tables

2-1 Summary of Free-product Thickness Measurements, Third Quarter 2006
2-2 Non-fuel Volatile Organic Compound List
2-3 Comparison between June 2006 and September 2006 Water Level Elevations
3-1 Summary of Free-product Recovery
3-2 Sky Harbor Airport Subsurface Utility Vaults Field Parameter Results, Third Quarter 2006
3-3 Well Dilution Test Field Measurement Data, Third Quarter 2006

Figures

1-1 Facility Location and Layout
2-1 Free product Thickness September 2006
2-2 Free product Thickness (Maximum)
2-3 Water Level Contours, June 2006, Salt River Gravels Sub-unit
2-4 Benzene, June/July 2006, Groundwater Parameters
2-5 Methyl Tert-Butyl Ether, June/July 2006, Groundwater Parameters
2-6 Naphthalene, June/July 2006, Groundwater Parameters
2-7 Benzo(a)pyrene, June/July 2006, Groundwater Parameters
2-8 Total BTEX, June/July 2006, Groundwater Parameters
2-9 Total Recoverable Petroleum Hydrocarbons (TRPH), June/July 2006, Groundwater Parameters
2-10 Total VOCs, June/July 2006, Groundwater Parameters
2-11 Total Non-fuel VOCs, June/July 2006, Groundwater Parameters
2-12 Total TCE, June/July 2006, Groundwater Parameters
2-13 Total TCA, June/July 2006, Groundwater Parameters
2-14 Groundwater Elevation Contours, , Salt River Gravels Sub-unit September 2006
2-15 Benzene, September 2006, Groundwater Parameters
2-16 Methyl Tert-Butyl Ether, September 2006, Groundwater Parameters
2-17 Naphthalene, September 2006, Groundwater Parameters
2-18 Benzo(a)pyrene, September 2006, Groundwater Parameters
2-19 Total BTEX, September 2006, Groundwater Parameters
2-20 Total Recoverable Petroleum Hydrocarbons (TRPH), September 2006, Groundwater Parameters
2-21 Total VOCs, September 2006, Groundwater Parameters
2-22 Total Non-fuel VOCs, September 2006, Groundwater Parameters

2-23 Total TCE, September 2006, Groundwater Parameters
2-24 Total TCA, September 2006, Groundwater Parameters
3-1 Monitoring Well and Subsurface Utility Vault Locations

Appendices

A Hydrographs

Volumes 2 and 3 (Appendix B)

B Data Validation and Laboratory Analytical Reports

Acronyms and Abbreviations

%LEL	percent of Lower Explosive Limit
µg/L	micrograms per liter
ADEQ	Arizona Department of Environmental Quality
BSVE	bioenhanced soil-vapor extraction
BTEX	total benzene, toluene, ethylbenzene, and xylenes
CAP	Corrective Action Plan
cis-1,2-DCE	cis-1,2-dichloroethene
CO_2	carbon dioxide
COP	City of Phoenix
1,1-DCA	1,1-dichloroethane
1,1-DCE	1,1-dichloroethene
Facility	Honeywell 34th Street Facility
FSP	Field Sampling Plan
Honeywell	Honeywell International Inc.
MCL	maximum contaminant level
MTBE	methyl tert-butyl ether
O_2	oxygen
1,1,1-TCA	1,1,1-trichloroethane
TCE	trichloroethylene
TRPH	total recoverable petroleum hydrocarbons
USEPA	United States Environmental Protection Agency
UST	underground storage tank
VOC	volatile organic compound

SECTION 1.0

Introduction

1.1 Scope and Purpose

This quarterly status report summarizes ongoing contaminant characterization and remediation activities conducted during third quarter 2006, for LUST File Nos. 0393.02-.10, .15, Facility ID No. 0-002227, Honeywell 34th Street Facility (Facility or Honeywell facility). This report also incorporates groundwater monitoring results received during the third quarter of 2006 associated with second quarter 2006 sampling activities.

This report is being submitted pursuant to reporting requirements in the Arizona Department of Environmental Quality's (ADEQ) letter dated October 7, 2005 (ADEQ 2005), issuing final approval of Honeywell's Corrective Action Plan (CAP) (CH2M HILL 2004a-b) and in accordance with the schedule modification noted below.

On September 15, 2006, Honeywell International Inc. (Honeywell) submitted a letter to ADEQ proposing to modify the scheduled submittal dates of quarterly status reports (Honeywell 2006a). The modification was proposed to align the quarterly status reports with the appropriate quarterly groundwater quality sampling events. ADEQ approved the requested CAP modification in a letter to Honeywell dated September 28, 2006 (ADEQ 2006b). The modified CAP now requires periodic status reports to be submitted no later than 60 days following the end of each calendar quarter. This quarterly status report represents the first to be submitted under the modified schedule requirements.

1.2 Background

The Honeywell facility is located within Operable Unit 2 of the Motorola 52nd Street Superfund Site at 111 South 34th Street in Phoenix, Arizona. Figure 1-1 illustrates the Facility location and layout. The Honeywell facility has been used as a manufacturing and testing facility for the production of aircraft engines and auxiliary equipment since 1951.

The United States Environmental Protection Agency (USEPA) and ADEQ Superfund Programs Section are currently overseeing the characterization and remediation of soil and groundwater contaminated with chlorinated compounds within the Superfund site. ADEQ has been delegated the lead for facility investigations within OU2, including the Honeywell facility. During the Superfund investigation, petroleum hydrocarbons were detected at the Honeywell facility, and a parallel investigation was initiated under the ADEQ Underground Storage Tank (UST) Corrective Action Section. Since that time, Honeywell has investigated the extent of contamination, initiated corrective actions to recover free product, and developed a CAP. The approved CAP (CH2M HILL 2004a-b) recommends the following remedial actions:

- Remediate soil contamination in the vadose zone, the free-phase hydrocarbon smear zone, and the free-phase hydrocarbon pool with bioenhanced soil-vapor extraction (BSVE).
- Supplement BSVE remediation by selectively removing free product from existing groundwater monitoring wells.
- Treat the remaining dissolved-phase groundwater contamination with monitored natural attenuation after aggressive source removal is complete. ADEQ is withholding approval of this remediation technology pending completion of free-product removal to the maximum extent practicable (ADEQ 2005).

1.3 Summary of Activities

This quarterly status report summarizes the activities conducted or completed as part of the UST corrective action between July 2006 and September 2006:

- Honeywell completed the second quarter 2006 groundwater sampling event on July 12, 2006. As reported in the *Second Quarter Status Report for 2006*, the second quarter sampling event was completed in July because access to the monitoring wells on Sky Harbor Airport property for the quarterly sampling event was not available until June 28, 2006.
- Honeywell conducted the third and final round of monthly groundwater sampling at monitoring wells ASE-125A and ASE-126A, located on Phoenix Sky Harbor International Airport property (Sky Harbor Airport property), on July 19, 2006.
- Honeywell conducted the third quarter 2006 groundwater sampling event between September 11 and September 25, 2006.
- Honeywell conducted three monthly water-level measurements and three additional rounds of free-product-specific monitoring/recovery during third quarter 2006. As described in Section 2.1, the free-product monitoring/recovery schedule is based on the measured free-product thicknesses in individual monitoring wells in accordance with the *LUST Field Sampling Plan – Groundwater Sampling, Free Product Monitoring and Recovery Plan* (CH2M HILL 2005a).
- Honeywell continued monthly monitoring of 13 Sky Harbor Airport subsurface utility vaults for oxygen (O_2), carbon dioxide (CO_2), methane, and percent of lower explosive limit (%LEL).
- Honeywell continued helium gas tracer tests between July 4 and July 12, 2006 and between September 14 and September 29, 2006 to determine well dilution effects from ambient air during soil-gas sampling at selected monitoring wells.

SECTION 2.0

Site Characterization Activities

This section describes groundwater and free-product data collected as part of Honeywell's ongoing UST monitoring program. Because there were no additional monitoring wells installed or associated soil samples collected during the reporting period (July 1, 2006 to September 30, 2006), this section does not include a discussion of soil data. For a discussion of historical soil data, see the *First Quarter Status Report for 2006, Honeywell 34th Street Facility, Facility ID No. 0-002227, LUST File Nos. 0393.02-.10, .15* (CH2M HILL 2006a). Groundwater data presented in this section were generated from samples collected during the second and third quarter groundwater sampling rounds conducted in June/July 2006 and in September 2006, in accordance with the *LUST Field Sampling Plan – Groundwater Sampling, Free Product Monitoring and Recovery Plan* (CH2M HILL 2005a).

Consistent with Honeywell's *Site Characterization Report Update – October 2005* (CH2M HILL 2005b), this section presents a discussion of dissolved-phase contaminant concentrations and distribution, along with associated plan view plots, of:

- Benzene.
- Methyl-tert-butyl-ether (MTBE).
- Naphthalene.
- Benzo(a)pyrene.
- Total benzene, toluene, ethylbenzene, and xylenes (BTEX).
- Total recoverable petroleum hydrocarbons (TRPH).
- Total volatile organic compounds (VOCs).
- Total non-fuel VOCs.
- Total trichloroethylene (TCE).
- Total 1,1,1-trichloroethane (TCA).

This section also discusses free-product thickness measurements collected on September 6 and 7, 2006, and the historical maximum free-product thicknesses measured in Honeywell's UST monitoring wells since free product was first encountered in a monitoring well at the Facility in 1999. Data regarding Honeywell's free-product recovery efforts and recovered product volumes through third quarter 2006 are presented in Section 3.0.

2.1 Free Product

Historically, free product has been observed in 29 monitoring wells located on the Honeywell facility and Sky Harbor Airport property. As discussed below, during this reporting period, free product was observed for the first time in monitoring well ASE-91A. Honeywell monitors the thickness of free product in these and other monitoring wells near the free-product pool either monthly or biweekly. The monitoring schedule is based on the measured free-product thicknesses and is in accordance with the *LUST Field Sampling Plan – Groundwater Sampling, Free Product Monitoring and Recovery Plan* (CH2M HILL 2005a). In general, any monitoring well with a free-product thickness less than 0.1 foot is measured

monthly, and any monitoring well with a free-product thickness greater than 0.1 foot is measured biweekly. During the reporting period, monitoring wells ASE-19A, ASE-52A, ASE-55A, ASE-111A, and ASE-115A were measured biweekly as indicated in Table 2-1.

Free-product thicknesses are illustrated in this quarterly status report for measurements collected on September 6 and 7, 2006 (the last complete monitoring round of the reporting period), as well as the historical maximum thicknesses. Table 2-1 provides free-product thickness measurements collected during the reporting period for all monitoring wells where free product has been observed historically.

On September 6 and 7, 2006, Honeywell observed free product in eight monitoring wells located on its property and Sky Harbor Airport property, as shown on Figure 2-1. Except for monitoring well ASE-91A, these monitoring wells had previously contained free product at thicknesses greater than those measured on September 6 and 7, 2006. The September 6, 2006 free-product thickness measurement of 0.02 foot represented the maximum thickness observed in monitoring well ASE-91A (Table 2-1). On September 6 and 7, 2006, the maximum free-product thickness observed in any monitoring well was 0.08 foot in monitoring wells ASE-67A, ASE-89A, and ASE-107A (Figure 2-1). The free-product thicknesses in monitoring wells ASE-67A, ASE-89A, and ASE-107A on September 6 and 7, 2006 were less than the maximum free-product thicknesses observed in those wells to date. It should be noted that an automated free-product skimmer system is currently installed in monitoring well ASE-67A, which controls the free-product thickness in the well. Therefore, the reported free-product thicknesses for monitoring well ASE-67A do not represent equilibrium conditions.

A comparison to the previous quarter's free-product thickness measurements (collected on June 21, 2006) shows that, in general, free-product thicknesses in September 2006 were slightly higher than those measured in June 2006 for wells containing product during both measurements (CH2M HILL 2006b). Of the eight monitoring wells containing free product on September 6 and 7, 2006, the thickness of product decreased in two wells (ASE-67A and ASE-111A) and increased in six wells (ASE-51A, ASE-89A, ASE-91A, ASE-102A, ASE-107A, and ASE-115A) from the measurements collected on June 21, 2006. Free product was encountered in monitoring well ASE-91A on September 6, 2006; this well did not contain free product on June 21, 2006 (free product was first encountered in monitoring well ASE-91A on July 19, 2006). Conversely, free product was not encountered on September 6, 2006 in three monitoring wells (ASE-19A, ASE-52A, and ASE-55A); these wells each contained free product during the previous quarter's monitoring round on June 21, 2006 (CH2M HILL 2006b).

The September 2006 free-product thickness measurements indicate that the free product is currently limited to three separate areas similar to the previous reporting period (Figure 2-1). North of Air Lane on the Honeywell facility, free product was detected in monitoring wells ASE-51A, ASE-67A, ASE-111A, and ASE-115A. South of Air Lane on the Honeywell facility, free product was detected in monitoring well ASE-91A located in the central portion of the area associated with the CAP. On Sky Harbor Airport property, free product was detected in monitoring wells ASE-89A, ASE-102A, and ASE-107A. Each of these free-product areas is delineated further by monitoring wells that did not contain free product (Figure 2-1).

Free product has now been observed historically in 30 different monitoring wells (29 historical, plus monitoring well ASE-91A during this reporting period) located on the Honeywell facility and Sky Harbor Airport property. The maximum free-product thickness measured in any of these wells since April 1999, when free product was first encountered in a monitoring well at the Honeywell facility, was 4.52 feet in monitoring well ASE-67A on July 26, 2005 (Figure 2-2). The maximum free-product thickness for monitoring well ASE-91A (0.02 foot, September 6, 2006) was measured during third quarter 2006, as shown in Table 2-1 and on Figure 2-2.

The historical free-product thickness measurements show that the cross-gradient extent of the free-product pool can be defined historically by groundwater monitoring wells ASE-54A and ASE-66A to the northwest and by monitoring wells BC-7A and ASE-127A to the southeast. The upgradient (northeast) extent of the free-product pool can be delineated by monitoring wells ASE-59A, ASE-60A, and ASE-61A. According to the historical thickness measurements, the downgradient (south-southwest) extent of the free-product pool can be defined by monitoring wells ASE-58A, ASE-46A, ASE-65A, ASE-126A, ASE-97A, BC-8B, ASE-95A, ASE-124A, ASE-100A, ASE-101A, ASE-128A, ASE-98A, ASE-99A, ASE-110A, ASE-109A, ASE-123A, ASE-122A, ASE-112A, and ASE-105A (Figure 2-2).

2.2 Groundwater – Second Quarter 2006

In accordance with Honeywell's *LUST Field Sampling Plan – Groundwater Sampling, Free Product Monitoring and Recovery Plan* (CH2M HILL 2005a), Honeywell performs quarterly evaluations of the groundwater quality in the area associated with the CAP. In addition, Honeywell measures groundwater levels in monitoring wells associated with the CAP monthly, as presented in the above-referenced plan (CH2M HILL 2005a). As part of the focused remedial investigation of the Honeywell facility, groundwater levels are also measured quarterly in all other Honeywell groundwater monitoring wells. An evaluation of the groundwater levels and associated groundwater flow directions in June 2006, in the area associated with the CAP, was presented in the *Second Quarter Status Report for 2006* (CH2M HILL 2006b). However, results from the second quarter 2006 groundwater sampling event were not available prior to production of the *Second Quarter Status Report for 2006* and therefore, they have been included in this third quarter status report for 2006. Because of the inclusion of the second quarter groundwater quality results in this third quarter status report, the second quarter groundwater levels and associated groundwater flow directions (as discussed in the *Second Quarter Status Report for 2006*) have also been included in this report for completeness. Hydrographs illustrating water level elevations over time for each of Honeywell's UST monitoring wells are included as Appendix A.

Sixty-two monitoring wells were sampled as part of the quarterly UST monitoring program between June 28 and July 12, 2006. Analytical results from these monitoring wells are presented in this quarterly status report on plan view maps and discussed below. Complete laboratory analytical and data validation reports are contained in Appendix B.

This section includes plan view maps with posted water quality data for:

- Benzene.
- MTBE.

- Naphthalene.
- Benzo(a)pyrene.
- Total BTEX.
- TRPH.
- Total VOCs.
- Total non-fuel VOCs.
- Total TCE.
- Total TCA.

Concentration contours are presented along with the posted data for the individual compounds (benzene, MTBE, naphthalene, and benzo(a)pyrene). These contours delineate areas exceeding regulatory standards and laboratory detection limits.

2.2.1 Water Level Elevations

Groundwater elevations for all monitoring wells at and near the Honeywell facility were measured on June 21, 2006. These elevations and associated groundwater level contours are presented on Figure 2-3 for the eastern portion of the Honeywell facility and Sky Harbor Airport property. Similar to previous time periods, the direction of groundwater flow in this area was to the south-southwest, as shown on Figure 2-3. As presented in the *Second Quarter Status Report for 2006* (CH2M HILL 2006b), a comparison of water-level elevations collected in March and June 2006 showed that water levels rose in every monitoring well associated with the CAP. The rise in water-level elevation between March and June 2006 ranged from 0.41 foot (ASE-56A) to 1.84 feet (ASE-123A), with an average rise of approximately 0.92 foot. A discussion of possible causes for the rising water levels in the area associated with Honeywell's CAP is presented in Section 2.3.1.

2.2.2 Benzene

Benzene was detected in groundwater throughout the eastern portion of the Honeywell facility and onto Sky Harbor Airport property in June/July 2006, generally consistent with the historical areal extent of the free-product pool. The maximum concentration of benzene in June/July 2006 occurred in monitoring well ASE-115A (4,200 micrograms per liter [µg/L]), as shown on Figure 2-4. This concentration was higher than the previous quarter's maximum of 2,300 µg/L, which occurred in monitoring well ASE-63A. Consistent with the data from March 2006, the highest benzene concentrations in June/July 2006 occurred in monitoring wells associated with the Area 2 fuel farm (ASE-115A, 4,200 µg/L; ASE-63A, 3,000 µg/L; ASE-116A, 770 µg/L; ASE-38A, 850 µg/L; ASE-39A, 640 µg/L). Concentrations of benzene exceeding the USEPA maximum contaminant level (MCL) of 5 µg/L were detected both at the Honeywell facility and beneath the northern portion of Sky Harbor Airport in June/July 2006 (Figure 2-4).

In general, the June/July 2006 benzene concentrations were lower than those in March 2006, with some increases observed in monitoring wells on both the Honeywell and Sky Harbor Airport properties. Most significant of these increases was the concentration of benzene of 4,200 µg/L in monitoring well ASE-115A, compared to a concentration of 680 µg/L in this monitoring well in March 2006. This increase in benzene concentration can be attributed to the localized presence of free product, which was observed in monitoring well ASE-115A for the first time on April 5, 2006 (subsequent to the March sampling event). Of similar

significance was the lack of detection of benzene in monitoring well ASE-97A in June/July 2006. This was notable because benzene was detected in March 2006 in monitoring well ASE-97A at a concentration of 32 µg/L (benzene was not detected in the regular sample, only in the field duplicate in March 2006). The detection of benzene in monitoring well ASE-97A in March 2006 was the only instance that benzene had ever been detected in this monitoring well. The historical data and the June/July 2006 data suggest that the detection of benzene in the field duplicate for monitoring well ASE-97A during the March 2006 sampling event was anomalous. The benzene concentration in monitoring well ASE-112A decreased from the March 2006 concentration of 260 µg/L to 120 µg/L in June/July 2006. The benzene concentration in the June/July 2006 field duplicate sample for monitoring well ASE-112A (110 µg/L) was in general agreement with the regular sample (120 µg/L), unlike the March 2006 samples, where the regular sample contained a benzene concentration of 260 µg/L, and the field duplicate did not contain detectable levels of benzene (<1 µg/L). The June/July 2006 data from monitoring well ASE-112A suggests that the field duplicate result (<1 µg/L) from March 2006 was anomalous.

Given the south-southwesterly direction of groundwater flow in the area, the extent of benzene concentrations exceeding the MCL is delineated in all directions. The upgradient (northeast) extent is delineated by monitoring wells ASE-59A, ASE-60A, and ASE-61A; the cross-gradient extent is delineated by monitoring wells PL-2101, ASE-66A, and ASE-54A to the northwest and by monitoring wells ASE-127A and BC-7A to the southeast (Figure 2-4). The downgradient (south-southwest) extent of benzene exceeding the MCL is delineated by monitoring wells ASE-58A, ASE-46A, ASE 62A, ASE-55A, ASE-97A, BC-8B, ASE-92A, ASE-95A, ASE-124A, ASE-96A, ASE-106A, ASE-102A, ASE-114A, and ASE-113A (Figure 2-4). Additional monitoring wells downgradient of the Honeywell facility did not contain detectable levels of benzene, as indicated on Figure 2-4.

2.2.3 Methyl Tert-butyl Ether

MTBE was detected in groundwater throughout the eastern portion of the Honeywell facility and onto Sky Harbor Airport property in June/July 2006. The maximum concentration of MTBE in June/July 2006 occurred in monitoring well ASE-89A (1,200 µg/L), located just south of the Honeywell facility on Sky Harbor Airport property, as shown on Figure 2-5. This concentration was slightly higher than the MTBE concentration of 1,000 µg/L detected in this monitoring well in March 2006 but is consistent with the historical MTBE concentrations in this area. The concentration of MTBE in monitoring well ASE-115A increased from 110 µg/L in March 2006 to 1,100 µg/L in June/July 2006. Similar to the increase in benzene concentration in this monitoring well, the increase in MTBE concentration in monitoring well ASE-115A was likely due to the presence of free product that was first encountered following the March 2006 water-quality sampling event. Additional elevated (>500 µg/L) MTBE concentrations of 640 µg/L and 600 µg/L were detected in June/July 2006 south of the Area 2 fuel farm in monitoring wells ASE-63A and ASE-39A, respectively. Monitoring well ASE-106A, located south of monitoring well ASE-89A on Sky Harbor Airport property, also had an elevated (>500 µg/L) MTBE concentration (710 µg/L). Concentrations of MTBE exceeding its ADEQ-recommended Tier 1 remedial level of 94 µg/L—the remedial level that should be used when an existing drinking water receptor is not affected or is not potentially affected by MTBE (ADEQ

2002)—were detected both on the Honeywell facility and beneath the northern portion of Sky Harbor Airport, as shown on Figure 2-5.

Overall, the June/July 2006 sampling results indicated some shifting of the concentrations of MTBE; however, the area that exceeded the Tier 1 remedial level of 94 µg/L remained generally similar to the previous quarter. One monitoring well (ASE-38A) whose MTBE concentration exceeded 94 µg/L in March 2006 (140 µg/L) did not exceed that standard in June/July 2006 (86 µg/L). Conversely, there was only one monitoring well (ASE-95A, located on Sky Harbor Airport property) whose March 2006 concentration (53 µg/L) was less than 94 µg/L but whose June/July 2006 concentration (98 µg/L) exceeded the Tier 1 standard. The MTBE concentration in monitoring well ASE-95A of 98 µg/L resulted in extending the Tier 1 remedial standard contour to the west as shown on Figure 2-5.

Concentrations of MTBE in monitoring wells ASE-20A, ASE-91A, ASE-97A, and ASE-114A decreased to below the laboratory detection limit between the March and June/July 2006 sampling events, reducing the extent of the MTBE plume to the west and southeast (Figure 2-5). As discussed in the *Second Quarter Status Report for 2006* (CH2M HILL 2006b), an inconsistency occurred between the March 2006 results of the regular sample and the field duplicate sample for monitoring well ASE-97A. The concentration of MTBE in the field duplicate for monitoring well ASE-97A in March 2006 was 71 µg/L, but the concentration in the regular sample was <5 µg/L. The concentration of MTBE in monitoring well ASE-97A in June/July 2006 was also <5 µg/L, indicating that the detection of MTBE in the field duplicate during the March 2006 sampling event was anomalous. Analytical results from monitoring well ASE-112A, which also had an inconsistency in MTBE concentrations between its March 2006 regular (310µg/L) and field duplicate (<5 µg/L) samples, indicate that the March 2006 field duplicate result of <5 µg/L was anomalous (June/July results were 210 µg/L for the regular sample and 200 µg/L for the field duplicate), consistent with the benzene results.

Given the south-southwesterly direction of groundwater flow in the area, the extent of MTBE concentrations exceeding its Tier 1 remedial level is delineated in all directions. The upgradient (northeast) extent is delineated by monitoring wells ASE-51A, ASE-52A, ASE-53A, ASE-60A, ASE-111A, and ASE-61A; the cross-gradient extent is delineated by monitoring wells ASE-66A, PL-2101, ASE-20A, ASE-56A, and ASE-57A to the northwest and by monitoring wells ASE-38A, PL-101A, ASE-64A, ASE-127A, and BC-7A to the southeast (Figure 2-5). The downgradient (south-southwest) extent of MTBE exceeding its Tier 1 remedial level is delineated by monitoring wells ASE-46A, ASE-62A, ASE-55A, ASE-108A, PL-105A, ASE-91A, BC-8B, ASE-90A, ASE-125A, ASE-124A, ASE-96A, ASE-101A, ASE-102A, ASE-107A, and ASE-113A (Figure 2-5). Additional monitoring wells downgradient of the Honeywell facility did not contain detectable levels of MTBE, as indicated on Figure 2-5.

In December 2005, the MTBE concentration in monitoring well ASE-95A exceeded the ADEQ-recommended investigation level of 20 µg/L. This prompted Honeywell to install monitoring well ASE-125A, located on Sky Harbor Airport property approximately 600 feet west of monitoring well ASE-95A, in January 2006. MTBE was not detected in monitoring well ASE-125A in either March or June/July 2006. Based on the June/July 2006 data, the extent of the MTBE plume on Sky Harbor Airport property was delineated to ADEQ's investigative level of 20 µg/L by monitoring wells BC-8B, ASE-97A, ASE-125A, ASE-103A, ASE-100A, and ASE-124A to the west and by monitoring wells ASE-101A, ASE-128A,

ASE-98A, ASE-99A, ASE-102A, ASE-110A, ASE-107A, ASE-114A, ASE-109A, ASE-123A, ASE-122A, and ASE-113A to the south (Figure 2-5).

2.2.4 Naphthalene

Naphthalene was detected in groundwater throughout the eastern portion of the Honeywell facility and onto Sky Harbor Airport property, generally consistent with the extent of the free-product pool, although the extent of naphthalene was not as far to the south. The maximum concentration of naphthalene in June/July 2006 occurred in monitoring well ASE-57A (300 µg/L), located in the parking lot north of Air Lane, as shown on Figure 2-6. This monitoring well represents the only location where the naphthalene concentrations exceeded the health-based guidance level of 280 µg/L in June/July 2006. The naphthalene concentration in monitoring well PL-101A exceeded the health-based guidance level in March 2006 (290 µg/L), but the concentration in this well dropped below this standard in June/July 2006 (170 µg/L). Other detectable concentrations of naphthalene in June/July 2006 ranged from 2.5 µg/L (ASE-92A) to 230 µg/L (ASE-56A). As indicated on Figure 2-6, the area where the naphthalene concentration exceeded the health-based guidance level is limited and defined by the Honeywell UST monitoring well network.

2.2.5 Benzo(a)pyrene

Benzo(a)pyrene was not detected in any monitoring well sampled in June/July 2006, as shown on Figure 2-7.

2.2.6 Total Benzene, Toluene, Ethylbenzene, and Xylenes

Total BTEX consists of the sum of concentrations of benzene, toluene, ethylbenzene, and total xylenes (*meta*, *para*, and *ortho* isomers). BTEX components were detected throughout the area associated with the CAP in June/July 2006, with a maximum total BTEX concentration of 4,972.6 µg/L in monitoring well ASE-115A, as shown on Figure 2-8. Total BTEX concentrations exceeding 500 µg/L were detected in a north-south direction from the Area 2 fuel farm (from monitoring well ASE-115A to the north, to monitoring well ASE-64A to the south), and to the west of the Area 2 fuel farm in monitoring wells ASE-56A (870 µg/L) and ASE-57A (901 µg/L) (Figure 2-8). This was generally the same concentration pattern as the previous quarter (March 2006), although the concentrations detected in June/July 2006 were generally lower. Twenty of the 26 monitoring wells located on Sky Harbor Airport property did not contain detectable levels of BTEX components in June/July 2006 (Figure 2-8).

2.2.7 Total Recoverable Petroleum Hydrocarbons

TRPH consists of the sum of compounds with the carbon range C_{13} to C_{32}. Analysis of TRPH using USEPA Method 8015M (later revised to USEPA Method 8015B) was approved in a letter from ADEQ to Honeywell dated March 7, 2006 (ADEQ 2006a). ADEQ's approval came with the condition that "a demonstration of performance-based measurement should be conducted by the analytical laboratory" and that this information "be performed and submitted with each periodic report." Pertinent information regarding the analysis of TRPH using USEPA Method 8015B was submitted to ADEQ under separate cover along with the *Second Quarter Status Report for 2006* (CH2M HILL 2006b); Honeywell is currently awaiting ADEQ's response to this submittal.

TRPH compounds were detected throughout the area associated with the CAP in June/July 2006, with a maximum TRPH concentration of 77,000 µg/L in monitoring well ASE-55A, as shown on Figure 2-9. TRPH concentrations exceeding 1,000 µg/L were detected in six monitoring wells in June/July 2006, with five of the six wells located on the Honeywell facility. Unlike the BTEX components, the highest TRPH concentrations were not found in the area associated with the Area 2 fuel farm. Rather, the highest concentrations were detected in monitoring wells located downgradient of a known historical fuel release from the original Area 2 fuel farm (southwest corner of Building 230) (Figure 2-9).

Six monitoring wells that did not contain detectable levels of TRPH compounds during the March 2006 sampling event had detections of TRPH during the June/July 2006 round (PL-2101, ASE-127A, ASE-101A, ASE-98A, ASE-110A, and ASE-113A) (Figure 2-9). For the first time, detections of TRPH compounds in monitoring wells ASE-98A (160 µg/L) and ASE-110A (130 µg/L) indicated petroleum hydrocarbon contamination existed in Honeywell's southernmost monitoring wells. Because of these detections, Honeywell expedited the TRPH analysis for the samples collected in September 2006. Those results are discussed in Section 2.3.7. Thirteen of the 26 monitoring wells located on Sky Harbor Airport property did not contain detectable levels of TRPH in June/July 2006.

2.2.8 Total Volatile Organic Compounds

Total VOCs consist of the sum of detected concentrations from the USEPA Method 8260 analyte list. VOCs were detected in the majority of monitoring wells sampled in June/July 2006, with a maximum total VOC concentration of 6,599.1 µg/L in monitoring well ASE-115A, as shown on Figure 2-10. Total VOC concentrations exceeding 750 µg/L were detected in roughly the same pattern and primarily in the same monitoring wells as those containing concentrations of total BTEX greater than 500 µg/L (Figure 2-8), although the extent of total VOCs was slightly further to the south (Figure 2-10). In general, total VOC concentrations were lower in June/July 2006 than in the previous quarter (March 2006), but the extent of detectable VOCs was roughly similar from March 2006 to June/July 2006. Five monitoring wells (ASE-54A, ASE-127A, BC-7A, ASE-102A, and ASE-114A) that contained detectable levels of VOCs in March 2006 did not contain detectable levels of VOCs in June/July 2006. Eleven of the 26 monitoring wells located on Sky Harbor Airport property did not contain detectable levels of VOCs in June/July 2006, as shown on Figure 2-10.

2.2.9 Total Non-fuel Volatile Organic Compounds

Total non-fuel VOCs consists of the sum of detected concentrations from a list of analytes prepared by a CH2M HILL chemist (Table 2-2). The analytes listed in Table 2-2 represent compounds not related to releases of petroleum hydrocarbons (e.g., jet fuel). Similar to the previous quarter (March 2006), non-fuel VOCs were detected in the majority of monitoring wells sampled in June/July 2006 but at much lower concentrations than total VOCs. This is consistent with the location of the sampled monitoring wells, which are in an area primarily contaminated with fuel-related compounds. The maximum total non-fuel VOC concentration in June/July 2006 was 167 µg/L in monitoring well ASE-91A, as shown on Figure 2-11. This concentration represented a decrease from the March 2006 maximum total non-fuel VOC concentration of 222 µg/L, also detected in monitoring well ASE-91A. No other monitoring wells sampled during June/July 2006 contained a total non-fuel VOC

concentration exceeding 100 µg/L. Monitoring well ASE-115A, which contained the highest concentrations of total BTEX and total VOCs, only contained a total non-fuel VOC concentration of 6 µg/L (i.e., the majority of the detectable compounds were fuel-related). In addition, 14 of the 26 monitoring wells located on Sky Harbor Airport property did not contain detectable levels of non-fuel VOCs in June/July 2006, as shown on Figure 2-11. Detection limits for total non-fuel VOCs were generally less than 25 µg/L, although in some instances, elevated detection limits for certain parameters were necessary. For example, while the detection limits for most non-fuel VOC parameters for the water quality sample collected from monitoring well ASE-56A were less than 100 µg/L, some detection limits were as high as 250 µg/L (vinyl acetate) and 200 µg/L (acetone).

2.2.10 Total Trichloroethylene

Total TCE consists of the sum of detected concentrations of TCE and its daughter products, cis-1,2-dichloroethene (cis-1,2-DCE) and vinyl chloride. Calculating values of total TCE allows for an evaluation of the distribution of compounds related to releases of TCE, where the parent compound (TCE) may have degraded to its daughter products. In June/July 2006, TCE and related compounds were detected at relatively low concentrations throughout the area associated with the CAP on the Honeywell facility, with some low (<10 µg/L) detections observed in monitoring wells located on Sky Harbor Airport property, as shown on Figure 2-12. The maximum total TCE concentration in June/July 2006 was observed in monitoring well ASE-60A (65 µg/L), located northeast of the historical free-product pool and east of the area associated with the CAP (Figure 2-12). Total TCE concentrations exceeding 25 µg/L were only detected in two monitoring wells: ASE-60A (65 µg/L) and ASE-68A (44.2 µg/L) (Figure 2-12). No total TCE concentration exceeded 10 µg/L on Sky Harbor Airport property (maximum of 5.4 µg/L in monitoring well ASE-90A), and 23 of the 26 monitoring wells located on Sky Harbor Airport property did not contain detectable levels of TCE-related compounds (Figure 2-12). Detection limits for total TCE were generally less than 2 µg/L, although, in some cases, higher detection limits were necessary. For example, the detection limits for compounds related to TCE for the water-quality samples collected from monitoring wells ASE-55A, ASE-56A, and ASE-91A were 20 µg/L for TCE and cis-1,2-DCE and 17µg/L for vinyl chloride.

2.2.11 Total 1,1,1-trichloroethane

Total TCA consists of the sum of detected concentrations of 1,1,1-TCA and its daughter products, 1,1-dichloroethane (1,1-DCA), 1,1-dichloroethene (1,1-DCE), and chloroethane. Similar to total TCE, calculating values of total TCA allows for an evaluation of the distribution of compounds related to releases of 1,1,1-TCA where the parent compound (1,1,1-TCA) may have degraded to its daughter products. Compounds related to 1,1,1-TCA were detected in monitoring wells located in the western portion of the area associated with the CAP in June/July 2006, with a maximum total TCA concentration of 150 µg/L in monitoring well ASE-91A (Figure 2-13). In addition to monitoring well ASE-91A, total TCA concentrations exceeding 50 µg/L were only detected in four other monitoring wells: ASE-46A (54 µg/L), ASE-55A (63 µg/L), ASE-56A (74 µg/L), and ASE-57A (51 µg/L), and 16 of the 26 monitoring wells located on Sky Harbor Airport property did not contain detectable levels of 1,1,1-TCA-related compounds, as shown on Figure 2-13. Similar to total TCE, detection limits for total TCA were generally less than 5 µg/L, although, in some cases,

higher detection limits were necessary. For example, the detection limits for compounds related to 1,1,1-TCA for the water-quality samples collected from monitoring wells ASE-55A, ASE-56A, and ASE-91A were 50 µg/L for 1,1-DCE and chloroethane and 20 µg/L for 1,1,1-TCA and 1,1-DCA.

2.3 Groundwater – Third Quarter 2006

This section presents an evaluation of the groundwater levels and associated groundwater flow directions in September 2006 in the area related to the UST.

Water quality samples were collected from 150 monitoring wells in September 2006 because the third quarter UST water quality sampling round coincides with the sitewide CERCLA semi-annual groundwater sampling event. Sixty-two of these monitoring wells were sampled as part of the UST monitoring program. Analytical results from these monitoring wells are presented in this quarterly status report on plan view maps and discussed below. Complete laboratory analytical and data validation reports are contained in Appendix B.

This section includes plan view maps with posted water quality data for:

- Benzene.
- MTBE.
- Naphthalene.
- Benzo(a)pyrene.
- Total BTEX.
- TRPH.
- Total VOCs.
- Total non-fuel VOCs.
- Total TCE.
- Total TCA.

Concentration contours are presented along with the posted data for the individual compounds (benzene, MTBE, naphthalene, and benzo(a)pyrene). These contours delineate areas exceeding regulatory standards and laboratory detection limits.

2.3.1 Water-level Elevations

Groundwater elevations for all monitoring wells at and near the Honeywell facility were measured on September 6, 2006, except for monitoring well ASE-67A which was measured on September 7, 2006. These elevations and associated groundwater level contours are presented on Figure 2-14 for the eastern portion of the Honeywell facility and Sky Harbor Airport property. Similar to previous time periods, the direction of groundwater flow in this area was to the south-southwest (Figure 2-14). A comparison of water-level elevations collected in June and September 2006 shows that water levels rose in every monitoring well associated with the CAP for the second straight quarter (Table 2-3). The rise in water level elevation between June and September 2006 ranged from 1.01 feet (PL-2102) to 4.02 feet (ASE-99A), with an average rise of approximately 2.26 feet. Hydrographs illustrating water level elevations over time for each of Honeywell's UST monitoring wells are included as Appendix A.

Honeywell is preparing an evaluation of the recent rising water levels in the area surrounding the Honeywell facility and the northern portion of Sky Harbor Airport. The preliminary indications from this evaluation suggest that discharge into the Salt River from sources including the City of Tempe and the City of Mesa has caused the baseline flow in the Salt River channel to increase from about 1 to 2 cubic feet per second to approximately 10 cubic feet per second. This change in baseline flow, coupled with a few substantial precipitation events during the 2006 summer monsoon season, has affected water levels in the area near the Salt River, including the Honeywell facility and Sky Harbor Airport property. Records from the United States Geological Survey indicate that the increase in baseline flow started at roughly about the same time as the Winter 2004/2005 storms, which caused the rise in the water table and the divergence from the regional water level declines. Honeywell's preliminary evaluation also suggests that the discharges by the City of Tempe ceased in early September 2006 and those from the City of Mesa are planned to cease or significantly decrease by early 2007. The reduction or discontinuation of these discharges should allow the localized water table to return to the regional decline seen in other areas of the Salt River Basin. Should the Phoenix area receive above-average precipitation amounts during the upcoming winter, however, water levels in the vicinity of the petroleum hydrocarbon contamination at Honeywell will probably rise again. Honeywell will continue to closely monitor the water table in the area and the events that affect the localized water levels and provide more information on its evaluation in the next quarterly status report.

2.3.2 Benzene

Benzene was detected in groundwater throughout the eastern portion of the Honeywell facility and onto Sky Harbor Airport property in September 2006, generally consistent with the historical areal extent of the free-product pool. The maximum concentration of benzene in September 2006 occurred in monitoring well ASE-115A (5,600 µg/L) (Figure 2-15). This concentration was higher than the previous quarter's maximum of 4,200 µg/L, which also occurred in monitoring well ASE-115A. Consistent with the data from June/July 2006, the highest benzene concentrations in September 2006 occurred in monitoring wells associated with the Area 2 fuel farm (ASE-115A, 5,600 µg/L; ASE-63A, 4,000 µg/L; ASE-116A, 560 µg/L; ASE-38A, 650 µg/L; ASE-39A, 470 µg/L). Concentrations of benzene exceeding the USEPA MCL of 5 µg/L were detected both at the Honeywell facility and beneath the northern portion of Sky Harbor Airport in September 2006, as shown on Figure 2-15.

In general, the September 2006 benzene concentrations were lower than those in June/July 2006, with some increases observed in monitoring wells on both the Honeywell and Sky Harbor Airport properties. Most significant of these increases was the detection of benzene of 5,600 µg/L in monitoring well ASE-115A, compared to a concentration of 4,200 µg/L in this monitoring well in June/July 2006. Benzene was detected in monitoring well ASE-55A at a concentration of 8.7 µg/L during the September 2006 sampling round, and while it wasn't detected in this monitoring well in June/July 2006, the detection limit for that sample was 10 µg/L. Benzene was previously detected in monitoring well ASE-55A in March 2006 at a concentration of 7 µg/L.

Given the south-southwesterly direction of groundwater flow in the area, the extent of benzene concentrations exceeding the MCL is delineated in all directions. The upgradient

(northeast) extent is delineated by monitoring wells ASE-59A, ASE-60A, and ASE-61A; the cross-gradient extent is delineated by monitoring wells PL-2101, ASE-66A, and ASE-54A to the northwest and by monitoring wells ASE-127A and BC-7A to the southeast, as shown on Figure 2-15. The downgradient (south-southwest) extent of benzene exceeding the MCL is delineated by monitoring wells ASE-58A, PL-201A, ASE-62A, ASE-65A, ASE-126A, ASE-97A, ASE-125A, ASE-95A, BC-8B, ASE-124A, ASE-96A, ASE-106A, ASE-101A, ASE-102A, ASE-114A, and ASE-113A (Figure 2-15). Additional monitoring wells downgradient of the Honeywell facility did not contain detectable levels of benzene, as indicated on Figure 2-15.

2.3.3 Methyl Tert-butyl Ether

MTBE was detected in groundwater throughout the eastern portion of the Honeywell facility and onto Sky Harbor Airport property in September 2006. The maximum concentration of MTBE in September 2006 occurred in monitoring well ASE-115A (1,100 µg/L), located in the vicinity of the Area 2 fuel farm, as shown on Figure 2-16. This concentration was identical to the concentration detected in this well in June/July 2006. The concentration of MTBE in monitoring well ASE-89A, located on Sky Harbor Airport property, decreased from the June/July maximum concentration of 1,200 µg/L to a concentration of 1,000 µg/L in September 2006. In September 2006, additional elevated (>200 µg/L) MTBE concentrations of 450 µg/L and 460 µg/L were detected south of the Area 2 fuel farm in monitoring wells ASE-63A and ASE-39A, respectively. Monitoring well ASE-106A, located south of monitoring well ASE-89A on Sky Harbor Airport property, also had an elevated (>200 µg/L) MTBE concentration of 240 µg/L. Concentrations of MTBE exceeding its ADEQ-recommended Tier 1 remedial level of 94 µg/L—the remedial level that should be used when an existing drinking water receptor is not affected or is not potentially affected by MTBE (ADEQ 2002)—were detected both on the Honeywell facility and beneath the northern portion of Sky Harbor Airport, as shown on Figure 2-16.

Overall, similar to previous quarters, the September 2006 sampling results indicated some shifting of the concentrations of MTBE. The area that exceeded the Tier 1 remedial level of 94 µg/L decreased from the previous quarter, driven by the decrease in MTBE concentrations in three monitoring wells (ASE-68A, 78 µg/L; ASE-95A, 70 µg/L; ASE-37A, 80 µg/L). The concentration of MTBE in monitoring well ASE-90A increased from 78 µg/L in June/July 2006 to 140 µg/L in September 2006, thus exceeding the Tier 1 MTBE remedial level. In September 2006, MTBE was detected in three monitoring wells that did not have detectable concentrations of MTBE during the previous sampling round (ASE-56A, 28 µg/L; ASE-91A, 60 µg/L; BC-8B, 8.4 µg/L). As a result of these detections, the contour illustrating the extent of detectable concentrations of MTBE shifted to the west, as shown on Figure 2-16. MTBE was not detected in September 2006 in three monitoring wells that had contained detectable levels of MTBE in June/July 2006 (ASE-57A, ASE-64A, and ASE-124A). Consequently, the extent of the MTBE plume was reduced in the vicinity of these wells, as shown on Figure 2-16.

Given the south-southwesterly direction of groundwater flow in the area, the extent of MTBE concentrations exceeding its Tier 1 remedial level is delineated in all directions. The upgradient (northeast) extent is delineated by monitoring wells ASE-68A, ASE-51A, ASE-52A, ASE-53A, ASE-60A, ASE-111A, and ASE-61A; the cross-gradient extent is delineated by monitoring wells ASE-66A, PL-2101, ASE-20A, ASE-56A, and ASE-57A to the

northwest and by monitoring wells ASE-127A, BC-7A, and ASE-64A to the southeast, as shown on Figure 2-16. The downgradient (south-southwest) extent of MTBE exceeding its Tier 1 remedial level is delineated by monitoring wells ASE-46A, ASE-62A, ASE-55A, PL-105A, ASE-91A, BC-8B, ASE-95A, ASE-124A, ASE-96A, ASE-101A, ASE-102A, ASE-107A, and ASE-113A (Figure 2-16). Additional monitoring wells downgradient of the Honeywell facility did not contain detectable levels of MTBE, as indicated on Figure 2-16.

Based on the September 2006 data, the extent of the MTBE plume on Sky Harbor Airport property was delineated to ADEQ's investigative level of 20 µg/L by monitoring wells ASE-97A, BC-8B, ASE-125A, ASE-103A, ASE-100A, and ASE-124A to the west and by monitoring wells ASE-101A, ASE-128A, ASE-102A, ASE-110A, ASE-107A, ASE-114A, ASE-109A, ASE-123A, ASE-122A, and ASE-113A to the south (Figure 2-16).

2.3.4 Naphthalene

Naphthalene was detected in groundwater throughout the eastern portion of the Honeywell facility and onto Sky Harbor Airport property, generally consistent with the extent of the free-product pool, although the extent of naphthalene was not as far to the south. The maximum concentration of naphthalene in September 2006 occurred in monitoring well ASE-57A (340 µg/L), located in the parking lot north of Air Lane, as shown on Figure 2-17. Similar to June/July 2006, this monitoring well represented the only location where the naphthalene concentrations exceeded the health-based guidance level of 280 µg/L in September 2006. Other detectable levels of naphthalene in September 2006 ranged from 2.1 µg/L (ASE-92A) to 250 µg/L (ASE-56A and ASE-89A). As indicated on Figure 2-17, the area where the naphthalene concentration exceeded the health-based guidance level is limited and defined by the Honeywell UST monitoring well network.

Due to a laboratory error, naphthalene results from monitoring well ASE-111A were not available for third quarter 2006. According to the laboratory report, some of the analyses from this sample exceeded the holding time, thus making the results invalid. In addition to naphthalene, the laboratory error affected the results from monitoring well ASE-111A for total BTEX, total VOCs, total non-fuel VOCs, total TCE, and total TCA. As such, the values for these parameters for monitoring well ASE-111A have been removed and noted on the appropriate figures.

2.3.5 Benzo(a)pyrene

Consistent with previous quarters, benzo(a)pyrene was not detected in any monitoring well sampled in September 2006, as shown on Figure 2-18.

2.3.6 Total Benzene, Toluene, Ethylbenzene, and Xylenes

Total BTEX consists of the sum of concentrations of benzene, toluene, ethylbenzene, and total xylenes (*meta*, *para*, and *ortho* isomers). BTEX components were detected throughout the area associated with the CAP in September 2006, with a maximum total BTEX concentration of 6,480 µg/L in monitoring well ASE-115A, as shown on Figure 2-19. Total BTEX concentrations exceeding 500 µg/L were detected in a north-south direction from the Area 2 fuel farm (from monitoring well ASE-115A to the north, to monitoring well ASE-64A to the south), and to the west of the Area 2 fuel farm in monitoring wells ASE-56A (667.3 µg/L) and ASE-57A (691 µg/L) (Figure 2-19). This is generally the same concentration

pattern as the previous quarter (June/July 2006), although the concentrations detected in September 2006 were generally lower. Twenty-one of the 26 monitoring wells located on Sky Harbor Airport property did not contain detectable levels of BTEX components in September 2006, as shown on Figure 2-19.

2.3.7 Total Recoverable Petroleum Hydrocarbons

TRPH consists of the sum of compounds with the carbon range C_{13} to C_{32}. TRPH compounds were detected throughout the area associated with the CAP in September 2006, with a maximum TRPH concentration of 15,000 µg/L in monitoring well ASE-57A, as shown on Figure 2-20. This was a significant decrease from the maximum TRPH concentration of 77,000 µg/L detected in monitoring well ASE-55A in June/July 2006. The TRPH concentration in monitoring well ASE-55A decreased from 77,000 µg/L in June/July 2006 to 3,500 µg/L in September 2006, as shown on Figure 2-20. TRPH concentrations equaling or exceeding 1,000 µg/L were detected in eight monitoring wells in September 2006, with seven of the eight wells located on the Honeywell facility. Unlike the BTEX components, the highest TRPH concentrations were not found in the area associated with the Area 2 fuel farm. Rather, the maximum concentrations were detected in monitoring wells located downgradient of a known historical fuel release from the original Area 2 fuel farm (southwest corner of Building 230), as shown on Figure 2-20.

Six monitoring wells which did not contain detectable levels of TRPH compounds during the June/July 2006 sampling event had detections of TRPH during the September 2006 round (ASE-53A, 54 µg/L; PL-201A, 62 µg/L; ASE-65A, 68 µg/L; ASE-97A, 73µg/L; BC-8B, 71 µg/L; and ASE-123A, 52 µg/L), as shown on Figure 2-20. Conversely, TRPH compounds were not detected in September 2006 in nine monitoring wells (PL-2101, ASE-127A, ASE-108A, ASE-106A, ASE-102A, ASE-98A, ASE-110A, ASE-113A, and ASE-114A) that contained detectable levels of TRPH compounds in June/July 2006. The lack of detection of TRPH compounds in monitoring wells ASE-98A and ASE-110A indicates that the extent of TRPH compounds is delineated by Honeywell's southernmost monitoring wells. Sixteen of the 26 monitoring wells located on Sky Harbor Airport property did not contain detectable levels of TRPH in September 2006.

2.3.8 Total Volatile Organic Compounds

Total VOCs consists of the sum of detected concentrations from the USEPA Method 8260 analyte list. VOCs were detected in the majority of monitoring wells sampled in September 2006, with a maximum total VOC concentration of 8,232.2 µg/L in monitoring well ASE-115A, as shown on Figure 2-21. Total VOC concentrations exceeding 750 µg/L were detected in roughly the same pattern and primarily in the same monitoring wells as those containing concentrations of total BTEX greater than 500 µg/L, although the extent was slightly further to the south, as shown on Figure 2-19. Total VOC concentrations observed in September 2006 were lower for just over half the monitoring wells as compared to the June/July 2006 results. However, the general extent of total VOCs for September 2006 was similar to that in June/July 2006. Eleven of the 26 monitoring wells located on Sky Harbor Airport property did not contain detectable levels of VOCs in September 2006, as shown on Figure 2-21.

2.3.9 Total Non-fuel Volatile Organic Compounds

Total non-fuel VOCs consists of the sum of detected concentrations from a list of analytes prepared by a CH2M HILL chemist, as shown in Table 2-2. The analytes listed in Table 2-2 represent compounds not related to releases of petroleum hydrocarbons (e.g., jet fuel). Similar to the previous quarter (June/July 2006), non-fuel VOCs were detected in the majority of monitoring wells sampled in September 2006 but at much lower concentrations than total VOCs. This is consistent with the location of the sampled monitoring wells, which are in an area primarily contaminated with fuel-related compounds. Similar to June/July 2006, the maximum total non-fuel VOC concentration in September 2006 was 138 µg/L in monitoring well ASE-91A, as shown on Figure 2-22. This concentration represented a decrease from the June/July 2006 maximum total non-fuel VOC concentration of 167 µg/L, also detected in monitoring well ASE-91A. No other monitoring wells sampled during September 2006 contained total non-fuel VOC concentrations exceeding 100 µg/L. Monitoring well ASE-115A, which contained the highest concentrations of total BTEX and total VOCs, only contained a total non-fuel VOC concentration of 2 µg/L (i.e., almost all of the detectable compounds were fuel-related). In addition, 16 of the 26 monitoring wells located on Sky Harbor Airport property did not contain detectable levels of non-fuel VOCs in September 2006, as shown on Figure 2-22. Detection limits for total non-fuel VOCs were generally less than 25 µg/L, although, in some instances, elevated detection limits for certain parameters were necessary. For example, while the detection limits for most non-fuel VOC parameters for the water-quality sample collected from monitoring well ASE-63A were less than or equal to 100 µg/L, some detection limits were as high as 1,200 µg/L (vinyl acetate), 1,000 µg/L (acetone), 500 µg/L (2-butanone, 2-hexanone, and 4-methyl-2-pentanone), and 250 µg/L (1,1-dichloroethene, 1,2-dibromo-3-chloropropane, bromoform, bromomethane, carbon disulfide, carbon tetrachloride, chloroethane, chloromethane, dichlorodifluoromethane, hexachlorobutadiene, methylene chloride, and trichlorofluoromethane). Detection limits were also slightly higher for the water-quality samples collected from monitoring wells ASE-55A and ASE-57A. The detection limits for these samples were 250 µg/L for vinyl acetate and 200 µg/L for acetone.

2.3.10 Total Trichloroethylene

Total TCE consists of the sum of detected concentrations of TCE and its daughter products, cis-1,2-DCE and vinyl chloride. Calculating values of total TCE allows for an evaluation of the distribution of compounds related to releases of TCE, where the parent compound (TCE) may have degraded to its daughter products. In September 2006, TCE and related compounds were detected at relatively low concentrations throughout the area associated with the CAP on the Honeywell facility, with some low (<5 µg/L) detections observed in monitoring wells located on Sky Harbor Airport property, as shown on Figure 2-23. The maximum total TCE concentration in September 2006 was observed in monitoring well ASE-68A (67.6 µg/L), located in the northwestern portion of the area associated with the CAP, as shown on Figure 2-23. This represented a shift in the location of the maximum total TCE concentration to the west, as in previous quarters, the maximum total TCE has been located upgradient (northeast) of the Honeywell facility in monitoring well ASE-60A. Total TCE concentrations exceeding 25 µg/L were only detected in two monitoring wells in September 2006: ASE-60A (40 µg/L) and ASE-68A (67.6 µg/L), as shown on Figure 2-23. No total TCE concentration exceeded 10 µg/L on Sky Harbor Airport property (maximum of 4.9

µg/L in monitoring well ASE-90A), and 22 of the 26 monitoring wells located on Sky Harbor Airport property did not contain detectable levels of TCE-related compounds, as shown on Figure 2-23. Detection limits for total TCE were generally less than 2 µg/L, although, in some cases, higher detection limits were necessary. For example, the detection limits for compounds related to TCE for the water-quality sample collected from monitoring well ASE-63A were 100 µg/L for TCE and cis-1,2-DCE and 85 µg/L for vinyl chloride. Detection limits were also slightly higher for the water-quality samples collected from monitoring wells ASE-55A and ASE-57A. The detection limits for these samples were 20 µg/L for TCE and cis-1,2-DCE, and 17µg/L for vinyl chloride.

2.3.11 Total 1,1,1-trichloroethane

Total TCA consists of the sum of detected concentrations of 1,1,1-TCA and its daughter products, 1,1-DCA, 1,1-DCE, and chloroethane. Similar to total TCE, calculating values of total TCA allows for an evaluation of the distribution of compounds related to releases of 1,1,1-TCA where the parent compound (1,1,1-TCA) may have degraded to its daughter products. Similar to previous quarters, compounds related to 1,1,1-TCA were detected in monitoring wells located in the western portion of the area associated with the CAP in September 2006, with a maximum total TCA concentration of 124 µg/L in monitoring well ASE-91A, as shown on Figure 2-24. In addition to monitoring well ASE-91A, total TCA concentrations exceeding 50 µg/L were only detected in three other monitoring wells: PL-105A (61 µg/L), ASE-55A (52 µg/L), and ASE-56A (73.4 µg/L), and 17 of the 26 monitoring wells located on Sky Harbor Airport property did not contain detectable levels of 1,1,1-TCA-related compounds (Figure 2-24). Similar to total TCE, detection limits for total TCA were generally less than 5 µg/L, although, in some cases, higher detection limits were necessary. For example, the detection limits for compounds related to 1,1,1-TCA for the water-quality sample collected from monitoring well ASE-63A were 250 µg/L for 1,1-DCE and chloroethane and 100 µg/L for 1,1,1-TCA and 1,1-DCA. Detection limits were also slightly higher for the water-quality samples collected from monitoring wells ASE-55A and ASE-57A. The detection limits for these samples were 50 µg/L for 1,1-DCE and chloroethane and 20 µg/L for 1,1,1-TCA and 1,1-DCA.

SECTION 3.0

Site Remediation Activities

This section summarizes the scope and results of site remediation activities conducted during the third quarter of 2006.

3.1 Free-product Recovery

During third quarter 2006, Honeywell continued to manually recover free product biweekly from monitoring wells with free-product thicknesses greater than 0.1 foot. A portable free-product pump, the *Spill Buddy Pro*™, from Clean Earth Technology, was used to manually recover the free product.

Free product was also recovered from monitoring well ASE-67A using an automated free-product skimming pump, the *Magnum Spill Buster*™, from Clean Earth Technology, which was installed on December 24, 2005. The pump was installed in monitoring well ASE-67A in conformance with CAP free-product monitoring and recovery requirements.

Approximately 33 gallons of free product, including 29.4 gallons from monitoring well ASE-67A, were recovered during third quarter 2006. This compares to the approximate 62 gallons recovered during second quarter 2006 and approximate 22 gallons recovered during first quarter 2006. Approximately 7,165 gallons have been recovered using skimming technologies since free-product recovery efforts began on June 1, 1999. Table 3-1 summarizes the amount of free product recovered at each monitoring well that has historically had measurable free product.

3.2 Bioenhanced Soil Vapor Extraction

3.2.1 Bioenhanced Soil Vapor Extraction Air Permitting

On July 27, 2006, Maricopa County selected Kleinfelder as their consultant to conduct an expedited review of the BSVE air permit application. A kickoff meeting with Maricopa County and Kleinfelder was conducted on August 15, 2006. Since that meeting, Honeywell has participated in weekly conference calls with the permit review team and has provided supplemental information as requested. Representatives from Maricopa County, Kleinfelder, Honeywell, and CH2M HILL also attended a Technical Advisory Group meeting on September 7, 2006 where members of the public asked questions related to the status of the air permit. On September 28, 2006, Maricopa County requested that Honeywell submit a revised permit application by October 13, 2006. Subsequently, Honeywell began preparation of the revised permit application at the end of the third quarter 2006. Maricopa County issued a determination of the application's completeness on October 26, 2006. Based on available information received from Maricopa County and Kleinfelder, the approximate timeline for issuing a final permit is roughly late second quarter 2007. This includes time for:

- Review of the permit application by Kleinfelder.

- Issuance of a draft permit to Honeywell for comment.
- Finalization of the draft permit.
- Public notice.
- Public hearing (if requested) and response to comments.
- Revision of the draft permit.
- USEPA review of the permit.

Upon issuance of the final air permit, Honeywell will commence construction of the BSVE system at the Facility. Honeywell will continue to work with Maricopa County and Kleinfelder and provide the status of the air permit to ADEQ in future quarterly status reports.

3.2.2 Air Injection Pilot Test

As presented in the *Second Quarter Status Report for 2006* (CH2M HILL 2006b), Honeywell completed the fourth and final phase of the air injection pilot test on May 12, 2006, achieving the objectives set forth in the *Final Air Injection Pilot Test Work Plan* (Honeywell 2005) for monitoring well ASE-41A. Honeywell continues to monitor 13 Sky Harbor Airport subsurface utility vaults monthly for O_2, CO_2, methane, and %LEL. Monthly monitoring during third quarter 2006 occurred on July 12, August 8, and September 14, 2006. Results from these three monitoring events indicated that methane concentrations and %LEL at Sky Harbor Airport subsurface utility vaults continue to be non-detect. The next anticipated field measurement sampling event for O_2, CO_2, methane, and %LEL at Sky Harbor Airport subsurface utility vaults is anticipated to be in January 2007. Table 3-2 presents the third quarter 2006 subsurface utility vault air field parameter measurements.

Between July 4 and July 12, 2006, on August 8, 2006, and between September 14 and September 29, 2006, Honeywell conducted more helium tracer tests to determine well dilution effects from ambient air at selected monitoring wells (helium tracer tests were begun in second quarter 2006 to determine well dilution effects). The results of the third quarter 2006 well dilution testing are presented in Table 3-3. The analytical laboratory report is contained in Appendix B.

A complete presentation and discussion of air injection pilot test results, including well dilution testing conducted during third quarter 2006, was included in the Air Injection Pilot Test Report, submitted to ADEQ on October 20, 2006.

3.2.3 Vapor Monitoring Program

At the request of the City of Phoenix (COP), during third quarter 2006, Honeywell prepared a Field Sampling Plan (FSP) to collect air samples from selected subsurface vaults and storm sewer manholes on Sky Harbor Airport property (Honeywell 2006b). The FSP is being submitted concurrently with this quarterly status report under separate cover. The air samples will be analyzed for VOCs using USEPA Method TO-15. To minimize the impact of saturated soils on the VOC concentrations in the air within the subsurface structures, Honeywell and COP have agreed there shall be a minimum 30-day period between the time stormwater is removed from the vaults and when the samples are collected. Since the FSP was prepared, there has yet to be a 30-day period between the time stormwater was

removed from the vaults and the next rain event; therefore, the FSP was not implemented during the third quarter 2006.

Procedures from the FSP will be incorporated into the draft Interim Vapor Monitoring Plan that Honeywell is developing at the request of COP. This plan will identify the monitoring activities at the Honeywell facility and Sky Harbor Airport property for the timeframe prior to the construction and startup of the BSVE system.

SECTION 4.0

Summary of Planned Work

The following activities are planned for the period between October 2006 and December 2006:

- Conduct fourth quarterly groundwater sampling event for 2006 (tentatively scheduled for December 11 to December 19, 2006), monthly water-level measurements, and biweekly and monthly free-product monitoring and recovery in accordance with the *LUST Field Sampling Plan – Groundwater Sampling, Free Product Monitoring and Recovery Plan* (CH2M HILL 2005a).
- Continue to work with Maricopa County on the progress of the BSVE air permit application review and submit any requested supplemental material in a timely manner.
- Submit revised air permit application to Maricopa County.
- Submit Air Injection Pilot Test report to ADEQ.
- Complete helium gas tracer tests to determine well dilution effects from ambient air at monitoring wells ASE-20A, ASE-111A, BC-18, P-14-U, and P-21-L.
- Conduct field parameter monitoring for select Sky Harbor Airport subsurface utility vaults in January 2007. The results will be used for the human health risk assessment.
- Prepare the draft Interim Vapor Monitoring Plan for vapor monitoring to be implemented prior to the construction and startup of the BSVE system. This plan will propose the installation of additional soil vapor monitoring wells, additional subslab monitoring points, and subsurface utility vault air monitoring. This plan will be discussed with the COP in early November 2006 and will be submitted to ADEQ during first quarter 2007, instead of fourth quarter 2006, as originally stated in the *Second Quarter Status Report for 2006* (CH2M HILL 2006b). Please note that this Interim Vapor Monitoring Plan was previously called a "work plan to propose installation of soil vapor monitoring wells."

SECTION 5.0

Summary of Problems and Delays

Sky Harbor Airport subsurface utility vault air sampling for VOCs using USEPA Method TO-15 was postponed due to weather delays. Honeywell continues to monitor rain events so that vault air sampling can occur as soon as the weather permits.

SECTION 6.0

Status of Deliverables

The following is a list of deliverables submitted through third quarter 2006 since the *Site Characterization Report* dated August 23, 2002:

- On September 15, 2006, Honeywell submitted a letter to ADEQ proposing to modify the scheduled submittal dates of quarterly status reports such that future reports are submitted to ADEQ no later than 60 days following the end of each calendar quarter.
- On August 3, 2006, Honeywell submitted to ADEQ a letter "RE: *Modification to Final Air Injection Pilot Test Work Plan*," dated October 4, 2005, that explained the method for conducting a short-term pilot test and the plan for implementation on Sky Harbor Airport Property.
- On July 20, 2006, Honeywell submitted to ADEQ a letter that explained the status of the pilot test, Honeywell's agreement with the COP to evaluate the BSVE design, assuming 8 percent oxygen utilization rate, and the status of the air permit applications.
- On July 14, 2006, CH2M HILL, on behalf of Honeywell, submitted to ADEQ the *Second Quarter Status Report for 2006, Honeywell 34th Street Facility, Facility ID No. 0-002227, LUST File Nos. 0393.02-.10, .15.*
- On April 14, 2006, CH2M HILL, on behalf of Honeywell, submitted to ADEQ the *First Quarter Status Report for 2006, Honeywell 34th Street Facility, Facility ID No. 0-002227, LUST File Nos. 0393.02-.10, .15.*
- On March 2, 2006, Honeywell submitted to ADEQ the *Proposed Modification to Honeywell's Groundwater Sampling, Free Product Monitoring and Recovery Plan – Total Recoverable Petroleum Hydrocarbons Analytical Method, LUST File #0393.02-.10, .15, Facility ID #0-002227.*
- On January 16, 2006, CH2M HILL, on behalf of Honeywell, submitted to ADEQ the *Quarterly Status Report, Quarter 1 (October 17, 2005 to January 15, 2006), Honeywell 34th Street Facility, Facility ID No. 0-002227, LUST File No. 0393.02-.10, .15.*
- On January 13, 2006, CH2M HILL, on behalf of Honeywell, submitted to ADEQ the *Soil Vapor Field Sampling Report, Honeywell 34th Street Facility, 111 S. 34th Street, Phoenix, Arizona.*
- On December 9, 2005, CH2M HILL, on behalf of Honeywell, submitted to ADEQ the *LUST Field Sampling Plan – Groundwater Sampling, Free Product Monitoring and Recovery Plan*.
- On December 7, 2005, CH2M HILL, on behalf of Honeywell, submitted to Maricopa County (1) the Revised Air Permit Application for BSVE and (2) the Air Permitting Evaluation for Air Injection Pilot Study. On December 19, 2005, copies of the Revised Air Permit Application for BSVE were sent to ADEQ, COP Aviation Department, and USEPA.

- On November 17, 2005, CH2M HILL, on behalf of Honeywell, submitted to ADEQ's LUST Enforcement Unit, a letter that explained the reasons for the differences in the timeline for "Startup and Initial Testing" presented in the revised schedule (Revised Figure 32, attachment to the November 2, 2005 letter) and the original schedule in the CAP.
- On November 2, 2005, CH2M HILL, on behalf of Honeywell, submitted to ADEQ's LUST Enforcement Unit, a letter that provided a status update on several aspects of the CAP implementation and on the conditions set forth in ADEQ's October 7, 2005 CAP approval letter. Attachments to this letter include (1) revised Figure 32—Remedial Alternative 3 Implementation Schedule, (2) free-product thickness map, October 2005, (3) list of site characterization activities since submittal of the *Site Characterization Report*, (4) updated site characterization figures and tables, (5) boring logs, and (6) a CD containing analytical and monitoring well measurement data.
- On October 20, 2005, CH2M HILL, on behalf of Honeywell, submitted to ADEQ the *Work Plan for Additional Characterization of LUST File #0393.15 – JP-4 Fuel Pipeline Release at the Honeywell 34th Street Facility*.
- On October 4, 2005, Honeywell submitted to ADEQ the *Final Air Injection Pilot Test Work Plan, Honeywell 34th Street Facility and Phoenix Sky Harbor International Airport North Airfield, Phoenix, Arizona*.
- On September 19, 2005, CH2M HILL, on behalf of Honeywell, submitted to ADEQ the *Quality Assurance Project Plan, Honeywell 34th Street Facility.*
- On September 7, 2005, CH2M HILL, on behalf of Honeywell, submitted to ADEQ the *Work Plan for Phase III Monitoring Well Installation on Honeywell Leasehold and Phoenix Sky Harbor International Airport, Honeywell 34th Street Facility*.
- On August 22, 2005, CH2M HILL, on behalf of Honeywell, submitted to ADEQ the *Work Plan for Installation of Multi Level Soil Vapor Monitoring Wells and Shallow/Sub-slab Soil Vapor Monitoring Points, Honeywell 34th Street Facility*.
- On July 11, 2005, CH2M HILL, on behalf of Honeywell, submitted to ADEQ the *Soil Vapor Baseline Sampling and Analysis Plan, Honeywell 34th Street Facility.*
- On July 1, 2005, Honeywell submitted to ADEQ's Tank Programs Division the *Free Product Report – LUST File #0393.15 – JP-4 Fuel Line from UST #203.*
- On June 13, 2005, Honeywell submitted to ADEQ's Tank Programs Division the *Initial Site Characterization Report – LUST File #0393.15 – JP-4 Fuel Line from UST #203*.
- On March 29, 2005, Honeywell submitted to ADEQ's Tank Programs Division the *14-day Report – LUST File #0393.15 – JP-4 Fuel Line from UST #203.*
- On November 15, 2004, CH2M HILL, on behalf of Honeywell, submitted to ADEQ's UST Corrective Action Section responses to ADEQ's September 30, 2004 comments on Honeywell's July 30, 2004 *Revised Corrective Action Plan.* The corresponding replacement pages of the revised text, tables, and figures of the Revised CAP were also submitted.

- On July 30, 2004, CH2M HILL, on behalf of Honeywell, submitted the *Revised Corrective Action Plan* to ADEQ's UST Corrective Action Section. The Revised CAP supersedes and replaces the original July 18, 2003, CAP.
- On May 27, 2004, Honeywell submitted a three-ring binder to ADEQ's UST Corrective Action Section titled "Supporting Material, UST Informal Settlement Conference, May 28, 2004."
- On May 7, 2003, CH2M HILL, on behalf of Honeywell, submitted to ADEQ a technical memorandum titled "Summary of Results from the Bioventing/SVE Pilot Study February 24 through March 1, 2003."
- On May 1, 2003, Honeywell submitted to ADEQ's UST Corrective Action Section the *Free-product Report, Honeywell International Inc., 34th Street Facility, Phoenix, Arizona, Facility ID# 0-002227, LUST File Nos. 0393.02 -.10*.
- On December 18, 2002, Honeywell submitted to ADEQ's UST Corrective Action Section *Supplemental Site Characterization Information for the Honeywell International Inc., 34th Street Facility, Phoenix, Arizona, Facility ID# 0-002227, LUST File Nos. 0393.02 -.10*.
- On August 23, 2002, CH2M HILL, on behalf of Honeywell, submitted the *Site Characterization Report* to ADEQ's UST Corrective Action Section.

The following are deliverables planned for submittal:

- Interim Vapor Monitoring Plan for vapor monitoring to be implemented upon approval and until the startup of the BSVE system. This plan will propose the installation of additional soil vapor monitoring wells, additional sub-slab monitoring points, and additional subsurface utility vault air monitoring. This plan will be discussed with the COP in early November 2006 and will be submitted to ADEQ during first quarter 2007, instead of fourth quarter 2006, as originally stated in the *Second Quarter Status Report for 2006* (CH2M HILL 2006b). Please note that this Interim Vapor Monitoring Plan was previously called a "work plan to propose installation of soil vapor monitoring wells."
- *Fourth Quarter Status Report for 2006, Honeywell 34th Street Facility, Facility ID No. 0-002227, LUST File Nos. 0393.02-.10, .15.* This report is currently scheduled for submittal to ADEQ on March 1, 2007.

SECTION 7.0

References

Arizona Department of Environmental Quality (ADEQ). 2002. *Release Reporting and Corrective Action Guidance*. Revision 0. State of Arizona Department of Environmental Quality Underground Storage Tank Program. August 20.

_____. 2005. Letter from Mr. Mark W. Lucas and Mr. Joseph Karl Drosendahl to Ms. Troy Meyer, Honeywell. "Corrective Action Plan Final Approval, LUST File No. #0393.02-.10, .15, Facility ID #0-002227; Honeywell, 111 South 34th Street, Phoenix, Arizona." October 7.

_____. 2006a. Letter from Mr. Mark W. Lucas and Mr. Joseph Karl Drosendahl to Ms. Troy Meyer, Honeywell, re: Corrective Action Plan Modification Approval, LUST File No. #0393.02-.10, .15, Facility ID #0-002227; Honeywell, 111 South 34th Street, Phoenix, Arizona. March 7.

_____. 2006b. Letter from Mr. Mark W. Lucas and Mr. Michael J. Traubert to Ms. Troy Meyer, Honeywell. "Corrective Action Plan Modification Approval, LUST File No. #0393.02-.10, .15, Facility ID #0-002227; Honeywell, 111 South 34th Street, Phoenix, Arizona." September 28.

CH2M HILL. 2004a. *Revised Corrective Action Plan, Honeywell 34th Street Facility, Phoenix, Arizona. ADEQ Facility No 0-002227, LUST File Nos. 0393.02 through 0393.10.* July.

_____. 2004b. Letter from Thomas J. Mooney, CH2M HILL, on behalf of Honeywell, to Mr. Mark Lucas, ADEQ. "Response to ADEQ comments dated September 30, 2004 on Honeywell's Revised Corrective Action Plan, dated July 30, 2004, Honeywell 34th Street Facility, Phoenix, Arizona." November 15.

_____. 2005a. *LUST Field Sampling Plan – Groundwater Sampling, Free-product Monitoring and Recovery Plan, Honeywell 34th Street Facility, Facility ID No. 0-002227, LUST File No. 0393.02-.10, .15*. December 8.

_____. 2005b. *Site Characterization Report Update—October 2005.* November 2.

_____. 2006a. *First Quarter Status Report for 2006, Honeywell 34th Street Facility, Facility ID No. 0-002227, LUST File Nos. 0393.02-.10, .15.* April 14.

_____. 2006b. *Second Quarter Status Report for 2006, Honeywell 34th Street Facility, Facility ID No. 0-002227, LUST File Nos. 0393.02-.10, .15.* July 14.

Honeywell International Inc. (Honeywell). 2005. *Final Air Injection Pilot Test Work Plan, Honeywell 34th Street Facility and Phoenix Sky Harbor International Airport North Airfield, Phoenix, Arizona*. October 4.

_____. 2006a. Letter from Ms. Troy Meyer to Mr. Mark W. Lucas, ADEQ. "Proposed Modification to Honeywell's Corrective Action Plan – Submittal Date of Quarterly Status Reports, LUST File #0393.02-.10, .15, Facility ID #0-002227." September 15.

_____. 2006b. *Final Field Sampling Plan for PSHIA Subsurface Utility Vaults for Baseline Air Sampling Using EPA Method TO-15*. July.

Tables

TABLE 2-1
Summary of Free-product Thickness Measurements, Third Quarter 2006
Third Quarter Status Report, Honeywell 34th Street Facility, Phoenix, Arizona

	Free-product Thickness (feet)					
Well	**07/07**	**07/19**	**08/04**	**08/16**	**08/31**	**09/06**
ASE-19A	0.16	0.06	0.02	0.01	0	0
ASE-20A	NM	0	NM	0	NM	0
ASE-37A	NM	0	NM	0	NM	0
ASE-38A	NM	0	NM	0	NM	0
ASE-39A	NM	0	NM	0	NM	0
ASE-41A	NM	0	NM	0	NM	0
ASE-51A	NM	0.06	NM	0.06	NM	0.07
ASE-52A	0.11	0	0	0	0	0
ASE-53A	NM	0	NM	0	NM	0
ASE-55A	0.04	0.06	0.02	0	0	0
ASE-56A	NM	0	NM	0	NM	0
ASE-57A	NM	0	NM	0	NM	0
ASE-63A	NM	0	NM	0	NM	0
ASE-64A	NM	0	NM	0	NM	0
ASE-67A	NM	0.25	NM	1.21	0.12*	0.08**
ASE-68A	NM	0	NM	0	NM	0
ASE-89A	NM	0.09	NM	0.09	NM	0.08
ASE-90A	NM	0	NM	0	NM	0
ASE-91A	NM	0.01	NM	0.01	NM	0.02
ASE-92A	NM	0.01	NM	0	NM	0
ASE-96A	NM	0	NM	0	NM	0
ASE-102A	NM	0.05	NM	0.01	NM	0.07
ASE-107A	NM	0.14	NM	0.19	NM	0.08
ASE-111A	0.33	0.1	0.08	0.11	0.06	0.03
ASE-113A	NM	0	NM	0	NM	0
ASE-114A	NM	0	NM	0	NM	0
ASE-115A	0.03	0.02	0.02	0.05	0.06	0.05
PL-101A	NM	0	NM	0	NM	0
PL-105A	NM	0	NM	0	NM	0
PL-2101	NM	0	NM	0	NM	0

Notes:

This table includes all wells that have historically had measurable free product. Monitoring wells with a free-product thickness less than 0.1 foot are measured monthly. Monitoring wells with a free-product thickness greater than 0.1 foot are measured biweekly.

NM — Free product thickness not measured.

*Measurement collected on September 1, 2006.

**Measurement collected on September 7, 2006.

TABLE 2-2
Non-fuel Volatile Organic Compound List
Third Quarter Status Report, Honeywell 34th Street Facility, Phoenix, Arizona

Soil Vapor	Groundwater	Soil
1,1,1-Trichloroethane	1,1,1,2-Tetrachloroethane	1,1,1,2-Tetrachloroethane
1,1,2,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,1-Trichloroethane
1,1,2-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2,2-Tetrachloroethane
1,1,2-Trichlorotrifluoroethane	1,1,2-Trichloroethane	1,1,2-Trichloroethane
1,1-Dichloroethane	1,1,2-Trichlorotrifluoroethane	1,1,2-Trichlorotrifluoroethane
1,1-Dichloroethene	1,1-Dichloroethane	1,1-Dichloroethane
1,2-Dichlorobenzene	1,1-Dichloroethene	1,1-Dichloroethene
1,2-Dichloropropane	1,1-Dichloropropene	1,1-Dichloropropene
1,2-Dichlorotetrafluoroethane	1,2,3-Trichloropropane	1,2,3-Trichloropropane
1,3-Butadiene	1,2-Dibromo-3-Chloropropane	1,2-Dibromo-3-Chloropropane
1,3-Dichlorobenzene	1,2-Dichlorobenzene	1,2-Dichlorobenzene
1,4-Dichlorobenzene	1,2-Dichloropropane	1,2-Dichloropropane
2-Butanone	1,3-Dichlorobenzene	1,3-Dichlorobenzene
2-Hexanone	1,3-Dichloropropane	1,3-Dichloropropane
4-Methyl-2-Pentanone	1,4-Dichlorobenzene	1,4-Dichlorobenzene
Acetone	2,2-Dichloropropane	2,2-Dichloropropane
Allyl Chloride	2-Butanone	2-Butanone
Bromodichloromethane	2-Hexanone	2-Chloroethyl Vinyl Ether
Bromoethene	4-Methyl-2-Pentanone	2-Hexanone
Bromoform	Acetone	4-Methyl-2-Pentanone
Bromomethane	Bromochloromethane	Acetone
Carbon Disulfide	Bromodichloromethane	Bromochloromethane
Carbon Tetrachloride	Bromoform	Bromodichloromethane
Chlorobenzene	Bromomethane	Bromoform
Chlorodibromomethane	Carbon Disulfide	Bromomethane
Chloroethane	Carbon Tetrachloride	Carbon Disulfide
Chloroform	Chlorobenzene	Carbon Tetrachloride
Chloromethane	Chlorodibromomethane	Chlorobenzene
cis-1,2-Dichloroethene	Chloroethane	Chlorodibromomethane
cis-1,3-Dichloropropene	Chloroform	Chloroethane
Cyclohexane	Chloromethane	Chloroform
Dichlorodifluoromethane	cis-1,2-Dichloroethene	Chloromethane
Ethyl Acetate	cis-1,3-Dichloropropene	cis-1,2-Dichloroethene
Hexachlorobutadiene	Dibromomethane	cis-1,3-Dichloropropene

TABLE 2-2
Non-fuel Volatile Organic Compound List
Third Quarter Status Report, Honeywell 34th Street Facility, Phoenix, Arizona

Soil Vapor	Groundwater	Soil
Isopropanol	Dichlorodifluoromethane	Dibromomethane
Methylene Chloride	Hexachlorobutadiene	Dichlorodifluoromethane
Propylene	Iodomethane	Hexachlorobutadiene
Tetrachloroethene	Methylene Chloride	Iodomethane
Tetrahydrofuran	Styrene	Methylene Chloride
trans-1,2-Dichloroethene	Tetrachloroethene	Styrene
trans-1,3-Dichloropropene	trans-1,2-Dichloroethene	Tetrachloroethene
Trichloroethene	trans-1,3-Dichloropropene	trans-1,2-Dichloroethene
Trichlorofluoromethane	Trichloroethene	trans-1,3-Dichloropropene
Vinyl Acetate	Trichlorofluoromethane	Trichloroethene
Vinyl Chloride	Vinyl Acetate	Trichlorofluoromethane
	Vinyl Chloride	Vinyl Acetate
		Vinyl Chloride

TABLE 2-3
Comparison between June 2006 and September 2006 Water Level Elevations
Third Quarter Status Report, Honeywell 34th Street Facility, Phoenix, Arizona

	Groundwater Elevation		
Location ID	**6/21/2006 (ft amsl)**	**9/06/2006 (ft amsl)**	**Difference (feet)**
ASE-19A	1051.90	1053.19	1.29
ASE-20A	1050.45	1051.69	1.24
ASE-37A	1054.47	1056.27	1.80
ASE-38A	1054.88	1056.65	1.77
ASE-39A	1054.13	1055.90	1.77
ASE-41A	1049.01	1050.59	1.58
ASE-46A	1048.03	1049.45	1.42
ASE-51A	1052.60	1054.05	1.45
ASE-52A	1054.56	1056.07	1.51
ASE-53A	1054.96	1056.59	1.63
ASE-54A	1050.25	1051.35	1.10
ASE-55A	1045.24	1046.73	1.49
ASE-56A	1049.29	1050.64	1.35
ASE-57A	1050.29	1051.79	1.50
ASE-58A	1048.39	1049.58	1.19
ASE-59A	1055.06	1056.50	1.44
ASE-60A	1055.83	1057.49	1.66
ASE-61A	1056.23	1057.95	1.72
ASE-62A	1046.08	1047.39	1.31
ASE-63A	1052.77	1054.62	1.85
ASE-64A	1046.92	1049.41	2.49
ASE-65A	1033.03	1035.16	2.13
ASE-66A	1051.29	1052.46	1.17
ASE-67A	NM	1056.12	NA
ASE-68A	1050.57	1051.93	1.36
ASE-89A	1045.53	1048.08	2.55
ASE-90A	1044.27	1047.05	2.78
ASE-91A	1046.10	1048.08	1.98
ASE-92A	1046.33	1048.48	2.15
ASE-95A	1034.15	1037.00	2.85
ASE-96A	1043.06	1046.20	3.14
ASE-97A	1034.33	1036.76	2.43
ASE-98A	1037.48	1041.39	3.91
ASE-99A	1039.32	1043.34	4.02
ASE-100A	1034.82	1037.89	3.07
ASE-101A	1037.88	1041.34	3.46
ASE-102A	1041.29	1044.79	3.50
ASE-103A	1033.16	1036.07	2.91
ASE-105A	1045.33	1048.17	2.84

TABLE 2-3
Comparison between June 2006 and September 2006 Water Level Elevations
Third Quarter Status Report, Honeywell 34th Street Facility, Phoenix, Arizona

Location ID	Groundwater Elevation		Difference (feet)
	6/21/2006 (ft amsl)	9/06/2006 (ft amsl)	
ASE-106A	1042.75	1046.11	3.36
ASE-107A	1043.87	1047.40	3.53
ASE-108A	1045.38	1047.13	1.75
ASE-109A	1044.83	1048.68	3.85
ASE-110A	1043.15	1047.12	3.97
ASE-111A	1055.74	1056.84	1.10
ASE-112A	1045.25	1048.18	2.93
ASE-113A	1045.04	1048.70	3.66
ASE-114A	1044.42	1047.95	3.53
ASE-115A	1055.22	1056.95	1.73
ASE-116A	1054.95	1056.65	1.70
ASE-122A	1045.91	1049.68	3.77
ASE-123A	1046.20	1050.10	3.90
ASE-124A	1034.55	1037.46	2.91
ASE-125A	1030.95	1033.37	2.42
ASE-126A	1032.83	1035.13	2.30
ASE-127A	1051.45	1054.25	2.80
ASE-128A	1037.53	1041.33	3.80
BC-7A	1052.88	1055.23	2.35
BC-8B	1044.39	1046.66	2.27
PL-101A	1055.02	1056.74	1.72
PL-103A	1049.40	1050.47	1.07
PL-105A	1045.63	1047.37	1.74
PL-201A	1047.35	1048.58	1.23
PL-2101	1050.52	1051.67	1.15
PL-2102	1050.57	1051.58	1.01

Notes:

Difference column calculated by subtracting June 2006 water level elevation from September 2006 water level elevation. Positive result indicates higher water level elevation in September signifying a rising water table over the reporting period.

ft amsl-Feet above mean sea level.

NM-Water level elevation not measured.

NA-Not applicable; difference cannot be calculated.

TABLE 3-1
Summary of Free-product Recovery
Third Quarter Status Report, Honeywell 34th Street Facility, Phoenix, Arizona

Well	Gallons Recovered during Third Quarter 2006	Total Gallons Recovered via Skimming through Third Quarter 2006
ASE-19A	0.9	49.5
ASE-20A	0.0	4,103.8
ASE-37A	0.0	1.8
ASE-38A	0.0	46.9
ASE-39A	0.0	0.7
ASE-41A	0.0	27.3
ASE-51A	0.0	105.0
ASE-52A	0.6	19.5
ASE-53A	0.0	481.1
ASE-55A	0.0	3.1
ASE-56A	0.0	663.0
ASE-57A	0.0	685.2
ASE-63A	0.0	0.0
ASE-64A	0.0	31.6
ASE-67A	29.4	274.8
ASE-68A	0.0	74.7
ASE-89A	0.0	139.1
ASE-90A	0.0	6.7
ASE-91A	0.0	0.0
ASE-92A	0.0	0.0
ASE-96A	0.0	1.0
ASE-102A	0.0	146.5
ASE-107A	0.2	2.9
ASE-111A	1.9	4.1
ASE-113A	0.0	0.0
ASE-114A	0.0	0.0
ASE-115A	0.0	0.2
PL-101A	0.0	291.0
PL-105A	0.0	5.5
PL-2101	0.0	0.02
Total	**33**	**7,165**

Notes:

This table includes all wells that have historically had measurable free product.

Rounding may affect totals shown in far right column and totals at bottom of table.

TABLE 3-2
Sky Harbor Airport Subsurface Utility Vaults Field Parameter Results, Third Quarter 2006
Third Quarter Status Report, Honeywell 34th Street Facility, Phoenix, Arizona

Vault Location ID	Date	Time	LEL-WO (% V/V)	METHANE-WO (% V/V)	CO_2-WO (% V/V)	O_2-WO (% V/V)
ELE-VLT-01	07/12/06	14:38	0	0	0.2	19
ELE-VLT-01	08/08/06	5:37	0	0	0	21
ELE-VLT-01	09/14/06	7:40	0	0	0	21
ELE-VLT-02	07/12/06	14:40	0	0	1.2	17
ELE-VLT-02	08/08/06	5:39	0	0	0	21
ELE-VLT-02	09/14/06	7:42	0	0	0	21
ELE-VLT-03	07/12/06	14:45	0	0	0.4	19
ELE-VLT-03	08/08/06	5:44	0	0	0	21
ELE-VLT-03	09/14/06	7:46	0	0	0.4	20
ELE-VLT-04	07/12/06	14:48	0	0	0.4	19
ELE-VLT-04	08/08/06	5:46	0	0	0	21
ELE-VLT-04	09/14/06	7:53	0	0	0	21
ELE-VLT-05	07/12/06	14:50	0	0	0.6	18
ELE-VLT-05	08/08/06	5:48	0	0	0	21
ELE-VLT-05	09/14/06	7:51	0	0	0	21
ELE-VLT-06	07/12/06	14:52	0	0	1.7	17
ELE-VLT-06	08/08/06	5:50	0	0	0	21
ELE-VLT-06	09/14/06	7:55	0	0	0.3	20
ELE-VLT-07	07/12/06	14:54	0	0	0.9	18
ELE-VLT-07	08/08/06	5:52	0	0	0	21
ELE-VLT-07	09/14/06	7:57	0	0	0	21
ELE-VLT-08	07/12/06	14:56	0	0	0.1	20
ELE-VLT-08	08/08/06	5:55	0	0	0	21
ELE-VLT-08	09/14/06	7:59	0	0	0	21
ELE-VLT-09	07/12/06	14:57	0	0	0.2	20
ELE-VLT-09	08/08/06	5:54	0	0	0	21
ELE-VLT-09	09/14/06	8:00	0	0	0	21
ELE-VLT-10	07/12/06	14:59	0	0	0	20
ELE-VLT-10	08/08/06	5:58	0	0	0	21
ELE-VLT-10	09/14/06	8:03	0	0	0	21
FBO-VLT-01	07/12/06	14:41	0	0	1.1	17
FBO-VLT-01	08/08/06	5:40	0	0	0.1	20
FBO-VLT-01	09/14/06	7:43	0	0	0.2	20
FBO-VLT-02	07/12/06	14:44	0	0	0.1	20
FBO-VLT-02	08/08/06	5:43	0	0	0	21
FBO-VLT-02	09/14/06	7:48	0	0	0.2	20
FBO-VLT-03	07/12/06	15:00	0	0	0	20
FBO-VLT-03	08/08/06	5:56	0	0	0	21
FBO-VLT-03	09/14/06	8:02	0	0	0	21

TABLE 3-2
Sky Harbor Airport Subsurface Utility Vaults Field Parameter Results, Third Quarter 2006
Third Quarter Status Report, Honeywell 34th Street Facility, Phoenix, Arizona

Vault Location ID	Date	Time	LEL-WO (% V/V)	METHANE-WO (% V/V)	CO_2-WO (% V/V)	O_2-WO (% V/V)

Notes:

CO_2 = carbon dioxide.

ELE = airport electrical vaults.

FBO = Federal Aviation Administration fiber optic vaults.

LEL = lower explosive limit.

O_2 = oxygen.

-W = measurement taken with a carbon filter.

-WO = measurement taken without a carbon filter.

% V/V = percent volume per volume.

TABLE 3-3
Well Dilution Test Field Measurement Data, Third Quarter 2006
Third Quarter Status Report, Honeywell 34th Street Facility, Phoenix, Arizona

Location ID	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	Date	O_2 -W (% V/V)	O_2 -WO (% V/V)	CO_2 -W (% V/V)	CO_2 -WO (% V/V)	Methane -W (% V/V)	Methane -WO (% V/V)	% LEL -W (% V/V)	% LEL -WO (% V/V)	Helium (% V/V)	Static Wellhead Pressure (inches H_2O)
P-14-U	12	17	7/4/2006	21	-	0	-	0	-	0	-	0	1.200
P-4-L	50	55	7/4/2006	3	-	6.9	-	0.5	-	10	-	0	NR
P-16-U	12	17	7/4/2006	0	-	18.2	-	1.3	-	24	-	0	0.000
PL-105A	39	79	7/4/2006	6.2	-	4	-	0	-	0	-	0	NR
ASE-55A	53.9	78.9	7/6/2006	0	-	12.2	-	1.6	-	31	-	0	0.010
P-14-M	29	34	7/6/2006	20.3	-	0	-	0	-	0	-	0	0.050
P-15-M	35	40	7/6/2006	10.5	-	5.7	-	0	-	0	-	0	0.080
P-15-U	17	22	7/12/2006	16.4	-	2.3	-	0	-	0	-	0	-0.070
P-14-U	12	17	7/12/2006	20.4	-	0	-	0	-	0	-	0.005[a]	0.040
ASE-41A	60	90	7/12/2006	9.9	-	3.1	-	0	-	0	-	13.5	0.040
ASE-41A	60	90	7/12/2006	10.4	-	4.6	-	0.5	-	9	-	0	0.040
ASE-90A[b]	75	105	8/8/2006	-	-	-	-	-	-	-	-	-	0.015
ASE-97A	51	111	8/8/2006	-	0	-	6.7	14	20.9	>100	>100	1.89[a]	0.150
P-24-L	68	118	8/8/2006	-	0	-	8.7	8.9	70.1	>100	>100	3.9[a]	0.020
P-24-M	53	58	8/8/2006	-	0	-	8.6	3.9	7.8	77	>100	1.4[a]	-0.100
P-24-U	7	12	8/8/2006	-	0	-	8.8	10.7	16.5	>100	>100	0.1[a]	-0.025
P-2-U	6.3	9.3	9/14/2006	-	0	-	12.1	8.4	18.6	>100	>100	NA	0.020
P-1-U	5.9	8.9	9/14/2006	-	0	-	11.2	2.1	6.6	41	>100	NA	0.000
P-3-U	6.1	9.1	9/14/2006	-	0	-	11.8	2.2	14.8	47	>100	NA	0.050
P-3-U	6.1	9.1	9/14/2006	-	0	-	11.2	2.9	15	58	>100	NA	0.050
P-4-U	6	9	9/15/2006	-	10.6	-	4.7	0	0	0	0	0.23	-0.005
P-29-U	6	11	9/15/2006	-	18.8	-	1.6	0	0	0	0	0	0.010
P-29-M	50	55	9/15/2006	-	0	-	14.5	12	34.3	>100	>100	NA	0.000
P-29-M	50	55	9/15/2006	-	0	-	14.9	12.4	30.9	>100	>100	NA	0.000
P-30-U	6	11	9/15/2006	-	17.7	-	1.5	0.1	0.1	1	1	0.14	0.010

TABLE 3-3
Well Dilution Test Field Measurement Data, Third Quarter 2006
Third Quarter Status Report, Honeywell 34th Street Facility, Phoenix, Arizona

Location ID	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	Date	O_2 -W (% V/V)	O_2 -WO (% V/V)	CO_2 -W (% V/V)	CO_2 -WO (% V/V)	Methane -W (% V/V)	Methane -WO (% V/V)	% LEL -W (% V/V)	% LEL -WO (% V/V)	Helium (% V/V)	Static Wellhead Pressure (inches H_2O)
P-30-M	50	55	9/15/2006	-	0	-	8.4	4	9.6	81	>100	NA	0.010
P-30-L	60	90	9/15/2006	-	0	-	7.3	2.5	3.8	50	72	NA	0.060
P-18-U	15	20	9/15/2006	-	0	-	14	13.9	22	>100	>100	NA	0.030
P-20-U	22	27	9/18/2006	-	0	-	14.3	9.6	13.8	>100	>100	NA	-0.020
P-20-M	39	44	9/18/2006	-	0	-	11.7	19.1	43.2	>100	>100	NA	0.000
P-20-L	56	66	9/18/2006	-	0	-	15.7	16	95.7	>100	>100	NA	-0.035
P-16-M	35	40	9/18/2006	-	1.5	-	11.9	0	0	0	0	0	-0.070
P-16-L	55	65	9/18/2006	-	0	-	9.7	16.5	24.8	>100	>100	NA	-0.020
P-23-U	16	21	9/18/2006	-	11.2	-	4.5	0	0	0	0	0.06	-0.005
P-23-M	32	37	9/18/2006	8	-	7.1	-	0	-	0	-	0.04	-0.010
P-23-M	32	37	9/18/2006	-	8.6	-	6.6	0	0	0	0	NR	-0.010
P-23-L	50	60	9/18/2006	-	0	-	10.7	9	20.8	>100	>100	NA	0.040
P-37	5.5	6	9/18/2006	16.5	-	4.2	-	0	-	0	-	0.03	0.010
P-37	5.5	6	9/18/2006	-	16.4	-	4.3	0	0	0	0	NR	0.010
P-38	5.5	6	9/18/2006	9	-	11	-	0	-	0	-	0.17	0.020
P-38	5.5	6	9/18/2006	-	10.1	-	10	0	0	0	0	0.01	0.020
P-35	5.5	6	9/18/2006	-	12.6	-	5.6	0	0	0	0	2.4	0.000
ASE-59A	61	91	9/19/2006	-	0	-	11.3	5.5	20.4	>100	>100	NA	-0.010
P-33	5.5	6	9/19/2006	-	14.3	-	3.9	0	0	0	0	0.3	-0.010
ASE-112A	68	93	9/20/2006	-	1.8	-	6.4	0	0	0	0	0.18	-0.030
ASE-113A	66	121	9/20/2006	-	9	-	3.7	0	0	0	0	0	0.050
P-26-L	68	118	9/20/2006	-	0	-	9	25.3	71.5	>100	>100	NA	0.020
P-26-M	53	58	9/20/2006	-	0	-	6.8	20.1	40.3	>100	>100	NA	0.040
P-26-U	5.25	10.25	9/20/2006	-	0	-	7.6	19.5	39	>100	>100	NA	0.040
P-25-U	7	12	9/20/2006	-	0.5	-	11.1	0	0	0	0	NA	0.020

TABLE 3-3
Well Dilution Test Field Measurement Data, Third Quarter 2006
Third Quarter Status Report, Honeywell 34th Street Facility, Phoenix, Arizona

Location ID	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	Date	O_2 -W (% V/V)	O_2 -WO (% V/V)	CO_2 -W (% V/V)	CO_2 -WO (% V/V)	Methane -W (% V/V)	Methane -WO (% V/V)	% LEL -W (% V/V)	% LEL -WO (% V/V)	Helium (% V/V)	Static Wellhead Pressure (inches H_2O)
P-25-M	53	58	9/20/2006	-	2.6	-	8.9	0	0	0	0	0.19	0.030
ASE-104A	64.5	74.5	9/21/2006	-	0	-	6.5	0.1	0	2	0	NA	-0.030
BC-7A	39	76	9/21/2006	-	5.7	-	6.7	0	0	0	0	0.19	0.000
P-40-M	20	25	9/21/2006	-	0	-	9.7	9.4	23	>100	>100	NA	0.000
P-40	5.5	6	9/21/2006	-	8.1	-	6.7	0	0	0	0	0.22	0.000
ASE-64A	65	90	9/21/2006	-	0	-	11	4.2	6.9	83	>100	NA	0.100
P-28-U	6	11	9/21/2006	-	6.8	-	7.7	0	-	0	-	0.16	0.040
P-28-M	43	48	9/21/2006	-	5.8	-	5.9	0	0	0	0	0.1	0.090
P-28-L	58	78	9/21/2006	-	4.8	-	5.7	0	0	0	0	NR	0.010
P-27-U	6	11	9/22/2006	-	0	-	17	0.6	1.8	12	36	NA	0.000
P-46-U	6	11	9/22/2006	-	12	-	5.3	0	0	0	0	0.12	-0.020
P-46-M	45	50	9/22/2006	-	0	-	6.1	2.7	8.9	52	>100	NA	0.000
P-46-L	57	92	9/22/2006	-	0	-	7.9	1.8	10.8	37	>100	NA	0.000
PL-103A	39	79	9/22/2006	-	7.8	-	7.5	0	0	0	0	0	0.005
P-21-U	15	20	9/22/2006	-	15.5	-	2.9	0	0	0	0	0	0.010
P-32	5.5	6	9/22/2006	-	18.5	-	2.7	0	0	0	0	0.03	0.000
P-31	5.5	6	9/25/2006	-	18.2	-	1.7	0	0	0	0	0.01	0.000
P-34	5.5	6	9/25/2006	-	16.5	-	2.6	0	0	0	0	0	0.000
P-36	5.5	6	9/25/2006	-	15.1	-	4.1	0	0	0	0	0.05	0.000
P-39	5.5	6	9/25/2006	-	17.6	-	2.3	0	0	0	0	0	0.000
P-47	6	11	9/25/2006	-	13	-	3.1	0	0	0	0	0.03	0.000
ASE-58A	62	92	9/26/2006	-	0	-	6.7	3.3	7.2	65	>100	NA	0.120
ASE-54A	55.5	80.5	9/26/2006	-	0.2	-	7.2	3.2	3.4	66	68	NA	0.070
ASE-54A	55.5	80.5	9/26/2006	-	0	-	7.3	0.7	3.5	13	68	NA	0.070
ASE-64A	65	90	9/26/2006	-	0	-	9.1	20.4	88.6	>100	>100	NA	-

TABLE 3-3
Well Dilution Test Field Measurement Data, Third Quarter 2006
Third Quarter Status Report, Honeywell 34th Street Facility, Phoenix, Arizona

Location ID	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	Date	O_2 -W (% V/V)	O_2 -WO (% V/V)	CO_2 -W (% V/V)	CO_2 -WO (% V/V)	Methane -W (% V/V)	Methane -WO (% V/V)	% LEL -W (% V/V)	% LEL -WO (% V/V)	Helium (% V/V)	Static Wellhead Pressure (inches H_2O)
PL-2102	35	75	9/26/2006	-	0	-	7.4	4.6	9.9	89	>100	NA	0.040
ASE-69A	60	90	9/27/2006	-	14.8	-	4.6	0	0	0	0	0.13	-0.020
P-41	5.5	6	9/27/2006	-	10.8	-	4.9	0	0	0	0	0	0.045
ASE-105A[b]	70	105	9/28/2006	-	-	-	-	-	-	-	-	-	0.040
ASE-114A	66	116	9/28/2006	-	9.5	-	2.6	0	0	0	0	2.8	-0.030
ASE-112A	68	93	9/28/2006	-	0.5	-	7.2	0	0	0	0	NA	NR
P-24-U	7	12	9/28/2006	-	0	-	9.3	10.3	20.7	>100	>100	NA	-0.050
P-24-M	53	58	9/28/2006	-	0	-	8.2	1.1	3.7	20	72	NA	-0.060
P-25-U	7	12	9/28/2006	-	0.3	-	11.2	0	0	0	0	NA	-0.020
P-25-M	53	58	9/28/2006	-	2.7	-	9	0	0	0	0	0.02	-0.020
ASE-41A	60	90	9/29/2006	-	0.6	-	10.6	0.6	0.6	12	11	NR	-0.010
ASE-42C[b]	76	91	9/29/2006	-	-	-	-	-	-	-	-	-	0.000
ASE-55A	53.9	78.9	9/29/2006	-	0	-	15.7	2.9	10.4	57	>100	NA	-0.010
ASE-62A	63	93	9/29/2006	-	0	-	9.4	20.6	96.6	>100	>100	NA	0.050
BV-4	46	66	9/29/2006	-	0	-	12.9	4.1	31.6	81	>100	NA	-0.030
P-16-U	12	17	9/29/2006	-	0	-	16	0.9	2.6	18	50	NA	0.080
P-17-U	20	25	9/29/2006	-	7.3	-	11.8	0	0	0	0	0	0.030
P-17-M	38	43	9/29/2006	-	0	-	12.3	14.2	35.5	>100	>100	NA	0.040
P-17-L	56	66	9/29/2006	-	0	-	9.2	15.4	>100	>100	>100	NA	0.060
P-34-M	20	25	9/29/2006	-	15.4	-	1.8	0	0	0	0	0	0.010
PL-105A	39	79	9/29/2006	-	0.2	-	8.3	0.5	0.6	10	12	0	-0.050
P-14-U	12	17	7/4/2006	21	-	0	-	0	-	0	-	**0**	1.200

TABLE 3-3
Well Dilution Test Field Measurement Data, Third Quarter 2006
Third Quarter Status Report, Honeywell 34th Street Facility, Phoenix, Arizona

Location ID	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	Date	O_2 -W (% V/V)	O_2 -WO (% V/V)	CO_2 -W (% V/V)	CO_2 -WO (% V/V)	Methane -W (% V/V)	Methane -WO (% V/V)	% LEL -W (% V/V)	% LEL -WO (% V/V)	Helium (% V/V)	Static Wellhead Pressure (inches H_2O)

Notes:
[a]Helium measurement possibly effected by methane or carbon dioxide interferences
[b]Not recorded because the screen was fully submerged
CO_2 = carbon dioxide
ft bgs = feet below ground surface
H_2O - water
O_2 = oxygen
% LEL = percent lower explosive limit
% V/V = percent volume per volume
NR = Not recorded
NA = Not applicable; Helium test was not conducted because the oxygen was less than or equal to 0.05%
-W = measurement taken with a carbon filter
-WO = measurement taken without a carbon filter
> = greater than

Figures



Legend

- Operational Area Boundaries
- Honeywell Buildings
- Streets and Airport Features

N
W E
S

400 200 0 400
Feet

FIGURE 1-1
FACILITY LOCATION AND LAYOUT

Honeywell 34th Street Facility
Phoenix, Arizona

CH2MHILL

PHX \\PHOENIX\PROJ\337711\BV-BIOVENTING AND UST\50\52\10 - ADEQ RPTING\2006 - Q3\GIS SOURCE FILES\GW_MXD\FIG1-1_FACILITYLOCATIONLAYOUT.MXD CVF 9/18/2006 09:29:11



Legend

- Free Product Detected (feet)
- Free Product Not Detected
- Streets and Airport Features
- Honeywell Facility

N W E S

0 150 300 600 Feet

Note:
1. All measurements collected on September 6, 2006 except ASE-67A which was collected on September 7, 2006.

FIGURE 2-1
FREE PRODUCT THICKNESS
SEPTEMBER 2006
Honeywell 34th Street Facility
Phoenix, Arizona

CH2MHILL

PHX \\PHOENIX\PROJ\337711\BV-BIOVENTING AND UST\50\52\10 - ADEQ RPTING\2006 - Q3\GIS SOURCE FILES\GW_MXD\FIG2-1_FREEPRODUCTTHICKNESS.MXD CVF 9/18/2006 10:04:21



Legend

- Free Product Thickness (feet)
- Free Product Not Detected
- Streets and Airport Features
- Honeywell Facility
- Historical Free Product Extent (as of September 6, 2006)

N W E S

0 150 300 600 Feet

FIGURE 2-2
FREE-PRODUCT THICKNESS (MAXIMUM)
Honeywell 34th Street Facility
Phoenix, Arizona

CH2MHILL

PHX \\PHOENIX\PROJ\337711\BV-BIOVENTING AND UST\50\52\10 - ADEQ RPTING\2006 - Q3\GIS SOURCE FILES\GW_MXD\FIG2-2_FREEPRODUCT THICKNESS (MAXIMUM).MXD CVF 9/21/2006 13:11:57



Legend

ASE-124A 1034.55 — Well Identifier; Water Level Elevation, in feet above mean sea level

Water Level Contours (Ft) - SRG

Facility Boundary

Honeywell Bedrock Rise

N W E S

0 150 300 600 Feet

Notes:
1. All measurements taken on June 21, 2006.
2. No pumping water levels or groundwater levels for wells with free product were used to produce water level contours displayed on this map.
3. *Monitoring well contained free product. Value represents corrected water level elevation based on a free product specific gravity of 0.81. Groundwater levels from wells with free product were not used to produce contours.

FIGURE 2-3
WATER LEVEL CONTOURS
JUNE 2006
SALT RIVER GRAVELS SUB-UNIT
Honeywell 34th Street Facility
Phoenix, Arizona

CH2MHILL

PHX \\PHOENIX\PROJ\337711\BV-BIOVENTING AND UST\50\52\10 - ADEQ RPTING\2006 - Q3\GIS SOURCE FILES\GW_MXD\FIG2-3_WATER LEVEL CONTOURS-SRG.MXD CVF 11/2/2006 13:15:53



Legend

- Compound Not Detected
- Compound Detected (ug/L)
- Regulatory Standard Exceeded
- Streets and Airport Features
- Honeywell Facility
- Bedrock Rise Outline

Contour

- ND
- 5 ug/L

N W E S

0 150 300 600 Feet

Notes:
1. Exceedance value is 5 ug/L.
2. Samples collected between June 28 and July 10, 2006 except as noted.
3. * BC-7A and PL-105A were sampled on July 12, 2006.

FIGURE 2-4
BENZENE
JUNE/JULY 2006
GROUNDWATER PARAMETERS
Honeywell 34th Street Facility
Phoenix, Arizona

CH2MHILL

PHX \\PHOENIX\PROJ\337711\BV-BIOVENTING AND UST\50\52\10 - ADEQ RPTING\2006 - Q3\GIS SOURCE FILES\GW_MXD\FIG2-4_GW_BENZENE.MXD CVF 9/12/2006 16:20:13



Legend

- Compound Not Detected
- Compound Detected (ug/L)
- Regulatory Standard Exceeded
- Streets and Airport Features
- Honeywell Facility
- Bedrock Rise Outline

Contour

- ND
- 94 ug/L

N W E S

0 150 300 600 Feet

Notes:
1. Exceedance value is 94 ug/L.
2. Samples collected between June 28 and July 10, 2006 except as noted.
3. * BC-7A and PL-105A were sampled on July 12, 2006.

FIGURE 2-5
METHYL TERT-BUTYL ETHER
JUNE/JULY 2006
GROUNDWATER PARAMETERS
Honeywell 34th Street Facility
Phoenix, Arizona

CH2MHILL

PHX \\PHOENIX\PROJ\337711\BV-BIOVENTING AND UST\50\52\10 - ADEQ RPTING\2006 - Q3\GIS SOURCE FILES\GW_MXD\FIG2-5_GW_MTBE.MXD CVF 9/12/2006 17:10:02



Legend

- Compound Not Detected
- Compound Detected (ug/L)
- Regulatory Standard Exceeded
- Streets and Airport Features
- Honeywell Facility
- Bedrock Rise Outline

Contour

- ND
- 280 ug/L

N W E S

0 150 300 600 Feet

Notes:
1. Exceedance value is 280 ug/L.
2. Samples collected between June 28 and July 10, 2006 except as noted.
3. * BC-7A and PL-105A were sampled on July 12, 2006.

FIGURE 2-6
NAPHTHALENE
JUNE/JULY 2006
GROUNDWATER PARAMETERS

Honeywell 34th Street Facility
Phoenix, Arizona

CH2MHILL

PHX \\PHOENIX\PROJ\337711\BV-BIOVENTING AND UST\50\52\10 - ADEQ RPTING\2006 - Q3\GIS SOURCE FILES\GW_MXD\FIG2-6_GW_NAPHTHALENE.MXD CVF 9/12/2006 17:44:49



Legend

- Compound Not Detected
- Streets and Airport Features
- Honeywell Facility

N W E S

0 150 300 600 Feet

Notes:
1. Exceedance value is 0.2 ug/L.
2. Samples collected between June 28 and July 10, 2006.

FIGURE 2-7
BENZO(A)PYRENE
JUNE/JULY 2006
GROUNDWATER PARAMETERS
Honeywell 34th Street Facility
Phoenix, Arizona

CH2MHILL

PHX \\PHOENIX\PROJ\337711\BV-BIOVENTING AND UST\50\52\10 - ADEQ RPTING\2006 - Q3\GIS SOURCE FILES\GW_MXD\FIG2-7_GW_BENZO(A)PYRENE.MXD CVF 9/13/2006 09:24:45



Legend

- Compound Detected (ug/L)
- Compound Not Detected
- Streets and Airport Features
- Honeywell Facility

N W E S

0 150 300 600 Feet

Notes:
1. Total BTEX is the sum of Benzene, Toluene, Ethylbenzene, and Xylenes.
2. Samples collected between June 28 and July 10, 2006 except as noted.
3. * BC-7A and PL-105A were sampled on July 12, 2006.

FIGURE 2-8
TOTAL BTEX
JUNE/JULY 2006
GROUNDWATER PARAMETERS
Honeywell 34th Street Facility
Phoenix, Arizona

CH2MHILL

PHX \\PHOENIX\PROJ\337711\BV-BIOVENTING AND UST\50\52\10 - ADEQ RPTING\2006 - Q3\GIS SOURCE FILES\GW_MXD\FIG2-8_GW_TOTAL_BTEX.MXD CVF 9/7/2006 10:25:14



Legend

- Compound Detected (ug/L)
- Compound Not Detected
- Streets and Airport Features
- Honeywell Facility

N W E S

0 150 300 600 Feet

Notes:
1. TRPH is the sum of C13-C22 Compounds and C23-C32 Compounds.
2. Samples collected between June 28 and July 10, 2006 except as noted.
3. * BC-7A and PL-105A were sampled on July 12, 2006.

FIGURE 2-9
TOTAL RECOVERABLE PETROLEUM HYDROCARBONS (TRPH)
JUNE/JULY 2006
GROUNDWATER PARAMETERS
Honeywell 34th Street Facility
Phoenix, Arizona

CH2MHILL

PHX \\PHOENIX\PROJ\337711\BV-BIOVENTING AND UST\50\52\10 - ADEQ RPTING\2006 - Q3\GIS SOURCE FILES\GW_MXD\FIG2-9_GW_TRPH.MXD CVF 9/13/2006 09:50:25



Legend

- Compound Detected (ug/L)
- Compound Not Detected
- Streets and Airport Features
- Honeywell Facility

N W E S

0 150 300 600 Feet

Notes:
1. Total VOCs is the sum of all detections for EPA Method 8260B analyte list.
2. Samples collected between June 28 and July 10, 2006 except as noted.
3. * BC-7A and PL-105A were sampled on July 12, 2006.

FIGURE 2-10
TOTAL VOCs
JUNE/JULY 2006
GROUNDWATER PARAMETERS
Honeywell 34th Street Facility
Phoenix, Arizona

CH2MHILL

PHX \\PHOENIX\PROJ\337711\BV-BIOVENTING AND UST\50\52\10 - ADEQ RPTING\2006 - Q3\GIS SOURCE FILES\GW_MXD\FIG2-10_GW_TOTAL_VOC'S.MXD CVF 9/13/2006 09:59:46



Legend

- Compound Detected (ug/L)
- Compound Not Detected
- Streets and Airport Features
- Honeywell Facility

N W E S

0 150 300 600 Feet

Notes:
1. Total Non-Fuel VOCs is the sum of the compounds listed on Table 2-2 (prepared by CH2M HILL chemist).
2. Samples collected between June 28 and July 10, 2006 except as noted.
3. * BC-7A and PL-105A were sampled on July 12, 2006.

FIGURE 2-11
TOTAL NON-FUEL VOCs
JUNE/JULY 2006
GROUNDWATER PARAMETERS
Honeywell 34th Street Facility
Phoenix, Arizona

CH2MHILL

PHX \\PHOENIX\PROJ\337711\BV-BIOVENTING AND UST\50\52\10 - ADEQ RPTING\2006 - Q3\GIS SOURCE FILES\GW_MXD\FIG2-11_GW_TOTAL_NON-FUEL_VOC'S.MXD CVF 9/13/2006 10:08:10



Legend

- Compound Detected (ug/L)
- Compound Not Detected
- Streets and Airport Features
- Honeywell Facility

N W E S

0 150 300 600 Feet

Notes:
1. Total TCE is the sum of TCE, cis-1,2-DCE, and Vinyl Chloride.
2. Samples collected between June 28 and July 10, 2006 except as noted.
3. * BC-7A and PL-105A were sampled on July 12, 2006.

FIGURE 2-12
TOTAL TCE
JUNE/JULY 2006
GROUNDWATER PARAMETERS

Honeywell 34th Street Facility
Phoenix, Arizona

CH2MHILL

PHX \\PHOENIX\PROJ\337711\BV-BIOVENTING AND UST\50\52\10 - ADEQ RPTING\2006 - Q3\GIS SOURCE FILES\GW_MXD\FIG2-12_GW_TOTAL_TCE.MXD CVF 9/13/2006 10:16:18



Legend

- Compound Detected (ug/L)
- Compound Not Detected
- Streets and Airport Features
- Honeywell Facility

N W E S

0 150 300 600 Feet

Notes:
1. Total TCA is the sum of 1,1,1-TCA, 1,1-DCA, 1,1-DCE, and Chloroethane.
2. Samples collected between June 28 and July 10, 2006 except as noted.
3. * BC-7A and PL-105A were sampled on July 12, 2006.

FIGURE 2-13
TOTAL TCA
JUNE/JULY 2006
GROUNDWATER PARAMETERS

Honeywell 34th Street Facility
Phoenix, Arizona

CH2MHILL

PHX \\PHOENIX\PROJ\337711\BV-BIOVENTING AND UST\50\52\10 - ADEQ RPTING\2006 - Q3\GIS SOURCE FILES\GW_MXD\FIG2-13_GW_TOTAL_TCA.MXD CVF 9/13/2006 10:30:08



Legend

- ASE-124A 1037.46 — Well Identifier; Water Level Elevation, in feet above mean sea level
- Water Level Contours (Ft) - SRG
- Facility Boundary
- Honeywell Bedrock Rise

0 150 300 600 Feet

Notes:
1. All measurements taken on September 6, 2006. Except well ASE-67A taken on September 7, 2006.
2. No pumping water levels or groundwater levels for wells with free product were used to produce water level contours displayed on this map.
3. *Monitoring well contained free product. Value represents corrected water level elevation based on a free product specific gravity of 0.81. Groundwater levels from wells with free product were not used to produce contours.

FIGURE 2-14
GROUNDWATER ELEVATION CONTOURS
SALT RIVER GRAVELS SUB-UNIT
SEPTEMBER 2006
Honeywell 34th Street Facility
Phoenix, Arizona

CH2MHILL

PHX \\PHOENIX\PROJ\337711\BV-BIOVENTING AND UST\50\52\10 - ADEQ RPTING\2006 - Q3\GIS SOURCE FILES\GW_MXD\SEPT_DATA_MXD\FIG2-14_WATER LEVEL CONTOURS-SRG.MXD CVF 11/2/2006 13:14:21



Legend

- Compound Not Detected
- Compound Detected (ug/L)
- Regulatory Standard Exceeded
- Streets and Airport Features
- Honeywell Facility
- Bedrock Rise Outline

Contour

- ND
- 5 ug/L

N W E S

0 150 300 600 Feet

Notes:
1. Exceedance value is 5 ug/L.
2. Samples collected between September 11 and September 22, 2006.

FIGURE 2-15
BENZENE
SEPTEMBER 2006
GROUNDWATER PARAMETERS
Honeywell 34th Street Facility
Phoenix, Arizona

CH2MHILL

PHX \\PHOENIX\PROJ337711\BV-BIOVENTING AND UST\50\52\10 - ADEQ RPTING\2006 - Q3\GIS SOURCE FILES\GW_MXD\SEPT_DATA_MXD\FIG2-15_GW_BENZENE.MXD CVF 11/1/2006 09:06:08



Legend

- Compound Not Detected
- Compound Detected (ug/L)
- Regulatory Standard Exceeded
- Streets and Airport Features
- Honeywell Facility
- Bedrock Rise Outline

Contour

- ND
- 94 ug/L

N W E S

0 150 300 600 Feet

Notes:
1. Exceedance value is 94 ug/L.
2. Samples collected between September 11 and September 22, 2006.

FIGURE 2-16
METHYL TERT-BUTYL ETHER
SEPTEMBER 2006
GROUNDWATER PARAMETERS
Honeywell 34th Street Facility
Phoenix, Arizona

CH2MHILL

PHX \\PHOENIX\PROJ\337711\BV-BIOVENTING AND UST\50\52\10 - ADEQ RPTING\2006 - Q3\GIS SOURCE FILES\GW_MXD\SEPT_DATA_MXD\FIG2-16_GW_MTBE.MXD CVF 11/1/2006 09:37:45



Legend

- Compound Not Detected
- Compound Detected (ug/L)
- Regulatory Standard Exceeded
- Streets and Airport Features
- Honeywell Facility
- Bedrock Rise Outline

Contour

- ND
- 280 ug/L

N W E S

0 150 300 600 Feet

Notes:
1. Exceedance value is 280 ug/L.
2. Samples collected between September 11 and September 22, 2006.
3. Results from monitoring well ASE-111A are not posted due to a lab error that affected the analysis of certain compounds in the sample. See text for details.

FIGURE 2-17
NAPHTHALENE
SEPTEMBER 2006
GROUNDWATER PARAMETERS

Honeywell 34th Street Facility
Phoenix, Arizona

CH2MHILL

PHX \\PHOENIX\PROJ\337711\BV-BIOVENTING AND UST\50\52\10 - ADEQ RPTING\2006 - Q3\GIS SOURCE FILES\GW_MXD\SEPT_DATA_MXD\FIG2-6_GW_NAPHTHALENE.MXD CVF 10/30/2006 11:36:51



Legend

- Compound Not Detected
- Streets and Airport Features
- Honeywell Facility

N W E S

0 150 300 600 Feet

Notes:
1. Exceedance value is 0.2 ug/L.
2. Samples collected between September 11 and September 22, 2006.

FIGURE 2-18
BENZO(A)PYRENE
SEPTEMBER 2006
GROUNDWATER PARAMETERS
Honeywell 34th Street Facility
Phoenix, Arizona

CH2MHILL

PHX \\PHOENIX\PROJ\337711\BV-BIOVENTING AND UST\50\52\10 - ADEQ RPTING\2006 - Q3\GIS SOURCE FILES\GW_MXD\SEPT_DATA_MXD\FIG2-18_GW_BENZO(A)PYRENE.MXD CVF 11/1/2006 11:53:40



Legend

- Compound Detected (ug/L)
- Compound Not Detected
- Streets and Airport Features
- Honeywell Facility

N W E S

0 150 300 600 Feet

Notes:
1. Total BTEX is the sum of Benzene, Toluene, Ethylbenzene, and Xylenes.
2. Samples collected between September 11 and September 22, 2006.
3. Results from monitoring well ASE-111A are not posted due to a lab error that affected the analysis of certain compounds in the sample. See text for details.

FIGURE 2-19
TOTAL BTEX
SEPTEMBER 2006
GROUNDWATER PARAMETERS
Honeywell 34th Street Facility
Phoenix, Arizona

CH2MHILL

PHX \\PHOENIX\PROJ\337711\BV-BIOVENTING AND UST\50\52\10 - ADEQ RPTING\2006 - Q3\GIS SOURCE FILES\GW_MXD\SEPT_DATA_MXD\FIG2-19_GW_TOTAL_BTEX.MXD CVF 11/1/2006 13:30:34



Legend

- Compound Detected (ug/L)
- Compound Detected (ug/L)
- Streets and Airport Features
- Honeywell Facility

N W E S

0 150 300 600 Feet

Notes:
1. TRPH is the sum of C13-C22 Compounds and C23-C32 Compounds.
2. Samples collected between September 11 and September 22, 2006.

FIGURE 2-20
TOTAL RECOVERABLE PETROLEUM HYDROCARBONS (TRPH)
SEPTEMBER 2006
GROUNDWATER PARAMETERS
Honeywell 34th Street Facility
Phoenix, Arizona

CH2MHILL

PHX \\PHOENIX\PROJ\337711\BV-BIOVENTING AND UST\50\52\10 - ADEQ RPTING\2006 - Q3\GIS SOURCE FILES\GW_MXD\SEPT_DATA_MXD\FIG2-20_GW_TRPH.MXD CVF 11/1/2006 18:04:02



Legend

- Compound Detected (ug/L)
- Compound Not Detected
- Streets and Airport Features
- Honeywell Facility

N W E S

0 150 300 600 Feet

Notes:
1. Total VOCs is the sum of all detections for EPA Method 8260B analyte list.
2. Samples collected between September 11 and September 22, 2006.
3. Results from monitoring well ASE-111A are not posted due to a lab error that affected the analysis of certain compounds in the sample. See text for details.

FIGURE 2-21
TOTAL VOCs
SEPTEMBER 2006
GROUNDWATER PARAMETERS
Honeywell 34th Street Facility
Phoenix, Arizona

CH2MHILL

PHX \\PHOENIX\PROJ\337711\BV-BIOVENTING AND UST\50\52\10 - ADEQ RPTING\2006 - Q3\GIS SOURCE FILES\GW_MXD\SEPT_DATA_MXD\FIG2-10_GW_TOTAL_VOC'S.MXD CVF 10/30/2006 11:42:56



Legend

- Compound Detected (ug/L)
- Compound Not Detected
- Streets and Airport Features
- Honeywell Facility

N W E S

0 150 300 600 Feet

Notes:
1. Total Non-Fuel VOCs is the sum of the compounds listed on Table 2-2 (prepared by CH2M HILL chemist).
2. Samples collected between September 11 and September 22, 2006.
3. Results from monitoring well ASE-111A are not posted due to a lab error that affected the analysis of certain compounds in the sample. See text for details.

FIGURE 2-22
TOTAL NON-FUEL VOCs
SEPTEMBER 2006
GROUNDWATER PARAMETERS
Honeywell 34th Street Facility
Phoenix, Arizona

CH2MHILL

PHX \\PHOENIX\PROJ\337711\BV-BIOVENTING AND UST\50\52\10 - ADEQ RPTING\2006 - Q3\GIS SOURCE FILES\GW_MXD\SEPT_DATA_MXD\FIG2-22_GW_TOTAL_NON-FUEL_VOC'S.MXD CVF 11/2/2006 10:59:30



Legend

- Compound Detected (ug/L)
- Compound Not Detected
- Streets and Airport Features
- Honeywell Facility

N
W E
S

0 150 300 600 Feet

Notes:
1. Total TCE is the sum of TCE, cis-1,2-DCE, and Vinyl Chloride.
2. Samples collected between September 11 and September 22, 2006.
3. Results from monitoring well ASE-111A are not posted due to a lab error that affected the analysis of certain compounds in the sample. See text for details.

FIGURE 2-23
TOTAL TCE
SEPTEMBER 2006
GROUNDWATER PARAMETERS
Honeywell 34th Street Facility
Phoenix, Arizona

CH2MHILL

PHX \\PHOENIX\PROJ\337711\BV-BIOVENTING AND UST\50\52\10 - ADEQ RPTING\2006 - Q3\GIS SOURCE FILES\GW_MXD\SEPT_DATA_MXD\FIG2-23_GW_TOTAL_TCE.MXD CVF 11/2/2006 11:09:10



Legend

- Compound Detected (ug/L)
- Compound Not Detected
- Streets and Airport Features
- Honeywell Facility

N W E S

0 150 300 600 Feet

Notes:
1. Total TCA is the sum of 1,1,1-TCA, 1,1-DCA, 1,1-DCE, and Chloroethane.
2. Samples collected between September 11 and September 22, 2006.
3. Results from monitoring well ASE-111A are not posted due to a lab error that affected the analysis of certain compounds in the sample. See text for details.

FIGURE 2-24
TOTAL TCA
SEPTEMBER 2006
GROUNDWATER PARAMETERS
Honeywell 34th Street Facility
Phoenix, Arizona

CH2MHILL

PHX \\PHOENIX\PROJ\337711\BV-BIOVENTING AND UST\50\52\10 - ADEQ RPTING\2006 - Q3\GIS SOURCE FILES\GW_MXD\SEPT_DATA_MXD\FIG2-24_GW_TOTAL_TCA.MXD CVF 11/2/2006 13:11:33



Legend

- Well Dilution Testing Conducted at these Monitoring Wells
- Subsurface Utility Vaults
- Airport and Street Features
- Honeywell Site Boundary

N W E S

0 175 350 700 Feet

Note:
Posted Subsurface Utility Vault locations have not been surveyed
* 1'x1'x1' Structure does not contain piping or utilities.

FIGURE 3-1
MONITORING WELL AND SUBSURFACE UTILITY VAULT LOCATIONS
Honeywell 34th Street Facility
Phoenix, Arizona

CH2MHILL

PHX \\PHOENIX\PROJ\337711\BV-BIOVENTING AND UST\50\52\10 - ADEQ RPTING\2006 - Q3\GIS SOURCE FILES\SV_MXD\FIG3-1_MONITORING_SUBSURFACEUTILITYVAULTS.MXD CVF 10/25/2006 12:18:18

Appendix A
Hydrographs

FIGURE 1
HYDROGRAPHS









FIGURE 1
HYDROGRAPHS









FIGURE 1
HYDROGRAPHS









FIGURE 1
HYDROGRAPHS









FIGURE 1
HYDROGRAPHS









FIGURE 1
HYDROGRAPHS









FIGURE 1
HYDROGRAPHS









FIGURE 1
HYDROGRAPHS









FIGURE 1
HYDROGRAPHS









FIGURE 1
HYDROGRAPHS









FIGURE 1
HYDROGRAPHS









FIGURE 1
HYDROGRAPHS









FIGURE 1
HYDROGRAPHS









FIGURE 1
HYDROGRAPHS









FIGURE 1
HYDROGRAPHS









FIGURE 1
HYDROGRAPHS









FIGURE 1
HYDROGRAPHS









FIGURE 1
HYDROGRAPHS



Report

Third Quarter Status Report for 2006

Honeywell 34th Street Facility
Facility ID No. 0-002227
LUST File Nos. 0393.02-.10, .15

Volume 2 of 3

Prepared for

Honeywell International Inc.

November 2006

REGISTERED GEOLOGIST
CERTIFICATE NO.
35022
ROBERT J.
FRANK
Date Signed 11/29/06
ARIZONA U.S.A.

Prepared by

CH2MHILL

Appendix B
Data Validation and Laboratory Analytical Reports

Honeywell Sky Harbor
May – October 2006 UST Monitoring
Data Quality Evaluation Report

Introduction

The objective of this Data Quality Evaluation (DQE) report is to assess the data quality of analytical results for water samples collected for the UST monitoring period at the Honeywell Sky Harbor site initiated in May 2006. Samples were collected and analyzed in an effort to continue providing a framework for long-term monitoring of the site. The data may also be used to support future activities such as feasibility studies, risk assessments, fate and transport modeling and remedial actions. Individual method requirements, guidelines from the USEPA Contract Laboratory National Functional Guidelines (NFG) for Organic Data Review, October 1999, the USEPA Contract Laboratory NFG for Inorganic Data Review, October 2004, and the Honeywell International Inc., Sky Harbor 34th Street Facility, Quality Assurance Project Plan (QAPP), July 2005, were used as the basis for this assessment.

This report is intended as a general data quality assessment designed to summarize data issues.

Analytical Data

This DQE report covers 175 normal environmental samples, 4 equipment blanks (EB), 24 trip blanks (TB), and 18 field duplicate (FD) samples. The list of samples and collection dates are included in Attachment A at the end of this report. Samples were collected between May 25, 2006 and October 25, 2006. These sample results were reported as 24 sample delivery groups (SDG) listed in Table 1. The analyses were performed by TestAmerica Analytical Testing Corporation located in Phoenix, Arizona (TAMP).

Table 1 – SDGs by Laboratory

SDG	Laboratory
PPF0816	TAMP
PPF0847	TAMP
PPF0892	TAMP
PPG0034	TAMP
PPG0084	TAMP
PPG0141	TAMP
PPG0176	TAMP
PPG0291	TAMP
PPG0518	TAMP

Table 1 – SDGs by Laboratory	
SDG	**Laboratory**
PPI0248	TAMP
PPI0249	TAMP
PPI0345	TAMP
PPI0347	TAMP
PPI0349	TAMP
PPI0447	TAMP
PPI0448	TAMP
PPI0521	TAMP
PPI0553	TAMP
PPI0606	TAMP
PPI0665	TAMP
PPI0750	TAMP
PPI0752	TAMP
PPI0753	TAMP
PPI0785	TAMP

Six methods were used to analyze the environmental samples. Samples were collected and delivered by courier or shipped by overnight carrier to the laboratory for analysis. Selected samples were analyzed for one or more of the following analytes/methods:

Table 2 – Analytical Parameters		
Parameter	**Method**	**Laboratory**
Volatile Organic Compounds (VOC)	SW8260	TAMP
Polynuclear Aromatic Hydrocarbons (PAH)	SW8310	TAMP
Total Petroleum Hydrocarbons (TPH) (diesel and motor oil)	SW8015	TAMP
Total Petroleum Hydrocarbons (TPH) (diesel and motor oil)	CALUFT	TAMP
Purgeable Organic Compounds	E624	TAMP
Chromium and nickel	E200.7	TAMP

Data validation was performed in accordance with the USEPA Contract Laboratory NFG for Inorganic Data Review (2004) and Contract Laboratory NFG for Organic Data Review (1999), substituting the calibration and quality control requirements specified in the Sky Harbor QAPP for those specified in the NFG.

The assessment of data includes a review of: (1) the chain-of-custody (CoC) documentation; (2) holding-time compliance; (3) the required field and laboratory quality control (QC) samples; (4) flagging for method blanks; (5) laboratory control sample/laboratory control sample duplicates (LCS/LCSD); (6) surrogate spike recoveries for organic analyses; and, (7) matrix spike/matrix spike duplicate samples (MS/MSD).

Field samples were also reviewed to ascertain field compliance and data quality issues. This included a review of FDs, EBs and TBs.

Data flags are assigned according to the Sky Harbor QAPP. These flags, as well as the reason for each flag, are entered into the electronic database. Multiple flags are routinely applied to specific sample method/matrix/analyte combinations, but there will be only one final flag. A final flag is applied to the data and is the most conservative of the applied validation flags. The final flag also includes matrix and blank sample impacts.

The data flags are defined below:

- J = Analyte was present but reported value may not be accurate or precise.
- R = The result has been rejected.
- U = This analyte was analyzed for but not detected at the specified detection limit.
- UJ = The analyte was not detected above the detection limit objective. However, the reported detection limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample

Findings

The overall summaries of the data validation findings are contained in the following sections below and summarized in Table 6.

Holding Times

All holding-time criteria were met with two exceptions.

Due to a laboratory error, the analytical holding time was exceeded by 20 days for the SW8260 analyses of samples ASE-111A-6C2 and PZ-1B-6C2. All non-detected results in the samples were flagged “R” and rejected for project use. All detected results in the samples were qualified as estimated and flagged “J”.

Sample Quantitation

The Sky Harbor QAPP RL objectives were met for all undiluted analyses with the exception of the samples listed in Table 3. The samples listed in Table 3 were not detected for the listed analytes, the QAPP RL objectives were not met with the MDL or RL.

Table 3 - RL Objective Exceedances					
Method	**Sample ID**	**Analyte**	**QAPP RL (ug/L)**	**Report RL (ug/L)**	**Report MDL (ug/L)**
SW8310	ASE-105A-6B3	Acenaphthene	0.1	3	0.13
SW8310	ASE-106A-6B3	Acenaphthene	0.1	3	0.13
SW8310	ASE-107A-6B3	Acenaphthene	0.1	3	0.13
SW8310	ASE-108A-6B3	Acenaphthene	0.1	3	0.13
SW8310	ASE-109A-6B3	Acenaphthene	0.1	3	0.13
SW8310	ASE-110A-6B3	Acenaphthene	0.1	3	0.13
SW8310	ASE-111A-6B3	Acenaphthene	0.1	3	0.13
SW8310	ASE-112A-6B3	Acenaphthene	0.1	3	0.13
SW8310	ASE-113A-6B3	Acenaphthene	0.1	3	0.13
SW8310	ASE-114A-6B3	Acenaphthene	0.1	3	0.13
SW8310	ASE-115A-6B3	Acenaphthene	0.1	3	0.13
SW8310	ASE-115A-6C2	Acenaphthene	0.1	3	0.13
SW8310	ASE-116A-6B3	Acenaphthene	0.1	3	0.13
SW8310	ASE-116A-6C2	Acenaphthene	0.1	3	0.13
SW8310	ASE-122A-6B3	Acenaphthene	0.1	3	0.13
SW8310	ASE-122A-6C2	Acenaphthene	0.1	3	0.13
SW8310	ASE-123A-6B3	Acenaphthene	0.1	3	0.13
SW8310	ASE-123A-6C2	Acenaphthene	0.1	3	0.13
SW8310	ASE-124A-6B3	Acenaphthene	0.1	3	0.13
SW8310	ASE-125A-6B3	Acenaphthene	0.1	3	0.13
SW8310	ASE-125A-6C1	Acenaphthene	0.1	3	0.13
SW8310	ASE-125A-6C2	Acenaphthene	0.1	3	0.13
SW8310	ASE-126A-6B3	Acenaphthene	0.1	3	0.13
SW8310	ASE-126A-6C1	Acenaphthene	0.1	3	0.13
SW8310	ASE-126A-6C2	Acenaphthene	0.1	3	0.13
SW8310	ASE-127A-6B3	Acenaphthene	0.1	3	0.13
SW8310	ASE-127A-6C2	Acenaphthene	0.1	3	0.13

Table 3 - RL Objective Exceedances					
Method	**Sample ID**	**Analyte**	**QAPP RL (ug/L)**	**Report RL (ug/L)**	**Report MDL (ug/L)**
SW8310	ASE-128A-6B3	Acenaphthene	0.1	3	0.13
SW8310	ASE-128A-6C2	Acenaphthene	0.1	3	0.13
SW8310	ASE-98A-6B3	Acenaphthene	0.1	3	0.13
SW8310	PL-502-6B2	Acenaphthene	0.1	3	0.13
SW8310	PL-502-6C1	Acenaphthene	0.1	3	0.13
SW8310	PL-503-6B3	Acenaphthene	0.1	3	0.13
SW8310	PL-504-6B3	Acenaphthene	0.1	3	0.13
SW8310	PL-508-6B3	Acenaphthene	0.1	3	0.13
SW8310	PL-520-6C2	Acenaphthene	0.1	3	0.13
SW8310	ASE-105A-6B3	Naphthalene	0.2	2	0.31
SW8310	ASE-106A-6B3	Naphthalene	0.2	2	0.31
SW8310	ASE-107A-6B3	Naphthalene	0.2	2	0.31
SW8310	ASE-108A-6B3	Naphthalene	0.2	2	0.31
SW8310	ASE-109A-6B3	Naphthalene	0.2	2	0.31
SW8310	ASE-110A-6B3	Naphthalene	0.2	2	0.31
SW8310	ASE-111A-6B3	Naphthalene	0.2	2	0.31
SW8310	ASE-112A-6B3	Naphthalene	0.2	2	0.31
SW8310	ASE-113A-6B3	Naphthalene	0.2	2	0.31
SW8310	ASE-114A-6B3	Naphthalene	0.2	2	0.31
SW8310	ASE-116A-6C2	Naphthalene	0.2	2	0.31
SW8310	ASE-122A-6B3	Naphthalene	0.2	2	0.31
SW8310	ASE-122A-6C2	Naphthalene	0.2	2	0.31
SW8310	ASE-123A-6B3	Naphthalene	0.2	2	0.31
SW8310	ASE-123A-6C2	Naphthalene	0.2	2	0.31
SW8310	ASE-124A-6B3	Naphthalene	0.2	2	0.31
SW8310	ASE-125A-6B3	Naphthalene	0.2	2	0.31
SW8310	ASE-125A-6C1	Naphthalene	0.2	2	0.31
SW8310	ASE-125A-6C2	Naphthalene	0.2	2	0.31

Table 3 - RL Objective Exceedances					
Method	**Sample ID**	**Analyte**	**QAPP RL (ug/L)**	**Report RL (ug/L)**	**Report MDL (ug/L)**
SW8310	ASE-126A-6B3	Naphthalene	0.2	2	0.31
SW8310	ASE-126A-6C1	Naphthalene	0.2	2	0.31
SW8310	ASE-126A-6C2	Naphthalene	0.2	2	0.31
SW8310	ASE-127A-6B3	Naphthalene	0.2	2	0.31
SW8310	ASE-127A-6C2	Naphthalene	0.2	2	0.31
SW8310	ASE-128A-6B3	Naphthalene	0.2	2	0.31
SW8310	ASE-128A-6C2	Naphthalene	0.2	2	0.31
SW8310	ASE-98A-6B3	Naphthalene	0.2	2	0.31
SW8310	PL-502-6B2	Naphthalene	0.2	2	0.31
SW8310	PL-502-6C1	Naphthalene	0.2	2	0.31
SW8310	PL-503-6B3	Naphthalene	0.2	2	0.31
SW8310	PL-504-6B3	Naphthalene	0.2	2	0.31
SW8310	PL-520-6C2	Naphthalene	0.2	2	0.31

The RLs for naphthalene and acenaphthene are below EPA Region 9 Preliminary Remediation Goals (PRGs), thus there is no effect in data usability.

Several samples required dilution due to high analyte concentrations. The RLs for non-detected analytes in the diluted samples were raised accordingly. Table 4 lists the samples analyzed at a dilution.

Table 4 – Samples Analyzed Diluted		
Method	**Sample ID**	**Dilution Factors**
SW8260	ASE-55A-6B3	10
SW8260	ASE-55A-6C2	10
SW8260	ASE-56A-6B3	10
SW8260	ASE-56A-6C2	10
SW8260	ASE-57A-6C2	10
SW8260	ASE-91A-6B3	10
SW8260	PL-506-6B3	10
SW8260	PL-519-6C2	50

Calibration

Calibration information was not supplied in the Level II validation reports and could not be directly verified to have met QAPP control criteria. However, the laboratory case narratives and/or footnotes in the laboratory data packages were reviewed by the data validator and there were a few exceptions noted.

The recoveries of continuing calibration verification (CCV) standards were above criteria for TPH-diesel by method CALUFT, indicating the associated sample results are possibly biased high. Twenty-one associated detected results were qualified as estimated and flagged "J".

The recoveries of CCV standards were below criteria for TPH-motor oil by method CALUFT, indicating the associated sample results are possibly biased low. Five associated non-detected results were qualified as estimated and flagged "UJ".

The recoveries of CCV standards were above criteria for Total TPH by method CALUFT, indicating the associated sample results are possibly biased high. Sixteen associated detected results were qualified as estimated and flagged "J".

The recovery of a CCV standard was above criteria for naphthalene by method SW8260B, indicating the associated sample results are possibly biased high. Two associated detected results were qualified as estimated and flagged "J".

The recovery of a CCV standard was above criteria for naphthalene by method SW8310, indicating the associated sample results are possibly biased high. Two associated detected results were qualified as estimated and flagged "J".

Method Blanks

Method blanks were analyzed at the required frequency and were free of contamination with one exception.

TPH-motor oil was detected above the RL in a method blank for method CALUFT. Two associated samples were detected for TPH-motor oil at concentrations less than five times the blank concentration. The results were qualified as not detected and flagged "U".

Field Blanks

EBs and TBs were collected as a percentage of the overall number of field samples collected and not on a site, location or daily basis. The associated field samples were evaluated against the maximum concentration detected in the field blanks. No data required qualification due to detections in the field blanks.

Field Duplicates

Twenty-two FD sets were collected and analyzed with this event. Only detected analytes in the FD pair were evaluated. The relative percent difference (RPD) criteria were met with two exceptions.

The FD RPD criterion was exceeded for benzene and 1,1-dichloroethane in the ASE-52A-6C2/PL-516-6C2 FD pair. The detected results in the normal and duplicate were qualified as estimated and flagged "J".

A list of FDs and associated parent samples is included below.

Table 5 – List of Field Duplicates	
Field Duplicate Sample ID	**Associated Parent Sample ID**
PL-502-6B3	ASE-124A-6B3
PL-502-6C1	ASE-126A-6C1
PL-503-6B3	ASE-112A-6B3
PL-503-6C2	ASE-75B-6C2
PL-504-6B3	ASE-110A-6B3
PL-504-6C2	ASE-59A-6C2
PL-505-6B3	PL-2102-6B3
PL-505-6C2	ASE-36A-6C2
PL-506-6B3	ASE-91A-6B3
PL-506-6C2	BC-14-6C2
PL-507-6B3	ASE-66A-6B3
PL-507-6C2	ASE-124A-6C2
PL-508-6B3	ASE-115A-6B3
PL-509-6C2	ASE-98A-6C2
PL-511-6C2	ASE-87A-6C2
PL-513-6C2	PL-210A-6C2
PL-516-6C2	ASE-52A-6C2
PL-519-6C2	ASE-63A-6C2
PL-520-6C2	ASE-116A-6C2

Surrogates

Surrogates were recovered within laboratory established QC limits with a few exceptions.

Surrogate recoveries were below criteria in two samples for method CALUFT, indicating the associated sample results are possibly biased low. The associated non-detected results were flagged "UJ" and the detected results were flagged "J".

Surrogate recoveries were above criteria in four samples for method CALUFT, indicating the associated sample results are possibly biased high. All associated detected results were qualified as estimated and flagged "J".

Surrogate recoveries were above criteria in two samples for method SW8015, indicating the associated sample results are possibly biased high. All associated detected results were qualified as estimated and flagged "J".

Surrogate recoveries were above criteria in three samples for method SW8260, indicating the associated sample results are possibly biased high. All associated detected results were qualified as estimated and flagged "J".

Laboratory Control Samples

LCSs were analyzed as required and generally met QC criteria.

The recovery of TPH-diesel was below criteria in several LCS/LCSD sets for method SW8015, indicating the associated sample results are possibly biased low. Associated results were qualified as estimated, nine detected results were flagged "J" and 17 non-detected results were flagged "UJ".

The recovery of iodomethane was below criteria in a LCS for method SW8260, indicating the associated sample results are possibly biased low. Two associated non-detected results were qualified as estimated and flagged "UJ".

Matrix Spikes

The results of MS/MSD analyses provide information about the possible influence of the matrix on either accuracy or precision of the measurements. In general, MS/MSD recoveries and the associated RPD met criteria. Below are summaries of incidences where either the recovery or RPD did not meet criteria that resulted in data qualification.

The MS and MSD performed on sample ASE-89A-6B3 for method SW8015 were recovered greater than criteria for TPH-diesel. The associated detected sample result was qualified as estimated and "J" flagged.

The MS performed on sample ASE-98A-6C2 for method SW8015 was recovered less than criteria for TPH-diesel. The associated non-detected sample result was qualified as estimated and "UJ" flagged.

The MS performed on sample ASE-20B-6C2 for method SW8260 was recovered less than criteria for styrene and vinyl acetate. The associated non-detected sample results were qualified as estimated and "UJ" flagged.

The MS and MSD performed on sample ASE-39A-6B3 for method SW8260 were recovered less than criteria for naphthalene. The associated non-detected sample result was qualified as estimated and "UJ" flagged.

The MS and MSD performed on sample ASE-47B-6C2 for method SW8260 were recovered less than criteria for trichloroethene. The associated non-detected sample result was qualified as estimated and "UJ" flagged.

The MS performed on sample ASE-56A-6C2 for method SW8260 was recovered less than criteria for 1,1-dichloroethene, isopropylbenzene, n-propylbenzene and xylenes. The associated detected sample results were qualified as estimated and "J" flagged.

The MS and MSD performed on sample ASE-89A-6B3 for method SW8260 were recovered less than criteria for 1,1-dichloroethane. The associated detected sample result was qualified as estimated and "J" flagged.

The MS and MSD performed on sample ASE-96A-6C2 for method SW8260 were recovered greater than criteria for methyl-tert-butyl ether. The associated detected sample result was qualified as estimated and "J" flagged. The MSD was recovered less than criteria for trans-1,2-dichloroethene and the associated non-detected result was flagged "U". Additionally, the RPD for the MS/MSD pair did not meet criteria for vinyl chloride and the associated detected result was flagged "J".

The MS and MSD performed on sample PL-2103-6C2 for method SW8260 were recovered less than criteria for bromoform, dichlorodifluoromethane and styrene. The associated non-detected sample results were qualified as estimated and "UJ" flagged.

The MS performed on sample PL-502-6C1 for method SW8260 was recovered greater than criteria for 1,1-dichloroethane. The associated detected sample result was qualified as estimated and "J" flagged.

Confirmation

The confirmation RPD criterion was exceeded for fluorene in six samples and for phenanthrene in four samples. The detected results were qualified as estimated and "J" flagged.

Internal Standards

Internal standard data was not supplied and could not be directly verified to have met QAPP control criteria. The laboratory case narratives and/or footnotes in the laboratory data package were reviewed by the data validator. No sample data were qualified based on the case narrative/footnote review for this event.

Tentatively Identified Compounds

Tentatively identified compounds were not reported by the laboratory.

Chain of Custody

Each sample was documented in a completed CoC and received at the laboratory in good condition.

Overall Assessment

The goal of this assessment is to demonstrate that a sufficient number of representative samples were collected and the resulting analytical data can be used to support the decision-making process. The procedures for assessing the precision, accuracy, representativeness, completeness, and comparability parameters were based on the USEPA Contract Laboratory NFG for Inorganic Data Review (2004) and Contract Laboratory NFG

for Organic Data Review (1999). The following summary highlights the PARCC findings for the above-defined events:

1. Two samples for SW8260 analysis were analyzed outside of holding time by 20 days, a factor greater than two times the holding-time criteria. A total of 121 non-detected results were rejected for project use and flagged "R". The completeness objective of 95 percent was still met for this method and overall completeness goals were met.
2. Less than one percent of the data were qualified due to low-level blank contamination. The degree to which blank contamination was observed is within reasonable method expectations.
3. Acenaphthene and naphthalene results by method SW8310 did not meet the QAPP RL objectives. Laboratory RLs for both analytes are below EPA Region 9 PRGs so no effect on data usability is observed.
4. Eight samples were analyzed diluted for method SW8260, resulting in raised RLs for non-detected analytes.
5. CCV exceedances were noted in the case narratives, resulting in 44 results qualified as estimated for methods CALUFT, SW8260, and SW8310.
6. LCS/LCSD recovery exceedances for methods SW8015 and SW8260 resulted in 28 results qualified as estimated.
7. Confirmation RPD exceedances for method SW8310 resulted in 10 results qualified as estimated.
8. The FD RPD criterion was exceeded for two analytes in one FD pair, resulting in four results qualified as estimated.
9. Surrogate recovery exceedances for methods CALUFT, SW8015 and SW8260 resulted in 24 results qualified as estimated.
10. MS/MSD recovery and RPD exceedances for methods SW8015 and SW8260 suggest matrix effect in several samples, 18 results were qualified as estimated.
11. The precision and accuracy of the data, as measured by field and laboratory QC indicators, suggest that the project goals have been met

Table 6 – Validation Findings

METHOD	NativeID	Analyte	Final Result	Units	Final Flag	Validation Reason
CALUFT	ASE-102A-6B3	C13 - C22 DRO	65	ug/L	J	CCVH
CALUFT	ASE-103A-6C2	C23 - C32 HRO	50	ug/L	UJ	CCVL
CALUFT	ASE-106A-6B3	C13 - C22 DRO	100	ug/L	J	CCVH
CALUFT	ASE-106A-6B3	Total Petroleum Hydrocarbons	100	ug/L	J	CCVH
CALUFT	ASE-107A-6B3	C13 - C22 DRO	280	ug/L	J	SSL, CCVH
CALUFT	ASE-107A-6B3	C23 - C32 HRO	50	ug/L	UJ	SSL
CALUFT	ASE-107A-6B3	Total Petroleum Hydrocarbons	280	ug/L	J	SSL
CALUFT	ASE-108A-6C2	C13 - C22 DRO	50	ug/L	UJ	SSL
CALUFT	ASE-108A-6C2	C23 - C32 HRO	50	ug/L	UJ	SSL
CALUFT	ASE-111A-6B3	C13 - C22 DRO	74	ug/L	J	CCVH
CALUFT	ASE-113A-6B3	C13 - C22 DRO	56	ug/L	J	CCVH
CALUFT	ASE-115A-6B3	C13 - C22 DRO	940	ug/L	J	CCVH
CALUFT	ASE-115A-6B3	Total Petroleum Hydrocarbons	990	ug/L	J	CCVH
CALUFT	ASE-116A-6B3	C13 - C22 DRO	150	ug/L	J	CCVH
CALUFT	ASE-116A-6B3	Total Petroleum Hydrocarbons	150	ug/L	J	CCVH
CALUFT	ASE-127A-6B3	C13 - C22 DRO	120	ug/L	J	SSH
CALUFT	ASE-127A-6B3	Total Petroleum Hydrocarbons	120	ug/L	J	SSH
CALUFT	ASE-20A-6B3	C13 - C22 DRO	420	ug/L	J	SSH
CALUFT	ASE-20A-6B3	Total Petroleum Hydrocarbons	420	ug/L	J	SSH
CALUFT	ASE-37A-6B3	C13 - C22 DRO	160	ug/L	J	CCVH
CALUFT	ASE-37A-6B3	Total Petroleum Hydrocarbons	160	ug/L	J	CCVH
CALUFT	ASE-38A-6B3	C13 - C22 DRO	230	ug/L	J	CCVH
CALUFT	ASE-38A-6B3	Total Petroleum Hydrocarbons	230	ug/L	J	CCVH
CALUFT	ASE-39A-6B3	C13 - C22 DRO	190	ug/L	J	CCVH
CALUFT	ASE-39A-6B3	Total Petroleum Hydrocarbons	190	ug/L	J	CCVH
CALUFT	ASE-41A-6B3	C13 - C22 DRO	1600	ug/L	J	CCVH
CALUFT	ASE-41A-6B3	Total Petroleum Hydrocarbons	1600	ug/L	J	CCVH
CALUFT	ASE-46A-6C2	C23 - C32 HRO	50	ug/L	UJ	CCVL
CALUFT	ASE-52A-6B3	C13 - C22 DRO	370	ug/L	J	SSH
CALUFT	ASE-52A-6B3	Total Petroleum Hydrocarbons	370	ug/L	J	SSH
CALUFT	ASE-55A-6B3	C13 - C22 DRO	77000	ug/L	J	CCVH
CALUFT	ASE-55A-6B3	Total Petroleum Hydrocarbons	77000	ug/L	J	CCVH
CALUFT	ASE-56A-6B3	C13 - C22 DRO	970	ug/L	J	CCVH
CALUFT	ASE-56A-6B3	Total Petroleum Hydrocarbons	970	ug/L	J	CCVH
CALUFT	ASE-57A-6B3	C13 - C22 DRO	11000	ug/L	J	CCVH
CALUFT	ASE-57A-6B3	Total Petroleum Hydrocarbons	11000	ug/L	J	CCVH
CALUFT	ASE-58A-6C2	C23 - C32 HRO	50	ug/L	UJ	CCVL
CALUFT	ASE-62A-6B3	C23 - C32 HRO	57	ug/L	U	LBH
CALUFT	ASE-65A-6B3	C23 - C32 HRO	58	ug/L	U	LBH
CALUFT	ASE-91A-6B3	C13 - C22 DRO	760	ug/L	J	CCVH
CALUFT	ASE-91A-6B3	Total Petroleum Hydrocarbons	760	ug/L	J	CCVH
CALUFT	ASE-92A-6B3	C13 - C22 DRO	170	ug/L	J	CCVH
CALUFT	ASE-92A-6B3	Total Petroleum Hydrocarbons	170	ug/L	J	CCVH
CALUFT	ASE-95A-6B3	C13 - C22 DRO	100	ug/L	J	CCVH
CALUFT	ASE-95A-6B3	Total Petroleum Hydrocarbons	100	ug/L	J	CCVH

METHOD	NativeID	Analyte	Final Result	Units	Final Flag	Validation Reason
CALUFT	PL-101A-6B3	C13 - C22 DRO	570	ug/L	J	CCVH
CALUFT	PL-101A-6B3	Total Petroleum Hydrocarbons	570	ug/L	J	CCVH
CALUFT	PL-201A-6C2	C23 - C32 HRO	50	ug/L	UJ	CCVL
CALUFT	PL-504-6B3	C13 - C22 DRO	76	ug/L	J	CCVH,SSH
CALUFT	PL-504-6B3	C23 - C32 HRO	55	ug/L	J	SSH
CALUFT	PL-504-6B3	Total Petroleum Hydrocarbons	130	ug/L	J	SSH
CALUFT	PL-506-6B3	C13 - C22 DRO	850	ug/L	J	CCVH
CALUFT	PL-506-6B3	Total Petroleum Hydrocarbons	850	ug/L	J	CCVH
CALUFT	PL-508-6B3	C13 - C22 DRO	910	ug/L	J	CCVH
CALUFT	PL-508-6B3	Total Petroleum Hydrocarbons	910	ug/L	J	CCVH
CALUFT	PL-513-6C2	C23 - C32 HRO	50	ug/L	UJ	CCVL
SW8015	ASE-100A-6C2	C13 - C22 DRO	51	ug/L	UJ	LCSL
SW8015	ASE-101A-6C2	C13 - C22 DRO	99	ug/L	J	LCSL
SW8015	ASE-102A-6C2	C13 - C22 DRO	51	ug/L	UJ	LCSL
SW8015	ASE-105A-6C2	C13 - C22 DRO	130	ug/L	J	LCSL, LCSDL
SW8015	ASE-106A-6C2	C13 - C22 DRO	51	ug/L	UJ	LCSDL
SW8015	ASE-107A-6C2	C13 - C22 DRO	160	ug/L	J	LCSDL
SW8015	ASE-109A-6C2	C13 - C22 DRO	51	ug/L	UJ	LCSL
SW8015	ASE-110A-6C2	C13 - C22 DRO	51	ug/L	UJ	LCSL
SW8015	ASE-112A-6B3	C13 - C22 DRO	390	ug/L	J	SSH
SW8015	ASE-112A-6B3	Total Petroleum Hydrocarbons	390	ug/L	J	SSH
SW8015	ASE-112A-6C2	C13 - C22 DRO	290	ug/L	J	LCSL, LCSDL
SW8015	ASE-113A-6C2	C13 - C22 DRO	51	ug/L	UJ	LCSDL
SW8015	ASE-114A-6C2	C13 - C22 DRO	51	ug/L	UJ	LCSL, LCSDL
SW8015	ASE-123A-6C2	C13 - C22 DRO	51	ug/L	UJ	LCSL
SW8015	ASE-124A-6C2	C13 - C22 DRO	51	ug/L	UJ	LCSDL
SW8015	ASE-125A-6C2	C13 - C22 DRO	51	ug/L	UJ	LCSDL
SW8015	ASE-126A-6C2	C13 - C22 DRO	51	ug/L	UJ	LCSL, LCSDL
SW8015	ASE-128A-6C2	C13 - C22 DRO	51	ug/L	UJ	LCSDL
SW8015	ASE-89A-6B3	C13 - C22 DRO	3100	ug/L	J	MSH,MSDH
SW8015	ASE-89A-6C2	C13 - C22 DRO	1000	ug/L	J	LCSL, LCSDL
SW8015	ASE-90A-6B3	C13 - C22 DRO	480	ug/L	J	SSH
SW8015	ASE-90A-6B3	Total Petroleum Hydrocarbons	480	ug/L	J	SSH
SW8015	ASE-90A-6C2	C13 - C22 DRO	93	ug/L	J	LCSL, LCSDL
SW8015	ASE-95A-6C2	C13 - C22 DRO	52	ug/L	J	LCSDL
SW8015	ASE-96A-6C2	C13 - C22 DRO	51	ug/L	UJ	LCSDL
SW8015	ASE-97A-6C2	C13 - C22 DRO	73	ug/L	J	LCSL, LCSDL
SW8015	ASE-98A-6C2	C13 - C22 DRO	51	ug/L	UJ	LCSL, MSDL
SW8015	ASE-99A-6C2	C13 - C22 DRO	51	ug/L	UJ	LCSL
SW8015	BC-8B-6C2	C13 - C22 DRO	71	ug/L	J	LCSL, LCSDL
SW8015	PL-507-6C2	C13 - C22 DRO	51	ug/L	UJ	LCSDL
SW8015	PL-509-6C2	C13 - C22 DRO	51	ug/L	UJ	LCSL
SW8260	ASE-111A-6C2	1,1,1,2-Tetrachloroethane	5	ug/L	R	HTA
SW8260	ASE-111A-6C2	1,1,1-Trichloroethane	2	ug/L	R	HTA
SW8260	ASE-111A-6C2	1,1,2,2-Tetrachloroethane	2	ug/L	R	HTA
SW8260	ASE-111A-6C2	1,1,2-Trichloroethane	2	ug/L	R	HTA

METHOD	NativeID	Analyte	Final Result	Units	Final Flag	Validation Reason
SW8260	ASE-111A-6C2	1,1-Dichloroethane	2	ug/L	R	HTA
SW8260	ASE-111A-6C2	1,1-Dichloroethene	5	ug/L	R	HTA
SW8260	ASE-111A-6C2	1,1-Dichloropropene	2	ug/L	R	HTA
SW8260	ASE-111A-6C2	1,2,3-Trichlorobenzene	5	ug/L	R	HTA
SW8260	ASE-111A-6C2	1,2,3-Trichloropropane	10	ug/L	R	HTA
SW8260	ASE-111A-6C2	1,2,4-Trichlorobenzene	5	ug/L	R	HTA
SW8260	ASE-111A-6C2	1,2,4-Trimethylbenzene	4.4	ug/L	J	HTA
SW8260	ASE-111A-6C2	1,2-Dibromo-3-chloropropane	5	ug/L	R	HTA
SW8260	ASE-111A-6C2	1,2-Dibromoethane (EDB)	2	ug/L	R	HTA
SW8260	ASE-111A-6C2	1,2-Dichlorobenzene	1	ug/L	R	HTA
SW8260	ASE-111A-6C2	1,2-Dichloroethane	1	ug/L	R	HTA
SW8260	ASE-111A-6C2	1,2-Dichloropropane	2	ug/L	R	HTA
SW8260	ASE-111A-6C2	1,3,5-Trimethylbenzene	2	ug/L	R	HTA
SW8260	ASE-111A-6C2	1,3-Dichlorobenzene	1	ug/L	R	HTA
SW8260	ASE-111A-6C2	1,3-Dichloropropane	2	ug/L	R	HTA
SW8260	ASE-111A-6C2	1,4-Dichlorobenzene	1	ug/L	R	HTA
SW8260	ASE-111A-6C2	2,2-Dichloropropane	2	ug/L	R	HTA
SW8260	ASE-111A-6C2	2-Butanone (MEK)	10	ug/L	R	HTA
SW8260	ASE-111A-6C2	2-Chlorotoluene	5	ug/L	R	HTA
SW8260	ASE-111A-6C2	2-Hexanone	10	ug/L	R	HTA
SW8260	ASE-111A-6C2	4-Chlorotoluene	5	ug/L	R	HTA
SW8260	ASE-111A-6C2	4-Methyl-2-pentanone (MIBK)	10	ug/L	R	HTA
SW8260	ASE-111A-6C2	Acetone	20	ug/L	R	HTA
SW8260	ASE-111A-6C2	Benzene	140	ug/L	J	HTA
SW8260	ASE-111A-6C2	Bromobenzene	5	ug/L	R	HTA
SW8260	ASE-111A-6C2	Bromochloromethane	5	ug/L	R	HTA
SW8260	ASE-111A-6C2	Bromodichloromethane	2	ug/L	R	HTA
SW8260	ASE-111A-6C2	Bromoform	5	ug/L	R	HTA
SW8260	ASE-111A-6C2	Bromomethane	5	ug/L	R	HTA
SW8260	ASE-111A-6C2	Carbon Disulfide	5	ug/L	R	HTA
SW8260	ASE-111A-6C2	Carbon tetrachloride	5	ug/L	R	HTA
SW8260	ASE-111A-6C2	Chlorobenzene	1	ug/L	R	HTA
SW8260	ASE-111A-6C2	Chloroethane	5	ug/L	R	HTA
SW8260	ASE-111A-6C2	Chloroform	2	ug/L	R	HTA
SW8260	ASE-111A-6C2	Chloromethane	5	ug/L	R	HTA
SW8260	ASE-111A-6C2	cis-1,2-Dichloroethene	2	ug/L	R	HTA
SW8260	ASE-111A-6C2	cis-1,3-Dichloropropene	2	ug/L	R	HTA
SW8260	ASE-111A-6C2	Dibromochloromethane	2	ug/L	R	HTA
SW8260	ASE-111A-6C2	Dibromomethane	2	ug/L	R	HTA
SW8260	ASE-111A-6C2	Dichlorodifluoromethane	5	ug/L	R	HTA
SW8260	ASE-111A-6C2	Ethylbenzene	6.3	ug/L	J	HTA
SW8260	ASE-111A-6C2	Hexachlorobutadiene	5	ug/L	R	HTA
SW8260	ASE-111A-6C2	Iodomethane	2	ug/L	R	HTA
SW8260	ASE-111A-6C2	Isopropylbenzene	2	ug/L	R	HTA
SW8260	ASE-111A-6C2	Methylene chloride	5	ug/L	R	HTA
SW8260	ASE-111A-6C2	Methyl-tert-butyl Ether (MTBE)	72	ug/L	J	HTA

METHOD	NativeID	Analyte	Final Result	Units	Final Flag	Validation Reason
SW8260	ASE-111A-6C2	Naphthalene	2	ug/L	R	HTA
SW8260	ASE-111A-6C2	n-Butylbenzene	5	ug/L	R	HTA
SW8260	ASE-111A-6C2	n-Propylbenzene	2	ug/L	R	HTA
SW8260	ASE-111A-6C2	p-Isopropyltoluene	2	ug/L	R	HTA
SW8260	ASE-111A-6C2	sec-Butylbenzene	5	ug/L	R	HTA
SW8260	ASE-111A-6C2	Styrene	2	ug/L	R	HTA
SW8260	ASE-111A-6C2	tert-Butylbenzene	5	ug/L	R	HTA
SW8260	ASE-111A-6C2	Tetrachloroethene	2	ug/L	R	HTA
SW8260	ASE-111A-6C2	Toluene	2	ug/L	R	HTA
SW8260	ASE-111A-6C2	trans-1,2-Dichloroethene	2	ug/L	R	HTA
SW8260	ASE-111A-6C2	trans-1,3-Dichloropropene	2	ug/L	R	HTA
SW8260	ASE-111A-6C2	Trichloroethene	6.9	ug/L	J	HTA
SW8260	ASE-111A-6C2	Trichlorofluoromethane	5	ug/L	R	HTA
SW8260	ASE-111A-6C2	Vinyl acetate	25	ug/L	R	HTA
SW8260	ASE-111A-6C2	Vinyl chloride	1.7	ug/L	R	HTA
SW8260	ASE-111A-6C2	Xylenes, Total	19	ug/L	J	HTA
SW8260	ASE-112A-6B3	Naphthalene	25	ug/L	J	CCVH
SW8260	ASE-126A-6C2	1,1-Dichloroethane	15	ug/L	J	SSH
SW8260	ASE-127A-6C2	Iodomethane	2	ug/L	UJ	LCSL
SW8260	ASE-20B-6C2	Styrene	2	ug/L	UJ	MSL
SW8260	ASE-20B-6C2	Vinyl acetate	25	ug/L	UJ	MSL
SW8260	ASE-39A-6B3	Naphthalene	54	ug/L	J	MSL, MSDL
SW8260	ASE-47B-6C2	Trichloroethene	91	ug/L	J	MSL, MSDL
SW8260	ASE-52A-6C2	1,1-Dichloroethane	9.2	ug/L	J	FD
SW8260	ASE-52A-6C2	Benzene	310	ug/L	J	FD, HTA
SW8260	ASE-56A-6C2	1,1-Dichloroethane	64	ug/L	J	MSL
SW8260	ASE-56A-6C2	Isopropylbenzene	46	ug/L	J	MSL
SW8260	ASE-56A-6C2	n-Propylbenzene	52	ug/L	J	MSL
SW8260	ASE-56A-6C2	Xylenes, Total	85	ug/L	J	MSL
SW8260	ASE-89A-6B3	1,1-Dichloroethane	9	ug/L	J	MSL, MSDL
SW8260	ASE-90A-6C2	1,1-Dichloroethane	28	ug/L	J	SSH
SW8260	ASE-90A-6C2	Benzene	7.4	ug/L	J	SSH
SW8260	ASE-90A-6C2	Methyl-tert-butyl Ether (MTBE)	140	ug/L	J	SSH
SW8260	ASE-90A-6C2	Vinyl chloride	4.9	ug/L	J	SSH
SW8260	ASE-96A-6C2	Methyl-tert-butyl Ether (MTBE)	85	ug/L	J	MSH,MSDH
SW8260	ASE-96A-6C2	trans-1,2-Dichloroethene	2	ug/L	UJ	MSDL, MSDP
SW8260	ASE-96A-6C2	Vinyl chloride	3.2	ug/L	J	MSDP
SW8260	ASE-97A-6C2	1,1-Dichloroethane	9.1	ug/L	J	SSH
SW8260	BC-7A-6C2	Iodomethane	2	ug/L	UJ	LCSL
SW8260	PL-101A-6C2	Naphthalene	220	ug/L	J	HTA
SW8260	PL-2103-6C2	Bromoform	5	ug/L	UJ	MSL, MSDL
SW8260	PL-2103-6C2	Dichlorodifluoromethane	5	ug/L	UJ	MSL
SW8260	PL-2103-6C2	Styrene	2	ug/L	UJ	MSL, MSDL, MSRPD
SW8260	PL-502-6C1	1,1-Dichloroethane	11	ug/L	J	MSH
SW8260	PL-503-6B3	Naphthalene	25	ug/L	J	CCVH

METHOD	NativeID	Analyte	Final Result	Units	Final Flag	Validation Reason
SW8260	PL-516-6C2	1,1-Dichloroethane	6.4	ug/L	J	FD
SW8260	PL-516-6C2	Benzene	190	ug/L	J	FD
SW8260	PZ-1B-6C2	1,1,1,2-Tetrachloroethane	5	ug/L	R	HTA
SW8260	PZ-1B-6C2	1,1,1-Trichloroethane	2	ug/L	R	HTA
SW8260	PZ-1B-6C2	1,1,2,2-Tetrachloroethane	2	ug/L	R	HTA
SW8260	PZ-1B-6C2	1,1,2-Trichloroethane	2	ug/L	R	HTA
SW8260	PZ-1B-6C2	1,1-Dichloroethane	2	ug/L	R	HTA
SW8260	PZ-1B-6C2	1,1-Dichloroethene	39	ug/L	J	HTA
SW8260	PZ-1B-6C2	1,1-Dichloropropene	2	ug/L	R	HTA
SW8260	PZ-1B-6C2	1,2,3-Trichlorobenzene	5	ug/L	R	HTA
SW8260	PZ-1B-6C2	1,2,3-Trichloropropane	10	ug/L	R	HTA
SW8260	PZ-1B-6C2	1,2,4-Trichlorobenzene	5	ug/L	R	HTA
SW8260	PZ-1B-6C2	1,2,4-Trimethylbenzene	2	ug/L	R	HTA
SW8260	PZ-1B-6C2	1,2-Dibromo-3-chloropropane	5	ug/L	R	HTA
SW8260	PZ-1B-6C2	1,2-Dibromoethane (EDB)	2	ug/L	R	HTA
SW8260	PZ-1B-6C2	1,2-Dichlorobenzene	1	ug/L	R	HTA
SW8260	PZ-1B-6C2	1,2-Dichloroethane	1	ug/L	R	HTA
SW8260	PZ-1B-6C2	1,2-Dichloropropane	2	ug/L	R	HTA
SW8260	PZ-1B-6C2	1,3,5-Trimethylbenzene	2	ug/L	R	HTA
SW8260	PZ-1B-6C2	1,3-Dichlorobenzene	1	ug/L	R	HTA
SW8260	PZ-1B-6C2	1,3-Dichloropropane	2	ug/L	R	HTA
SW8260	PZ-1B-6C2	1,4-Dichlorobenzene	1	ug/L	R	HTA
SW8260	PZ-1B-6C2	2,2-Dichloropropane	2	ug/L	R	HTA
SW8260	PZ-1B-6C2	2-Butanone (MEK)	10	ug/L	R	HTA
SW8260	PZ-1B-6C2	2-Chlorotoluene	5	ug/L	R	HTA
SW8260	PZ-1B-6C2	2-Hexanone	10	ug/L	R	HTA
SW8260	PZ-1B-6C2	4-Chlorotoluene	5	ug/L	R	HTA
SW8260	PZ-1B-6C2	4-Methyl-2-pentanone (MIBK)	10	ug/L	R	HTA
SW8260	PZ-1B-6C2	Acetone	20	ug/L	R	HTA
SW8260	PZ-1B-6C2	Benzene	1	ug/L	R	HTA
SW8260	PZ-1B-6C2	Bromobenzene	5	ug/L	R	HTA
SW8260	PZ-1B-6C2	Bromochloromethane	5	ug/L	R	HTA
SW8260	PZ-1B-6C2	Bromodichloromethane	2	ug/L	R	HTA
SW8260	PZ-1B-6C2	Bromoform	5	ug/L	R	HTA
SW8260	PZ-1B-6C2	Bromomethane	5	ug/L	R	HTA
SW8260	PZ-1B-6C2	Carbon Disulfide	5	ug/L	R	HTA
SW8260	PZ-1B-6C2	Carbon tetrachloride	5	ug/L	R	HTA
SW8260	PZ-1B-6C2	Chlorobenzene	1	ug/L	R	HTA
SW8260	PZ-1B-6C2	Chloroethane	5	ug/L	R	HTA
SW8260	PZ-1B-6C2	Chloroform	2.8	ug/L	J	HTA
SW8260	PZ-1B-6C2	Chloromethane	5	ug/L	R	HTA
SW8260	PZ-1B-6C2	cis-1,2-Dichloroethene	190	ug/L	J	HTA
SW8260	PZ-1B-6C2	cis-1,3-Dichloropropene	2	ug/L	R	HTA
SW8260	PZ-1B-6C2	Dibromochloromethane	2	ug/L	R	HTA
SW8260	PZ-1B-6C2	Dibromomethane	2	ug/L	R	HTA
SW8260	PZ-1B-6C2	Dichlorodifluoromethane	5	ug/L	R	HTA

METHOD	NativeID	Analyte	Final Result	Units	Final Flag	Validation Reason
SW8260	PZ-1B-6C2	Ethylbenzene	2	ug/L	R	HTA
SW8260	PZ-1B-6C2	Hexachlorobutadiene	5	ug/L	R	HTA
SW8260	PZ-1B-6C2	Iodomethane	2	ug/L	R	HTA
SW8260	PZ-1B-6C2	Isopropylbenzene	2	ug/L	R	HTA
SW8260	PZ-1B-6C2	Methylene chloride	5	ug/L	R	HTA
SW8260	PZ-1B-6C2	Methyl-tert-butyl Ether (MTBE)	5	ug/L	R	HTA
SW8260	PZ-1B-6C2	Naphthalene	2	ug/L	R	HTA
SW8260	PZ-1B-6C2	n-Butylbenzene	5	ug/L	R	HTA
SW8260	PZ-1B-6C2	n-Propylbenzene	2	ug/L	R	HTA
SW8260	PZ-1B-6C2	p-Isopropyltoluene	2	ug/L	R	HTA
SW8260	PZ-1B-6C2	sec-Butylbenzene	5	ug/L	R	HTA
SW8260	PZ-1B-6C2	Styrene	2	ug/L	R	HTA
SW8260	PZ-1B-6C2	tert-Butylbenzene	5	ug/L	R	HTA
SW8260	PZ-1B-6C2	Tetrachloroethene	20	ug/L	J	HTA
SW8260	PZ-1B-6C2	Toluene	2	ug/L	R	HTA
SW8260	PZ-1B-6C2	trans-1,2-Dichloroethene	2	ug/L	R	HTA
SW8260	PZ-1B-6C2	trans-1,3-Dichloropropene	2	ug/L	R	HTA
SW8260	PZ-1B-6C2	Trichloroethene	440	ug/L	J	HTA
SW8260	PZ-1B-6C2	Trichlorofluoromethane	5	ug/L	R	HTA
SW8260	PZ-1B-6C2	Vinyl acetate	25	ug/L	R	HTA
SW8260	PZ-1B-6C2	Vinyl chloride	1.7	ug/L	R	HTA
SW8260	PZ-1B-6C2	Xylenes, Total	3	ug/L	R	HTA
SW8310	ASE-105A-6B3	Fluorene	0.32	ug/L	J	CFP
SW8310	ASE-107A-6B3	Fluorene	0.66	ug/L	J	CFP
SW8310	ASE-107A-6B3	Phenanthrene	0.35	ug/L	J	CFP
SW8310	ASE-112A-6B3	Naphthalene	15	ug/L	J	CCVH
SW8310	ASE-115A-6C2	Fluorene	0.84	ug/L	J	CFP
SW8310	ASE-115A-6C2	Phenanthrene	2.8	ug/L	J	CFP
SW8310	ASE-116A-6C2	Fluorene	0.36	ug/L	J	CFP
SW8310	ASE-116A-6C2	Phenanthrene	0.57	ug/L	J	CFP
SW8310	PL-503-6B3	Fluorene	0.64	ug/L	J	CFP
SW8310	PL-503-6B3	Naphthalene	16	ug/L	J	CCVH
SW8310	PL-520-6C2	Fluorene	0.33	ug/L	J	CFP
SW8310	PL-520-6C2	Phenanthrene	0.53	ug/L	J	CFP

Notes:

CCVH = Continuing calibration recovery greater than upper control limit

CCVL = Continuing calibration recovery less than lower control limit

CFP = Confirmation precision exceeded

FD = Field duplicate exceeds RPD criteria

HTA – Analytical holding time exceeded

LBH = Laboratory blank contamination greater than the RL

LCSL – LCS recovery less than lower limit.

LCSDL – LCS duplicate recovery less than lower limit.

MSL – Matrix spike recovery less than the lower limit.

MSDL - Matrix spike duplicate recovery less than the lower limit.

MSDP – Matrix spike duplicate RPD criteria exceedance.

MSH – Matrix spike recovery greater than the upper limit.

MSDH - Matrix spike duplicate recovery greater than the upper limit.

SSH – Surrogate recovery greater than upper limit.

SSL – Surrogate recovery less than lower limit.

Attachment A

Samples Associated with DQE		
SampleID	**Sample Type**	**Sample Date**
PL-501-6B3	EB	06/28/2006
PL-501-6C1	EB	07/19/2006
PL-517-6C2	EB	09/22/2006
PL-518-6C2	EB	09/22/2006
PL-502-6B2	FD	05/25/2006
PL-503-6B3	FD	06/29/2006
PL-505-6B3	FD	07/05/2006
PL-506-6B3	FD	07/06/2006
PL-507-6B3	FD	07/07/2006
PL-508-6B3	FD	07/10/2006
PL-105A-6B3	FD	07/12/2006
PL-503-6C2	FD	09/11/2006
PL-504-6C2	FD	09/11/2006
PL-505-6C2	FD	09/12/2006
PL-506-6C2	FD	09/12/2006
PL-507-6C2	FD	09/13/2006
PL-509-6C2	FD	09/15/2006
PL-511-6C2	FD	09/18/2006
PL-513-6C2	FD	09/18/2006
PL-516-6C2	FD	09/21/2006
PL-520-6C2	FD	09/21/2006
PL-519-6C2	FD	09/22/2006
ASE-107A-6B3	REG	06/28/2006
ASE-96A-6B3	REG	06/28/2006
ASE-95A-6B3	REG	06/28/2006
ASE-106A-6B3	REG	06/28/2006
ASE-124A-6B3	REG	06/28/2006
ASE-109A-6B3	REG	06/28/2006
ASE-113A-6B3	REG	06/28/2006
ASE-122A-6B3	REG	06/28/2006
ASE-123A-6B3	REG	06/28/2006
ASE-125A-6B3	REG	06/28/2006
ASE-89A-6B3	REG	06/29/2006
ASE-97A-6B3	REG	06/29/2006
ASE-126A-6B3	REG	06/29/2006
ASE-114A-6B3	REG	06/29/2006
BC-8B-6B3	REG	06/29/2006
ASE-90A-6B3	REG	06/29/2006
ASE-99A-6B3	REG	06/29/2006
ASE-112A-6B3	REG	06/29/2006
ASE-105A-6B3	REG	06/29/2006

Samples Associated with DQE		
SampleID	**Sample Type**	**Sample Date**
ASE-128A-6B3	REG	06/29/2006
ASE-102A-6B3	REG	06/30/2006
ASE-103A-6B3	REG	06/30/2006
ASE-101A-6B3	REG	06/30/2006
PL-504-6B3	REG	06/30/2006
ASE-110A-6B3	REG	06/30/2006
ASE-98A-6B3	REG	06/30/2006
ASE-100A-6B3	REG	06/30/2006
PL-201A-6B3	REG	07/05/2006
ASE-61A-6B3	REG	07/05/2006
ASE-59A-6B3	REG	07/05/2006
PL-2101-6B3	REG	07/05/2006
ASE-58A-6B3	REG	07/05/2006
ASE-54A-6B3	REG	07/05/2006
ASE-46A-6B3	REG	07/05/2006
ASE-60A-6B3	REG	07/05/2006
PL-2102-6B3	REG	07/05/2006
ASE-108A-6B3	REG	07/06/2006
ASE-92A-6B3	REG	07/06/2006
ASE-91A-6B3	REG	07/06/2006
ASE-41A-6B3	REG	07/06/2006
ASE-65A-6B3	REG	07/06/2006
ASE-62A-6B3	REG	07/06/2006
ASE-55A-6B3	REG	07/06/2006
ASE-20A-6B3	REG	07/07/2006
ASE-64A-6B3	REG	07/07/2006
ASE-127A-6B3	REG	07/07/2006
ASE-68A-6B3	REG	07/07/2006
ASE-63A-6B3	REG	07/07/2006
ASE-51A-6B3	REG	07/07/2006
ASE-52A-6B3	REG	07/07/2006
ASE-53A-6B3	REG	07/07/2006
ASE-66A-6B3	REG	07/07/2006
ASE-57A-6B3	REG	07/10/2006
Tank-18-6B3	REG	07/10/2006
PL-101A-6B3	REG	07/10/2006
ASE-56A-6B3	REG	07/10/2006
ASE-111A-6B3	REG	07/10/2006
ASE-116A-6B3	REG	07/10/2006
ASE-39A-6B3	REG	07/10/2006
ASE-38A-6B3	REG	07/10/2006
ASE-115A-6B3	REG	07/10/2006
ASE-37A-6B3	REG	07/10/2006
BC-7A-6B3	REG	07/12/2006
PL-502-6C1	REG	07/19/2006
ASE-126A-6C1	REG	07/19/2006

Samples Associated with DQE		
SampleID	**Sample Type**	**Sample Date**
ASE-125A-6C1	REG	07/19/2006
ASE-75C-6C2	REG	09/11/2006
ASE-75B-6C2	REG	09/11/2006
ASE-88B-6C2	REG	09/11/2006
ASE-75A-6C2	REG	09/11/2006
ASE-60A-6C2	REG	09/11/2006
ASE-61A-6C2	REG	09/11/2006
PL-102A-6C2	REG	09/11/2006
BC-7A-6C2	REG	09/11/2006
ASE-59A-6C2	REG	09/11/2006
BC-2-6C2	REG	09/11/2006
BC-1-6C2	REG	09/11/2006
ASE-21C-6C2	REG	09/11/2006
ASE-127A-6C2	REG	09/11/2006
ASE-54A-6C2	REG	09/12/2006
ASE-122A-6C2	REG	09/12/2006
PL-2103-6C2	REG	09/12/2006
PL-2101-6C2	REG	09/12/2006
ASE-36A-6C2	REG	09/12/2006
ASE-34B-6C2	REG	09/12/2006
ASE-34A-6C2	REG	09/12/2006
BC-15-6C2	REG	09/12/2006
BC-10A-6C2	REG	09/12/2006
PL-2102-6C2	REG	09/12/2006
BC-14-6C2	REG	09/12/2006
ASE-69A-6C2	REG	09/12/2006
BC-4-6C2	REG	09/12/2006
BC-13-6C2	REG	09/12/2006
BC-10C-6C2	REG	09/12/2006
BC-10B-6C2	REG	09/12/2006
ASE-95A-6C2	REG	09/13/2006
ASE-66A-6C2	REG	09/13/2006
ASE-124A-6C2	REG	09/13/2006
ASE-96A-6C2	REG	09/13/2006
ASE-128A-6C2	REG	09/13/2006
ASE-125A-6C2	REG	09/13/2006
ASE-113A-6C2	REG	09/13/2006
ASE-35A-6C2	REG	09/13/2006
ASE-48B-6C2	REG	09/13/2006
ASE-20C-6C2	REG	09/13/2006
ASE-20B-6C2	REG	09/13/2006
ASE-107A-6C2	REG	09/13/2006
ASE-106A-6C2	REG	09/13/2006
ASE-19C-6C2	REG	09/13/2006
ASE-44B-6C2	REG	09/13/2006
ASE-97A-6C2	REG	09/14/2006

Samples Associated with DQE		
SampleID	**Sample Type**	**Sample Date**
ASE-126A-6C2	REG	09/14/2006
ASE-114A-6C2	REG	09/14/2006
BC-8A-6C2	REG	09/14/2006
ASE-84C-6C2	REG	09/14/2006
ASE-105A-6C2	REG	09/14/2006
ASE-84A-6C2	REG	09/14/2006
ASE-112A-6C2	REG	09/14/2006
BC-8C-6C2	REG	09/14/2006
ASE-89A-6C2	REG	09/14/2006
ASE-90A-6C2	REG	09/14/2006
BC-8B-6C2	REG	09/14/2006
ASE-98A-6C2	REG	09/15/2006
ASE-109A-6C2	REG	09/15/2006
ASE-99A-6C2	REG	09/15/2006
ASE-101A-6C2	REG	09/15/2006
ASE-110A-6C2	REG	09/15/2006
ASE-123A-6C2	REG	09/15/2006
ASE-102A-6C2	REG	09/15/2006
ASE-100A-6C2	REG	09/15/2006
PL-202C-6C2	REG	09/18/2006
ASE-87A-6C2	REG	09/18/2006
PL-201A-6C2	REG	09/18/2006
ASE-23B-6C2	REG	09/18/2006
PL-202N-6C2	REG	09/18/2006
BC-6-6C2	REG	09/18/2006
ASE-103A-6C2	REG	09/19/2006
ASE-24C-6C2	REG	09/19/2006
ASE-25C-6C2	REG	09/19/2006
ASE-27A-6C2	REG	09/19/2006
ASE-58A-6C2	REG	09/19/2006
ASE-46B-6C2	REG	09/19/2006
ASE-46A-6C2	REG	09/19/2006
ASE-73B-6C2	REG	09/20/2006
ASE-111A-6C2	REG	09/20/2006
ASE-115A-6C2	REG	09/20/2006
PZ-1A-6C2	REG	09/20/2006
PZ-1B-6C2	REG	09/20/2006
ASE-68A-6C2	REG	09/20/2006
ASE-70A-6C2	REG	09/20/2006
ASE-108A-6C2	REG	09/21/2006
ASE-116A-6C2	REG	09/21/2006
ASE-41B-6C2	REG	09/21/2006
ASE-65A-6C2	REG	09/21/2006
ASE-62A-6C2	REG	09/21/2006
PL-101A-6C2	REG	09/21/2006
ASE-57A-6C2	REG	09/21/2006

Samples Associated with DQE		
SampleID	**Sample Type**	**Sample Date**
ASE-56A-6C2	REG	09/21/2006
ASE-52A-6C2	REG	09/21/2006
ASE-51A-6C2	REG	09/21/2006
PL-105A-6C2	REG	09/21/2006
ASE-47B-6C2	REG	09/21/2006
ASE-53A-6C2	REG	09/21/2006
ASE-41A-6C2	REG	09/21/2006
ASE-40B-6C2	REG	09/21/2006
ASE-39A-6C2	REG	09/21/2006
ASE-20A-6C2	REG	09/21/2006
ASE-38A-6C2	REG	09/21/2006
ASE-91A-6C2	REG	09/22/2006
ASE-64A-6C2	REG	09/22/2006
ASE-63A-6C2	REG	09/22/2006
ASE-92A-6C2	REG	09/22/2006
ASE-37A-6C2	REG	09/22/2006
ASE-26A-6C2	REG	09/22/2006
ASE-55A-6C2	REG	09/22/2006
TB-062806	TB	06/28/2006
TB-062906	TB	06/29/2006
TB-063006	TB	06/30/2006
TB-070506	TB	07/05/2006
TB-070606	TB	07/06/2006
TB-070706	TB	07/07/2006
TB-060710	TB	07/10/2006
TB-060712	TB	07/12/2006
TB-060719	TB	07/19/2006
TB-091106A	TB	09/11/2006
TB-091106B	TB	09/11/2006
TB-091206B	TB	09/12/2006
TB-091206A	TB	09/12/2006
TB-091306B	TB	09/13/2006
TB-091306A	TB	09/13/2006
TB-091406B	TB	09/14/2006
TB-091506B	TB	09/15/2006
TB-091806B	TB	09/18/2006
TB-091906B	TB	09/19/2006
TB-092006A	TB	09/20/2006
TB-092106A	TB	09/21/2006
TB-092106B	TB	09/21/2006
TB-092206B	TB	09/22/2006
TB-092206A	TB	09/22/2006

TestAmerica
ANALYTICAL TESTING CORPORATION

9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

LABORATORY REPORT

Prepared For: CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project: HW Quarterly / UST Sampling Program

Sampled: 06/28/06
Received: 06/28/06
Issued: 07/26/06 14:51

NELAP #01109CA Arizona DHS#AZ0426

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.
This entire report was reviewed and approved for release.

CASE NARRATIVE

LABORATORY ID	CLIENT ID	MATRIX
PPF0816-01	TB-062806	Water
PPF0816-02	ASE-113A-6B3	Water
PPF0816-03	ASE-107A-6B3	Water
PPF0816-04	ASE-96A-6B3	Water
PPF0816-05	ASE-95A-6B3	Water
PPF0816-06	ASE-125A-6B3	Water
PPF0816-07	ASE-122A-6B3	Water
PPF0816-08	PL-501-6B3	Water
PPF0816-09	ASE-106A-6B3	Water
PPF0816-10	ASE-124A-6B3	Water
PPF0816-11	PL-502-6B3	Water
PPF0816-12	ASE-123A	Water
PPF0816-13	ASE-109A	Water

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe 2625 S. Plaza Drive, Ste. 300 Tempe, AZ 85282 Attention: Jennifer Holland	Project ID: HW Quarterly / UST Sampling Program Report Number: PPF0816	Sampled: 06/28/06 Received: 06/28/06

SAMPLE RECEIPT:	Samples were received intact, at 2°C, on ice and with chain of custody documentation.
HOLDING TIMES:	All samples were analyzed within prescribed holding times and/or in accordance with the TestAmerica Sample Acceptance Policy unless otherwise noted in the report.
PRESERVATION:	Samples requiring preservation were verified prior to sample analysis.
QA/QC CRITERIA:	All analyses met method criteria, except as noted in the report with data qualifiers.
COMMENTS:	N1: There is no MS/MSD data available for the batch due to the autosampler faulting prior to the MS/MSD being analyzed. The batch was accepted based on the LCS/LCSD results. N1: The second source calibration analyzed immediately following the calibration recovered high and outside of acceptance limits for Vinyl Acetate and TAME. All associated samples are non-detect for these compounds and therefore should not be impacted.
SUBCONTRACTED:	Refer to the last page for specific subcontract laboratory information included in this report.

Reviewed By:

Ken Baker

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-01 (TB-062806 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1118	20	ND	1	7/11/2006	7/11/2006	
Benzene	EPA 8260B	P6G1118	1.0	ND	1	7/11/2006	7/11/2006	
Bromobenzene	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
Bromochloromethane	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
Bromodichloromethane	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
Bromoform	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
Bromomethane	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
2-Butanone (MEK)	EPA 8260B	P6G1118	10	ND	1	7/11/2006	7/11/2006	
n-Butylbenzene	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
sec-Butylbenzene	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
tert-Butylbenzene	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
Carbon Disulfide	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
Carbon tetrachloride	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
Chlorobenzene	EPA 8260B	P6G1118	1.0	ND	1	7/11/2006	7/11/2006	
Chloroethane	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
Chloroform	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
Chloromethane	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
2-Chlorotoluene	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
4-Chlorotoluene	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
Dibromochloromethane	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
Dibromomethane	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1118	1.0	ND	1	7/11/2006	7/11/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1118	1.0	ND	1	7/11/2006	7/11/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1118	1.0	ND	1	7/11/2006	7/11/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
1,1-Dichloroethane	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
1,2-Dichloroethane	EPA 8260B	P6G1118	1.0	ND	1	7/11/2006	7/11/2006	
1,1-Dichloroethene	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
1,2-Dichloropropane	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
1,3-Dichloropropane	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
2,2-Dichloropropane	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
1,1-Dichloropropene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
Ethylbenzene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
Hexachlorobutadiene	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
2-Hexanone	EPA 8260B	P6G1118	10	ND	1	7/11/2006	7/11/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-01 (TB-062806 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
Isopropylbenzene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
p-Isopropyltoluene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
Methylene chloride	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1118	10	ND	1	7/11/2006	7/11/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
Naphthalene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
n-Propylbenzene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
Styrene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
Tetrachloroethene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
Toluene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	L3
1,2,4-Trichlorobenzene	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
Trichloroethene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
Trichlorofluoromethane	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1118	10	ND	1	7/11/2006	7/11/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
Vinyl acetate	EPA 8260B	P6G1118	25	ND	1	7/11/2006	7/11/2006	L3, N1
Vinyl chloride	EPA 8260B	P6G1118	1.7	ND	1	7/11/2006	7/11/2006	
Xylenes, Total	EPA 8260B	P6G1118	3.0	ND	1	7/11/2006	7/11/2006	
Surrogate: Dibromofluoromethane (80-130%)				*112 %*				
Surrogate: Toluene-d8 (80-120%)				*108 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*103 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-02 (ASE-113A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1118	20	ND	1	7/11/2006	7/11/2006	
Benzene	EPA 8260B	P6G1118	1.0	ND	1	7/11/2006	7/11/2006	
Bromobenzene	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
Bromochloromethane	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
Bromodichloromethane	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
Bromoform	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
Bromomethane	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
2-Butanone (MEK)	EPA 8260B	P6G1118	10	ND	1	7/11/2006	7/11/2006	
n-Butylbenzene	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
sec-Butylbenzene	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
tert-Butylbenzene	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
Carbon Disulfide	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
Carbon tetrachloride	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
Chlorobenzene	EPA 8260B	P6G1118	1.0	ND	1	7/11/2006	7/11/2006	
Chloroethane	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
Chloroform	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
Chloromethane	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
2-Chlorotoluene	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
4-Chlorotoluene	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
Dibromochloromethane	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
Dibromomethane	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1118	1.0	ND	1	7/11/2006	7/11/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1118	1.0	ND	1	7/11/2006	7/11/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1118	1.0	ND	1	7/11/2006	7/11/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
1,1-Dichloroethane	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
1,2-Dichloroethane	EPA 8260B	P6G1118	1.0	ND	1	7/11/2006	7/11/2006	
1,1-Dichloroethene	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
1,2-Dichloropropane	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
1,3-Dichloropropane	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
2,2-Dichloropropane	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
1,1-Dichloropropene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
Ethylbenzene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
Hexachlorobutadiene	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
2-Hexanone	EPA 8260B	P6G1118	10	ND	1	7/11/2006	7/11/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-02 (ASE-113A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
Isopropylbenzene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
p-Isopropyltoluene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
Methylene chloride	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1118	10	ND	1	7/11/2006	7/11/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
Naphthalene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
n-Propylbenzene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
Styrene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
Tetrachloroethene	EPA 8260B	P6G1118	2.0	**2.1**	1	7/11/2006	7/11/2006	
Toluene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	L3
1,2,4-Trichlorobenzene	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
Trichloroethene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
Trichlorofluoromethane	EPA 8260B	P6G1118	5.0	ND	1	7/11/2006	7/11/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1118	10	ND	1	7/11/2006	7/11/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1118	2.0	ND	1	7/11/2006	7/11/2006	
Vinyl acetate	EPA 8260B	P6G1118	25	ND	1	7/11/2006	7/11/2006	L3, N1
Vinyl chloride	EPA 8260B	P6G1118	1.7	ND	1	7/11/2006	7/11/2006	
Xylenes, Total	EPA 8260B	P6G1118	3.0	ND	1	7/11/2006	7/11/2006	
Surrogate: Dibromofluoromethane (80-130%)				*111 %*				
Surrogate: Toluene-d8 (80-120%)				*108 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*101 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-03 (ASE-107A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1205	20	ND	1	7/12/2006	7/12/2006	
Benzene	EPA 8260B	P6G1205	1.0	**5.9**	1	7/12/2006	7/12/2006	
Bromobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromochloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromodichloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Bromoform	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromomethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Butanone (MEK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
n-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
sec-Butylbenzene	EPA 8260B	P6G1205	5.0	**5.3**	1	7/12/2006	7/12/2006	
tert-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Carbon Disulfide	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Carbon tetrachloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Chlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Chloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Chloroform	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Chloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
4-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Dibromochloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Dibromomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichloroethane	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
2,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	V1
Ethylbenzene	EPA 8260B	P6G1205	2.0	**2.4**	1	7/12/2006	7/12/2006	
Hexachlorobutadiene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Hexanone	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-03 (ASE-107A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Isopropylbenzene	EPA 8260B	P6G1205	2.0	**7.7**	1	7/12/2006	7/12/2006	
p-Isopropyltoluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Methylene chloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	V1
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1205	5.0	**9.2**	1	7/12/2006	7/12/2006	
Naphthalene	EPA 8260B	P6G1205	2.0	**10**	1	7/12/2006	7/12/2006	
n-Propylbenzene	EPA 8260B	P6G1205	2.0	**4.2**	1	7/12/2006	7/12/2006	
Styrene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Tetrachloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Toluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Trichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Trichlorofluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1205	2.0	**2.0**	1	7/12/2006	7/12/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Vinyl acetate	EPA 8260B	P6G1205	25	ND	1	7/12/2006	7/12/2006	V1, N1
Vinyl chloride	EPA 8260B	P6G1205	1.7	ND	1	7/12/2006	7/12/2006	
Xylenes, Total	EPA 8260B	P6G1205	3.0	ND	1	7/12/2006	7/12/2006	
Surrogate: Dibromofluoromethane (80-130%)				*118 %*				
Surrogate: Toluene-d8 (80-120%)				*108 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*105 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-04 (ASE-96A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1205	20	ND	1	7/12/2006	7/12/2006	
Benzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Bromobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromochloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromodichloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Bromoform	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromomethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Butanone (MEK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
n-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
sec-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
tert-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Carbon Disulfide	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Carbon tetrachloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Chlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Chloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Chloroform	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Chloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
4-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Dibromochloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Dibromomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethane	EPA 8260B	P6G1205	2.0	**15**	1	7/12/2006	7/12/2006	
1,2-Dichloroethane	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
2,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	V1
Ethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Hexachlorobutadiene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Hexanone	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-04 (ASE-96A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Isopropylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
p-Isopropyltoluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Methylene chloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	V1
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1205	5.0	**31**	1	7/12/2006	7/12/2006	
Naphthalene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
n-Propylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Styrene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Tetrachloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Toluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Trichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Trichlorofluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Vinyl acetate	EPA 8260B	P6G1205	25	ND	1	7/12/2006	7/12/2006	V1, N1
Vinyl chloride	EPA 8260B	P6G1205	1.7	ND	1	7/12/2006	7/12/2006	
Xylenes, Total	EPA 8260B	P6G1205	3.0	ND	1	7/12/2006	7/12/2006	
Surrogate: Dibromofluoromethane (80-130%)				*112 %*				
Surrogate: Toluene-d8 (80-120%)				*107 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*102 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-05 (ASE-95A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1205	20	ND	1	7/12/2006	7/12/2006	
Benzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Bromobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromochloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromodichloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Bromoform	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromomethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Butanone (MEK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
n-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
sec-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
tert-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Carbon Disulfide	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Carbon tetrachloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Chlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Chloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Chloroform	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Chloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
4-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Dibromochloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Dibromomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethane	EPA 8260B	P6G1205	2.0	**10**	1	7/12/2006	7/12/2006	
1,2-Dichloroethane	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
2,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	V1
Ethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Hexachlorobutadiene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Hexanone	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-05 (ASE-95A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Isopropylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
p-Isopropyltoluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Methylene chloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	V1
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1205	5.0	**98**	1	7/12/2006	7/12/2006	
Naphthalene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
n-Propylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Styrene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Tetrachloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Toluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Trichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Trichlorofluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Vinyl acetate	EPA 8260B	P6G1205	25	ND	1	7/12/2006	7/12/2006	V1, N1
Vinyl chloride	EPA 8260B	P6G1205	1.7	ND	1	7/12/2006	7/12/2006	
Xylenes, Total	EPA 8260B	P6G1205	3.0	ND	1	7/12/2006	7/12/2006	
Surrogate: Dibromofluoromethane (80-130%)				*112 %*				
Surrogate: Toluene-d8 (80-120%)				*108 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*102 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-06 (ASE-125A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1205	20	ND	1	7/12/2006	7/12/2006	
Benzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Bromobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromochloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromodichloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Bromoform	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromomethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Butanone (MEK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
n-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
sec-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
tert-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Carbon Disulfide	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Carbon tetrachloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Chlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Chloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Chloroform	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Chloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
4-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Dibromochloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Dibromomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichloroethane	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
2,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	V1
Ethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Hexachlorobutadiene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Hexanone	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-06 (ASE-125A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Isopropylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
p-Isopropyltoluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Methylene chloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	V1
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Naphthalene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
n-Propylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Styrene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Tetrachloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Toluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Trichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Trichlorofluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Vinyl acetate	EPA 8260B	P6G1205	25	ND	1	7/12/2006	7/12/2006	V1, N1
Vinyl chloride	EPA 8260B	P6G1205	1.7	ND	1	7/12/2006	7/12/2006	
Xylenes, Total	EPA 8260B	P6G1205	3.0	ND	1	7/12/2006	7/12/2006	
Surrogate: Dibromofluoromethane (80-130%)				*111 %*				
Surrogate: Toluene-d8 (80-120%)				*109 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*104 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-07 (ASE-122A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1205	20	ND	1	7/12/2006	7/12/2006	
Benzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Bromobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromochloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromodichloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Bromoform	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromomethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Butanone (MEK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
n-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
sec-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
tert-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Carbon Disulfide	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Carbon tetrachloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Chlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Chloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Chloroform	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Chloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
4-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Dibromochloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Dibromomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichloroethane	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
2,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	V1
Ethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Hexachlorobutadiene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Hexanone	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-07 (ASE-122A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Isopropylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
p-Isopropyltoluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Methylene chloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	V1
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Naphthalene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
n-Propylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Styrene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Tetrachloroethene	EPA 8260B	P6G1205	2.0	**2.3**	1	7/12/2006	7/12/2006	
Toluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Trichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Trichlorofluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Vinyl acetate	EPA 8260B	P6G1205	25	ND	1	7/12/2006	7/12/2006	V1, N1
Vinyl chloride	EPA 8260B	P6G1205	1.7	ND	1	7/12/2006	7/12/2006	
Xylenes, Total	EPA 8260B	P6G1205	3.0	ND	1	7/12/2006	7/12/2006	
Surrogate: Dibromofluoromethane (80-130%)				*113 %*				
Surrogate: Toluene-d8 (80-120%)				*109 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*103 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-08 (PL-501-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1205	20	ND	1	7/12/2006	7/12/2006	
Benzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Bromobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromochloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromodichloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Bromoform	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromomethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Butanone (MEK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
n-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
sec-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
tert-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Carbon Disulfide	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Carbon tetrachloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Chlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Chloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Chloroform	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Chloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
4-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Dibromochloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Dibromomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichloroethane	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
2,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	V1
Ethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Hexachlorobutadiene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Hexanone	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-08 (PL-501-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Isopropylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
p-Isopropyltoluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Methylene chloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	V1
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Naphthalene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
n-Propylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Styrene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Tetrachloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Toluene	EPA 8260B	P6G1205	2.0	**6.3**	1	7/12/2006	7/12/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Trichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Trichlorofluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Vinyl acetate	EPA 8260B	P6G1205	25	ND	1	7/12/2006	7/12/2006	V1, N1
Vinyl chloride	EPA 8260B	P6G1205	1.7	ND	1	7/12/2006	7/12/2006	
Xylenes, Total	EPA 8260B	P6G1205	3.0	ND	1	7/12/2006	7/12/2006	
Surrogate: Dibromofluoromethane (80-130%)				*104 %*				
Surrogate: Toluene-d8 (80-120%)				*101 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*95 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-09 (ASE-106A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1205	20	ND	1	7/12/2006	7/12/2006	
Benzene	EPA 8260B	P6G1205	1.0	**3.2**	1	7/12/2006	7/12/2006	
Bromobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromochloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromodichloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Bromoform	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromomethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Butanone (MEK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
n-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
sec-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
tert-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Carbon Disulfide	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Carbon tetrachloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Chlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Chloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Chloroform	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Chloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
4-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Dibromochloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Dibromomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethane	EPA 8260B	P6G1205	2.0	**9.8**	1	7/12/2006	7/12/2006	
1,2-Dichloroethane	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
2,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	V1
Ethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Hexachlorobutadiene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Hexanone	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-09 (ASE-106A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Isopropylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
p-Isopropyltoluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Methylene chloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	V1
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1205	100	**710**	20	7/12/2006	7/12/2006	
Naphthalene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
n-Propylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Styrene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Tetrachloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Toluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Trichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Trichlorofluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Vinyl acetate	EPA 8260B	P6G1205	25	ND	1	7/12/2006	7/12/2006	V1, N1
Vinyl chloride	EPA 8260B	P6G1205	1.7	**2.8**	1	7/12/2006	7/12/2006	
Xylenes, Total	EPA 8260B	P6G1205	3.0	ND	1	7/12/2006	7/12/2006	
Surrogate: Dibromofluoromethane (80-130%)				*107 %*				
Surrogate: Toluene-d8 (80-120%)				*103 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*97 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-10 (ASE-124A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1205	20	ND	1	7/12/2006	7/12/2006	
Benzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Bromobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromochloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromodichloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Bromoform	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromomethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Butanone (MEK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
n-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
sec-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
tert-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Carbon Disulfide	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Carbon tetrachloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Chlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Chloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Chloroform	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Chloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
4-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Dibromochloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Dibromomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethane	EPA 8260B	P6G1205	2.0	**5.0**	1	7/12/2006	7/12/2006	
1,2-Dichloroethane	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
2,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	V1
Ethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Hexachlorobutadiene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Hexanone	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-10 (ASE-124A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Isopropylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
p-Isopropyltoluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Methylene chloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	V1
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1205	5.0	**7.3**	1	7/12/2006	7/12/2006	
Naphthalene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
n-Propylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Styrene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Tetrachloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Toluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Trichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Trichlorofluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Vinyl acetate	EPA 8260B	P6G1205	25	ND	1	7/12/2006	7/12/2006	V1, N1
Vinyl chloride	EPA 8260B	P6G1205	1.7	ND	1	7/12/2006	7/12/2006	
Xylenes, Total	EPA 8260B	P6G1205	3.0	ND	1	7/12/2006	7/12/2006	
Surrogate: Dibromofluoromethane (80-130%)				*108 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*96 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-11 (PL-502-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1205	20	ND	1	7/12/2006	7/12/2006	
Benzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Bromobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromochloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromodichloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Bromoform	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromomethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Butanone (MEK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
n-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
sec-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
tert-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Carbon Disulfide	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Carbon tetrachloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Chlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Chloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Chloroform	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Chloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
4-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Dibromochloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Dibromomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethane	EPA 8260B	P6G1205	2.0	**4.5**	1	7/12/2006	7/12/2006	
1,2-Dichloroethane	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
2,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	V1
Ethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Hexachlorobutadiene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Hexanone	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-11 (PL-502-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Isopropylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
p-Isopropyltoluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Methylene chloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	V1
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1205	5.0	**6.3**	1	7/12/2006	7/12/2006	
Naphthalene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
n-Propylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Styrene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Tetrachloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Toluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Trichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Trichlorofluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Vinyl acetate	EPA 8260B	P6G1205	25	ND	1	7/12/2006	7/12/2006	V1, N1
Vinyl chloride	EPA 8260B	P6G1205	1.7	ND	1	7/12/2006	7/12/2006	
Xylenes, Total	EPA 8260B	P6G1205	3.0	ND	1	7/12/2006	7/12/2006	
Surrogate: Dibromofluoromethane (80-130%)				*104 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*97 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-12 (ASE-123A - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1205	20	ND	1	7/12/2006	7/12/2006	
Benzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Bromobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromochloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromodichloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Bromoform	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromomethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Butanone (MEK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
n-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
sec-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
tert-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Carbon Disulfide	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Carbon tetrachloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Chlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Chloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Chloroform	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Chloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
4-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Dibromochloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Dibromomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichloroethane	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
2,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	V1
Ethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Hexachlorobutadiene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Hexanone	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-12 (ASE-123A - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Isopropylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
p-Isopropyltoluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Methylene chloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	V1
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Naphthalene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
n-Propylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Styrene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Tetrachloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Toluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Trichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Trichlorofluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Vinyl acetate	EPA 8260B	P6G1205	25	ND	1	7/12/2006	7/12/2006	V1, N1
Vinyl chloride	EPA 8260B	P6G1205	1.7	ND	1	7/12/2006	7/12/2006	
Xylenes, Total	EPA 8260B	P6G1205	3.0	ND	1	7/12/2006	7/12/2006	
Surrogate: Dibromofluoromethane (80-130%)				*108 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-13 (ASE-109A - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1205	20	ND	1	7/12/2006	7/12/2006	
Benzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Bromobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromochloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromodichloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Bromoform	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromomethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Butanone (MEK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
n-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
sec-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
tert-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Carbon Disulfide	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Carbon tetrachloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Chlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Chloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Chloroform	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Chloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
4-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Dibromochloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Dibromomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichloroethane	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
2,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	V1
Ethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Hexachlorobutadiene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Hexanone	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-13 (ASE-109A - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Isopropylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
p-Isopropyltoluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Methylene chloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	V1
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Naphthalene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
n-Propylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Styrene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Tetrachloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Toluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Trichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Trichlorofluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Vinyl acetate	EPA 8260B	P6G1205	25	ND	1	7/12/2006	7/12/2006	V1, N1
Vinyl chloride	EPA 8260B	P6G1205	1.7	ND	1	7/12/2006	7/12/2006	
Xylenes, Total	EPA 8260B	P6G1205	3.0	ND	1	7/12/2006	7/12/2006	
Surrogate: Dibromofluoromethane (80-130%)				*107 %*				
Surrogate: Toluene-d8 (80-120%)				*103 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*96 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-02 (ASE-113A-6B3 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6F2910	3.0	ND	1.01	6/29/2006	7/2/2006	
Acenaphthylene	EPA 8310	P6F2910	3.0	ND	1.01	6/29/2006	7/2/2006	
Anthracene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/2/2006	
Benzo(a)anthracene	EPA 8310	P6F2910	0.050	ND	1.01	6/29/2006	7/2/2006	
Benzo(a)pyrene	EPA 8310	P6F2910	0.10	ND	1.01	6/29/2006	7/2/2006	
Benzo(b)fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/2/2006	
Benzo(g,h,i)perylene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/2/2006	
Benzo(k)fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/2/2006	
Chrysene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/2/2006	
Dibenz(a,h)anthracene	EPA 8310	P6F2910	0.50	ND	1.01	6/29/2006	7/2/2006	
Fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/2/2006	
Fluorene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/2/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/2/2006	
Naphthalene	EPA 8310	P6F2910	2.0	ND	1.01	6/29/2006	7/2/2006	
Phenanthrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/2/2006	
Pyrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/2/2006	
Surrogate: 2-Methylanthracene (50-115%)				*88 %*				
Sample ID: PPF0816-03 (ASE-107A-6B3 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6F2910	3.0	ND	1	6/29/2006	7/2/2006	
Acenaphthylene	EPA 8310	P6F2910	3.0	ND	1	6/29/2006	7/2/2006	
Anthracene	EPA 8310	P6F2910	0.30	ND	1	6/29/2006	7/2/2006	
Benzo(a)anthracene	EPA 8310	P6F2910	0.050	ND	1	6/29/2006	7/2/2006	
Benzo(a)pyrene	EPA 8310	P6F2910	0.10	ND	1	6/29/2006	7/2/2006	
Benzo(b)fluoranthene	EPA 8310	P6F2910	0.30	ND	1	6/29/2006	7/2/2006	
Benzo(g,h,i)perylene	EPA 8310	P6F2910	0.30	ND	1	6/29/2006	7/2/2006	
Benzo(k)fluoranthene	EPA 8310	P6F2910	0.30	ND	1	6/29/2006	7/2/2006	
Chrysene	EPA 8310	P6F2910	0.30	ND	1	6/29/2006	7/2/2006	
Dibenz(a,h)anthracene	EPA 8310	P6F2910	0.50	ND	1	6/29/2006	7/2/2006	
Fluoranthene	EPA 8310	P6F2910	0.30	ND	1	6/29/2006	7/2/2006	
Fluorene	EPA 8310	P6F2910	0.30	**0.66**	1	6/29/2006	7/2/2006	C6
Indeno(1,2,3-cd)pyrene	EPA 8310	P6F2910	0.30	ND	1	6/29/2006	7/2/2006	
Naphthalene	EPA 8310	P6F2910	2.0	**8.4**	1	6/29/2006	7/2/2006	
Phenanthrene	EPA 8310	P6F2910	0.30	**0.35**	1	6/29/2006	7/2/2006	C7
Pyrene	EPA 8310	P6F2910	0.30	ND	1	6/29/2006	7/2/2006	
Surrogate: 2-Methylanthracene (50-115%)				*94 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-06 (ASE-125A-6B3 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6F2910	3.0	ND	1.01	6/29/2006	7/2/2006	
Acenaphthylene	EPA 8310	P6F2910	3.0	ND	1.01	6/29/2006	7/2/2006	
Anthracene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/2/2006	
Benzo(a)anthracene	EPA 8310	P6F2910	0.050	ND	1.01	6/29/2006	7/2/2006	
Benzo(a)pyrene	EPA 8310	P6F2910	0.10	ND	1.01	6/29/2006	7/2/2006	
Benzo(b)fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/2/2006	
Benzo(g,h,i)perylene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/2/2006	
Benzo(k)fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/2/2006	
Chrysene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/2/2006	
Dibenz(a,h)anthracene	EPA 8310	P6F2910	0.50	ND	1.01	6/29/2006	7/2/2006	
Fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/2/2006	
Fluorene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/2/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/2/2006	
Naphthalene	EPA 8310	P6F2910	2.0	ND	1.01	6/29/2006	7/2/2006	
Phenanthrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/2/2006	
Pyrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/2/2006	
Surrogate: 2-Methylanthracene (50-115%)				*86 %*				
Sample ID: PPF0816-07 (ASE-122A-6B3 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6F2910	3.0	ND	1.01	6/29/2006	7/3/2006	
Acenaphthylene	EPA 8310	P6F2910	3.0	ND	1.01	6/29/2006	7/3/2006	
Anthracene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Benzo(a)anthracene	EPA 8310	P6F2910	0.050	ND	1.01	6/29/2006	7/3/2006	
Benzo(a)pyrene	EPA 8310	P6F2910	0.10	ND	1.01	6/29/2006	7/3/2006	
Benzo(b)fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Benzo(g,h,i)perylene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Benzo(k)fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Chrysene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Dibenz(a,h)anthracene	EPA 8310	P6F2910	0.50	ND	1.01	6/29/2006	7/3/2006	
Fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Fluorene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Naphthalene	EPA 8310	P6F2910	2.0	ND	1.01	6/29/2006	7/3/2006	
Phenanthrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Pyrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Surrogate: 2-Methylanthracene (50-115%)				*87 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-09 (ASE-106A-6B3 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6F2910	3.0	ND	1.01	6/29/2006	7/3/2006	
Acenaphthylene	EPA 8310	P6F2910	3.0	ND	1.01	6/29/2006	7/3/2006	
Anthracene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Benzo(a)anthracene	EPA 8310	P6F2910	0.050	ND	1.01	6/29/2006	7/3/2006	
Benzo(a)pyrene	EPA 8310	P6F2910	0.10	ND	1.01	6/29/2006	7/3/2006	
Benzo(b)fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Benzo(g,h,i)perylene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Benzo(k)fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Chrysene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Dibenz(a,h)anthracene	EPA 8310	P6F2910	0.50	ND	1.01	6/29/2006	7/3/2006	
Fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Fluorene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Naphthalene	EPA 8310	P6F2910	2.0	ND	1.01	6/29/2006	7/3/2006	
Phenanthrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Pyrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Surrogate: 2-Methylanthracene (50-115%)				*89 %*				
Sample ID: PPF0816-10 (ASE-124A-6B3 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6F2910	3.0	ND	1.01	6/29/2006	7/3/2006	
Acenaphthylene	EPA 8310	P6F2910	3.0	ND	1.01	6/29/2006	7/3/2006	
Anthracene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Benzo(a)anthracene	EPA 8310	P6F2910	0.050	ND	1.01	6/29/2006	7/3/2006	
Benzo(a)pyrene	EPA 8310	P6F2910	0.10	ND	1.01	6/29/2006	7/3/2006	
Benzo(b)fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Benzo(g,h,i)perylene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Benzo(k)fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Chrysene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Dibenz(a,h)anthracene	EPA 8310	P6F2910	0.50	ND	1.01	6/29/2006	7/3/2006	
Fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Fluorene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Naphthalene	EPA 8310	P6F2910	2.0	ND	1.01	6/29/2006	7/3/2006	
Phenanthrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Pyrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Surrogate: 2-Methylanthracene (50-115%)				*89 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-11 (PL-502-6B3 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6F2910	3.0	ND	1.01	6/29/2006	7/3/2006	
Acenaphthylene	EPA 8310	P6F2910	3.0	ND	1.01	6/29/2006	7/3/2006	
Anthracene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Benzo(a)anthracene	EPA 8310	P6F2910	0.050	ND	1.01	6/29/2006	7/3/2006	
Benzo(a)pyrene	EPA 8310	P6F2910	0.10	ND	1.01	6/29/2006	7/3/2006	
Benzo(b)fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Benzo(g,h,i)perylene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Benzo(k)fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Chrysene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Dibenz(a,h)anthracene	EPA 8310	P6F2910	0.50	ND	1.01	6/29/2006	7/3/2006	
Fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Fluorene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Naphthalene	EPA 8310	P6F2910	2.0	ND	1.01	6/29/2006	7/3/2006	
Phenanthrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Pyrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Surrogate: 2-Methylanthracene (50-115%)				*87 %*				
Sample ID: PPF0816-12 (ASE-123A - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6F2910	3.0	ND	1.02	6/29/2006	7/3/2006	
Acenaphthylene	EPA 8310	P6F2910	3.0	ND	1.02	6/29/2006	7/3/2006	
Anthracene	EPA 8310	P6F2910	0.30	ND	1.02	6/29/2006	7/3/2006	
Benzo(a)anthracene	EPA 8310	P6F2910	0.050	ND	1.02	6/29/2006	7/3/2006	
Benzo(a)pyrene	EPA 8310	P6F2910	0.10	ND	1.02	6/29/2006	7/3/2006	
Benzo(b)fluoranthene	EPA 8310	P6F2910	0.30	ND	1.02	6/29/2006	7/3/2006	
Benzo(g,h,i)perylene	EPA 8310	P6F2910	0.30	ND	1.02	6/29/2006	7/3/2006	
Benzo(k)fluoranthene	EPA 8310	P6F2910	0.30	ND	1.02	6/29/2006	7/3/2006	
Chrysene	EPA 8310	P6F2910	0.30	ND	1.02	6/29/2006	7/3/2006	
Dibenz(a,h)anthracene	EPA 8310	P6F2910	0.50	ND	1.02	6/29/2006	7/3/2006	
Fluoranthene	EPA 8310	P6F2910	0.30	ND	1.02	6/29/2006	7/3/2006	
Fluorene	EPA 8310	P6F2910	0.30	ND	1.02	6/29/2006	7/3/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6F2910	0.30	ND	1.02	6/29/2006	7/3/2006	
Naphthalene	EPA 8310	P6F2910	2.0	ND	1.02	6/29/2006	7/3/2006	
Phenanthrene	EPA 8310	P6F2910	0.30	ND	1.02	6/29/2006	7/3/2006	
Pyrene	EPA 8310	P6F2910	0.30	ND	1.02	6/29/2006	7/3/2006	
Surrogate: 2-Methylanthracene (50-115%)				*84 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0816-13 (ASE-109A - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6F2910	3.0	ND	1.01	6/29/2006	7/3/2006	
Acenaphthylene	EPA 8310	P6F2910	3.0	ND	1.01	6/29/2006	7/3/2006	
Anthracene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Benzo(a)anthracene	EPA 8310	P6F2910	0.050	ND	1.01	6/29/2006	7/3/2006	
Benzo(a)pyrene	EPA 8310	P6F2910	0.10	ND	1.01	6/29/2006	7/3/2006	
Benzo(b)fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Benzo(g,h,i)perylene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Benzo(k)fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Chrysene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Dibenz(a,h)anthracene	EPA 8310	P6F2910	0.50	ND	1.01	6/29/2006	7/3/2006	
Fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Fluorene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Naphthalene	EPA 8310	P6F2910	2.0	ND	1.01	6/29/2006	7/3/2006	
Phenanthrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Pyrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Surrogate: 2-Methylanthracene (50-115%)				*92 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1118 Extracted: 07/11/06										
Blank Analyzed: 07/11/2006 (P6G1118-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1118 Extracted: 07/11/06										
Blank Analyzed: 07/11/2006 (P6G1118-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							*N1*
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*26.6*		*ug/l*	*25.0*		*106*	*80-130*			
Surrogate: Toluene-d8	*26.8*		*ug/l*	*25.0*		*107*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.6*		*ug/l*	*25.0*		*106*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1118 Extracted: 07/11/06										
LCS Analyzed: 07/11/2006 (P6G1118-BS1)										
Acetone	26.8	20	ug/l	25.0		107	30-150			
Benzene	25.2	1.0	ug/l	25.0		101	80-120			
Bromobenzene	26.2	5.0	ug/l	25.0		105	80-125			
Bromochloromethane	26.4	5.0	ug/l	25.0		106	80-125			
Bromodichloromethane	26.6	2.0	ug/l	25.0		106	80-120			
Bromoform	25.0	5.0	ug/l	25.0		100	70-120			
Bromomethane	25.4	5.0	ug/l	25.0		102	80-135			
2-Butanone (MEK)	25.4	10	ug/l	25.0		102	55-150			
n-Butylbenzene	26.2	5.0	ug/l	25.0		105	80-120			
sec-Butylbenzene	25.7	5.0	ug/l	25.0		103	80-130			
tert-Butylbenzene	26.0	5.0	ug/l	25.0		104	80-130			
Carbon Disulfide	24.4	5.0	ug/l	25.0		98	55-145			
Carbon tetrachloride	25.9	5.0	ug/l	25.0		104	80-120			
Chlorobenzene	25.6	1.0	ug/l	25.0		102	80-120			
Chloroethane	25.8	5.0	ug/l	25.0		103	80-125			
Chloroform	24.8	2.0	ug/l	25.0		99	80-120			
Chloromethane	25.8	5.0	ug/l	25.0		103	70-130			
2-Chlorotoluene	25.5	5.0	ug/l	25.0		102	80-120			
4-Chlorotoluene	25.3	5.0	ug/l	25.0		101	80-120			
Dibromochloromethane	23.7	2.0	ug/l	25.0		95	75-120			
1,2-Dibromo-3-chloropropane	24.5	5.0	ug/l	25.0		98	55-120			
1,2-Dibromoethane (EDB)	26.4	2.0	ug/l	25.0		106	75-125			
Dibromomethane	26.1	2.0	ug/l	25.0		104	80-125			
1,2-Dichlorobenzene	25.6	1.0	ug/l	25.0		102	80-120			
1,3-Dichlorobenzene	25.4	1.0	ug/l	25.0		102	80-125			
1,4-Dichlorobenzene	26.0	1.0	ug/l	25.0		104	80-120			
Dichlorodifluoromethane	27.2	5.0	ug/l	25.0		109	60-140			
1,1-Dichloroethane	24.8	2.0	ug/l	25.0		99	80-120			
1,2-Dichloroethane	25.0	1.0	ug/l	25.0		100	75-125			
1,1-Dichloroethene	24.9	5.0	ug/l	25.0		100	75-120			
cis-1,2-Dichloroethene	24.8	2.0	ug/l	25.0		99	80-125			
trans-1,2-Dichloroethene	24.5	2.0	ug/l	25.0		98	80-120			
1,2-Dichloropropane	24.4	2.0	ug/l	25.0		98	80-120			
1,3-Dichloropropane	25.7	2.0	ug/l	25.0		103	80-120			
2,2-Dichloropropane	25.7	2.0	ug/l	25.0		103	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1118 Extracted: 07/11/06										
LCS Analyzed: 07/11/2006 (P6G1118-BS1)										
1,1-Dichloropropene	25.4	2.0	ug/l	25.0		102	80-120			
cis-1,3-Dichloropropene	27.6	2.0	ug/l	25.0		110	75-120			
trans-1,3-Dichloropropene	28.3	2.0	ug/l	25.0		113	80-120			
Ethylbenzene	25.9	2.0	ug/l	25.0		104	80-125			
Hexachlorobutadiene	22.8	5.0	ug/l	25.0		91	70-130			
2-Hexanone	28.1	10	ug/l	25.0		112	40-150			
Iodomethane	26.1	2.0	ug/l	25.0		104	80-130			
Isopropylbenzene	27.6	2.0	ug/l	25.0		110	80-140			
p-Isopropyltoluene	26.0	2.0	ug/l	25.0		104	80-130			
Methylene chloride	22.6	5.0	ug/l	25.0		90	80-120			
4-Methyl-2-pentanone (MIBK)	27.2	10	ug/l	25.0		109	50-140			
Methyl-tert-butyl Ether (MTBE)	27.8	5.0	ug/l	25.0		111	65-130			
Naphthalene	28.4	2.0	ug/l	25.0		114	70-130			
n-Propylbenzene	27.0	2.0	ug/l	25.0		108	80-135			
Styrene	30.4	2.0	ug/l	25.0		122	80-125			
1,1,1,2-Tetrachloroethane	25.5	5.0	ug/l	25.0		102	80-120			
1,1,2,2-Tetrachloroethane	26.5	2.0	ug/l	25.0		106	65-140			
Tetrachloroethene	25.8	2.0	ug/l	25.0		103	80-125			
Toluene	25.8	2.0	ug/l	25.0		103	80-125			
1,2,3-Trichlorobenzene	34.2	5.0	ug/l	25.0		137	75-125			*L3*
1,2,4-Trichlorobenzene	25.3	5.0	ug/l	25.0		101	80-125			
1,1,1-Trichloroethane	25.6	2.0	ug/l	25.0		102	75-125			
1,1,2-Trichloroethane	25.3	2.0	ug/l	25.0		101	80-125			
Trichloroethene	24.5	2.0	ug/l	25.0		98	80-120			
Trichlorofluoromethane	26.5	5.0	ug/l	25.0		106	75-130			
1,2,3-Trichloropropane	26.2	10	ug/l	25.0		105	65-135			
1,2,4-Trimethylbenzene	26.0	2.0	ug/l	25.0		104	80-125			
1,3,5-Trimethylbenzene	26.2	2.0	ug/l	25.0		105	80-130			
Vinyl acetate	35.6	25	ug/l	25.0		142	70-140			*L3, N1*
Vinyl chloride	24.9	1.7	ug/l	25.0		100	70-135			
Xylenes, Total	51.3	3.0	ug/l	50.0		103	80-125			
Surrogate: Dibromofluoromethane	*26.6*		*ug/l*	*25.0*		*106*	*80-130*			
Surrogate: Toluene-d8	*26.7*		*ug/l*	*25.0*		*107*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.4*		*ug/l*	*25.0*		*106*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1118 Extracted: 07/11/06										
LCS Dup Analyzed: 07/11/2006 (P6G1118-BSD1)										
Acetone	26.9	20	ug/l	25.0		108	30-150	0	35	
Benzene	25.6	1.0	ug/l	25.0		102	80-120	2	10	
Bromobenzene	26.4	5.0	ug/l	25.0		106	80-125	1	10	
Bromochloromethane	26.2	5.0	ug/l	25.0		105	80-125	1	15	
Bromodichloromethane	26.3	2.0	ug/l	25.0		105	80-120	1	15	
Bromoform	24.6	5.0	ug/l	25.0		98	70-120	2	20	
Bromomethane	25.9	5.0	ug/l	25.0		104	80-135	2	15	
2-Butanone (MEK)	25.6	10	ug/l	25.0		102	55-150	1	35	
n-Butylbenzene	26.3	5.0	ug/l	25.0		105	80-120	0	10	
sec-Butylbenzene	26.1	5.0	ug/l	25.0		104	80-130	2	10	
tert-Butylbenzene	26.5	5.0	ug/l	25.0		106	80-130	2	10	
Carbon Disulfide	23.1	5.0	ug/l	25.0		92	55-145	5	15	
Carbon tetrachloride	26.0	5.0	ug/l	25.0		104	80-120	0	15	
Chlorobenzene	26.4	1.0	ug/l	25.0		106	80-120	3	10	
Chloroethane	26.4	5.0	ug/l	25.0		106	80-125	2	15	
Chloroform	25.4	2.0	ug/l	25.0		102	80-120	2	10	
Chloromethane	26.6	5.0	ug/l	25.0		106	70-130	3	15	
2-Chlorotoluene	26.0	5.0	ug/l	25.0		104	80-120	2	10	
4-Chlorotoluene	26.0	5.0	ug/l	25.0		104	80-120	3	10	
Dibromochloromethane	23.5	2.0	ug/l	25.0		94	75-120	1	15	
1,2-Dibromo-3-chloropropane	23.3	5.0	ug/l	25.0		93	55-120	5	35	
1,2-Dibromoethane (EDB)	26.7	2.0	ug/l	25.0		107	75-125	1	20	
Dibromomethane	25.8	2.0	ug/l	25.0		103	80-125	1	20	
1,2-Dichlorobenzene	25.8	1.0	ug/l	25.0		103	80-120	1	10	
1,3-Dichlorobenzene	25.4	1.0	ug/l	25.0		102	80-125	0	10	
1,4-Dichlorobenzene	26.3	1.0	ug/l	25.0		105	80-120	1	10	
Dichlorodifluoromethane	28.2	5.0	ug/l	25.0		113	60-140	4	15	
1,1-Dichloroethane	25.4	2.0	ug/l	25.0		102	80-120	2	10	
1,2-Dichloroethane	25.1	1.0	ug/l	25.0		100	75-125	0	20	
1,1-Dichloroethene	25.7	5.0	ug/l	25.0		103	75-120	3	15	
cis-1,2-Dichloroethene	25.6	2.0	ug/l	25.0		102	80-125	3	10	
trans-1,2-Dichloroethene	25.1	2.0	ug/l	25.0		100	80-120	2	10	
1,2-Dichloropropane	25.0	2.0	ug/l	25.0		100	80-120	2	15	
1,3-Dichloropropane	25.3	2.0	ug/l	25.0		101	80-120	2	15	
2,2-Dichloropropane	25.1	2.0	ug/l	25.0		100	70-130	2	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1118 Extracted: 07/11/06										
LCS Dup Analyzed: 07/11/2006 (P6G1118-BSD1)										
1,1-Dichloropropene	25.9	2.0	ug/l	25.0		104	80-120	2	10	
cis-1,3-Dichloropropene	27.5	2.0	ug/l	25.0		110	75-120	0	15	
trans-1,3-Dichloropropene	28.3	2.0	ug/l	25.0		113	80-120	0	20	
Ethylbenzene	26.7	2.0	ug/l	25.0		107	80-125	3	15	
Hexachlorobutadiene	22.7	5.0	ug/l	25.0		91	70-130	0	15	
2-Hexanone	26.2	10	ug/l	25.0		105	40-150	7	35	
Iodomethane	25.0	2.0	ug/l	25.0		100	80-130	4	10	
Isopropylbenzene	28.5	2.0	ug/l	25.0		114	80-140	3	10	
p-Isopropyltoluene	26.5	2.0	ug/l	25.0		106	80-130	2	15	
Methylene chloride	23.1	5.0	ug/l	25.0		92	80-120	2	10	
4-Methyl-2-pentanone (MIBK)	25.3	10	ug/l	25.0		101	50-140	7	35	
Methyl-tert-butyl Ether (MTBE)	28.0	5.0	ug/l	25.0		112	65-130	1	25	
Naphthalene	25.8	2.0	ug/l	25.0		103	70-130	10	20	
n-Propylbenzene	27.2	2.0	ug/l	25.0		109	80-135	1	10	
Styrene	31.0	2.0	ug/l	25.0		124	80-125	2	15	
1,1,1,2-Tetrachloroethane	25.8	5.0	ug/l	25.0		103	80-120	1	15	
1,1,2,2-Tetrachloroethane	26.0	2.0	ug/l	25.0		104	65-140	2	25	
Tetrachloroethene	26.5	2.0	ug/l	25.0		106	80-125	3	15	
Toluene	26.4	2.0	ug/l	25.0		106	80-125	2	10	
1,2,3-Trichlorobenzene	29.0	5.0	ug/l	25.0		116	75-125	16	15	*R6*
1,2,4-Trichlorobenzene	24.6	5.0	ug/l	25.0		98	80-125	3	15	
1,1,1-Trichloroethane	26.1	2.0	ug/l	25.0		104	75-125	2	10	
1,1,2-Trichloroethane	25.6	2.0	ug/l	25.0		102	80-125	1	25	
Trichloroethene	25.4	2.0	ug/l	25.0		102	80-120	4	10	
Trichlorofluoromethane	26.7	5.0	ug/l	25.0		107	75-130	1	10	
1,2,3-Trichloropropane	25.8	10	ug/l	25.0		103	65-135	2	25	
1,2,4-Trimethylbenzene	26.4	2.0	ug/l	25.0		106	80-125	2	10	
1,3,5-Trimethylbenzene	26.5	2.0	ug/l	25.0		106	80-130	1	10	
Vinyl acetate	30.9	25	ug/l	25.0		124	70-140	14	30	*N1*
Vinyl chloride	25.1	1.7	ug/l	25.0		100	70-135	1	15	
Xylenes, Total	53.2	3.0	ug/l	50.0		106	80-125	4	15	
Surrogate: Dibromofluoromethane	*26.7*		*ug/l*	*25.0*		*107*	*80-130*			
Surrogate: Toluene-d8	*27.0*		*ug/l*	*25.0*		*108*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.3*		*ug/l*	*25.0*		*105*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1205 Extracted: 07/12/06										
Blank Analyzed: 07/12/2006 (P6G1205-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1205 Extracted: 07/12/06										
Blank Analyzed: 07/12/2006 (P6G1205-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							*V1*
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							*V1*
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							*V1*
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							*V1, N1*
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*26.0*		*ug/l*	*25.0*		*104*	*80-130*			
Surrogate: Toluene-d8	*25.2*		*ug/l*	*25.0*		*101*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.8*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1205 Extracted: 07/12/06										
LCS Analyzed: 07/12/2006 (P6G1205-BS1)										
Acetone	29.4	20	ug/l	25.0		118	30-150			
Benzene	25.3	1.0	ug/l	25.0		101	80-120			
Bromobenzene	25.8	5.0	ug/l	25.0		103	80-125			
Bromochloromethane	26.6	5.0	ug/l	25.0		106	80-125			
Bromodichloromethane	27.3	2.0	ug/l	25.0		109	80-120			
Bromoform	25.9	5.0	ug/l	25.0		104	70-120			
Bromomethane	26.4	5.0	ug/l	25.0		106	80-135			
2-Butanone (MEK)	26.3	10	ug/l	25.0		105	55-150			
n-Butylbenzene	24.7	5.0	ug/l	25.0		99	80-120			
sec-Butylbenzene	24.4	5.0	ug/l	25.0		98	80-130			
tert-Butylbenzene	24.8	5.0	ug/l	25.0		99	80-130			
Carbon Disulfide	21.4	5.0	ug/l	25.0		86	55-145			
Carbon tetrachloride	26.1	5.0	ug/l	25.0		104	80-120			
Chlorobenzene	24.5	1.0	ug/l	25.0		98	80-120			
Chloroethane	26.5	5.0	ug/l	25.0		106	80-125			
Chloroform	25.8	2.0	ug/l	25.0		103	80-120			
Chloromethane	26.6	5.0	ug/l	25.0		106	70-130			
2-Chlorotoluene	24.6	5.0	ug/l	25.0		98	80-120			
4-Chlorotoluene	25.2	5.0	ug/l	25.0		101	80-120			
Dibromochloromethane	23.6	2.0	ug/l	25.0		94	75-120			
1,2-Dibromo-3-chloropropane	26.1	5.0	ug/l	25.0		104	55-120			
1,2-Dibromoethane (EDB)	26.5	2.0	ug/l	25.0		106	75-125			
Dibromomethane	27.1	2.0	ug/l	25.0		108	80-125			
1,2-Dichlorobenzene	25.3	1.0	ug/l	25.0		101	80-120			
1,3-Dichlorobenzene	25.1	1.0	ug/l	25.0		100	80-125			
1,4-Dichlorobenzene	25.6	1.0	ug/l	25.0		102	80-120			
Dichlorodifluoromethane	26.8	5.0	ug/l	25.0		107	60-140			
1,1-Dichloroethane	25.6	2.0	ug/l	25.0		102	80-120			
1,2-Dichloroethane	27.3	1.0	ug/l	25.0		109	75-125			
1,1-Dichloroethene	25.6	5.0	ug/l	25.0		102	75-120			
cis-1,2-Dichloroethene	25.1	2.0	ug/l	25.0		100	80-125			
trans-1,2-Dichloroethene	25.1	2.0	ug/l	25.0		100	80-120			
1,2-Dichloropropane	25.4	2.0	ug/l	25.0		102	80-120			
1,3-Dichloropropane	25.5	2.0	ug/l	25.0		102	80-120			
2,2-Dichloropropane	26.1	2.0	ug/l	25.0		104	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1205 Extracted: 07/12/06										
LCS Analyzed: 07/12/2006 (P6G1205-BS1)										
1,1-Dichloropropene	25.4	2.0	ug/l	25.0		102	80-120			
cis-1,3-Dichloropropene	28.1	2.0	ug/l	25.0		112	75-120			
trans-1,3-Dichloropropene	29.4	2.0	ug/l	25.0		118	80-120			*V1*
Ethylbenzene	24.7	2.0	ug/l	25.0		99	80-125			
Hexachlorobutadiene	21.4	5.0	ug/l	25.0		86	70-130			
2-Hexanone	27.6	10	ug/l	25.0		110	40-150			
Iodomethane	23.2	2.0	ug/l	25.0		93	80-130			
Isopropylbenzene	26.4	2.0	ug/l	25.0		106	80-140			
p-Isopropyltoluene	25.1	2.0	ug/l	25.0		100	80-130			
Methylene chloride	23.5	5.0	ug/l	25.0		94	80-120			
4-Methyl-2-pentanone (MIBK)	26.9	10	ug/l	25.0		108	50-140			*V1*
Methyl-tert-butyl Ether (MTBE)	30.6	5.0	ug/l	25.0		122	65-130			
Naphthalene	22.2	2.0	ug/l	25.0		89	70-130			
n-Propylbenzene	25.7	2.0	ug/l	25.0		103	80-135			
Styrene	29.2	2.0	ug/l	25.0		117	80-125			
1,1,1,2-Tetrachloroethane	24.8	5.0	ug/l	25.0		99	80-120			
1,1,2,2-Tetrachloroethane	27.4	2.0	ug/l	25.0		110	65-140			
Tetrachloroethene	24.2	2.0	ug/l	25.0		97	80-125			
Toluene	25.2	2.0	ug/l	25.0		101	80-125			
1,2,3-Trichlorobenzene	20.4	5.0	ug/l	25.0		82	75-125			*V1*
1,2,4-Trichlorobenzene	22.4	5.0	ug/l	25.0		90	80-125			
1,1,1-Trichloroethane	26.1	2.0	ug/l	25.0		104	75-125			
1,1,2-Trichloroethane	26.1	2.0	ug/l	25.0		104	80-125			
Trichloroethene	24.8	2.0	ug/l	25.0		99	80-120			
Trichlorofluoromethane	27.4	5.0	ug/l	25.0		110	75-130			
1,2,3-Trichloropropane	27.5	10	ug/l	25.0		110	65-135			
1,2,4-Trimethylbenzene	25.2	2.0	ug/l	25.0		101	80-125			
1,3,5-Trimethylbenzene	25.4	2.0	ug/l	25.0		102	80-130			
Vinyl acetate	34.5	25	ug/l	25.0		138	70-140			*V1, N1*
Vinyl chloride	26.0	1.7	ug/l	25.0		104	70-135			
Xylenes, Total	49.2	3.0	ug/l	50.0		98	80-125			
Surrogate: Dibromofluoromethane	*25.0*		*ug/l*	*25.0*		*100*	*80-130*			
Surrogate: Toluene-d8	*24.5*		*ug/l*	*25.0*		*98*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.3*		*ug/l*	*25.0*		*93*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1205 Extracted: 07/12/06										
LCS Dup Analyzed: 07/12/2006 (P6G1205-BSD1)										
Acetone	25.8	20	ug/l	25.0		103	30-150	13	35	
Benzene	25.0	1.0	ug/l	25.0		100	80-120	1	10	
Bromobenzene	24.9	5.0	ug/l	25.0		100	80-125	4	10	
Bromochloromethane	25.2	5.0	ug/l	25.0		101	80-125	5	15	
Bromodichloromethane	26.2	2.0	ug/l	25.0		105	80-120	4	15	
Bromoform	23.1	5.0	ug/l	25.0		92	70-120	11	20	
Bromomethane	25.1	5.0	ug/l	25.0		100	80-135	5	15	
2-Butanone (MEK)	22.5	10	ug/l	25.0		90	55-150	16	35	
n-Butylbenzene	25.5	5.0	ug/l	25.0		102	80-120	3	10	
sec-Butylbenzene	25.0	5.0	ug/l	25.0		100	80-130	2	10	
tert-Butylbenzene	25.3	5.0	ug/l	25.0		101	80-130	2	10	
Carbon Disulfide	21.8	5.0	ug/l	25.0		87	55-145	2	15	
Carbon tetrachloride	25.7	5.0	ug/l	25.0		103	80-120	2	15	
Chlorobenzene	25.2	1.0	ug/l	25.0		101	80-120	3	10	
Chloroethane	25.4	5.0	ug/l	25.0		102	80-125	4	15	
Chloroform	24.9	2.0	ug/l	25.0		100	80-120	4	10	
Chloromethane	25.5	5.0	ug/l	25.0		102	70-130	4	15	
2-Chlorotoluene	24.7	5.0	ug/l	25.0		99	80-120	0	10	
4-Chlorotoluene	24.8	5.0	ug/l	25.0		99	80-120	2	10	
Dibromochloromethane	23.0	2.0	ug/l	25.0		92	75-120	3	15	
1,2-Dibromo-3-chloropropane	22.2	5.0	ug/l	25.0		89	55-120	16	35	
1,2-Dibromoethane (EDB)	24.8	2.0	ug/l	25.0		99	75-125	7	20	
Dibromomethane	25.4	2.0	ug/l	25.0		102	80-125	6	20	
1,2-Dichlorobenzene	24.5	1.0	ug/l	25.0		98	80-120	3	10	
1,3-Dichlorobenzene	24.6	1.0	ug/l	25.0		98	80-125	2	10	
1,4-Dichlorobenzene	25.2	1.0	ug/l	25.0		101	80-120	2	10	
Dichlorodifluoromethane	25.6	5.0	ug/l	25.0		102	60-140	5	15	
1,1-Dichloroethane	24.8	2.0	ug/l	25.0		99	80-120	3	10	
1,2-Dichloroethane	24.9	1.0	ug/l	25.0		100	75-125	9	20	
1,1-Dichloroethene	24.3	5.0	ug/l	25.0		97	75-120	5	15	
cis-1,2-Dichloroethene	24.3	2.0	ug/l	25.0		97	80-125	3	10	
trans-1,2-Dichloroethene	24.0	2.0	ug/l	25.0		96	80-120	4	10	
1,2-Dichloropropane	24.6	2.0	ug/l	25.0		98	80-120	3	15	
1,3-Dichloropropane	24.8	2.0	ug/l	25.0		99	80-120	3	15	
2,2-Dichloropropane	25.3	2.0	ug/l	25.0		101	70-130	3	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1205 Extracted: 07/12/06										
LCS Dup Analyzed: 07/12/2006 (P6G1205-BSD1)										
1,1-Dichloropropene	25.5	2.0	ug/l	25.0		102	80-120	0	10	
cis-1,3-Dichloropropene	27.2	2.0	ug/l	25.0		109	75-120	3	15	
trans-1,3-Dichloropropene	27.3	2.0	ug/l	25.0		109	80-120	7	20	*V1*
Ethylbenzene	25.5	2.0	ug/l	25.0		102	80-125	3	15	
Hexachlorobutadiene	22.6	5.0	ug/l	25.0		90	70-130	5	15	
2-Hexanone	23.9	10	ug/l	25.0		96	40-150	14	35	
Iodomethane	23.3	2.0	ug/l	25.0		93	80-130	0	10	
Isopropylbenzene	26.8	2.0	ug/l	25.0		107	80-140	2	10	
p-Isopropyltoluene	25.3	2.0	ug/l	25.0		101	80-130	1	15	
Methylene chloride	22.2	5.0	ug/l	25.0		89	80-120	6	10	
4-Methyl-2-pentanone (MIBK)	23.2	10	ug/l	25.0		93	50-140	15	35	*V1*
Methyl-tert-butyl Ether (MTBE)	26.7	5.0	ug/l	25.0		107	65-130	14	25	
Naphthalene	25.5	2.0	ug/l	25.0		102	70-130	14	20	
n-Propylbenzene	26.0	2.0	ug/l	25.0		104	80-135	1	10	
Styrene	29.5	2.0	ug/l	25.0		118	80-125	1	15	
1,1,1,2-Tetrachloroethane	24.9	5.0	ug/l	25.0		100	80-120	0	15	
1,1,2,2-Tetrachloroethane	24.5	2.0	ug/l	25.0		98	65-140	11	25	
Tetrachloroethene	25.2	2.0	ug/l	25.0		101	80-125	4	15	
Toluene	25.3	2.0	ug/l	25.0		101	80-125	0	10	
1,2,3-Trichlorobenzene	29.2	5.0	ug/l	25.0		117	75-125	35	15	*V1, R6*
1,2,4-Trichlorobenzene	23.9	5.0	ug/l	25.0		96	80-125	6	15	
1,1,1-Trichloroethane	25.2	2.0	ug/l	25.0		101	75-125	4	10	
1,1,2-Trichloroethane	24.5	2.0	ug/l	25.0		98	80-125	6	25	
Trichloroethene	24.8	2.0	ug/l	25.0		99	80-120	0	10	
Trichlorofluoromethane	26.5	5.0	ug/l	25.0		106	75-130	3	10	
1,2,3-Trichloropropane	23.9	10	ug/l	25.0		96	65-135	14	25	
1,2,4-Trimethylbenzene	25.0	2.0	ug/l	25.0		100	80-125	1	10	
1,3,5-Trimethylbenzene	25.3	2.0	ug/l	25.0		101	80-130	0	10	
Vinyl acetate	30.6	25	ug/l	25.0		122	70-140	12	30	*V1, N1*
Vinyl chloride	25.9	1.7	ug/l	25.0		104	70-135	0	15	
Xylenes, Total	50.8	3.0	ug/l	50.0		102	80-125	3	15	
Surrogate: Dibromofluoromethane	*25.1*		*ug/l*	*25.0*		*100*	*80-130*			
Surrogate: Toluene-d8	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.1*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1205 Extracted: 07/12/06										
Matrix Spike Analyzed: 07/12/2006 (P6G1205-MS1)					**Source: PPF0847-02**					
Acetone	24.0	20	ug/l	25.0	ND	96	15-150			
Benzene	27.1	1.0	ug/l	25.0	ND	108	80-125			
Bromobenzene	27.6	5.0	ug/l	25.0	ND	110	80-125			
Bromochloromethane	27.2	5.0	ug/l	25.0	ND	109	80-130			
Bromodichloromethane	27.4	2.0	ug/l	25.0	ND	110	70-130			
Bromoform	24.2	5.0	ug/l	25.0	ND	97	70-120			
Bromomethane	27.2	5.0	ug/l	25.0	ND	109	80-135			
2-Butanone (MEK)	22.6	10	ug/l	25.0	ND	90	30-150			
n-Butylbenzene	27.7	5.0	ug/l	25.0	ND	111	80-135			
sec-Butylbenzene	27.7	5.0	ug/l	25.0	ND	111	80-130			
tert-Butylbenzene	28.1	5.0	ug/l	25.0	ND	112	80-130			
Carbon Disulfide	22.9	5.0	ug/l	25.0	ND	92	45-150			
Carbon tetrachloride	27.6	5.0	ug/l	25.0	ND	110	65-135			
Chlorobenzene	27.4	1.0	ug/l	25.0	ND	110	80-125			
Chloroethane	28.2	5.0	ug/l	25.0	ND	113	80-125			
Chloroform	26.8	2.0	ug/l	25.0	ND	107	75-130			
Chloromethane	27.2	5.0	ug/l	25.0	ND	109	65-130			
2-Chlorotoluene	27.4	5.0	ug/l	25.0	ND	110	80-130			
4-Chlorotoluene	27.5	5.0	ug/l	25.0	ND	110	80-135			
Dibromochloromethane	24.1	2.0	ug/l	25.0	ND	96	75-120			
1,2-Dibromo-3-chloropropane	21.6	5.0	ug/l	25.0	ND	86	50-130			
1,2-Dibromoethane (EDB)	26.4	2.0	ug/l	25.0	ND	106	70-130			
Dibromomethane	26.4	2.0	ug/l	25.0	ND	106	75-130			
1,2-Dichlorobenzene	26.5	1.0	ug/l	25.0	ND	106	80-130			
1,3-Dichlorobenzene	27.2	1.0	ug/l	25.0	ND	109	80-130			
1,4-Dichlorobenzene	27.3	1.0	ug/l	25.0	ND	109	80-125			
Dichlorodifluoromethane	27.1	5.0	ug/l	25.0	ND	108	60-140			
1,1-Dichloroethane	38.3	2.0	ug/l	25.0	12	105	80-125			
1,2-Dichloroethane	26.6	1.0	ug/l	25.0	ND	106	60-145			
1,1-Dichloroethene	27.5	5.0	ug/l	25.0	0.54	108	75-130			
cis-1,2-Dichloroethene	27.4	2.0	ug/l	25.0	0.69	107	80-125			
trans-1,2-Dichloroethene	26.1	2.0	ug/l	25.0	ND	104	80-120			
1,2-Dichloropropane	26.6	2.0	ug/l	25.0	ND	106	80-125			
1,3-Dichloropropane	26.1	2.0	ug/l	25.0	ND	104	75-130			
2,2-Dichloropropane	26.6	2.0	ug/l	25.0	ND	106	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1205 Extracted: 07/12/06										
Matrix Spike Analyzed: 07/12/2006 (P6G1205-MS1)					**Source: PPF0847-02**					
1,1-Dichloropropene	27.6	2.0	ug/l	25.0	ND	110	80-125			
cis-1,3-Dichloropropene	28.1	2.0	ug/l	25.0	ND	112	75-120			
trans-1,3-Dichloropropene	28.4	2.0	ug/l	25.0	ND	114	75-130			
Ethylbenzene	27.9	2.0	ug/l	25.0	ND	112	80-130			
Hexachlorobutadiene	23.6	5.0	ug/l	25.0	ND	94	65-130			
2-Hexanone	21.2	10	ug/l	25.0	ND	85	40-150			
Iodomethane	25.0	2.0	ug/l	25.0	ND	100	70-140			
Isopropylbenzene	29.9	2.0	ug/l	25.0	ND	120	80-140			
p-Isopropyltoluene	28.2	2.0	ug/l	25.0	ND	113	80-135			
Methylene chloride	24.8	5.0	ug/l	25.0	ND	99	75-125			
4-Methyl-2-pentanone (MIBK)	22.4	10	ug/l	25.0	ND	90	40-140			
Methyl-tert-butyl Ether (MTBE)	28.9	5.0	ug/l	25.0	0.78	112	65-135			
Naphthalene	24.0	2.0	ug/l	25.0	ND	96	60-140			*V1*
n-Propylbenzene	29.0	2.0	ug/l	25.0	ND	116	80-140			
Styrene	32.0	2.0	ug/l	25.0	ND	128	30-150			
1,1,1,2-Tetrachloroethane	26.6	5.0	ug/l	25.0	ND	106	80-130			
1,1,2,2-Tetrachloroethane	26.1	2.0	ug/l	25.0	ND	104	65-140			
Tetrachloroethene	27.2	2.0	ug/l	25.0	ND	109	80-130			
Toluene	27.4	2.0	ug/l	25.0	ND	110	80-130			
1,2,3-Trichlorobenzene	25.8	5.0	ug/l	25.0	ND	103	75-140			*V1*
1,2,4-Trichlorobenzene	24.6	5.0	ug/l	25.0	ND	98	80-135			
1,1,1-Trichloroethane	26.9	2.0	ug/l	25.0	ND	108	70-135			
1,1,2-Trichloroethane	25.5	2.0	ug/l	25.0	ND	102	70-135			
Trichloroethene	28.1	2.0	ug/l	25.0	1.6	106	80-125			
Trichlorofluoromethane	28.6	5.0	ug/l	25.0	ND	114	70-140			
1,2,3-Trichloropropane	25.0	10	ug/l	25.0	ND	100	65-135			
1,2,4-Trimethylbenzene	27.8	2.0	ug/l	25.0	ND	111	75-130			
1,3,5-Trimethylbenzene	27.9	2.0	ug/l	25.0	ND	112	80-135			
Vinyl acetate	30.6	25	ug/l	25.0	ND	122	30-150			*V1, N1*
Vinyl chloride	28.9	1.7	ug/l	25.0	0.87	112	70-135			
Xylenes, Total	54.8	3.0	ug/l	50.0	ND	110	80-125			
Surrogate: Dibromofluoromethane	*25.0*		*ug/l*	*25.0*		*100*	*80-130*			
Surrogate: Toluene-d8	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.8*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1205 Extracted: 07/12/06										
Matrix Spike Dup Analyzed: 07/12/2006 (P6G1205-MSD1)					**Source: PPF0847-02**					
Acetone	25.0	20	ug/l	25.0	ND	100	15-150	4	35	
Benzene	25.9	1.0	ug/l	25.0	ND	104	80-125	5	10	
Bromobenzene	26.3	5.0	ug/l	25.0	ND	105	80-125	5	15	
Bromochloromethane	26.2	5.0	ug/l	25.0	ND	105	80-130	4	20	
Bromodichloromethane	26.8	2.0	ug/l	25.0	ND	107	70-130	2	15	
Bromoform	23.5	5.0	ug/l	25.0	ND	94	70-120	3	25	
Bromomethane	26.6	5.0	ug/l	25.0	ND	106	80-135	2	20	
2-Butanone (MEK)	22.5	10	ug/l	25.0	ND	90	30-150	0	35	
n-Butylbenzene	26.6	5.0	ug/l	25.0	ND	106	80-135	4	20	
sec-Butylbenzene	26.6	5.0	ug/l	25.0	ND	106	80-130	4	20	
tert-Butylbenzene	26.8	5.0	ug/l	25.0	ND	107	80-130	5	20	
Carbon Disulfide	23.1	5.0	ug/l	25.0	ND	92	45-150	1	15	
Carbon tetrachloride	26.0	5.0	ug/l	25.0	ND	104	65-135	6	15	
Chlorobenzene	25.9	1.0	ug/l	25.0	ND	104	80-125	6	15	
Chloroethane	27.3	5.0	ug/l	25.0	ND	109	80-125	3	20	
Chloroform	26.2	2.0	ug/l	25.0	ND	105	75-130	2	15	
Chloromethane	26.3	5.0	ug/l	25.0	ND	105	65-130	3	20	
2-Chlorotoluene	26.4	5.0	ug/l	25.0	ND	106	80-130	4	15	
4-Chlorotoluene	26.3	5.0	ug/l	25.0	ND	105	80-135	4	15	
Dibromochloromethane	22.9	2.0	ug/l	25.0	ND	92	75-120	5	20	
1,2-Dibromo-3-chloropropane	21.4	5.0	ug/l	25.0	ND	86	50-130	1	35	
1,2-Dibromoethane (EDB)	25.0	2.0	ug/l	25.0	ND	100	70-130	5	25	
Dibromomethane	24.9	2.0	ug/l	25.0	ND	100	75-130	6	25	
1,2-Dichlorobenzene	25.9	1.0	ug/l	25.0	ND	104	80-130	2	15	
1,3-Dichlorobenzene	26.0	1.0	ug/l	25.0	ND	104	80-130	5	15	
1,4-Dichlorobenzene	26.3	1.0	ug/l	25.0	ND	105	80-125	4	10	
Dichlorodifluoromethane	26.2	5.0	ug/l	25.0	ND	105	60-140	3	45	
1,1-Dichloroethane	38.5	2.0	ug/l	25.0	12	106	80-125	1	15	
1,2-Dichloroethane	26.1	1.0	ug/l	25.0	ND	104	60-145	2	20	
1,1-Dichloroethene	26.6	5.0	ug/l	25.0	0.54	104	75-130	3	15	
cis-1,2-Dichloroethene	26.7	2.0	ug/l	25.0	0.69	104	80-125	3	15	
trans-1,2-Dichloroethene	25.5	2.0	ug/l	25.0	ND	102	80-120	2	15	
1,2-Dichloropropane	25.3	2.0	ug/l	25.0	ND	101	80-125	5	15	
1,3-Dichloropropane	24.7	2.0	ug/l	25.0	ND	99	75-130	6	20	
2,2-Dichloropropane	25.8	2.0	ug/l	25.0	ND	103	60-135	3	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1205 Extracted: 07/12/06										
Matrix Spike Dup Analyzed: 07/12/2006 (P6G1205-MSD1)					**Source: PPF0847-02**					
1,1-Dichloropropene	26.0	2.0	ug/l	25.0	ND	104	80-125	6	15	
cis-1,3-Dichloropropene	27.1	2.0	ug/l	25.0	ND	108	75-120	4	15	
trans-1,3-Dichloropropene	27.4	2.0	ug/l	25.0	ND	110	75-130	4	25	
Ethylbenzene	26.0	2.0	ug/l	25.0	ND	104	80-130	7	15	
Hexachlorobutadiene	22.9	5.0	ug/l	25.0	ND	92	65-130	3	15	
2-Hexanone	21.8	10	ug/l	25.0	ND	87	40-150	3	35	
Iodomethane	24.9	2.0	ug/l	25.0	ND	100	70-140	0	15	
Isopropylbenzene	28.8	2.0	ug/l	25.0	ND	115	80-140	4	20	
p-Isopropyltoluene	27.0	2.0	ug/l	25.0	ND	108	80-135	4	20	
Methylene chloride	24.1	5.0	ug/l	25.0	ND	96	75-125	3	15	
4-Methyl-2-pentanone (MIBK)	22.4	10	ug/l	25.0	ND	90	40-140	0	35	
Methyl-tert-butyl Ether (MTBE)	28.7	5.0	ug/l	25.0	0.78	112	65-135	1	30	
Naphthalene	22.2	2.0	ug/l	25.0	ND	89	60-140	8	30	*V1*
n-Propylbenzene	27.5	2.0	ug/l	25.0	ND	110	80-140	5	20	
Styrene	30.1	2.0	ug/l	25.0	ND	120	30-150	6	25	
1,1,1,2-Tetrachloroethane	25.1	5.0	ug/l	25.0	ND	100	80-130	6	15	
1,1,2,2-Tetrachloroethane	25.1	2.0	ug/l	25.0	ND	100	65-140	4	35	
Tetrachloroethene	25.9	2.0	ug/l	25.0	ND	104	80-130	5	15	
Toluene	26.1	2.0	ug/l	25.0	ND	104	80-130	5	15	
1,2,3-Trichlorobenzene	24.3	5.0	ug/l	25.0	ND	97	75-140	6	20	*V1*
1,2,4-Trichlorobenzene	23.0	5.0	ug/l	25.0	ND	92	80-135	7	15	
1,1,1-Trichloroethane	26.4	2.0	ug/l	25.0	ND	106	70-135	2	15	
1,1,2-Trichloroethane	24.6	2.0	ug/l	25.0	ND	98	70-135	4	25	
Trichloroethene	26.6	2.0	ug/l	25.0	1.6	100	80-125	5	15	
Trichlorofluoromethane	27.4	5.0	ug/l	25.0	ND	110	70-140	4	15	
1,2,3-Trichloropropane	24.3	10	ug/l	25.0	ND	97	65-135	3	35	
1,2,4-Trimethylbenzene	26.6	2.0	ug/l	25.0	ND	106	75-130	4	15	
1,3,5-Trimethylbenzene	27.1	2.0	ug/l	25.0	ND	108	80-135	3	15	
Vinyl acetate	30.9	25	ug/l	25.0	ND	124	30-150	1	35	*V1, N1*
Vinyl chloride	27.8	1.7	ug/l	25.0	0.87	108	70-135	4	25	
Xylenes, Total	52.1	3.0	ug/l	50.0	ND	104	80-125	5	15	
Surrogate: Dibromofluoromethane	*25.8*		*ug/l*	*25.0*		*103*	*80-130*			
Surrogate: Toluene-d8	*25.3*		*ug/l*	*25.0*		*101*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.9*		*ug/l*	*25.0*		*96*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6F2910 Extracted: 06/29/06										
Blank Analyzed: 07/02/2006 (P6F2910-BLK1)										
Acenaphthene	ND	3.0	ug/l							
Acenaphthylene	ND	3.0	ug/l							
Anthracene	ND	0.30	ug/l							
Benzo(a)anthracene	ND	0.050	ug/l							
Benzo(a)pyrene	ND	0.10	ug/l							
Benzo(b)fluoranthene	ND	0.30	ug/l							
Benzo(g,h,i)perylene	ND	0.30	ug/l							
Benzo(k)fluoranthene	ND	0.30	ug/l							
Chrysene	ND	0.30	ug/l							
Dibenz(a,h)anthracene	ND	0.50	ug/l							
Fluoranthene	ND	0.30	ug/l							
Fluorene	ND	0.30	ug/l							
Indeno(1,2,3-cd)pyrene	ND	0.30	ug/l							
Naphthalene	ND	2.0	ug/l							
Phenanthrene	ND	0.30	ug/l							
Pyrene	ND	0.30	ug/l							
Surrogate: 2-Methylanthracene	*0.519*		*ug/l*	*0.600*		*86*	*50-115*			
LCS Analyzed: 07/02/2006 (P6F2910-BS1)										**Q8**
Acenaphthene	5.33	3.0	ug/l	6.00		89	65-115			
Acenaphthylene	10.2	3.0	ug/l	12.0		85	65-115			
Anthracene	0.513	0.30	ug/l	0.600		86	65-115			
Benzo(a)anthracene	0.606	0.050	ug/l	0.600		101	80-115			
Benzo(a)pyrene	0.531	0.10	ug/l	0.600		88	70-115			
Benzo(b)fluoranthene	1.10	0.30	ug/l	1.20		92	80-115			
Benzo(g,h,i)perylene	1.09	0.30	ug/l	1.20		91	65-120			
Benzo(k)fluoranthene	0.572	0.30	ug/l	0.600		95	70-115			
Chrysene	0.591	0.30	ug/l	0.600		98	80-120			
Dibenz(a,h)anthracene	1.14	0.50	ug/l	1.20		95	50-125			
Fluoranthene	1.16	0.30	ug/l	1.20		97	70-115			
Fluorene	0.943	0.30	ug/l	1.20		79	65-115			
Indeno(1,2,3-cd)pyrene	0.554	0.30	ug/l	0.600		92	65-115			
Naphthalene	4.70	2.0	ug/l	6.00		78	55-115			
Phenanthrene	0.527	0.30	ug/l	0.600		88	60-115			
Pyrene	0.575	0.30	ug/l	0.600		96	75-115			
Surrogate: 2-Methylanthracene	*0.537*		*ug/l*	*0.600*		*90*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6F2910 Extracted: 06/29/06										
LCS Dup Analyzed: 07/02/2006 (P6F2910-BSD1)										
Acenaphthene	5.09	3.0	ug/l	6.00		85	65-115	5	15	
Acenaphthylene	9.70	3.0	ug/l	12.0		81	65-115	5	15	
Anthracene	0.504	0.30	ug/l	0.600		84	65-115	2	15	
Benzo(a)anthracene	0.612	0.050	ug/l	0.600		102	80-115	1	15	
Benzo(a)pyrene	0.536	0.10	ug/l	0.600		89	70-115	1	15	
Benzo(b)fluoranthene	1.12	0.30	ug/l	1.20		93	80-115	2	15	
Benzo(g,h,i)perylene	1.11	0.30	ug/l	1.20		92	65-120	2	10	
Benzo(k)fluoranthene	0.582	0.30	ug/l	0.600		97	70-115	2	15	
Chrysene	0.606	0.30	ug/l	0.600		101	80-120	3	15	
Dibenz(a,h)anthracene	1.17	0.50	ug/l	1.20		97	50-125	3	25	
Fluoranthene	1.17	0.30	ug/l	1.20		97	70-115	1	20	
Fluorene	0.909	0.30	ug/l	1.20		76	65-115	4	20	
Indeno(1,2,3-cd)pyrene	0.564	0.30	ug/l	0.600		94	65-115	2	20	
Naphthalene	4.35	2.0	ug/l	6.00		72	55-115	8	25	
Phenanthrene	0.522	0.30	ug/l	0.600		87	60-115	1	30	
Pyrene	0.581	0.30	ug/l	0.600		97	75-115	1	20	
Surrogate: 2-Methylanthracene	*0.532*		*ug/l*	*0.600*		*89*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

DATA QUALIFIERS AND DEFINITIONS

C6	Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the higher value was reported as there was no obvious chromatographic interference.
C7	Sample RPD between the primary and confirmatory analysis exceeded 40% per EPA Method 8000B, the lower value was reported due to apparent chromatographic interference.
L3	The associated blank spike recovery was above method acceptance limits.
N1	See case narrative.
Q8	Insufficient sample received to meet method QC requirements. Batch QC satisfies ADEQ policies 0154 and 0155.
R6	LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
V1	CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
ND	Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
RPD	Relative Percent Difference

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPF0816

Sampled: 06/28/06
Received: 06/28/06

Certification Summary

TestAmerica - Phoenix, AZ

Method	Matrix	Nelac	Arizona
EPA 8015B	Water	X	X
EPA 8260B	Water	X	X
EPA 8310	Water	X	X

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

Subcontracted Laboratories

Transwest Geochem *Arizona Cert #AZ0133*

3725 E. Atlanta Ave Ste 1 - Phoenix, AZ 85040-2961

Analysis Performed: 8015B MOD-Low Level

Samples: PPF0816-02, PPF0816-03, PPF0816-04, PPF0816-05, PPF0816-06, PPF0816-07, PPF0816-09, PPF 0816-10, PPF0816-11, PPF0816-12, PPF0816-13

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

DelMar Analytical
9830 South 51st St. Suite B-120
Phoenix, AZ 85044
480-785-0043

Honeywell — Chain Of Custody / Analysis Request

[redacted]
Jennifer Holland
jennifer.holland@ch2m.com

Site Name: Sky Harbor
Location of Site: HW Quarterly / UST Sampling Program

Client Contact: (name, co., address)
CH2M HILL
2625 South Plaza Drive, Suite 300
Tempe, AZ 85282
Jennifer.Holland@CH2M.com

Sampler: Jeffery Yentes
P O # BV.30.33

Analysis Turnaround Time:
Standard - Y
Rush Charges Authorized for -
2 weeks -
1 week -
Next Day -

	Sample Identification		Sample Date	Sample Time	Sample Type	Sample Matrix	# of Cont.			VOC's (EPA 8260B)	SVOC's (EPA 8270)	PAH's (EPA 8310)	TRPH (EPA 8015M)	MEE (RSKSOP-175)	Total Metals (Varoius Methods)	Dissolved Metals (Various Methods)	Total common Ions (Various Methods)	Dissolved Common Ions (Various Methods)		VOC'S (EPA 624)		MS/MSD Requested	
										Preservative		1	0	0	3	1	2	2	0	0		1	
	Location ID	Field Sample ID								mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L		mg/L			
1	BLANK	TB-062806	6/28/2006	0010	BlkWater	Water	1		N	X													
2	MW	ASE-113A-6B3	6/28/2006	0137	GW	Water	7		N	X		X	X										
3	MW	ASE-107A-6B3	6/28/2006	0235	GW	Water	7		N	X		X	X										
4	MW	ASE-96A-6B3	6/28/2006	0330	GW	Water	5X		N	X		X	X										
5	MW	ASE-95A-6B3	6/28/2006	0455	GW	Water	5X		N	X		X	X										
6	MW	ASE-125A-6B3	6/28/2006	0538	GW	Water	7		N	X		X	X										
7	~~MW~~	~~ASE-128A-6B3~~	~~6/28/2006~~		~~GW~~	~~Water~~	~~7~~		~~N~~	~~X~~		~~X~~	~~X~~										
8	MW	ASE-122A-6B3	6/28/2006	0717	GW	Water	7		N	X		X	X										
9	BLANK	PL-501-6B3	6/28/2006	0030	BlkWater	Water	3		N	X													
10	~~MW~~	~~ASE-114A-6B3~~	~~6/28/2006~~		~~GW~~	~~Water~~	~~7~~		~~N~~	~~X~~		~~X~~	~~X~~										
11	MW	ASE-106A-6B3	6/28/2006	0936	GW	Water	7		N	X		X	X										
12	MW	ASE-124A-6B3	6/28/2006	1040	GW	Water	7		N	X		X	X										
13	MW	PL-502-6B2	6/28/2006	1050	GW	Water	7		N	X		X	X										
14	MW	ASE-123A	6/28/2006	0758	GW	Water	7		N	X		X	X										
15	MW	ASE-109A	6/28/2006	0844	GW	Water	7		N	X		X	X										
16																							
17																							
18																							
19																							
20																							

PPHS 8310 1 2 3 4 5 6 7 8 9 10 11 12 13
6 analyze 8015M 8310
6/28/06

Relinquished by	H+A Company	Hargis + Associates, Inc.	Received by		Condition		Custody Seals Intact
	Date/Time 6/28/06 1345				Cooler Temp.	6/28/06	
Relinquished by 6/28/06	Company		Received by		Condition		Custody Seals Intact
	Date/Time 6/28/06 1345				Cooler Temp. 2.0 °C		

Preservatives: 0 = None; [1 = HCL]; [2 = HNO3]; [3 = H2SO4]; [4 = NaOH]; [5 = Zn. Acetate]; [6 = MeOH]; [7 = NaHSO4]; 8 = Other (specify):

TRANSWEST GEOCHEM

June 21 , 2006

Ken Baker
TestAmerica - Phoenix
9830 S. 51st Street
Suite B-120
Phoenix, AZ 85044

Re: PPF0816
Work Order No.: 0606523

Dear Ken,

Attached is the original Report of Analysis from Columbia Analytical Services, Inc. (AZ0604) for the samples received on 6/29/06. The following analysis was performed:

Method EPA 8015B – Diesel Range Organics

If you have any questions regarding the results, please call me. We appreciate your business and thank you for choosing Transwest Geochem.

Sincerely,

Carlene McCutchen
for Skip Harden
Project Manager

ADHS License No. AZM133/AZ0133

5090 Caterpillar Road Redding, California 96003 (530) 244-5227 (530) 244-4109 fax

Columbia Analytical Services INC.
An Employee - Owned Company

July 17, 2006

Service Request No: D0600786

Carlene McCutcheon
Transwest Geochem, Incorporated
3725 East Atlanta Avenue
Suite 2
Phoenix, AZ 85040-2960

RE: PPF0816/0606523

Dear Carlene:

Enclosed are the results of the sample(s) submitted to our laboratory on June 30, 2006. For your reference, these analyses have been assigned our service request number D0600786.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 103. You may also contact me via email at EWilson@canoga.caslab.com.

Respectfully submitted,

Columbia Analytical Services, Inc.

Ed Wilson
Project Chemist

NELAP Accredited ACIL Seal of Excellence Award 100% Recycled

Current CAS Redding Accreditation Programs

Federal and National Programs

- U.S Air Force, Air Force Center for Environmental Excellence (AFCEE)
  Approved laboratory for Wastewater and Hazardous Waste
- U.S. Army Corps of Engineers – MRD, HTRW Mandatory Center of Expertise
  Validated for Wastewater and Hazardous Waste
- Department of the Navy, Naval Facilities Engineering Service Center (NFESC)
  Approved laboratory for Wastewater and Hazardous Waste

State and Local Programs

- State of Alaska, Department of Environmental Conservation
  Approved Laboratory for Contaminated Sites
  Lab ID UST-001
- State of Arizona, Department of Health Services, Office of Laboratory Licensure
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID AZ0604
- State of California, Department of Health Services, National Environmental Laboratory Accreditation Program **(NELAP)**
  Approved Laboratory for Drinking Water, Wastewater and Hazardous Waste
  Lab ID 01105CA
  - Los Angeles County Sanitation District
    Approved Laboratory for Wastewater
    Lab ID 10243
- State of California, Department of Health Services, Environmental Laboratory Accreditation Program (ELAP)
  Approved Laboratory for Microbiology of Drinking Water and Wastewater
  Lab ID 2635
- State of Florida, Department of Health, Bureau of Laboratories **(NELAP)**
  Approved Environmental Testing Laboratory for Wastewater and Hazardous Waste
  Lab ID E87203
- State of Kansas, Department of Health and Environment **(NELAP)**
  Approved Laboratory for Hazardous Waste
  Lab ID E-10323
- State of Massachusetts, Department of Environmental Protection
  Approved laboratory for Drinking Water and Wastewater
  Lab ID M-CA025
- State of Oklahoma, Department of Environmental Quality
  Approved Laboratory for General Water Quality/Sludge Testing
  Lab ID 9952
- State of Oregon, Environmental Laboratory Accreditation Program **(ORELAP)**
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID CA200004
- State of Utah, Department of Health, Bureau of Laboratory Improvement **(NELAP)**
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID QUAL1
- State of Washington, Department of Ecology
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID C1234
- State of Wisconsin, Department of Natural Resources
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID 999767340

Arizona Data Qualifiers
Revision 2.0, 11/26/2003

Developed by the Sub-committee of the
Arizona Environmental Laboratory Advisory Committee

Microbiology:
A1 = Too numerous to count.
A2 = Sample incubation period exceeded method requirement.
A3 = Sample incubation period was shorter than method requirement.
A4 = Target organism detected in associated method blank.
A5 = Incubator/water bath temperature was outside method requirements.
A6 = Target organism not detected in associated positive control.
A7 = Micro sample received without adequate headspace.

Method/calibration blank:
B1 = Target analyte detected in method blank at or above the method reporting limit.
B2 = Non-target analyte detected in method blank and sample, producing interference.
B3 = Target analyte detected in calibration blank at or above the method reporting limit.
B4 = Target analyte detected in blank at/above method acceptance criteria.
B5 = Target analyte detected in method blank at or above the method reporting limit, but below trigger level or MCL.
B6 = Target analyte detected in calibration blank at or above the method reporting limit, but below trigger level or MCL.
B7 = Target analyte detected in method blank at or above method reporting limit. Concentration found in the sample was 10 times above the concentration found in the method blank.

Confirmation:
C1 = Confirmatory analysis not performed as required by the method.
C3 = Qualitative confirmation performed.
C4 = Confirmatory analysis was past holding time.
C5 = Confirmatory analysis was past holding time. Original result not confirmed.
C6 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the higher value was reported as there was no obvious chromatographic interference.
C7 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic interference.

Dilution:
D1 = Sample required dilution due to matrix.
D2 = Sample required dilution due to high concentration of target analyte.
D3 = Sample dilution required due to insufficient sample.
D4 = Minimum reporting level (MRL) adjusted to reflect sample amount received and analyzed.

Estimated concentration:
E1 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not possible due to insufficient sample.
E2 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to sample matrix.
E3 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

E4 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL).
E5 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL), but not confirmed by alternate analysis.
E6 = Concentration estimated. Internal standard recoveries did not meet method acceptance criteria.
E7 = Concentration estimated. Internal standard recoveries did not meet laboratory acceptance criteria.
E8 = Analyte reported to MDL per project specification. Target analyte was not detected in the sample.

Hold time:
H1 = Sample analysis performed past holding time.
H2 = Initial analysis within holding time. Reanalysis for the required dilution was past holding time.
H3 = Sample was received and analyzed past holding time.
H4 = Sample was extracted past required extraction holding time, but analyzed within analysis holding time.

BOD:
K1 = The sample dilutions set-up for the BOD analysis did not meet the oxygen depletion criteria of at least 2 mg/L. Any reported result is an estimated value.
K2 = The sample dilutions set up for the BOD analysis did not meet the criteria of a residual dissolved oxygen of at least 1 mg/L. Any reported result is an estimated value.
K4 = The seed depletion was outside the method acceptance limits. The reported result is an estimated value.
K5 = The dilution water D.O. depletion was > 0.2 mg/L.
K6 = Glucose/glutamic acid BOD was below method acceptance criteria.
K7 = A discrepancy between the BOD and COD results has been verified by reanalysis of the sample for COD.
K8 = Glucose/glutamic acid BOD was above method acceptance levels.

Laboratory fortified blank/blank spike:

L1 = The associated blank spike recovery was above laboratory acceptance limits.
L2 = The associated blank spike recovery was below laboratory acceptance limits.
L3 = The associated blank spike recovery was above method acceptance limits.
L4 = The associated blank spike recovery was below method acceptance limits.

Matrix spike:
M1 = Matrix spike recovery was high, the method control sample recovery was acceptable.
M2 = Matrix spike recovery was low, the method control sample recovery was acceptable.
M3 = The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
M4 = The analysis of the spiked sample required a dilution such that the spike concentration was diluted below the reporting limit. The method control sample recovery was acceptable.
M5 = Analyte concentration was determined by the method of standard addition (MSA).

M6 = Matrix spike recovery was high. Data reported per ADEQ policy 0154.000.
M7 = Matrix spike recovery was low. Data reported per ADEQ policy 0154.000.

General:
N1 = See case narrative.
N2 = See corrective action report.
N3 = The analysis meets all method requirements. See case narrative.

Sample quality:
Q1 = Sample integrity was not maintained. See case narrative.
Q2 = Sample received with headspace.
Q3 = Sample received with improper chemical preservation.
Q4 = Sample received and analyzed without chemical preservation.
Q5 = Sample received with inadequate chemical preservation, but preserved by the laboratory.
Q6 = Sample was received above recommended temperature.
Q7 = Sample inadequately dechlorinated.
Q8 = Insufficient sample received to meet method QC requirements. Batch QC requirements satisfies ADEQ policies 0154 and 0155.
Q9 = Insufficient sample received to meet method QC requirements.
Q10 = Sample received in inappropriate sample container.
Q11 = Sample is heterogeneous. Sample homogeneity could not be readily achieved using routine laboratory practices.

Duplicates:
R1 = RPD exceeded the method control limit. See case narrative.
R2 = RPD exceeded the laboratory control limit. See case narrative.
R4 = MS/MSD RPD exceeded the method control limit. Recovery met acceptance criteria.
R5 = MS/MSD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R6 = LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
R7 = LFB/LFBD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R8 = Sample RPD exceeded the method control limit.
R9 = Sample RPD exceeded the laboratory control limit.
R10 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic problems.
R11 = The RPD calculation for MS/MSD does not provide useful information due to the varying sample weights when Encore samplers/methanol field preserved samples are used.

Surrogate:
S1 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits.
S3 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits. No target analytes were detected in the sample.
S4 = Surrogate recovery was above laboratory and method acceptance limits. No target analytes were detected in the sample.
S5 = Surrogate recovery was below laboratory acceptance limits, but within method acceptance limits.
S6 = Surrogate recovery was below laboratory and method acceptance limits. Reextraction and/or reanalysis confirms low recovery caused by matrix effect.

S7 = Surrogate recovery was below laboratory and method acceptance limits. Unable to confirm matrix effect.
S8 = The analysis of the sample required a dilution such that the surrogate recovery calculation does not provide any useful information. The method control sample recovery was acceptable.
S10 = Surrogate recovery was above laboratory and method acceptance limits. See Case narrative.
S11 = Surrogate recovery was high. Data reported per ADEQ policy 0154.000.
S12 = Surrogate recovery was low. Data reported per ADEQ policy 0154.000.

Method/analyte discrepancies:
T1 = Method approved by EPA, but not yet licensed by ADHS.
T2 = Cited ADHS licensed method does not contain this analyte as part of method compound list.
T3 = Method not promulgated either by EPA or ADHS.
T4 = Tentatively identified compound. Concentration is estimated and based on the closest internal standard.

Calibration verification:
V1 = CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
V2 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample. The sample could not be reanalyzed due to insufficient sample.
V3 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample, but the sample was not reanalyzed. See case narrative.
V4 = CCV recovery was below method acceptance limits. The sample could not be reanalyzed due to insufficient sample.
V5 = CCV recovery after a group of samples was above acceptance limits. This target analyte was not detected in the sample. Acceptable per EPA Method 8000B.
V6 = Data reported from one-point calibration criteria per ADEQ policy 0155.000.
V7 = Calibration verification recovery was above the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.
V8 = Calibration verification recovery was below the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.

Calibration:
W1 = The % RSD for this compound was above 20%. The average % RSD for all compounds in the calibration met the 20% criteria as specified in EPA method 8000B.
W2 = The % RSD for this compound was above 15%. The average % RSD for all compounds in the calibration met the 15% criteria as specified in EPA method 8260B/8270C.

Client: Transwest Geochem, Incorporated
Project: PPF0816/0606523

Service Request: D0600786

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
D0600786-001	PPF0816-02	06/28/06	01:37
D0600786-002	PPF0816-03	06/28/06	02:35
D0600786-003	PPF0816-04	06/28/06	03:30
D0600786-004	PPF0816-05	06/28/06	04:55
D0600786-005	PPF0816-06	06/28/06	05:38
D0600786-006	PPF0816-07	06/28/06	07:17
D0600786-007	PPF0816-09	06/28/06	09:36
D0600786-008	PPF0816-10	06/28/06	10:40
D0600786-009	PPF0816-11	06/28/06	10:50
D0600786-010	PPF0816-12	06/28/06	07:58
D0600786-011	PPF0816-13	06/28/06	08:44

CASE NARRATIVE

COLUMBIA ANALYTICAL SERVICES, INC.

Client:	Transwest Geochem, Inc.	**Service Request No.:**	D0600786
Project:	PPF0816	**Date Received:**	June 30, 2006
Sample Matrix:	Water		

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of Columbia Analytical Services, Inc. (CAS). This report contains analytical results for samples designated for Tier II data deliverables.

Sample Receipt

11 water samples were received for analysis at Columbia Analytical Services on June 30, 2006.

No discrepancies were noted upon initial sample inspection. The samples were received in good condition and consistent with the accompanying chain of custody form. The samples were stored in a refrigerator at 4°C upon receipt at the laboratory.

Diesel Range Organics by EPA Method 8015B

Continuing Calibration Verification Exceptions:
The upper control criterion was exceeded for the following analyte in Continuing Calibration Verification (CCV) F0712024: TPH-Diesel. Since the apparent problem equates to a potential high bias, the data quality is not affected. No further corrective action was required.

Surrogate Exceptions:
The lower control criterion was exceeded for the following surrogates in sample PPF0816-03: Triacontane and Octacosane. There is no more sample available for a re-analysis and client has been informed. No further corrective action could be taken.

The upper control criterion was exceeded for the following surrogates in sample PPF0816-13: Triacontane and Octacosane. The error associated with an elevated recovery equates to a high bias. The quality of the sample data is not significantly affected. No further corrective action was appropriate.

Matrix Spike Recovery Exceptions:
Insufficient sample volume was received to perform a Matrix Spike/Matrix Spike Duplicate (MS/MSD). A Laboratory Control Sample/Duplicate Laboratory Control Sample (LCS/DLCS) was analyzed in order to report precision data.

Approved by: _____ **Date:** 7/18/06

CHAIN OF CUSTODY DOCUMENTATION

TRANSWEST GEOCHEM

CHAIN-OF-CUSTOD[redacted]

Skip Harden
3725 E. Atlanta Avenue
Suite 2
Phoenix, AZ 85040
TEL: (602) 437-0330
FAX: (602) 437-0660

Work Order: 0606523

Project: PPF0816

Subcontractor:
Columbia Analytical Services
5090 Caterpillar Rd.
Redding, CA 96003
TEL: (530) 244-5227
FAX: (530) 244-4109

29-Jun-06

	Client Sample ID	TGI ID	Matrix	Collection Date	Containers	Requested Tests: 8015MOD_W
1	PPF0816-02	01A	Water	6/28/2006 1:37:00 AM	1	1
2	PPF0816-03	02A	Water	6/28/2006 2:35:00 AM	1	1
3	PPF0816-04	03A	Water	6/28/2006 3:30:00 AM	1	1
4	PPF0816-05	04A	Water	6/28/2006 4:55:00 AM	1	1
5	PPF0816-06	05A	Water	6/28/2006 5:38:00 AM	1	1
6	PPF0816-07	06A	Water	6/28/2006 7:17:00 AM	1	1
7	PPF0816-09	07A	Water	6/28/2006 9:36:00 AM	1	1
8	PPF0816-10	08A	Water	6/28/2006 10:40:00 AM	1	1
9	PPF0816-11	09A	Water	6/28/2006 10:50:00 AM	1	1
10	PPF0816-12	10A	Water	6/28/2006 7:58:00 AM	1	1
11	PPF0816-13	11A	Water	6/28/2006 8:44:00 AM	1	1

Low level reporting

Edd's required

Comments: After analysis, the samples do not need to be returned and can be disposed per your standard laboratory practices. Please provide a QC report, including Method Blank data.

Sample Receipt		
Temperature:	Ambient / Cold	Ice:
Received Intact:		Absent / Present
Custody Seals:		Wet / Blue
Total No. of Containers:		°C.

		Date/Time			Date/Time
Relinquished by:	Leslie May - TGI	6/29/06 1600	**Received by:**	UPS	
Relinquished by:			**Received by:**	J Chaetman	6/30/06 1000
Relinquished by:			**Received by:**		

Columbia Analytical Services inc.
An Employee-Owned Company

5090 Caterpillar Road
Redding, CA 96003
Phone: (530) 244-5262
[redacted]

COOLER RECEIPT FORM

Project/Client: Transwest Geochem Batch [redacted]

1. Cooler(s)/Sample(s) received on: 6/30/06 Shipped via: UPS
   Shipping Bill # (s): 1Z 52X 72X 019228 5753 / 1Z 52X 72X 019452 3965 # of Coolers/Packages 4
2. Radiological Screening by: LS Acceptable Rejected
3. Custody seals on outside of cooler: YES NO N/A
   If yes, where? Front ✓ Rear____ Lt Side____ Rt Side____
   Seals intact: YES NO

COOLER/SAMPLE PROCESSING

4. Sample Processing/Tagging by: LS
5. Cooler(s)/Sample(s) Temp's: 4°C ____ ____ ____ ____
   (or)
   Temp. Blank (if included): ____ ____ ____ ____ ____
6. Type of packing material (circle): Ice Blue Ice Bubble Wrap Bubble Bags Zip Locks Webbing
   Other: absorbent pad + brown paper
7. Custody papers properly filled out (ink, signed, dated, released, etc.)? YES NO
8. Containers arrived in good condition (not broken, leaking, etc.)? YES NO
9. Samples received with adequate holding time remaining to conduct analysis? YES NO
10. Container labels complete (i.e. analysis, preservation, date/time, etc.)? YES NO
11. Container labels and tags agree with custody papers? YES NO
12. Correct types of containers used for the tests indicated? YES NO
    a.) Adequate sample received? If not, note on Exception Report. YES NO
13. Containers supplied by: CAS Other
14. Preserved containers received with the appropriate preservative? YES NO N/A
    pH:_____ (or) See pH log.
15. VOA vials free of air bubbles? YES NO N/A
16. Trip Blank preparation date: _____ CAS Other N/A
17. Volatile Soil samples: Encores or Plugs in Vials
    Freezer or GC/MS Date:_____ Time:_____ N/A

See Exception Report for discrepancies.

Rev. 8/18/2004/ds

GC TPH DIESEL

ORGANIC ANALYSES DATA PACKAGE

Analytical Method: CA LUFT

AAB #: D0600786

Lab Name: Columbia Analytical Services/Redding

Base/Command: ARIZONA DELIVERABLES (RL)

Project: PPF0816

Field Sample ID	Lab Sample ID
PPF0816-02	D0600786-001
PPF0816-03	D0600786-002
PPF0816-04	D0600786-003
PPF0816-05	D0600786-004
PPF0816-06	D0600786-005
PPF0816-07	D0600786-006
PPF0816-09	D0600786-007
PPF0816-10	D0600786-008
PPF0816-11	D0600786-009
PPF0816-12	D0600786-010
PPF0816-13	D0600786-011

Comments:

I certify this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: [signature]

Name: DBurnett

Date: 7-14-06

Title: Tech Mgr

RDD-060714:CC:BS-0958PST-SR:D0600786-D0600786-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600786

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0816-02 Lab Sample ID: D0600786-001 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 06/30/06 Date Extracted: 07/06/06 Date Analyzed: 07/12/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**56**	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	104	58-111	
Triacontane - SS	104	54-109	

Comments:

RDD-060714:CC:BS-1125PST-SR:D0600786-D0600786-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600786

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0816-03 Lab Sample ID: D0600786-002 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 06/30/06 Date Extracted: 07/06/06 Date Analyzed: 07/12/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**280**	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	**280**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	54	58-111	*
Triacontane - SS	54	54-109	

Comments:

RDD-060714:CC:BS-1125PST-SR:D0600786-D0600786-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600786

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0816-04 Lab Sample ID: D0600786-003 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 06/30/06 Date Extracted: 07/06/06 Date Analyzed: 07/12/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	ND	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	81	58-111	
Triacontane - SS	81	54-109	

Comments:

RDD-060714:CC:BS-1125PST-SR:D0600786-D0600786-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600786

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0816-05 Lab Sample ID: D0600786-004 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 06/30/06 Date Extracted: 07/06/06 Date Analyzed: 07/12/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**100**	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	**100**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	96	58-111	
Triacontane - SS	95	54-109	

Comments:

RDD-060714:CC:BS-1125PST-SR:D0600786-D0600786-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600786

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0816-06 Lab Sample ID: D0600786-005 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 06/30/06 Date Extracted: 07/06/06 Date Analyzed: 07/12/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	ND	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	95	58-111	
Triacontane - SS	95	54-109	

Comments:

RDD-060714:CC:BS-1125PST-SR:D0600786-D0600786-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600786

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0816-07 Lab Sample ID: D0600786-006 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 06/30/06 Date Extracted: 07/06/06 Date Analyzed: 07/12/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	ND	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	90	58-111	
Triacontane - SS	90	54-109	

Comments:

RDD-060714:CC:BS-1125PST-SR:D0600786-D0600786-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600786

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0816-09 Lab Sample ID: D0600786-007 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 06/30/06 Date Extracted: 07/06/06 Date Analyzed: 07/12/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**100**	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	**100**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	97	58-111	
Triacontane - SS	97	54-109	

Comments:

RDD-060714:CC:BS-1125PST-SR:D0600786-D0600786-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600786

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0816-10 Lab Sample ID: D0600786-008 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 06/30/06 Date Extracted: 07/06/06 Date Analyzed: 07/13/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	ND	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	85	58-111	
Triacontane - SS	84	54-109	

Comments:

RDD-060714:CC:BS-1125PST-SR:D0600786-D0600786-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600786

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0816-11 Lab Sample ID: D0600786-009 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 06/30/06 Date Extracted: 07/06/06 Date Analyzed: 07/13/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	ND	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	84	58-111	
Triacontane - SS	84	54-109	

Comments:

RDD-060714:CC:BS-1125PST-SR:D0600786-D0600786-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600786

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0816-12 Lab Sample ID: D0600786-010 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 06/30/06 Date Extracted: 07/06/06 Date Analyzed: 07/13/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	ND	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	101	58-111	
Triacontane - SS	100	54-109	

Comments:

RDD-060714:CC:BS-1125PST-SR:D0600786-D0600786-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600786

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0816-13 Lab Sample ID: D0600786-011 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 06/30/06 Date Extracted: 07/06/06 Date Analyzed: 07/13/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	ND	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	111	58-111	
Triacontane - SS	111	54-109	*

Comments:

RDD-060714:CC:BS-1125PST-SR:D0600786-D0600786-D

ORGANIC ANALYSES DATA SHEET 6
BLANKS

Analytical Method: CA LUFT AAB #: D0600786

Lab Name: Columbia Analytical Services/Redding

Concentration Units (ug/L or mg/kg): UG/L Method Blank ID: DWB10706

Lab Sample ID: DWB10706

Initial Calibration ID: 05/20/06GCF

Analyte		Method Blank	RL	Q
C13 - C22 DRO		ND	50	
C23 - C32 HRO		ND	50	
Total Petroleum Hydrocarbons		ND	100	

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	96	58-111	
Triacontane - SS	96	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 7
LABORATORY CONTROL SAMPLE/LABORATORY CONTROL SAMPLE DUPLICATE

Analytical Method: CA LUFT AAB #: D0600786

Lab Name: Columbia Analytical Services/Redding

Concentration Units (ug/L or mg/kg): UG/L %Solids: _____

Parent Field Sample ID: DWB10706 BS ID: DWB10706LCS BSD ID: DWB10706LCSD

Analyte	Parent Sample Result	Spike Added	Spiked Sample Result	%R	Duplicat Spike Sample Result	%R	%RPD	Control Limits %RPD	Control Limits %R	Q
C13 - C22 DRO		2500	2400	96	2360	94	2	30	64-106	

Comments:

ORGANIC ANALYSES DATA SHEET 10
INSTRUMENT ANALYSIS SEQUENCE LOG

Analytical Method: CA LUFT AAB #: D0600786

Lab Name: Columbia Analytical Services/Redding

Instrument ID #: GCF RTX-5

Field Sample ID/Std ID/ Blank ID/QC Sample ID	Laboratory File ID	Date Analysis Started	Time Analysis Started	Date Analysis Completed	Time Analysis Completed
DSTD6	F0520002	05/20/06	1838	05/20/06	1908
DSTD1	F0520003	05/20/06	1923	05/20/06	1953
DSTD2	F0520004	05/20/06	2008	05/20/06	2038
DSTD3	F0520005	05/20/06	2054	05/20/06	2124
DSTD4	F0520006	05/20/06	2139	05/20/06	2209
DSTD5	F0520007	05/20/06	2225	05/20/06	2255
QC ALT	F0520009	05/20/06	2356	05/21/06	0026
DSTD4	F0712002	07/12/06	1442	07/12/06	1512
DWB10706	F0712003	07/12/06	1526	07/12/06	1556
DWB10706LCS	F0712004	07/12/06	1610	07/12/06	1640
DWB10706LCSD	F0712005	07/12/06	1654	07/12/06	1724
PPF0816-02	F0712006	07/12/06	1739	07/12/06	1809
PPF0816-03	F0712007	07/12/06	1823	07/12/06	1853
PPF0816-04	F0712008	07/12/06	1907	07/12/06	1937
PPF0816-05	F0712009	07/12/06	1951	07/12/06	2021
PPF0816-06	F0712010	07/12/06	2035	07/12/06	2105
PPF0816-07	F0712011	07/12/06	2120	07/12/06	2150
DSTD3	F0712013	07/12/06	2248	07/12/06	2318
PPF0816-09	F0712014	07/12/06	2333	07/13/06	0003
PPF0816-10	F0712015	07/13/06	0017	07/13/06	0047
PPF0816-11	F0712016	07/13/06	0101	07/13/06	0131
PPF0816-12	F0712017	07/13/06	0145	07/13/06	0215
PPF0816-13	F0712018	07/13/06	0229	07/13/06	0259
DSTD4	F0712024	07/13/06	0653	07/13/06	0723

Comments:

ORGANIC ANALYSES DATA SHEET APPENDIX A
SURROGATE RESULTS

Analytical Method: CA LUFT AAB #: D0600786

Lab Name: Columbia Analytical Services/Redding

Matrix: Water

Field/QC Sample ID	S1	S2	S3	S4	S5	S6	S7	S8	Q
DWB10706	96	96							
DWB10706LCS	94	94							
DWB10706LCSD	92	92							
PPF0816-02	104	104							
PPF0816-03	54	54							**S7***
PPF0816-04	81	81							
PPF0816-05	96	95							
PPF0816-06	95	95							
PPF0816-07	90	90							
PPF0816-09	97	97							
PPF0816-10	85	84							
PPF0816-11	84	84							
PPF0816-12	101	100							
PPF0816-13	111	111							**S10**

S1: Octacosane - SS 58-111
S2: Triacontane - SS 54-109

Comments:

Del Mar Analytical

17461 Derian Ave. Suite 100, Irvine, CA 92614 Ph (949) 261-1022 Fax (949) 261-1228
1014 E. Cooley Dr., Suite A, Colton, CA 92324 Ph (909) 370-4667 Fax (909) 370-1046
9484 Chesapeake Drive, Suite 805, San Diego, CA 92123 Ph (619) 505-9596 Fax (619) 505-9689
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 Ph (480) 785-0043 Fax (480) 785-0851
2520 E. Sunset Rd., Suite #3, Las Vegas, NV 89120 Ph (702) 798-3620 Fax (702) 798-3621

SUBCONTRACT ORDER - PROJECT # PPF0816

SENDING LABORATORY:
Del Mar Analytical - Phoenix
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem (out)
3725 E. Atlanta Ave Ste 1
Phoenix, AZ 85040-2961
Phone :602-437-0330
Fax: (602) 437-0660

0606 523

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments	
Sample ID: PPF0816-02 Water Sampled: 06/28/06 01:37			pH
8015B MOD-Low Level-O	07/05/06 01:37	sub to Transwest, need transfer file for EDD	
1 **Containers Supplied:**			
1 L Amber w/H2SO4 (PPF0816-02F)			2, 2
1 L Amber w/H2SO4 (PPF0816-02G)			
Sample ID: PPF0816-03 Water Sampled: 06/28/06 02:35			
8015B MOD-Low Level-O	07/05/06 02:35	sub to Transwest, need transfer file for EDD	
2 **Containers Supplied:**			
1 L Amber w/H2SO4 (PPF0816-03F)			2, 2
1 L Amber w/H2SO4 (PPF0816-03G)			
Sample ID: PPF0816-04 Water Sampled: 06/28/06 03:30			
8015B MOD-Low Level-O	07/05/06 03:30	sub to Transwest, need transfer file for EDD	
3 **Containers Supplied:**			
1 L Amber w/H2SO4 (PPF0816-04F)			2, 2
1 L Amber w/H2SO4 (PPF0816-04G)			
Sample ID: PPF0816-05 Water Sampled: 06/28/06 04:55			
8015B MOD-Low Level-O	07/05/06 04:55	sub to Transwest, need transfer file for EDD	
4 **Containers Supplied:**			
1 L Amber w/H2SO4 (PPF0816-05F)			2, 2
1 L Amber w/H2SO4 (PPF0816-05G)			
Sample ID: PPF0816-06 Water Sampled: 06/28/06 05:38			
8015B MOD-Low Level-O	07/05/06 05:38	sub to Transwest, need transfer file for EDD	
5 **Containers Supplied:**			
1 L Amber w/H2SO4 (PPF0816-06F)			2, 2
1 L Amber w/H2SO4 (PPF0816-06G)			

Released By	Date	Time	Received By	Date	Time
Released By	Date	Time	Received By	Date	Time

Del Mar Analytical

17461 Derian Ave. Suite 100, Irvine, CA 92614 Ph (949) 261-1022 Fax (949) 261-1228
1014 E. Cooley Dr., Suite A, Colton, CA 92324 Ph (909) 370-4667 Fax (909) 370-1046
9484 Chesapeake Drive, Suite 805, San Diego, CA 92123 Ph (619) 505-9596 Fax (619) 505-9689
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 Ph (480) 785-0043 Fax (480) 785-0851
2520 E. Sunset Rd., Suite #3, Las Vegas, NV 89120 Ph (702) 798-3620 Fax (702) 798-3621

SUBCONTRACT ORDER - PROJECT # PPF0816

SENDING LABORATORY:
Del Mar Analytical - Phoenix
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem (out)
3725 E. Atlanta Ave Ste 1
Phoenix, AZ 85040-2961
Phone :602-437-0330
Fax: (602) 437-0660

0606 523

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments	
Sample ID: PPF0816-07 Water	**Sampled: 06/28/06 07:17**		pH
8015B MOD-Low Level-O	07/05/06 07:17	sub to Transwest, need transfer file for EDD	
6 **Containers Supplied:**			2, 2
1 L Amber w/H2SO4 (PPF0816-07F)			
1 L Amber w/H2SO4 (PPF0816-07G)			
Sample ID: PPF0816-09 Water	**Sampled: 06/28/06 09:36**		
8015B MOD-Low Level-O	07/05/06 09:36	sub to Transwest, need transfer file for EDD	
7 **Containers Supplied:**			2, 2
1 L Amber w/H2SO4 (PPF0816-09F)			
1 L Amber w/H2SO4 (PPF0816-09G)			
Sample ID: PPF0816-10 Water	**Sampled: 06/28/06 10:40**		
8015B MOD-Low Level-O	07/05/06 10:40	sub to Transwest, need transfer file for EDD	
8 **Containers Supplied:**			2, 2
1 L Amber w/H2SO4 (PPF0816-10F)			
1 L Amber w/H2SO4 (PPF0816-10G)			
Sample ID: PPF0816-11 Water	**Sampled: 06/28/06 10:50**		
8015B MOD-Low Level-O	07/05/06 10:50	sub to Transwest, need transfer file for EDD	
9 **Containers Supplied:**			2, 2
1 L Amber w/H2SO4 (PPF0816-11F)			
1 L Amber w/H2SO4 (PPF0816-11G)			
Sample ID: PPF0816-12 Water	**Sampled: 06/28/06 07:58**		
8015B MOD-Low Level-O	07/05/06 07:58	sub to Transwest, need transfer file for EDD	
10 **Containers Supplied:**			2, 2
1 L Amber w/H2SO4 (PPF0816-12F)			
1 L Amber w/H2SO4 (PPF0816-12G)			

Released By	Date	Time	Received By	Date	Time
Released By	Date	Time	Received By	Date	Time

Del Mar Analytical

17461 Derian Ave. Suite 100, Irvine, CA 92614 Ph (949) 261-1022 Fax (949) 261-1228
1014 E. Cooley Dr., Suite A, Colton, CA 92324 Ph (909) 370-4667 Fax (909) 370-1046
9484 Chesapeake Drive, Suite 805, San Diego, CA 92123 Ph (619) 505-9596 Fax (619) 505-9689
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 Ph (480) 785-0043 Fax (480) 785-0851
2520 E. Sunset Rd., Suite #3, Las Vegas, NV 89120 Ph (702) 798-3620 Fax (702) 798-3621

SUBCONTRACT ORDER - PROJECT # PPF0816

SENDING LABORATORY:

Del Mar Analytical - Phoenix
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:

Transwest Geochem (out)
3725 E. Atlanta Ave Ste 1
Phoenix, AZ 85040-2961
Phone :602-437-0330
Fax: (602) 437-0660

0606 523

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPF0816-13 Water	**Sampled: 06/28/06 08:44**	
8015B MOD-Low Level-O	07/05/06 08:44	sub to Transwest, need transfer file for EDD

pH

11 **Containers Supplied:**
1 L Amber w/H2SO4 (PPF0816-13F)
1 L Amber w/H2SO4 (PPF0816-13G)

2, 2

SAMPLE INTEGRITY:

All containers intact: ☑ Yes ☐ No
Custody Seals Present: ☐ Yes ☑ No
Sample labels/COC agree: ☑ Yes ☐ No
Samples Preserved Properly: ☑ Yes ☐ No
Samples Received On Ice:: ☑ Yes ☐ No
Samples Received at (temp): 3.2

Released By	Date	Time	Received By	Date	Time
[signature]	6/29/6	0900	[signature]	6/29/6	0900
[signature]	6/29/6	0935	D. O'Brien	6/29/06	0935

3.2

TRANSWEST GEOCHEM

CHAIN-OF-CUSTODY

Skip Harden
3725 E. Atlanta Avenue
Suite 2
Phoenix, AZ 85040
TEL: (602) 437-0330
FAX: (602) 437-0660

Work Order: 0606523

Project: PPF0816

Subcontractor:
Columbia Analytical Services
5090 Caterpillar Rd.
Redding, CA 96003
TEL: (530) 244-5227
FAX: (530) 244-4109

29-Jun-06

Client Sample ID	TGI ID	Matrix	Collection Date	Containers	Requested Tests: 8015MOD_W						
PPF0816-02	01A	Water	6/28/2006 1:37:00 AM	1	1						
PPF0816-03	02A	Water	6/28/2006 2:35:00 AM	1	1						
PPF0816-04	03A	Water	6/28/2006 3:30:00 AM	1	1						
PPF0816-05	04A	Water	6/28/2006 4:55:00 AM	1	1						
PPF0816-06	05A	Water	6/28/2006 5:38:00 AM	1	1						
PPF0816-07	06A	Water	6/28/2006 7:17:00 AM	1	1						
PPF0816-09	07A	Water	6/28/2006 9:36:00 AM	1	1						
PPF0816-10	08A	Water	6/28/2006 10:40:00 AM	1	1						
PPF0816-11	09A	Water	6/28/2006 10:50:00 AM	1	1						
PPF0816-12	10A	Water	6/28/2006 7:58:00 AM	1	1						
PPF0816-13	11A	Water	6/28/2006 8:44:00 AM	1	1						

low level reporting

Comments: After analysis, the samples do not need to be returned and can be disposed per your standard laboratory practices. Please provide a QC report, including Method Blank data.

Sample Receipt		
Temperature:	Ambient / Cold	Ice:
Received Intact:		Absent / Present
Custody Seals:		Wet / Blue
Total No. of Containers:		° C.

		Date/Time			Date/Time
Relinquished by:	Leslie May - TGI	6/29/06 1600	**Received by:**	UPS	
Relinquished by:			**Received by:**		
Relinquished by:			**Received by:**		

#1's - SUB-Redding
#2's - A-Cooler

TRANSWEST GEOCHEM

Sample Receipt Checklist

Client Name: Del Mar

Date and Time Received: 6/29/06 0935

Work Order Number: 0606 523

Checked by: DO

Checklist completed by: SOBrien 6/29/06
Signature / Date

Logged In by: lm 6/29/06
Initials / Date

Matrix: W

Carrier Name: (Client) TGI _____

Reviewed by: SA 7/3/06
Initials / Date

				COMMENTS
Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐	
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☑	
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑	
Chain of custody present?	Yes ☑	No ☐		
Chain of custody signed when relinquished and received?	Yes ☑	No ☐		
Chain of custody agrees with sample labels?	Yes ☑	No ☐		
Samples in proper container/bottle?	Yes ☑	No ☐		
Sample containers intact?	Yes ☑	No ☐		
Sufficient sample volume for indicated test?	Yes ☑	No ☐		
All samples received within holding time?	Yes ☑	No ☐		
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	Temp: 3.2	Sampled < 2hrs ☐
Water – VOA vials have zero headspace?	Yes ☐	No ☐	N/A ☑	
Water – pH acceptable upon receipt?	Yes ☑	No ☐	N/A ☐	Checked by:
Water – Sulfides present in Cyanide samples?	Yes ☐	No ☐	N/A ☑	
Sample considered Drinking Water?	Yes ☐	No ☐	N/A ☑	

Client contacted: _____ Date contacted: _____ Person contacted: _____

Contacted by: _____ Regarding: _____

Corrective Action: _____

TestAmerica
ANALYTICAL TESTING CORPORATION

9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

LABORATORY REPORT

Prepared For: CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project: Sky Harbor HW Quarterly / UST Sampling Program

Sampled: 06/29/06
Received: 06/29/06
Revised: 08/24/06 12:07

NELAP #01109CA Arizona DHS#AZ0426

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.
This entire report was reviewed and approved for release.

CASE NARRATIVE

LABORATORY ID	CLIENT ID	MATRIX
PPF0847-01	TB-062906	Water
PPF0847-02	ASE-126A-6B3	Water
PPF0847-03	ASE-97A-6B3	Water
PPF0847-04	ASE-90A-6B3	Water
PPF0847-05	ASE-105A-6B3	Water
PPF0847-06	ASE-112A-6B3	Water
PPF0847-07	PL-503-6B3	Water
PPF0847-08	ASE-89A-6B3	Water
PPF0847-09	BC-8B-6B3	Water
PPF0847-10	ASE-114A-6B3	Water
PPF0847-11	ASE-128A-6B3	Water
PPF0847-12	ASE-99A-6B3	Water

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe 2625 S. Plaza Drive, Ste. 300 Tempe, AZ 85282 Attention: Jennifer Holland	Project ID: Sky Harbor HW Quarterly / UST Sampling Program Report Number: PPF0847	Sampled: 06/29/06 Received: 06/29/06

SAMPLE RECEIPT:	Samples were received intact, at 2°C, on ice and with chain of custody documentation.
HOLDING TIMES:	Not all holding times were met. Results were qualified where the sample analysis did not occur within method specified holding time requirements.
PRESERVATION:	Samples requiring preservation were verified prior to sample analysis.
QA/QC CRITERIA:	All analyses met method criteria, except as noted in the report with data qualifiers.
COMMENTS:	N1: Reported for batch QC purposes only. See re-analysis (RE) for final results. N1a: Calibration Verification recovery was below the method control limit for this analyte. N1b: Concentration exceeds the calibration range and therefore result is semi-quantitative. N1c: The second source calibration verification analyzed immediately following the calibration recovered high and outside of acceptance limits for Vinyl Acetate and TAME. All associated samples are non-detect for these compounds and therefore should not be impacted. N1c: MS was above the acceptance limits for Iodomethane. All associated samples were ND or LRL therefore data not impacted. N1c: The second source continuing calibration verification analyzed immediately following the calibration recovered high and outside of acceptance limits for Vinly Acetate. All associated samples are non-detect and therefore should not be impacted. N1c: MS run past hold, results met QC acceptance criteria. N1c: Detect in sample with high CCV. Confirmed past hold with passing QC.
SUBCONTRACTED:	Refer to the last page for specific subcontract laboratory information included in this report.
ADDITIONAL INFORMATION:	This revised report contains the benzene result for the rerun of PPF0847-08.

Reviewed By:

Ken Baker

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847

Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-01 (TB-062906 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1205	20	ND	1	7/12/2006	7/12/2006	
Benzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Bromobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromochloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromodichloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Bromoform	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromomethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Butanone (MEK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
n-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
sec-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
tert-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Carbon Disulfide	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Carbon tetrachloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Chlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Chloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Chloroform	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Chloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
4-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Dibromochloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Dibromomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichloroethane	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
2,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Ethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Hexachlorobutadiene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Hexanone	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847

Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-01 (TB-062906 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Isopropylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
p-Isopropyltoluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Methylene chloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Naphthalene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	V1
n-Propylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Styrene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Tetrachloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Toluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Trichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Trichlorofluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Vinyl acetate	EPA 8260B	P6G1205	25	ND	1	7/12/2006	7/12/2006	V1, N1c
Vinyl chloride	EPA 8260B	P6G1205	1.7	ND	1	7/12/2006	7/12/2006	
Xylenes, Total	EPA 8260B	P6G1205	3.0	ND	1	7/12/2006	7/12/2006	
Surrogate: Dibromofluoromethane (80-130%)				*98 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*95 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-02 (ASE-126A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1205	20	ND	1	7/12/2006	7/12/2006	
Benzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Bromobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromochloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromodichloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Bromoform	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromomethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Butanone (MEK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
n-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
sec-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
tert-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Carbon Disulfide	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Carbon tetrachloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Chlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Chloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Chloroform	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Chloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
4-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Dibromochloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Dibromomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethane	EPA 8260B	P6G1205	2.0	**12**	1	7/12/2006	7/12/2006	
1,2-Dichloroethane	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
2,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Ethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Hexachlorobutadiene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Hexanone	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847

Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-02 (ASE-126A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Isopropylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
p-Isopropyltoluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Methylene chloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Naphthalene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	V1
n-Propylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Styrene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Tetrachloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Toluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Trichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Trichlorofluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Vinyl acetate	EPA 8260B	P6G1205	25	ND	1	7/12/2006	7/12/2006	V1, N1c
Vinyl chloride	EPA 8260B	P6G1205	1.7	ND	1	7/12/2006	7/12/2006	
Xylenes, Total	EPA 8260B	P6G1205	3.0	ND	1	7/12/2006	7/12/2006	
Surrogate: Dibromofluoromethane (80-130%)				*99 %*				
Surrogate: Toluene-d8 (80-120%)				*100 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*95 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847

Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-03 (ASE-97A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1205	20	ND	1	7/12/2006	7/12/2006	
Benzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Bromobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromochloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromodichloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Bromoform	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Bromomethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Butanone (MEK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
n-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
sec-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
tert-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Carbon Disulfide	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Carbon tetrachloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Chlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Chloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Chloroform	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Chloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
4-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Dibromochloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Dibromomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethane	EPA 8260B	P6G1205	2.0	**11**	1	7/12/2006	7/12/2006	
1,2-Dichloroethane	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
2,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Ethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Hexachlorobutadiene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
2-Hexanone	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847

Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-03 (ASE-97A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Isopropylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
p-Isopropyltoluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Methylene chloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
Naphthalene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	V1
n-Propylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Styrene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Tetrachloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Toluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Trichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Trichlorofluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/12/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/12/2006	
Vinyl acetate	EPA 8260B	P6G1205	25	ND	1	7/12/2006	7/12/2006	V1, N1c
Vinyl chloride	EPA 8260B	P6G1205	1.7	ND	1	7/12/2006	7/12/2006	
Xylenes, Total	EPA 8260B	P6G1205	3.0	ND	1	7/12/2006	7/12/2006	
Surrogate: Dibromofluoromethane (80-130%)				*102 %*				
Surrogate: Toluene-d8 (80-120%)				*101 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*99 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847

Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-04 (ASE-90A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1205	20	ND	1	7/12/2006	7/13/2006	
Benzene	EPA 8260B	P6G1205	1.0	**26**	1	7/12/2006	7/13/2006	
Bromobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Bromochloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Bromodichloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Bromoform	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Bromomethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
2-Butanone (MEK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/13/2006	
n-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
sec-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
tert-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Carbon Disulfide	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Carbon tetrachloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Chlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/13/2006	
Chloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Chloroform	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Chloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
2-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
4-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Dibromochloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Dibromomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/13/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/13/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/13/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
1,1-Dichloroethane	EPA 8260B	P6G1205	2.0	**28**	1	7/12/2006	7/13/2006	
1,2-Dichloroethane	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/13/2006	
1,1-Dichloroethene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,3-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
2,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,1-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Ethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Hexachlorobutadiene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
2-Hexanone	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/13/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-04 (ASE-90A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Isopropylbenzene	EPA 8260B	P6G1205	2.0	**6.4**	1	7/12/2006	7/13/2006	
p-Isopropyltoluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Methylene chloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/13/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1205	5.0	**78**	1	7/12/2006	7/13/2006	
n-Propylbenzene	EPA 8260B	P6G1205	2.0	**5.3**	1	7/12/2006	7/13/2006	
Styrene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Tetrachloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Toluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Trichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Trichlorofluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/13/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Vinyl acetate	EPA 8260B	P6G1205	25	ND	1	7/12/2006	7/13/2006	V1, N1c
Vinyl chloride	EPA 8260B	P6G1205	1.7	**5.4**	1	7/12/2006	7/13/2006	
Xylenes, Total	EPA 8260B	P6G1205	3.0	ND	1	7/12/2006	7/13/2006	
Surrogate: Dibromofluoromethane (80-130%)				*103 %*				
Surrogate: Toluene-d8 (80-120%)				*103 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847

Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-04RE1 (ASE-90A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Naphthalene	EPA 8260B	P6G1324	2.0	**14**	1	7/13/2006	7/13/2006	
Surrogate: Dibromofluoromethane (80-130%)				*104 %*				
Surrogate: Toluene-d8 (80-120%)				*101 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*95 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-05 (ASE-105A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1205	20	ND	1	7/12/2006	7/13/2006	
Benzene	EPA 8260B	P6G1205	1.0	**150**	1	7/12/2006	7/13/2006	
Bromobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Bromochloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Bromodichloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Bromoform	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Bromomethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
2-Butanone (MEK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/13/2006	
n-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
sec-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
tert-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Carbon Disulfide	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Carbon tetrachloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Chlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/13/2006	
Chloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Chloroform	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Chloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
2-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
4-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Dibromochloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Dibromomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/13/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/13/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/13/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
1,1-Dichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,2-Dichloroethane	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/13/2006	
1,1-Dichloroethene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,3-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
2,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,1-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Ethylbenzene	EPA 8260B	P6G1205	2.0	**34**	1	7/12/2006	7/13/2006	
Hexachlorobutadiene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
2-Hexanone	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/13/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847

Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-05 (ASE-105A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Isopropylbenzene	EPA 8260B	P6G1205	2.0	**30**	1	7/12/2006	7/13/2006	
p-Isopropyltoluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Methylene chloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/13/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1205	5.0	**160**	1	7/12/2006	7/13/2006	
n-Propylbenzene	EPA 8260B	P6G1205	2.0	**15**	1	7/12/2006	7/13/2006	
Styrene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Tetrachloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Toluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Trichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Trichlorofluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/13/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1205	2.0	**11**	1	7/12/2006	7/13/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1205	2.0	**2.0**	1	7/12/2006	7/13/2006	
Vinyl acetate	EPA 8260B	P6G1205	25	ND	1	7/12/2006	7/13/2006	V1, N1c
Vinyl chloride	EPA 8260B	P6G1205	1.7	ND	1	7/12/2006	7/13/2006	
Xylenes, Total	EPA 8260B	P6G1205	3.0	**41**	1	7/12/2006	7/13/2006	
Surrogate: Dibromofluoromethane (80-130%)				*100 %*				
Surrogate: Toluene-d8 (80-120%)				*101 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*96 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847

Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-05RE1 (ASE-105A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Naphthalene	EPA 8260B	P6G1324	2.0	**36**	1	7/13/2006	7/13/2006	
Surrogate: Dibromofluoromethane (80-130%)				*99 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*95 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847

Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-06 (ASE-112A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1205	20	ND	1	7/12/2006	7/13/2006	
Benzene	EPA 8260B	P6G1205	1.0	**120**	1	7/12/2006	7/13/2006	
Bromobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Bromochloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Bromodichloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Bromoform	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Bromomethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
2-Butanone (MEK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/13/2006	
n-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
sec-Butylbenzene	EPA 8260B	P6G1205	5.0	**7.3**	1	7/12/2006	7/13/2006	
tert-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Carbon Disulfide	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Carbon tetrachloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Chlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/13/2006	
Chloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Chloroform	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Chloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
2-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
4-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Dibromochloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Dibromomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/13/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/13/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/13/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
1,1-Dichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,2-Dichloroethane	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/13/2006	
1,1-Dichloroethene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,3-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
2,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,1-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Ethylbenzene	EPA 8260B	P6G1205	2.0	**13**	1	7/12/2006	7/13/2006	
Hexachlorobutadiene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
2-Hexanone	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/13/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847

Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-06 (ASE-112A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Isopropylbenzene	EPA 8260B	P6G1205	2.0	**24**	1	7/12/2006	7/13/2006	
p-Isopropyltoluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Methylene chloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/13/2006	
Naphthalene	EPA 8260B	P6G1205	2.0	**25**	1	7/12/2006	7/13/2006	V1, N1c
n-Propylbenzene	EPA 8260B	P6G1205	2.0	**14**	1	7/12/2006	7/13/2006	
Styrene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Tetrachloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Toluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Trichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Trichlorofluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/13/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1205	2.0	**17**	1	7/12/2006	7/13/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Vinyl acetate	EPA 8260B	P6G1205	25	ND	1	7/12/2006	7/13/2006	V1, N1c
Vinyl chloride	EPA 8260B	P6G1205	1.7	ND	1	7/12/2006	7/13/2006	
Xylenes, Total	EPA 8260B	P6G1205	3.0	**20**	1	7/12/2006	7/13/2006	
Surrogate: Dibromofluoromethane (80-130%)				*103 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*96 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847

Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-06RE1 (ASE-112A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1324	50	**210**	10	7/13/2006	7/13/2006	
Surrogate: Dibromofluoromethane (80-130%)				*102 %*				
Surrogate: Toluene-d8 (80-120%)				*101 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*97 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847

Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-06RE2 (ASE-112A-6B3 - Water) - cont.								**H1**
Reporting Units: ug/l								
Naphthalene	EPA 8260B	P6G1432	2.0	**32**	1	7/14/2006	7/14/2006	
Surrogate: Dibromofluoromethane (80-130%)				*114 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*102 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-07 (PL-503-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1205	20	ND	1	7/12/2006	7/13/2006	
Benzene	EPA 8260B	P6G1205	1.0	**110**	1	7/12/2006	7/13/2006	
Bromobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Bromochloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Bromodichloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Bromoform	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Bromomethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
2-Butanone (MEK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/13/2006	
n-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
sec-Butylbenzene	EPA 8260B	P6G1205	5.0	**7.2**	1	7/12/2006	7/13/2006	
tert-Butylbenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Carbon Disulfide	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Carbon tetrachloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Chlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/13/2006	
Chloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Chloroform	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Chloromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
2-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
4-Chlorotoluene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
Dibromochloromethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Dibromomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/13/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/13/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/13/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
1,1-Dichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,2-Dichloroethane	EPA 8260B	P6G1205	1.0	ND	1	7/12/2006	7/13/2006	
1,1-Dichloroethene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,3-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
2,2-Dichloropropane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,1-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Ethylbenzene	EPA 8260B	P6G1205	2.0	**13**	1	7/12/2006	7/13/2006	
Hexachlorobutadiene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
2-Hexanone	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/13/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847

Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-07 (PL-503-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Isopropylbenzene	EPA 8260B	P6G1205	2.0	**23**	1	7/12/2006	7/13/2006	
p-Isopropyltoluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Methylene chloride	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/13/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1205	5.0	**200**	1	7/12/2006	7/13/2006	
Naphthalene	EPA 8260B	P6G1205	2.0	**25**	1	7/12/2006	7/13/2006	V1, N1c
n-Propylbenzene	EPA 8260B	P6G1205	2.0	**14**	1	7/12/2006	7/13/2006	
Styrene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Tetrachloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Toluene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Trichloroethene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Trichlorofluoromethane	EPA 8260B	P6G1205	5.0	ND	1	7/12/2006	7/13/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1205	10	ND	1	7/12/2006	7/13/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1205	2.0	**17**	1	7/12/2006	7/13/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1205	2.0	ND	1	7/12/2006	7/13/2006	
Vinyl acetate	EPA 8260B	P6G1205	25	ND	1	7/12/2006	7/13/2006	V1, N1c
Vinyl chloride	EPA 8260B	P6G1205	1.7	ND	1	7/12/2006	7/13/2006	
Xylenes, Total	EPA 8260B	P6G1205	3.0	**19**	1	7/12/2006	7/13/2006	
Surrogate: Dibromofluoromethane (80-130%)				*100 %*				
Surrogate: Toluene-d8 (80-120%)				*100 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*95 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847

Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-07RE1 (PL-503-6B3 - Water) - cont.								**H1**
Reporting Units: ug/l								
Naphthalene	EPA 8260B	P6G1432	2.0	**29**	1	7/14/2006	7/14/2006	
Surrogate: Dibromofluoromethane (80-130%)				*108 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*100 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-08 (ASE-89A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1215	20	ND	1	7/12/2006	7/12/2006	M1
Benzene	EPA 8260B	P6G1215	1.0	**320**	1	7/12/2006	7/12/2006	N1, N1b, M3
Bromobenzene	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
Bromochloromethane	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
Bromodichloromethane	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
Bromoform	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
Bromomethane	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
2-Butanone (MEK)	EPA 8260B	P6G1215	10	ND	1	7/12/2006	7/12/2006	
n-Butylbenzene	EPA 8260B	P6G1215	5.0	**8.2**	1	7/12/2006	7/12/2006	
sec-Butylbenzene	EPA 8260B	P6G1215	5.0	**13**	1	7/12/2006	7/12/2006	
tert-Butylbenzene	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
Carbon Disulfide	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
Carbon tetrachloride	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
Chlorobenzene	EPA 8260B	P6G1215	1.0	ND	1	7/12/2006	7/12/2006	
Chloroethane	EPA 8260B	P6G1215	5.0	**6.4**	1	7/12/2006	7/12/2006	
Chloroform	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
Chloromethane	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
2-Chlorotoluene	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
4-Chlorotoluene	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
Dibromochloromethane	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	M1
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
Dibromomethane	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1215	1.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1215	1.0	ND	1	7/12/2006	7/12/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1215	1.0	ND	1	7/12/2006	7/12/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethane	EPA 8260B	P6G1215	2.0	**9.0**	1	7/12/2006	7/12/2006	M2
1,2-Dichloroethane	EPA 8260B	P6G1215	1.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethene	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichloropropane	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichloropropane	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
2,2-Dichloropropane	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloropropene	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
Ethylbenzene	EPA 8260B	P6G1215	2.0	**10**	1	7/12/2006	7/12/2006	
Hexachlorobutadiene	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
2-Hexanone	EPA 8260B	P6G1215	10	ND	1	7/12/2006	7/12/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847

Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-08 (ASE-89A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
Isopropylbenzene	EPA 8260B	P6G1215	2.0	**44**	1	7/12/2006	7/12/2006	
p-Isopropyltoluene	EPA 8260B	P6G1215	2.0	**2.7**	1	7/12/2006	7/12/2006	
Methylene chloride	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1215	10	ND	1	7/12/2006	7/12/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1215	5.0	**860**	1	7/12/2006	7/12/2006	N1, N1b, M3
Naphthalene	EPA 8260B	P6G1215	2.0	**160**	1	7/12/2006	7/12/2006	M3
n-Propylbenzene	EPA 8260B	P6G1215	2.0	**47**	1	7/12/2006	7/12/2006	
Styrene	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
Tetrachloroethene	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
Toluene	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
Trichloroethene	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
Trichlorofluoromethane	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1215	10	ND	1	7/12/2006	7/12/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1215	2.0	**9.8**	1	7/12/2006	7/12/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1215	2.0	**2.6**	1	7/12/2006	7/12/2006	
Vinyl acetate	EPA 8260B	P6G1215	25	ND	1	7/12/2006	7/12/2006	N1, N1a
Vinyl chloride	EPA 8260B	P6G1215	1.7	ND	1	7/12/2006	7/12/2006	
Xylenes, Total	EPA 8260B	P6G1215	3.0	ND	1	7/12/2006	7/12/2006	
Surrogate: Dibromofluoromethane (80-130%)				*94 %*				
Surrogate: Toluene-d8 (80-120%)				*94 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*91 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847

Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-08RE1 (ASE-89A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Benzene	EPA 8260B	P6G1324	50	**360**	50	7/13/2006	7/13/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1324	250	**1200**	50	7/13/2006	7/13/2006	
Vinyl acetate	EPA 8260B	P6G1324	25	ND	1	7/13/2006	7/13/2006	L3, N1c
Surrogate: Dibromofluoromethane (80-130%)				*103 %*				
Surrogate: Toluene-d8 (80-120%)				*100 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*96 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-09 (BC-8B-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1215	20	ND	1	7/12/2006	7/12/2006	
Benzene	EPA 8260B	P6G1215	1.0	ND	1	7/12/2006	7/12/2006	
Bromobenzene	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
Bromochloromethane	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
Bromodichloromethane	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
Bromoform	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
Bromomethane	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
2-Butanone (MEK)	EPA 8260B	P6G1215	10	ND	1	7/12/2006	7/12/2006	
n-Butylbenzene	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
sec-Butylbenzene	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
tert-Butylbenzene	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
Carbon Disulfide	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
Carbon tetrachloride	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
Chlorobenzene	EPA 8260B	P6G1215	1.0	ND	1	7/12/2006	7/12/2006	
Chloroethane	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
Chloroform	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
Chloromethane	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
2-Chlorotoluene	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
4-Chlorotoluene	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
Dibromochloromethane	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
Dibromomethane	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1215	1.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1215	1.0	ND	1	7/12/2006	7/12/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1215	1.0	ND	1	7/12/2006	7/12/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethane	EPA 8260B	P6G1215	2.0	**16**	1	7/12/2006	7/12/2006	
1,2-Dichloroethane	EPA 8260B	P6G1215	1.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloroethene	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
1,2-Dichloropropane	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
1,3-Dichloropropane	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
2,2-Dichloropropane	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
1,1-Dichloropropene	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
Ethylbenzene	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
Hexachlorobutadiene	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
2-Hexanone	EPA 8260B	P6G1215	10	ND	1	7/12/2006	7/12/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847

Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-09 (BC-8B-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
Isopropylbenzene	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
p-Isopropyltoluene	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
Methylene chloride	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1215	10	ND	1	7/12/2006	7/12/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
Naphthalene	EPA 8260B	P6G1215	2.0	**2.7**	1	7/12/2006	7/12/2006	
n-Propylbenzene	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
Styrene	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
Tetrachloroethene	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
Toluene	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
Trichloroethene	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
Trichlorofluoromethane	EPA 8260B	P6G1215	5.0	ND	1	7/12/2006	7/12/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1215	10	ND	1	7/12/2006	7/12/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1215	2.0	ND	1	7/12/2006	7/12/2006	
Vinyl chloride	EPA 8260B	P6G1215	1.7	**2.4**	1	7/12/2006	7/12/2006	
Xylenes, Total	EPA 8260B	P6G1215	3.0	ND	1	7/12/2006	7/12/2006	
Surrogate: Dibromofluoromethane (80-130%)				*92 %*				
Surrogate: Toluene-d8 (80-120%)				*93 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*90 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847

Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-09RE1 (BC-8B-6B3 - Water) - cont.								
Reporting Units: ug/l								
Vinyl acetate	EPA 8260B	P6G1324	25	ND	1	7/13/2006	7/13/2006	L3, N1c
Surrogate: Dibromofluoromethane (80-130%)				*99 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*93 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-10 (ASE-114A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1324	20	ND	1	7/13/2006	7/13/2006	
Benzene	EPA 8260B	P6G1324	1.0	ND	1	7/13/2006	7/13/2006	
Bromobenzene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
Bromochloromethane	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
Bromodichloromethane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Bromoform	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
Bromomethane	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
2-Butanone (MEK)	EPA 8260B	P6G1324	10	ND	1	7/13/2006	7/13/2006	
n-Butylbenzene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
sec-Butylbenzene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
tert-Butylbenzene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
Carbon Disulfide	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
Carbon tetrachloride	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
Chlorobenzene	EPA 8260B	P6G1324	1.0	ND	1	7/13/2006	7/13/2006	
Chloroethane	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
Chloroform	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Chloromethane	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
2-Chlorotoluene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
4-Chlorotoluene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
Dibromochloromethane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Dibromomethane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1324	1.0	ND	1	7/13/2006	7/13/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1324	1.0	ND	1	7/13/2006	7/13/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1324	1.0	ND	1	7/13/2006	7/13/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
1,1-Dichloroethane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,2-Dichloroethane	EPA 8260B	P6G1324	1.0	ND	1	7/13/2006	7/13/2006	
1,1-Dichloroethene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,2-Dichloropropane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,3-Dichloropropane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
2,2-Dichloropropane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,1-Dichloropropene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Ethylbenzene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Hexachlorobutadiene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
2-Hexanone	EPA 8260B	P6G1324	10	ND	1	7/13/2006	7/13/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847

Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-10 (ASE-114A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	L3
Isopropylbenzene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
p-Isopropyltoluene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Methylene chloride	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1324	10	ND	1	7/13/2006	7/13/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
Naphthalene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
n-Propylbenzene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Styrene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Tetrachloroethene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Toluene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Trichloroethene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Trichlorofluoromethane	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1324	10	ND	1	7/13/2006	7/13/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Vinyl acetate	EPA 8260B	P6G1324	25	ND	1	7/13/2006	7/13/2006	L3, N1c
Vinyl chloride	EPA 8260B	P6G1324	1.7	ND	1	7/13/2006	7/13/2006	
Xylenes, Total	EPA 8260B	P6G1324	3.0	ND	1	7/13/2006	7/13/2006	
Surrogate: Dibromofluoromethane (80-130%)				*101 %*				
Surrogate: Toluene-d8 (80-120%)				*101 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*96 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-11 (ASE-128A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1324	20	ND	1	7/13/2006	7/13/2006	
Benzene	EPA 8260B	P6G1324	1.0	ND	1	7/13/2006	7/13/2006	
Bromobenzene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
Bromochloromethane	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
Bromodichloromethane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Bromoform	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
Bromomethane	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
2-Butanone (MEK)	EPA 8260B	P6G1324	10	ND	1	7/13/2006	7/13/2006	
n-Butylbenzene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
sec-Butylbenzene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
tert-Butylbenzene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
Carbon Disulfide	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
Carbon tetrachloride	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
Chlorobenzene	EPA 8260B	P6G1324	1.0	ND	1	7/13/2006	7/13/2006	
Chloroethane	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
Chloroform	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Chloromethane	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
2-Chlorotoluene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
4-Chlorotoluene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
Dibromochloromethane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Dibromomethane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1324	1.0	ND	1	7/13/2006	7/13/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1324	1.0	ND	1	7/13/2006	7/13/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1324	1.0	ND	1	7/13/2006	7/13/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
1,1-Dichloroethane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,2-Dichloroethane	EPA 8260B	P6G1324	1.0	ND	1	7/13/2006	7/13/2006	
1,1-Dichloroethene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,2-Dichloropropane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,3-Dichloropropane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
2,2-Dichloropropane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,1-Dichloropropene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Ethylbenzene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Hexachlorobutadiene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
2-Hexanone	EPA 8260B	P6G1324	10	ND	1	7/13/2006	7/13/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847

Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-11 (ASE-128A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	L3
Isopropylbenzene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
p-Isopropyltoluene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Methylene chloride	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1324	10	ND	1	7/13/2006	7/13/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
Naphthalene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
n-Propylbenzene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Styrene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Tetrachloroethene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Toluene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Trichloroethene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Trichlorofluoromethane	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1324	10	ND	1	7/13/2006	7/13/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Vinyl acetate	EPA 8260B	P6G1324	25	ND	1	7/13/2006	7/13/2006	N1c, L3
Vinyl chloride	EPA 8260B	P6G1324	1.7	ND	1	7/13/2006	7/13/2006	
Xylenes, Total	EPA 8260B	P6G1324	3.0	ND	1	7/13/2006	7/13/2006	
Surrogate: Dibromofluoromethane (80-130%)				*103 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*97 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847

Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-12 (ASE-99A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1324	20	ND	1	7/13/2006	7/13/2006	
Benzene	EPA 8260B	P6G1324	1.0	ND	1	7/13/2006	7/13/2006	
Bromobenzene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
Bromochloromethane	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
Bromodichloromethane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Bromoform	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
Bromomethane	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
2-Butanone (MEK)	EPA 8260B	P6G1324	10	ND	1	7/13/2006	7/13/2006	
n-Butylbenzene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
sec-Butylbenzene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
tert-Butylbenzene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
Carbon Disulfide	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
Carbon tetrachloride	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
Chlorobenzene	EPA 8260B	P6G1324	1.0	ND	1	7/13/2006	7/13/2006	
Chloroethane	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
Chloroform	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Chloromethane	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
2-Chlorotoluene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
4-Chlorotoluene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
Dibromochloromethane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Dibromomethane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1324	1.0	ND	1	7/13/2006	7/13/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1324	1.0	ND	1	7/13/2006	7/13/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1324	1.0	ND	1	7/13/2006	7/13/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
1,1-Dichloroethane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,2-Dichloroethane	EPA 8260B	P6G1324	1.0	ND	1	7/13/2006	7/13/2006	
1,1-Dichloroethene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,2-Dichloropropane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,3-Dichloropropane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
2,2-Dichloropropane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,1-Dichloropropene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Ethylbenzene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Hexachlorobutadiene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
2-Hexanone	EPA 8260B	P6G1324	10	ND	1	7/13/2006	7/13/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-12 (ASE-99A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	L3
Isopropylbenzene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
p-Isopropyltoluene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Methylene chloride	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1324	10	ND	1	7/13/2006	7/13/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
Naphthalene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
n-Propylbenzene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Styrene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Tetrachloroethene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Toluene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Trichloroethene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Trichlorofluoromethane	EPA 8260B	P6G1324	5.0	ND	1	7/13/2006	7/13/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1324	10	ND	1	7/13/2006	7/13/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1324	2.0	ND	1	7/13/2006	7/13/2006	
Vinyl acetate	EPA 8260B	P6G1324	25	ND	1	7/13/2006	7/13/2006	L3, N1c
Vinyl chloride	EPA 8260B	P6G1324	1.7	ND	1	7/13/2006	7/13/2006	
Xylenes, Total	EPA 8260B	P6G1324	3.0	ND	1	7/13/2006	7/13/2006	
Surrogate: Dibromofluoromethane (80-130%)				*104 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-02 (ASE-126A-6B3 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6F2910	3.0	ND	1	6/29/2006	7/3/2006	
Acenaphthylene	EPA 8310	P6F2910	3.0	ND	1	6/29/2006	7/3/2006	
Anthracene	EPA 8310	P6F2910	0.30	ND	1	6/29/2006	7/3/2006	
Benzo(a)anthracene	EPA 8310	P6F2910	0.050	ND	1	6/29/2006	7/3/2006	
Benzo(a)pyrene	EPA 8310	P6F2910	0.10	ND	1	6/29/2006	7/3/2006	
Benzo(b)fluoranthene	EPA 8310	P6F2910	0.30	ND	1	6/29/2006	7/3/2006	
Benzo(g,h,i)perylene	EPA 8310	P6F2910	0.30	ND	1	6/29/2006	7/3/2006	
Benzo(k)fluoranthene	EPA 8310	P6F2910	0.30	ND	1	6/29/2006	7/3/2006	
Chrysene	EPA 8310	P6F2910	0.30	ND	1	6/29/2006	7/3/2006	
Dibenz(a,h)anthracene	EPA 8310	P6F2910	0.50	ND	1	6/29/2006	7/3/2006	
Fluoranthene	EPA 8310	P6F2910	0.30	ND	1	6/29/2006	7/3/2006	
Fluorene	EPA 8310	P6F2910	0.30	ND	1	6/29/2006	7/3/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6F2910	0.30	ND	1	6/29/2006	7/3/2006	
Naphthalene	EPA 8310	P6F2910	2.0	ND	1	6/29/2006	7/3/2006	
Phenanthrene	EPA 8310	P6F2910	0.30	ND	1	6/29/2006	7/3/2006	
Pyrene	EPA 8310	P6F2910	0.30	ND	1	6/29/2006	7/3/2006	
Surrogate: 2-Methylanthracene (50-115%)				*89 %*				
Sample ID: PPF0847-05 (ASE-105A-6B3 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6F2910	3.0	ND	1.01	6/29/2006	7/3/2006	
Acenaphthylene	EPA 8310	P6F2910	3.0	ND	1.01	6/29/2006	7/3/2006	
Anthracene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Benzo(a)anthracene	EPA 8310	P6F2910	0.050	ND	1.01	6/29/2006	7/3/2006	
Benzo(a)pyrene	EPA 8310	P6F2910	0.10	ND	1.01	6/29/2006	7/3/2006	
Benzo(b)fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Benzo(g,h,i)perylene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Benzo(k)fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Chrysene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Dibenz(a,h)anthracene	EPA 8310	P6F2910	0.50	ND	1.01	6/29/2006	7/3/2006	
Fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Fluorene	EPA 8310	P6F2910	0.30	**0.32**	1.01	6/29/2006	7/3/2006	C6
Indeno(1,2,3-cd)pyrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Naphthalene	EPA 8310	P6F2910	2.0	**17**	1.01	6/29/2006	7/3/2006	
Phenanthrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	C7
Pyrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Surrogate: 2-Methylanthracene (50-115%)				*81 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847

Sampled: 06/29/06
Received: 06/29/06

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-06 (ASE-112A-6B3 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6F2910	3.0	ND	1.02	6/29/2006	7/3/2006	
Acenaphthylene	EPA 8310	P6F2910	3.0	ND	1.02	6/29/2006	7/3/2006	
Anthracene	EPA 8310	P6F2910	0.30	ND	1.02	6/29/2006	7/3/2006	
Benzo(a)anthracene	EPA 8310	P6F2910	0.050	ND	1.02	6/29/2006	7/3/2006	
Benzo(a)pyrene	EPA 8310	P6F2910	0.10	ND	1.02	6/29/2006	7/3/2006	
Benzo(b)fluoranthene	EPA 8310	P6F2910	0.30	ND	1.02	6/29/2006	7/3/2006	
Benzo(g,h,i)perylene	EPA 8310	P6F2910	0.30	ND	1.02	6/29/2006	7/3/2006	
Benzo(k)fluoranthene	EPA 8310	P6F2910	0.30	ND	1.02	6/29/2006	7/3/2006	
Chrysene	EPA 8310	P6F2910	0.30	ND	1.02	6/29/2006	7/3/2006	
Dibenz(a,h)anthracene	EPA 8310	P6F2910	0.50	ND	1.02	6/29/2006	7/3/2006	
Fluoranthene	EPA 8310	P6F2910	0.30	ND	1.02	6/29/2006	7/3/2006	
Fluorene	EPA 8310	P6F2910	0.30	**0.37**	1.02	6/29/2006	7/3/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6F2910	0.30	ND	1.02	6/29/2006	7/3/2006	
Naphthalene	EPA 8310	P6F2910	2.0	**15**	1.02	6/29/2006	7/3/2006	
Phenanthrene	EPA 8310	P6F2910	0.30	ND	1.02	6/29/2006	7/3/2006	
Pyrene	EPA 8310	P6F2910	0.30	ND	1.02	6/29/2006	7/3/2006	
Surrogate: 2-Methylanthracene (50-115%)				*82 %*				
Sample ID: PPF0847-07 (PL-503-6B3 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6F2910	3.0	ND	1	6/29/2006	7/3/2006	
Acenaphthylene	EPA 8310	P6F2910	3.0	ND	1	6/29/2006	7/3/2006	
Anthracene	EPA 8310	P6F2910	0.30	ND	1	6/29/2006	7/3/2006	
Benzo(a)anthracene	EPA 8310	P6F2910	0.050	ND	1	6/29/2006	7/3/2006	
Benzo(a)pyrene	EPA 8310	P6F2910	0.10	ND	1	6/29/2006	7/3/2006	
Benzo(b)fluoranthene	EPA 8310	P6F2910	0.30	ND	1	6/29/2006	7/3/2006	
Benzo(g,h,i)perylene	EPA 8310	P6F2910	0.30	ND	1	6/29/2006	7/3/2006	
Benzo(k)fluoranthene	EPA 8310	P6F2910	0.30	ND	1	6/29/2006	7/3/2006	
Chrysene	EPA 8310	P6F2910	0.30	ND	1	6/29/2006	7/3/2006	
Dibenz(a,h)anthracene	EPA 8310	P6F2910	0.50	ND	1	6/29/2006	7/3/2006	
Fluoranthene	EPA 8310	P6F2910	0.30	ND	1	6/29/2006	7/3/2006	
Fluorene	EPA 8310	P6F2910	0.30	**0.64**	1	6/29/2006	7/3/2006	C6
Indeno(1,2,3-cd)pyrene	EPA 8310	P6F2910	0.30	ND	1	6/29/2006	7/3/2006	
Naphthalene	EPA 8310	P6F2910	2.0	**16**	1	6/29/2006	7/3/2006	
Phenanthrene	EPA 8310	P6F2910	0.30	ND	1	6/29/2006	7/3/2006	
Pyrene	EPA 8310	P6F2910	0.30	ND	1	6/29/2006	7/3/2006	
Surrogate: 2-Methylanthracene (50-115%)				*86 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847

Sampled: 06/29/06
Received: 06/29/06

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0847-10 (ASE-114A-6B3 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6F2910	3.0	ND	1.01	6/29/2006	7/3/2006	
Acenaphthylene	EPA 8310	P6F2910	3.0	ND	1.01	6/29/2006	7/3/2006	
Anthracene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Benzo(a)anthracene	EPA 8310	P6F2910	0.050	ND	1.01	6/29/2006	7/3/2006	
Benzo(a)pyrene	EPA 8310	P6F2910	0.10	ND	1.01	6/29/2006	7/3/2006	
Benzo(b)fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Benzo(g,h,i)perylene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Benzo(k)fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Chrysene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Dibenz(a,h)anthracene	EPA 8310	P6F2910	0.50	ND	1.01	6/29/2006	7/3/2006	
Fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Fluorene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Naphthalene	EPA 8310	P6F2910	2.0	ND	1.01	6/29/2006	7/3/2006	
Phenanthrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Pyrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Surrogate: 2-Methylanthracene (50-115%)				*95 %*				
Sample ID: PPF0847-11 (ASE-128A-6B3 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6F2910	3.0	ND	1.01	6/29/2006	7/3/2006	
Acenaphthylene	EPA 8310	P6F2910	3.0	ND	1.01	6/29/2006	7/3/2006	
Anthracene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Benzo(a)anthracene	EPA 8310	P6F2910	0.050	ND	1.01	6/29/2006	7/3/2006	
Benzo(a)pyrene	EPA 8310	P6F2910	0.10	ND	1.01	6/29/2006	7/3/2006	
Benzo(b)fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Benzo(g,h,i)perylene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Benzo(k)fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Chrysene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Dibenz(a,h)anthracene	EPA 8310	P6F2910	0.50	ND	1.01	6/29/2006	7/3/2006	
Fluoranthene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Fluorene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Naphthalene	EPA 8310	P6F2910	2.0	ND	1.01	6/29/2006	7/3/2006	
Phenanthrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Pyrene	EPA 8310	P6F2910	0.30	ND	1.01	6/29/2006	7/3/2006	
Surrogate: 2-Methylanthracene (50-115%)				*83 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1205 Extracted: 07/12/06										
Blank Analyzed: 07/12/2006 (P6G1205-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1205 Extracted: 07/12/06										
Blank Analyzed: 07/12/2006 (P6G1205-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							*V1*
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							*V1*
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							*V1*
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							*V1, N1c*
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*26.0*		*ug/l*	*25.0*		*104*	*80-130*			
Surrogate: Toluene-d8	*25.2*		*ug/l*	*25.0*		*101*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.8*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1205 Extracted: 07/12/06										
LCS Analyzed: 07/12/2006 (P6G1205-BS1)										
Acetone	29.4	20	ug/l	25.0		118	30-150			
Benzene	25.3	1.0	ug/l	25.0		101	80-120			
Bromobenzene	25.8	5.0	ug/l	25.0		103	80-125			
Bromochloromethane	26.6	5.0	ug/l	25.0		106	80-125			
Bromodichloromethane	27.3	2.0	ug/l	25.0		109	80-120			
Bromoform	25.9	5.0	ug/l	25.0		104	70-120			
Bromomethane	26.4	5.0	ug/l	25.0		106	80-135			
2-Butanone (MEK)	26.3	10	ug/l	25.0		105	55-150			
n-Butylbenzene	24.7	5.0	ug/l	25.0		99	80-120			
sec-Butylbenzene	24.4	5.0	ug/l	25.0		98	80-130			
tert-Butylbenzene	24.8	5.0	ug/l	25.0		99	80-130			
Carbon Disulfide	21.4	5.0	ug/l	25.0		86	55-145			
Carbon tetrachloride	26.1	5.0	ug/l	25.0		104	80-120			
Chlorobenzene	24.5	1.0	ug/l	25.0		98	80-120			
Chloroethane	26.5	5.0	ug/l	25.0		106	80-125			
Chloroform	25.8	2.0	ug/l	25.0		103	80-120			
Chloromethane	26.6	5.0	ug/l	25.0		106	70-130			
2-Chlorotoluene	24.6	5.0	ug/l	25.0		98	80-120			
4-Chlorotoluene	25.2	5.0	ug/l	25.0		101	80-120			
Dibromochloromethane	23.6	2.0	ug/l	25.0		94	75-120			
1,2-Dibromo-3-chloropropane	26.1	5.0	ug/l	25.0		104	55-120			
1,2-Dibromoethane (EDB)	26.5	2.0	ug/l	25.0		106	75-125			
Dibromomethane	27.1	2.0	ug/l	25.0		108	80-125			
1,2-Dichlorobenzene	25.3	1.0	ug/l	25.0		101	80-120			
1,3-Dichlorobenzene	25.1	1.0	ug/l	25.0		100	80-125			
1,4-Dichlorobenzene	25.6	1.0	ug/l	25.0		102	80-120			
Dichlorodifluoromethane	26.8	5.0	ug/l	25.0		107	60-140			
1,1-Dichloroethane	25.6	2.0	ug/l	25.0		102	80-120			
1,2-Dichloroethane	27.3	1.0	ug/l	25.0		109	75-125			
1,1-Dichloroethene	25.6	5.0	ug/l	25.0		102	75-120			
cis-1,2-Dichloroethene	25.1	2.0	ug/l	25.0		100	80-125			
trans-1,2-Dichloroethene	25.1	2.0	ug/l	25.0		100	80-120			
1,2-Dichloropropane	25.4	2.0	ug/l	25.0		102	80-120			
1,3-Dichloropropane	25.5	2.0	ug/l	25.0		102	80-120			
2,2-Dichloropropane	26.1	2.0	ug/l	25.0		104	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1205 Extracted: 07/12/06										
LCS Analyzed: 07/12/2006 (P6G1205-BS1)										
1,1-Dichloropropene	25.4	2.0	ug/l	25.0		102	80-120			
cis-1,3-Dichloropropene	28.1	2.0	ug/l	25.0		112	75-120			
trans-1,3-Dichloropropene	29.4	2.0	ug/l	25.0		118	80-120			*V1*
Ethylbenzene	24.7	2.0	ug/l	25.0		99	80-125			
Hexachlorobutadiene	21.4	5.0	ug/l	25.0		86	70-130			
2-Hexanone	27.6	10	ug/l	25.0		110	40-150			
Iodomethane	23.2	2.0	ug/l	25.0		93	80-130			
Isopropylbenzene	26.4	2.0	ug/l	25.0		106	80-140			
p-Isopropyltoluene	25.1	2.0	ug/l	25.0		100	80-130			
Methylene chloride	23.5	5.0	ug/l	25.0		94	80-120			
4-Methyl-2-pentanone (MIBK)	26.9	10	ug/l	25.0		108	50-140			*V1*
Methyl-tert-butyl Ether (MTBE)	30.6	5.0	ug/l	25.0		122	65-130			
Naphthalene	22.2	2.0	ug/l	25.0		89	70-130			
n-Propylbenzene	25.7	2.0	ug/l	25.0		103	80-135			
Styrene	29.2	2.0	ug/l	25.0		117	80-125			
1,1,1,2-Tetrachloroethane	24.8	5.0	ug/l	25.0		99	80-120			
1,1,2,2-Tetrachloroethane	27.4	2.0	ug/l	25.0		110	65-140			
Tetrachloroethene	24.2	2.0	ug/l	25.0		97	80-125			
Toluene	25.2	2.0	ug/l	25.0		101	80-125			
1,2,3-Trichlorobenzene	20.4	5.0	ug/l	25.0		82	75-125			*V1*
1,2,4-Trichlorobenzene	22.4	5.0	ug/l	25.0		90	80-125			
1,1,1-Trichloroethane	26.1	2.0	ug/l	25.0		104	75-125			
1,1,2-Trichloroethane	26.1	2.0	ug/l	25.0		104	80-125			
Trichloroethene	24.8	2.0	ug/l	25.0		99	80-120			
Trichlorofluoromethane	27.4	5.0	ug/l	25.0		110	75-130			
1,2,3-Trichloropropane	27.5	10	ug/l	25.0		110	65-135			
1,2,4-Trimethylbenzene	25.2	2.0	ug/l	25.0		101	80-125			
1,3,5-Trimethylbenzene	25.4	2.0	ug/l	25.0		102	80-130			
Vinyl acetate	34.5	25	ug/l	25.0		138	70-140			*V1, N1c*
Vinyl chloride	26.0	1.7	ug/l	25.0		104	70-135			
Xylenes, Total	49.2	3.0	ug/l	50.0		98	80-125			
Surrogate: Dibromofluoromethane	*25.0*		*ug/l*	*25.0*		*100*	*80-130*			
Surrogate: Toluene-d8	*24.5*		*ug/l*	*25.0*		*98*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.3*		*ug/l*	*25.0*		*93*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1205 Extracted: 07/12/06										
LCS Dup Analyzed: 07/12/2006 (P6G1205-BSD1)										
Acetone	25.8	20	ug/l	25.0		103	30-150	13	35	
Benzene	25.0	1.0	ug/l	25.0		100	80-120	1	10	
Bromobenzene	24.9	5.0	ug/l	25.0		100	80-125	4	10	
Bromochloromethane	25.2	5.0	ug/l	25.0		101	80-125	5	15	
Bromodichloromethane	26.2	2.0	ug/l	25.0		105	80-120	4	15	
Bromoform	23.1	5.0	ug/l	25.0		92	70-120	11	20	
Bromomethane	25.1	5.0	ug/l	25.0		100	80-135	5	15	
2-Butanone (MEK)	22.5	10	ug/l	25.0		90	55-150	16	35	
n-Butylbenzene	25.5	5.0	ug/l	25.0		102	80-120	3	10	
sec-Butylbenzene	25.0	5.0	ug/l	25.0		100	80-130	2	10	
tert-Butylbenzene	25.3	5.0	ug/l	25.0		101	80-130	2	10	
Carbon Disulfide	21.8	5.0	ug/l	25.0		87	55-145	2	15	
Carbon tetrachloride	25.7	5.0	ug/l	25.0		103	80-120	2	15	
Chlorobenzene	25.2	1.0	ug/l	25.0		101	80-120	3	10	
Chloroethane	25.4	5.0	ug/l	25.0		102	80-125	4	15	
Chloroform	24.9	2.0	ug/l	25.0		100	80-120	4	10	
Chloromethane	25.5	5.0	ug/l	25.0		102	70-130	4	15	
2-Chlorotoluene	24.7	5.0	ug/l	25.0		99	80-120	0	10	
4-Chlorotoluene	24.8	5.0	ug/l	25.0		99	80-120	2	10	
Dibromochloromethane	23.0	2.0	ug/l	25.0		92	75-120	3	15	
1,2-Dibromo-3-chloropropane	22.2	5.0	ug/l	25.0		89	55-120	16	35	
1,2-Dibromoethane (EDB)	24.8	2.0	ug/l	25.0		99	75-125	7	20	
Dibromomethane	25.4	2.0	ug/l	25.0		102	80-125	6	20	
1,2-Dichlorobenzene	24.5	1.0	ug/l	25.0		98	80-120	3	10	
1,3-Dichlorobenzene	24.6	1.0	ug/l	25.0		98	80-125	2	10	
1,4-Dichlorobenzene	25.2	1.0	ug/l	25.0		101	80-120	2	10	
Dichlorodifluoromethane	25.6	5.0	ug/l	25.0		102	60-140	5	15	
1,1-Dichloroethane	24.8	2.0	ug/l	25.0		99	80-120	3	10	
1,2-Dichloroethane	24.9	1.0	ug/l	25.0		100	75-125	9	20	
1,1-Dichloroethene	24.3	5.0	ug/l	25.0		97	75-120	5	15	
cis-1,2-Dichloroethene	24.3	2.0	ug/l	25.0		97	80-125	3	10	
trans-1,2-Dichloroethene	24.0	2.0	ug/l	25.0		96	80-120	4	10	
1,2-Dichloropropane	24.6	2.0	ug/l	25.0		98	80-120	3	15	
1,3-Dichloropropane	24.8	2.0	ug/l	25.0		99	80-120	3	15	
2,2-Dichloropropane	25.3	2.0	ug/l	25.0		101	70-130	3	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1205 Extracted: 07/12/06										
LCS Dup Analyzed: 07/12/2006 (P6G1205-BSD1)										
1,1-Dichloropropene	25.5	2.0	ug/l	25.0		102	80-120	0	10	
cis-1,3-Dichloropropene	27.2	2.0	ug/l	25.0		109	75-120	3	15	
trans-1,3-Dichloropropene	27.3	2.0	ug/l	25.0		109	80-120	7	20	*V1*
Ethylbenzene	25.5	2.0	ug/l	25.0		102	80-125	3	15	
Hexachlorobutadiene	22.6	5.0	ug/l	25.0		90	70-130	5	15	
2-Hexanone	23.9	10	ug/l	25.0		96	40-150	14	35	
Iodomethane	23.3	2.0	ug/l	25.0		93	80-130	0	10	
Isopropylbenzene	26.8	2.0	ug/l	25.0		107	80-140	2	10	
p-Isopropyltoluene	25.3	2.0	ug/l	25.0		101	80-130	1	15	
Methylene chloride	22.2	5.0	ug/l	25.0		89	80-120	6	10	
4-Methyl-2-pentanone (MIBK)	23.2	10	ug/l	25.0		93	50-140	15	35	*V1*
Methyl-tert-butyl Ether (MTBE)	26.7	5.0	ug/l	25.0		107	65-130	14	25	
Naphthalene	25.5	2.0	ug/l	25.0		102	70-130	14	20	
n-Propylbenzene	26.0	2.0	ug/l	25.0		104	80-135	1	10	
Styrene	29.5	2.0	ug/l	25.0		118	80-125	1	15	
1,1,1,2-Tetrachloroethane	24.9	5.0	ug/l	25.0		100	80-120	0	15	
1,1,2,2-Tetrachloroethane	24.5	2.0	ug/l	25.0		98	65-140	11	25	
Tetrachloroethene	25.2	2.0	ug/l	25.0		101	80-125	4	15	
Toluene	25.3	2.0	ug/l	25.0		101	80-125	0	10	
1,2,3-Trichlorobenzene	29.2	5.0	ug/l	25.0		117	75-125	35	15	*V1, R6*
1,2,4-Trichlorobenzene	23.9	5.0	ug/l	25.0		96	80-125	6	15	
1,1,1-Trichloroethane	25.2	2.0	ug/l	25.0		101	75-125	4	10	
1,1,2-Trichloroethane	24.5	2.0	ug/l	25.0		98	80-125	6	25	
Trichloroethene	24.8	2.0	ug/l	25.0		99	80-120	0	10	
Trichlorofluoromethane	26.5	5.0	ug/l	25.0		106	75-130	3	10	
1,2,3-Trichloropropane	23.9	10	ug/l	25.0		96	65-135	14	25	
1,2,4-Trimethylbenzene	25.0	2.0	ug/l	25.0		100	80-125	1	10	
1,3,5-Trimethylbenzene	25.3	2.0	ug/l	25.0		101	80-130	0	10	
Vinyl acetate	30.6	25	ug/l	25.0		122	70-140	12	30	*V1, N1c*
Vinyl chloride	25.9	1.7	ug/l	25.0		104	70-135	0	15	
Xylenes, Total	50.8	3.0	ug/l	50.0		102	80-125	3	15	
Surrogate: Dibromofluoromethane	*25.1*		*ug/l*	*25.0*		*100*	*80-130*			
Surrogate: Toluene-d8	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.1*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1205 Extracted: 07/12/06										
Matrix Spike Analyzed: 07/12/2006 (P6G1205-MS1)					**Source: PPF0847-02**					
Acetone	24.0	20	ug/l	25.0	ND	96	15-150			
Benzene	27.1	1.0	ug/l	25.0	ND	108	80-125			
Bromobenzene	27.6	5.0	ug/l	25.0	ND	110	80-125			
Bromochloromethane	27.2	5.0	ug/l	25.0	ND	109	80-130			
Bromodichloromethane	27.4	2.0	ug/l	25.0	ND	110	70-130			
Bromoform	24.2	5.0	ug/l	25.0	ND	97	70-120			
Bromomethane	27.2	5.0	ug/l	25.0	ND	109	80-135			
2-Butanone (MEK)	22.6	10	ug/l	25.0	ND	90	30-150			
n-Butylbenzene	27.7	5.0	ug/l	25.0	ND	111	80-135			
sec-Butylbenzene	27.7	5.0	ug/l	25.0	ND	111	80-130			
tert-Butylbenzene	28.1	5.0	ug/l	25.0	ND	112	80-130			
Carbon Disulfide	22.9	5.0	ug/l	25.0	ND	92	45-150			
Carbon tetrachloride	27.6	5.0	ug/l	25.0	ND	110	65-135			
Chlorobenzene	27.4	1.0	ug/l	25.0	ND	110	80-125			
Chloroethane	28.2	5.0	ug/l	25.0	ND	113	80-125			
Chloroform	26.8	2.0	ug/l	25.0	ND	107	75-130			
Chloromethane	27.2	5.0	ug/l	25.0	ND	109	65-130			
2-Chlorotoluene	27.4	5.0	ug/l	25.0	ND	110	80-130			
4-Chlorotoluene	27.5	5.0	ug/l	25.0	ND	110	80-135			
Dibromochloromethane	24.1	2.0	ug/l	25.0	ND	96	75-120			
1,2-Dibromo-3-chloropropane	21.6	5.0	ug/l	25.0	ND	86	50-130			
1,2-Dibromoethane (EDB)	26.4	2.0	ug/l	25.0	ND	106	70-130			
Dibromomethane	26.4	2.0	ug/l	25.0	ND	106	75-130			
1,2-Dichlorobenzene	26.5	1.0	ug/l	25.0	ND	106	80-130			
1,3-Dichlorobenzene	27.2	1.0	ug/l	25.0	ND	109	80-130			
1,4-Dichlorobenzene	27.3	1.0	ug/l	25.0	ND	109	80-125			
Dichlorodifluoromethane	27.1	5.0	ug/l	25.0	ND	108	60-140			
1,1-Dichloroethane	38.3	2.0	ug/l	25.0	12	105	80-125			
1,2-Dichloroethane	26.6	1.0	ug/l	25.0	ND	106	60-145			
1,1-Dichloroethene	27.5	5.0	ug/l	25.0	0.54	108	75-130			
cis-1,2-Dichloroethene	27.4	2.0	ug/l	25.0	0.69	107	80-125			
trans-1,2-Dichloroethene	26.1	2.0	ug/l	25.0	ND	104	80-120			
1,2-Dichloropropane	26.6	2.0	ug/l	25.0	ND	106	80-125			
1,3-Dichloropropane	26.1	2.0	ug/l	25.0	ND	104	75-130			
2,2-Dichloropropane	26.6	2.0	ug/l	25.0	ND	106	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1205 Extracted: 07/12/06										
Matrix Spike Analyzed: 07/12/2006 (P6G1205-MS1)					**Source: PPF0847-02**					
1,1-Dichloropropene	27.6	2.0	ug/l	25.0	ND	110	80-125			
cis-1,3-Dichloropropene	28.1	2.0	ug/l	25.0	ND	112	75-120			
trans-1,3-Dichloropropene	28.4	2.0	ug/l	25.0	ND	114	75-130			
Ethylbenzene	27.9	2.0	ug/l	25.0	ND	112	80-130			
Hexachlorobutadiene	23.6	5.0	ug/l	25.0	ND	94	65-130			
2-Hexanone	21.2	10	ug/l	25.0	ND	85	40-150			
Iodomethane	25.0	2.0	ug/l	25.0	ND	100	70-140			
Isopropylbenzene	29.9	2.0	ug/l	25.0	ND	120	80-140			
p-Isopropyltoluene	28.2	2.0	ug/l	25.0	ND	113	80-135			
Methylene chloride	24.8	5.0	ug/l	25.0	ND	99	75-125			
4-Methyl-2-pentanone (MIBK)	22.4	10	ug/l	25.0	ND	90	40-140			
Methyl-tert-butyl Ether (MTBE)	28.9	5.0	ug/l	25.0	0.78	112	65-135			
Naphthalene	24.0	2.0	ug/l	25.0	ND	96	60-140			*V1*
n-Propylbenzene	29.0	2.0	ug/l	25.0	ND	116	80-140			
Styrene	32.0	2.0	ug/l	25.0	ND	128	30-150			
1,1,1,2-Tetrachloroethane	26.6	5.0	ug/l	25.0	ND	106	80-130			
1,1,2,2-Tetrachloroethane	26.1	2.0	ug/l	25.0	ND	104	65-140			
Tetrachloroethene	27.2	2.0	ug/l	25.0	ND	109	80-130			
Toluene	27.4	2.0	ug/l	25.0	ND	110	80-130			
1,2,3-Trichlorobenzene	25.8	5.0	ug/l	25.0	ND	103	75-140			*V1*
1,2,4-Trichlorobenzene	24.6	5.0	ug/l	25.0	ND	98	80-135			
1,1,1-Trichloroethane	26.9	2.0	ug/l	25.0	ND	108	70-135			
1,1,2-Trichloroethane	25.5	2.0	ug/l	25.0	ND	102	70-135			
Trichloroethene	28.1	2.0	ug/l	25.0	1.6	106	80-125			
Trichlorofluoromethane	28.6	5.0	ug/l	25.0	ND	114	70-140			
1,2,3-Trichloropropane	25.0	10	ug/l	25.0	ND	100	65-135			
1,2,4-Trimethylbenzene	27.8	2.0	ug/l	25.0	ND	111	75-130			
1,3,5-Trimethylbenzene	27.9	2.0	ug/l	25.0	ND	112	80-135			
Vinyl acetate	30.6	25	ug/l	25.0	ND	122	30-150			*V1, N1c*
Vinyl chloride	28.9	1.7	ug/l	25.0	0.87	112	70-135			
Xylenes, Total	54.8	3.0	ug/l	50.0	ND	110	80-125			
Surrogate: Dibromofluoromethane	*25.0*		*ug/l*	*25.0*		*100*	*80-130*			
Surrogate: Toluene-d8	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.8*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1205 Extracted: 07/12/06										
Matrix Spike Dup Analyzed: 07/12/2006 (P6G1205-MSD1)					**Source: PPF0847-02**					
Acetone	25.0	20	ug/l	25.0	ND	100	15-150	4	35	
Benzene	25.9	1.0	ug/l	25.0	ND	104	80-125	5	10	
Bromobenzene	26.3	5.0	ug/l	25.0	ND	105	80-125	5	15	
Bromochloromethane	26.2	5.0	ug/l	25.0	ND	105	80-130	4	20	
Bromodichloromethane	26.8	2.0	ug/l	25.0	ND	107	70-130	2	15	
Bromoform	23.5	5.0	ug/l	25.0	ND	94	70-120	3	25	
Bromomethane	26.6	5.0	ug/l	25.0	ND	106	80-135	2	20	
2-Butanone (MEK)	22.5	10	ug/l	25.0	ND	90	30-150	0	35	
n-Butylbenzene	26.6	5.0	ug/l	25.0	ND	106	80-135	4	20	
sec-Butylbenzene	26.6	5.0	ug/l	25.0	ND	106	80-130	4	20	
tert-Butylbenzene	26.8	5.0	ug/l	25.0	ND	107	80-130	5	20	
Carbon Disulfide	23.1	5.0	ug/l	25.0	ND	92	45-150	1	15	
Carbon tetrachloride	26.0	5.0	ug/l	25.0	ND	104	65-135	6	15	
Chlorobenzene	25.9	1.0	ug/l	25.0	ND	104	80-125	6	15	
Chloroethane	27.3	5.0	ug/l	25.0	ND	109	80-125	3	20	
Chloroform	26.2	2.0	ug/l	25.0	ND	105	75-130	2	15	
Chloromethane	26.3	5.0	ug/l	25.0	ND	105	65-130	3	20	
2-Chlorotoluene	26.4	5.0	ug/l	25.0	ND	106	80-130	4	15	
4-Chlorotoluene	26.3	5.0	ug/l	25.0	ND	105	80-135	4	15	
Dibromochloromethane	22.9	2.0	ug/l	25.0	ND	92	75-120	5	20	
1,2-Dibromo-3-chloropropane	21.4	5.0	ug/l	25.0	ND	86	50-130	1	35	
1,2-Dibromoethane (EDB)	25.0	2.0	ug/l	25.0	ND	100	70-130	5	25	
Dibromomethane	24.9	2.0	ug/l	25.0	ND	100	75-130	6	25	
1,2-Dichlorobenzene	25.9	1.0	ug/l	25.0	ND	104	80-130	2	15	
1,3-Dichlorobenzene	26.0	1.0	ug/l	25.0	ND	104	80-130	5	15	
1,4-Dichlorobenzene	26.3	1.0	ug/l	25.0	ND	105	80-125	4	10	
Dichlorodifluoromethane	26.2	5.0	ug/l	25.0	ND	105	60-140	3	45	
1,1-Dichloroethane	38.5	2.0	ug/l	25.0	12	106	80-125	1	15	
1,2-Dichloroethane	26.1	1.0	ug/l	25.0	ND	104	60-145	2	20	
1,1-Dichloroethene	26.6	5.0	ug/l	25.0	0.54	104	75-130	3	15	
cis-1,2-Dichloroethene	26.7	2.0	ug/l	25.0	0.69	104	80-125	3	15	
trans-1,2-Dichloroethene	25.5	2.0	ug/l	25.0	ND	102	80-120	2	15	
1,2-Dichloropropane	25.3	2.0	ug/l	25.0	ND	101	80-125	5	15	
1,3-Dichloropropane	24.7	2.0	ug/l	25.0	ND	99	75-130	6	20	
2,2-Dichloropropane	25.8	2.0	ug/l	25.0	ND	103	60-135	3	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1205 Extracted: 07/12/06										
Matrix Spike Dup Analyzed: 07/12/2006 (P6G1205-MSD1)					**Source: PPF0847-02**					
1,1-Dichloropropene	26.0	2.0	ug/l	25.0	ND	104	80-125	6	15	
cis-1,3-Dichloropropene	27.1	2.0	ug/l	25.0	ND	108	75-120	4	15	
trans-1,3-Dichloropropene	27.4	2.0	ug/l	25.0	ND	110	75-130	4	25	
Ethylbenzene	26.0	2.0	ug/l	25.0	ND	104	80-130	7	15	
Hexachlorobutadiene	22.9	5.0	ug/l	25.0	ND	92	65-130	3	15	
2-Hexanone	21.8	10	ug/l	25.0	ND	87	40-150	3	35	
Iodomethane	24.9	2.0	ug/l	25.0	ND	100	70-140	0	15	
Isopropylbenzene	28.8	2.0	ug/l	25.0	ND	115	80-140	4	20	
p-Isopropyltoluene	27.0	2.0	ug/l	25.0	ND	108	80-135	4	20	
Methylene chloride	24.1	5.0	ug/l	25.0	ND	96	75-125	3	15	
4-Methyl-2-pentanone (MIBK)	22.4	10	ug/l	25.0	ND	90	40-140	0	35	
Methyl-tert-butyl Ether (MTBE)	28.7	5.0	ug/l	25.0	0.78	112	65-135	1	30	
Naphthalene	22.2	2.0	ug/l	25.0	ND	89	60-140	8	30	*V1*
n-Propylbenzene	27.5	2.0	ug/l	25.0	ND	110	80-140	5	20	
Styrene	30.1	2.0	ug/l	25.0	ND	120	30-150	6	25	
1,1,1,2-Tetrachloroethane	25.1	5.0	ug/l	25.0	ND	100	80-130	6	15	
1,1,2,2-Tetrachloroethane	25.1	2.0	ug/l	25.0	ND	100	65-140	4	35	
Tetrachloroethene	25.9	2.0	ug/l	25.0	ND	104	80-130	5	15	
Toluene	26.1	2.0	ug/l	25.0	ND	104	80-130	5	15	
1,2,3-Trichlorobenzene	24.3	5.0	ug/l	25.0	ND	97	75-140	6	20	*V1*
1,2,4-Trichlorobenzene	23.0	5.0	ug/l	25.0	ND	92	80-135	7	15	
1,1,1-Trichloroethane	26.4	2.0	ug/l	25.0	ND	106	70-135	2	15	
1,1,2-Trichloroethane	24.6	2.0	ug/l	25.0	ND	98	70-135	4	25	
Trichloroethene	26.6	2.0	ug/l	25.0	1.6	100	80-125	5	15	
Trichlorofluoromethane	27.4	5.0	ug/l	25.0	ND	110	70-140	4	15	
1,2,3-Trichloropropane	24.3	10	ug/l	25.0	ND	97	65-135	3	35	
1,2,4-Trimethylbenzene	26.6	2.0	ug/l	25.0	ND	106	75-130	4	15	
1,3,5-Trimethylbenzene	27.1	2.0	ug/l	25.0	ND	108	80-135	3	15	
Vinyl acetate	30.9	25	ug/l	25.0	ND	124	30-150	1	35	*V1, N1c*
Vinyl chloride	27.8	1.7	ug/l	25.0	0.87	108	70-135	4	25	
Xylenes, Total	52.1	3.0	ug/l	50.0	ND	104	80-125	5	15	
Surrogate: Dibromofluoromethane	*25.8*		*ug/l*	*25.0*		*103*	*80-130*			
Surrogate: Toluene-d8	*25.3*		*ug/l*	*25.0*		*101*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.9*		*ug/l*	*25.0*		*96*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1215 Extracted: 07/12/06										
Blank Analyzed: 07/12/2006 (P6G1215-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1215 Extracted: 07/12/06										
Blank Analyzed: 07/12/2006 (P6G1215-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*23.0*		*ug/l*	*25.0*		*92*	*80-130*			
Surrogate: Toluene-d8	*23.2*		*ug/l*	*25.0*		*93*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.1*		*ug/l*	*25.0*		*92*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1215 Extracted: 07/12/06										
LCS Analyzed: 07/12/2006 (P6G1215-BS1)										
Acetone	16.9	20	ug/l	25.0		68	30-150			
Benzene	23.2	1.0	ug/l	25.0		93	80-120			
Bromobenzene	23.8	5.0	ug/l	25.0		95	80-125			
Bromochloromethane	23.5	5.0	ug/l	25.0		94	80-125			
Bromodichloromethane	22.9	2.0	ug/l	25.0		92	80-120			
Bromoform	22.6	5.0	ug/l	25.0		90	70-120			
Bromomethane	25.2	5.0	ug/l	25.0		101	80-135			
2-Butanone (MEK)	18.0	10	ug/l	25.0		72	55-150			
n-Butylbenzene	24.0	5.0	ug/l	25.0		96	80-120			
sec-Butylbenzene	23.9	5.0	ug/l	25.0		96	80-130			
tert-Butylbenzene	24.5	5.0	ug/l	25.0		98	80-130			
Carbon Disulfide	20.4	5.0	ug/l	25.0		82	55-145			
Carbon tetrachloride	24.2	5.0	ug/l	25.0		97	80-120			
Chlorobenzene	23.9	1.0	ug/l	25.0		96	80-120			
Chloroethane	23.8	5.0	ug/l	25.0		95	80-125			
Chloroform	23.3	2.0	ug/l	25.0		93	80-120			
Chloromethane	25.0	5.0	ug/l	25.0		100	70-130			
2-Chlorotoluene	23.6	5.0	ug/l	25.0		94	80-120			
4-Chlorotoluene	24.0	5.0	ug/l	25.0		96	80-120			
Dibromochloromethane	22.7	2.0	ug/l	25.0		91	75-120			
1,2-Dibromo-3-chloropropane	20.1	5.0	ug/l	25.0		80	55-120			
1,2-Dibromoethane (EDB)	22.0	2.0	ug/l	25.0		88	75-125			
Dibromomethane	22.2	2.0	ug/l	25.0		89	80-125			
1,2-Dichlorobenzene	23.4	1.0	ug/l	25.0		94	80-120			
1,3-Dichlorobenzene	23.8	1.0	ug/l	25.0		95	80-125			
1,4-Dichlorobenzene	23.7	1.0	ug/l	25.0		95	80-120			
Dichlorodifluoromethane	24.5	5.0	ug/l	25.0		98	60-140			
1,1-Dichloroethane	25.7	2.0	ug/l	25.0		103	80-120			
1,2-Dichloroethane	21.3	1.0	ug/l	25.0		85	75-125			
1,1-Dichloroethene	24.1	5.0	ug/l	25.0		96	75-120			
cis-1,2-Dichloroethene	23.3	2.0	ug/l	25.0		93	80-125			
trans-1,2-Dichloroethene	23.2	2.0	ug/l	25.0		93	80-120			
1,2-Dichloropropane	22.0	2.0	ug/l	25.0		88	80-120			
1,3-Dichloropropane	22.3	2.0	ug/l	25.0		89	80-120			
2,2-Dichloropropane	25.3	2.0	ug/l	25.0		101	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847

Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1215 Extracted: 07/12/06										
LCS Analyzed: 07/12/2006 (P6G1215-BS1)										
1,1-Dichloropropene	23.7	2.0	ug/l	25.0		95	80-120			
cis-1,3-Dichloropropene	23.6	2.0	ug/l	25.0		94	75-120			
trans-1,3-Dichloropropene	23.3	2.0	ug/l	25.0		93	80-120			
Ethylbenzene	24.3	2.0	ug/l	25.0		97	80-125			
Hexachlorobutadiene	22.7	5.0	ug/l	25.0		91	70-130			
2-Hexanone	18.9	10	ug/l	25.0		76	40-150			
Iodomethane	22.8	2.0	ug/l	25.0		91	80-130			
Isopropylbenzene	26.0	2.0	ug/l	25.0		104	80-140			
p-Isopropyltoluene	24.5	2.0	ug/l	25.0		98	80-130			
Methylene chloride	21.7	5.0	ug/l	25.0		87	80-120			
4-Methyl-2-pentanone (MIBK)	17.6	10	ug/l	25.0		70	50-140			
Methyl-tert-butyl Ether (MTBE)	22.5	5.0	ug/l	25.0		90	65-130			
Naphthalene	21.0	2.0	ug/l	25.0		84	70-130			
n-Propylbenzene	25.0	2.0	ug/l	25.0		100	80-135			
Styrene	28.3	2.0	ug/l	25.0		113	80-125			
1,1,1,2-Tetrachloroethane	23.1	5.0	ug/l	25.0		92	80-120			
1,1,2,2-Tetrachloroethane	20.8	2.0	ug/l	25.0		83	65-140			
Tetrachloroethene	24.8	2.0	ug/l	25.0		99	80-125			
Toluene	24.0	2.0	ug/l	25.0		96	80-125			
1,2,3-Trichlorobenzene	22.7	5.0	ug/l	25.0		91	75-125			
1,2,4-Trichlorobenzene	23.6	5.0	ug/l	25.0		94	80-125			
1,1,1-Trichloroethane	23.8	2.0	ug/l	25.0		95	75-125			
1,1,2-Trichloroethane	21.0	2.0	ug/l	25.0		84	80-125			
Trichloroethene	23.0	2.0	ug/l	25.0		92	80-120			
Trichlorofluoromethane	25.5	5.0	ug/l	25.0		102	75-130			
1,2,3-Trichloropropane	20.3	10	ug/l	25.0		81	65-135			
1,2,4-Trimethylbenzene	24.0	2.0	ug/l	25.0		96	80-125			
1,3,5-Trimethylbenzene	24.1	2.0	ug/l	25.0		96	80-130			
Vinyl acetate	25.2	25	ug/l	25.0		101	70-140			
Vinyl chloride	25.0	1.7	ug/l	25.0		100	70-135			
Xylenes, Total	48.9	3.0	ug/l	50.0		98	80-125			
Surrogate: Dibromofluoromethane	*23.1*		*ug/l*	*25.0*		*92*	*80-130*			
Surrogate: Toluene-d8	*23.1*		*ug/l*	*25.0*		*92*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.0*		*ug/l*	*25.0*		*92*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1215 Extracted: 07/12/06										
LCS Dup Analyzed: 07/12/2006 (P6G1215-BSD1)										
Acetone	17.5	20	ug/l	25.0		70	30-150	3	35	
Benzene	23.4	1.0	ug/l	25.0		94	80-120	1	10	
Bromobenzene	24.1	5.0	ug/l	25.0		96	80-125	1	10	
Bromochloromethane	23.0	5.0	ug/l	25.0		92	80-125	2	15	
Bromodichloromethane	23.5	2.0	ug/l	25.0		94	80-120	3	15	
Bromoform	23.0	5.0	ug/l	25.0		92	70-120	2	20	
Bromomethane	24.9	5.0	ug/l	25.0		100	80-135	1	15	
2-Butanone (MEK)	20.0	10	ug/l	25.0		80	55-150	11	35	
n-Butylbenzene	24.5	5.0	ug/l	25.0		98	80-120	2	10	
sec-Butylbenzene	24.2	5.0	ug/l	25.0		97	80-130	1	10	
tert-Butylbenzene	24.8	5.0	ug/l	25.0		99	80-130	1	10	
Carbon Disulfide	19.7	5.0	ug/l	25.0		79	55-145	3	15	
Carbon tetrachloride	24.1	5.0	ug/l	25.0		96	80-120	0	15	
Chlorobenzene	24.0	1.0	ug/l	25.0		96	80-120	0	10	
Chloroethane	23.9	5.0	ug/l	25.0		96	80-125	0	15	
Chloroform	23.5	2.0	ug/l	25.0		94	80-120	1	10	
Chloromethane	24.4	5.0	ug/l	25.0		98	70-130	2	15	
2-Chlorotoluene	23.9	5.0	ug/l	25.0		96	80-120	1	10	
4-Chlorotoluene	24.3	5.0	ug/l	25.0		97	80-120	1	10	
Dibromochloromethane	22.4	2.0	ug/l	25.0		90	75-120	1	15	
1,2-Dibromo-3-chloropropane	20.4	5.0	ug/l	25.0		82	55-120	1	35	
1,2-Dibromoethane (EDB)	22.1	2.0	ug/l	25.0		88	75-125	1	20	
Dibromomethane	22.7	2.0	ug/l	25.0		91	80-125	2	20	
1,2-Dichlorobenzene	23.8	1.0	ug/l	25.0		95	80-120	2	10	
1,3-Dichlorobenzene	24.1	1.0	ug/l	25.0		96	80-125	1	10	
1,4-Dichlorobenzene	24.1	1.0	ug/l	25.0		96	80-120	2	10	
Dichlorodifluoromethane	24.3	5.0	ug/l	25.0		97	60-140	1	15	
1,1-Dichloroethane	25.6	2.0	ug/l	25.0		102	80-120	0	10	
1,2-Dichloroethane	21.7	1.0	ug/l	25.0		87	75-125	2	20	
1,1-Dichloroethene	23.8	5.0	ug/l	25.0		95	75-120	1	15	
cis-1,2-Dichloroethene	23.0	2.0	ug/l	25.0		92	80-125	1	10	
trans-1,2-Dichloroethene	22.3	2.0	ug/l	25.0		89	80-120	4	10	
1,2-Dichloropropane	22.6	2.0	ug/l	25.0		90	80-120	3	15	
1,3-Dichloropropane	22.4	2.0	ug/l	25.0		90	80-120	0	15	
2,2-Dichloropropane	24.8	2.0	ug/l	25.0		99	70-130	2	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1215 Extracted: 07/12/06										
LCS Dup Analyzed: 07/12/2006 (P6G1215-BSD1)										
1,1-Dichloropropene	24.1	2.0	ug/l	25.0		96	80-120	2	10	
cis-1,3-Dichloropropene	23.6	2.0	ug/l	25.0		94	75-120	0	15	
trans-1,3-Dichloropropene	24.0	2.0	ug/l	25.0		96	80-120	3	20	
Ethylbenzene	24.2	2.0	ug/l	25.0		97	80-125	0	15	
Hexachlorobutadiene	23.4	5.0	ug/l	25.0		94	70-130	3	15	
2-Hexanone	19.2	10	ug/l	25.0		77	40-150	2	35	
Iodomethane	21.8	2.0	ug/l	25.0		87	80-130	4	10	
Isopropylbenzene	26.1	2.0	ug/l	25.0		104	80-140	0	10	
p-Isopropyltoluene	25.0	2.0	ug/l	25.0		100	80-130	2	15	
Methylene chloride	21.4	5.0	ug/l	25.0		86	80-120	1	10	
4-Methyl-2-pentanone (MIBK)	18.7	10	ug/l	25.0		75	50-140	6	35	
Methyl-tert-butyl Ether (MTBE)	25.1	5.0	ug/l	25.0		100	65-130	11	25	
Naphthalene	22.0	2.0	ug/l	25.0		88	70-130	5	20	
n-Propylbenzene	25.2	2.0	ug/l	25.0		101	80-135	1	10	
Styrene	28.5	2.0	ug/l	25.0		114	80-125	1	15	
1,1,1,2-Tetrachloroethane	23.1	5.0	ug/l	25.0		92	80-120	0	15	
1,1,2,2-Tetrachloroethane	21.5	2.0	ug/l	25.0		86	65-140	3	25	
Tetrachloroethene	24.2	2.0	ug/l	25.0		97	80-125	2	15	
Toluene	24.0	2.0	ug/l	25.0		96	80-125	0	10	
1,2,3-Trichlorobenzene	23.5	5.0	ug/l	25.0		94	75-125	3	15	
1,2,4-Trichlorobenzene	23.9	5.0	ug/l	25.0		96	80-125	1	15	
1,1,1-Trichloroethane	23.9	2.0	ug/l	25.0		96	75-125	0	10	
1,1,2-Trichloroethane	21.8	2.0	ug/l	25.0		87	80-125	4	25	
Trichloroethene	23.4	2.0	ug/l	25.0		94	80-120	2	10	
Trichlorofluoromethane	25.3	5.0	ug/l	25.0		101	75-130	1	10	
1,2,3-Trichloropropane	21.2	10	ug/l	25.0		85	65-135	4	25	
1,2,4-Trimethylbenzene	24.1	2.0	ug/l	25.0		96	80-125	0	10	
1,3,5-Trimethylbenzene	24.4	2.0	ug/l	25.0		98	80-130	1	10	
Vinyl acetate	25.6	25	ug/l	25.0		102	70-140	2	30	
Vinyl chloride	23.9	1.7	ug/l	25.0		96	70-135	4	15	
Xylenes, Total	48.4	3.0	ug/l	50.0		97	80-125	1	15	
Surrogate: Dibromofluoromethane	*23.1*		*ug/l*	*25.0*		*92*	*80-130*			
Surrogate: Toluene-d8	*23.8*		*ug/l*	*25.0*		*95*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.0*		*ug/l*	*25.0*		*92*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1215 Extracted: 07/12/06										
Matrix Spike Analyzed: 07/12/2006 (P6G1215-MS1)					**Source: PPF0847-08**					
Acetone	97.1	20	ug/l	25.0	ND	388	15-150			*M1*
Benzene	338	1.0	ug/l	25.0	320	72	80-125			*N1b, M3*
Bromobenzene	26.1	5.0	ug/l	25.0	ND	104	80-125			
Bromochloromethane	26.7	5.0	ug/l	25.0	ND	107	80-130			
Bromodichloromethane	24.6	2.0	ug/l	25.0	ND	98	70-130			
Bromoform	26.2	5.0	ug/l	25.0	ND	105	70-120			
Bromomethane	25.2	5.0	ug/l	25.0	ND	101	80-135			
2-Butanone (MEK)	23.9	10	ug/l	25.0	ND	96	30-150			
n-Butylbenzene	32.6	5.0	ug/l	25.0	8.2	98	80-135			
sec-Butylbenzene	38.0	5.0	ug/l	25.0	13	100	80-130			
tert-Butylbenzene	26.7	5.0	ug/l	25.0	1.5	101	80-130			
Carbon Disulfide	21.5	5.0	ug/l	25.0	ND	86	45-150			
Carbon tetrachloride	23.7	5.0	ug/l	25.0	ND	95	65-135			
Chlorobenzene	25.3	1.0	ug/l	25.0	ND	101	80-125			
Chloroethane	29.9	5.0	ug/l	25.0	6.4	94	80-125			
Chloroform	24.7	2.0	ug/l	25.0	ND	99	75-130			
Chloromethane	24.5	5.0	ug/l	25.0	ND	98	65-130			
2-Chlorotoluene	24.5	5.0	ug/l	25.0	ND	98	80-130			
4-Chlorotoluene	25.5	5.0	ug/l	25.0	ND	102	80-135			
Dibromochloromethane	24.8	2.0	ug/l	25.0	ND	99	75-120			
1,2-Dibromo-3-chloropropane	35.5	5.0	ug/l	25.0	ND	142	50-130			*M1*
1,2-Dibromoethane (EDB)	25.8	2.0	ug/l	25.0	ND	103	70-130			
Dibromomethane	25.8	2.0	ug/l	25.0	ND	103	75-130			
1,2-Dichlorobenzene	24.8	1.0	ug/l	25.0	ND	99	80-130			
1,3-Dichlorobenzene	24.6	1.0	ug/l	25.0	ND	98	80-130			
1,4-Dichlorobenzene	24.8	1.0	ug/l	25.0	ND	99	80-125			
Dichlorodifluoromethane	22.9	5.0	ug/l	25.0	ND	92	60-140			
1,1-Dichloroethane	28.7	2.0	ug/l	25.0	9.0	79	80-125			*M2*
1,2-Dichloroethane	23.6	1.0	ug/l	25.0	ND	94	60-145			
1,1-Dichloroethene	25.2	5.0	ug/l	25.0	ND	101	75-130			
cis-1,2-Dichloroethene	27.0	2.0	ug/l	25.0	1.8	101	80-125			
trans-1,2-Dichloroethene	24.0	2.0	ug/l	25.0	ND	96	80-120			
1,2-Dichloropropane	24.0	2.0	ug/l	25.0	ND	96	80-125			
1,3-Dichloropropane	25.1	2.0	ug/l	25.0	ND	100	75-130			
2,2-Dichloropropane	21.1	2.0	ug/l	25.0	ND	84	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1215 Extracted: 07/12/06										
Matrix Spike Analyzed: 07/12/2006 (P6G1215-MS1)					**Source: PPF0847-08**					
1,1-Dichloropropene	24.4	2.0	ug/l	25.0	ND	98	80-125			
cis-1,3-Dichloropropene	25.5	2.0	ug/l	25.0	ND	102	75-120			
trans-1,3-Dichloropropene	26.0	2.0	ug/l	25.0	ND	104	75-130			
Ethylbenzene	35.6	2.0	ug/l	25.0	10	102	80-130			
Hexachlorobutadiene	22.4	5.0	ug/l	25.0	ND	90	65-130			
2-Hexanone	22.8	10	ug/l	25.0	ND	91	40-150			
Iodomethane	23.7	2.0	ug/l	25.0	ND	95	70-140			
Isopropylbenzene	69.8	2.0	ug/l	25.0	44	103	80-140			
p-Isopropyltoluene	27.5	2.0	ug/l	25.0	2.7	99	80-135			
Methylene chloride	23.7	5.0	ug/l	25.0	ND	95	75-125			
4-Methyl-2-pentanone (MIBK)	25.0	10	ug/l	25.0	ND	100	40-140			
Methyl-tert-butyl Ether (MTBE)	934	5.0	ug/l	25.0	860	296	65-135			*N1b, M3*
Naphthalene	204	2.0	ug/l	25.0	160	176	60-140			*N1b, M3*
n-Propylbenzene	73.0	2.0	ug/l	25.0	47	104	80-140			
Styrene	27.8	2.0	ug/l	25.0	ND	111	30-150			
1,1,1,2-Tetrachloroethane	24.3	5.0	ug/l	25.0	ND	97	80-130			
1,1,2,2-Tetrachloroethane	25.9	2.0	ug/l	25.0	ND	104	65-140			
Tetrachloroethene	25.4	2.0	ug/l	25.0	ND	102	80-130			
Toluene	25.7	2.0	ug/l	25.0	0.52	101	80-130			
1,2,3-Trichlorobenzene	25.2	5.0	ug/l	25.0	ND	101	75-140			
1,2,4-Trichlorobenzene	25.2	5.0	ug/l	25.0	ND	101	80-135			
1,1,1-Trichloroethane	23.6	2.0	ug/l	25.0	ND	94	70-135			
1,1,2-Trichloroethane	27.3	2.0	ug/l	25.0	ND	109	70-135			
Trichloroethene	25.0	2.0	ug/l	25.0	ND	100	80-125			
Trichlorofluoromethane	24.7	5.0	ug/l	25.0	ND	99	70-140			
1,2,3-Trichloropropane	25.4	10	ug/l	25.0	ND	102	65-135			
1,2,4-Trimethylbenzene	34.6	2.0	ug/l	25.0	9.8	99	75-130			
1,3,5-Trimethylbenzene	27.8	2.0	ug/l	25.0	2.6	101	80-135			
Vinyl acetate	31.2	25	ug/l	25.0	ND	125	30-150			*N1a*
Vinyl chloride	25.6	1.7	ug/l	25.0	1.0	98	70-135			
Xylenes, Total	52.2	3.0	ug/l	50.0	2.0	100	80-125			
Surrogate: Dibromofluoromethane	*25.2*		*ug/l*	*25.0*		*101*	*80-130*			
Surrogate: Toluene-d8	*24.9*		*ug/l*	*25.0*		*100*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.3*		*ug/l*	*25.0*		*97*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1215 Extracted: 07/12/06										
Matrix Spike Dup Analyzed: 07/12/2006 (P6G1215-MSD1)					**Source: PPF0847-08**					
Acetone	101	20	ug/l	25.0	ND	404	15-150	4	35	*M1*
Benzene	348	1.0	ug/l	25.0	320	112	80-125	3	10	*N1b, M3*
Bromobenzene	24.8	5.0	ug/l	25.0	ND	99	80-125	5	15	
Bromochloromethane	26.1	5.0	ug/l	25.0	ND	104	80-130	2	20	
Bromodichloromethane	23.6	2.0	ug/l	25.0	ND	94	70-130	4	15	
Bromoform	24.2	5.0	ug/l	25.0	ND	97	70-120	8	25	
Bromomethane	24.4	5.0	ug/l	25.0	ND	98	80-135	3	20	
2-Butanone (MEK)	21.7	10	ug/l	25.0	ND	87	30-150	10	35	
n-Butylbenzene	32.5	5.0	ug/l	25.0	8.2	97	80-135	0	20	
sec-Butylbenzene	37.6	5.0	ug/l	25.0	13	98	80-130	1	20	
tert-Butylbenzene	26.2	5.0	ug/l	25.0	1.5	99	80-130	2	20	
Carbon Disulfide	21.2	5.0	ug/l	25.0	ND	85	45-150	1	15	
Carbon tetrachloride	23.0	5.0	ug/l	25.0	ND	92	65-135	3	15	
Chlorobenzene	24.5	1.0	ug/l	25.0	ND	98	80-125	3	15	
Chloroethane	30.3	5.0	ug/l	25.0	6.4	96	80-125	1	20	
Chloroform	24.2	2.0	ug/l	25.0	ND	97	75-130	2	15	
Chloromethane	23.6	5.0	ug/l	25.0	ND	94	65-130	4	20	
2-Chlorotoluene	23.7	5.0	ug/l	25.0	ND	95	80-130	3	15	
4-Chlorotoluene	24.7	5.0	ug/l	25.0	ND	99	80-135	3	15	
Dibromochloromethane	23.2	2.0	ug/l	25.0	ND	93	75-120	7	20	
1,2-Dibromo-3-chloropropane	35.6	5.0	ug/l	25.0	ND	142	50-130	0	35	*M1*
1,2-Dibromoethane (EDB)	23.8	2.0	ug/l	25.0	ND	95	70-130	8	25	
Dibromomethane	24.4	2.0	ug/l	25.0	ND	98	75-130	6	25	
1,2-Dichlorobenzene	24.1	1.0	ug/l	25.0	ND	96	80-130	3	15	
1,3-Dichlorobenzene	24.1	1.0	ug/l	25.0	ND	96	80-130	2	15	
1,4-Dichlorobenzene	24.4	1.0	ug/l	25.0	ND	98	80-125	2	10	
Dichlorodifluoromethane	22.8	5.0	ug/l	25.0	ND	91	60-140	0	45	
1,1-Dichloroethane	29.2	2.0	ug/l	25.0	9.0	81	80-125	2	15	
1,2-Dichloroethane	22.5	1.0	ug/l	25.0	ND	90	60-145	5	20	
1,1-Dichloroethene	25.4	5.0	ug/l	25.0	ND	102	75-130	1	15	
cis-1,2-Dichloroethene	26.4	2.0	ug/l	25.0	1.8	98	80-125	2	15	
trans-1,2-Dichloroethene	24.3	2.0	ug/l	25.0	ND	97	80-120	1	15	
1,2-Dichloropropane	23.3	2.0	ug/l	25.0	ND	93	80-125	3	15	
1,3-Dichloropropane	23.5	2.0	ug/l	25.0	ND	94	75-130	7	20	
2,2-Dichloropropane	21.2	2.0	ug/l	25.0	ND	85	60-135	1	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1215 Extracted: 07/12/06										
Matrix Spike Dup Analyzed: 07/12/2006 (P6G1215-MSD1)					**Source: PPF0847-08**					
1,1-Dichloropropene	23.6	2.0	ug/l	25.0	ND	94	80-125	3	15	
cis-1,3-Dichloropropene	24.2	2.0	ug/l	25.0	ND	97	75-120	5	15	
trans-1,3-Dichloropropene	24.4	2.0	ug/l	25.0	ND	98	75-130	6	25	
Ethylbenzene	35.3	2.0	ug/l	25.0	10	101	80-130	1	15	
Hexachlorobutadiene	22.1	5.0	ug/l	25.0	ND	88	65-130	1	15	
2-Hexanone	20.1	10	ug/l	25.0	ND	80	40-150	13	35	
Iodomethane	24.1	2.0	ug/l	25.0	ND	96	70-140	2	15	
Isopropylbenzene	71.5	2.0	ug/l	25.0	44	110	80-140	2	20	
p-Isopropyltoluene	27.0	2.0	ug/l	25.0	2.7	97	80-135	2	20	
Methylene chloride	23.8	5.0	ug/l	25.0	ND	95	75-125	0	15	
4-Methyl-2-pentanone (MIBK)	22.7	10	ug/l	25.0	ND	91	40-140	10	35	
Methyl-tert-butyl Ether (MTBE)	979	5.0	ug/l	25.0	860	476	65-135	5	30	*N1b, M3*
Naphthalene	196	2.0	ug/l	25.0	160	144	60-140	4	30	*M3*
n-Propylbenzene	74.5	2.0	ug/l	25.0	47	110	80-140	2	20	
Styrene	28.0	2.0	ug/l	25.0	ND	112	30-150	1	25	
1,1,1,2-Tetrachloroethane	23.2	5.0	ug/l	25.0	ND	93	80-130	5	15	
1,1,2,2-Tetrachloroethane	23.4	2.0	ug/l	25.0	ND	94	65-140	10	35	
Tetrachloroethene	24.9	2.0	ug/l	25.0	ND	100	80-130	2	15	
Toluene	25.2	2.0	ug/l	25.0	0.52	99	80-130	2	15	
1,2,3-Trichlorobenzene	23.4	5.0	ug/l	25.0	ND	94	75-140	7	20	
1,2,4-Trichlorobenzene	24.2	5.0	ug/l	25.0	ND	97	80-135	4	15	
1,1,1-Trichloroethane	23.8	2.0	ug/l	25.0	ND	95	70-135	1	15	
1,1,2-Trichloroethane	25.2	2.0	ug/l	25.0	ND	101	70-135	8	25	
Trichloroethene	23.9	2.0	ug/l	25.0	ND	96	80-125	4	15	
Trichlorofluoromethane	24.8	5.0	ug/l	25.0	ND	99	70-140	0	15	
1,2,3-Trichloropropane	23.1	10	ug/l	25.0	ND	92	65-135	9	35	
1,2,4-Trimethylbenzene	34.6	2.0	ug/l	25.0	9.8	99	75-130	0	15	
1,3,5-Trimethylbenzene	27.0	2.0	ug/l	25.0	2.6	98	80-135	3	15	
Vinyl acetate	21.6	25	ug/l	25.0	ND	86	30-150	36	35	*N1a, R4*
Vinyl chloride	25.2	1.7	ug/l	25.0	1.0	97	70-135	2	25	
Xylenes, Total	50.4	3.0	ug/l	50.0	2.0	97	80-125	4	15	
Surrogate: Dibromofluoromethane	*24.1*		*ug/l*	*25.0*		*96*	*80-130*			
Surrogate: Toluene-d8	*23.4*		*ug/l*	*25.0*		*94*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*22.7*		*ug/l*	*25.0*		*91*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1324 Extracted: 07/13/06										
Blank Analyzed: 07/13/2006 (P6G1324-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1324 Extracted: 07/13/06										
Blank Analyzed: 07/13/2006 (P6G1324-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							*N1c*
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*26.8*		*ug/l*	*25.0*		*107*	*80-130*			
Surrogate: Toluene-d8	*25.6*		*ug/l*	*25.0*		*102*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.9*		*ug/l*	*25.0*		*96*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1324 Extracted: 07/13/06										
LCS Analyzed: 07/13/2006 (P6G1324-BS1)										
Acetone	34.3	20	ug/l	25.0		137	30-150			
Benzene	24.8	1.0	ug/l	25.0		99	80-120			
Bromobenzene	25.6	5.0	ug/l	25.0		102	80-125			
Bromochloromethane	27.4	5.0	ug/l	25.0		110	80-125			
Bromodichloromethane	26.3	2.0	ug/l	25.0		105	80-120			
Bromoform	25.0	5.0	ug/l	25.0		100	70-120			
Bromomethane	26.0	5.0	ug/l	25.0		104	80-135			
2-Butanone (MEK)	34.9	10	ug/l	25.0		140	55-150			
n-Butylbenzene	24.0	5.0	ug/l	25.0		96	80-120			
sec-Butylbenzene	24.2	5.0	ug/l	25.0		97	80-130			
tert-Butylbenzene	24.5	5.0	ug/l	25.0		98	80-130			
Carbon Disulfide	31.4	5.0	ug/l	25.0		126	55-145			
Carbon tetrachloride	24.3	5.0	ug/l	25.0		97	80-120			
Chlorobenzene	24.9	1.0	ug/l	25.0		100	80-120			
Chloroethane	25.1	5.0	ug/l	25.0		100	80-125			
Chloroform	25.7	2.0	ug/l	25.0		103	80-120			
Chloromethane	26.2	5.0	ug/l	25.0		105	70-130			
2-Chlorotoluene	24.2	5.0	ug/l	25.0		97	80-120			
4-Chlorotoluene	24.4	5.0	ug/l	25.0		98	80-120			
Dibromochloromethane	23.2	2.0	ug/l	25.0		93	75-120			
1,2-Dibromo-3-chloropropane	22.9	5.0	ug/l	25.0		92	55-120			
1,2-Dibromoethane (EDB)	25.7	2.0	ug/l	25.0		103	75-125			
Dibromomethane	25.7	2.0	ug/l	25.0		103	80-125			
1,2-Dichlorobenzene	25.0	1.0	ug/l	25.0		100	80-120			
1,3-Dichlorobenzene	24.6	1.0	ug/l	25.0		98	80-125			
1,4-Dichlorobenzene	25.0	1.0	ug/l	25.0		100	80-120			
Dichlorodifluoromethane	24.7	5.0	ug/l	25.0		99	60-140			
1,1-Dichloroethane	25.2	2.0	ug/l	25.0		101	80-120			
1,2-Dichloroethane	25.7	1.0	ug/l	25.0		103	75-125			
1,1-Dichloroethene	25.5	5.0	ug/l	25.0		102	75-120			
cis-1,2-Dichloroethene	25.9	2.0	ug/l	25.0		104	80-125			
trans-1,2-Dichloroethene	25.0	2.0	ug/l	25.0		100	80-120			
1,2-Dichloropropane	24.6	2.0	ug/l	25.0		98	80-120			
1,3-Dichloropropane	25.0	2.0	ug/l	25.0		100	80-120			
2,2-Dichloropropane	24.8	2.0	ug/l	25.0		99	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1324 Extracted: 07/13/06										
LCS Analyzed: 07/13/2006 (P6G1324-BS1)										
1,1-Dichloropropene	24.0	2.0	ug/l	25.0		96	80-120			
cis-1,3-Dichloropropene	27.3	2.0	ug/l	25.0		109	75-120			
trans-1,3-Dichloropropene	28.1	2.0	ug/l	25.0		112	80-120			
Ethylbenzene	24.7	2.0	ug/l	25.0		99	80-125			
Hexachlorobutadiene	20.0	5.0	ug/l	25.0		80	70-130			
2-Hexanone	34.8	10	ug/l	25.0		139	40-150			
Iodomethane	32.9	2.0	ug/l	25.0		132	80-130			*L3*
Isopropylbenzene	26.2	2.0	ug/l	25.0		105	80-140			
p-Isopropyltoluene	24.4	2.0	ug/l	25.0		98	80-130			
Methylene chloride	23.8	5.0	ug/l	25.0		95	80-120			
4-Methyl-2-pentanone (MIBK)	34.0	10	ug/l	25.0		136	50-140			
Methyl-tert-butyl Ether (MTBE)	30.3	5.0	ug/l	25.0		121	65-130			
Naphthalene	24.8	2.0	ug/l	25.0		99	70-130			
n-Propylbenzene	25.2	2.0	ug/l	25.0		101	80-135			
Styrene	29.3	2.0	ug/l	25.0		117	80-125			
1,1,1,2-Tetrachloroethane	24.7	5.0	ug/l	25.0		99	80-120			
1,1,2,2-Tetrachloroethane	26.4	2.0	ug/l	25.0		106	65-140			
Tetrachloroethene	24.2	2.0	ug/l	25.0		97	80-125			
Toluene	24.8	2.0	ug/l	25.0		99	80-125			
1,2,3-Trichlorobenzene	26.2	5.0	ug/l	25.0		105	75-125			
1,2,4-Trichlorobenzene	22.9	5.0	ug/l	25.0		92	80-125			
1,1,1-Trichloroethane	25.2	2.0	ug/l	25.0		101	75-125			
1,1,2-Trichloroethane	25.6	2.0	ug/l	25.0		102	80-125			
Trichloroethene	23.7	2.0	ug/l	25.0		95	80-120			
Trichlorofluoromethane	25.9	5.0	ug/l	25.0		104	75-130			
1,2,3-Trichloropropane	25.5	10	ug/l	25.0		102	65-135			
1,2,4-Trimethylbenzene	24.3	2.0	ug/l	25.0		97	80-125			
1,3,5-Trimethylbenzene	24.8	2.0	ug/l	25.0		99	80-130			
Vinyl acetate	39.4	25	ug/l	25.0		158	70-140			*L3, N1c*
Vinyl chloride	25.4	1.7	ug/l	25.0		102	70-135			
Xylenes, Total	49.1	3.0	ug/l	50.0		98	80-125			
Surrogate: Dibromofluoromethane	*26.6*		*ug/l*	*25.0*		*106*	*80-130*			
Surrogate: Toluene-d8	*25.7*		*ug/l*	*25.0*		*103*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.1*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1324 Extracted: 07/13/06										
LCS Dup Analyzed: 07/13/2006 (P6G1324-BSD1)										
Acetone	30.5	20	ug/l	25.0		122	30-150	12	35	
Benzene	25.8	1.0	ug/l	25.0		103	80-120	4	10	
Bromobenzene	26.9	5.0	ug/l	25.0		108	80-125	5	10	
Bromochloromethane	27.4	5.0	ug/l	25.0		110	80-125	0	15	
Bromodichloromethane	26.5	2.0	ug/l	25.0		106	80-120	1	15	
Bromoform	25.2	5.0	ug/l	25.0		101	70-120	1	20	
Bromomethane	26.3	5.0	ug/l	25.0		105	80-135	1	15	
2-Butanone (MEK)	28.0	10	ug/l	25.0		112	55-150	22	35	
n-Butylbenzene	26.1	5.0	ug/l	25.0		104	80-120	8	10	
sec-Butylbenzene	26.0	5.0	ug/l	25.0		104	80-130	7	10	
tert-Butylbenzene	26.6	5.0	ug/l	25.0		106	80-130	8	10	
Carbon Disulfide	31.4	5.0	ug/l	25.0		126	55-145	0	15	
Carbon tetrachloride	24.8	5.0	ug/l	25.0		99	80-120	2	15	
Chlorobenzene	26.1	1.0	ug/l	25.0		104	80-120	5	10	
Chloroethane	25.8	5.0	ug/l	25.0		103	80-125	3	15	
Chloroform	25.7	2.0	ug/l	25.0		103	80-120	0	10	
Chloromethane	25.8	5.0	ug/l	25.0		103	70-130	2	15	
2-Chlorotoluene	26.4	5.0	ug/l	25.0		106	80-120	9	10	
4-Chlorotoluene	26.2	5.0	ug/l	25.0		105	80-120	7	10	
Dibromochloromethane	23.3	2.0	ug/l	25.0		93	75-120	0	15	
1,2-Dibromo-3-chloropropane	21.8	5.0	ug/l	25.0		87	55-120	5	35	
1,2-Dibromoethane (EDB)	25.9	2.0	ug/l	25.0		104	75-125	1	20	
Dibromomethane	25.7	2.0	ug/l	25.0		103	80-125	0	20	
1,2-Dichlorobenzene	26.4	1.0	ug/l	25.0		106	80-120	5	10	
1,3-Dichlorobenzene	26.3	1.0	ug/l	25.0		105	80-125	7	10	
1,4-Dichlorobenzene	26.7	1.0	ug/l	25.0		107	80-120	7	10	
Dichlorodifluoromethane	24.7	5.0	ug/l	25.0		99	60-140	0	15	
1,1-Dichloroethane	25.5	2.0	ug/l	25.0		102	80-120	1	10	
1,2-Dichloroethane	25.2	1.0	ug/l	25.0		101	75-125	2	20	
1,1-Dichloroethene	25.9	5.0	ug/l	25.0		104	75-120	2	15	
cis-1,2-Dichloroethene	25.7	2.0	ug/l	25.0		103	80-125	1	10	
trans-1,2-Dichloroethene	25.1	2.0	ug/l	25.0		100	80-120	0	10	
1,2-Dichloropropane	25.5	2.0	ug/l	25.0		102	80-120	4	15	
1,3-Dichloropropane	24.9	2.0	ug/l	25.0		100	80-120	0	15	
2,2-Dichloropropane	24.8	2.0	ug/l	25.0		99	70-130	0	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1324 Extracted: 07/13/06										
LCS Dup Analyzed: 07/13/2006 (P6G1324-BSD1)										
1,1-Dichloropropene	25.5	2.0	ug/l	25.0		102	80-120	6	10	
cis-1,3-Dichloropropene	27.8	2.0	ug/l	25.0		111	75-120	2	15	
trans-1,3-Dichloropropene	27.8	2.0	ug/l	25.0		111	80-120	1	20	
Ethylbenzene	26.1	2.0	ug/l	25.0		104	80-125	6	15	
Hexachlorobutadiene	22.2	5.0	ug/l	25.0		89	70-130	10	15	
2-Hexanone	30.2	10	ug/l	25.0		121	40-150	14	35	
Iodomethane	32.7	2.0	ug/l	25.0		131	80-130	1	10	*L3*
Isopropylbenzene	28.4	2.0	ug/l	25.0		114	80-140	8	10	
p-Isopropyltoluene	26.6	2.0	ug/l	25.0		106	80-130	9	15	
Methylene chloride	23.7	5.0	ug/l	25.0		95	80-120	0	10	
4-Methyl-2-pentanone (MIBK)	29.5	10	ug/l	25.0		118	50-140	14	35	
Methyl-tert-butyl Ether (MTBE)	28.1	5.0	ug/l	25.0		112	65-130	8	25	
Naphthalene	23.4	2.0	ug/l	25.0		94	70-130	6	20	
n-Propylbenzene	27.0	2.0	ug/l	25.0		108	80-135	7	10	
Styrene	30.4	2.0	ug/l	25.0		122	80-125	4	15	
1,1,1,2-Tetrachloroethane	25.6	5.0	ug/l	25.0		102	80-120	4	15	
1,1,2,2-Tetrachloroethane	26.0	2.0	ug/l	25.0		104	65-140	2	25	
Tetrachloroethene	25.2	2.0	ug/l	25.0		101	80-125	4	15	
Toluene	25.8	2.0	ug/l	25.0		103	80-125	4	10	
1,2,3-Trichlorobenzene	25.6	5.0	ug/l	25.0		102	75-125	2	15	
1,2,4-Trichlorobenzene	23.9	5.0	ug/l	25.0		96	80-125	4	15	
1,1,1-Trichloroethane	25.4	2.0	ug/l	25.0		102	75-125	1	10	
1,1,2-Trichloroethane	25.4	2.0	ug/l	25.0		102	80-125	1	25	
Trichloroethene	25.0	2.0	ug/l	25.0		100	80-120	5	10	
Trichlorofluoromethane	25.7	5.0	ug/l	25.0		103	75-130	1	10	
1,2,3-Trichloropropane	25.1	10	ug/l	25.0		100	65-135	2	25	
1,2,4-Trimethylbenzene	26.3	2.0	ug/l	25.0		105	80-125	8	10	
1,3,5-Trimethylbenzene	26.7	2.0	ug/l	25.0		107	80-130	7	10	
Vinyl acetate	35.6	25	ug/l	25.0		142	70-140	10	30	*L3, N1c*
Vinyl chloride	26.5	1.7	ug/l	25.0		106	70-135	4	15	
Xylenes, Total	51.8	3.0	ug/l	50.0		104	80-125	5	15	
Surrogate: Dibromofluoromethane	*25.4*		*ug/l*	*25.0*		*102*	*80-130*			
Surrogate: Toluene-d8	*25.5*		*ug/l*	*25.0*		*102*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.6*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1324 Extracted: 07/13/06										
Matrix Spike Analyzed: 07/13/2006 (P6G1324-MS1)					**Source: PPF0881-03**					
Acetone	36.1	20	ug/l	25.0	ND	144	15-150			
Benzene	26.7	1.0	ug/l	25.0	ND	107	80-125			
Bromobenzene	27.5	5.0	ug/l	25.0	ND	110	80-125			
Bromochloromethane	28.5	5.0	ug/l	25.0	ND	114	80-130			
Bromodichloromethane	28.1	2.0	ug/l	25.0	ND	112	70-130			
Bromoform	26.1	5.0	ug/l	25.0	ND	104	70-120			
Bromomethane	27.4	5.0	ug/l	25.0	ND	110	80-135			
2-Butanone (MEK)	36.2	10	ug/l	25.0	ND	145	30-150			
n-Butylbenzene	26.2	5.0	ug/l	25.0	ND	105	80-135			
sec-Butylbenzene	26.4	5.0	ug/l	25.0	ND	106	80-130			
tert-Butylbenzene	26.8	5.0	ug/l	25.0	ND	107	80-130			
Carbon Disulfide	35.5	5.0	ug/l	25.0	ND	142	45-150			
Carbon tetrachloride	26.3	5.0	ug/l	25.0	ND	105	65-135			
Chlorobenzene	26.7	1.0	ug/l	25.0	ND	107	80-125			
Chloroethane	27.7	5.0	ug/l	25.0	ND	111	80-125			
Chloroform	27.2	2.0	ug/l	25.0	ND	109	75-130			
Chloromethane	26.8	5.0	ug/l	25.0	ND	107	65-130			
2-Chlorotoluene	26.2	5.0	ug/l	25.0	ND	105	80-130			
4-Chlorotoluene	26.6	5.0	ug/l	25.0	ND	106	80-135			
Dibromochloromethane	24.7	2.0	ug/l	25.0	ND	99	75-120			
1,2-Dibromo-3-chloropropane	24.7	5.0	ug/l	25.0	ND	99	50-130			
1,2-Dibromoethane (EDB)	28.0	2.0	ug/l	25.0	ND	112	70-130			
Dibromomethane	28.0	2.0	ug/l	25.0	ND	112	75-130			
1,2-Dichlorobenzene	26.8	1.0	ug/l	25.0	ND	107	80-130			
1,3-Dichlorobenzene	26.6	1.0	ug/l	25.0	ND	106	80-130			
1,4-Dichlorobenzene	27.1	1.0	ug/l	25.0	ND	108	80-125			
Dichlorodifluoromethane	26.1	5.0	ug/l	25.0	ND	104	60-140			
1,1-Dichloroethane	27.1	2.0	ug/l	25.0	ND	108	80-125			
1,2-Dichloroethane	27.8	1.0	ug/l	25.0	ND	111	60-145			
1,1-Dichloroethene	26.8	5.0	ug/l	25.0	ND	107	75-130			
cis-1,2-Dichloroethene	27.0	2.0	ug/l	25.0	ND	108	80-125			
trans-1,2-Dichloroethene	26.6	2.0	ug/l	25.0	ND	106	80-120			
1,2-Dichloropropane	26.7	2.0	ug/l	25.0	ND	107	80-125			
1,3-Dichloropropane	26.5	2.0	ug/l	25.0	ND	106	75-130			
2,2-Dichloropropane	25.5	2.0	ug/l	25.0	ND	102	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1324 Extracted: 07/13/06										
Matrix Spike Analyzed: 07/13/2006 (P6G1324-MS1)					**Source: PPF0881-03**					
1,1-Dichloropropene	26.5	2.0	ug/l	25.0	ND	106	80-125			
cis-1,3-Dichloropropene	29.3	2.0	ug/l	25.0	ND	117	75-120			
trans-1,3-Dichloropropene	29.7	2.0	ug/l	25.0	ND	119	75-130			
Ethylbenzene	26.2	2.0	ug/l	25.0	ND	105	80-130			
Hexachlorobutadiene	22.2	5.0	ug/l	25.0	ND	89	65-130			
2-Hexanone	36.0	10	ug/l	25.0	ND	144	40-150			
Iodomethane	36.3	2.0	ug/l	25.0	ND	145	70-140			*N1c*
Isopropylbenzene	28.5	2.0	ug/l	25.0	ND	114	80-140			
p-Isopropyltoluene	26.6	2.0	ug/l	25.0	ND	106	80-135			
Methylene chloride	25.6	5.0	ug/l	25.0	ND	102	75-125			
4-Methyl-2-pentanone (MIBK)	37.5	10	ug/l	25.0	ND	150	40-140			*M1*
Methyl-tert-butyl Ether (MTBE)	31.2	5.0	ug/l	25.0	ND	125	65-135			
Naphthalene	22.9	2.0	ug/l	25.0	ND	92	60-140			*V1*
n-Propylbenzene	27.5	2.0	ug/l	25.0	ND	110	80-140			
Styrene	27.8	2.0	ug/l	25.0	ND	111	30-150			
1,1,1,2-Tetrachloroethane	26.3	5.0	ug/l	25.0	ND	105	80-130			
1,1,2,2-Tetrachloroethane	28.6	2.0	ug/l	25.0	ND	114	65-140			
Tetrachloroethene	25.6	2.0	ug/l	25.0	ND	102	80-130			
Toluene	26.8	2.0	ug/l	25.0	ND	107	80-130			
1,2,3-Trichlorobenzene	21.6	5.0	ug/l	25.0	ND	86	75-140			*V1*
1,2,4-Trichlorobenzene	23.2	5.0	ug/l	25.0	ND	93	80-135			
1,1,1-Trichloroethane	26.7	2.0	ug/l	25.0	ND	107	70-135			
1,1,2-Trichloroethane	27.0	2.0	ug/l	25.0	ND	108	70-135			
Trichloroethene	25.8	2.0	ug/l	25.0	ND	103	80-125			
Trichlorofluoromethane	27.4	5.0	ug/l	25.0	ND	110	70-140			
1,2,3-Trichloropropane	28.0	10	ug/l	25.0	ND	112	65-135			
1,2,4-Trimethylbenzene	26.4	2.0	ug/l	25.0	ND	106	75-130			
1,3,5-Trimethylbenzene	26.9	2.0	ug/l	25.0	ND	108	80-135			
Vinyl acetate	37.5	25	ug/l	25.0	ND	150	30-150			*N1c*
Vinyl chloride	26.9	1.7	ug/l	25.0	ND	108	70-135			
Xylenes, Total	52.5	3.0	ug/l	50.0	ND	105	80-125			
Surrogate: Dibromofluoromethane	*26.4*		*ug/l*	*25.0*		*106*	*80-130*			
Surrogate: Toluene-d8	*25.7*		*ug/l*	*25.0*		*103*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.3*		*ug/l*	*25.0*		*97*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1324 Extracted: 07/13/06										
Matrix Spike Dup Analyzed: 07/13/2006 (P6G1324-MSD1)					**Source: PPF0881-03**					
Acetone	28.2	20	ug/l	25.0	ND	113	15-150	25	35	
Benzene	26.1	1.0	ug/l	25.0	ND	104	80-125	2	10	
Bromobenzene	26.8	5.0	ug/l	25.0	ND	107	80-125	3	15	
Bromochloromethane	26.3	5.0	ug/l	25.0	ND	105	80-130	8	20	
Bromodichloromethane	27.1	2.0	ug/l	25.0	ND	108	70-130	4	15	
Bromoform	24.4	5.0	ug/l	25.0	ND	98	70-120	7	25	
Bromomethane	26.4	5.0	ug/l	25.0	ND	106	80-135	4	20	
2-Butanone (MEK)	29.2	10	ug/l	25.0	ND	117	30-150	21	35	
n-Butylbenzene	25.6	5.0	ug/l	25.0	ND	102	80-135	2	20	
sec-Butylbenzene	25.9	5.0	ug/l	25.0	ND	104	80-130	2	20	
tert-Butylbenzene	26.4	5.0	ug/l	25.0	ND	106	80-130	2	20	
Carbon Disulfide	33.6	5.0	ug/l	25.0	ND	134	45-150	5	15	
Carbon tetrachloride	25.7	5.0	ug/l	25.0	ND	103	65-135	2	15	
Chlorobenzene	25.5	1.0	ug/l	25.0	ND	102	80-125	5	15	
Chloroethane	26.2	5.0	ug/l	25.0	ND	105	80-125	6	20	
Chloroform	25.9	2.0	ug/l	25.0	ND	104	75-130	5	15	
Chloromethane	25.9	5.0	ug/l	25.0	ND	104	65-130	3	20	
2-Chlorotoluene	26.0	5.0	ug/l	25.0	ND	104	80-130	1	15	
4-Chlorotoluene	25.6	5.0	ug/l	25.0	ND	102	80-135	4	15	
Dibromochloromethane	22.8	2.0	ug/l	25.0	ND	91	75-120	8	20	
1,2-Dibromo-3-chloropropane	21.7	5.0	ug/l	25.0	ND	87	50-130	13	35	
1,2-Dibromoethane (EDB)	25.4	2.0	ug/l	25.0	ND	102	70-130	10	25	
Dibromomethane	25.7	2.0	ug/l	25.0	ND	103	75-130	9	25	
1,2-Dichlorobenzene	26.1	1.0	ug/l	25.0	ND	104	80-130	3	15	
1,3-Dichlorobenzene	25.7	1.0	ug/l	25.0	ND	103	80-130	3	15	
1,4-Dichlorobenzene	26.2	1.0	ug/l	25.0	ND	105	80-125	3	10	
Dichlorodifluoromethane	24.6	5.0	ug/l	25.0	ND	98	60-140	6	45	
1,1-Dichloroethane	26.0	2.0	ug/l	25.0	ND	104	80-125	4	15	
1,2-Dichloroethane	25.7	1.0	ug/l	25.0	ND	103	60-145	8	20	
1,1-Dichloroethene	25.4	5.0	ug/l	25.0	ND	102	75-130	5	15	
cis-1,2-Dichloroethene	26.2	2.0	ug/l	25.0	ND	105	80-125	3	15	
trans-1,2-Dichloroethene	25.0	2.0	ug/l	25.0	ND	100	80-120	6	15	
1,2-Dichloropropane	25.7	2.0	ug/l	25.0	ND	103	80-125	4	15	
1,3-Dichloropropane	24.5	2.0	ug/l	25.0	ND	98	75-130	8	20	
2,2-Dichloropropane	24.4	2.0	ug/l	25.0	ND	98	60-135	4	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1324 Extracted: 07/13/06										
Matrix Spike Dup Analyzed: 07/13/2006 (P6G1324-MSD1)					**Source: PPF0881-03**					
1,1-Dichloropropene	25.6	2.0	ug/l	25.0	ND	102	80-125	3	15	
cis-1,3-Dichloropropene	27.4	2.0	ug/l	25.0	ND	110	75-120	7	15	
trans-1,3-Dichloropropene	27.4	2.0	ug/l	25.0	ND	110	75-130	8	25	
Ethylbenzene	25.7	2.0	ug/l	25.0	ND	103	80-130	2	15	
Hexachlorobutadiene	22.5	5.0	ug/l	25.0	ND	90	65-130	1	15	
2-Hexanone	30.9	10	ug/l	25.0	ND	124	40-150	15	35	
Iodomethane	34.2	2.0	ug/l	25.0	ND	137	70-140	6	15	
Isopropylbenzene	28.5	2.0	ug/l	25.0	ND	114	80-140	0	20	
p-Isopropyltoluene	26.3	2.0	ug/l	25.0	ND	105	80-135	1	20	
Methylene chloride	23.8	5.0	ug/l	25.0	ND	95	75-125	7	15	
4-Methyl-2-pentanone (MIBK)	30.8	10	ug/l	25.0	ND	123	40-140	20	35	
Methyl-tert-butyl Ether (MTBE)	28.0	5.0	ug/l	25.0	ND	112	65-135	11	30	
Naphthalene	24.0	2.0	ug/l	25.0	ND	96	60-140	5	30	*V1*
n-Propylbenzene	26.8	2.0	ug/l	25.0	ND	107	80-140	3	20	
Styrene	24.5	2.0	ug/l	25.0	ND	98	30-150	13	25	
1,1,1,2-Tetrachloroethane	25.1	5.0	ug/l	25.0	ND	100	80-130	5	15	
1,1,2,2-Tetrachloroethane	25.8	2.0	ug/l	25.0	ND	103	65-140	10	35	
Tetrachloroethene	25.1	2.0	ug/l	25.0	ND	100	80-130	2	15	
Toluene	25.9	2.0	ug/l	25.0	ND	104	80-130	3	15	
1,2,3-Trichlorobenzene	26.5	5.0	ug/l	25.0	ND	106	75-140	20	20	*V1*
1,2,4-Trichlorobenzene	24.1	5.0	ug/l	25.0	ND	96	80-135	4	15	
1,1,1-Trichloroethane	25.6	2.0	ug/l	25.0	ND	102	70-135	4	15	
1,1,2-Trichloroethane	25.2	2.0	ug/l	25.0	ND	101	70-135	7	25	
Trichloroethene	24.7	2.0	ug/l	25.0	ND	99	80-125	4	15	
Trichlorofluoromethane	26.0	5.0	ug/l	25.0	ND	104	70-140	5	15	
1,2,3-Trichloropropane	25.1	10	ug/l	25.0	ND	100	65-135	11	35	
1,2,4-Trimethylbenzene	25.2	2.0	ug/l	25.0	ND	101	75-130	5	15	
1,3,5-Trimethylbenzene	26.1	2.0	ug/l	25.0	ND	104	80-135	3	15	
Vinyl acetate	32.4	25	ug/l	25.0	ND	130	30-150	15	35	*N1c*
Vinyl chloride	25.7	1.7	ug/l	25.0	ND	103	70-135	5	25	
Xylenes, Total	50.8	3.0	ug/l	50.0	ND	102	80-125	3	15	
Surrogate: Dibromofluoromethane	*25.6*		*ug/l*	*25.0*		*102*	*80-130*			
Surrogate: Toluene-d8	*25.6*		*ug/l*	*25.0*		*102*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.0*		*ug/l*	*25.0*		*96*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
Blank Analyzed: 07/14/2006 (P6G1432-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
Blank Analyzed: 07/14/2006 (P6G1432-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							*V1, N1c*
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*26.6*		*ug/l*	*25.0*		*106*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.9*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
LCS Analyzed: 07/14/2006 (P6G1432-BS1)										
Acetone	36.5	20	ug/l	25.0		146	30-150			
Benzene	24.7	1.0	ug/l	25.0		99	80-120			
Bromobenzene	24.5	5.0	ug/l	25.0		98	80-125			
Bromochloromethane	25.7	5.0	ug/l	25.0		103	80-125			
Bromodichloromethane	25.8	2.0	ug/l	25.0		103	80-120			
Bromoform	23.1	5.0	ug/l	25.0		92	70-120			
Bromomethane	25.4	5.0	ug/l	25.0		102	80-135			
2-Butanone (MEK)	31.9	10	ug/l	25.0		128	55-150			
n-Butylbenzene	24.6	5.0	ug/l	25.0		98	80-120			
sec-Butylbenzene	24.3	5.0	ug/l	25.0		97	80-130			
tert-Butylbenzene	24.7	5.0	ug/l	25.0		99	80-130			
Carbon Disulfide	30.7	5.0	ug/l	25.0		123	55-145			
Carbon tetrachloride	25.2	5.0	ug/l	25.0		101	80-120			
Chlorobenzene	24.3	1.0	ug/l	25.0		97	80-120			
Chloroethane	25.7	5.0	ug/l	25.0		103	80-125			
Chloroform	25.4	2.0	ug/l	25.0		102	80-120			
Chloromethane	26.2	5.0	ug/l	25.0		105	70-130			
2-Chlorotoluene	24.1	5.0	ug/l	25.0		96	80-120			
4-Chlorotoluene	24.5	5.0	ug/l	25.0		98	80-120			
Dibromochloromethane	22.8	2.0	ug/l	25.0		91	75-120			
1,2-Dibromo-3-chloropropane	23.6	5.0	ug/l	25.0		94	55-120			
1,2-Dibromoethane (EDB)	24.9	2.0	ug/l	25.0		100	75-125			
Dibromomethane	25.5	2.0	ug/l	25.0		102	80-125			
1,2-Dichlorobenzene	24.3	1.0	ug/l	25.0		97	80-120			
1,3-Dichlorobenzene	24.2	1.0	ug/l	25.0		97	80-125			
1,4-Dichlorobenzene	25.0	1.0	ug/l	25.0		100	80-120			
Dichlorodifluoromethane	24.8	5.0	ug/l	25.0		99	60-140			
1,1-Dichloroethane	25.3	2.0	ug/l	25.0		101	80-120			
1,2-Dichloroethane	25.7	1.0	ug/l	25.0		103	75-125			
1,1-Dichloroethene	24.4	5.0	ug/l	25.0		98	75-120			
cis-1,2-Dichloroethene	24.7	2.0	ug/l	25.0		99	80-125			
trans-1,2-Dichloroethene	24.5	2.0	ug/l	25.0		98	80-120			
1,2-Dichloropropane	24.6	2.0	ug/l	25.0		98	80-120			
1,3-Dichloropropane	24.9	2.0	ug/l	25.0		100	80-120			
2,2-Dichloropropane	25.1	2.0	ug/l	25.0		100	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
LCS Analyzed: 07/14/2006 (P6G1432-BS1)										
1,1-Dichloropropene	24.8	2.0	ug/l	25.0		99	80-120			
cis-1,3-Dichloropropene	27.1	2.0	ug/l	25.0		108	75-120			
trans-1,3-Dichloropropene	27.4	2.0	ug/l	25.0		110	80-120			
Ethylbenzene	24.6	2.0	ug/l	25.0		98	80-125			
Hexachlorobutadiene	21.4	5.0	ug/l	25.0		86	70-130			
2-Hexanone	32.7	10	ug/l	25.0		131	40-150			
Iodomethane	30.6	2.0	ug/l	25.0		122	80-130			
Isopropylbenzene	26.0	2.0	ug/l	25.0		104	80-140			
p-Isopropyltoluene	24.3	2.0	ug/l	25.0		97	80-130			
Methylene chloride	23.0	5.0	ug/l	25.0		92	80-120			
4-Methyl-2-pentanone (MIBK)	32.3	10	ug/l	25.0		129	50-140			
Methyl-tert-butyl Ether (MTBE)	28.3	5.0	ug/l	25.0		113	65-130			
Naphthalene	24.4	2.0	ug/l	25.0		98	70-130			
n-Propylbenzene	25.2	2.0	ug/l	25.0		101	80-135			
Styrene	28.2	2.0	ug/l	25.0		113	80-125			
1,1,1,2-Tetrachloroethane	24.0	5.0	ug/l	25.0		96	80-120			
1,1,2,2-Tetrachloroethane	25.3	2.0	ug/l	25.0		101	65-140			
Tetrachloroethene	24.0	2.0	ug/l	25.0		96	80-125			
Toluene	24.4	2.0	ug/l	25.0		98	80-125			
1,2,3-Trichlorobenzene	24.8	5.0	ug/l	25.0		99	75-125			
1,2,4-Trichlorobenzene	23.3	5.0	ug/l	25.0		93	80-125			
1,1,1-Trichloroethane	25.3	2.0	ug/l	25.0		101	75-125			
1,1,2-Trichloroethane	24.7	2.0	ug/l	25.0		99	80-125			
Trichloroethene	23.8	2.0	ug/l	25.0		95	80-120			
Trichlorofluoromethane	26.6	5.0	ug/l	25.0		106	75-130			
1,2,3-Trichloropropane	25.4	10	ug/l	25.0		102	65-135			
1,2,4-Trimethylbenzene	24.6	2.0	ug/l	25.0		98	80-125			
1,3,5-Trimethylbenzene	24.6	2.0	ug/l	25.0		98	80-130			
Vinyl acetate	36.4	25	ug/l	25.0		146	70-140			*V1, L3, N1c*
Vinyl chloride	25.8	1.7	ug/l	25.0		103	70-135			
Xylenes, Total	48.5	3.0	ug/l	50.0		97	80-125			
Surrogate: Dibromofluoromethane	*27.2*		*ug/l*	*25.0*		*109*	*80-130*			
Surrogate: Toluene-d8	*26.5*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.8*		*ug/l*	*25.0*		*103*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
LCS Dup Analyzed: 07/14/2006 (P6G1432-BSD1)										
Acetone	32.9	20	ug/l	25.0		132	30-150	10	35	
Benzene	24.2	1.0	ug/l	25.0		97	80-120	2	10	
Bromobenzene	24.5	5.0	ug/l	25.0		98	80-125	0	10	
Bromochloromethane	24.5	5.0	ug/l	25.0		98	80-125	5	15	
Bromodichloromethane	24.8	2.0	ug/l	25.0		99	80-120	4	15	
Bromoform	22.3	5.0	ug/l	25.0		89	70-120	4	20	
Bromomethane	24.9	5.0	ug/l	25.0		100	80-135	2	15	
2-Butanone (MEK)	30.2	10	ug/l	25.0		121	55-150	5	35	
n-Butylbenzene	24.6	5.0	ug/l	25.0		98	80-120	0	10	
sec-Butylbenzene	24.5	5.0	ug/l	25.0		98	80-130	1	10	
tert-Butylbenzene	24.7	5.0	ug/l	25.0		99	80-130	0	10	
Carbon Disulfide	30.1	5.0	ug/l	25.0		120	55-145	2	15	
Carbon tetrachloride	24.9	5.0	ug/l	25.0		100	80-120	1	15	
Chlorobenzene	23.9	1.0	ug/l	25.0		96	80-120	2	10	
Chloroethane	25.4	5.0	ug/l	25.0		102	80-125	1	15	
Chloroform	24.3	2.0	ug/l	25.0		97	80-120	4	10	
Chloromethane	25.9	5.0	ug/l	25.0		104	70-130	1	15	
2-Chlorotoluene	24.3	5.0	ug/l	25.0		97	80-120	1	10	
4-Chlorotoluene	24.4	5.0	ug/l	25.0		98	80-120	0	10	
Dibromochloromethane	21.8	2.0	ug/l	25.0		87	75-120	4	15	
1,2-Dibromo-3-chloropropane	21.7	5.0	ug/l	25.0		87	55-120	8	35	
1,2-Dibromoethane (EDB)	24.4	2.0	ug/l	25.0		98	75-125	2	20	
Dibromomethane	23.8	2.0	ug/l	25.0		95	80-125	7	20	
1,2-Dichlorobenzene	23.9	1.0	ug/l	25.0		96	80-120	2	10	
1,3-Dichlorobenzene	23.7	1.0	ug/l	25.0		95	80-125	2	10	
1,4-Dichlorobenzene	24.2	1.0	ug/l	25.0		97	80-120	3	10	
Dichlorodifluoromethane	24.0	5.0	ug/l	25.0		96	60-140	3	15	
1,1-Dichloroethane	24.6	2.0	ug/l	25.0		98	80-120	3	10	
1,2-Dichloroethane	24.9	1.0	ug/l	25.0		100	75-125	3	20	
1,1-Dichloroethene	24.0	5.0	ug/l	25.0		96	75-120	2	15	
cis-1,2-Dichloroethene	24.1	2.0	ug/l	25.0		96	80-125	2	10	
trans-1,2-Dichloroethene	24.0	2.0	ug/l	25.0		96	80-120	2	10	
1,2-Dichloropropane	24.1	2.0	ug/l	25.0		96	80-120	2	15	
1,3-Dichloropropane	23.8	2.0	ug/l	25.0		95	80-120	5	15	
2,2-Dichloropropane	24.6	2.0	ug/l	25.0		98	70-130	2	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
LCS Dup Analyzed: 07/14/2006 (P6G1432-BSD1)										
1,1-Dichloropropene	24.5	2.0	ug/l	25.0		98	80-120	1	10	
cis-1,3-Dichloropropene	25.6	2.0	ug/l	25.0		102	75-120	6	15	
trans-1,3-Dichloropropene	25.9	2.0	ug/l	25.0		104	80-120	6	20	
Ethylbenzene	24.5	2.0	ug/l	25.0		98	80-125	0	15	
Hexachlorobutadiene	21.2	5.0	ug/l	25.0		85	70-130	1	15	
2-Hexanone	30.4	10	ug/l	25.0		122	40-150	7	35	
Iodomethane	29.6	2.0	ug/l	25.0		118	80-130	3	10	
Isopropylbenzene	26.4	2.0	ug/l	25.0		106	80-140	2	10	
p-Isopropyltoluene	24.8	2.0	ug/l	25.0		99	80-130	2	15	
Methylene chloride	22.2	5.0	ug/l	25.0		89	80-120	4	10	
4-Methyl-2-pentanone (MIBK)	29.2	10	ug/l	25.0		117	50-140	10	35	
Methyl-tert-butyl Ether (MTBE)	26.9	5.0	ug/l	25.0		108	65-130	5	25	
Naphthalene	24.7	2.0	ug/l	25.0		99	70-130	1	20	
n-Propylbenzene	25.4	2.0	ug/l	25.0		102	80-135	1	10	
Styrene	28.0	2.0	ug/l	25.0		112	80-125	1	15	
1,1,1,2-Tetrachloroethane	24.0	5.0	ug/l	25.0		96	80-120	0	15	
1,1,2,2-Tetrachloroethane	24.5	2.0	ug/l	25.0		98	65-140	3	25	
Tetrachloroethene	24.0	2.0	ug/l	25.0		96	80-125	0	15	
Toluene	24.2	2.0	ug/l	25.0		97	80-125	1	10	
1,2,3-Trichlorobenzene	28.1	5.0	ug/l	25.0		112	75-125	12	15	
1,2,4-Trichlorobenzene	22.6	5.0	ug/l	25.0		90	80-125	3	15	
1,1,1-Trichloroethane	24.4	2.0	ug/l	25.0		98	75-125	4	10	
1,1,2-Trichloroethane	23.4	2.0	ug/l	25.0		94	80-125	5	25	
Trichloroethene	23.3	2.0	ug/l	25.0		93	80-120	2	10	
Trichlorofluoromethane	25.7	5.0	ug/l	25.0		103	75-130	3	10	
1,2,3-Trichloropropane	24.0	10	ug/l	25.0		96	65-135	6	25	
1,2,4-Trimethylbenzene	24.3	2.0	ug/l	25.0		97	80-125	1	10	
1,3,5-Trimethylbenzene	24.7	2.0	ug/l	25.0		99	80-130	0	10	
Vinyl acetate	34.1	25	ug/l	25.0		136	70-140	7	30	*V1, L3, N1c*
Vinyl chloride	25.8	1.7	ug/l	25.0		103	70-135	0	15	
Xylenes, Total	47.8	3.0	ug/l	50.0		96	80-125	1	15	
Surrogate: Dibromofluoromethane	*26.9*		*ug/l*	*25.0*		*108*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.7*		*ug/l*	*25.0*		*103*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
Matrix Spike Analyzed: 07/14/2006 (P6G1432-MS1)					**Source: PPF0892-02**					
Acetone	26.3	20	ug/l	25.0	ND	105	15-150			
Benzene	22.7	1.0	ug/l	25.0	ND	91	80-125			
Bromobenzene	23.6	5.0	ug/l	25.0	ND	94	80-125			
Bromochloromethane	23.4	5.0	ug/l	25.0	ND	94	80-130			
Bromodichloromethane	23.6	2.0	ug/l	25.0	ND	94	70-130			
Bromoform	21.3	5.0	ug/l	25.0	ND	85	70-120			
Bromomethane	23.1	5.0	ug/l	25.0	ND	92	80-135			
2-Butanone (MEK)	27.4	10	ug/l	25.0	ND	110	30-150			
n-Butylbenzene	23.4	5.0	ug/l	25.0	ND	94	80-135			
sec-Butylbenzene	23.4	5.0	ug/l	25.0	ND	94	80-130			
tert-Butylbenzene	23.6	5.0	ug/l	25.0	ND	94	80-130			
Carbon Disulfide	30.8	5.0	ug/l	25.0	ND	123	45-150			
Carbon tetrachloride	22.7	5.0	ug/l	25.0	ND	91	65-135			
Chlorobenzene	23.1	1.0	ug/l	25.0	ND	92	80-125			
Chloroethane	23.3	5.0	ug/l	25.0	ND	93	80-125			
Chloroform	23.3	2.0	ug/l	25.0	0.52	91	75-130			
Chloromethane	22.6	5.0	ug/l	25.0	ND	90	65-130			
2-Chlorotoluene	22.8	5.0	ug/l	25.0	ND	91	80-130			
4-Chlorotoluene	23.1	5.0	ug/l	25.0	ND	92	80-135			
Dibromochloromethane	20.8	2.0	ug/l	25.0	ND	83	75-120			
1,2-Dibromo-3-chloropropane	19.6	5.0	ug/l	25.0	ND	78	50-130			
1,2-Dibromoethane (EDB)	22.9	2.0	ug/l	25.0	ND	92	70-130			
Dibromomethane	22.8	2.0	ug/l	25.0	ND	91	75-130			
1,2-Dichlorobenzene	22.8	1.0	ug/l	25.0	ND	91	80-130			
1,3-Dichlorobenzene	22.9	1.0	ug/l	25.0	ND	92	80-130			
1,4-Dichlorobenzene	23.4	1.0	ug/l	25.0	ND	94	80-125			
Dichlorodifluoromethane	22.0	5.0	ug/l	25.0	ND	88	60-140			
1,1-Dichloroethane	23.0	2.0	ug/l	25.0	ND	92	80-125			
1,2-Dichloroethane	22.6	1.0	ug/l	25.0	ND	90	60-145			
1,1-Dichloroethene	22.6	5.0	ug/l	25.0	ND	90	75-130			
cis-1,2-Dichloroethene	22.9	2.0	ug/l	25.0	ND	92	80-125			
trans-1,2-Dichloroethene	22.3	2.0	ug/l	25.0	ND	89	80-120			
1,2-Dichloropropane	22.6	2.0	ug/l	25.0	ND	90	80-125			
1,3-Dichloropropane	22.7	2.0	ug/l	25.0	ND	91	75-130			
2,2-Dichloropropane	21.6	2.0	ug/l	25.0	ND	86	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
Matrix Spike Analyzed: 07/14/2006 (P6G1432-MS1)					**Source: PPF0892-02**					
1,1-Dichloropropene	22.6	2.0	ug/l	25.0	ND	90	80-125			
cis-1,3-Dichloropropene	23.8	2.0	ug/l	25.0	ND	95	75-120			
trans-1,3-Dichloropropene	24.2	2.0	ug/l	25.0	ND	97	75-130			
Ethylbenzene	23.5	2.0	ug/l	25.0	ND	94	80-130			
Hexachlorobutadiene	20.1	5.0	ug/l	25.0	ND	80	65-130			
2-Hexanone	28.6	10	ug/l	25.0	ND	114	40-150			
Iodomethane	30.6	2.0	ug/l	25.0	ND	122	70-140			
Isopropylbenzene	25.0	2.0	ug/l	25.0	ND	100	80-140			
p-Isopropyltoluene	23.5	2.0	ug/l	25.0	ND	94	80-135			
Methylene chloride	20.7	5.0	ug/l	25.0	ND	83	75-125			
4-Methyl-2-pentanone (MIBK)	27.8	10	ug/l	25.0	ND	111	40-140			
Methyl-tert-butyl Ether (MTBE)	24.7	5.0	ug/l	25.0	ND	99	65-135			
Naphthalene	20.0	2.0	ug/l	25.0	ND	80	60-140			
n-Propylbenzene	24.7	2.0	ug/l	25.0	ND	99	80-140			
Styrene	24.6	2.0	ug/l	25.0	ND	98	30-150			
1,1,1,2-Tetrachloroethane	23.0	5.0	ug/l	25.0	ND	92	80-130			
1,1,2,2-Tetrachloroethane	23.1	2.0	ug/l	25.0	ND	92	65-140			
Tetrachloroethene	22.8	2.0	ug/l	25.0	ND	91	80-130			
Toluene	22.7	2.0	ug/l	25.0	ND	91	80-130			
1,2,3-Trichlorobenzene	20.1	5.0	ug/l	25.0	ND	80	75-140			*V1*
1,2,4-Trichlorobenzene	20.8	5.0	ug/l	25.0	ND	83	80-135			
1,1,1-Trichloroethane	22.7	2.0	ug/l	25.0	ND	91	70-135			
1,1,2-Trichloroethane	22.0	2.0	ug/l	25.0	ND	88	70-135			
Trichloroethene	22.1	2.0	ug/l	25.0	ND	88	80-125			
Trichlorofluoromethane	23.1	5.0	ug/l	25.0	ND	92	70-140			
1,2,3-Trichloropropane	22.6	10	ug/l	25.0	ND	90	65-135			
1,2,4-Trimethylbenzene	23.3	2.0	ug/l	25.0	ND	93	75-130			
1,3,5-Trimethylbenzene	23.5	2.0	ug/l	25.0	ND	94	80-135			
Vinyl acetate	29.8	25	ug/l	25.0	ND	119	30-150			*N1c*
Vinyl chloride	23.2	1.7	ug/l	25.0	ND	93	70-135			
Xylenes, Total	46.2	3.0	ug/l	50.0	ND	92	80-125			
Surrogate: Dibromofluoromethane	*26.7*		*ug/l*	*25.0*		*107*	*80-130*			
Surrogate: Toluene-d8	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.3*		*ug/l*	*25.0*		*101*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
Matrix Spike Dup Analyzed: 07/14/2006 (P6G1432-MSD1)					**Source: PPF0892-02**					
Acetone	29.0	20	ug/l	25.0	ND	116	15-150	10	35	
Benzene	24.1	1.0	ug/l	25.0	ND	96	80-125	6	10	
Bromobenzene	25.0	5.0	ug/l	25.0	ND	100	80-125	6	15	
Bromochloromethane	25.3	5.0	ug/l	25.0	ND	101	80-130	8	20	
Bromodichloromethane	24.7	2.0	ug/l	25.0	ND	99	70-130	5	15	
Bromoform	23.4	5.0	ug/l	25.0	ND	94	70-120	9	25	
Bromomethane	24.7	5.0	ug/l	25.0	ND	99	80-135	7	20	
2-Butanone (MEK)	28.4	10	ug/l	25.0	ND	114	30-150	4	35	
n-Butylbenzene	24.5	5.0	ug/l	25.0	ND	98	80-135	5	20	
sec-Butylbenzene	24.9	5.0	ug/l	25.0	ND	100	80-130	6	20	
tert-Butylbenzene	24.9	5.0	ug/l	25.0	ND	100	80-130	5	20	
Carbon Disulfide	31.0	5.0	ug/l	25.0	ND	124	45-150	1	15	
Carbon tetrachloride	23.8	5.0	ug/l	25.0	ND	95	65-135	5	15	
Chlorobenzene	24.9	1.0	ug/l	25.0	ND	100	80-125	7	15	
Chloroethane	25.1	5.0	ug/l	25.0	ND	100	80-125	7	20	
Chloroform	25.2	2.0	ug/l	25.0	0.52	99	75-130	8	15	
Chloromethane	24.1	5.0	ug/l	25.0	ND	96	65-130	6	20	
2-Chlorotoluene	24.0	5.0	ug/l	25.0	ND	96	80-130	5	15	
4-Chlorotoluene	24.4	5.0	ug/l	25.0	ND	98	80-135	5	15	
Dibromochloromethane	22.3	2.0	ug/l	25.0	ND	89	75-120	7	20	
1,2-Dibromo-3-chloropropane	20.8	5.0	ug/l	25.0	ND	83	50-130	6	35	
1,2-Dibromoethane (EDB)	24.9	2.0	ug/l	25.0	ND	100	70-130	8	25	
Dibromomethane	24.6	2.0	ug/l	25.0	ND	98	75-130	8	25	
1,2-Dichlorobenzene	24.3	1.0	ug/l	25.0	ND	97	80-130	6	15	
1,3-Dichlorobenzene	24.0	1.0	ug/l	25.0	ND	96	80-130	5	15	
1,4-Dichlorobenzene	24.9	1.0	ug/l	25.0	ND	100	80-125	6	10	
Dichlorodifluoromethane	22.9	5.0	ug/l	25.0	ND	92	60-140	4	45	
1,1-Dichloroethane	24.5	2.0	ug/l	25.0	ND	98	80-125	6	15	
1,2-Dichloroethane	24.4	1.0	ug/l	25.0	ND	98	60-145	8	20	
1,1-Dichloroethene	24.4	5.0	ug/l	25.0	ND	98	75-130	8	15	
cis-1,2-Dichloroethene	24.4	2.0	ug/l	25.0	ND	98	80-125	6	15	
trans-1,2-Dichloroethene	24.0	2.0	ug/l	25.0	ND	96	80-120	7	15	
1,2-Dichloropropane	23.8	2.0	ug/l	25.0	ND	95	80-125	5	15	
1,3-Dichloropropane	24.0	2.0	ug/l	25.0	ND	96	75-130	6	20	
2,2-Dichloropropane	23.0	2.0	ug/l	25.0	ND	92	60-135	6	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
Matrix Spike Dup Analyzed: 07/14/2006 (P6G1432-MSD1)					**Source: PPF0892-02**					
1,1-Dichloropropene	23.8	2.0	ug/l	25.0	ND	95	80-125	5	15	
cis-1,3-Dichloropropene	25.4	2.0	ug/l	25.0	ND	102	75-120	7	15	
trans-1,3-Dichloropropene	25.5	2.0	ug/l	25.0	ND	102	75-130	5	25	
Ethylbenzene	24.6	2.0	ug/l	25.0	ND	98	80-130	5	15	
Hexachlorobutadiene	20.5	5.0	ug/l	25.0	ND	82	65-130	2	15	
2-Hexanone	29.8	10	ug/l	25.0	ND	119	40-150	4	35	
Iodomethane	31.0	2.0	ug/l	25.0	ND	124	70-140	1	15	
Isopropylbenzene	27.0	2.0	ug/l	25.0	ND	108	80-140	8	20	
p-Isopropyltoluene	25.0	2.0	ug/l	25.0	ND	100	80-135	6	20	
Methylene chloride	22.3	5.0	ug/l	25.0	ND	89	75-125	7	15	
4-Methyl-2-pentanone (MIBK)	29.5	10	ug/l	25.0	ND	118	40-140	6	35	
Methyl-tert-butyl Ether (MTBE)	26.9	5.0	ug/l	25.0	ND	108	65-135	9	30	
Naphthalene	21.2	2.0	ug/l	25.0	ND	85	60-140	6	30	
n-Propylbenzene	25.8	2.0	ug/l	25.0	ND	103	80-140	4	20	
Styrene	26.1	2.0	ug/l	25.0	ND	104	30-150	6	25	
1,1,1,2-Tetrachloroethane	24.2	5.0	ug/l	25.0	ND	97	80-130	5	15	
1,1,2,2-Tetrachloroethane	25.1	2.0	ug/l	25.0	ND	100	65-140	8	35	
Tetrachloroethene	24.1	2.0	ug/l	25.0	ND	96	80-130	6	15	
Toluene	24.2	2.0	ug/l	25.0	ND	97	80-130	6	15	
1,2,3-Trichlorobenzene	21.1	5.0	ug/l	25.0	ND	84	75-140	5	20	*V1*
1,2,4-Trichlorobenzene	20.9	5.0	ug/l	25.0	ND	84	80-135	1	15	
1,1,1-Trichloroethane	24.1	2.0	ug/l	25.0	ND	96	70-135	6	15	
1,1,2-Trichloroethane	23.9	2.0	ug/l	25.0	ND	96	70-135	8	25	
Trichloroethene	23.6	2.0	ug/l	25.0	ND	94	80-125	7	15	
Trichlorofluoromethane	24.7	5.0	ug/l	25.0	ND	99	70-140	7	15	
1,2,3-Trichloropropane	24.2	10	ug/l	25.0	ND	97	65-135	7	35	
1,2,4-Trimethylbenzene	24.7	2.0	ug/l	25.0	ND	99	75-130	6	15	
1,3,5-Trimethylbenzene	25.0	2.0	ug/l	25.0	ND	100	80-135	6	15	
Vinyl acetate	30.2	25	ug/l	25.0	ND	121	30-150	1	35	*N1c*
Vinyl chloride	24.8	1.7	ug/l	25.0	ND	99	70-135	7	25	
Xylenes, Total	48.7	3.0	ug/l	50.0	ND	97	80-125	5	15	
Surrogate: Dibromofluoromethane	*26.4*		*ug/l*	*25.0*		*106*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.5*		*ug/l*	*25.0*		*102*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847
Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6F2910 Extracted: 06/29/06										
Blank Analyzed: 07/02/2006 (P6F2910-BLK1)										
Acenaphthene	ND	3.0	ug/l							
Acenaphthylene	ND	3.0	ug/l							
Anthracene	ND	0.30	ug/l							
Benzo(a)anthracene	ND	0.050	ug/l							
Benzo(a)pyrene	ND	0.10	ug/l							
Benzo(b)fluoranthene	ND	0.30	ug/l							
Benzo(g,h,i)perylene	ND	0.30	ug/l							
Benzo(k)fluoranthene	ND	0.30	ug/l							
Chrysene	ND	0.30	ug/l							
Dibenz(a,h)anthracene	ND	0.50	ug/l							
Fluoranthene	ND	0.30	ug/l							
Fluorene	ND	0.30	ug/l							
Indeno(1,2,3-cd)pyrene	ND	0.30	ug/l							
Naphthalene	ND	2.0	ug/l							
Phenanthrene	ND	0.30	ug/l							
Pyrene	ND	0.30	ug/l							
Surrogate: 2-Methylanthracene	*0.519*		*ug/l*	*0.600*		*86*	*50-115*			
LCS Analyzed: 07/02/2006 (P6F2910-BS1)										**Q8**
Acenaphthene	5.33	3.0	ug/l	6.00		89	65-115			
Acenaphthylene	10.2	3.0	ug/l	12.0		85	65-115			
Anthracene	0.513	0.30	ug/l	0.600		86	65-115			
Benzo(a)anthracene	0.606	0.050	ug/l	0.600		101	80-115			
Benzo(a)pyrene	0.531	0.10	ug/l	0.600		88	70-115			
Benzo(b)fluoranthene	1.10	0.30	ug/l	1.20		92	80-115			
Benzo(g,h,i)perylene	1.09	0.30	ug/l	1.20		91	65-120			
Benzo(k)fluoranthene	0.572	0.30	ug/l	0.600		95	70-115			
Chrysene	0.591	0.30	ug/l	0.600		98	80-120			
Dibenz(a,h)anthracene	1.14	0.50	ug/l	1.20		95	50-125			
Fluoranthene	1.16	0.30	ug/l	1.20		97	70-115			
Fluorene	0.943	0.30	ug/l	1.20		79	65-115			
Indeno(1,2,3-cd)pyrene	0.554	0.30	ug/l	0.600		92	65-115			
Naphthalene	4.70	2.0	ug/l	6.00		78	55-115			
Phenanthrene	0.527	0.30	ug/l	0.600		88	60-115			
Pyrene	0.575	0.30	ug/l	0.600		96	75-115			
Surrogate: 2-Methylanthracene	*0.537*		*ug/l*	*0.600*		*90*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847

Sampled: 06/29/06
Received: 06/29/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6F2910 Extracted: 06/29/06										
LCS Dup Analyzed: 07/02/2006 (P6F2910-BSD1)										
Acenaphthene	5.09	3.0	ug/l	6.00		85	65-115	5	15	
Acenaphthylene	9.70	3.0	ug/l	12.0		81	65-115	5	15	
Anthracene	0.504	0.30	ug/l	0.600		84	65-115	2	15	
Benzo(a)anthracene	0.612	0.050	ug/l	0.600		102	80-115	1	15	
Benzo(a)pyrene	0.536	0.10	ug/l	0.600		89	70-115	1	15	
Benzo(b)fluoranthene	1.12	0.30	ug/l	1.20		93	80-115	2	15	
Benzo(g,h,i)perylene	1.11	0.30	ug/l	1.20		92	65-120	2	10	
Benzo(k)fluoranthene	0.582	0.30	ug/l	0.600		97	70-115	2	15	
Chrysene	0.606	0.30	ug/l	0.600		101	80-120	3	15	
Dibenz(a,h)anthracene	1.17	0.50	ug/l	1.20		97	50-125	3	25	
Fluoranthene	1.17	0.30	ug/l	1.20		97	70-115	1	20	
Fluorene	0.909	0.30	ug/l	1.20		76	65-115	4	20	
Indeno(1,2,3-cd)pyrene	0.564	0.30	ug/l	0.600		94	65-115	2	20	
Naphthalene	4.35	2.0	ug/l	6.00		72	55-115	8	25	
Phenanthrene	0.522	0.30	ug/l	0.600		87	60-115	1	30	
Pyrene	0.581	0.30	ug/l	0.600		97	75-115	1	20	
Surrogate: 2-Methylanthracene	*0.532*		*ug/l*	*0.600*		*89*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847

Sampled: 06/29/06
Received: 06/29/06

DATA QUALIFIERS AND DEFINITIONS

C6	Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the higher value was reported as there was no obvious chromatographic interference.
C7	Sample RPD between the primary and confirmatory analysis exceeded 40% per EPA Method 8000B, the lower value was reported due to apparent chromatographic interference.
H1	Sample analysis performed past holding time.
L3	The associated blank spike recovery was above method acceptance limits.
M1	Matrix spike recovery was high, the method control sample recovery was acceptable.
M2	Matrix spike recovery was low, the method control sample recovery was acceptable.
M3	The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
N1	See case narrative.
Q8	Insufficient sample received to meet method QC requirements. Batch QC satisfies ADEQ policies 0154 and 0155.
R4	MS/MSD RPD exceeded the method control limit. Recovery met acceptance criteria.
R6	LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
V1	CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
ND	Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
RPD	Relative Percent Difference

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0847

Sampled: 06/29/06
Received: 06/29/06

Certification Summary

TestAmerica - Phoenix, AZ

Method	Matrix	Nelac	Arizona
EPA 8015B	Water	X	X
EPA 8260B	Water	X	X
EPA 8310	Water	X	X

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

Subcontracted Laboratories

Transwest Geochem *Arizona Cert #AZ0133*

3725 E. Atlanta Ave Ste 1 - Phoenix, AZ 85040-2961

Analysis Performed: 8015B MOD-Low Level

Samples: PPF0847-02, PPF0847-03, PPF0847-04, PPF0847-05, PPF0847-06, PPF0847-07, PPF0847-08, PPF 0847-09, PPF0847-10, PPF0847-11, PPF0847-12

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

DelMar Analytical
9830 South 51st St. Suite B-120
Phoenix, AZ 85044
480-785-0043

Honeywell

Chain Of Custody / Analysis Request

Project & Contact Info: Jennifer Holland
jennifer.holland@ch2m.com

Site Name: Sky Harbor
Location of Site: HW Quarterly / UST Sampling Program

DELMAR-PHE

PAGE 1 of 1

Client Contact: (name, co., address)
CH2M HILL
2625 South Plaza Drive, Suite 300
Tempe, AZ 85282
Jennifer.Holland@CH2M.com

Hardcopy Report To:
Invoice To:

Sampler: Jeffery Yentes
P O # BV.30.33

Analysis Turnaround Time:
Standard - Y
Rush Charges Authorized for -
2 weeks -
1 week -
Next Day -

What is in the Test File? Measure over here.

	Sample Identification: Location ID	Field Sample ID	Sample Date	Sample Time	Sample Type	Sample Matrix	# of Cont.	MS/MSD REQUESTED	Field Filtered Sample ?	VOC's (EPA 8260B)	SVOC's (EPA 8270)	PAH's (EPA 8310)	TRPH (EPA 8015M)	MEE (RSKSOP-175)	Total Metals (Varoius Methods)	Dissolved Metals (Various Methods)	Total common Ions (Various Methods)	Dissolved Common Ions (Various Methods)		VOC'S (EPA 624)		MS/MSD Requested	
										Preservative													
										1	0	0	3	1	2	2	0	0		1			
										ug/L	ug/L	ug/L	ug/L	mg/L	mg/L	mg/L	mg/L	mg/L		ug/L			
1	BLANK	TB-062906	6/29/2006	0020	BlkWater	Water	1		N	X													
2	MW	ASE-126A-6B3	6/29/2006	0959	GW	Water	7		N	X		X	X										
3	MW	ASE-97A-6B3	6/29/2006	0914	GW	Water	5		N	X			X										
4	MW	ASE-90A-6B3	6/29/2006	0130	GW	Water	5		N	X			X										
5	MW	ASE-105A-6B3 →	6/29/2006	0268	GW	Water	7		N	X		X	X										
6	MW	ASE-112A-6B3	6/29/2006	0250	GW	Water	7		N	X		X	X										
7	MW	PL-503-6B3	6/29/2006	0300	GW	Water	7		N	X		X	X										
8	MW	ASE-89A-6B3	6/29/2006	1105	GW	Water	7	Y	N	X			X										
9	MW	BC-8B-6B3	6/29/2006	1035	GW	Water	5		N	X			X										
10	MW	ASE-114A-6B3	6/29/06	0342	GW	water	7		N	X		X	X										
11	MW	ASE-128A-6B3	6/29/06	0436	GW	water	7		N	X		X	X										
12	MW	ASE-99A-6B3	6/29/06	0527	GW	water	5		N	X			X										
13																							
14																							
15																							
16																							
17																							
18																							
19																							
20																							

PHP0817 - 1 2 3 4 5 6 7 8 9 10 11 12

Relinquished by	Company	Hargis + Associates, Inc.	Received by			Condition	✓	Custody Seals Intact: N
	Date/Time	6-29-06/1250		6/29/06	12:50	Cooler Temp.	2.4	
Relinquished by	Company		Received by			Condition		Custody Seals Intact
	Date/Time					Cooler Temp.		

Preservatives: 0 = None; [1 = HCL]; [2 = HNO3]; [3 = H2SO4]; [4 = NaOH]; [5 = Zn. Acetate]; [6 = MeOH]; [7 = NaHSO4]; 8 = Other (specify):

TRANSWEST GEOCHEM

June 21 , 2006

Ken Baker
TestAmerica - Phoenix
9830 S. 51st Street
Suite B-120
Phoenix, AZ 85044

Re: PPF0847
Work Order No.: 0606527

Dear Ken,

Attached is the original Report of Analysis from Columbia Analytical Services, Inc. (AZ0604) for the samples received on 6/29/06. The following analysis was performed:

Method EPA 8015B – Diesel Range Organics

If you have any questions regarding the results, please call me. We appreciate your business and thank you for choosing Transwest Geochem.

Sincerely,

Carlene McCutchen

for Skip Harden
Project Manager

ADHS License No. AZM133/AZ0133

CONFIDENTIAL AND PRIVILEGED

3725 E. Atlanta Avenue • Phoenix, Arizona 85040 • (602) 437-0330 • (800) 927-5183 • Fax (602) 437-0660
8860 S. Palo Verde Rd. • Suite 301 • Tucson, Arizona 85714 • (520) 573-1061 • Fax (520) 573-1063

5090 Caterpillar Road Redding, California 96003 (530) 244-5227 (530) 244-4109 fax

Columbia Analytical Services INC.
An Employee - Owned Company

July 17, 2006

Service Request No: D0600785

Carlene McCutcheon
Transwest Geochem, Incorporated
3725 East Atlanta Avenue
Suite 2
Phoenix, AZ 85040-2960

RE: PPF0847/0606527

Dear Carlene:

Enclosed are the results of the sample(s) submitted to our laboratory on June 30, 2006. For your reference, these analyses have been assigned our service request number D0600785.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 103. You may also contact me via email at EWilson@canoga.caslab.com.

Respectfully submitted,

Columbia Analytical Services, Inc.

Ed Wilson
Project Chemist

NELAP Accredited ACIL Seal of Excellence Award 100% Recycled

Current CAS Redding Accreditation Programs

Federal and National Programs

- U.S Air Force, Air Force Center for Environmental Excellence (AFCEE)
  Approved laboratory for Wastewater and Hazardous Waste
- U.S. Army Corps of Engineers – MRD, HTRW Mandatory Center of Expertise
  Validated for Wastewater and Hazardous Waste
- Department of the Navy, Naval Facilities Engineering Service Center (NFESC)
  Approved laboratory for Wastewater and Hazardous Waste

State and Local Programs

- State of Alaska, Department of Environmental Conservation
  Approved Laboratory for Contaminated Sites
  Lab ID UST-001
- State of Arizona, Department of Health Services, Office of Laboratory Licensure
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID AZ0604
- State of California, Department of Health Services, National Environmental Laboratory Accreditation Program **(NELAP)**
  Approved Laboratory for Drinking Water, Wastewater and Hazardous Waste
  Lab ID 01105CA
  - Los Angeles County Sanitation District
    Approved Laboratory for Wastewater
    Lab ID 10243
- State of California, Department of Health Services, Environmental Laboratory Accreditation Program (ELAP)
  Approved Laboratory for Microbiology of Drinking Water and Wastewater
  Lab ID 2635
- State of Florida, Department of Health, Bureau of Laboratories **(NELAP)**
  Approved Environmental Testing Laboratory for Wastewater and Hazardous Waste
  Lab ID E87203
- State of Kansas, Department of Health and Environment **(NELAP)**
  Approved Laboratory for Hazardous Waste
  Lab ID E-10323
- State of Massachusetts, Department of Environmental Protection
  Approved laboratory for Drinking Water and Wastewater
  Lab ID M-CA025
- State of Oklahoma, Department of Environmental Quality
  Approved Laboratory for General Water Quality/Sludge Testing
  Lab ID 9952
- State of Oregon, Environmental Laboratory Accreditation Program **(ORELAP)**
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID CA200004
- State of Utah, Department of Health, Bureau of Laboratory Improvement **(NELAP)**
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID QUAL1
- State of Washington, Department of Ecology
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID C1234
- State of Wisconsin, Department of Natural Resources
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID 999767340

Arizona Data Qualifiers
Revision 2.0, 11/26/2003

Developed by the Sub-committee of the
Arizona Environmental Laboratory Advisory Committee

Microbiology:
A1 = Too numerous to count.
A2 = Sample incubation period exceeded method requirement.
A3 = Sample incubation period was shorter than method requirement.
A4 = Target organism detected in associated method blank.
A5 = Incubator/water bath temperature was outside method requirements.
A6 = Target organism not detected in associated positive control.
A7 = Micro sample received without adequate headspace.

Method/calibration blank:
B1 = Target analyte detected in method blank at or above the method reporting limit.
B2 = Non-target analyte detected in method blank and sample, producing interference.
B3 = Target analyte detected in calibration blank at or above the method reporting limit.
B4 = Target analyte detected in blank at/above method acceptance criteria.
B5 = Target analyte detected in method blank at or above the method reporting limit, but below trigger level or MCL.
B6 = Target analyte detected in calibration blank at or above the method reporting limit, but below trigger level or MCL.
B7 = Target analyte detected in method blank at or above method reporting limit. Concentration found in the sample was 10 times above the concentration found in the method blank.

Confirmation:
C1 = Confirmatory analysis not performed as required by the method.
C3 = Qualitative confirmation performed.
C4 = Confirmatory analysis was past holding time.
C5 = Confirmatory analysis was past holding time. Original result not confirmed.
C6 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the higher value was reported as there was no obvious chromatographic interference.
C7 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic interference.

Dilution:
D1 = Sample required dilution due to matrix.
D2 = Sample required dilution due to high concentration of target analyte.
D3 = Sample dilution required due to insufficient sample.
D4 = Minimum reporting level (MRL) adjusted to reflect sample amount received and analyzed.

Estimated concentration:
E1 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not possible due to insufficient sample.
E2 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to sample matrix.
E3 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

E4 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL).
E5 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL), but not confirmed by alternate analysis.
E6 = Concentration estimated. Internal standard recoveries did not meet method acceptance criteria.
E7 = Concentration estimated. Internal standard recoveries did not meet laboratory acceptance criteria.
E8 = Analyte reported to MDL per project specification. Target analyte was not detected in the sample.

Hold time:
H1 = Sample analysis performed past holding time.
H2 = Initial analysis within holding time. Reanalysis for the required dilution was past holding time.
H3 = Sample was received and analyzed past holding time.
H4 = Sample was extracted past required extraction holding time, but analyzed within analysis holding time.

BOD:
K1 = The sample dilutions set-up for the BOD analysis did not meet the oxygen depletion criteria of at least 2 mg/L. Any reported result is an estimated value.
K2 = The sample dilutions set up for the BOD analysis did not meet the criteria of a residual dissolved oxygen of at least 1 mg/L. Any reported result is an estimated value.
K4 = The seed depletion was outside the method acceptance limits. The reported result is an estimated value.
K5 = The dilution water D.O. depletion was > 0.2 mg/L.
K6 = Glucose/glutamic acid BOD was below method acceptance criteria.
K7 = A discrepancy between the BOD and COD results has been verified by reanalysis of the sample for COD.
K8 = Glucose/glutamic acid BOD was above method acceptance levels.

Laboratory fortified blank/blank spike:

L1 = The associated blank spike recovery was above laboratory acceptance limits.
L2 = The associated blank spike recovery was below laboratory acceptance limits.
L3 = The associated blank spike recovery was above method acceptance limits.
L4 = The associated blank spike recovery was below method acceptance limits.

Matrix spike:
M1 = Matrix spike recovery was high, the method control sample recovery was acceptable.
M2 = Matrix spike recovery was low, the method control sample recovery was acceptable.
M3 = The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
M4 = The analysis of the spiked sample required a dilution such that the spike concentration was diluted below the reporting limit. The method control sample recovery was acceptable.
M5 = Analyte concentration was determined by the method of standard addition (MSA).

M6 = Matrix spike recovery was high. Data reported per ADEQ policy 0154.000.
M7 = Matrix spike recovery was low. Data reported per ADEQ policy 0154.000.

General:
N1 = See case narrative.
N2 = See corrective action report.
N3 = The analysis meets all method requirements. See case narrative.

Sample quality:
Q1 = Sample integrity was not maintained. See case narrative.
Q2 = Sample received with headspace.
Q3 = Sample received with improper chemical preservation.
Q4 = Sample received and analyzed without chemical preservation.
Q5 = Sample received with inadequate chemical preservation, but preserved by the laboratory.
Q6 = Sample was received above recommended temperature.
Q7 = Sample inadequately dechlorinated.
Q8 = Insufficient sample received to meet method QC requirements. Batch QC requirements satisfies ADEQ policies 0154 and 0155.
Q9 = Insufficient sample received to meet method QC requirements.
Q10 = Sample received in inappropriate sample container.
Q11 = Sample is heterogeneous. Sample homogeneity could not be readily achieved using routine laboratory practices.

Duplicates:
R1 = RPD exceeded the method control limit. See case narrative.
R2 = RPD exceeded the laboratory control limit. See case narrative.
R4 = MS/MSD RPD exceeded the method control limit. Recovery met acceptance criteria.
R5 = MS/MSD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R6 = LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
R7 = LFB/LFBD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R8 = Sample RPD exceeded the method control limit.
R9 = Sample RPD exceeded the laboratory control limit.
R10 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic problems.
R11 = The RPD calculation for MS/MSD does not provide useful information due to the varying sample weights when Encore samplers/methanol field preserved samples are used.

Surrogate:
S1 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits.
S3 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits. No target analytes were detected in the sample.
S4 = Surrogate recovery was above laboratory and method acceptance limits. No target analytes were detected in the sample.
S5 = Surrogate recovery was below laboratory acceptance limits, but within method acceptance limits.
S6 = Surrogate recovery was below laboratory and method acceptance limits. Reextraction and/or reanalysis confirms low recovery caused by matrix effect.

S7 = Surrogate recovery was below laboratory and method acceptance limits. Unable to confirm matrix effect.
S8 = The analysis of the sample required a dilution such that the surrogate recovery calculation does not provide any useful information. The method control sample recovery was acceptable.
S10 = Surrogate recovery was above laboratory and method acceptance limits. See Case narrative.
S11 = Surrogate recovery was high. Data reported per ADEQ policy 0154.000.
S12 = Surrogate recovery was low. Data reported per ADEQ policy 0154.000.

Method/analyte discrepancies:
T1 = Method approved by EPA, but not yet licensed by ADHS.
T2 = Cited ADHS licensed method does not contain this analyte as part of method compound list.
T3 = Method not promulgated either by EPA or ADHS.
T4 = Tentatively identified compound. Concentration is estimated and based on the closest internal standard.

Calibration verification:
V1 = CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
V2 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample. The sample could not be reanalyzed due to insufficient sample.
V3 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample, but the sample was not reanalyzed. See case narrative.
V4 = CCV recovery was below method acceptance limits. The sample could not be reanalyzed due to insufficient sample.
V5 = CCV recovery after a group of samples was above acceptance limits. This target analyte was not detected in the sample. Acceptable per EPA Method 8000B.
V6 = Data reported from one-point calibration criteria per ADEQ policy 0155.000.
V7 = Calibration verification recovery was above the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.
V8 = Calibration verification recovery was below the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.

Calibration:
W1 = The % RSD for this compound was above 20%. The average % RSD for all compounds in the calibration met the 20% criteria as specified in EPA method 8000B.
W2 = The % RSD for this compound was above 15%. The average % RSD for all compounds in the calibration met the 15% criteria as specified in EPA method 8260B/8270C.

Client: Transwest Geochem, Incorporated
Project: PPF0847/0606527

Service Request: D0600785

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
D0600785-001	PPF0847-02	06/29/06	09:59
D0600785-002	PPF0847-03	06/29/06	09:14
D0600785-003	PPF0847-04	06/29/06	01:30
D0600785-004	PPF0847-05	06/29/06	02:08
D0600785-005	PPF0847-06	06/29/06	02:08
D0600785-006	PPF0847-07	06/29/06	02:50
D0600785-007	PPF0847-08	06/29/06	03:00
D0600785-008	PPF0847-09	06/29/06	11:05
D0600785-009	PPF0847-10	06/29/06	03:42
D0600785-010	PPF0847-11	06/29/06	04:36
D0600785-011	PPF0847-12	06/29/06	05:27

CASE NARRATIVE

COLUMBIA ANALYTICAL SERVICES, INC.

Client:	Transwest Geochem, Inc.	**Service Request No.:**	D0600785
Project:	PPF0847	**Date Received:**	June 30, 2006
Sample Matrix:	Water		

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of Columbia Analytical Services, Inc. (CAS). This report contains analytical results for samples designated for Tier II data deliverables.

Sample Receipt

11 water samples were received for analysis at Columbia Analytical Services on June 30, 2006.

No discrepancies were noted upon initial sample inspection. The samples were received in good condition and consistent with the accompanying chain of custody form. The samples were stored in a refrigerator at 4°C upon receipt at the laboratory.

Diesel Range Organics by EPA Method 8015B

Surrogate Exceptions:
The upper control criterion was exceeded for the following surrogate in samples PPF0847-04, and PPF0804-06: Triacontane. The error associated with an elevated recovery equates to a high bias. The quality of the sample data is not significantly affected. No further corrective action was appropriate.

Matrix Spike Recovery and Relative Percent Difference Exceptions:
Due to the presence of target analyte in native sample, the upper control criteria was exceeded for TPH-Diesel in Matrix Spike (MS) PPF0847-08MS. Recoveries in the Laboratory Control Sample (LCS) and the Duplicate Matrix Spike (DMS) were acceptable, indicating the analytical batch was in control. No further corrective action was necessary.

Approved by: _____ **Date:** 7/13/06

CHAIN OF CUSTODY DOCUMENTATION

TRANSWEST GEOCHEM

CHAIN-OF-CUSTODY [redacted]

Skip Harden
3725 E. Atlanta Avenue
Suite 2
Phoenix, AZ 85040
TEL: (602) 437-0330
FAX: (602) 437-0660

Work Order: 0606527

Project: PPF0847

Subcontractor:
Columbia Analytical Services
5090 Caterpillar Rd.
Redding, CA 96003
TEL: (530) 244-5227
FAX: (530) 244-4109

29-Jun-06

	Client Sample ID	TGI ID	Matrix	Collection Date	Containers	Requested Tests: 8015MOD_W	
1	PPF0847-02	01A	Water	6/29/2006 9:59:00 AM	1	1	
2	PPF0847-03	02A	Water	6/29/2006 9:14:00 AM	1	1	
3	PPF0847-04	03A	Water	6/29/2006 1:30:00 AM	1	1	
4	PPF0847-05	04A	Water	6/29/2006 2:08:00 AM	1	1	
5	PPF0847-06	05A	Water	6/29/2006 2:50:00 AM	1	1	
6	PPF0847-07	06A	Water	6/29/2006 3:00:00 AM	1	1	
7 MS	PPF0847-08	07A	Water	6/29/2006 11:05:00 AM	2	1 -	MS/MSD
8	PPF0847-09	08A	Water	6/29/2006 3:42:00 AM	1	1	
9	PPF0847-10	09A	Water	6/29/2006 4:36:00 AM	1	1	
10	PPF0847-11	10A	Water	6/29/2006 4:36:00 AM	1	1	
11	PPF0847-12	11A	Water	6/29/2006 5:27:00 AM	~~2~~ 1	1 -	~~MS/MSD~~ Lm 6/29/06

Low level reporting limits

EDD's Required

Comments: After analysis, the samples do not need to be returned and can be disposed per your standard laboratory practices. Please provide a QC report, including Method Blank data.

Sample Receipt		
Temperature:	Ambient / Cold	Ice:
Received Intact:		Absent / Present
Custody Seals:		Wet / Blue
Total No. of Containers:		° C.

		Date/Time			Date/Time
Relinquished by:	Leslie May · TGI	6/29/06 1600	**Received by:**	UPS	
Relinquished by:			**Received by:**	[illegible]	6/30/06 1000
Relinquished by:			**Received by:**		

Columbia Analytical Services inc.
An Employee-Owned Company

5090 Caterpillar Road
Redding, CA 96003
Phone: (530) 244-5262
[redacted]

COOLER RECEIPT FORM

Project/Client: Transwest Geochem Batch [redacted]

1. Cooler(s)/Sample(s) received on: 6/30/06 Shipped via: UPS
   Shipping Bill # (s): 1Z52X72X0192285753 / 1Z52X72X019452 3965 # of Coolers/Packages 4
2. Radiological Screening by: gs Acceptable Rejected
3. Custody seals on outside of cooler: YES NO N/A
   If yes, where? Front ✓ Rear____ Lt Side____ Rt Side____
   Seals intact: YES NO

COOLER/SAMPLE PROCESSING

4. Sample Processing/Tagging by: gs
5. Cooler(s)/Sample(s) Temp's: 4°C gs 6-30-06 | 4.0c | 4.0c | 4.0c | ____
   (or)
   Temp. Blank (if included): ____ | ____ | ____ | ____ | ____
6. Type of packing material (circle): Ice Blue Ice Bubble Wrap Bubble Bags Zip Locks Webbing
   Other: absorbent pads + brown paper
7. Custody papers properly filled out (ink, signed, dated, released, etc.)? YES NO
8. Containers arrived in good condition (not broken, leaking, etc.)? YES NO
9. Samples received with adequate holding time remaining to conduct analysis? YES NO
10. Container labels complete (i.e. analysis, preservation, date/time, etc.)? YES NO
11. Container labels and tags agree with custody papers? YES NO
12. Correct types of containers used for the tests indicated? YES NO
    a.) Adequate sample received? If not, note on Exception Report. YES NO
13. Containers supplied by: CAS Other
14. Preserved containers received with the appropriate preservative? YES NO N/A
    pH:_____ (or) See pH log.
15. VOA vials free of air bubbles? YES NO N/A
16. Trip Blank preparation date: _____ CAS Other N/A
17. Volatile Soil samples: Encores or Plugs in Vials
    Freezer or GC/MS Date:_____ Time:_____ N/A

See Exception Report for discrepancies.

Rev. 8/18/2004/ds

GC TPH DIESEL

ORGANIC ANALYSES DATA PACKAGE

Analytical Method: CA LUFT AAB #: D0600785

Lab Name: Columbia Analytical Services/Redding

Base/Command: ARIZONA DELIVERABLES (RL)

Project: PPF0847

Field Sample ID	Lab Sample ID
PPF0847-02	D0600785-001
PPF0847-03	D0600785-002
PPF0847-04	D0600785-003
PPF0847-05	D0600785-004
PPF0847-06	D0600785-005
PPF0847-07	D0600785-006
PPF0847-08	D0600785-007
PPF0847-08MS	D0600785-007MS
PPF0847-08MSD	D0600785-007MSD
PPF0847-09	D0600785-008
PPF0847-10	D0600785-009
PPF0847-11	D0600785-010
PPF0847-12	D0600785-011

Comments:

I certify this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: Name: DBurnett

Date: 7-14-06 Title: Tech Mgr

RDD-060712:CC:BS-1018PST-SR:D0600785-D0600785-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600785

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0847-02 Lab Sample ID: D0600785-001 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 06/30/06 Date Extracted: 07/05/06 Date Analyzed: 07/10/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	ND	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	100	58-111	
Triacontane - SS	101	54-109	

Comments:

RDD-060712:CC:BS-1031PST-SR:D0600785-D0600785-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600785

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0847-03 Lab Sample ID: D0600785-002 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 06/30/06 Date Extracted: 07/05/06 Date Analyzed: 07/10/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	ND	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	104	58-111	
Triacontane - SS	105	54-109	

Comments:

RDD-060712:CC:BS-1031PST-SR:D0600785-D0600785-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600785

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0847-04 Lab Sample ID: D0600785-003 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 06/30/06 Date Extracted: 07/05/06 Date Analyzed: 07/10/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**480**	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	**480**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	108	58-111	
Triacontane - SS	110	54-109	*

Comments:

RDD-060712:CC:BS-1031PST-SR:D0600785-D0600785-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600785

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0847-05 Lab Sample ID: D0600785-004 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 06/30/06 Date Extracted: 07/05/06 Date Analyzed: 07/11/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**200**	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	**200**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	108	58-111	
Triacontane - SS	109	54-109	

Comments:

RDD-060712:CC:BS-1031PST-SR:D0600785-D0600785-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600785

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0847-06 Lab Sample ID: D0600785-005 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 06/30/06 Date Extracted: 07/05/06 Date Analyzed: 07/11/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**390**	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	**390**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	110	58-111	
Triacontane - SS	111	54-109	*

Comments:

RDD-060712:CC:BS-1031PST-SR:D0600785-D0600785-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600785

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0847-07 Lab Sample ID: D0600785-006 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 06/30/06 Date Extracted: 07/05/06 Date Analyzed: 07/11/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**360**	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	**360**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	106	58-111	
Triacontane - SS	107	54-109	

Comments:

RDD-060712:CC:BS-1031PST-SR:D0600785-D0600785-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600785

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0847-08 Lab Sample ID: D0600785-007 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 06/30/06 Date Extracted: 07/05/06 Date Analyzed: 07/11/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**3100**	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	**3100**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	102	58-111	
Triacontane - SS	103	54-109	

Comments:

RDD-060712:CC:BS-1031PST-SR:D0600785-D0600785-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600785

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0847-09 Lab Sample ID: D0600785-008 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 06/30/06 Date Extracted: 07/05/06 Date Analyzed: 07/11/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	ND	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	93	58-111	
Triacontane - SS	94	54-109	

Comments:

RDD-060712:CC:BS-1031PST-SR:D0600785-D0600785-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600785

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0847-10 Lab Sample ID: D0600785-009 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 06/30/06 Date Extracted: 07/05/06 Date Analyzed: 07/11/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**60**	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	90	58-111	
Triacontane - SS	90	54-109	

Comments:

RDD-060712:CC:BS-1031PST-SR:D0600785-D0600785-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600785

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0847-11 Lab Sample ID: D0600785-010 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 06/30/06 Date Extracted: 07/05/06 Date Analyzed: 07/11/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	ND	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	92	58-111	
Triacontane - SS	92	54-109	

Comments:

RDD-060712:CC:BS-1031PST-SR:D0600785-D0600785-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600785

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0847-12 Lab Sample ID: D0600785-011 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 06/30/06 Date Extracted: 07/05/06 Date Analyzed: 07/11/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	ND	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	91	58-111	
Triacontane - SS	91	54-109	

Comments:

RDD-060712:CC:BS-1031PST-SR:D0600785-D0600785-D

ORGANIC ANALYSES DATA SHEET 6
BLANKS

Analytical Method: CA LUFT AAB #: D0600785

Lab Name: Columbia Analytical Services/Redding

Concentration Units (ug/L or mg/kg): UG/L Method Blank ID: DWB10705

Lab Sample ID: DWB10705

Initial Calibration ID: 05/20/06GCF

Analyte		Method Blank	RL	Q
C13 - C22 DRO		ND	50	
C23 - C32 HRO		ND	50	
Total Petroleum Hydrocarbons		ND	100	

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	105	58-111	
Triacontane - SS	106	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 7
LABORATORY CONTROL SAMPLE

Analytical Method: CA LUFT AAB #: D0600785

Lab Name: Columbia Analytical Services/Redding

LCS ID: DWB10705LCS Concentration Units (ug/L or mg/kg): UG/L

Date Extracted: 07/05/06 Date Analyzed: 07/11/06

Initial Calibration ID: 05/20/06GCF

Analyte	Expected	Found	%R	Control Limits	Q
C13 - C22 DRO	2500	2160	86	64-106	

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	96	58-111	
Triacontane - SS	97	54-109	

Comments:

RDD-060712:CC:BS-1031PST-SR:D0600785-D0600785-D

ORGANIC ANALYSES DATA SHEET 8
MATRIX SPIKE/MATRIX SPIKE DUPLICATE SAMPLE RECOVERY

Analytical Method: CA LUFT AAB #: D0600785

Lab Name: Columbia Analytical Services/Redding

Concentration Units (ug/L or mg/kg): UG/L %Solids: _____

Parent Field Sample ID: PPF0847-08 MS ID: PPF0847-08MS MSD ID: PPF0847-08MSD

Analyte	Parent Sample Result	Spike Added	Spiked Sample Result	%R	Duplicat Spike Sample Result	%R	%RPD	Control Limits %RPD	Control Limits %R	Q
C13 - C22 DRO	3080	5000	7370	86	7340	84	0	30	64-106	**D4**

Comments:

ORGANIC ANALYSES DATA SHEET 10
INSTRUMENT ANALYSIS SEQUENCE LOG

Analytical Method: CA LUFT AAB #: D0600785

Lab Name: Columbia Analytical Services/Redding

Instrument ID #: GCF RTX-5

Field Sample ID/Std ID/ Blank ID/QC Sample ID	Laboratory File ID	Date Analysis Started	Time Analysis Started	Date Analysis Completed	Time Analysis Completed
DSTD6	F0520002	05/20/06	1838	05/20/06	1908
DSTD1	F0520003	05/20/06	1923	05/20/06	1953
DSTD2	F0520004	05/20/06	2008	05/20/06	2038
DSTD3	F0520005	05/20/06	2054	05/20/06	2124
DSTD4	F0520006	05/20/06	2139	05/20/06	2209
DSTD5	F0520007	05/20/06	2225	05/20/06	2255
QC ALT	F0520009	05/20/06	2356	05/21/06	0026
DSTD4	F0710002	07/10/06	2003	07/10/06	2033
DWB10705	F0710003	07/10/06	2047	07/10/06	2117
PPF0847-02	F0710005	07/10/06	2216	07/10/06	2246
PPF0847-03	F0710006	07/10/06	2300	07/10/06	2330
PPF0847-04	F0710007	07/10/06	2344	07/11/06	0014
PPF0847-05	F0710008	07/11/06	0028	07/11/06	0058
PPF0847-06	F0710009	07/11/06	0112	07/11/06	0142
PPF0847-07	F0710010	07/11/06	0156	07/11/06	0226
PPF0847-08	F0710011	07/11/06	0240	07/11/06	0310
PPF0847-08MS	F0710012	07/11/06	0324	07/11/06	0354
DSTD3	F0710015	07/11/06	0536	07/11/06	0606
PPF0847-08MSD	F0710016	07/11/06	0621	07/11/06	0651
PPF0847-09	F0710017	07/11/06	0705	07/11/06	0735
PPF0847-10	F0710018	07/11/06	0749	07/11/06	0819
PPF0847-11	F0710019	07/11/06	0833	07/11/06	0903
PPF0847-12	F0710020	07/11/06	0917	07/11/06	0947
DWB10705LCS	F0710021	07/11/06	1001	07/11/06	1031
DSTD4	F0710024	07/11/06	1214	07/11/06	1244

Comments:

ORGANIC ANALYSES DATA SHEET APPENDIX A
SURROGATE RESULTS

Analytical Method: SW8015 AAB #: D0600785

Lab Name: Columbia Analytical Services/Redding

Matrix: Water

Field/QC Sample ID	S1	S2	S3	S4	S5	S6	S7	S8	Q
DWB10705	105	106							
PPF0847-02	100	101							
PPF0847-03	104	105							
PPF0847-04	108	110							**S10**
PPF0847-05	108	109							
PPF0847-06	110	111							**S10**
PPF0847-07	106	107							
PPF0847-08	102	103							
PPF0847-08MS	99	100							
PPF0847-08MSD	83	83							
PPF0847-09	93	94							
PPF0847-10	90	90							
PPF0847-11	92	92							
PPF0847-12	91	91							
DWB10705LCS	96	97							

S1: Octacosane - SS 58-111
S2: Triacontane - SS 54-109

Comments:

Del Mar Analytical

17461 Derian Ave. Suite 100, Irvine, CA 92614 Ph (949) 261-1022 Fax (949) 261-1228
1014 E. Cooley Dr., Suite A, Colton, CA 92324 Ph (909) 370-4667 Fax (909) 370-1046
9484 Chesapeake Drive, Suite 805, San Diego, CA 92123 Ph (619) 505-9596 Fax (619) 505-9689
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 Ph (480) 785-0043 Fax (480) 785-0851
2520 E. Sunset Rd., Suite #3, Las Vegas, NV 89120 Ph (702) 798-3620 Fax (702) 798-3621

SUBCONTRACT ORDER - PROJECT # PPF0847

SENDING LABORATORY:
Del Mar Analytical - Phoenix
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem (out)
3725 E. Atlanta Ave Ste 1
Phoenix, AZ 85040-2961
Phone :602-437-0330
Fax: (602) 437-0660

0606527

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPF0847-02 Water	**Sampled: 06/29/06 09:59**	pH
8015B MOD-Low Level-O	07/06/06 09:59	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPF0847-02F)		1
1 L Amber w/H2SO4 (PPF0847-02G)		2/2
Sample ID: PPF0847-03 Water	**Sampled: 06/29/06 09:14**	
8015B MOD-Low Level-O	07/06/06 09:14	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPF0847-03D)		2
1 L Amber w/H2SO4 (PPF0847-03E)		2/2
Sample ID: PPF0847-04 Water	**Sampled: 06/29/06 01:30**	
8015B MOD-Low Level-O	07/06/06 01:30	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPF0847-04D)		3
1 L Amber w/H2SO4 (PPF0847-04E)		2/2
Sample ID: PPF0847-05 Water	**Sampled: 06/29/06 02:08**	
8015B MOD-Low Level-O	07/06/06 02:08	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPF0847-05F)		4
1 L Amber w/H2SO4 (PPF0847-05G)		2/2
Sample ID: PPF0847-06 Water	**Sampled: 06/29/06 02:50**	
8015B MOD-Low Level-O	07/06/06 02:50	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPF0847-06F)		5
1 L Amber w/H2SO4 (PPF0847-06G)		2/2

4.3°

Released By	Date	Time	Received By	Date	Time

Released By	Date	Time	Received By	Date	Time

Del Mar Analytical

17461 Derian Ave. Suite 100, Irvine, CA 92614 Ph (949) 261-1022 Fax (949) 261-1228
1014 E. Cooley Dr., Suite A. Colton, CA 92324 Ph (909) 370-4667 Fax (909) 370-1046
9484 Chesapeake Drive, Suite 805, San Diego, CA 92123 Ph (619) 505-9596 Fax (619) 505-9689
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 Ph (480) 785-0043 Fax (480) 785-0851
2520 E. Sunset Rd., Suite #3, Las Vegas, NV 89120 Ph (702) 798-3620 Fax (702) 798-3621

SUBCONTRACT ORDER - PROJECT # PPF0847

SENDING LABORATORY:
Del Mar Analytical - Phoenix
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem (out)
3725 E. Atlanta Ave Ste 1
Phoenix, AZ 85040-2961
Phone :602-437-0330
Fax: (602) 437-0660

0606527

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPF0847-07 Water	**Sampled: 06/29/06 03:00**	PH
8015B MOD-Low Level-O	07/06/06 03:00	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPF0847-07F)		6
1 L Amber w/H2SO4 (PPF0847-07G)		2/2
Sample ID: PPF0847-08 Water	**Sampled: 06/29/06 11:05**	**Use as MS/MSD**
8015B MOD-Low Level-O	07/06/06 11:05	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPF0847-08F)		7 MS/MSD
1 L Amber w/H2SO4 (PPF0847-08G)		2/2
Sample ID: PPF0847-09 Water	**Sampled: 06/29/06 03:42**	
8015B MOD-Low Level-O	07/06/06 03:42	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPF0847-09F)		8
1 L Amber w/H2SO4 (PPF0847-09G)		2/2
Sample ID: PPF0847-10 Water	**Sampled: 06/29/06 04:36**	
8015B MOD-Low Level-O	07/06/06 04:36	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPF0847-10F)		9
1 L Amber w/H2SO4 (PPF0847-10G)		2/2
Sample ID: PPF0847-11 Water	**Sampled: 06/29/06 04:36**	
8015B MOD-Low Level-O	07/06/06 04:36	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPF0847-11F)		10
1 L Amber w/H2SO4 (PPF0847-11G)		2/2

4.3°

Released By	Date	Time	Received By	Date	Time

Released By	Date	Time	Received By	Date	Time

Del Mar Analytical

17461 Derian Ave. Suite 100, Irvine, CA 92614 Ph (949) 261-1022 Fax (949) 261-1228
1014 E. Cooley Dr., Suite A, Colton, CA 92324 Ph (909) 370-4667 Fax (909) 370-1046
9484 Chesapeake Drive, Suite 805, San Diego, CA 92123 Ph (619) 505-9596 Fax (619) 505-9689
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 Ph (480) 785-0043 Fax (480) 785-0851
2520 E. Sunset Rd., Suite #3, Las Vegas, NV 89120 Ph (702) 798-3620 Fax (702) 798-3621

SUBCONTRACT ORDER - PROJECT # PPF0847

SENDING LABORATORY:
Del Mar Analytical - Phoenix
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem (out)
3725 E. Atlanta Ave Ste 1
Phoenix, AZ 85040-2961
Phone :602-437-0330
Fax: (602) 437-0660

0606527

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPF0847-12 Water	**Sampled: 06/29/06 05:27**	**Use as MS/MSD**
8015B MOD-Low Level-O	07/06/06 05:27	sub to Transwest, need transfer file for EDD

Containers Supplied:
1 L Amber w/H2SO4 (PPF0847-12F)
1 L Amber w/H2SO4 (PPF0847-12G)

pH
11
2/2

43°

SAMPLE INTEGRITY:

All containers intact: ☑ Yes ☐ No
Custody Seals Present: ☐ Yes ☐ No
Sample labels/COC agree: ☑ Yes ☐ No
Samples Preserved Properly: ☐ Yes ☐ No
Samples Received On Ice:: ☑ Yes ☐ No
Samples Received at (temp): _____

Released By	Date	Time	Received By	Date	Time
	6/29/6	1345		6/29/6	1345
	6/29/6	705		6/29/06	1405

A - cooler

TRANSWEST GEOCHEM

Sample Receipt Checklist

Client Name: Del Mar

Date and Time Received: 4/29/06 1405

Work Order Number: 0606527

Checked by: SH / LM

Checklist completed by: Leslie May 4/29/06
Signature / Date

Logged In by: lm 4/29/06
Initials / Date

Matrix: Water Carrier Name: (Client) TGI _____

Reviewed by: SH 7/3/06
Initials / Date

				COMMENTS
Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐	
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☑	
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑	
Chain of custody present?	Yes ☑	No ☐		
Chain of custody signed when relinquished and received?	Yes ☑	No ☐		
Chain of custody agrees with sample labels?	Yes ☑	No ☐		
Samples in proper container/bottle?	Yes ☑	No ☐		
Sample containers intact?	Yes ☑	No ☐		
Sufficient sample volume for indicated test?	Yes ☑	No ☐		
All samples received within holding time?	Yes ☑	No ☐		
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	Temp: 4.3	Sampled < 2hrs ☐
Water – VOA vials have zero headspace?	Yes ☐	No ☐	N/A ☑	
Water – pH acceptable upon receipt?	Yes ☑	No ☐	N/A ☐	Checked by: lm
Water – Sulfides present in Cyanide samples?	Yes ☐	No ☐	N/A ☑	
Sample considered Drinking Water?	Yes ☐	No ☐	N/A ☑	

Client contacted: _____ Date contacted: _____ Person contacted: _____

Contacted by: _____ Regarding: _____

Corrective Action: _____

TRANSWEST GEOCHEM

CHAIN-OF-CUSTODY

Skip Harden
3725 E. Atlanta Avenue
Suite 2
Phoenix, AZ 85040
TEL: (602) 437-0330
FAX: (602) 437-0660

Work Order: 0606527

Project: PPF0847

Subcontractor:
Columbia Analytical Services
5090 Caterpillar Rd.
Redding, CA 96003
TEL: (530) 244-5227
FAX: (530) 244-4109

29-Jun-06

Client Sample ID	TGI ID	Matrix	Collection Date	Containers	Requested Tests: 8015MOD_W						
PPF0847-02	01A	Water	6/29/2006 9:59:00 AM	1	1						
PPF0847-03	02A	Water	6/29/2006 9:14:00 AM	1	1						
PPF0847-04	03A	Water	6/29/2006 1:30:00 AM	1	1						
PPF0847-05	04A	Water	6/29/2006 2:08:00 AM	1	1						
PPF0847-06	05A	Water	6/29/2006 2:50:00 AM	1	1						
PPF0847-07	06A	Water	6/29/2006 3:00:00 AM	1	1						
PPF0847-08	07A	Water	6/29/2006 11:05:00 AM	2	1 – MS/MSD						
PPF0847-09	08A	Water	6/29/2006 3:42:00 AM	1	1						
PPF0847-10	09A	Water	6/29/2006 4:36:00 AM	1	1						
PPF0847-11	10A	Water	6/29/2006 4:36:00 AM	1	1						
PPF0847-12	11A	Water	6/29/2006 5:27:00 AM	~~1~~ 2	1 – MS/MSD						

Low level reporting limits

Comments: After analysis, the samples do not need to be returned and can be disposed per your standard laboratory practices. Please provide a QC report, including Method Blank data.

Sample Receipt		
Temperature:	Ambient / Cold	Ice:
Received Intact:		Absent / Present
Custody Seals:		Wet / Blue
Total No. of Containers:		° C.

		Date/Time			Date/Time
Relinquished by:	Leslie May · TGI	6/29/06 1600	**Received by:**	UPS	
Relinquished by:			**Received by:**		
Relinquished by:			**Received by:**		

TestAmerica
ANALYTICAL TESTING CORPORATION

9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

LABORATORY REPORT

Prepared For: CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project: Sky Harbor HW Quarterly / UST Sampling Program

Sampled: 06/30/06
Received: 06/30/06
Issued: 07/23/06 11:11

NELAP #01109CA Arizona DHS#AZ0426

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.
This entire report was reviewed and approved for release.

CASE NARRATIVE

LABORATORY ID	CLIENT ID	MATRIX
PPF0892-01	TB-063006	Water
PPF0892-02	ASE-98A-6B3	Water
PPF0892-03	ASE-110A-6B3	Water
PPF0892-04	PL-504-6B3	Water
PPF0892-05	ASE-102A-6B3	Water
PPF0892-06	ASE-101A-6B3	Water
PPF0892-07	ASE-100A-6B3	Water
PPF0892-08	ASE-103A-6B3	Water

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe	Project ID: Sky Harbor HW Quarterly / UST Sampling Program	
2625 S. Plaza Drive, Ste. 300		Sampled: 06/30/06
Tempe, AZ 85282	Report Number: PPF0892	Received: 06/30/06
Attention: Jennifer Holland		

SAMPLE RECEIPT:	Samples were received intact, at 3°C, on ice and with chain of custody documentation.
HOLDING TIMES:	All samples were analyzed within prescribed holding times and/or in accordance with the TestAmerica Sample Acceptance Policy unless otherwise noted in the report.
PRESERVATION:	Samples requiring preservation were verified prior to sample analysis.
QA/QC CRITERIA:	All analyses met method criteria, except as noted in the report with data qualifiers.
COMMENTS:	N1: The second source continuing calibration verification analyzed immediately following the calibration recovered high and outside of acceptance limits for Vinly Acetate. All associated samples are non-detect and therefore should not be impacted. N-1= MS run past hold, results met QC acceptance criteria. N-1= Detect in sample with high CCV. Confirmed past hold with passing QC.
SUBCONTRACTED:	Refer to the last page for specific subcontract laboratory information included in this report.

Reviewed By:

Ken Baker

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892

Sampled: 06/30/06
Received: 06/30/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0892-01 (TB-063006 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1432	20	ND	1	7/14/2006	7/14/2006	
Benzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Bromobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromochloromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromodichloromethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Bromoform	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromomethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Butanone (MEK)	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
n-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
sec-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
tert-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Carbon Disulfide	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Carbon tetrachloride	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Chlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Chloroethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Chloroform	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Chloromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Chlorotoluene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
4-Chlorotoluene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Dibromochloromethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Dibromomethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichloroethane	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloroethene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,3-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
2,2-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Ethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Hexachlorobutadiene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Hexanone	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892

Sampled: 06/30/06
Received: 06/30/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0892-01 (TB-063006 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Isopropylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
p-Isopropyltoluene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Methylene chloride	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Naphthalene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
n-Propylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Styrene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Tetrachloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Toluene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Trichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Trichlorofluoromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Vinyl acetate	EPA 8260B	P6G1432	25	ND	1	7/14/2006	7/14/2006	L3, N1
Vinyl chloride	EPA 8260B	P6G1432	1.7	ND	1	7/14/2006	7/14/2006	
Xylenes, Total	EPA 8260B	P6G1432	3.0	ND	1	7/14/2006	7/14/2006	
Surrogate: Dibromofluoromethane (80-130%)				*108 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*96 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892

Sampled: 06/30/06
Received: 06/30/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0892-02 (ASE-98A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1432	20	ND	1	7/14/2006	7/14/2006	
Benzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Bromobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromochloromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromodichloromethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Bromoform	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromomethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Butanone (MEK)	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
n-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
sec-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
tert-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Carbon Disulfide	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Carbon tetrachloride	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Chlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Chloroethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Chloroform	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Chloromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Chlorotoluene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
4-Chlorotoluene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Dibromochloromethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Dibromomethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichloroethane	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloroethene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,3-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
2,2-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Ethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Hexachlorobutadiene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Hexanone	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892

Sampled: 06/30/06
Received: 06/30/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0892-02 (ASE-98A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Isopropylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
p-Isopropyltoluene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Methylene chloride	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Naphthalene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
n-Propylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Styrene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Tetrachloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Toluene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Trichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Trichlorofluoromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Vinyl acetate	EPA 8260B	P6G1432	25	ND	1	7/14/2006	7/14/2006	V1, L3, N1
Vinyl chloride	EPA 8260B	P6G1432	1.7	ND	1	7/14/2006	7/14/2006	
Xylenes, Total	EPA 8260B	P6G1432	3.0	ND	1	7/14/2006	7/14/2006	
Surrogate: Dibromofluoromethane (80-130%)				*108 %*				
Surrogate: Toluene-d8 (80-120%)				*103 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*101 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892

Sampled: 06/30/06
Received: 06/30/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0892-03 (ASE-110A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1432	20	ND	1	7/14/2006	7/14/2006	
Benzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Bromobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromochloromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromodichloromethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Bromoform	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromomethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Butanone (MEK)	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
n-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
sec-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
tert-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Carbon Disulfide	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Carbon tetrachloride	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Chlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Chloroethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Chloroform	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Chloromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Chlorotoluene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
4-Chlorotoluene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Dibromochloromethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Dibromomethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichloroethane	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloroethene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,3-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
2,2-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Ethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Hexachlorobutadiene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Hexanone	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892

Sampled: 06/30/06
Received: 06/30/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0892-03 (ASE-110A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Isopropylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
p-Isopropyltoluene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Methylene chloride	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Naphthalene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
n-Propylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Styrene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Tetrachloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Toluene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Trichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Trichlorofluoromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Vinyl acetate	EPA 8260B	P6G1432	25	ND	1	7/14/2006	7/14/2006	V1, L3, N1
Vinyl chloride	EPA 8260B	P6G1432	1.7	ND	1	7/14/2006	7/14/2006	
Xylenes, Total	EPA 8260B	P6G1432	3.0	ND	1	7/14/2006	7/14/2006	
Surrogate: Dibromofluoromethane (80-130%)				*109 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*99 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892

Sampled: 06/30/06
Received: 06/30/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0892-04 (PL-504-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1432	20	ND	1	7/14/2006	7/14/2006	
Benzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Bromobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromochloromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromodichloromethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Bromoform	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromomethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Butanone (MEK)	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
n-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
sec-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
tert-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Carbon Disulfide	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Carbon tetrachloride	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Chlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Chloroethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Chloroform	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Chloromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Chlorotoluene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
4-Chlorotoluene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Dibromochloromethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Dibromomethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichloroethane	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloroethene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,3-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
2,2-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Ethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Hexachlorobutadiene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Hexanone	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892

Sampled: 06/30/06
Received: 06/30/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0892-04 (PL-504-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Isopropylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
p-Isopropyltoluene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Methylene chloride	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Naphthalene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
n-Propylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Styrene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Tetrachloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Toluene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Trichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Trichlorofluoromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Vinyl acetate	EPA 8260B	P6G1432	25	ND	1	7/14/2006	7/14/2006	V1, L3, N1
Vinyl chloride	EPA 8260B	P6G1432	1.7	ND	1	7/14/2006	7/14/2006	
Xylenes, Total	EPA 8260B	P6G1432	3.0	ND	1	7/14/2006	7/14/2006	
Surrogate: Dibromofluoromethane (80-130%)				*110 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*100 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892

Sampled: 06/30/06
Received: 06/30/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0892-05 (ASE-102A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1432	20	ND	1	7/14/2006	7/14/2006	
Benzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Bromobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromochloromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromodichloromethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Bromoform	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromomethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Butanone (MEK)	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
n-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
sec-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
tert-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Carbon Disulfide	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Carbon tetrachloride	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Chlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Chloroethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Chloroform	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Chloromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Chlorotoluene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
4-Chlorotoluene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Dibromochloromethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Dibromomethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichloroethane	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloroethene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,3-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
2,2-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Ethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Hexachlorobutadiene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Hexanone	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892

Sampled: 06/30/06
Received: 06/30/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0892-05 (ASE-102A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Isopropylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
p-Isopropyltoluene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Methylene chloride	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Naphthalene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
n-Propylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Styrene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Tetrachloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Toluene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Trichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Trichlorofluoromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Vinyl acetate	EPA 8260B	P6G1432	25	ND	1	7/14/2006	7/14/2006	L3, N1
Vinyl chloride	EPA 8260B	P6G1432	1.7	ND	1	7/14/2006	7/14/2006	
Xylenes, Total	EPA 8260B	P6G1432	3.0	ND	1	7/14/2006	7/14/2006	
Surrogate: Dibromofluoromethane (80-130%)				*100 %*				
Surrogate: Toluene-d8 (80-120%)				*99 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*96 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892

Sampled: 06/30/06
Received: 06/30/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0892-06 (ASE-101A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1432	20	ND	1	7/14/2006	7/14/2006	
Benzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Bromobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromochloromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromodichloromethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Bromoform	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromomethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Butanone (MEK)	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
n-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
sec-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
tert-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Carbon Disulfide	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Carbon tetrachloride	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Chlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Chloroethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Chloroform	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Chloromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Chlorotoluene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
4-Chlorotoluene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Dibromochloromethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Dibromomethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloroethane	EPA 8260B	P6G1432	2.0	**2.8**	1	7/14/2006	7/14/2006	
1,2-Dichloroethane	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloroethene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,3-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
2,2-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Ethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Hexachlorobutadiene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Hexanone	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892

Sampled: 06/30/06
Received: 06/30/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0892-06 (ASE-101A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Isopropylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
p-Isopropyltoluene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Methylene chloride	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1432	5.0	**6.6**	1	7/14/2006	7/14/2006	
Naphthalene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
n-Propylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Styrene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Tetrachloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Toluene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Trichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Trichlorofluoromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Vinyl acetate	EPA 8260B	P6G1432	25	ND	1	7/14/2006	7/14/2006	V1, L3, N1
Vinyl chloride	EPA 8260B	P6G1432	1.7	ND	1	7/14/2006	7/14/2006	
Xylenes, Total	EPA 8260B	P6G1432	3.0	ND	1	7/14/2006	7/14/2006	
Surrogate: Dibromofluoromethane (80-130%)				*116 %*				
Surrogate: Toluene-d8 (80-120%)				*105 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*104 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892

Sampled: 06/30/06
Received: 06/30/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0892-07 (ASE-100A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1432	20	ND	1	7/14/2006	7/14/2006	
Benzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Bromobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromochloromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromodichloromethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Bromoform	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromomethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Butanone (MEK)	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
n-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
sec-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
tert-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Carbon Disulfide	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Carbon tetrachloride	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Chlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Chloroethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Chloroform	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Chloromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Chlorotoluene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
4-Chlorotoluene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Dibromochloromethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Dibromomethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichloroethane	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloroethene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,3-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
2,2-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Ethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Hexachlorobutadiene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Hexanone	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892

Sampled: 06/30/06
Received: 06/30/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0892-07 (ASE-100A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Isopropylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
p-Isopropyltoluene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Methylene chloride	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Naphthalene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
n-Propylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Styrene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Tetrachloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Toluene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Trichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Trichlorofluoromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Vinyl acetate	EPA 8260B	P6G1432	25	ND	1	7/14/2006	7/14/2006	V1, L3, N1
Vinyl chloride	EPA 8260B	P6G1432	1.7	ND	1	7/14/2006	7/14/2006	
Xylenes, Total	EPA 8260B	P6G1432	3.0	ND	1	7/14/2006	7/14/2006	
Surrogate: Dibromofluoromethane (80-130%)				*110 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*99 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892

Sampled: 06/30/06
Received: 06/30/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0892-08 (ASE-103A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1432	20	ND	1	7/14/2006	7/14/2006	
Benzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Bromobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromochloromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromodichloromethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Bromoform	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromomethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Butanone (MEK)	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
n-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
sec-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
tert-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Carbon Disulfide	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Carbon tetrachloride	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Chlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Chloroethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Chloroform	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Chloromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Chlorotoluene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
4-Chlorotoluene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Dibromochloromethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Dibromomethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichloroethane	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloroethene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,3-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
2,2-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Ethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Hexachlorobutadiene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Hexanone	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892

Sampled: 06/30/06
Received: 06/30/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0892-08 (ASE-103A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Isopropylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
p-Isopropyltoluene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Methylene chloride	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Naphthalene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
n-Propylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Styrene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Tetrachloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Toluene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Trichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Trichlorofluoromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Vinyl acetate	EPA 8260B	P6G1432	25	ND	1	7/14/2006	7/14/2006	V1, L3, N1
Vinyl chloride	EPA 8260B	P6G1432	1.7	ND	1	7/14/2006	7/14/2006	
Xylenes, Total	EPA 8260B	P6G1432	3.0	ND	1	7/14/2006	7/14/2006	
Surrogate: Dibromofluoromethane (80-130%)				*112 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892

Sampled: 06/30/06
Received: 06/30/06

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0892-02 (ASE-98A-6B3 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6G0517	3.0	ND	1	7/5/2006	7/7/2006	
Acenaphthylene	EPA 8310	P6G0517	3.0	ND	1	7/5/2006	7/7/2006	
Anthracene	EPA 8310	P6G0517	0.30	ND	1	7/5/2006	7/7/2006	
Benzo(a)anthracene	EPA 8310	P6G0517	0.050	ND	1	7/5/2006	7/7/2006	
Benzo(a)pyrene	EPA 8310	P6G0517	0.10	ND	1	7/5/2006	7/7/2006	
Benzo(b)fluoranthene	EPA 8310	P6G0517	0.30	ND	1	7/5/2006	7/7/2006	
Benzo(g,h,i)perylene	EPA 8310	P6G0517	0.30	ND	1	7/5/2006	7/7/2006	
Benzo(k)fluoranthene	EPA 8310	P6G0517	0.30	ND	1	7/5/2006	7/7/2006	
Chrysene	EPA 8310	P6G0517	0.30	ND	1	7/5/2006	7/7/2006	
Dibenz(a,h)anthracene	EPA 8310	P6G0517	0.50	ND	1	7/5/2006	7/7/2006	
Fluoranthene	EPA 8310	P6G0517	0.30	ND	1	7/5/2006	7/7/2006	
Fluorene	EPA 8310	P6G0517	0.30	ND	1	7/5/2006	7/7/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6G0517	0.30	ND	1	7/5/2006	7/7/2006	
Naphthalene	EPA 8310	P6G0517	2.0	ND	1	7/5/2006	7/7/2006	
Phenanthrene	EPA 8310	P6G0517	0.30	ND	1	7/5/2006	7/7/2006	
Pyrene	EPA 8310	P6G0517	0.30	ND	1	7/5/2006	7/7/2006	
Surrogate: 2-Methylanthracene (50-115%)				*85 %*				
Sample ID: PPF0892-03 (ASE-110A-6B3 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6G0517	3.0	ND	1.02	7/5/2006	7/7/2006	
Acenaphthylene	EPA 8310	P6G0517	3.0	ND	1.02	7/5/2006	7/7/2006	
Anthracene	EPA 8310	P6G0517	0.30	ND	1.02	7/5/2006	7/7/2006	
Benzo(a)anthracene	EPA 8310	P6G0517	0.050	ND	1.02	7/5/2006	7/7/2006	
Benzo(a)pyrene	EPA 8310	P6G0517	0.10	ND	1.02	7/5/2006	7/7/2006	
Benzo(b)fluoranthene	EPA 8310	P6G0517	0.30	ND	1.02	7/5/2006	7/7/2006	
Benzo(g,h,i)perylene	EPA 8310	P6G0517	0.30	ND	1.02	7/5/2006	7/7/2006	
Benzo(k)fluoranthene	EPA 8310	P6G0517	0.30	ND	1.02	7/5/2006	7/7/2006	
Chrysene	EPA 8310	P6G0517	0.30	ND	1.02	7/5/2006	7/7/2006	
Dibenz(a,h)anthracene	EPA 8310	P6G0517	0.50	ND	1.02	7/5/2006	7/7/2006	
Fluoranthene	EPA 8310	P6G0517	0.30	ND	1.02	7/5/2006	7/7/2006	
Fluorene	EPA 8310	P6G0517	0.30	ND	1.02	7/5/2006	7/7/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6G0517	0.30	ND	1.02	7/5/2006	7/7/2006	
Naphthalene	EPA 8310	P6G0517	2.0	ND	1.02	7/5/2006	7/7/2006	
Phenanthrene	EPA 8310	P6G0517	0.30	ND	1.02	7/5/2006	7/7/2006	
Pyrene	EPA 8310	P6G0517	0.30	ND	1.02	7/5/2006	7/7/2006	
Surrogate: 2-Methylanthracene (50-115%)				*86 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892

Sampled: 06/30/06
Received: 06/30/06

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPF0892-04 (PL-504-6B3 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6G0517	3.0	ND	1.03	7/5/2006	7/8/2006	
Acenaphthylene	EPA 8310	P6G0517	3.0	ND	1.03	7/5/2006	7/8/2006	
Anthracene	EPA 8310	P6G0517	0.30	ND	1.03	7/5/2006	7/8/2006	
Benzo(a)anthracene	EPA 8310	P6G0517	0.050	ND	1.03	7/5/2006	7/8/2006	
Benzo(a)pyrene	EPA 8310	P6G0517	0.10	ND	1.03	7/5/2006	7/8/2006	
Benzo(b)fluoranthene	EPA 8310	P6G0517	0.30	ND	1.03	7/5/2006	7/8/2006	
Benzo(g,h,i)perylene	EPA 8310	P6G0517	0.30	ND	1.03	7/5/2006	7/8/2006	
Benzo(k)fluoranthene	EPA 8310	P6G0517	0.30	ND	1.03	7/5/2006	7/8/2006	
Chrysene	EPA 8310	P6G0517	0.30	ND	1.03	7/5/2006	7/8/2006	
Dibenz(a,h)anthracene	EPA 8310	P6G0517	0.50	ND	1.03	7/5/2006	7/8/2006	
Fluoranthene	EPA 8310	P6G0517	0.30	ND	1.03	7/5/2006	7/8/2006	
Fluorene	EPA 8310	P6G0517	0.30	ND	1.03	7/5/2006	7/8/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6G0517	0.30	ND	1.03	7/5/2006	7/8/2006	
Naphthalene	EPA 8310	P6G0517	2.0	ND	1.03	7/5/2006	7/8/2006	
Phenanthrene	EPA 8310	P6G0517	0.30	ND	1.03	7/5/2006	7/8/2006	
Pyrene	EPA 8310	P6G0517	0.30	ND	1.03	7/5/2006	7/8/2006	
Surrogate: 2-Methylanthracene (50-115%)				*88 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892

Sampled: 06/30/06
Received: 06/30/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
Blank Analyzed: 07/14/2006 (P6G1432-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892
Sampled: 06/30/06
Received: 06/30/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
Blank Analyzed: 07/14/2006 (P6G1432-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							*V1, N1*
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*26.6*		*ug/l*	*25.0*		*106*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.9*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892
Sampled: 06/30/06
Received: 06/30/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
LCS Analyzed: 07/14/2006 (P6G1432-BS1)										
Acetone	36.5	20	ug/l	25.0		146	30-150			
Benzene	24.7	1.0	ug/l	25.0		99	80-120			
Bromobenzene	24.5	5.0	ug/l	25.0		98	80-125			
Bromochloromethane	25.7	5.0	ug/l	25.0		103	80-125			
Bromodichloromethane	25.8	2.0	ug/l	25.0		103	80-120			
Bromoform	23.1	5.0	ug/l	25.0		92	70-120			
Bromomethane	25.4	5.0	ug/l	25.0		102	80-135			
2-Butanone (MEK)	31.9	10	ug/l	25.0		128	55-150			
n-Butylbenzene	24.6	5.0	ug/l	25.0		98	80-120			
sec-Butylbenzene	24.3	5.0	ug/l	25.0		97	80-130			
tert-Butylbenzene	24.7	5.0	ug/l	25.0		99	80-130			
Carbon Disulfide	30.7	5.0	ug/l	25.0		123	55-145			
Carbon tetrachloride	25.2	5.0	ug/l	25.0		101	80-120			
Chlorobenzene	24.3	1.0	ug/l	25.0		97	80-120			
Chloroethane	25.7	5.0	ug/l	25.0		103	80-125			
Chloroform	25.4	2.0	ug/l	25.0		102	80-120			
Chloromethane	26.2	5.0	ug/l	25.0		105	70-130			
2-Chlorotoluene	24.1	5.0	ug/l	25.0		96	80-120			
4-Chlorotoluene	24.5	5.0	ug/l	25.0		98	80-120			
Dibromochloromethane	22.8	2.0	ug/l	25.0		91	75-120			
1,2-Dibromo-3-chloropropane	23.6	5.0	ug/l	25.0		94	55-120			
1,2-Dibromoethane (EDB)	24.9	2.0	ug/l	25.0		100	75-125			
Dibromomethane	25.5	2.0	ug/l	25.0		102	80-125			
1,2-Dichlorobenzene	24.3	1.0	ug/l	25.0		97	80-120			
1,3-Dichlorobenzene	24.2	1.0	ug/l	25.0		97	80-125			
1,4-Dichlorobenzene	25.0	1.0	ug/l	25.0		100	80-120			
Dichlorodifluoromethane	24.8	5.0	ug/l	25.0		99	60-140			
1,1-Dichloroethane	25.3	2.0	ug/l	25.0		101	80-120			
1,2-Dichloroethane	25.7	1.0	ug/l	25.0		103	75-125			
1,1-Dichloroethene	24.4	5.0	ug/l	25.0		98	75-120			
cis-1,2-Dichloroethene	24.7	2.0	ug/l	25.0		99	80-125			
trans-1,2-Dichloroethene	24.5	2.0	ug/l	25.0		98	80-120			
1,2-Dichloropropane	24.6	2.0	ug/l	25.0		98	80-120			
1,3-Dichloropropane	24.9	2.0	ug/l	25.0		100	80-120			
2,2-Dichloropropane	25.1	2.0	ug/l	25.0		100	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892
Sampled: 06/30/06
Received: 06/30/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
LCS Analyzed: 07/14/2006 (P6G1432-BS1)										
1,1-Dichloropropene	24.8	2.0	ug/l	25.0		99	80-120			
cis-1,3-Dichloropropene	27.1	2.0	ug/l	25.0		108	75-120			
trans-1,3-Dichloropropene	27.4	2.0	ug/l	25.0		110	80-120			
Ethylbenzene	24.6	2.0	ug/l	25.0		98	80-125			
Hexachlorobutadiene	21.4	5.0	ug/l	25.0		86	70-130			
2-Hexanone	32.7	10	ug/l	25.0		131	40-150			
Iodomethane	30.6	2.0	ug/l	25.0		122	80-130			
Isopropylbenzene	26.0	2.0	ug/l	25.0		104	80-140			
p-Isopropyltoluene	24.3	2.0	ug/l	25.0		97	80-130			
Methylene chloride	23.0	5.0	ug/l	25.0		92	80-120			
4-Methyl-2-pentanone (MIBK)	32.3	10	ug/l	25.0		129	50-140			
Methyl-tert-butyl Ether (MTBE)	28.3	5.0	ug/l	25.0		113	65-130			
Naphthalene	24.4	2.0	ug/l	25.0		98	70-130			
n-Propylbenzene	25.2	2.0	ug/l	25.0		101	80-135			
Styrene	28.2	2.0	ug/l	25.0		113	80-125			
1,1,1,2-Tetrachloroethane	24.0	5.0	ug/l	25.0		96	80-120			
1,1,2,2-Tetrachloroethane	25.3	2.0	ug/l	25.0		101	65-140			
Tetrachloroethene	24.0	2.0	ug/l	25.0		96	80-125			
Toluene	24.4	2.0	ug/l	25.0		98	80-125			
1,2,3-Trichlorobenzene	24.8	5.0	ug/l	25.0		99	75-125			
1,2,4-Trichlorobenzene	23.3	5.0	ug/l	25.0		93	80-125			
1,1,1-Trichloroethane	25.3	2.0	ug/l	25.0		101	75-125			
1,1,2-Trichloroethane	24.7	2.0	ug/l	25.0		99	80-125			
Trichloroethene	23.8	2.0	ug/l	25.0		95	80-120			
Trichlorofluoromethane	26.6	5.0	ug/l	25.0		106	75-130			
1,2,3-Trichloropropane	25.4	10	ug/l	25.0		102	65-135			
1,2,4-Trimethylbenzene	24.6	2.0	ug/l	25.0		98	80-125			
1,3,5-Trimethylbenzene	24.6	2.0	ug/l	25.0		98	80-130			
Vinyl acetate	36.4	25	ug/l	25.0		146	70-140			*V1, L3, N1*
Vinyl chloride	25.8	1.7	ug/l	25.0		103	70-135			
Xylenes, Total	48.5	3.0	ug/l	50.0		97	80-125			
Surrogate: Dibromofluoromethane	*27.2*		*ug/l*	*25.0*		*109*	*80-130*			
Surrogate: Toluene-d8	*26.5*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.8*		*ug/l*	*25.0*		*103*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892
Sampled: 06/30/06
Received: 06/30/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
LCS Dup Analyzed: 07/14/2006 (P6G1432-BSD1)										
Acetone	32.9	20	ug/l	25.0		132	30-150	10	35	
Benzene	24.2	1.0	ug/l	25.0		97	80-120	2	10	
Bromobenzene	24.5	5.0	ug/l	25.0		98	80-125	0	10	
Bromochloromethane	24.5	5.0	ug/l	25.0		98	80-125	5	15	
Bromodichloromethane	24.8	2.0	ug/l	25.0		99	80-120	4	15	
Bromoform	22.3	5.0	ug/l	25.0		89	70-120	4	20	
Bromomethane	24.9	5.0	ug/l	25.0		100	80-135	2	15	
2-Butanone (MEK)	30.2	10	ug/l	25.0		121	55-150	5	35	
n-Butylbenzene	24.6	5.0	ug/l	25.0		98	80-120	0	10	
sec-Butylbenzene	24.5	5.0	ug/l	25.0		98	80-130	1	10	
tert-Butylbenzene	24.7	5.0	ug/l	25.0		99	80-130	0	10	
Carbon Disulfide	30.1	5.0	ug/l	25.0		120	55-145	2	15	
Carbon tetrachloride	24.9	5.0	ug/l	25.0		100	80-120	1	15	
Chlorobenzene	23.9	1.0	ug/l	25.0		96	80-120	2	10	
Chloroethane	25.4	5.0	ug/l	25.0		102	80-125	1	15	
Chloroform	24.3	2.0	ug/l	25.0		97	80-120	4	10	
Chloromethane	25.9	5.0	ug/l	25.0		104	70-130	1	15	
2-Chlorotoluene	24.3	5.0	ug/l	25.0		97	80-120	1	10	
4-Chlorotoluene	24.4	5.0	ug/l	25.0		98	80-120	0	10	
Dibromochloromethane	21.8	2.0	ug/l	25.0		87	75-120	4	15	
1,2-Dibromo-3-chloropropane	21.7	5.0	ug/l	25.0		87	55-120	8	35	
1,2-Dibromoethane (EDB)	24.4	2.0	ug/l	25.0		98	75-125	2	20	
Dibromomethane	23.8	2.0	ug/l	25.0		95	80-125	7	20	
1,2-Dichlorobenzene	23.9	1.0	ug/l	25.0		96	80-120	2	10	
1,3-Dichlorobenzene	23.7	1.0	ug/l	25.0		95	80-125	2	10	
1,4-Dichlorobenzene	24.2	1.0	ug/l	25.0		97	80-120	3	10	
Dichlorodifluoromethane	24.0	5.0	ug/l	25.0		96	60-140	3	15	
1,1-Dichloroethane	24.6	2.0	ug/l	25.0		98	80-120	3	10	
1,2-Dichloroethane	24.9	1.0	ug/l	25.0		100	75-125	3	20	
1,1-Dichloroethene	24.0	5.0	ug/l	25.0		96	75-120	2	15	
cis-1,2-Dichloroethene	24.1	2.0	ug/l	25.0		96	80-125	2	10	
trans-1,2-Dichloroethene	24.0	2.0	ug/l	25.0		96	80-120	2	10	
1,2-Dichloropropane	24.1	2.0	ug/l	25.0		96	80-120	2	15	
1,3-Dichloropropane	23.8	2.0	ug/l	25.0		95	80-120	5	15	
2,2-Dichloropropane	24.6	2.0	ug/l	25.0		98	70-130	2	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892
Sampled: 06/30/06
Received: 06/30/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
LCS Dup Analyzed: 07/14/2006 (P6G1432-BSD1)										
1,1-Dichloropropene	24.5	2.0	ug/l	25.0		98	80-120	1	10	
cis-1,3-Dichloropropene	25.6	2.0	ug/l	25.0		102	75-120	6	15	
trans-1,3-Dichloropropene	25.9	2.0	ug/l	25.0		104	80-120	6	20	
Ethylbenzene	24.5	2.0	ug/l	25.0		98	80-125	0	15	
Hexachlorobutadiene	21.2	5.0	ug/l	25.0		85	70-130	1	15	
2-Hexanone	30.4	10	ug/l	25.0		122	40-150	7	35	
Iodomethane	29.6	2.0	ug/l	25.0		118	80-130	3	10	
Isopropylbenzene	26.4	2.0	ug/l	25.0		106	80-140	2	10	
p-Isopropyltoluene	24.8	2.0	ug/l	25.0		99	80-130	2	15	
Methylene chloride	22.2	5.0	ug/l	25.0		89	80-120	4	10	
4-Methyl-2-pentanone (MIBK)	29.2	10	ug/l	25.0		117	50-140	10	35	
Methyl-tert-butyl Ether (MTBE)	26.9	5.0	ug/l	25.0		108	65-130	5	25	
Naphthalene	24.7	2.0	ug/l	25.0		99	70-130	1	20	
n-Propylbenzene	25.4	2.0	ug/l	25.0		102	80-135	1	10	
Styrene	28.0	2.0	ug/l	25.0		112	80-125	1	15	
1,1,1,2-Tetrachloroethane	24.0	5.0	ug/l	25.0		96	80-120	0	15	
1,1,2,2-Tetrachloroethane	24.5	2.0	ug/l	25.0		98	65-140	3	25	
Tetrachloroethene	24.0	2.0	ug/l	25.0		96	80-125	0	15	
Toluene	24.2	2.0	ug/l	25.0		97	80-125	1	10	
1,2,3-Trichlorobenzene	28.1	5.0	ug/l	25.0		112	75-125	12	15	
1,2,4-Trichlorobenzene	22.6	5.0	ug/l	25.0		90	80-125	3	15	
1,1,1-Trichloroethane	24.4	2.0	ug/l	25.0		98	75-125	4	10	
1,1,2-Trichloroethane	23.4	2.0	ug/l	25.0		94	80-125	5	25	
Trichloroethene	23.3	2.0	ug/l	25.0		93	80-120	2	10	
Trichlorofluoromethane	25.7	5.0	ug/l	25.0		103	75-130	3	10	
1,2,3-Trichloropropane	24.0	10	ug/l	25.0		96	65-135	6	25	
1,2,4-Trimethylbenzene	24.3	2.0	ug/l	25.0		97	80-125	1	10	
1,3,5-Trimethylbenzene	24.7	2.0	ug/l	25.0		99	80-130	0	10	
Vinyl acetate	34.1	25	ug/l	25.0		136	70-140	7	30	*V1, L3, N1*
Vinyl chloride	25.8	1.7	ug/l	25.0		103	70-135	0	15	
Xylenes, Total	47.8	3.0	ug/l	50.0		96	80-125	1	15	
Surrogate: Dibromofluoromethane	*26.9*		*ug/l*	*25.0*		*108*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.7*		*ug/l*	*25.0*		*103*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892
Sampled: 06/30/06
Received: 06/30/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
Matrix Spike Analyzed: 07/14/2006 (P6G1432-MS1)					**Source: PPF0892-02**					
Acetone	26.3	20	ug/l	25.0	ND	105	15-150			
Benzene	22.7	1.0	ug/l	25.0	ND	91	80-125			
Bromobenzene	23.6	5.0	ug/l	25.0	ND	94	80-125			
Bromochloromethane	23.4	5.0	ug/l	25.0	ND	94	80-130			
Bromodichloromethane	23.6	2.0	ug/l	25.0	ND	94	70-130			
Bromoform	21.3	5.0	ug/l	25.0	ND	85	70-120			
Bromomethane	23.1	5.0	ug/l	25.0	ND	92	80-135			
2-Butanone (MEK)	27.4	10	ug/l	25.0	ND	110	30-150			
n-Butylbenzene	23.4	5.0	ug/l	25.0	ND	94	80-135			
sec-Butylbenzene	23.4	5.0	ug/l	25.0	ND	94	80-130			
tert-Butylbenzene	23.6	5.0	ug/l	25.0	ND	94	80-130			
Carbon Disulfide	30.8	5.0	ug/l	25.0	ND	123	45-150			
Carbon tetrachloride	22.7	5.0	ug/l	25.0	ND	91	65-135			
Chlorobenzene	23.1	1.0	ug/l	25.0	ND	92	80-125			
Chloroethane	23.3	5.0	ug/l	25.0	ND	93	80-125			
Chloroform	23.3	2.0	ug/l	25.0	0.52	91	75-130			
Chloromethane	22.6	5.0	ug/l	25.0	ND	90	65-130			
2-Chlorotoluene	22.8	5.0	ug/l	25.0	ND	91	80-130			
4-Chlorotoluene	23.1	5.0	ug/l	25.0	ND	92	80-135			
Dibromochloromethane	20.8	2.0	ug/l	25.0	ND	83	75-120			
1,2-Dibromo-3-chloropropane	19.6	5.0	ug/l	25.0	ND	78	50-130			
1,2-Dibromoethane (EDB)	22.9	2.0	ug/l	25.0	ND	92	70-130			
Dibromomethane	22.8	2.0	ug/l	25.0	ND	91	75-130			
1,2-Dichlorobenzene	22.8	1.0	ug/l	25.0	ND	91	80-130			
1,3-Dichlorobenzene	22.9	1.0	ug/l	25.0	ND	92	80-130			
1,4-Dichlorobenzene	23.4	1.0	ug/l	25.0	ND	94	80-125			
Dichlorodifluoromethane	22.0	5.0	ug/l	25.0	ND	88	60-140			
1,1-Dichloroethane	23.0	2.0	ug/l	25.0	ND	92	80-125			
1,2-Dichloroethane	22.6	1.0	ug/l	25.0	ND	90	60-145			
1,1-Dichloroethene	22.6	5.0	ug/l	25.0	ND	90	75-130			
cis-1,2-Dichloroethene	22.9	2.0	ug/l	25.0	ND	92	80-125			
trans-1,2-Dichloroethene	22.3	2.0	ug/l	25.0	ND	89	80-120			
1,2-Dichloropropane	22.6	2.0	ug/l	25.0	ND	90	80-125			
1,3-Dichloropropane	22.7	2.0	ug/l	25.0	ND	91	75-130			
2,2-Dichloropropane	21.6	2.0	ug/l	25.0	ND	86	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892
Sampled: 06/30/06
Received: 06/30/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
Matrix Spike Analyzed: 07/14/2006 (P6G1432-MS1)					**Source: PPF0892-02**					
1,1-Dichloropropene	22.6	2.0	ug/l	25.0	ND	90	80-125			
cis-1,3-Dichloropropene	23.8	2.0	ug/l	25.0	ND	95	75-120			
trans-1,3-Dichloropropene	24.2	2.0	ug/l	25.0	ND	97	75-130			
Ethylbenzene	23.5	2.0	ug/l	25.0	ND	94	80-130			
Hexachlorobutadiene	20.1	5.0	ug/l	25.0	ND	80	65-130			
2-Hexanone	28.6	10	ug/l	25.0	ND	114	40-150			
Iodomethane	30.6	2.0	ug/l	25.0	ND	122	70-140			
Isopropylbenzene	25.0	2.0	ug/l	25.0	ND	100	80-140			
p-Isopropyltoluene	23.5	2.0	ug/l	25.0	ND	94	80-135			
Methylene chloride	20.7	5.0	ug/l	25.0	ND	83	75-125			
4-Methyl-2-pentanone (MIBK)	27.8	10	ug/l	25.0	ND	111	40-140			
Methyl-tert-butyl Ether (MTBE)	24.7	5.0	ug/l	25.0	ND	99	65-135			
Naphthalene	20.0	2.0	ug/l	25.0	ND	80	60-140			
n-Propylbenzene	24.7	2.0	ug/l	25.0	ND	99	80-140			
Styrene	24.6	2.0	ug/l	25.0	ND	98	30-150			
1,1,1,2-Tetrachloroethane	23.0	5.0	ug/l	25.0	ND	92	80-130			
1,1,2,2-Tetrachloroethane	23.1	2.0	ug/l	25.0	ND	92	65-140			
Tetrachloroethene	22.8	2.0	ug/l	25.0	ND	91	80-130			
Toluene	22.7	2.0	ug/l	25.0	ND	91	80-130			
1,2,3-Trichlorobenzene	20.1	5.0	ug/l	25.0	ND	80	75-140			*V1*
1,2,4-Trichlorobenzene	20.8	5.0	ug/l	25.0	ND	83	80-135			
1,1,1-Trichloroethane	22.7	2.0	ug/l	25.0	ND	91	70-135			
1,1,2-Trichloroethane	22.0	2.0	ug/l	25.0	ND	88	70-135			
Trichloroethene	22.1	2.0	ug/l	25.0	ND	88	80-125			
Trichlorofluoromethane	23.1	5.0	ug/l	25.0	ND	92	70-140			
1,2,3-Trichloropropane	22.6	10	ug/l	25.0	ND	90	65-135			
1,2,4-Trimethylbenzene	23.3	2.0	ug/l	25.0	ND	93	75-130			
1,3,5-Trimethylbenzene	23.5	2.0	ug/l	25.0	ND	94	80-135			
Vinyl acetate	29.8	25	ug/l	25.0	ND	119	30-150			*N1*
Vinyl chloride	23.2	1.7	ug/l	25.0	ND	93	70-135			
Xylenes, Total	46.2	3.0	ug/l	50.0	ND	92	80-125			
Surrogate: Dibromofluoromethane	*26.7*		*ug/l*	*25.0*		*107*	*80-130*			
Surrogate: Toluene-d8	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.3*		*ug/l*	*25.0*		*101*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892
Sampled: 06/30/06
Received: 06/30/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
Matrix Spike Dup Analyzed: 07/14/2006 (P6G1432-MSD1)					**Source: PPF0892-02**					
Acetone	29.0	20	ug/l	25.0	ND	116	15-150	10	35	
Benzene	24.1	1.0	ug/l	25.0	ND	96	80-125	6	10	
Bromobenzene	25.0	5.0	ug/l	25.0	ND	100	80-125	6	15	
Bromochloromethane	25.3	5.0	ug/l	25.0	ND	101	80-130	8	20	
Bromodichloromethane	24.7	2.0	ug/l	25.0	ND	99	70-130	5	15	
Bromoform	23.4	5.0	ug/l	25.0	ND	94	70-120	9	25	
Bromomethane	24.7	5.0	ug/l	25.0	ND	99	80-135	7	20	
2-Butanone (MEK)	28.4	10	ug/l	25.0	ND	114	30-150	4	35	
n-Butylbenzene	24.5	5.0	ug/l	25.0	ND	98	80-135	5	20	
sec-Butylbenzene	24.9	5.0	ug/l	25.0	ND	100	80-130	6	20	
tert-Butylbenzene	24.9	5.0	ug/l	25.0	ND	100	80-130	5	20	
Carbon Disulfide	31.0	5.0	ug/l	25.0	ND	124	45-150	1	15	
Carbon tetrachloride	23.8	5.0	ug/l	25.0	ND	95	65-135	5	15	
Chlorobenzene	24.9	1.0	ug/l	25.0	ND	100	80-125	7	15	
Chloroethane	25.1	5.0	ug/l	25.0	ND	100	80-125	7	20	
Chloroform	25.2	2.0	ug/l	25.0	0.52	99	75-130	8	15	
Chloromethane	24.1	5.0	ug/l	25.0	ND	96	65-130	6	20	
2-Chlorotoluene	24.0	5.0	ug/l	25.0	ND	96	80-130	5	15	
4-Chlorotoluene	24.4	5.0	ug/l	25.0	ND	98	80-135	5	15	
Dibromochloromethane	22.3	2.0	ug/l	25.0	ND	89	75-120	7	20	
1,2-Dibromo-3-chloropropane	20.8	5.0	ug/l	25.0	ND	83	50-130	6	35	
1,2-Dibromoethane (EDB)	24.9	2.0	ug/l	25.0	ND	100	70-130	8	25	
Dibromomethane	24.6	2.0	ug/l	25.0	ND	98	75-130	8	25	
1,2-Dichlorobenzene	24.3	1.0	ug/l	25.0	ND	97	80-130	6	15	
1,3-Dichlorobenzene	24.0	1.0	ug/l	25.0	ND	96	80-130	5	15	
1,4-Dichlorobenzene	24.9	1.0	ug/l	25.0	ND	100	80-125	6	10	
Dichlorodifluoromethane	22.9	5.0	ug/l	25.0	ND	92	60-140	4	45	
1,1-Dichloroethane	24.5	2.0	ug/l	25.0	ND	98	80-125	6	15	
1,2-Dichloroethane	24.4	1.0	ug/l	25.0	ND	98	60-145	8	20	
1,1-Dichloroethene	24.4	5.0	ug/l	25.0	ND	98	75-130	8	15	
cis-1,2-Dichloroethene	24.4	2.0	ug/l	25.0	ND	98	80-125	6	15	
trans-1,2-Dichloroethene	24.0	2.0	ug/l	25.0	ND	96	80-120	7	15	
1,2-Dichloropropane	23.8	2.0	ug/l	25.0	ND	95	80-125	5	15	
1,3-Dichloropropane	24.0	2.0	ug/l	25.0	ND	96	75-130	6	20	
2,2-Dichloropropane	23.0	2.0	ug/l	25.0	ND	92	60-135	6	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892
Sampled: 06/30/06
Received: 06/30/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
Matrix Spike Dup Analyzed: 07/14/2006 (P6G1432-MSD1)					**Source: PPF0892-02**					
1,1-Dichloropropene	23.8	2.0	ug/l	25.0	ND	95	80-125	5	15	
cis-1,3-Dichloropropene	25.4	2.0	ug/l	25.0	ND	102	75-120	7	15	
trans-1,3-Dichloropropene	25.5	2.0	ug/l	25.0	ND	102	75-130	5	25	
Ethylbenzene	24.6	2.0	ug/l	25.0	ND	98	80-130	5	15	
Hexachlorobutadiene	20.5	5.0	ug/l	25.0	ND	82	65-130	2	15	
2-Hexanone	29.8	10	ug/l	25.0	ND	119	40-150	4	35	
Iodomethane	31.0	2.0	ug/l	25.0	ND	124	70-140	1	15	
Isopropylbenzene	27.0	2.0	ug/l	25.0	ND	108	80-140	8	20	
p-Isopropyltoluene	25.0	2.0	ug/l	25.0	ND	100	80-135	6	20	
Methylene chloride	22.3	5.0	ug/l	25.0	ND	89	75-125	7	15	
4-Methyl-2-pentanone (MIBK)	29.5	10	ug/l	25.0	ND	118	40-140	6	35	
Methyl-tert-butyl Ether (MTBE)	26.9	5.0	ug/l	25.0	ND	108	65-135	9	30	
Naphthalene	21.2	2.0	ug/l	25.0	ND	85	60-140	6	30	
n-Propylbenzene	25.8	2.0	ug/l	25.0	ND	103	80-140	4	20	
Styrene	26.1	2.0	ug/l	25.0	ND	104	30-150	6	25	
1,1,1,2-Tetrachloroethane	24.2	5.0	ug/l	25.0	ND	97	80-130	5	15	
1,1,2,2-Tetrachloroethane	25.1	2.0	ug/l	25.0	ND	100	65-140	8	35	
Tetrachloroethene	24.1	2.0	ug/l	25.0	ND	96	80-130	6	15	
Toluene	24.2	2.0	ug/l	25.0	ND	97	80-130	6	15	
1,2,3-Trichlorobenzene	21.1	5.0	ug/l	25.0	ND	84	75-140	5	20	*V1*
1,2,4-Trichlorobenzene	20.9	5.0	ug/l	25.0	ND	84	80-135	1	15	
1,1,1-Trichloroethane	24.1	2.0	ug/l	25.0	ND	96	70-135	6	15	
1,1,2-Trichloroethane	23.9	2.0	ug/l	25.0	ND	96	70-135	8	25	
Trichloroethene	23.6	2.0	ug/l	25.0	ND	94	80-125	7	15	
Trichlorofluoromethane	24.7	5.0	ug/l	25.0	ND	99	70-140	7	15	
1,2,3-Trichloropropane	24.2	10	ug/l	25.0	ND	97	65-135	7	35	
1,2,4-Trimethylbenzene	24.7	2.0	ug/l	25.0	ND	99	75-130	6	15	
1,3,5-Trimethylbenzene	25.0	2.0	ug/l	25.0	ND	100	80-135	6	15	
Vinyl acetate	30.2	25	ug/l	25.0	ND	121	30-150	1	35	*N1*
Vinyl chloride	24.8	1.7	ug/l	25.0	ND	99	70-135	7	25	
Xylenes, Total	48.7	3.0	ug/l	50.0	ND	97	80-125	5	15	
Surrogate: Dibromofluoromethane	*26.4*		*ug/l*	*25.0*		*106*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.5*		*ug/l*	*25.0*		*102*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892
Sampled: 06/30/06
Received: 06/30/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G0517 Extracted: 07/05/06										
Blank Analyzed: 07/06/2006 (P6G0517-BLK1)										
Acenaphthene	ND	3.0	ug/l							
Acenaphthylene	ND	3.0	ug/l							
Anthracene	ND	0.30	ug/l							
Benzo(a)anthracene	ND	0.050	ug/l							
Benzo(a)pyrene	ND	0.10	ug/l							
Benzo(b)fluoranthene	ND	0.30	ug/l							
Benzo(g,h,i)perylene	ND	0.30	ug/l							
Benzo(k)fluoranthene	ND	0.30	ug/l							
Chrysene	ND	0.30	ug/l							
Dibenz(a,h)anthracene	ND	0.50	ug/l							
Fluoranthene	ND	0.30	ug/l							
Fluorene	ND	0.30	ug/l							
Indeno(1,2,3-cd)pyrene	ND	0.30	ug/l							
Naphthalene	ND	2.0	ug/l							
Phenanthrene	ND	0.30	ug/l							
Pyrene	ND	0.30	ug/l							
Surrogate: 2-Methylanthracene	*0.503*		*ug/l*	*0.600*		*84*	*50-115*			
LCS Analyzed: 07/06/2006 (P6G0517-BS1)										**Q8**
Acenaphthene	4.85	3.0	ug/l	6.00		81	65-115			
Acenaphthylene	9.81	3.0	ug/l	12.0		82	65-115			
Anthracene	0.486	0.30	ug/l	0.600		81	65-115			
Benzo(a)anthracene	0.570	0.050	ug/l	0.600		95	80-115			
Benzo(a)pyrene	0.528	0.10	ug/l	0.600		88	70-115			
Benzo(b)fluoranthene	1.10	0.30	ug/l	1.20		92	80-115			
Benzo(g,h,i)perylene	1.15	0.30	ug/l	1.20		96	65-120			
Benzo(k)fluoranthene	0.567	0.30	ug/l	0.600		94	70-115			
Chrysene	0.534	0.30	ug/l	0.600		89	80-120			
Dibenz(a,h)anthracene	1.02	0.50	ug/l	1.20		85	50-125			
Fluoranthene	1.07	0.30	ug/l	1.20		89	70-115			
Fluorene	1.07	0.30	ug/l	1.20		89	65-115			
Indeno(1,2,3-cd)pyrene	0.549	0.30	ug/l	0.600		92	65-115			
Naphthalene	4.56	2.0	ug/l	6.00		76	55-115			
Phenanthrene	0.518	0.30	ug/l	0.600		86	60-115			
Pyrene	0.539	0.30	ug/l	0.600		90	75-115			
Surrogate: 2-Methylanthracene	*0.518*		*ug/l*	*0.600*		*86*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892

Sampled: 06/30/06
Received: 06/30/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G0517 Extracted: 07/05/06										
LCS Dup Analyzed: 07/07/2006 (P6G0517-BSD1)										
Acenaphthene	4.80	3.0	ug/l	6.00		80	65-115	1	15	
Acenaphthylene	9.86	3.0	ug/l	12.0		82	65-115	1	15	
Anthracene	0.484	0.30	ug/l	0.600		81	65-115	0	15	
Benzo(a)anthracene	0.562	0.050	ug/l	0.600		94	80-115	1	15	
Benzo(a)pyrene	0.528	0.10	ug/l	0.600		88	70-115	0	15	
Benzo(b)fluoranthene	1.08	0.30	ug/l	1.20		90	80-115	2	15	
Benzo(g,h,i)perylene	1.12	0.30	ug/l	1.20		93	65-120	3	10	
Benzo(k)fluoranthene	0.560	0.30	ug/l	0.600		93	70-115	1	15	
Chrysene	0.538	0.30	ug/l	0.600		90	80-120	1	15	
Dibenz(a,h)anthracene	1.00	0.50	ug/l	1.20		83	50-125	2	25	
Fluoranthene	1.08	0.30	ug/l	1.20		90	70-115	1	20	
Fluorene	1.05	0.30	ug/l	1.20		87	65-115	2	20	
Indeno(1,2,3-cd)pyrene	0.536	0.30	ug/l	0.600		89	65-115	2	20	
Naphthalene	4.42	2.0	ug/l	6.00		74	55-115	3	25	
Phenanthrene	0.503	0.30	ug/l	0.600		84	60-115	3	30	
Pyrene	0.525	0.30	ug/l	0.600		87	75-115	3	20	
Surrogate: 2-Methylanthracene	*0.491*		*ug/l*	*0.600*		*82*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe	Project ID: Sky Harbor HW Quarterly / UST Sampling Program	
2625 S. Plaza Drive, Ste. 300		Sampled: 06/30/06
Tempe, AZ 85282	Report Number: PPF0892	Received: 06/30/06
Attention: Jennifer Holland		

DATA QUALIFIERS AND DEFINITIONS

L3	The associated blank spike recovery was above method acceptance limits.
N1	See case narrative.
Q8	Insufficient sample received to meet method QC requirements. Batch QC satisfies ADEQ policies 0154 and 0155.
V1	CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
ND	Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
RPD	Relative Percent Difference

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPF0892
Sampled: 06/30/06
Received: 06/30/06

Certification Summary

TestAmerica - Phoenix, AZ

Method	Matrix	Nelac	Arizona
EPA 8015B	Water	X	X
EPA 8260B	Water	X	X
EPA 8310	Water	X	X

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

Subcontracted Laboratories

Transwest Geochem *Arizona Cert #AZ0133*
3725 E. Atlanta Ave Ste 1 - Phoenix, AZ 85040-2961
Analysis Performed: 8015B MOD-Low Level
Samples: PPF0892-02, PPF0892-03, PPF0892-04, PPF0892-05, PPF0892-06, PPF0892-07, PPF0892-08

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

DelMar Analytical
9830 South 51st St, Suite B-120
Phoenix, AZ 85044
480-785-0043

Honeywell

Chain Of Custody / Analysis Request

Privileged & Confidential

Project Mgr: Jennifer Holland
jennifer.holland@ch2m.com

Site Name: Sky Harbor
Location of Site: HW Quarterly / UST Sampling Program

DELMAR-PHE

Client Contact: (name, co., address)
CH2M HILL
2625 South Plaza Drive, Suite 300
Tempe, AZ 85282
Jennifer.Holland@CH2M.com

Hardcopy Report To:
Invoice To:

Sampler: Jeffery Yentes
P O # BV.30.33

Analysis Turnaround Time:
Standard - Y
Rush Charges Authorized for -
2 weeks -
1 week -
Next Day -

What is in the Test Pot? Matrix over here.

	Sample Identification		Sample Date	Sample Time	Sample Type	Sample Matrix	# of Cont.	MS/MSD REQUESTED	Field Filtered Sample?	VOC's (EPA 8260B)	SVOC's (EPA 8270)	PAH's (EPA 8310)	TRPH (EPA 8015M)	MEE (RSKSOP-175)	Total Metals (Varoius Methods)	Dissolved Metals (Various Methods)	Total common Ions (Various Methods)	Dissolved Common Ions (Various Methods)		VOC'S (EPA 624)		MS/MSD Requested	
										Preservative													
										1	0	0	3	1	2	2	0	0		1			
	Location ID	Field Sample ID								ug/L	ug/L	ug/L	ug/L	mg/L	mg/L	mg/L	mg/L	mg/L		ug/L			
1	BLANK	TB-063006	6/30/2006	0620	BlkWater	Water	1		N	X													
2	MW	ASE-98A-6B3	6/30/2006	1205	GW	Water	5		N	X			X										
~~3~~	~~MW~~	~~ASE-99A-6B3~~	~~6/30/2006~~		~~GW~~	~~Water~~	~~5~~		N	X			X										
4	MW	ASE-110A-6B3	6/30/2006	1213	GW	Water	7		N	X		X	X										
~~5~~	~~MW~~	~~ASE-123A-6B3~~	~~6/30/2006~~		~~GW~~	~~Water~~	~~7~~		N	X		X	X										
6	MW	PL-504-6B3	6/30/2006	1223	GW	Water	7		N	X		X	X										
~~7~~	~~MW~~	~~ASE-109A-6B3~~	~~6/30/2006~~		~~GW~~	~~Water~~	~~7~~		N	X		X	X										
8	MW	ASE-102A-6B3	6/30/2006	1039	GW	Water	5		N	X			X										
9	MW	ASE-101A-6B3	6/30/2006	0955	GW	Water	5		N	X			X										
10	MW	ASE-100A-6B3	6/30/2006	0903	GW	Water	5		N	X			X										
11	MW	ASE-103A-6B3	6/30/2006	0812	GW	Water	5		N	X			X										
12																							
13																							
14																							
15																							
16																							
17																							
18																							
19																							
20																							

PPF0892-01
-02 2
-03 3
-04 4
-05 5
-06 6
-07 7
-08 8
-09 9
-10 10
-11 N

Relinquished by	Company	Hargis + Associates, Inc.	Received by		Condition		Custody Seals Intact
	Date/Time	6-30-06/1435			Cooler Temp.		6/30/06
Relinquished by	Company		Received by		Condition		Custody Seals Intact
	Date/Time			6/30/06/1435	Cooler Temp.	3.4	

Preservatives: 0 = None; [1 = HCL]; [2 = HNO3]; [3 = H2SO4]; [4 = NaOH]; [5 = Zn. Acetate]; [6 = MeOH]; [7 = NaHSO4]; 8 = Other (specify):

TRANSWEST GEOCHEM

June 25 , 2006

Ken Baker
TestAmerica - Phoenix
9830 S. 51st Street
Suite B-120
Phoenix, AZ 85044

Re: PPF0892
Work Order No.: 0606558

Dear Ken,

Attached is the original Report of Analysis from Columbia Analytical Services, Inc. (AZ0604) for the samples received on 6/30/06. The following analysis was performed:

Method EPA 8015B – Diesel Range Organics

If you have any questions regarding the results, please call me. We appreciate your business and thank you for choosing Transwest Geochem.

Sincerely,

Carlene McCutchen
for Skip Harden
Project Manager

ADHS License No. AZM133/AZ0133

CONFIDENTIAL AND PRIVILEGED

3724 E. Atlanta Avenue • Phoenix, Arizona 85040 • (602) 437-0330 • (800) 927-5183 • Fax (602) 437-0660
3865 S. Palo Verde Rd. • Suite 301 • Tucson, Arizona 85714 • (520) 573-1061 • Fax (520) 573-1063

5090 Caterpillar Road Redding, California 96003 (530) 244-5227 (530) 244-4109 fax

Columbia Analytical Services INC.
An Employee - Owned Company

July 19, 2006

Service Request No: D0600801

Carlene McCutcheon
Transwest Geochem, Incorporated
3725 East Atlanta Avenue
Suite 2
Phoenix, AZ 85040-2960

RE: PPF0892

Dear Carlene:

Enclosed are the results of the sample(s) submitted to our laboratory on July 6, 2006. For your reference, these analyses have been assigned our service request number D0600801.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 103. You may also contact me via email at EWilson@canoga.caslab.com.

Respectfully submitted,

Columbia Analytical Services, Inc.

Ed Wilson
Project Chemist

NELAP Accredited ACIL Seal of Excellence Award 100% Recycled

Current CAS Redding Accreditation Programs

Federal and National Programs

- U.S Air Force, Air Force Center for Environmental Excellence (AFCEE)
  Approved laboratory for Wastewater and Hazardous Waste
- U.S. Army Corps of Engineers – MRD, HTRW Mandatory Center of Expertise
  Validated for Wastewater and Hazardous Waste
- Department of the Navy, Naval Facilities Engineering Service Center (NFESC)
  Approved laboratory for Wastewater and Hazardous Waste

State and Local Programs

- State of Alaska, Department of Environmental Conservation
  Approved Laboratory for Contaminated Sites
  Lab ID UST-001
- State of Arizona, Department of Health Services, Office of Laboratory Licensure
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID AZ0604
- State of California, Department of Health Services, National Environmental Laboratory Accreditation Program **(NELAP)**
  Approved Laboratory for Drinking Water, Wastewater and Hazardous Waste
  Lab ID 01105CA
  - Los Angeles County Sanitation District
    Approved Laboratory for Wastewater
    Lab ID 10243
- State of California, Department of Health Services, Environmental Laboratory Accreditation Program (ELAP)
  Approved Laboratory for Microbiology of Drinking Water and Wastewater
  Lab ID 2635
- State of Florida, Department of Health, Bureau of Laboratories **(NELAP)**
  Approved Environmental Testing Laboratory for Wastewater and Hazardous Waste
  Lab ID E87203
- State of Kansas, Department of Health and Environment **(NELAP)**
  Approved Laboratory for Hazardous Waste
  Lab ID E-10323
- State of Massachusetts, Department of Environmental Protection
  Approved laboratory for Drinking Water and Wastewater
  Lab ID M-CA025
- State of Oklahoma, Department of Environmental Quality
  Approved Laboratory for General Water Quality/Sludge Testing
  Lab ID 9952
- State of Oregon, Environmental Laboratory Accreditation Program **(ORELAP)**
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID CA200004
- State of Utah, Department of Health, Bureau of Laboratory Improvement **(NELAP)**
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID QUAL1
- State of Washington, Department of Ecology
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID C1234
- State of Wisconsin, Department of Natural Resources
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID 999767340

Arizona Data Qualifiers
Revision 2.0, 11/26/2003

Developed by the Sub-committee of the
Arizona Environmental Laboratory Advisory Committee

Microbiology:
A1 = Too numerous to count.
A2 = Sample incubation period exceeded method requirement.
A3 = Sample incubation period was shorter than method requirement.
A4 = Target organism detected in associated method blank.
A5 = Incubator/water bath temperature was outside method requirements.
A6 = Target organism not detected in associated positive control.
A7 = Micro sample received without adequate headspace.

Method/calibration blank:
B1 = Target analyte detected in method blank at or above the method reporting limit.
B2 = Non-target analyte detected in method blank and sample, producing interference.
B3 = Target analyte detected in calibration blank at or above the method reporting limit.
B4 = Target analyte detected in blank at/above method acceptance criteria.
B5 = Target analyte detected in method blank at or above the method reporting limit, but below trigger level or MCL.
B6 = Target analyte detected in calibration blank at or above the method reporting limit, but below trigger level or MCL.
B7 = Target analyte detected in method blank at or above method reporting limit. Concentration found in the sample was 10 times above the concentration found in the method blank.

Confirmation:
C1 = Confirmatory analysis not performed as required by the method.
C3 = Qualitative confirmation performed.
C4 = Confirmatory analysis was past holding time.
C5 = Confirmatory analysis was past holding time. Original result not confirmed.
C6 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the higher value was reported as there was no obvious chromatographic interference.
C7 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic interference.

Dilution:
D1 = Sample required dilution due to matrix.
D2 = Sample required dilution due to high concentration of target analyte.
D3 = Sample dilution required due to insufficient sample.
D4 = Minimum reporting level (MRL) adjusted to reflect sample amount received and analyzed.

Estimated concentration:
E1 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not possible due to insufficient sample.
E2 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to sample matrix.
E3 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

E4 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL).
E5 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL), but not confirmed by alternate analysis.
E6 = Concentration estimated. Internal standard recoveries did not meet method acceptance criteria.
E7 = Concentration estimated. Internal standard recoveries did not meet laboratory acceptance criteria.
E8 = Analyte reported to MDL per project specification. Target analyte was not detected in the sample.

Hold time:
H1 = Sample analysis performed past holding time.
H2 = Initial analysis within holding time. Reanalysis for the required dilution was past holding time.
H3 = Sample was received and analyzed past holding time.
H4 = Sample was extracted past required extraction holding time, but analyzed within analysis holding time.

BOD:
K1 = The sample dilutions set-up for the BOD analysis did not meet the oxygen depletion criteria of at least 2 mg/L. Any reported result is an estimated value.
K2 = The sample dilutions set up for the BOD analysis did not meet the criteria of a residual dissolved oxygen of at least 1 mg/L. Any reported result is an estimated value.
K4 = The seed depletion was outside the method acceptance limits. The reported result is an estimated value.
K5 = The dilution water D.O. depletion was > 0.2 mg/L.
K6 = Glucose/glutamic acid BOD was below method acceptance criteria.
K7 = A discrepancy between the BOD and COD results has been verified by reanalysis of the sample for COD.
K8 = Glucose/glutamic acid BOD was above method acceptance levels.

Laboratory fortified blank/blank spike:

L1 = The associated blank spike recovery was above laboratory acceptance limits.
L2 = The associated blank spike recovery was below laboratory acceptance limits.
L3 = The associated blank spike recovery was above method acceptance limits.
L4 = The associated blank spike recovery was below method acceptance limits.

Matrix spike:
M1 = Matrix spike recovery was high, the method control sample recovery was acceptable.
M2 = Matrix spike recovery was low, the method control sample recovery was acceptable.
M3 = The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
M4 = The analysis of the spiked sample required a dilution such that the spike concentration was diluted below the reporting limit. The method control sample recovery was acceptable.
M5 = Analyte concentration was determined by the method of standard addition (MSA).

M6 = Matrix spike recovery was high. Data reported per ADEQ policy 0154.000.
M7 = Matrix spike recovery was low. Data reported per ADEQ policy 0154.000.

General:
N1 = See case narrative.
N2 = See corrective action report.
N3 = The analysis meets all method requirements. See case narrative.

Sample quality:
Q1 = Sample integrity was not maintained. See case narrative.
Q2 = Sample received with headspace.
Q3 = Sample received with improper chemical preservation.
Q4 = Sample received and analyzed without chemical preservation.
Q5 = Sample received with inadequate chemical preservation, but preserved by the laboratory.
Q6 = Sample was received above recommended temperature.
Q7 = Sample inadequately dechlorinated.
Q8 = Insufficient sample received to meet method QC requirements. Batch QC requirements satisfies ADEQ policies 0154 and 0155.
Q9 = Insufficient sample received to meet method QC requirements.
Q10 = Sample received in inappropriate sample container.
Q11 = Sample is heterogeneous. Sample homogeneity could not be readily achieved using routine laboratory practices.

Duplicates:
R1 = RPD exceeded the method control limit. See case narrative.
R2 = RPD exceeded the laboratory control limit. See case narrative.
R4 = MS/MSD RPD exceeded the method control limit. Recovery met acceptance criteria.
R5 = MS/MSD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R6 = LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
R7 = LFB/LFBD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R8 = Sample RPD exceeded the method control limit.
R9 = Sample RPD exceeded the laboratory control limit.
R10 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic problems.
R11 = The RPD calculation for MS/MSD does not provide useful information due to the varying sample weights when Encore samplers/methanol field preserved samples are used.

Surrogate:
S1 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits.
S3 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits. No target analytes were detected in the sample.
S4 = Surrogate recovery was above laboratory and method acceptance limits. No target analytes were detected in the sample.
S5 = Surrogate recovery was below laboratory acceptance limits, but within method acceptance limits.
S6 = Surrogate recovery was below laboratory and method acceptance limits. Reextraction and/or reanalysis confirms low recovery caused by matrix effect.

S7 = Surrogate recovery was below laboratory and method acceptance limits. Unable to confirm matrix effect.
S8 = The analysis of the sample required a dilution such that the surrogate recovery calculation does not provide any useful information. The method control sample recovery was acceptable.
S10 = Surrogate recovery was above laboratory and method acceptance limits. See Case narrative.
S11 = Surrogate recovery was high. Data reported per ADEQ policy 0154.000.
S12 = Surrogate recovery was low. Data reported per ADEQ policy 0154.000.

Method/analyte discrepancies:
T1 = Method approved by EPA, but not yet licensed by ADHS.
T2 = Cited ADHS licensed method does not contain this analyte as part of method compound list.
T3 = Method not promulgated either by EPA or ADHS.
T4 = Tentatively identified compound. Concentration is estimated and based on the closest internal standard.

Calibration verification:
V1 = CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
V2 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample. The sample could not be reanalyzed due to insufficient sample.
V3 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample, but the sample was not reanalyzed. See case narrative.
V4 = CCV recovery was below method acceptance limits. The sample could not be reanalyzed due to insufficient sample.
V5 = CCV recovery after a group of samples was above acceptance limits. This target analyte was not detected in the sample. Acceptable per EPA Method 8000B.
V6 = Data reported from one-point calibration criteria per ADEQ policy 0155.000.
V7 = Calibration verification recovery was above the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.
V8 = Calibration verification recovery was below the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.

Calibration:
W1 = The % RSD for this compound was above 20%. The average % RSD for all compounds in the calibration met the 20% criteria as specified in EPA method 8000B.
W2 = The % RSD for this compound was above 15%. The average % RSD for all compounds in the calibration met the 15% criteria as specified in EPA method 8260B/8270C.

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
D0600801-001	PPF0892-02	06/30/06	13:05
D0600801-002	PPF0892-03	06/30/06	12:13
D0600801-003	PPF0892-04	06/30/06	12:23
D0600801-004	PPF0892-05	06/30/06	10:39
D0600801-005	PPF0892-06	06/30/06	09:55
D0600801-006	PPF0892-07	06/30/06	09:03
D0600801-007	PPF0892-08	06/30/06	08:12

CASE NARRATIVE

COLUMBIA ANALYTICAL SERVICES, INC.

Client:	Transwest Geochem, Inc.	**Service Request No.:**	D0600801
Project:	PPF0892	**Date Received:**	July 6, 2006
Sample Matrix:	Water		

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of Columbia Analytical Services, Inc. (CAS). This report contains analytical results for samples designated for Tier II data deliverables.

Sample Receipt

Seven water samples were received for analysis at Columbia Analytical Services on July 6, 2006.

No discrepancies were noted upon initial sample inspection. The samples were received in good condition and consistent with the accompanying chain of custody form. The samples were stored in a refrigerator at 4°C upon receipt at the laboratory.

Diesel Range Organics by EPA Method 8015B

Surrogate Exceptions:
The upper control criterion was exceeded for the following surrogates in samples PPF0892-04: Triacontane and Octacosane. The error associated with an elevated recovery equates to a high bias. The quality of the sample data is not significantly affected. No further corrective action was appropriate.

Matrix Spike Recovery Exceptions:
Insufficient sample volume was received to perform a Matrix Spike/Matrix Spike Duplicate (MS/MSD). A Laboratory Control Sample/Duplicate Laboratory Control Sample (LCS/DLCS) was analyzed in order to report precision data.

Approved by: _____ **Date:** 7/19/06

CHAIN OF CUSTODY DOCUMENTATION

TRANSWEST GEOCHEM

CHAIN-OF-CUSTOD[redacted]

Skip Harden
3725 E. Atlanta Avenue
Suite 2
Phoenix, AZ 85040
TEL: (602) 437-0330
FAX: (602) 437-0660

Work Order: 0606558

Project: PPF0892

Subcontractor:
Columbia Analytical Services
5090 Caterpillar Rd.
Redding, CA 96003
TEL: (530) 244-5227
FAX: (530) 244-4109

03-Jul-06

Client Sample ID	TGI ID	Matrix	Collection Date	Containers	Requested Tests: 8015MOD_W						
PPF0892-02	01A	Water	6/30/2006 1:05:00 PM	1	1						
PPF0892-03	02A	Water	6/30/2006 12:13:00 PM	1	1						
PPF0892-04	03A	Water	6/30/2006 12:23:00 PM	1	1						
PPF0892-05	04A	Water	6/30/2006 10:39:00 AM	1	1						
PPF0892-06	05A	Water	6/30/2006 9:55:00 AM	1	1						
PPF0892-07	06A	Water	6/30/2006 9:03:00 AM	1	1						
PPF0892-08	07A	Water	6/30/2006 8:12:00 AM	1	1						

Low level required

Edd's required

Comments: After analysis, the samples do not need to be returned and can be disposed per your standard laboratory practices. Please provide a QC report, including Method Blank data.

Sample Receipt		
Temperature:	Ambient / Cold	Ice:
Received Intact:		Absent / Present
Custody Seals:		Wet / Blue
Total No. of Containers:		° C.

		Date/Time			Date/Time
Relinquished by:	Leslie May - TGI	7/5/06 1530	**Received by:**	KPS	
Relinquished by:			**Received by:**	L. Gordon CAS	7-6-06 0950
Relinquished by:			**Received by:**		

Columbia Analytical Services inc.
An Employee-Owned Company

5090 Caterpillar Road
Redding, CA 96003
Phone: (530) 244-5262
[redacted]

COOLER RECEIPT FORM

Project/Client: _____ Batch [redacted]

1. Cooler(s)/Sample(s) received on: 7/6/06 Shipped via: UPS
   Shipping Bill # (s): 1Z 52X 72X 01 9192 8784 # of Coolers/Packages 1
2. Radiological Screening by: [illegible] Acceptable Rejected
3. Custody seals on outside of cooler: YES NO N/A
   If yes, where? Front ✓ Rear ____ Lt Side ____ Rt Side ____
   Seals intact: YES NO

COOLER/SAMPLE PROCESSING

4. Sample Processing/Tagging by: [illegible]
5. Cooler(s)/Sample(s) Temp's: 3.0 C ____ ____ ____ ____
   (or)
   Temp. Blank (if included): ____ ____ ____ ____ ____
6. Type of packing material (circle): Ice Blue Ice Bubble Wrap Bubble Bags Zip Locks Webbing
   Other: Packing PAPER
7. Custody papers properly filled out (ink, signed, dated, released, etc.)? YES NO
8. Containers arrived in good condition (not broken, leaking, etc.)? YES NO
9. Samples received with adequate holding time remaining to conduct analysis? YES NO
10. Container labels complete (i.e. analysis, preservation, date/time, etc.)? YES NO
11. Container labels and tags agree with custody papers? YES NO
12. Correct types of containers used for the tests indicated? YES NO
    a.) Adequate sample received? If not, note on Exception Report. YES NO
13. Containers supplied by: CAS Other
14. Preserved containers received with the appropriate preservative? YES NO N/A
    pH: _____ (or) See pH log.
15. VOA vials free of air bubbles? YES NO N/A
16. Trip Blank preparation date: _____ CAS Other N/A
17. Volatile Soil samples: Encores or Plugs in Vials
    Freezer or GC/MS Date: _____ Time: _____ N/A

See Exception Report for discrepancies.

Rev. 8/18/2004/ds

GC TPH DIESEL

ORGANIC ANALYSES DATA PACKAGE

Analytical Method: CA LUFT

AAB #: D0600801

Lab Name: Columbia Analytical Services/Redding

Base/Command: ARIZONA DELIVERABLES (RL)

Project: PPF0892

Field Sample ID	Lab Sample ID
PPF0892-02	D0600801-001
PPF0892-03	D0600801-002
PPF0892-04	D0600801-003
PPF0892-05	D0600801-004
PPF0892-06	D0600801-005
PPF0892-07	D0600801-006
PPF0892-08	D0600801-007

Comments:

I certify this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: Wida Ang

Name: WIDA ANG

Date: 7/18/06

Title: Organic Manager

RDD-060718:CC:BS-1059PST-SR:D0600801-D0600801-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600801

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0892-02 Lab Sample ID: D0600801-001 Matrix: Water

% Solids: _____ Preparation Factor: 1.1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/06/06 Date Extracted: 07/10/06 Date Analyzed: 07/13/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.950 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		53	**160**	1		
C23 - C32 HRO		53	ND	1		
Total Petroleum Hydrocarbons		100	**160**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	88	58-111	
Triacontane - SS	88	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600801

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0892-03 Lab Sample ID: D0600801-002 Matrix: Water

% Solids: _____ Preparation Factor: 1.1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/06/06 Date Extracted: 07/10/06 Date Analyzed: 07/13/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.900 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		56	ND	1		V7
C23 - C32 HRO		56	ND	1		
Total Petroleum Hydrocarbons		110	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	85	58-111	
Triacontane - SS	85	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600801

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0892-04 Lab Sample ID: D0600801-003 Matrix: Water

% Solids: _____ Preparation Factor: 1.1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/06/06 Date Extracted: 07/10/06 Date Analyzed: 07/13/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.950 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		53	**76**	1		V7
C23 - C32 HRO		53	**55**	1		
Total Petroleum Hydrocarbons		100	**130**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	131	58-111	*
Triacontane - SS	129	54-109	*

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600801

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0892-05 Lab Sample ID: D0600801-004 Matrix: Water

% Solids: _____ Preparation Factor: 1.1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/06/06 Date Extracted: 07/10/06 Date Analyzed: 07/13/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.950 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		53	**65**	1		V7
C23 - C32 HRO		53	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	99	58-111	
Triacontane - SS	99	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600801

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0892-06 Lab Sample ID: D0600801-005 Matrix: Water

% Solids: _____ Preparation Factor: 1.1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/06/06 Date Extracted: 07/10/06 Date Analyzed: 07/14/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.950 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		53	**350**	1		
C23 - C32 HRO		53	ND	1		
Total Petroleum Hydrocarbons		100	**350**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	97	58-111	
Triacontane - SS	96	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600801

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0892-07 Lab Sample ID: D0600801-006 Matrix: Water

% Solids: _____ Preparation Factor: 1.1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/06/06 Date Extracted: 07/10/06 Date Analyzed: 07/14/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.950 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		53	ND	1		
C23 - C32 HRO		53	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	94	58-111	
Triacontane - SS	94	54-109	

Comments:

RDD-060718:CC:BS-1059PST-SR:D0600801-D0600801-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600801

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPF0892-08 Lab Sample ID: D0600801-007 Matrix: Water

% Solids: _____ Preparation Factor: 1.1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/06/06 Date Extracted: 07/10/06 Date Analyzed: 07/13/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.950 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		53	ND	1		V7
C23 - C32 HRO		53	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	88	58-111	
Triacontane - SS	88	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 6
BLANKS

Analytical Method: CA LUFT AAB #: D0600801

Lab Name: Columbia Analytical Services/Redding

Concentration Units (ug/L or mg/kg): UG/L Method Blank ID: DWB10710

Lab Sample ID: DWB10710

Initial Calibration ID: 05/20/06GCF

Analyte		Method Blank	RL	Q
C13 - C22 DRO		ND	50	
C23 - C32 HRO		ND	50	
Total Petroleum Hydrocarbons		ND	100	

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	94	58-111	
Triacontane - SS	94	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 7
LABORATORY CONTROL SAMPLE/LABORATORY CONTROL SAMPLE DUPLICATE

Analytical Method: CA LUFT AAB #: D0600801

Lab Name: Columbia Analytical Services/Redding

Concentration Units (ug/L or mg/kg): UG/L %Solids: _____

Parent Field Sample ID: DWB10710 BS ID: DWB10710LCS BSD ID: DWB10710LCSD

Analyte	Parent Sample Result	Spike Added	Spiked Sample Result	%R	Duplicat Spike Sample Result	%R	%RPD	Control Limits %RPD	Control Limits %R	Q
C13 - C22 DRO		2500	2540	102	2440	98	4	30	64-106	**V7**

Comments:

ORGANIC ANALYSES DATA SHEET 10
INSTRUMENT ANALYSIS SEQUENCE LOG

Analytical Method: CA LUFT AAB #: D0600801

Lab Name: Columbia Analytical Services/Redding

Instrument ID #: GCF RTX-5

Field Sample ID/Std ID/ Blank ID/QC Sample ID	Laboratory File ID	Date Analysis Started	Time Analysis Started	Date Analysis Completed	Time Analysis Completed
DSTD6	F0520002	05/20/06	1838	05/20/06	1908
DSTD1	F0520003	05/20/06	1923	05/20/06	1953
DSTD2	F0520004	05/20/06	2008	05/20/06	2038
DSTD3	F0520005	05/20/06	2054	05/20/06	2124
DSTD4	F0520006	05/20/06	2139	05/20/06	2209
DSTD5	F0520007	05/20/06	2225	05/20/06	2255
QC ALT	F0520009	05/20/06	2356	05/21/06	0026
DSTD3	F0712013	07/12/06	2248	07/12/06	2318
DWB10710	F0712019	07/13/06	0313	07/13/06	0343
PPF0892-02	F0712022	07/13/06	0525	07/13/06	0555
DSTD4	F0712024	07/13/06	0653	07/13/06	0723
PPF0892-03	F0712025	07/13/06	0738	07/13/06	0808
PPF0892-04	F0712026	07/13/06	0821	07/13/06	0851
PPF0892-05	F0712027	07/13/06	0905	07/13/06	0935
PPF0892-08	F0712030	07/13/06	1117	07/13/06	1147
DWB10710LCS	F0712032	07/13/06	1246	07/13/06	1316
DWB10710LCSD	F0712033	07/13/06	1330	07/13/06	1400
DSTD3	F0712035	07/13/06	1458	07/13/06	1528
DSTD4	F0714002	07/14/06	1429	07/14/06	1459
PPF0892-06	F0714003	07/14/06	1513	07/14/06	1543
PPF0892-07	F0714004	07/14/06	1557	07/14/06	1627
DSTD3	F0714013	07/14/06	2235	07/14/06	2305

Comments:

ORGANIC ANALYSES DATA SHEET APPENDIX A
SURROGATE RESULTS

Analytical Method: CA LUFT AAB #: D0600801

Lab Name: Columbia Analytical Services/Redding

Matrix: Water

Field/QC Sample ID	S1	S2	S3	S4	S5	S6	S7	S8	Q
DWB10710	94	94							
PPF0892-02	88	88							
PPF0892-03	85	85							
PPF0892-04	131	129							**S10**
PPF0892-05	99	99							
PPF0892-08	88	88							
DWB10710LCS	100	100							
DWB10710LCSD	96	96							
PPF0892-06	97	96							
PPF0892-07	94	94							

S1: Octacosane - SS 58-111
S2: Triacontane - SS 54-109

Comments:

Sub

TRANSWEST GEOCHEM

Sample Receipt Checklist

Client Name: Del Mar

Date and Time Received: 6/30/06 1530

Work Order Number: 0606558

Checked by: lm

Checklist completed by: Leslie Gray 6/30/06
Signature / Date

Logged In by: lm 7/3/06
Initials / Date

Matrix: Water Carrier Name: (Client) TGI _____

Reviewed by: SA 7/3/06
Initials / Date

				COMMENTS
Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐	
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☑	
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑	
Chain of custody present?	Yes ☑	No ☐		
Chain of custody signed when relinquished and received?	Yes ☑	No ☐		
Chain of custody agrees with sample labels?	Yes ☑	No ☐		
Samples in proper container/bottle?	Yes ☑	No ☐		
Sample containers intact?	Yes ☑	No ☐		
Sufficient sample volume for indicated test?	Yes ☑	No ☐		
All samples received within holding time?	Yes ☑	No ☐		
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	Temp: 5.6	Sampled < 2hrs ☐
Water – VOA vials have zero headspace?	Yes ☐	No ☐	N/A ☑	
Water – pH acceptable upon receipt?	Yes ☐	No ☐	N/A ☐	Checked by: lm
Water – Sulfides present in Cyanide samples?	Yes ☐	No ☐	N/A ☑	
Sample considered Drinking Water?	Yes ☐	No ☐	N/A ☑	

Client contacted: _____ Date contacted: _____ Person contacted: _____

Contacted by: _____ Regarding: _____

Corrective Action: _____

Del Mar Analytical

17461 Derian Ave. Suite 100, Irvine, CA 92614 Ph (949) 261-1022 Fax (949) 261-1228
1014 E. Cooley Dr., Suite A, Colton, CA 92324 Ph (909) 370-4667 Fax (909) 370-1046
9484 Chesapeake Drive, Suite 805, San Diego, CA 92123 Ph (619) 505-9596 Fax (619) 505-9689
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 Ph (480) 785-0043 Fax (480) 785-0851
2520 E. Sunset Rd., Suite #3, Las Vegas, NV 89120 Ph (702) 798-3620 Fax (702) 798-3621

SUBCONTRACT ORDER - PROJECT # PPF0892

SENDING LABORATORY:
Del Mar Analytical - Phoenix
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem (out)
3725 E. Atlanta Ave Ste 1
Phoenix, AZ 85040-2961
Phone :602-437-0330
Fax: (602) 437-0660

0606558

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments	
Sample ID: PPF0892-02 Water Sampled: 06/30/06 13:05			
8015B MOD-Low Level-O	07/07/06 13:05	sub to Transwest, need transfer file for EDD	
Containers Supplied:			
1 L Amber w/H2SO4 (PPF0892-02D)			
1 L Amber w/H2SO4 (PPF0892-02E)			1
Sample ID: PPF0892-03 Water Sampled: 06/30/06 12:13			
8015B MOD-Low Level-O	07/07/06 12:13	sub to Transwest, need transfer file for EDD	
Containers Supplied:			
1 L Amber w/H2SO4 (PPF0892-03D)			
1 L Amber w/H2SO4 (PPF0892-03E)			2
Sample ID: PPF0892-04 Water Sampled: 06/30/06 12:23			
8015B MOD-Low Level-O	07/07/06 12:23	sub to Transwest, need transfer file for EDD	
Containers Supplied:			
1 L Amber w/H2SO4 (PPF0892-04D)			
1 L Amber w/H2SO4 (PPF0892-04E)			3
Sample ID: PPF0892-05 Water Sampled: 06/30/06 10:39			
8015B MOD-Low Level-O	07/07/06 10:39	sub to Transwest, need transfer file for EDD	
Containers Supplied:			
1 L Amber w/H2SO4 (PPF0892-05D)			
1 L Amber w/H2SO4 (PPF0892-05E)			4
Sample ID: PPF0892-06 Water Sampled: 06/30/06 09:55			
8015B MOD-Low Level-O	07/07/06 09:55	sub to Transwest, need transfer file for EDD	
Containers Supplied:			
1 L Amber w/H2SO4 (PPF0892-06D)			
1 L Amber w/H2SO4 (PPF0892-06E)			5

Released By	Date	Time	Received By	Date	Time
[signature]	6/30/06				
Released By	Date	Time	Received By	Date	Time
				6/30/06	

Del Mar Analytical

17461 Derian Ave. Suite 100, Irvine, CA 92614 Ph (949) 261-1022 Fax (949) 261-1228
1014 E. Cooley Dr., Suite A, Colton, CA 92324 Ph (909) 370-4667 Fax (909) 370-1046
9484 Chesapeake Drive, Suite 805, San Diego, CA 92123 Ph (619) 505-9596 Fax (619) 505-9689
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 Ph (480) 785-0043 Fax (480) 785-0851
2520 E. Sunset Rd., Suite #3, Las Vegas, NV 89120 Ph (702) 798-3620 Fax (702) 798-3621

SUBCONTRACT ORDER - PROJECT # PPF0892

SENDING LABORATORY:

Del Mar Analytical - Phoenix
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:

Transwest Geochem (out)
3725 E. Atlanta Ave Ste 1
Phoenix, AZ 85040-2961
Phone :602-437-0330
Fax: (602) 437-0660

0606558

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPF0892-07 Water Sampled: 06/30/06 09:03		
8015B MOD-Low Level-O	07/07/06 09:03	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPF0892-07D)		
1 L Amber w/H2SO4 (PPF0892-07E)		6
Sample ID: PPF0892-08 Water Sampled: 06/30/06 08:12		
8015B MOD-Low Level-O	07/07/06 08:12	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPF0892-08D)		
1 L Amber w/H2SO4 (PPF0892-08E)		7

SAMPLE INTEGRITY:

All containers intact: ☑ Yes ☐ No
Custody Seals Present: ☐ Yes ☑ No
Sample labels/COC agree: ☑ Yes ☐ No
Samples Preserved Properly: ☑ Yes ☐ No
Samples Received On Ice:: ☑ Yes ☐ No
Samples Received at (temp): 5.4

Released By	Date	Time	Received By	Date	Time
[signature]	6/30/06	1510	[signature]	6/30/6	1510
[signature]	6/30/6	1525	Leslie May	6/30/06	1530

TestAmerica
ANALYTICAL TESTING CORPORATION

9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

LABORATORY REPORT

Prepared For: CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project: Sky Harbor HW Quarterly / UST Sampling Program

Sampled: 07/05/06
Received: 07/05/06
Issued: 07/24/06 09:12

NELAP #01109CA Arizona DHS#AZ0426

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.
This entire report was reviewed and approved for release.

CASE NARRATIVE

LABORATORY ID	CLIENT ID	MATRIX
PPG0034-01	TB-070106	Water
PPG0034-02	PL-201A-6B3	Water
PPG0034-03	ASE-58A-6B3	Water
PPG0034-04	ASE-46A-6B3	Water
PPG0034-05	PL-2101-6B3	Water
PPG0034-06	ASE-54A-6B3	Water
PPG0034-07	PL-2102-6B3	Water
PPG0034-08	PL-505-6B3	Water
PPG0034-09	ASE-59A-6B3	Water
PPG0034-10	ASE-60A-6B3	Water
PPG0034-11	ASE-61A-6B3	Water

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe 2625 S. Plaza Drive, Ste. 300 Tempe, AZ 85282 Attention: Jennifer Holland	Project ID: Sky Harbor HW Quarterly / UST Sampling Program Report Number: PPG0034	Sampled: 07/05/06 Received: 07/05/06

SAMPLE RECEIPT:	Samples were received intact, at 2°C, on ice and with chain of custody documentation.
HOLDING TIMES:	All samples were analyzed within prescribed holding times and/or in accordance with the TestAmerica Sample Acceptance Policy unless otherwise noted in the report.
PRESERVATION:	Samples requiring preservation were verified prior to sample analysis.
QA/QC CRITERIA:	All analyses met method criteria, except as noted in the report with data qualifiers.
COMMENTS:	N1: The second source continuing calibration verification analyzed immediately following the calibration recovered high and outside of acceptance limits for Vinly Acetate. All associated samples are non-detect and therefore should not be impacted. N1: MS run past hold, results met QC acceptance criteria. N1: Detect in sample with high CCV. Confirmed past hold with passing QC. N1: The second source calibration verification analyzed immediately following the calibration recovered high and outside of acceptance limits for Vinyl Acetate. All associated samples are non-detect for these compounds and therefore should not be impacted.
SUBCONTRACTED:	Refer to the last page for specific subcontract laboratory information included in this report.

Reviewed By:

Ken Baker

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034

Sampled: 07/05/06
Received: 07/05/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0034-01 (TB-070106 - Water)				**Sampled: 07/05/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1432	20	ND	1	7/14/2006	7/14/2006	
Benzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Bromobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromochloromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromodichloromethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Bromoform	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromomethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Butanone (MEK)	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
n-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
sec-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
tert-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Carbon Disulfide	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Carbon tetrachloride	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Chlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Chloroethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Chloroform	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Chloromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Chlorotoluene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
4-Chlorotoluene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Dibromochloromethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Dibromomethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichloroethane	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloroethene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,3-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
2,2-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Ethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Hexachlorobutadiene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Hexanone	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034

Sampled: 07/05/06
Received: 07/05/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0034-01 (TB-070106 - Water) - cont.				**Sampled: 07/05/06**				
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Isopropylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
p-Isopropyltoluene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Methylene chloride	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Naphthalene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
n-Propylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Styrene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Tetrachloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Toluene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Trichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Trichlorofluoromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Vinyl acetate	EPA 8260B	P6G1432	25	ND	1	7/14/2006	7/14/2006	L3, N1
Vinyl chloride	EPA 8260B	P6G1432	1.7	ND	1	7/14/2006	7/14/2006	
Xylenes, Total	EPA 8260B	P6G1432	3.0	ND	1	7/14/2006	7/14/2006	
Surrogate: Dibromofluoromethane (80-130%)				*108 %*				
Surrogate: Toluene-d8 (80-120%)				*103 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034

Sampled: 07/05/06
Received: 07/05/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0034-02 (PL-201A-6B3 - Water)				**Sampled: 07/05/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1432	20	ND	1	7/14/2006	7/14/2006	
Benzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Bromobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromochloromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromodichloromethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Bromoform	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromomethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Butanone (MEK)	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
n-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
sec-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
tert-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Carbon Disulfide	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Carbon tetrachloride	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Chlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Chloroethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Chloroform	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Chloromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Chlorotoluene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
4-Chlorotoluene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Dibromochloromethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Dibromomethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloroethane	EPA 8260B	P6G1432	2.0	**8.1**	1	7/14/2006	7/14/2006	
1,2-Dichloroethane	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloroethene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,3-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
2,2-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Ethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Hexachlorobutadiene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Hexanone	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034

Sampled: 07/05/06
Received: 07/05/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0034-02 (PL-201A-6B3 - Water) - cont.				**Sampled: 07/05/06**				
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Isopropylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
p-Isopropyltoluene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Methylene chloride	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Naphthalene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
n-Propylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Styrene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Tetrachloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Toluene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Trichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Trichlorofluoromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Vinyl acetate	EPA 8260B	P6G1432	25	ND	1	7/14/2006	7/14/2006	L3, N1
Vinyl chloride	EPA 8260B	P6G1432	1.7	ND	1	7/14/2006	7/14/2006	
Xylenes, Total	EPA 8260B	P6G1432	3.0	ND	1	7/14/2006	7/14/2006	
Surrogate: Dibromofluoromethane (80-130%)				*110 %*				
Surrogate: Toluene-d8 (80-120%)				*105 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*99 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034

Sampled: 07/05/06
Received: 07/05/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0034-03 (ASE-58A-6B3 - Water)				**Sampled: 07/05/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1432	20	ND	1	7/14/2006	7/14/2006	
Benzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Bromobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromochloromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromodichloromethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Bromoform	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Bromomethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Butanone (MEK)	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
n-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
sec-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
tert-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Carbon Disulfide	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Carbon tetrachloride	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Chlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Chloroethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Chloroform	EPA 8260B	P6G1432	2.0	**5.2**	1	7/14/2006	7/14/2006	
Chloromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Chlorotoluene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
4-Chlorotoluene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Dibromochloromethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Dibromomethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloroethane	EPA 8260B	P6G1432	2.0	**12**	1	7/14/2006	7/14/2006	
1,2-Dichloroethane	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloroethene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,3-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
2,2-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Ethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Hexachlorobutadiene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
2-Hexanone	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034

Sampled: 07/05/06
Received: 07/05/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0034-03 (ASE-58A-6B3 - Water) - cont.				**Sampled: 07/05/06**				
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Isopropylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
p-Isopropyltoluene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Methylene chloride	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
Naphthalene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
n-Propylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Styrene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Tetrachloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Toluene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Trichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Trichlorofluoromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/14/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/14/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/14/2006	
Vinyl acetate	EPA 8260B	P6G1432	25	ND	1	7/14/2006	7/14/2006	L3, N1
Vinyl chloride	EPA 8260B	P6G1432	1.7	**3.6**	1	7/14/2006	7/14/2006	
Xylenes, Total	EPA 8260B	P6G1432	3.0	ND	1	7/14/2006	7/14/2006	
Surrogate: Dibromofluoromethane (80-130%)				*110 %*				
Surrogate: Toluene-d8 (80-120%)				*105 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*99 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034

Sampled: 07/05/06
Received: 07/05/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0034-04 (ASE-46A-6B3 - Water)				**Sampled: 07/05/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1432	20	ND	1	7/14/2006	7/15/2006	
Benzene	EPA 8260B	P6G1432	1.0	**2.8**	1	7/14/2006	7/15/2006	
Bromobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/15/2006	
Bromochloromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/15/2006	
Bromodichloromethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/15/2006	
Bromoform	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/15/2006	
Bromomethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/15/2006	
2-Butanone (MEK)	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/15/2006	
n-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/15/2006	
sec-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/15/2006	
tert-Butylbenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/15/2006	
Carbon Disulfide	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/15/2006	
Carbon tetrachloride	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/15/2006	
Chlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/15/2006	
Chloroethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/15/2006	
Chloroform	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/15/2006	
Chloromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/15/2006	
2-Chlorotoluene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/15/2006	
4-Chlorotoluene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/15/2006	
Dibromochloromethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/15/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/15/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/15/2006	
Dibromomethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/15/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/15/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/15/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/15/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/15/2006	
1,1-Dichloroethane	EPA 8260B	P6G1432	2.0	**54**	1	7/14/2006	7/15/2006	
1,2-Dichloroethane	EPA 8260B	P6G1432	1.0	ND	1	7/14/2006	7/15/2006	
1,1-Dichloroethene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/15/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/15/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/15/2006	
1,2-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/15/2006	
1,3-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/15/2006	
2,2-Dichloropropane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/15/2006	
1,1-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/15/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/15/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/15/2006	
Ethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/15/2006	
Hexachlorobutadiene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/15/2006	
2-Hexanone	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/15/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034
Sampled: 07/05/06
Received: 07/05/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0034-04 (ASE-46A-6B3 - Water) - cont.				**Sampled: 07/05/06**				
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/15/2006	
Isopropylbenzene	EPA 8260B	P6G1432	2.0	**3.1**	1	7/14/2006	7/15/2006	
p-Isopropyltoluene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/15/2006	
Methylene chloride	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/15/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/15/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/15/2006	
Naphthalene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/15/2006	
n-Propylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/15/2006	
Styrene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/15/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/15/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/15/2006	
Tetrachloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/15/2006	
Toluene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/15/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/15/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/15/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/15/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/15/2006	
Trichloroethene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/15/2006	
Trichlorofluoromethane	EPA 8260B	P6G1432	5.0	ND	1	7/14/2006	7/15/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1432	10	ND	1	7/14/2006	7/15/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/15/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1432	2.0	ND	1	7/14/2006	7/15/2006	
Vinyl acetate	EPA 8260B	P6G1432	25	ND	1	7/14/2006	7/15/2006	L3, N1
Vinyl chloride	EPA 8260B	P6G1432	1.7	**6.4**	1	7/14/2006	7/15/2006	
Xylenes, Total	EPA 8260B	P6G1432	3.0	ND	1	7/14/2006	7/15/2006	
Surrogate: Dibromofluoromethane (80-130%)				*112 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*101 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034

Sampled: 07/05/06
Received: 07/05/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0034-05 (PL-2101-6B3 - Water)				**Sampled: 07/05/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1712	20	ND	1	7/17/2006	7/17/2006	
Benzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
Bromobenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Bromochloromethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Bromodichloromethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Bromoform	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Bromomethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
2-Butanone (MEK)	EPA 8260B	P6G1712	10	ND	1	7/17/2006	7/17/2006	
n-Butylbenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
sec-Butylbenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
tert-Butylbenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Carbon Disulfide	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Carbon tetrachloride	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Chlorobenzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
Chloroethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Chloroform	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Chloromethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
2-Chlorotoluene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
4-Chlorotoluene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Dibromochloromethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Dibromomethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,1-Dichloroethane	EPA 8260B	P6G1712	2.0	**2.2**	1	7/17/2006	7/17/2006	
1,2-Dichloroethane	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
1,1-Dichloroethene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2-Dichloropropane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,3-Dichloropropane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
2,2-Dichloropropane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,1-Dichloropropene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Ethylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Hexachlorobutadiene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
2-Hexanone	EPA 8260B	P6G1712	10	ND	1	7/17/2006	7/17/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034

Sampled: 07/05/06
Received: 07/05/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0034-05 (PL-2101-6B3 - Water) - cont.				**Sampled: 07/05/06**				
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Isopropylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
p-Isopropyltoluene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Methylene chloride	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1712	10	ND	1	7/17/2006	7/17/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Naphthalene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
n-Propylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Styrene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Tetrachloroethene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Toluene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Trichloroethene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Trichlorofluoromethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1712	10	ND	1	7/17/2006	7/17/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Vinyl acetate	EPA 8260B	P6G1712	25	ND	1	7/17/2006	7/17/2006	V1, L3, N1
Vinyl chloride	EPA 8260B	P6G1712	1.7	ND	1	7/17/2006	7/17/2006	
Xylenes, Total	EPA 8260B	P6G1712	3.0	ND	1	7/17/2006	7/17/2006	
Surrogate: Dibromofluoromethane (80-130%)				*109 %*				
Surrogate: Toluene-d8 (80-120%)				*105 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034

Sampled: 07/05/06
Received: 07/05/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0034-06 (ASE-54A-6B3 - Water)				**Sampled: 07/05/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1712	20	ND	1	7/17/2006	7/17/2006	
Benzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
Bromobenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Bromochloromethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Bromodichloromethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Bromoform	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Bromomethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
2-Butanone (MEK)	EPA 8260B	P6G1712	10	ND	1	7/17/2006	7/17/2006	
n-Butylbenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
sec-Butylbenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
tert-Butylbenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Carbon Disulfide	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Carbon tetrachloride	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Chlorobenzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
Chloroethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Chloroform	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Chloromethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
2-Chlorotoluene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
4-Chlorotoluene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Dibromochloromethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Dibromomethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,1-Dichloroethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2-Dichloroethane	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
1,1-Dichloroethene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2-Dichloropropane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,3-Dichloropropane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
2,2-Dichloropropane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,1-Dichloropropene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Ethylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Hexachlorobutadiene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
2-Hexanone	EPA 8260B	P6G1712	10	ND	1	7/17/2006	7/17/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034

Sampled: 07/05/06
Received: 07/05/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0034-06 (ASE-54A-6B3 - Water) - cont.				**Sampled: 07/05/06**				
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Isopropylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
p-Isopropyltoluene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Methylene chloride	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1712	10	ND	1	7/17/2006	7/17/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Naphthalene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	V1
n-Propylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Styrene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Tetrachloroethene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Toluene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Trichloroethene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Trichlorofluoromethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1712	10	ND	1	7/17/2006	7/17/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Vinyl acetate	EPA 8260B	P6G1712	25	ND	1	7/17/2006	7/17/2006	V1, L3, N1
Vinyl chloride	EPA 8260B	P6G1712	1.7	ND	1	7/17/2006	7/17/2006	
Xylenes, Total	EPA 8260B	P6G1712	3.0	ND	1	7/17/2006	7/17/2006	
Surrogate: Dibromofluoromethane (80-130%)				*108 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034

Sampled: 07/05/06
Received: 07/05/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0034-07 (PL-2102-6B3 - Water)				**Sampled: 07/05/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1712	20	ND	1	7/17/2006	7/17/2006	
Benzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
Bromobenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Bromochloromethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Bromodichloromethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Bromoform	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Bromomethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
2-Butanone (MEK)	EPA 8260B	P6G1712	10	ND	1	7/17/2006	7/17/2006	
n-Butylbenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
sec-Butylbenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
tert-Butylbenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Carbon Disulfide	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Carbon tetrachloride	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Chlorobenzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
Chloroethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Chloroform	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Chloromethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
2-Chlorotoluene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
4-Chlorotoluene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Dibromochloromethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Dibromomethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,1-Dichloroethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2-Dichloroethane	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
1,1-Dichloroethene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2-Dichloropropane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,3-Dichloropropane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
2,2-Dichloropropane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,1-Dichloropropene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Ethylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Hexachlorobutadiene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
2-Hexanone	EPA 8260B	P6G1712	10	ND	1	7/17/2006	7/17/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034
Sampled: 07/05/06
Received: 07/05/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0034-07 (PL-2102-6B3 - Water) - cont.				**Sampled: 07/05/06**				
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Isopropylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
p-Isopropyltoluene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Methylene chloride	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1712	10	ND	1	7/17/2006	7/17/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Naphthalene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	V1
n-Propylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Styrene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Tetrachloroethene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Toluene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Trichloroethene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Trichlorofluoromethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1712	10	ND	1	7/17/2006	7/17/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Vinyl acetate	EPA 8260B	P6G1712	25	ND	1	7/17/2006	7/17/2006	V1, L3, N1
Vinyl chloride	EPA 8260B	P6G1712	1.7	ND	1	7/17/2006	7/17/2006	
Xylenes, Total	EPA 8260B	P6G1712	3.0	ND	1	7/17/2006	7/17/2006	
Surrogate: Dibromofluoromethane (80-130%)				*110 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*100 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034

Sampled: 07/05/06
Received: 07/05/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0034-08 (PL-505-6B3 - Water)				**Sampled: 07/05/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1712	20	ND	1	7/17/2006	7/17/2006	
Benzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
Bromobenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Bromochloromethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Bromodichloromethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Bromoform	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Bromomethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
2-Butanone (MEK)	EPA 8260B	P6G1712	10	ND	1	7/17/2006	7/17/2006	
n-Butylbenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
sec-Butylbenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
tert-Butylbenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Carbon Disulfide	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Carbon tetrachloride	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Chlorobenzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
Chloroethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Chloroform	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Chloromethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
2-Chlorotoluene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
4-Chlorotoluene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Dibromochloromethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Dibromomethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,1-Dichloroethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2-Dichloroethane	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
1,1-Dichloroethene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2-Dichloropropane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,3-Dichloropropane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
2,2-Dichloropropane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,1-Dichloropropene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Ethylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Hexachlorobutadiene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
2-Hexanone	EPA 8260B	P6G1712	10	ND	1	7/17/2006	7/17/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034

Sampled: 07/05/06
Received: 07/05/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0034-08 (PL-505-6B3 - Water) - cont.				**Sampled: 07/05/06**				
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Isopropylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
p-Isopropyltoluene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Methylene chloride	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1712	10	ND	1	7/17/2006	7/17/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Naphthalene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	V1
n-Propylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Styrene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Tetrachloroethene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Toluene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Trichloroethene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Trichlorofluoromethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1712	10	ND	1	7/17/2006	7/17/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Vinyl acetate	EPA 8260B	P6G1712	25	ND	1	7/17/2006	7/17/2006	V1, L3, N1
Vinyl chloride	EPA 8260B	P6G1712	1.7	ND	1	7/17/2006	7/17/2006	
Xylenes, Total	EPA 8260B	P6G1712	3.0	ND	1	7/17/2006	7/17/2006	
Surrogate: Dibromofluoromethane (80-130%)				*111 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*100 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034

Sampled: 07/05/06
Received: 07/05/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0034-09 (ASE-59A-6B3 - Water)				**Sampled: 07/05/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1712	20	ND	1	7/17/2006	7/17/2006	
Benzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
Bromobenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Bromochloromethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Bromodichloromethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Bromoform	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Bromomethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
2-Butanone (MEK)	EPA 8260B	P6G1712	10	ND	1	7/17/2006	7/17/2006	
n-Butylbenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
sec-Butylbenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
tert-Butylbenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Carbon Disulfide	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Carbon tetrachloride	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Chlorobenzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
Chloroethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Chloroform	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Chloromethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
2-Chlorotoluene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
4-Chlorotoluene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Dibromochloromethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Dibromomethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,1-Dichloroethane	EPA 8260B	P6G1712	2.0	**36**	1	7/17/2006	7/17/2006	
1,2-Dichloroethane	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
1,1-Dichloroethene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2-Dichloropropane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,3-Dichloropropane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
2,2-Dichloropropane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,1-Dichloropropene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Ethylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Hexachlorobutadiene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
2-Hexanone	EPA 8260B	P6G1712	10	ND	1	7/17/2006	7/17/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034
Sampled: 07/05/06
Received: 07/05/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0034-09 (ASE-59A-6B3 - Water) - cont.				**Sampled: 07/05/06**				
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Isopropylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
p-Isopropyltoluene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Methylene chloride	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1712	10	ND	1	7/17/2006	7/17/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Naphthalene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	V1
n-Propylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Styrene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Tetrachloroethene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Toluene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Trichloroethene	EPA 8260B	P6G1712	2.0	**3.6**	1	7/17/2006	7/17/2006	
Trichlorofluoromethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1712	10	ND	1	7/17/2006	7/17/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Vinyl acetate	EPA 8260B	P6G1712	25	ND	1	7/17/2006	7/17/2006	V1, L3, N1
Vinyl chloride	EPA 8260B	P6G1712	1.7	ND	1	7/17/2006	7/17/2006	
Xylenes, Total	EPA 8260B	P6G1712	3.0	ND	1	7/17/2006	7/17/2006	
Surrogate: Dibromofluoromethane (80-130%)				*113 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*100 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034

Sampled: 07/05/06
Received: 07/05/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0034-10 (ASE-60A-6B3 - Water)				**Sampled: 07/05/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1712	20	ND	1	7/17/2006	7/17/2006	
Benzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
Bromobenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Bromochloromethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Bromodichloromethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Bromoform	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Bromomethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
2-Butanone (MEK)	EPA 8260B	P6G1712	10	ND	1	7/17/2006	7/17/2006	
n-Butylbenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
sec-Butylbenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
tert-Butylbenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Carbon Disulfide	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Carbon tetrachloride	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Chlorobenzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
Chloroethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Chloroform	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Chloromethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
2-Chlorotoluene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
4-Chlorotoluene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Dibromochloromethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Dibromomethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,1-Dichloroethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2-Dichloroethane	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
1,1-Dichloroethene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2-Dichloropropane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,3-Dichloropropane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
2,2-Dichloropropane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,1-Dichloropropene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Ethylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Hexachlorobutadiene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
2-Hexanone	EPA 8260B	P6G1712	10	ND	1	7/17/2006	7/17/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034
Sampled: 07/05/06
Received: 07/05/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0034-10 (ASE-60A-6B3 - Water) - cont.				**Sampled: 07/05/06**				
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Isopropylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
p-Isopropyltoluene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Methylene chloride	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1712	10	ND	1	7/17/2006	7/17/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Naphthalene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	V1
n-Propylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Styrene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Tetrachloroethene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Toluene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Trichloroethene	EPA 8260B	P6G1712	2.0	**65**	1	7/17/2006	7/17/2006	
Trichlorofluoromethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1712	10	ND	1	7/17/2006	7/17/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Vinyl acetate	EPA 8260B	P6G1712	25	ND	1	7/17/2006	7/17/2006	V1, L3, N1
Vinyl chloride	EPA 8260B	P6G1712	1.7	ND	1	7/17/2006	7/17/2006	
Xylenes, Total	EPA 8260B	P6G1712	3.0	ND	1	7/17/2006	7/17/2006	
Surrogate: Dibromofluoromethane (80-130%)				*112 %*				
Surrogate: Toluene-d8 (80-120%)				*105 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*102 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034

Sampled: 07/05/06
Received: 07/05/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0034-11 (ASE-61A-6B3 - Water)				**Sampled: 07/05/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1712	20	ND	1	7/17/2006	7/17/2006	
Benzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
Bromobenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Bromochloromethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Bromodichloromethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Bromoform	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Bromomethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
2-Butanone (MEK)	EPA 8260B	P6G1712	10	ND	1	7/17/2006	7/17/2006	
n-Butylbenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
sec-Butylbenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
tert-Butylbenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Carbon Disulfide	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Carbon tetrachloride	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Chlorobenzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
Chloroethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Chloroform	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Chloromethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
2-Chlorotoluene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
4-Chlorotoluene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Dibromochloromethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Dibromomethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,1-Dichloroethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2-Dichloroethane	EPA 8260B	P6G1712	1.0	ND	1	7/17/2006	7/17/2006	
1,1-Dichloroethene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2-Dichloropropane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,3-Dichloropropane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
2,2-Dichloropropane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,1-Dichloropropene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Ethylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Hexachlorobutadiene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
2-Hexanone	EPA 8260B	P6G1712	10	ND	1	7/17/2006	7/17/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034

Sampled: 07/05/06
Received: 07/05/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0034-11 (ASE-61A-6B3 - Water) - cont.				**Sampled: 07/05/06**				
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Isopropylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
p-Isopropyltoluene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Methylene chloride	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1712	10	ND	1	7/17/2006	7/17/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
Naphthalene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	V1
n-Propylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Styrene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Tetrachloroethene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Toluene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Trichloroethene	EPA 8260B	P6G1712	2.0	**4.1**	1	7/17/2006	7/17/2006	
Trichlorofluoromethane	EPA 8260B	P6G1712	5.0	ND	1	7/17/2006	7/17/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1712	10	ND	1	7/17/2006	7/17/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1712	2.0	ND	1	7/17/2006	7/17/2006	
Vinyl acetate	EPA 8260B	P6G1712	25	ND	1	7/17/2006	7/17/2006	V1, L3, N1
Vinyl chloride	EPA 8260B	P6G1712	1.7	ND	1	7/17/2006	7/17/2006	
Xylenes, Total	EPA 8260B	P6G1712	3.0	ND	1	7/17/2006	7/17/2006	
Surrogate: Dibromofluoromethane (80-130%)				*112 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*100 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034

Sampled: 07/05/06
Received: 07/05/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
Blank Analyzed: 07/14/2006 (P6G1432-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034
Sampled: 07/05/06
Received: 07/05/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
Blank Analyzed: 07/14/2006 (P6G1432-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							*V1, N1*
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*26.6*		*ug/l*	*25.0*		*106*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.9*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034
Sampled: 07/05/06
Received: 07/05/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
LCS Analyzed: 07/14/2006 (P6G1432-BS1)										
Acetone	36.5	20	ug/l	25.0		146	30-150			
Benzene	24.7	1.0	ug/l	25.0		99	80-120			
Bromobenzene	24.5	5.0	ug/l	25.0		98	80-125			
Bromochloromethane	25.7	5.0	ug/l	25.0		103	80-125			
Bromodichloromethane	25.8	2.0	ug/l	25.0		103	80-120			
Bromoform	23.1	5.0	ug/l	25.0		92	70-120			
Bromomethane	25.4	5.0	ug/l	25.0		102	80-135			
2-Butanone (MEK)	31.9	10	ug/l	25.0		128	55-150			
n-Butylbenzene	24.6	5.0	ug/l	25.0		98	80-120			
sec-Butylbenzene	24.3	5.0	ug/l	25.0		97	80-130			
tert-Butylbenzene	24.7	5.0	ug/l	25.0		99	80-130			
Carbon Disulfide	30.7	5.0	ug/l	25.0		123	55-145			
Carbon tetrachloride	25.2	5.0	ug/l	25.0		101	80-120			
Chlorobenzene	24.3	1.0	ug/l	25.0		97	80-120			
Chloroethane	25.7	5.0	ug/l	25.0		103	80-125			
Chloroform	25.4	2.0	ug/l	25.0		102	80-120			
Chloromethane	26.2	5.0	ug/l	25.0		105	70-130			
2-Chlorotoluene	24.1	5.0	ug/l	25.0		96	80-120			
4-Chlorotoluene	24.5	5.0	ug/l	25.0		98	80-120			
Dibromochloromethane	22.8	2.0	ug/l	25.0		91	75-120			
1,2-Dibromo-3-chloropropane	23.6	5.0	ug/l	25.0		94	55-120			
1,2-Dibromoethane (EDB)	24.9	2.0	ug/l	25.0		100	75-125			
Dibromomethane	25.5	2.0	ug/l	25.0		102	80-125			
1,2-Dichlorobenzene	24.3	1.0	ug/l	25.0		97	80-120			
1,3-Dichlorobenzene	24.2	1.0	ug/l	25.0		97	80-125			
1,4-Dichlorobenzene	25.0	1.0	ug/l	25.0		100	80-120			
Dichlorodifluoromethane	24.8	5.0	ug/l	25.0		99	60-140			
1,1-Dichloroethane	25.3	2.0	ug/l	25.0		101	80-120			
1,2-Dichloroethane	25.7	1.0	ug/l	25.0		103	75-125			
1,1-Dichloroethene	24.4	5.0	ug/l	25.0		98	75-120			
cis-1,2-Dichloroethene	24.7	2.0	ug/l	25.0		99	80-125			
trans-1,2-Dichloroethene	24.5	2.0	ug/l	25.0		98	80-120			
1,2-Dichloropropane	24.6	2.0	ug/l	25.0		98	80-120			
1,3-Dichloropropane	24.9	2.0	ug/l	25.0		100	80-120			
2,2-Dichloropropane	25.1	2.0	ug/l	25.0		100	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034
Sampled: 07/05/06
Received: 07/05/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
LCS Analyzed: 07/14/2006 (P6G1432-BS1)										
1,1-Dichloropropene	24.8	2.0	ug/l	25.0		99	80-120			
cis-1,3-Dichloropropene	27.1	2.0	ug/l	25.0		108	75-120			
trans-1,3-Dichloropropene	27.4	2.0	ug/l	25.0		110	80-120			
Ethylbenzene	24.6	2.0	ug/l	25.0		98	80-125			
Hexachlorobutadiene	21.4	5.0	ug/l	25.0		86	70-130			
2-Hexanone	32.7	10	ug/l	25.0		131	40-150			
Iodomethane	30.6	2.0	ug/l	25.0		122	80-130			
Isopropylbenzene	26.0	2.0	ug/l	25.0		104	80-140			
p-Isopropyltoluene	24.3	2.0	ug/l	25.0		97	80-130			
Methylene chloride	23.0	5.0	ug/l	25.0		92	80-120			
4-Methyl-2-pentanone (MIBK)	32.3	10	ug/l	25.0		129	50-140			
Methyl-tert-butyl Ether (MTBE)	28.3	5.0	ug/l	25.0		113	65-130			
Naphthalene	24.4	2.0	ug/l	25.0		98	70-130			
n-Propylbenzene	25.2	2.0	ug/l	25.0		101	80-135			
Styrene	28.2	2.0	ug/l	25.0		113	80-125			
1,1,1,2-Tetrachloroethane	24.0	5.0	ug/l	25.0		96	80-120			
1,1,2,2-Tetrachloroethane	25.3	2.0	ug/l	25.0		101	65-140			
Tetrachloroethene	24.0	2.0	ug/l	25.0		96	80-125			
Toluene	24.4	2.0	ug/l	25.0		98	80-125			
1,2,3-Trichlorobenzene	24.8	5.0	ug/l	25.0		99	75-125			
1,2,4-Trichlorobenzene	23.3	5.0	ug/l	25.0		93	80-125			
1,1,1-Trichloroethane	25.3	2.0	ug/l	25.0		101	75-125			
1,1,2-Trichloroethane	24.7	2.0	ug/l	25.0		99	80-125			
Trichloroethene	23.8	2.0	ug/l	25.0		95	80-120			
Trichlorofluoromethane	26.6	5.0	ug/l	25.0		106	75-130			
1,2,3-Trichloropropane	25.4	10	ug/l	25.0		102	65-135			
1,2,4-Trimethylbenzene	24.6	2.0	ug/l	25.0		98	80-125			
1,3,5-Trimethylbenzene	24.6	2.0	ug/l	25.0		98	80-130			
Vinyl acetate	36.4	25	ug/l	25.0		146	70-140			*V1, L3, N1*
Vinyl chloride	25.8	1.7	ug/l	25.0		103	70-135			
Xylenes, Total	48.5	3.0	ug/l	50.0		97	80-125			
Surrogate: Dibromofluoromethane	*27.2*		*ug/l*	*25.0*		*109*	*80-130*			
Surrogate: Toluene-d8	*26.5*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.8*		*ug/l*	*25.0*		*103*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034
Sampled: 07/05/06
Received: 07/05/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
LCS Dup Analyzed: 07/14/2006 (P6G1432-BSD1)										
Acetone	32.9	20	ug/l	25.0		132	30-150	10	35	
Benzene	24.2	1.0	ug/l	25.0		97	80-120	2	10	
Bromobenzene	24.5	5.0	ug/l	25.0		98	80-125	0	10	
Bromochloromethane	24.5	5.0	ug/l	25.0		98	80-125	5	15	
Bromodichloromethane	24.8	2.0	ug/l	25.0		99	80-120	4	15	
Bromoform	22.3	5.0	ug/l	25.0		89	70-120	4	20	
Bromomethane	24.9	5.0	ug/l	25.0		100	80-135	2	15	
2-Butanone (MEK)	30.2	10	ug/l	25.0		121	55-150	5	35	
n-Butylbenzene	24.6	5.0	ug/l	25.0		98	80-120	0	10	
sec-Butylbenzene	24.5	5.0	ug/l	25.0		98	80-130	1	10	
tert-Butylbenzene	24.7	5.0	ug/l	25.0		99	80-130	0	10	
Carbon Disulfide	30.1	5.0	ug/l	25.0		120	55-145	2	15	
Carbon tetrachloride	24.9	5.0	ug/l	25.0		100	80-120	1	15	
Chlorobenzene	23.9	1.0	ug/l	25.0		96	80-120	2	10	
Chloroethane	25.4	5.0	ug/l	25.0		102	80-125	1	15	
Chloroform	24.3	2.0	ug/l	25.0		97	80-120	4	10	
Chloromethane	25.9	5.0	ug/l	25.0		104	70-130	1	15	
2-Chlorotoluene	24.3	5.0	ug/l	25.0		97	80-120	1	10	
4-Chlorotoluene	24.4	5.0	ug/l	25.0		98	80-120	0	10	
Dibromochloromethane	21.8	2.0	ug/l	25.0		87	75-120	4	15	
1,2-Dibromo-3-chloropropane	21.7	5.0	ug/l	25.0		87	55-120	8	35	
1,2-Dibromoethane (EDB)	24.4	2.0	ug/l	25.0		98	75-125	2	20	
Dibromomethane	23.8	2.0	ug/l	25.0		95	80-125	7	20	
1,2-Dichlorobenzene	23.9	1.0	ug/l	25.0		96	80-120	2	10	
1,3-Dichlorobenzene	23.7	1.0	ug/l	25.0		95	80-125	2	10	
1,4-Dichlorobenzene	24.2	1.0	ug/l	25.0		97	80-120	3	10	
Dichlorodifluoromethane	24.0	5.0	ug/l	25.0		96	60-140	3	15	
1,1-Dichloroethane	24.6	2.0	ug/l	25.0		98	80-120	3	10	
1,2-Dichloroethane	24.9	1.0	ug/l	25.0		100	75-125	3	20	
1,1-Dichloroethene	24.0	5.0	ug/l	25.0		96	75-120	2	15	
cis-1,2-Dichloroethene	24.1	2.0	ug/l	25.0		96	80-125	2	10	
trans-1,2-Dichloroethene	24.0	2.0	ug/l	25.0		96	80-120	2	10	
1,2-Dichloropropane	24.1	2.0	ug/l	25.0		96	80-120	2	15	
1,3-Dichloropropane	23.8	2.0	ug/l	25.0		95	80-120	5	15	
2,2-Dichloropropane	24.6	2.0	ug/l	25.0		98	70-130	2	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034
Sampled: 07/05/06
Received: 07/05/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
LCS Dup Analyzed: 07/14/2006 (P6G1432-BSD1)										
1,1-Dichloropropene	24.5	2.0	ug/l	25.0		98	80-120	1	10	
cis-1,3-Dichloropropene	25.6	2.0	ug/l	25.0		102	75-120	6	15	
trans-1,3-Dichloropropene	25.9	2.0	ug/l	25.0		104	80-120	6	20	
Ethylbenzene	24.5	2.0	ug/l	25.0		98	80-125	0	15	
Hexachlorobutadiene	21.2	5.0	ug/l	25.0		85	70-130	1	15	
2-Hexanone	30.4	10	ug/l	25.0		122	40-150	7	35	
Iodomethane	29.6	2.0	ug/l	25.0		118	80-130	3	10	
Isopropylbenzene	26.4	2.0	ug/l	25.0		106	80-140	2	10	
p-Isopropyltoluene	24.8	2.0	ug/l	25.0		99	80-130	2	15	
Methylene chloride	22.2	5.0	ug/l	25.0		89	80-120	4	10	
4-Methyl-2-pentanone (MIBK)	29.2	10	ug/l	25.0		117	50-140	10	35	
Methyl-tert-butyl Ether (MTBE)	26.9	5.0	ug/l	25.0		108	65-130	5	25	
Naphthalene	24.7	2.0	ug/l	25.0		99	70-130	1	20	
n-Propylbenzene	25.4	2.0	ug/l	25.0		102	80-135	1	10	
Styrene	28.0	2.0	ug/l	25.0		112	80-125	1	15	
1,1,1,2-Tetrachloroethane	24.0	5.0	ug/l	25.0		96	80-120	0	15	
1,1,2,2-Tetrachloroethane	24.5	2.0	ug/l	25.0		98	65-140	3	25	
Tetrachloroethene	24.0	2.0	ug/l	25.0		96	80-125	0	15	
Toluene	24.2	2.0	ug/l	25.0		97	80-125	1	10	
1,2,3-Trichlorobenzene	28.1	5.0	ug/l	25.0		112	75-125	12	15	
1,2,4-Trichlorobenzene	22.6	5.0	ug/l	25.0		90	80-125	3	15	
1,1,1-Trichloroethane	24.4	2.0	ug/l	25.0		98	75-125	4	10	
1,1,2-Trichloroethane	23.4	2.0	ug/l	25.0		94	80-125	5	25	
Trichloroethene	23.3	2.0	ug/l	25.0		93	80-120	2	10	
Trichlorofluoromethane	25.7	5.0	ug/l	25.0		103	75-130	3	10	
1,2,3-Trichloropropane	24.0	10	ug/l	25.0		96	65-135	6	25	
1,2,4-Trimethylbenzene	24.3	2.0	ug/l	25.0		97	80-125	1	10	
1,3,5-Trimethylbenzene	24.7	2.0	ug/l	25.0		99	80-130	0	10	
Vinyl acetate	34.1	25	ug/l	25.0		136	70-140	7	30	*V1, L3, N1*
Vinyl chloride	25.8	1.7	ug/l	25.0		103	70-135	0	15	
Xylenes, Total	47.8	3.0	ug/l	50.0		96	80-125	1	15	
Surrogate: Dibromofluoromethane	*26.9*		*ug/l*	*25.0*		*108*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.7*		*ug/l*	*25.0*		*103*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034
Sampled: 07/05/06
Received: 07/05/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
Matrix Spike Analyzed: 07/14/2006 (P6G1432-MS1)					**Source: PPF0892-02**					
Acetone	26.3	20	ug/l	25.0	ND	105	15-150			
Benzene	22.7	1.0	ug/l	25.0	ND	91	80-125			
Bromobenzene	23.6	5.0	ug/l	25.0	ND	94	80-125			
Bromochloromethane	23.4	5.0	ug/l	25.0	ND	94	80-130			
Bromodichloromethane	23.6	2.0	ug/l	25.0	ND	94	70-130			
Bromoform	21.3	5.0	ug/l	25.0	ND	85	70-120			
Bromomethane	23.1	5.0	ug/l	25.0	ND	92	80-135			
2-Butanone (MEK)	27.4	10	ug/l	25.0	ND	110	30-150			
n-Butylbenzene	23.4	5.0	ug/l	25.0	ND	94	80-135			
sec-Butylbenzene	23.4	5.0	ug/l	25.0	ND	94	80-130			
tert-Butylbenzene	23.6	5.0	ug/l	25.0	ND	94	80-130			
Carbon Disulfide	30.8	5.0	ug/l	25.0	ND	123	45-150			
Carbon tetrachloride	22.7	5.0	ug/l	25.0	ND	91	65-135			
Chlorobenzene	23.1	1.0	ug/l	25.0	ND	92	80-125			
Chloroethane	23.3	5.0	ug/l	25.0	ND	93	80-125			
Chloroform	23.3	2.0	ug/l	25.0	0.52	91	75-130			
Chloromethane	22.6	5.0	ug/l	25.0	ND	90	65-130			
2-Chlorotoluene	22.8	5.0	ug/l	25.0	ND	91	80-130			
4-Chlorotoluene	23.1	5.0	ug/l	25.0	ND	92	80-135			
Dibromochloromethane	20.8	2.0	ug/l	25.0	ND	83	75-120			
1,2-Dibromo-3-chloropropane	19.6	5.0	ug/l	25.0	ND	78	50-130			
1,2-Dibromoethane (EDB)	22.9	2.0	ug/l	25.0	ND	92	70-130			
Dibromomethane	22.8	2.0	ug/l	25.0	ND	91	75-130			
1,2-Dichlorobenzene	22.8	1.0	ug/l	25.0	ND	91	80-130			
1,3-Dichlorobenzene	22.9	1.0	ug/l	25.0	ND	92	80-130			
1,4-Dichlorobenzene	23.4	1.0	ug/l	25.0	ND	94	80-125			
Dichlorodifluoromethane	22.0	5.0	ug/l	25.0	ND	88	60-140			
1,1-Dichloroethane	23.0	2.0	ug/l	25.0	ND	92	80-125			
1,2-Dichloroethane	22.6	1.0	ug/l	25.0	ND	90	60-145			
1,1-Dichloroethene	22.6	5.0	ug/l	25.0	ND	90	75-130			
cis-1,2-Dichloroethene	22.9	2.0	ug/l	25.0	ND	92	80-125			
trans-1,2-Dichloroethene	22.3	2.0	ug/l	25.0	ND	89	80-120			
1,2-Dichloropropane	22.6	2.0	ug/l	25.0	ND	90	80-125			
1,3-Dichloropropane	22.7	2.0	ug/l	25.0	ND	91	75-130			
2,2-Dichloropropane	21.6	2.0	ug/l	25.0	ND	86	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034
Sampled: 07/05/06
Received: 07/05/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
Matrix Spike Analyzed: 07/14/2006 (P6G1432-MS1)					**Source: PPF0892-02**					
1,1-Dichloropropene	22.6	2.0	ug/l	25.0	ND	90	80-125			
cis-1,3-Dichloropropene	23.8	2.0	ug/l	25.0	ND	95	75-120			
trans-1,3-Dichloropropene	24.2	2.0	ug/l	25.0	ND	97	75-130			
Ethylbenzene	23.5	2.0	ug/l	25.0	ND	94	80-130			
Hexachlorobutadiene	20.1	5.0	ug/l	25.0	ND	80	65-130			
2-Hexanone	28.6	10	ug/l	25.0	ND	114	40-150			
Iodomethane	30.6	2.0	ug/l	25.0	ND	122	70-140			
Isopropylbenzene	25.0	2.0	ug/l	25.0	ND	100	80-140			
p-Isopropyltoluene	23.5	2.0	ug/l	25.0	ND	94	80-135			
Methylene chloride	20.7	5.0	ug/l	25.0	ND	83	75-125			
4-Methyl-2-pentanone (MIBK)	27.8	10	ug/l	25.0	ND	111	40-140			
Methyl-tert-butyl Ether (MTBE)	24.7	5.0	ug/l	25.0	ND	99	65-135			
Naphthalene	20.0	2.0	ug/l	25.0	ND	80	60-140			
n-Propylbenzene	24.7	2.0	ug/l	25.0	ND	99	80-140			
Styrene	24.6	2.0	ug/l	25.0	ND	98	30-150			
1,1,1,2-Tetrachloroethane	23.0	5.0	ug/l	25.0	ND	92	80-130			
1,1,2,2-Tetrachloroethane	23.1	2.0	ug/l	25.0	ND	92	65-140			
Tetrachloroethene	22.8	2.0	ug/l	25.0	ND	91	80-130			
Toluene	22.7	2.0	ug/l	25.0	ND	91	80-130			
1,2,3-Trichlorobenzene	20.1	5.0	ug/l	25.0	ND	80	75-140			*V1*
1,2,4-Trichlorobenzene	20.8	5.0	ug/l	25.0	ND	83	80-135			
1,1,1-Trichloroethane	22.7	2.0	ug/l	25.0	ND	91	70-135			
1,1,2-Trichloroethane	22.0	2.0	ug/l	25.0	ND	88	70-135			
Trichloroethene	22.1	2.0	ug/l	25.0	ND	88	80-125			
Trichlorofluoromethane	23.1	5.0	ug/l	25.0	ND	92	70-140			
1,2,3-Trichloropropane	22.6	10	ug/l	25.0	ND	90	65-135			
1,2,4-Trimethylbenzene	23.3	2.0	ug/l	25.0	ND	93	75-130			
1,3,5-Trimethylbenzene	23.5	2.0	ug/l	25.0	ND	94	80-135			
Vinyl acetate	29.8	25	ug/l	25.0	ND	119	30-150			*N1*
Vinyl chloride	23.2	1.7	ug/l	25.0	ND	93	70-135			
Xylenes, Total	46.2	3.0	ug/l	50.0	ND	92	80-125			
Surrogate: Dibromofluoromethane	*26.7*		*ug/l*	*25.0*		*107*	*80-130*			
Surrogate: Toluene-d8	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.3*		*ug/l*	*25.0*		*101*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034
Sampled: 07/05/06
Received: 07/05/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
Matrix Spike Dup Analyzed: 07/14/2006 (P6G1432-MSD1)					**Source: PPF0892-02**					
Acetone	29.0	20	ug/l	25.0	ND	116	15-150	10	35	
Benzene	24.1	1.0	ug/l	25.0	ND	96	80-125	6	10	
Bromobenzene	25.0	5.0	ug/l	25.0	ND	100	80-125	6	15	
Bromochloromethane	25.3	5.0	ug/l	25.0	ND	101	80-130	8	20	
Bromodichloromethane	24.7	2.0	ug/l	25.0	ND	99	70-130	5	15	
Bromoform	23.4	5.0	ug/l	25.0	ND	94	70-120	9	25	
Bromomethane	24.7	5.0	ug/l	25.0	ND	99	80-135	7	20	
2-Butanone (MEK)	28.4	10	ug/l	25.0	ND	114	30-150	4	35	
n-Butylbenzene	24.5	5.0	ug/l	25.0	ND	98	80-135	5	20	
sec-Butylbenzene	24.9	5.0	ug/l	25.0	ND	100	80-130	6	20	
tert-Butylbenzene	24.9	5.0	ug/l	25.0	ND	100	80-130	5	20	
Carbon Disulfide	31.0	5.0	ug/l	25.0	ND	124	45-150	1	15	
Carbon tetrachloride	23.8	5.0	ug/l	25.0	ND	95	65-135	5	15	
Chlorobenzene	24.9	1.0	ug/l	25.0	ND	100	80-125	7	15	
Chloroethane	25.1	5.0	ug/l	25.0	ND	100	80-125	7	20	
Chloroform	25.2	2.0	ug/l	25.0	0.52	99	75-130	8	15	
Chloromethane	24.1	5.0	ug/l	25.0	ND	96	65-130	6	20	
2-Chlorotoluene	24.0	5.0	ug/l	25.0	ND	96	80-130	5	15	
4-Chlorotoluene	24.4	5.0	ug/l	25.0	ND	98	80-135	5	15	
Dibromochloromethane	22.3	2.0	ug/l	25.0	ND	89	75-120	7	20	
1,2-Dibromo-3-chloropropane	20.8	5.0	ug/l	25.0	ND	83	50-130	6	35	
1,2-Dibromoethane (EDB)	24.9	2.0	ug/l	25.0	ND	100	70-130	8	25	
Dibromomethane	24.6	2.0	ug/l	25.0	ND	98	75-130	8	25	
1,2-Dichlorobenzene	24.3	1.0	ug/l	25.0	ND	97	80-130	6	15	
1,3-Dichlorobenzene	24.0	1.0	ug/l	25.0	ND	96	80-130	5	15	
1,4-Dichlorobenzene	24.9	1.0	ug/l	25.0	ND	100	80-125	6	10	
Dichlorodifluoromethane	22.9	5.0	ug/l	25.0	ND	92	60-140	4	45	
1,1-Dichloroethane	24.5	2.0	ug/l	25.0	ND	98	80-125	6	15	
1,2-Dichloroethane	24.4	1.0	ug/l	25.0	ND	98	60-145	8	20	
1,1-Dichloroethene	24.4	5.0	ug/l	25.0	ND	98	75-130	8	15	
cis-1,2-Dichloroethene	24.4	2.0	ug/l	25.0	ND	98	80-125	6	15	
trans-1,2-Dichloroethene	24.0	2.0	ug/l	25.0	ND	96	80-120	7	15	
1,2-Dichloropropane	23.8	2.0	ug/l	25.0	ND	95	80-125	5	15	
1,3-Dichloropropane	24.0	2.0	ug/l	25.0	ND	96	75-130	6	20	
2,2-Dichloropropane	23.0	2.0	ug/l	25.0	ND	92	60-135	6	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034
Sampled: 07/05/06
Received: 07/05/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1432 Extracted: 07/14/06										
Matrix Spike Dup Analyzed: 07/14/2006 (P6G1432-MSD1)					**Source: PPF0892-02**					
1,1-Dichloropropene	23.8	2.0	ug/l	25.0	ND	95	80-125	5	15	
cis-1,3-Dichloropropene	25.4	2.0	ug/l	25.0	ND	102	75-120	7	15	
trans-1,3-Dichloropropene	25.5	2.0	ug/l	25.0	ND	102	75-130	5	25	
Ethylbenzene	24.6	2.0	ug/l	25.0	ND	98	80-130	5	15	
Hexachlorobutadiene	20.5	5.0	ug/l	25.0	ND	82	65-130	2	15	
2-Hexanone	29.8	10	ug/l	25.0	ND	119	40-150	4	35	
Iodomethane	31.0	2.0	ug/l	25.0	ND	124	70-140	1	15	
Isopropylbenzene	27.0	2.0	ug/l	25.0	ND	108	80-140	8	20	
p-Isopropyltoluene	25.0	2.0	ug/l	25.0	ND	100	80-135	6	20	
Methylene chloride	22.3	5.0	ug/l	25.0	ND	89	75-125	7	15	
4-Methyl-2-pentanone (MIBK)	29.5	10	ug/l	25.0	ND	118	40-140	6	35	
Methyl-tert-butyl Ether (MTBE)	26.9	5.0	ug/l	25.0	ND	108	65-135	9	30	
Naphthalene	21.2	2.0	ug/l	25.0	ND	85	60-140	6	30	
n-Propylbenzene	25.8	2.0	ug/l	25.0	ND	103	80-140	4	20	
Styrene	26.1	2.0	ug/l	25.0	ND	104	30-150	6	25	
1,1,1,2-Tetrachloroethane	24.2	5.0	ug/l	25.0	ND	97	80-130	5	15	
1,1,2,2-Tetrachloroethane	25.1	2.0	ug/l	25.0	ND	100	65-140	8	35	
Tetrachloroethene	24.1	2.0	ug/l	25.0	ND	96	80-130	6	15	
Toluene	24.2	2.0	ug/l	25.0	ND	97	80-130	6	15	
1,2,3-Trichlorobenzene	21.1	5.0	ug/l	25.0	ND	84	75-140	5	20	*V1*
1,2,4-Trichlorobenzene	20.9	5.0	ug/l	25.0	ND	84	80-135	1	15	
1,1,1-Trichloroethane	24.1	2.0	ug/l	25.0	ND	96	70-135	6	15	
1,1,2-Trichloroethane	23.9	2.0	ug/l	25.0	ND	96	70-135	8	25	
Trichloroethene	23.6	2.0	ug/l	25.0	ND	94	80-125	7	15	
Trichlorofluoromethane	24.7	5.0	ug/l	25.0	ND	99	70-140	7	15	
1,2,3-Trichloropropane	24.2	10	ug/l	25.0	ND	97	65-135	7	35	
1,2,4-Trimethylbenzene	24.7	2.0	ug/l	25.0	ND	99	75-130	6	15	
1,3,5-Trimethylbenzene	25.0	2.0	ug/l	25.0	ND	100	80-135	6	15	
Vinyl acetate	30.2	25	ug/l	25.0	ND	121	30-150	1	35	*N1*
Vinyl chloride	24.8	1.7	ug/l	25.0	ND	99	70-135	7	25	
Xylenes, Total	48.7	3.0	ug/l	50.0	ND	97	80-125	5	15	
Surrogate: Dibromofluoromethane	*26.4*		*ug/l*	*25.0*		*106*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.5*		*ug/l*	*25.0*		*102*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034
Sampled: 07/05/06
Received: 07/05/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1712 Extracted: 07/17/06										
Blank Analyzed: 07/17/2006 (P6G1712-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034
Sampled: 07/05/06
Received: 07/05/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1712 Extracted: 07/17/06										
Blank Analyzed: 07/17/2006 (P6G1712-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							*V1, N1*
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*26.7*		*ug/l*	*25.0*		*107*	*80-130*			
Surrogate: Toluene-d8	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.9*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034
Sampled: 07/05/06
Received: 07/05/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1712 Extracted: 07/17/06										
LCS Analyzed: 07/17/2006 (P6G1712-BS1)										
Acetone	36.4	20	ug/l	25.0		146	30-150			
Benzene	24.3	1.0	ug/l	25.0		97	80-120			
Bromobenzene	24.7	5.0	ug/l	25.0		99	80-125			
Bromochloromethane	26.0	5.0	ug/l	25.0		104	80-125			
Bromodichloromethane	26.4	2.0	ug/l	25.0		106	80-120			
Bromoform	25.1	5.0	ug/l	25.0		100	70-120			
Bromomethane	25.2	5.0	ug/l	25.0		101	80-135			
2-Butanone (MEK)	32.7	10	ug/l	25.0		131	55-150			
n-Butylbenzene	24.3	5.0	ug/l	25.0		97	80-120			
sec-Butylbenzene	24.0	5.0	ug/l	25.0		96	80-130			
tert-Butylbenzene	24.7	5.0	ug/l	25.0		99	80-130			
Carbon Disulfide	30.8	5.0	ug/l	25.0		123	55-145			
Carbon tetrachloride	25.7	5.0	ug/l	25.0		103	80-120			
Chlorobenzene	24.1	1.0	ug/l	25.0		96	80-120			
Chloroethane	25.2	5.0	ug/l	25.0		101	80-125			
Chloroform	25.8	2.0	ug/l	25.0		103	80-120			
Chloromethane	25.5	5.0	ug/l	25.0		102	70-130			
2-Chlorotoluene	24.3	5.0	ug/l	25.0		97	80-120			
4-Chlorotoluene	24.5	5.0	ug/l	25.0		98	80-120			
Dibromochloromethane	22.8	2.0	ug/l	25.0		91	75-120			
1,2-Dibromo-3-chloropropane	24.8	5.0	ug/l	25.0		99	55-120			
1,2-Dibromoethane (EDB)	25.6	2.0	ug/l	25.0		102	75-125			
Dibromomethane	26.0	2.0	ug/l	25.0		104	80-125			
1,2-Dichlorobenzene	24.4	1.0	ug/l	25.0		98	80-120			
1,3-Dichlorobenzene	24.0	1.0	ug/l	25.0		96	80-125			
1,4-Dichlorobenzene	24.7	1.0	ug/l	25.0		99	80-120			
Dichlorodifluoromethane	23.5	5.0	ug/l	25.0		94	60-140			
1,1-Dichloroethane	25.2	2.0	ug/l	25.0		101	80-120			
1,2-Dichloroethane	26.8	1.0	ug/l	25.0		107	75-125			
1,1-Dichloroethene	24.5	5.0	ug/l	25.0		98	75-120			
cis-1,2-Dichloroethene	24.7	2.0	ug/l	25.0		99	80-125			
trans-1,2-Dichloroethene	24.4	2.0	ug/l	25.0		98	80-120			
1,2-Dichloropropane	24.9	2.0	ug/l	25.0		100	80-120			
1,3-Dichloropropane	24.8	2.0	ug/l	25.0		99	80-120			
2,2-Dichloropropane	26.2	2.0	ug/l	25.0		105	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034
Sampled: 07/05/06
Received: 07/05/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1712 Extracted: 07/17/06										
LCS Analyzed: 07/17/2006 (P6G1712-BS1)										
1,1-Dichloropropene	24.7	2.0	ug/l	25.0		99	80-120			
cis-1,3-Dichloropropene	27.5	2.0	ug/l	25.0		110	75-120			
trans-1,3-Dichloropropene	28.3	2.0	ug/l	25.0		113	80-120			
Ethylbenzene	24.5	2.0	ug/l	25.0		98	80-125			
Hexachlorobutadiene	20.8	5.0	ug/l	25.0		83	70-130			
2-Hexanone	33.3	10	ug/l	25.0		133	40-150			
Iodomethane	29.4	2.0	ug/l	25.0		118	80-130			
Isopropylbenzene	25.7	2.0	ug/l	25.0		103	80-140			
p-Isopropyltoluene	24.7	2.0	ug/l	25.0		99	80-130			
Methylene chloride	22.7	5.0	ug/l	25.0		91	80-120			
4-Methyl-2-pentanone (MIBK)	32.7	10	ug/l	25.0		131	50-140			
Methyl-tert-butyl Ether (MTBE)	29.8	5.0	ug/l	25.0		119	65-130			
Naphthalene	25.0	2.0	ug/l	25.0		100	70-130			
n-Propylbenzene	25.3	2.0	ug/l	25.0		101	80-135			
Styrene	28.6	2.0	ug/l	25.0		114	80-125			
1,1,1,2-Tetrachloroethane	24.7	5.0	ug/l	25.0		99	80-120			
1,1,2,2-Tetrachloroethane	26.1	2.0	ug/l	25.0		104	65-140			
Tetrachloroethene	23.8	2.0	ug/l	25.0		95	80-125			
Toluene	24.5	2.0	ug/l	25.0		98	80-125			
1,2,3-Trichlorobenzene	27.4	5.0	ug/l	25.0		110	75-125			
1,2,4-Trichlorobenzene	22.5	5.0	ug/l	25.0		90	80-125			
1,1,1-Trichloroethane	25.9	2.0	ug/l	25.0		104	75-125			
1,1,2-Trichloroethane	24.8	2.0	ug/l	25.0		99	80-125			
Trichloroethene	24.0	2.0	ug/l	25.0		96	80-120			
Trichlorofluoromethane	26.9	5.0	ug/l	25.0		108	75-130			
1,2,3-Trichloropropane	25.8	10	ug/l	25.0		103	65-135			
1,2,4-Trimethylbenzene	24.3	2.0	ug/l	25.0		97	80-125			
1,3,5-Trimethylbenzene	24.5	2.0	ug/l	25.0		98	80-130			
Vinyl acetate	37.0	25	ug/l	25.0		148	70-140			*V1, L3, N1*
Vinyl chloride	24.7	1.7	ug/l	25.0		99	70-135			
Xylenes, Total	47.0	3.0	ug/l	50.0		94	80-125			
Surrogate: Dibromofluoromethane	*27.4*		*ug/l*	*25.0*		*110*	*80-130*			
Surrogate: Toluene-d8	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.5*		*ug/l*	*25.0*		*102*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034
Sampled: 07/05/06
Received: 07/05/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1712 Extracted: 07/17/06										
LCS Dup Analyzed: 07/17/2006 (P6G1712-BSD1)										
Acetone	35.0	20	ug/l	25.0		140	30-150	4	35	
Benzene	24.8	1.0	ug/l	25.0		99	80-120	2	10	
Bromobenzene	25.3	5.0	ug/l	25.0		101	80-125	2	10	
Bromochloromethane	25.6	5.0	ug/l	25.0		102	80-125	2	15	
Bromodichloromethane	26.1	2.0	ug/l	25.0		104	80-120	1	15	
Bromoform	23.3	5.0	ug/l	25.0		93	70-120	7	20	
Bromomethane	25.0	5.0	ug/l	25.0		100	80-135	1	15	
2-Butanone (MEK)	31.0	10	ug/l	25.0		124	55-150	5	35	
n-Butylbenzene	25.3	5.0	ug/l	25.0		101	80-120	4	10	
sec-Butylbenzene	25.1	5.0	ug/l	25.0		100	80-130	4	10	
tert-Butylbenzene	25.5	5.0	ug/l	25.0		102	80-130	3	10	
Carbon Disulfide	32.6	5.0	ug/l	25.0		130	55-145	6	15	
Carbon tetrachloride	25.4	5.0	ug/l	25.0		102	80-120	1	15	
Chlorobenzene	24.2	1.0	ug/l	25.0		97	80-120	0	10	
Chloroethane	25.5	5.0	ug/l	25.0		102	80-125	1	15	
Chloroform	25.4	2.0	ug/l	25.0		102	80-120	2	10	
Chloromethane	25.0	5.0	ug/l	25.0		100	70-130	2	15	
2-Chlorotoluene	24.7	5.0	ug/l	25.0		99	80-120	2	10	
4-Chlorotoluene	25.0	5.0	ug/l	25.0		100	80-120	2	10	
Dibromochloromethane	23.0	2.0	ug/l	25.0		92	75-120	1	15	
1,2-Dibromo-3-chloropropane	21.6	5.0	ug/l	25.0		86	55-120	14	35	
1,2-Dibromoethane (EDB)	24.9	2.0	ug/l	25.0		100	75-125	3	20	
Dibromomethane	24.9	2.0	ug/l	25.0		100	80-125	4	20	
1,2-Dichlorobenzene	24.5	1.0	ug/l	25.0		98	80-120	0	10	
1,3-Dichlorobenzene	24.6	1.0	ug/l	25.0		98	80-125	2	10	
1,4-Dichlorobenzene	25.2	1.0	ug/l	25.0		101	80-120	2	10	
Dichlorodifluoromethane	23.3	5.0	ug/l	25.0		93	60-140	1	15	
1,1-Dichloroethane	25.2	2.0	ug/l	25.0		101	80-120	0	10	
1,2-Dichloroethane	26.0	1.0	ug/l	25.0		104	75-125	3	20	
1,1-Dichloroethene	24.6	5.0	ug/l	25.0		98	75-120	0	15	
cis-1,2-Dichloroethene	24.6	2.0	ug/l	25.0		98	80-125	0	10	
trans-1,2-Dichloroethene	24.1	2.0	ug/l	25.0		96	80-120	1	10	
1,2-Dichloropropane	24.4	2.0	ug/l	25.0		98	80-120	2	15	
1,3-Dichloropropane	24.8	2.0	ug/l	25.0		99	80-120	0	15	
2,2-Dichloropropane	26.5	2.0	ug/l	25.0		106	70-130	1	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034
Sampled: 07/05/06
Received: 07/05/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1712 Extracted: 07/17/06										
LCS Dup Analyzed: 07/17/2006 (P6G1712-BSD1)										
1,1-Dichloropropene	25.1	2.0	ug/l	25.0		100	80-120	2	10	
cis-1,3-Dichloropropene	27.0	2.0	ug/l	25.0		108	75-120	2	15	
trans-1,3-Dichloropropene	27.6	2.0	ug/l	25.0		110	80-120	3	20	
Ethylbenzene	25.2	2.0	ug/l	25.0		101	80-125	3	15	
Hexachlorobutadiene	22.3	5.0	ug/l	25.0		89	70-130	7	15	
2-Hexanone	31.4	10	ug/l	25.0		126	40-150	6	35	
Iodomethane	31.6	2.0	ug/l	25.0		126	80-130	7	10	
Isopropylbenzene	26.8	2.0	ug/l	25.0		107	80-140	4	10	
p-Isopropyltoluene	25.7	2.0	ug/l	25.0		103	80-130	4	15	
Methylene chloride	22.4	5.0	ug/l	25.0		90	80-120	1	10	
4-Methyl-2-pentanone (MIBK)	30.5	10	ug/l	25.0		122	50-140	7	35	
Methyl-tert-butyl Ether (MTBE)	27.6	5.0	ug/l	25.0		110	65-130	8	25	
Naphthalene	24.7	2.0	ug/l	25.0		99	70-130	1	20	
n-Propylbenzene	25.8	2.0	ug/l	25.0		103	80-135	2	10	
Styrene	28.8	2.0	ug/l	25.0		115	80-125	1	15	
1,1,1,2-Tetrachloroethane	24.6	5.0	ug/l	25.0		98	80-120	0	15	
1,1,2,2-Tetrachloroethane	24.6	2.0	ug/l	25.0		98	65-140	6	25	
Tetrachloroethene	24.7	2.0	ug/l	25.0		99	80-125	4	15	
Toluene	24.7	2.0	ug/l	25.0		99	80-125	1	10	
1,2,3-Trichlorobenzene	27.3	5.0	ug/l	25.0		109	75-125	0	15	
1,2,4-Trichlorobenzene	23.7	5.0	ug/l	25.0		95	80-125	5	15	
1,1,1-Trichloroethane	25.8	2.0	ug/l	25.0		103	75-125	0	10	
1,1,2-Trichloroethane	24.2	2.0	ug/l	25.0		97	80-125	2	25	
Trichloroethene	24.1	2.0	ug/l	25.0		96	80-120	0	10	
Trichlorofluoromethane	26.6	5.0	ug/l	25.0		106	75-130	1	10	
1,2,3-Trichloropropane	24.4	10	ug/l	25.0		98	65-135	6	25	
1,2,4-Trimethylbenzene	25.1	2.0	ug/l	25.0		100	80-125	3	10	
1,3,5-Trimethylbenzene	25.5	2.0	ug/l	25.0		102	80-130	4	10	
Vinyl acetate	35.7	25	ug/l	25.0		143	70-140	4	30	*V1, L3, N1*
Vinyl chloride	25.3	1.7	ug/l	25.0		101	70-135	2	15	
Xylenes, Total	49.3	3.0	ug/l	50.0		99	80-125	5	15	
Surrogate: Dibromofluoromethane	*27.3*		*ug/l*	*25.0*		*109*	*80-130*			
Surrogate: Toluene-d8	*26.4*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.7*		*ug/l*	*25.0*		*103*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034
Sampled: 07/05/06
Received: 07/05/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1712 Extracted: 07/17/06										
Matrix Spike Analyzed: 07/17/2006 (P6G1712-MS1)					**Source: PPG0034-06**					
Acetone	34.7	20	ug/l	25.0	ND	139	15-150			
Benzene	27.5	1.0	ug/l	25.0	ND	110	80-125			
Bromobenzene	27.0	5.0	ug/l	25.0	ND	108	80-125			
Bromochloromethane	28.8	5.0	ug/l	25.0	ND	115	80-130			
Bromodichloromethane	28.8	2.0	ug/l	25.0	ND	115	70-130			
Bromoform	24.6	5.0	ug/l	25.0	ND	98	70-120			
Bromomethane	28.0	5.0	ug/l	25.0	ND	112	80-135			
2-Butanone (MEK)	31.9	10	ug/l	25.0	ND	128	30-150			
n-Butylbenzene	27.7	5.0	ug/l	25.0	ND	111	80-135			
sec-Butylbenzene	27.3	5.0	ug/l	25.0	ND	109	80-130			
tert-Butylbenzene	27.6	5.0	ug/l	25.0	ND	110	80-130			
Carbon Disulfide	35.6	5.0	ug/l	25.0	ND	142	45-150			
Carbon tetrachloride	28.3	5.0	ug/l	25.0	ND	113	65-135			
Chlorobenzene	27.3	1.0	ug/l	25.0	ND	109	80-125			
Chloroethane	28.6	5.0	ug/l	25.0	ND	114	80-125			
Chloroform	29.5	2.0	ug/l	25.0	ND	118	75-130			
Chloromethane	27.4	5.0	ug/l	25.0	ND	110	65-130			
2-Chlorotoluene	26.9	5.0	ug/l	25.0	ND	108	80-130			
4-Chlorotoluene	27.3	5.0	ug/l	25.0	ND	109	80-135			
Dibromochloromethane	25.2	2.0	ug/l	25.0	0.81	98	75-120			
1,2-Dibromo-3-chloropropane	23.2	5.0	ug/l	25.0	ND	93	50-130			
1,2-Dibromoethane (EDB)	27.5	2.0	ug/l	25.0	ND	110	70-130			
Dibromomethane	27.6	2.0	ug/l	25.0	ND	110	75-130			
1,2-Dichlorobenzene	27.2	1.0	ug/l	25.0	ND	109	80-130			
1,3-Dichlorobenzene	27.0	1.0	ug/l	25.0	ND	108	80-130			
1,4-Dichlorobenzene	27.5	1.0	ug/l	25.0	ND	110	80-125			
Dichlorodifluoromethane	26.4	5.0	ug/l	25.0	ND	106	60-140			
1,1-Dichloroethane	29.6	2.0	ug/l	25.0	ND	118	80-125			
1,2-Dichloroethane	29.6	1.0	ug/l	25.0	ND	118	60-145			
1,1-Dichloroethene	27.4	5.0	ug/l	25.0	ND	110	75-130			
cis-1,2-Dichloroethene	28.0	2.0	ug/l	25.0	ND	112	80-125			
trans-1,2-Dichloroethene	27.2	2.0	ug/l	25.0	ND	109	80-120			
1,2-Dichloropropane	27.7	2.0	ug/l	25.0	ND	111	80-125			
1,3-Dichloropropane	27.0	2.0	ug/l	25.0	ND	108	75-130			
2,2-Dichloropropane	28.6	2.0	ug/l	25.0	ND	114	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034
Sampled: 07/05/06
Received: 07/05/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1712 Extracted: 07/17/06										
Matrix Spike Analyzed: 07/17/2006 (P6G1712-MS1)					**Source: PPG0034-06**					
1,1-Dichloropropene	27.9	2.0	ug/l	25.0	ND	112	80-125			
cis-1,3-Dichloropropene	29.5	2.0	ug/l	25.0	ND	118	75-120			
trans-1,3-Dichloropropene	30.1	2.0	ug/l	25.0	ND	120	75-130			
Ethylbenzene	27.7	2.0	ug/l	25.0	ND	111	80-130			
Hexachlorobutadiene	24.2	5.0	ug/l	25.0	ND	97	65-130			
2-Hexanone	32.6	10	ug/l	25.0	ND	130	40-150			
Iodomethane	34.6	2.0	ug/l	25.0	ND	138	70-140			
Isopropylbenzene	29.2	2.0	ug/l	25.0	ND	117	80-140			
p-Isopropyltoluene	27.7	2.0	ug/l	25.0	ND	111	80-135			
Methylene chloride	25.4	5.0	ug/l	25.0	ND	102	75-125			
4-Methyl-2-pentanone (MIBK)	32.1	10	ug/l	25.0	ND	128	40-140			
Methyl-tert-butyl Ether (MTBE)	30.9	5.0	ug/l	25.0	ND	124	65-135			
Naphthalene	25.5	2.0	ug/l	25.0	ND	102	60-140			*V1*
n-Propylbenzene	28.2	2.0	ug/l	25.0	ND	113	80-140			
Styrene	30.3	2.0	ug/l	25.0	ND	121	30-150			
1,1,1,2-Tetrachloroethane	27.3	5.0	ug/l	25.0	ND	109	80-130			
1,1,2,2-Tetrachloroethane	27.3	2.0	ug/l	25.0	ND	109	65-140			
Tetrachloroethene	26.7	2.0	ug/l	25.0	ND	107	80-130			
Toluene	27.4	2.0	ug/l	25.0	ND	110	80-130			
1,2,3-Trichlorobenzene	27.7	5.0	ug/l	25.0	ND	111	75-140			*V1*
1,2,4-Trichlorobenzene	25.2	5.0	ug/l	25.0	ND	101	80-135			
1,1,1-Trichloroethane	28.7	2.0	ug/l	25.0	ND	115	70-135			
1,1,2-Trichloroethane	26.4	2.0	ug/l	25.0	ND	106	70-135			
Trichloroethene	27.1	2.0	ug/l	25.0	0.65	106	80-125			
Trichlorofluoromethane	29.9	5.0	ug/l	25.0	ND	120	70-140			
1,2,3-Trichloropropane	26.9	10	ug/l	25.0	ND	108	65-135			
1,2,4-Trimethylbenzene	27.6	2.0	ug/l	25.0	ND	110	75-130			
1,3,5-Trimethylbenzene	27.6	2.0	ug/l	25.0	ND	110	80-135			
Vinyl acetate	39.1	25	ug/l	25.0	ND	156	30-150			*V1, N1*
Vinyl chloride	28.2	1.7	ug/l	25.0	ND	113	70-135			
Xylenes, Total	54.6	3.0	ug/l	50.0	ND	109	80-125			
Surrogate: Dibromofluoromethane	*28.6*		*ug/l*	*25.0*		*114*	*80-130*			
Surrogate: Toluene-d8	*27.2*		*ug/l*	*25.0*		*109*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.6*		*ug/l*	*25.0*		*106*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034
Sampled: 07/05/06
Received: 07/05/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1712 Extracted: 07/17/06										
Matrix Spike Dup Analyzed: 07/17/2006 (P6G1712-MSD1)					**Source: PPG0034-06**					
Acetone	35.6	20	ug/l	25.0	ND	142	15-150	3	35	
Benzene	25.2	1.0	ug/l	25.0	ND	101	80-125	9	10	
Bromobenzene	24.5	5.0	ug/l	25.0	ND	98	80-125	10	15	
Bromochloromethane	26.8	5.0	ug/l	25.0	ND	107	80-130	7	20	
Bromodichloromethane	27.2	2.0	ug/l	25.0	ND	109	70-130	6	15	
Bromoform	23.3	5.0	ug/l	25.0	ND	93	70-120	5	25	
Bromomethane	26.2	5.0	ug/l	25.0	ND	105	80-135	7	20	
2-Butanone (MEK)	34.2	10	ug/l	25.0	ND	137	30-150	7	35	
n-Butylbenzene	24.7	5.0	ug/l	25.0	ND	99	80-135	11	20	
sec-Butylbenzene	24.5	5.0	ug/l	25.0	ND	98	80-130	11	20	
tert-Butylbenzene	24.6	5.0	ug/l	25.0	ND	98	80-130	11	20	
Carbon Disulfide	33.6	5.0	ug/l	25.0	ND	134	45-150	6	15	
Carbon tetrachloride	25.4	5.0	ug/l	25.0	ND	102	65-135	11	15	
Chlorobenzene	25.0	1.0	ug/l	25.0	ND	100	80-125	9	15	
Chloroethane	26.4	5.0	ug/l	25.0	ND	106	80-125	8	20	
Chloroform	26.9	2.0	ug/l	25.0	ND	108	75-130	9	15	
Chloromethane	25.2	5.0	ug/l	25.0	ND	101	65-130	8	20	
2-Chlorotoluene	24.4	5.0	ug/l	25.0	ND	98	80-130	10	15	
4-Chlorotoluene	24.7	5.0	ug/l	25.0	ND	99	80-135	10	15	
Dibromochloromethane	24.0	2.0	ug/l	25.0	0.81	93	75-120	5	20	
1,2-Dibromo-3-chloropropane	22.7	5.0	ug/l	25.0	ND	91	50-130	2	35	
1,2-Dibromoethane (EDB)	26.1	2.0	ug/l	25.0	ND	104	70-130	5	25	
Dibromomethane	26.2	2.0	ug/l	25.0	ND	105	75-130	5	25	
1,2-Dichlorobenzene	25.0	1.0	ug/l	25.0	ND	100	80-130	8	15	
1,3-Dichlorobenzene	24.6	1.0	ug/l	25.0	ND	98	80-130	9	15	
1,4-Dichlorobenzene	25.3	1.0	ug/l	25.0	ND	101	80-125	8	10	
Dichlorodifluoromethane	23.4	5.0	ug/l	25.0	ND	94	60-140	12	45	
1,1-Dichloroethane	27.0	2.0	ug/l	25.0	ND	108	80-125	9	15	
1,2-Dichloroethane	27.6	1.0	ug/l	25.0	ND	110	60-145	7	20	
1,1-Dichloroethene	24.9	5.0	ug/l	25.0	ND	100	75-130	10	15	
cis-1,2-Dichloroethene	26.1	2.0	ug/l	25.0	ND	104	80-125	7	15	
trans-1,2-Dichloroethene	25.0	2.0	ug/l	25.0	ND	100	80-120	8	15	
1,2-Dichloropropane	25.6	2.0	ug/l	25.0	ND	102	80-125	8	15	
1,3-Dichloropropane	26.0	2.0	ug/l	25.0	ND	104	75-130	4	20	
2,2-Dichloropropane	25.7	2.0	ug/l	25.0	ND	103	60-135	11	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034
Sampled: 07/05/06
Received: 07/05/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1712 Extracted: 07/17/06										
Matrix Spike Dup Analyzed: 07/17/2006 (P6G1712-MSD1)					**Source: PPG0034-06**					
1,1-Dichloropropene	24.9	2.0	ug/l	25.0	ND	100	80-125	11	15	
cis-1,3-Dichloropropene	27.8	2.0	ug/l	25.0	ND	111	75-120	6	15	
trans-1,3-Dichloropropene	28.8	2.0	ug/l	25.0	ND	115	75-130	4	25	
Ethylbenzene	24.8	2.0	ug/l	25.0	ND	99	80-130	11	15	
Hexachlorobutadiene	21.1	5.0	ug/l	25.0	ND	84	65-130	14	15	
2-Hexanone	34.0	10	ug/l	25.0	ND	136	40-150	4	35	
Iodomethane	32.5	2.0	ug/l	25.0	ND	130	70-140	6	15	
Isopropylbenzene	26.2	2.0	ug/l	25.0	ND	105	80-140	11	20	
p-Isopropyltoluene	24.8	2.0	ug/l	25.0	ND	99	80-135	11	20	
Methylene chloride	23.8	5.0	ug/l	25.0	ND	95	75-125	7	15	
4-Methyl-2-pentanone (MIBK)	34.7	10	ug/l	25.0	ND	139	40-140	8	35	
Methyl-tert-butyl Ether (MTBE)	30.4	5.0	ug/l	25.0	ND	122	65-135	2	30	
Naphthalene	24.8	2.0	ug/l	25.0	ND	99	60-140	3	30	*V1*
n-Propylbenzene	25.7	2.0	ug/l	25.0	ND	103	80-140	9	20	
Styrene	27.4	2.0	ug/l	25.0	ND	110	30-150	10	25	
1,1,1,2-Tetrachloroethane	25.3	5.0	ug/l	25.0	ND	101	80-130	8	15	
1,1,2,2-Tetrachloroethane	26.0	2.0	ug/l	25.0	ND	104	65-140	5	35	
Tetrachloroethene	23.5	2.0	ug/l	25.0	ND	94	80-130	13	15	
Toluene	25.2	2.0	ug/l	25.0	ND	101	80-130	8	15	
1,2,3-Trichlorobenzene	25.8	5.0	ug/l	25.0	ND	103	75-140	7	20	*V1*
1,2,4-Trichlorobenzene	22.9	5.0	ug/l	25.0	ND	92	80-135	10	15	
1,1,1-Trichloroethane	25.9	2.0	ug/l	25.0	ND	104	70-135	10	15	
1,1,2-Trichloroethane	25.7	2.0	ug/l	25.0	ND	103	70-135	3	25	
Trichloroethene	25.0	2.0	ug/l	25.0	0.65	97	80-125	8	15	
Trichlorofluoromethane	26.8	5.0	ug/l	25.0	ND	107	70-140	11	15	
1,2,3-Trichloropropane	25.6	10	ug/l	25.0	ND	102	65-135	5	35	
1,2,4-Trimethylbenzene	24.8	2.0	ug/l	25.0	ND	99	75-130	11	15	
1,3,5-Trimethylbenzene	24.9	2.0	ug/l	25.0	ND	100	80-135	10	15	
Vinyl acetate	38.8	25	ug/l	25.0	ND	155	30-150	1	35	*V1, N1*
Vinyl chloride	25.6	1.7	ug/l	25.0	ND	102	70-135	10	25	
Xylenes, Total	49.0	3.0	ug/l	50.0	ND	98	80-125	11	15	
Surrogate: Dibromofluoromethane	*28.1*		*ug/l*	*25.0*		*112*	*80-130*			
Surrogate: Toluene-d8	*26.6*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.0*		*ug/l*	*25.0*		*104*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe	Project ID: Sky Harbor HW Quarterly / UST Sampling Program	
2625 S. Plaza Drive, Ste. 300		Sampled: 07/05/06
Tempe, AZ 85282	Report Number: PPG0034	Received: 07/05/06
Attention: Jennifer Holland		

DATA QUALIFIERS AND DEFINITIONS

L3	The associated blank spike recovery was above method acceptance limits.
N1	See case narrative.
V1	CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
ND	Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
RPD	Relative Percent Difference

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0034

Sampled: 07/05/06
Received: 07/05/06

Certification Summary

TestAmerica - Phoenix, AZ

Method	Matrix	Nelac	Arizona
EPA 8015B	Water	X	X
EPA 8260B	Water	X	X

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

Subcontracted Laboratories

Transwest Geochem *Arizona Cert #AZ0133*
3725 E. Atlanta Ave Ste 1 - Phoenix, AZ 85040-2961

Analysis Performed: 8015B MOD-Low Level
Samples: PPG0034-02, PPG0034-03, PPG0034-04, PPG0034-05, PPG0034-06, PPG0034-07, PPG0034-08, PPG 0034-09, PPG0034-10, PPG0034-11

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

DelMar Analytical
9830 South 51st St. Suite B-120
Phoenix, AZ 85044
480-785-0043

Honeywell

Chain Of Custody / Analysis Request

[redacted]
Jennifer Holland
jennifer.holland@ch2m.com

Site Name: Sky Harbor
Location of Site: HW Quarterly / UST Sampling Program

DELMAR-PHE

Client Contact: (name, co., address)
CH2M HILL
2625 South Plaza Drive, Suite 300
Tempe, AZ 85282
Jennifer.Holland@CH2M.com

Sampler: Jeffery Yentes
P O # BV.30.33

Analysis Turnaround Time:
Standard - Y
Rush Charges Authorized for -
2 weeks -
1 week -
Next Day -

	Sample Identification		Sample Date	Sample Time	Sample Type	Sample Matrix	# of Cont.	MS/MSD Required	Field Filtered	VOC's (EPA 8260B)	SVOC's (EPA 8270)	PAH's (EPA 8310)	TRPH (EPA 8015M)	MEE (RSKSOP-175)	Total Metals (Varoius Methods)	Dissolved Metals (Various Methods)	Total common Ions (Various Methods)	Dissolved Common Ions (Various Methods)		VOC'S (EPA 624)		MS/MSD Requested
										Preservative												
										1	0	0	3	1	2	2	0	0		1		
	Location ID	Field Sample ID								ug/L	ug/L	ug/L	ug/L	mg/L	mg/L	mg/L	mg/L	mg/L		ug/L		
1	BLANK	TB-070106	7/5/2006	0600	BlkWater	Water	1		N	X												
2	MW	PL-201A-6B3	7/5/2006	0700	GW	Water	5		N	X			X									
3	MW	ASE-58A-6B3	7/5/2006	0814	GW	Water	5		N	X			X									
4	MW	ASE-46A-6B3	7/5/2006	0908	GW	Water	5		N	X			X									
5	MW	PL-2101-6B3	7/5/2006	1017	GW	Water	5		N	X			X									
6	MW	ASE-54A-6B3	7/5/2006	1110	GW	Water	5		N	X			X									
7	MW	PL-2102-6B3	7/5/2006	1140	GW	Water	5		N	X			X									
8	MW	PL-505-6B3	7/5/2006	1150	GW	Water	5		N	X			X									
9	MW	ASE-59A-6B3	7/5/2006	0739	GW	Water	7	Y	N	X			X									
10	MW	ASE-60A-6B3	7/5/2006	1230	GW	Water	5		N	X			X									
11	MW	ASE-61A-6B3	7/5/2006	1306	GW	Water	5		N	X			X									
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						

PPG0034

Relinquished by	Company	Hargis + Associates, Inc.	Received by			Condition		Custody Seals Intact
	Date/Time	7.5.06 / 1430				Cooler Temp.		
Relinquished by 7/5/06	Company CH		Received by			Condition		Custody Seals Intact
	Date/Time 7/05/06 14:30					Cooler Temp. 2.2°C		

Preservatives: 0 = None; |1 = HCL|; |2 = HNO3|; |3 = H2SO4|; |4 = NaOH|; |5 = Zn. Acetate|; |6 = MeOH|; |7 = NaHSO4|; 8 = Other (specify):

TRANSWEST GEOCHEM

June 25 , 2006

Ken Baker
TestAmerica - Phoenix
9830 S. 51st Street
Suite B-120
Phoenix, AZ 85044

Re: PPG0034
Work Order No.: 0607035

Dear Ken,

Attached is the original Report of Analysis from Columbia Analytical Services, Inc. (AZ0604) for the samples received on 7/06/06. The following analysis was performed:

Method EPA 8015B – Diesel Range Organics

If you have any questions regarding the results, please call me. We appreciate your business and thank you for choosing Transwest Geochem.

Sincerely,

Carlene McCutchen
for Skip Harden
Project Manager

ADHS License No. AZM133/AZ0133

CONFIDENTIAL AND PRIVILEGED

2035 E. Atlanta Avenue • Phoenix, Arizona 85040 • (602) 437-0330 • (800) 927-5183 • Fax (602) 437-0660
2860 S. Palo Verde Rd. • Suite 301 • Tucson, Arizona 85714 • (520) 573-1061 • Fax (520) 573-1063

5090 Caterpillar Road Redding, California 96003 (530) 244-5227 (530) 244-4109 fax

Columbia Analytical Services INC
An Employee - Owned Company

July 19, 2006

Service Request No: D0600805

Carlene McCutcheon
Transwest Geochem, Incorporated
3725 East Atlanta Avenue
Suite 2
Phoenix, AZ 85040-2960

RE: PPG0034

Dear Carlene:

Enclosed are the results of the sample(s) submitted to our laboratory on July 7, 2006. For your reference, these analyses have been assigned our service request number D0600805.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 103. You may also contact me via email at EWilson@canoga.caslab.com.

Respectfully submitted,

Columbia Analytical Services, Inc.

Ed Wilson
Project Chemist

NELAP Accredited ACIL Seal of Excellence Award 100% Recycled

Current CAS Redding Accreditation Programs

Federal and National Programs

- U.S Air Force, Air Force Center for Environmental Excellence (AFCEE)
  Approved laboratory for Wastewater and Hazardous Waste
- U.S. Army Corps of Engineers – MRD, HTRW Mandatory Center of Expertise
  Validated for Wastewater and Hazardous Waste
- Department of the Navy, Naval Facilities Engineering Service Center (NFESC)
  Approved laboratory for Wastewater and Hazardous Waste

State and Local Programs

- State of Alaska, Department of Environmental Conservation
  Approved Laboratory for Contaminated Sites
  Lab ID UST-001
- State of Arizona, Department of Health Services, Office of Laboratory Licensure
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID AZ0604
- State of California, Department of Health Services, National Environmental Laboratory Accreditation Program **(NELAP)**
  Approved Laboratory for Drinking Water, Wastewater and Hazardous Waste
  Lab ID 01105CA
  - Los Angeles County Sanitation District
    Approved Laboratory for Wastewater
    Lab ID 10243
- State of California, Department of Health Services, Environmental Laboratory Accreditation Program (ELAP)
  Approved Laboratory for Microbiology of Drinking Water and Wastewater
  Lab ID 2635
- State of Florida, Department of Health, Bureau of Laboratories **(NELAP)**
  Approved Environmental Testing Laboratory for Wastewater and Hazardous Waste
  Lab ID E87203
- State of Kansas, Department of Health and Environment **(NELAP)**
  Approved Laboratory for Hazardous Waste
  Lab ID E-10323
- State of Massachusetts, Department of Environmental Protection
  Approved laboratory for Drinking Water and Wastewater
  Lab ID M-CA025
- State of Oklahoma, Department of Environmental Quality
  Approved Laboratory for General Water Quality/Sludge Testing
  Lab ID 9952
- State of Oregon, Environmental Laboratory Accreditation Program **(ORELAP)**
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID CA200004
- State of Utah, Department of Health, Bureau of Laboratory Improvement **(NELAP)**
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID QUAL1
- State of Washington, Department of Ecology
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID C1234
- State of Wisconsin, Department of Natural Resources
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID 999767340

Arizona Data Qualifiers

Revision 2.0, 11/26/2003

Developed by the Sub-committee of the
Arizona Environmental Laboratory Advisory Committee

Microbiology:

A1 = Too numerous to count.
A2 = Sample incubation period exceeded method requirement.
A3 = Sample incubation period was shorter than method requirement.
A4 = Target organism detected in associated method blank.
A5 = Incubator/water bath temperature was outside method requirements.
A6 = Target organism not detected in associated positive control.
A7 = Micro sample received without adequate headspace.

Method/calibration blank:

B1 = Target analyte detected in method blank at or above the method reporting limit.
B2 = Non-target analyte detected in method blank and sample, producing interference.
B3 = Target analyte detected in calibration blank at or above the method reporting limit.
B4 = Target analyte detected in blank at/above method acceptance criteria.
B5 = Target analyte detected in method blank at or above the method reporting limit, but below trigger level or MCL.
B6 = Target analyte detected in calibration blank at or above the method reporting limit, but below trigger level or MCL.
B7 = Target analyte detected in method blank at or above method reporting limit. Concentration found in the sample was 10 times above the concentration found in the method blank.

Confirmation:

C1 = Confirmatory analysis not performed as required by the method.
C3 = Qualitative confirmation performed.
C4 = Confirmatory analysis was past holding time.
C5 = Confirmatory analysis was past holding time. Original result not confirmed.
C6 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the higher value was reported as there was no obvious chromatographic interference.
C7 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic interference.

Dilution:

D1 = Sample required dilution due to matrix.
D2 = Sample required dilution due to high concentration of target analyte.
D3 = Sample dilution required due to insufficient sample.
D4 = Minimum reporting level (MRL) adjusted to reflect sample amount received and analyzed.

Estimated concentration:

E1 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not possible due to insufficient sample.
E2 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to sample matrix.
E3 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

E4 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL).
E5 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL), but not confirmed by alternate analysis.
E6 = Concentration estimated. Internal standard recoveries did not meet method acceptance criteria.
E7 = Concentration estimated. Internal standard recoveries did not meet laboratory acceptance criteria.
E8 = Analyte reported to MDL per project specification. Target analyte was not detected in the sample.

Hold time:
H1 = Sample analysis performed past holding time.
H2 = Initial analysis within holding time. Reanalysis for the required dilution was past holding time.
H3 = Sample was received and analyzed past holding time.
H4 = Sample was extracted past required extraction holding time, but analyzed within analysis holding time.

BOD:
K1 = The sample dilutions set-up for the BOD analysis did not meet the oxygen depletion criteria of at least 2 mg/L. Any reported result is an estimated value.
K2 = The sample dilutions set up for the BOD analysis did not meet the criteria of a residual dissolved oxygen of at least 1 mg/L. Any reported result is an estimated value.
K4 = The seed depletion was outside the method acceptance limits. The reported result is an estimated value.
K5 = The dilution water D:O. depletion was > 0.2 mg/L.
K6 = Glucose/glutamic acid BOD was below method acceptance criteria.
K7 = A discrepancy between the BOD and COD results has been verified by reanalysis of the sample for COD.
K8 = Glucose/glutamic acid BOD was above method acceptance levels.

Laboratory fortified blank/blank spike:

L1 = The associated blank spike recovery was above laboratory acceptance limits.
L2 = The associated blank spike recovery was below laboratory acceptance limits.
L3 = The associated blank spike recovery was above method acceptance limits.
L4 = The associated blank spike recovery was below method acceptance limits.

Matrix spike:
M1 = Matrix spike recovery was high, the method control sample recovery was acceptable.
M2 = Matrix spike recovery was low, the method control sample recovery was acceptable.
M3 = The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
M4 = The analysis of the spiked sample required a dilution such that the spike concentration was diluted below the reporting limit. The method control sample recovery was acceptable.
M5 = Analyte concentration was determined by the method of standard addition (MSA).

M6 = Matrix spike recovery was high. Data reported per ADEQ policy 0154.000.
M7 = Matrix spike recovery was low. Data reported per ADEQ policy 0154.000.

General:
N1 = See case narrative.
N2 = See corrective action report.
N3 = The analysis meets all method requirements. See case narrative.

Sample quality:
Q1 = Sample integrity was not maintained. See case narrative.
Q2 = Sample received with headspace.
Q3 = Sample received with improper chemical preservation.
Q4 = Sample received and analyzed without chemical preservation.
Q5 = Sample received with inadequate chemical preservation, but preserved by the laboratory.
Q6 = Sample was received above recommended temperature.
Q7 = Sample inadequately dechlorinated.
Q8 = Insufficient sample received to meet method QC requirements. Batch QC requirements satisfies ADEQ policies 0154 and 0155.
Q9 = Insufficient sample received to meet method QC requirements.
Q10 = Sample received in inappropriate sample container.
Q11 = Sample is heterogeneous. Sample homogeneity could not be readily achieved using routine laboratory practices.

Duplicates:
R1 = RPD exceeded the method control limit. See case narrative.
R2 = RPD exceeded the laboratory control limit. See case narrative.
R4 = MS/MSD RPD exceeded the method control limit. Recovery met acceptance criteria.
R5 = MS/MSD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R6 = LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
R7 = LFB/LFBD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R8 = Sample RPD exceeded the method control limit.
R9 = Sample RPD exceeded the laboratory control limit.
R10 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic problems.
R11 = The RPD calculation for MS/MSD does not provide useful information due to the varying sample weights when Encore samplers/methanol field preserved samples are used.

Surrogate:
S1 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits.
S3 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits. No target analytes were detected in the sample.
S4 = Surrogate recovery was above laboratory and method acceptance limits. No target analytes were detected in the sample.
S5 = Surrogate recovery was below laboratory acceptance limits, but within method acceptance limits.
S6 = Surrogate recovery was below laboratory and method acceptance limits. Reextraction and/or reanalysis confirms low recovery caused by matrix effect.

S7 = Surrogate recovery was below laboratory and method acceptance limits. Unable to confirm matrix effect.
S8 = The analysis of the sample required a dilution such that the surrogate recovery calculation does not provide any useful information. The method control sample recovery was acceptable.
S10 = Surrogate recovery was above laboratory and method acceptance limits. See Case narrative.
S11 = Surrogate recovery was high. Data reported per ADEQ policy 0154.000.
S12 = Surrogate recovery was low. Data reported per ADEQ policy 0154.000.

Method/analyte discrepancies:
T1 = Method approved by EPA, but not yet licensed by ADHS.
T2 = Cited ADHS licensed method does not contain this analyte as part of method compound list.
T3 = Method not promulgated either by EPA or ADHS.
T4 = Tentatively identified compound. Concentration is estimated and based on the closest internal standard.

Calibration verification:
V1 = CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
V2 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample. The sample could not be reanalyzed due to insufficient sample.
V3 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample, but the sample was not reanalyzed. See case narrative.
V4 = CCV recovery was below method acceptance limits. The sample could not be reanalyzed due to insufficient sample.
V5 = CCV recovery after a group of samples was above acceptance limits. This target analyte was not detected in the sample. Acceptable per EPA Method 8000B.
V6 = Data reported from one-point calibration criteria per ADEQ policy 0155.000.
V7 = Calibration verification recovery was above the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.
V8 = Calibration verification recovery was below the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.

Calibration:
W1 = The % RSD for this compound was above 20%. The average % RSD for all compounds in the calibration met the 20% criteria as specified in EPA method 8000B.
W2 = The % RSD for this compound was above 15%. The average % RSD for all compounds in the calibration met the 15% criteria as specified in EPA method 8260B/8270C.

Client: Transwest Geochem, Incorporated
Project: PPG0034

Service Request: D0600805

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
D0600805-001	PPG0034-02	07/05/06	07:00
D0600805-002	PPG0034-03	07/05/06	08:14
D0600805-003	PPG0034-04	07/05/06	09:08
D0600805-004	PPG0034-05	07/05/06	10:17
D0600805-005	PPG0034-06	07/05/06	11:10
D0600805-006	PPG0034-07	07/05/06	11:40
D0600805-007	PPG0034-08	07/05/06	11:50
D0600805-008	PPG0034-09	07/05/06	07:39
D0600805-009	PPG0034-10	07/05/06	12:30
D0600805-010	PPG0034-11	07/05/06	13:06

CASE NARRATIVE

COLUMBIA ANALYTICAL SERVICES, INC.

Client:	Transwest Geochem, Inc.	**Service Request No.:**	D0600805
Project:	PPG0034	**Date Received:**	July 7, 2006
Sample Matrix:	Water		

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of Columbia Analytical Services, Inc. (CAS). This report contains analytical results for samples designated for Tier II data deliverables.

Sample Receipt

Ten water samples were received for analysis at Columbia Analytical Services on July 7, 2006.

No discrepancies were noted upon initial sample inspection. The samples were received in good condition and consistent with the accompanying chain of custody form. The samples were stored in a refrigerator at 4°C upon receipt at the laboratory.

Diesel Range Organics by EPA Method 8015B

Matrix Spike Recovery Exceptions:
Insufficient sample volume was received to perform a Matrix Spike/Matrix Spike Duplicate (MS/MSD). A Laboratory Control Sample/Duplicate Laboratory Control Sample (LCS/DLCS) was analyzed in order to report precision data.

Approved by: _____ **Date:** 7/19/06

CHAIN OF CUSTODY DOCUMENTATION

TRANSWEST GEOCHEM

CHAIN-OF-CUSTODY [redacted]

Skip Harden
3725 E. Atlanta Avenue
Suite 2
Phoenix, AZ 85040
TEL: (602) 437-0330
FAX: (602) 437-0660

Work Order: 0607035

Project: PPG0034

Subcontractor:
Columbia Analytical Services
5090 Caterpillar Rd.
Redding, CA 96003
TEL: (530) 244-5227
FAX: (530) 244-4109

06-Jul-06

	Client Sample ID	TGI ID	Matrix	Collection Date	Containers	Requested Tests: 8015MOD_W					
1	PPG0034-02	01A	Water	7/5/2006 7:00:00 AM	1	1					
2	PPG0034-03	02A	Water	7/5/2006 8:14:00 AM	1	1					
3	PPG0034-04	03A	Water	7/5/2006 9:08:00 AM	1	1					
4	PPG0034-05	04A	Water	7/5/2006 10:17:00 AM	1	1					
5	PPG0034-06	05A	Water	7/5/2006 11:10:00 AM	1	1					
6	PPG0034-07	06A	Water	7/5/2006 11:40:00 AM	1	1					
7	PPG0034-08	07A	Water	7/5/2006 11:50:00 AM	1	1					
8	PPG0034-09	08A	Water	7/5/2006 7:39:00 AM	1	1					
9	PPG0034-10	09A	Water	7/5/2006 12:30:00 PM	1	1					
10	PPG0034-11	10A	Water	7/5/2006 1:06:00 PM	1	1					

Low Level

Transfer EDD needed

Comments: After analysis, the samples do not need to be returned and can be disposed per your standard laboratory practices. Please provide a QC report, including Method Blank data.

Sample Receipt		
Temperature:	Ambient / Cold	Ice:
Received Intact:		Absent / Present
Custody Seals:		Wet / Blue
Total No. of Containers:		° C.

		Date/Time			Date/Time
Relinquished by:	Leslie Wiley - TGI	7/6/06 1530	**Received by:**	UPS	
Relinquished by:			**Received by:**	J Shulman	7/7/06 0945
Relinquished by:			**Received by:**		

Columbia Analytical Services inc.
An Employee-Owned Company

5090 Caterpillar Road
Redding, CA 96003
Phone: (530) 244-5262
Fax #: (530) 244-4109

[redacted]

COOLER RECEIPT FORM

Project/Client: _____ Batch [redacted]

1. Cooler(s)/Sample(s) received on: 7/7/06 Shipped via: UPS

   Shipping Bill # (s): 9306 3393 # of Coolers/Packages 2

2. Radiological Screening by: _____ (Acceptable) Rejected

3. Custody seals on outside of cooler: (YES) NO N/A

   If yes, where? Front ✓ Rear ____ Lt Side ____ Rt Side ____

   Seals intact: (YES) NO

COOLER/SAMPLE PROCESSING

4. Sample Processing/Tagging by: JCatman

5. Cooler(s)/Sample(s) Temp's: 2.0c 2.0c ____ ____ ____

   (or)

   Temp. Blank (if included): ____ ____ ____ ____ ____

6. Type of packing material (circle): (Ice) Blue Ice Bubble Wrap Bubble Bags Zip Locks Webbing

   Other: packing paper

7. Custody papers properly filled out (ink, signed, dated, released, etc.)? (YES) NO

8. Containers arrived in good condition (not broken, leaking, etc.)? (YES) NO

9. Samples received with adequate holding time remaining to conduct analysis? (YES) NO

10. Container labels complete (i.e. analysis, preservation, date/time, etc.)? (YES) NO

11. Container labels and tags agree with custody papers? (YES) NO

12. Correct types of containers used for the tests indicated? (YES) NO

    a.) Adequate sample received? If not, note on Exception Report. (YES) NO

13. Containers supplied by: CAS (Other)

14. Preserved containers received with the appropriate preservative? YES NO (N/A)

    pH: _____ (or) See pH log.

15. VOA vials free of air bubbles? YES NO (N/A)

16. Trip Blank preparation date: _____ CAS Other (N/A)

17. Volatile Soil samples: Encores or Plugs in Vials

    Freezer or GC/MS Date: _____ Time: _____ (N/A)

See Exception Report for discrepancies.

Rev. 8/18/2004/ds

GC TPH DIESEL

ORGANIC ANALYSES DATA PACKAGE

Analytical Method: CA LUFT AAB #: D0600805

Lab Name: Columbia Analytical Services/Redding

Base/Command: ARIZONA DELIVERABLES (RL)

Project: PPG0034

Field Sample ID	Lab Sample ID
PPG0034-02	D0600805-001
PPG0034-03	D0600805-002
PPG0034-04	D0600805-003
PPG0034-05	D0600805-004
PPG0034-06	D0600805-005
PPG0034-07	D0600805-006
PPG0034-08	D0600805-007
PPG0034-09	D0600805-008
PPG0034-10	D0600805-009
PPG0034-11	D0600805-010

Comments:

I certify this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: Wlda Ang Name: WILDA ANG

Date: 7/18/06 Title: Organic Manager

RDD-060718:CC:BS-1011PST-SR:D0600805-D0600805-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600805

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0034-02 Lab Sample ID: D0600805-001 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/07/06 Date Extracted: 07/11/06 Date Analyzed: 07/14/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	ND	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	90	58-111	
Triacontane - SS	90	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600805

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0034-03 Lab Sample ID: D0600805-002 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/07/06 Date Extracted: 07/11/06 Date Analyzed: 07/14/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**74**	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	97	58-111	
Triacontane - SS	97	54-109	

Comments:

RDD-060718:CC:BS-1013PST-SR:D0600805-D0600805-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600805

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0034-04 Lab Sample ID: D0600805-003 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/07/06 Date Extracted: 07/11/06 Date Analyzed: 07/14/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**140**	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	**140**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	91	58-111	
Triacontane - SS	91	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600805

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0034-05 Lab Sample ID: D0600805-004 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/07/06 Date Extracted: 07/11/06 Date Analyzed: 07/14/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**51**	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	97	58-111	
Triacontane - SS	97	54-109	

Comments:

RDD-060718:CC:BS-1013PST-SR:D0600805-D0600805-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600805

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0034-06 Lab Sample ID: D0600805-005 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/07/06 Date Extracted: 07/11/06 Date Analyzed: 07/14/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	ND	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	106	58-111	
Triacontane - SS	105	54-109	

Comments:

RDD-060718:CC:BS-1013PST-SR:D0600805-D0600805-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600805

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0034-07 Lab Sample ID: D0600805-006 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/07/06 Date Extracted: 07/11/06 Date Analyzed: 07/15/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	ND	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	90	58-111	
Triacontane - SS	90	54-109	

Comments:

RDD-060718:CC:BS-1013PST-SR:D0600805-D0600805-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600805

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0034-08 Lab Sample ID: D0600805-007 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/07/06 Date Extracted: 07/11/06 Date Analyzed: 07/15/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	ND	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	102	58-111	
Triacontane - SS	102	54-109	

Comments:

RDD-060718:CC:BS-1013PST-SR:D0600805-D0600805-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600805

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0034-09 Lab Sample ID: D0600805-008 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/07/06 Date Extracted: 07/11/06 Date Analyzed: 07/15/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	ND	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	94	58-111	
Triacontane - SS	94	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600805

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0034-10 Lab Sample ID: D0600805-009 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/07/06 Date Extracted: 07/11/06 Date Analyzed: 07/15/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	ND	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	98	58-111	
Triacontane - SS	98	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600805

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0034-11 Lab Sample ID: D0600805-010 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/07/06 Date Extracted: 07/11/06 Date Analyzed: 07/15/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	ND	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	96	58-111	
Triacontane - SS	96	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 6
BLANKS

Analytical Method: CA LUFT AAB #: D0600805

Lab Name: Columbia Analytical Services/Redding

Concentration Units (ug/L or mg/kg): UG/L Method Blank ID: DWB10711

Lab Sample ID: DWB10711

Initial Calibration ID: 05/20/06GCF

Analyte		Method Blank	RL	Q
C13 - C22 DRO		ND	50	
C23 - C32 HRO		ND	50	
Total Petroleum Hydrocarbons		ND	100	

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	94	58-111	
Triacontane - SS	94	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 7
LABORATORY CONTROL SAMPLE/LABORATORY CONTROL SAMPLE DUPLICATE

Analytical Method: CA LUFT AAB #: D0600805

Lab Name: Columbia Analytical Services/Redding

Concentration Units (ug/L or mg/kg): UG/L %Solids: _____

Parent Field Sample ID: DWB10711 BS ID: DWB10711LCS BSD ID: DWB10711LCSD

Analyte	Parent Sample Result	Spike Added	Spiked Sample Result	%R	Duplicat Spike Sample Result	%R	%RPD	Control Limits %RPD	Control Limits %R	Q
C13 - C22 DRO		2500	2320	93	2170	87	7	30	64-106	

Comments:

ORGANIC ANALYSES DATA SHEET 10
INSTRUMENT ANALYSIS SEQUENCE LOG

Analytical Method: CA LUFT AAB #: D0600805

Lab Name: Columbia Analytical Services/Redding

Instrument ID #: GCF RTX-5

Field Sample ID/Std ID/ Blank ID/QC Sample ID	Laboratory File ID	Date Analysis Started	Time Analysis Started	Date Analysis Completed	Time Analysis Completed
DSTD6	F0520002	05/20/06	1838	05/20/06	1908
DSTD1	F0520003	05/20/06	1923	05/20/06	1953
DSTD2	F0520004	05/20/06	2008	05/20/06	2038
DSTD3	F0520005	05/20/06	2054	05/20/06	2124
DSTD4	F0520006	05/20/06	2139	05/20/06	2209
DSTD5	F0520007	05/20/06	2225	05/20/06	2255
QC ALT	F0520009	05/20/06	2356	05/21/06	0026
DSTD4	F0714002	07/14/06	1429	07/14/06	1459
DWB10711	F0714005	07/14/06	1641	07/14/06	1711
DWB10711LCS	F0714006	07/14/06	1726	07/14/06	1756
DWB10711LCSD	F0714007	07/14/06	1810	07/14/06	1840
PPG0034-02	F0714008	07/14/06	1854	07/14/06	1924
PPG0034-03	F0714009	07/14/06	1938	07/14/06	2008
PPG0034-04	F0714010	07/14/06	2022	07/14/06	2052
PPG0034-05	F0714011	07/14/06	2106	07/14/06	2136
DSTD3	F0714013	07/14/06	2235	07/14/06	2305
PPG0034-06	F0714014	07/14/06	2319	07/14/06	2349
PPG0034-07	F0714015	07/15/06	0003	07/15/06	0033
PPG0034-08	F0714016	07/15/06	0047	07/15/06	0117
PPG0034-09	F0714017	07/15/06	0131	07/15/06	0201
PPG0034-10	F0714018	07/15/06	0216	07/15/06	0246
PPG0034-11	F0714019	07/15/06	0300	07/15/06	0330
DSTD4	F0714024	07/15/06	0639	07/15/06	0709

Comments:

Redding

TRANSWEST GEOCHEM

Sample Receipt Checklist

Client Name: Del Mar

Date and Time Received: 7/6/06 855

Work Order Number: 0607035

Checked by: SH

Checklist completed by: [signature] 7/6/06
Signature / Date

Logged In by: JO 7/6/06
Initials / Date

Matrix: Water Carrier Name: (Client) TGI _____

Reviewed by: SH 7/7/06
Initials / Date

				COMMENTS
Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐	
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☑	
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑	
Chain of custody present?	Yes ☑	No ☐		
Chain of custody signed when relinquished and received?	Yes ☑	No ☐		
Chain of custody agrees with sample labels?	Yes ☑	No ☐		
Samples in proper container/bottle?	Yes ☑	No ☐		
Sample containers intact?	Yes ☑	No ☐		
Sufficient sample volume for indicated test?	Yes ☑	No ☐		
All samples received within holding time?	Yes ☑	No ☐		
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	Temp: 4.6	Sampled < 2hrs ☐
Water – VOA vials have zero headspace?	Yes ☐	No ☐	N/A ☑	
Water – pH acceptable upon receipt?	Yes ☑	No ☐	N/A ☐	Checked by: SO
Water – Sulfides present in Cyanide samples?	Yes ☐	No ☐	N/A ☑	
Sample considered Drinking Water?	Yes ☐	No ☐	N/A ☑	

Client contacted: _____ Date contacted: _____ Person contacted: _____

Contacted by: _____ Regarding: _____

Corrective Action: _____

TestAmerica
ANALYTICAL TESTING CORPORATION

SUBCONTRACT ORDER - PROJECT # PPG0034

SENDING LABORATORY:
Del Mar Analytical - Phoenix
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem (out)
3725 E. Atlanta Ave Ste 1
Phoenix, AZ 85040-2961
Phone :602-437-0330
Fax: (602) 437-0660

0607035

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments	pH
Sample ID: PPG0034-02 Water	**Sampled: 07/05/06 07:00**		
01 8015B MOD-Low Level-O	07/12/06 07:00	sub to Transwest, need transfer file for EDD	
Containers Supplied:			2, 2
1 L Amber w/H2SO4 (PPG0034-02D)			
1 L Amber w/H2SO4 (PPG0034-02E)			
Sample ID: PPG0034-03 Water	**Sampled: 07/05/06 08:14**		
02 8015B MOD-Low Level-O	07/12/06 08:14	sub to Transwest, need transfer file for EDD	
Containers Supplied:			2, 2
1 L Amber w/H2SO4 (PPG0034-03D)			
1 L Amber w/H2SO4 (PPG0034-03E)			
Sample ID: PPG0034-04 Water	**Sampled: 07/05/06 09:08**		
8015B MOD-Low Level-O	07/12/06 09:08	sub to Transwest, need transfer file for EDD	
03 **Containers Supplied:**			2, 2
1 L Amber w/H2SO4 (PPG0034-04D)			
1 L Amber w/H2SO4 (PPG0034-04E)			
Sample ID: PPG0034-05 Water	**Sampled: 07/05/06 10:17**		
8015B MOD-Low Level-O	07/12/06 10:17	sub to Transwest, need transfer file for EDD	
04 **Containers Supplied:**			2, 2
1 L Amber w/H2SO4 (PPG0034-05D)			
1 L Amber w/H2SO4 (PPG0034-05E)			
Sample ID: PPG0034-06 Water	**Sampled: 07/05/06 11:10**		
05 8015B MOD-Low Level-O	07/12/06 11:10	sub to Transwest, need transfer file for EDD	
Containers Supplied:			2, 2
1 L Amber w/H2SO4 (PPG0034-06D)			
1 L Amber w/H2SO4 (PPG0034-06E)			

Released By	Date	Time	Received By	Date	Time
Released By	Date	Time	Received By	Date	Time

TestAmerica
ANALYTICAL TESTING CORPORATION

SUBCONTRACT ORDER - PROJECT # PPG0034

SENDING LABORATORY:
Del Mar Analytical - Phoenix
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem (out)
3725 E. Atlanta Ave Ste 1
Phoenix, AZ 85040-2961
Phone :602-437-0330
Fax: (602) 437-0660

0607035

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPG0034-07 Water **Sampled: 07/05/06 11:40**		
8015B MOD-Low Level-O	07/12/06 11:40	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPG0034-07D)		
1 L Amber w/H2SO4 (PPG0034-07E)		
Sample ID: PPG0034-08 Water **Sampled: 07/05/06 11:50**		
8015B MOD-Low Level-O	07/12/06 11:50	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPG0034-08D)		
1 L Amber w/H2SO4 (PPG0034-08E)		
Sample ID: PPG0034-09 Water **Sampled: 07/05/06 07:39**		
8015B MOD-Low Level-O	07/12/06 07:39	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPG0034-09D)		
1 L Amber w/H2SO4 (PPG0034-09E)		
Sample ID: PPG0034-10 Water **Sampled: 07/05/06 12:30**		
8015B MOD-Low Level-O	07/12/06 12:30	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPG0034-10D)		
1 L Amber w/H2SO4 (PPG0034-10E)		
Sample ID: PPG0034-11 Water **Sampled: 07/05/06 13:06**		
8015B MOD-Low Level-O	07/12/06 13:06	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPG0034-11D)		
1 L Amber w/H2SO4 (PPG0034-11E)		

Released By	Date	Time	Received By	Date	Time
Released By	Date	Time	Received By	Date	Time

TestAmerica
ANALYTICAL TESTING CORPORATION

SUBCONTRACT ORDER - PROJECT # PPG0034

0607035

SAMPLE INTEGRITY:

All containers intact: ☒ Yes ☐ No
Custody Seals Present: ☐ Yes ☒ No

Sample labels/COC agree: ☒ Yes ☐ No
Samples Preserved Properly: ☐ Yes ☐ No

Samples Received On Ice:: ☒ Yes ☐ No
Samples Received at (temp): 4.6

Released By	7-6-06	8:00	Received By	7-6-06	0800
	Date	Time		Date	Time
Released By	7-6-06	855	Received By	7-6-06	855
	Date	Time		Date	Time

TestAmerica
ANALYTICAL TESTING CORPORATION

9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

LABORATORY REPORT

Prepared For: CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project: Sky Harbor HW Quarterly / UST Sampling Program

Sampled: 07/06/06
Received: 07/06/06
Issued: 07/26/06 15:33

NELAP #01109CA Arizona DHS#AZ0426

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.
This entire report was reviewed and approved for release.

CASE NARRATIVE

LABORATORY ID	CLIENT ID	MATRIX
PPG0084-01	TB-070606	Water
PPG0084-02	ASE-65A-6B3	Water
PPG0084-03	ASE-62A-6B3	Water
PPG0084-04	ASE-55A-6B3	Water
PPG0084-05	ASE-108A-6B3	Water
PPG0084-06	ASE-92A-6B3	Water
PPG0084-07	ASE-91A-6B3	Water
PPG0084-08	ASE-506-6B3	Water
PPG0084-09	ASE-41A-6B3	Water

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe 2625 S. Plaza Drive, Ste. 300 Tempe, AZ 85282 Attention: Jennifer Holland	Project ID: Sky Harbor HW Quarterly / UST Sampling Program Report Number: PPG0084	Sampled: 07/06/06 Received: 07/06/06

SAMPLE RECEIPT:	Samples were received intact, at 3°C, on ice and with chain of custody documentation.
HOLDING TIMES:	All samples were analyzed within prescribed holding times and/or in accordance with the TestAmerica Sample Acceptance Policy unless otherwise noted in the report.
PRESERVATION:	Samples requiring preservation were verified prior to sample analysis.
QA/QC CRITERIA:	All analyses met method criteria, except as noted in the report with data qualifiers.
COMMENTS:	N1: The second source continuing calibration verification analyzed immediately following the calibration recovered high and outside of acceptance limits for Vinly Acetate and TAME. All associated samples are non-detect and therefore should not be impacted.
SUBCONTRACTED:	Refer to the last page for specific subcontract laboratory information included in this report.

Reviewed By:

Ken Baker

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084

Sampled: 07/06/06
Received: 07/06/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0084-01 (TB-070606 - Water)				**Sampled: 07/06/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1909	20	ND	1	7/18/2006	7/18/2006	
Benzene	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/18/2006	
Bromobenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Bromochloromethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Bromodichloromethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Bromoform	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Bromomethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
2-Butanone (MEK)	EPA 8260B	P6G1909	10	ND	1	7/18/2006	7/18/2006	
n-Butylbenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
sec-Butylbenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
tert-Butylbenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Carbon Disulfide	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Carbon tetrachloride	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Chlorobenzene	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/18/2006	
Chloroethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Chloroform	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Chloromethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
2-Chlorotoluene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
4-Chlorotoluene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Dibromochloromethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Dibromomethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/18/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/18/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/18/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
1,1-Dichloroethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,2-Dichloroethane	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/18/2006	
1,1-Dichloroethene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,2-Dichloropropane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,3-Dichloropropane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
2,2-Dichloropropane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,1-Dichloropropene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Ethylbenzene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Hexachlorobutadiene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
2-Hexanone	EPA 8260B	P6G1909	10	ND	1	7/18/2006	7/18/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0084-01 (TB-070606 - Water) - cont.				**Sampled: 07/06/06**				
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Isopropylbenzene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
p-Isopropyltoluene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Methylene chloride	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1909	10	ND	1	7/18/2006	7/18/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Naphthalene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
n-Propylbenzene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Styrene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Tetrachloroethene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Toluene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Trichloroethene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Trichlorofluoromethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1909	10	ND	1	7/18/2006	7/18/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Vinyl acetate	EPA 8260B	P6G1909	25	ND	1	7/18/2006	7/18/2006	N1
Vinyl chloride	EPA 8260B	P6G1909	1.7	ND	1	7/18/2006	7/18/2006	
Xylenes, Total	EPA 8260B	P6G1909	3.0	ND	1	7/18/2006	7/18/2006	
Surrogate: Dibromofluoromethane (80-130%)				*106 %*				
Surrogate: Toluene-d8 (80-120%)				*105 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*97 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084

Sampled: 07/06/06
Received: 07/06/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0084-02 (ASE-65A-6B3 - Water)				**Sampled: 07/06/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1909	20	ND	1	7/18/2006	7/18/2006	
Benzene	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/18/2006	
Bromobenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Bromochloromethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Bromodichloromethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Bromoform	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Bromomethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
2-Butanone (MEK)	EPA 8260B	P6G1909	10	ND	1	7/18/2006	7/18/2006	
n-Butylbenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
sec-Butylbenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
tert-Butylbenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Carbon Disulfide	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Carbon tetrachloride	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Chlorobenzene	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/18/2006	
Chloroethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Chloroform	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Chloromethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
2-Chlorotoluene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
4-Chlorotoluene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Dibromochloromethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Dibromomethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/18/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/18/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/18/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
1,1-Dichloroethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,2-Dichloroethane	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/18/2006	
1,1-Dichloroethene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1909	2.0	**6.0**	1	7/18/2006	7/18/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,2-Dichloropropane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,3-Dichloropropane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
2,2-Dichloropropane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,1-Dichloropropene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Ethylbenzene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Hexachlorobutadiene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
2-Hexanone	EPA 8260B	P6G1909	10	ND	1	7/18/2006	7/18/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0084-02 (ASE-65A-6B3 - Water) - cont.				**Sampled: 07/06/06**				
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Isopropylbenzene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
p-Isopropyltoluene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Methylene chloride	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1909	10	ND	1	7/18/2006	7/18/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Naphthalene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
n-Propylbenzene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Styrene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Tetrachloroethene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Toluene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Trichloroethene	EPA 8260B	P6G1909	2.0	**16**	1	7/18/2006	7/18/2006	
Trichlorofluoromethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1909	10	ND	1	7/18/2006	7/18/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Vinyl acetate	EPA 8260B	P6G1909	25	ND	1	7/18/2006	7/18/2006	N1
Vinyl chloride	EPA 8260B	P6G1909	1.7	ND	1	7/18/2006	7/18/2006	
Xylenes, Total	EPA 8260B	P6G1909	3.0	ND	1	7/18/2006	7/18/2006	
Surrogate: Dibromofluoromethane (80-130%)				*102 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*97 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084

Sampled: 07/06/06
Received: 07/06/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0084-03 (ASE-62A-6B3 - Water)				**Sampled: 07/06/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1909	20	ND	1	7/18/2006	7/18/2006	
Benzene	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/18/2006	
Bromobenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Bromochloromethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Bromodichloromethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Bromoform	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Bromomethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
2-Butanone (MEK)	EPA 8260B	P6G1909	10	ND	1	7/18/2006	7/18/2006	
n-Butylbenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
sec-Butylbenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
tert-Butylbenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Carbon Disulfide	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Carbon tetrachloride	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Chlorobenzene	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/18/2006	
Chloroethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Chloroform	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Chloromethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
2-Chlorotoluene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
4-Chlorotoluene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Dibromochloromethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Dibromomethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/18/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/18/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/18/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
1,1-Dichloroethane	EPA 8260B	P6G1909	2.0	**4.7**	1	7/18/2006	7/18/2006	
1,2-Dichloroethane	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/18/2006	
1,1-Dichloroethene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,2-Dichloropropane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,3-Dichloropropane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
2,2-Dichloropropane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,1-Dichloropropene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Ethylbenzene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Hexachlorobutadiene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
2-Hexanone	EPA 8260B	P6G1909	10	ND	1	7/18/2006	7/18/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0084-03 (ASE-62A-6B3 - Water) - cont.				**Sampled: 07/06/06**				
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Isopropylbenzene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
p-Isopropyltoluene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Methylene chloride	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1909	10	ND	1	7/18/2006	7/18/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Naphthalene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
n-Propylbenzene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Styrene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Tetrachloroethene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Toluene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Trichloroethene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Trichlorofluoromethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1909	10	ND	1	7/18/2006	7/18/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Vinyl acetate	EPA 8260B	P6G1909	25	ND	1	7/18/2006	7/18/2006	N1
Vinyl chloride	EPA 8260B	P6G1909	1.7	ND	1	7/18/2006	7/18/2006	
Xylenes, Total	EPA 8260B	P6G1909	3.0	ND	1	7/18/2006	7/18/2006	
Surrogate: Dibromofluoromethane (80-130%)				*103 %*				
Surrogate: Toluene-d8 (80-120%)				*103 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084

Sampled: 07/06/06
Received: 07/06/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0084-04 (ASE-55A-6B3 - Water)				**Sampled: 07/06/06**				**D1**
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2001	200	ND	10	7/19/2006	7/19/2006	
Benzene	EPA 8260B	P6G2001	10	ND	10	7/19/2006	7/19/2006	
Bromobenzene	EPA 8260B	P6G2001	50	ND	10	7/19/2006	7/19/2006	
Bromochloromethane	EPA 8260B	P6G2001	50	ND	10	7/19/2006	7/19/2006	
Bromodichloromethane	EPA 8260B	P6G2001	20	ND	10	7/19/2006	7/19/2006	
Bromoform	EPA 8260B	P6G2001	50	ND	10	7/19/2006	7/19/2006	
Bromomethane	EPA 8260B	P6G2001	50	ND	10	7/19/2006	7/19/2006	
2-Butanone (MEK)	EPA 8260B	P6G2001	100	ND	10	7/19/2006	7/19/2006	
n-Butylbenzene	EPA 8260B	P6G2001	50	ND	10	7/19/2006	7/19/2006	
sec-Butylbenzene	EPA 8260B	P6G2001	50	ND	10	7/19/2006	7/19/2006	
tert-Butylbenzene	EPA 8260B	P6G2001	50	ND	10	7/19/2006	7/19/2006	
Carbon Disulfide	EPA 8260B	P6G2001	50	ND	10	7/19/2006	7/19/2006	
Carbon tetrachloride	EPA 8260B	P6G2001	50	ND	10	7/19/2006	7/19/2006	
Chlorobenzene	EPA 8260B	P6G2001	10	ND	10	7/19/2006	7/19/2006	
Chloroethane	EPA 8260B	P6G2001	50	ND	10	7/19/2006	7/19/2006	
Chloroform	EPA 8260B	P6G2001	20	ND	10	7/19/2006	7/19/2006	
Chloromethane	EPA 8260B	P6G2001	50	ND	10	7/19/2006	7/19/2006	
2-Chlorotoluene	EPA 8260B	P6G2001	50	ND	10	7/19/2006	7/19/2006	
4-Chlorotoluene	EPA 8260B	P6G2001	50	ND	10	7/19/2006	7/19/2006	
Dibromochloromethane	EPA 8260B	P6G2001	20	ND	10	7/19/2006	7/19/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2001	50	ND	10	7/19/2006	7/19/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2001	20	ND	10	7/19/2006	7/19/2006	
Dibromomethane	EPA 8260B	P6G2001	20	ND	10	7/19/2006	7/19/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2001	10	ND	10	7/19/2006	7/19/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2001	10	ND	10	7/19/2006	7/19/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2001	10	ND	10	7/19/2006	7/19/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2001	50	ND	10	7/19/2006	7/19/2006	
1,1-Dichloroethane	EPA 8260B	P6G2001	20	**63**	10	7/19/2006	7/19/2006	
1,2-Dichloroethane	EPA 8260B	P6G2001	10	ND	10	7/19/2006	7/19/2006	
1,1-Dichloroethene	EPA 8260B	P6G2001	50	ND	10	7/19/2006	7/19/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2001	20	ND	10	7/19/2006	7/19/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2001	20	ND	10	7/19/2006	7/19/2006	
1,2-Dichloropropane	EPA 8260B	P6G2001	20	ND	10	7/19/2006	7/19/2006	
1,3-Dichloropropane	EPA 8260B	P6G2001	20	ND	10	7/19/2006	7/19/2006	
2,2-Dichloropropane	EPA 8260B	P6G2001	20	ND	10	7/19/2006	7/19/2006	
1,1-Dichloropropene	EPA 8260B	P6G2001	20	ND	10	7/19/2006	7/19/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2001	20	ND	10	7/19/2006	7/19/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2001	20	ND	10	7/19/2006	7/19/2006	
Ethylbenzene	EPA 8260B	P6G2001	20	ND	10	7/19/2006	7/19/2006	
Hexachlorobutadiene	EPA 8260B	P6G2001	50	ND	10	7/19/2006	7/19/2006	
2-Hexanone	EPA 8260B	P6G2001	100	ND	10	7/19/2006	7/19/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0084-04 (ASE-55A-6B3 - Water) - cont.				**Sampled: 07/06/06**				**D1**
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G2001	20	ND	10	7/19/2006	7/19/2006	
Isopropylbenzene	EPA 8260B	P6G2001	20	ND	10	7/19/2006	7/19/2006	
p-Isopropyltoluene	EPA 8260B	P6G2001	20	ND	10	7/19/2006	7/19/2006	
Methylene chloride	EPA 8260B	P6G2001	50	ND	10	7/19/2006	7/19/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2001	100	ND	10	7/19/2006	7/19/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2001	50	ND	10	7/19/2006	7/19/2006	
Naphthalene	EPA 8260B	P6G2001	20	**57**	10	7/19/2006	7/19/2006	
n-Propylbenzene	EPA 8260B	P6G2001	20	ND	10	7/19/2006	7/19/2006	
Styrene	EPA 8260B	P6G2001	20	ND	10	7/19/2006	7/19/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2001	50	ND	10	7/19/2006	7/19/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2001	20	ND	10	7/19/2006	7/19/2006	
Tetrachloroethene	EPA 8260B	P6G2001	20	ND	10	7/19/2006	7/19/2006	
Toluene	EPA 8260B	P6G2001	20	ND	10	7/19/2006	7/19/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2001	50	ND	10	7/19/2006	7/19/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G2001	50	ND	10	7/19/2006	7/19/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2001	20	ND	10	7/19/2006	7/19/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2001	20	ND	10	7/19/2006	7/19/2006	
Trichloroethene	EPA 8260B	P6G2001	20	ND	10	7/19/2006	7/19/2006	
Trichlorofluoromethane	EPA 8260B	P6G2001	50	ND	10	7/19/2006	7/19/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2001	100	ND	10	7/19/2006	7/19/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2001	20	ND	10	7/19/2006	7/19/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2001	20	ND	10	7/19/2006	7/19/2006	
Vinyl acetate	EPA 8260B	P6G2001	250	ND	10	7/19/2006	7/19/2006	N1
Vinyl chloride	EPA 8260B	P6G2001	17	ND	10	7/19/2006	7/19/2006	
Xylenes, Total	EPA 8260B	P6G2001	30	ND	10	7/19/2006	7/19/2006	
Surrogate: Dibromofluoromethane (80-130%)				*104 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*101 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084

Sampled: 07/06/06
Received: 07/06/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0084-05 (ASE-108A-6B3 - Water)				**Sampled: 07/06/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1909	20	ND	1	7/18/2006	7/18/2006	
Benzene	EPA 8260B	P6G1909	1.0	**2.1**	1	7/18/2006	7/18/2006	
Bromobenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Bromochloromethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Bromodichloromethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Bromoform	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Bromomethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
2-Butanone (MEK)	EPA 8260B	P6G1909	10	ND	1	7/18/2006	7/18/2006	
n-Butylbenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
sec-Butylbenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
tert-Butylbenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Carbon Disulfide	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Carbon tetrachloride	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Chlorobenzene	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/18/2006	
Chloroethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Chloroform	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Chloromethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
2-Chlorotoluene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
4-Chlorotoluene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Dibromochloromethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Dibromomethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/18/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/18/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/18/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
1,1-Dichloroethane	EPA 8260B	P6G1909	2.0	**42**	1	7/18/2006	7/18/2006	
1,2-Dichloroethane	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/18/2006	
1,1-Dichloroethene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,2-Dichloropropane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,3-Dichloropropane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
2,2-Dichloropropane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,1-Dichloropropene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Ethylbenzene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Hexachlorobutadiene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
2-Hexanone	EPA 8260B	P6G1909	10	ND	1	7/18/2006	7/18/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0084-05 (ASE-108A-6B3 - Water) - cont.				**Sampled: 07/06/06**				
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Isopropylbenzene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
p-Isopropyltoluene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Methylene chloride	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1909	10	ND	1	7/18/2006	7/18/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Naphthalene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
n-Propylbenzene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Styrene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Tetrachloroethene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Toluene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Trichloroethene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Trichlorofluoromethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1909	10	ND	1	7/18/2006	7/18/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Vinyl acetate	EPA 8260B	P6G1909	25	ND	1	7/18/2006	7/18/2006	N1
Vinyl chloride	EPA 8260B	P6G1909	1.7	**5.1**	1	7/18/2006	7/18/2006	
Xylenes, Total	EPA 8260B	P6G1909	3.0	ND	1	7/18/2006	7/18/2006	
Surrogate: Dibromofluoromethane (80-130%)				*105 %*				
Surrogate: Toluene-d8 (80-120%)				*105 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*97 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0084-06 (ASE-92A-6B3 - Water)				**Sampled: 07/06/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1909	20	ND	1	7/18/2006	7/18/2006	
Benzene	EPA 8260B	P6G1909	1.0	**3.3**	1	7/18/2006	7/18/2006	
Bromobenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Bromochloromethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Bromodichloromethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Bromoform	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Bromomethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
2-Butanone (MEK)	EPA 8260B	P6G1909	10	ND	1	7/18/2006	7/18/2006	
n-Butylbenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
sec-Butylbenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
tert-Butylbenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Carbon Disulfide	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Carbon tetrachloride	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Chlorobenzene	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/18/2006	
Chloroethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Chloroform	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Chloromethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
2-Chlorotoluene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
4-Chlorotoluene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
Dibromochloromethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Dibromomethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/18/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/18/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/18/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
1,1-Dichloroethane	EPA 8260B	P6G1909	2.0	**22**	1	7/18/2006	7/18/2006	
1,2-Dichloroethane	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/18/2006	
1,1-Dichloroethene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1909	2.0	**3.5**	1	7/18/2006	7/18/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,2-Dichloropropane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,3-Dichloropropane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
2,2-Dichloropropane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,1-Dichloropropene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Ethylbenzene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Hexachlorobutadiene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
2-Hexanone	EPA 8260B	P6G1909	10	ND	1	7/18/2006	7/18/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0084-06 (ASE-92A-6B3 - Water) - cont.				**Sampled: 07/06/06**				
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Isopropylbenzene	EPA 8260B	P6G1909	2.0	**2.1**	1	7/18/2006	7/18/2006	
p-Isopropyltoluene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Methylene chloride	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1909	10	ND	1	7/18/2006	7/18/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1909	5.0	**110**	1	7/18/2006	7/18/2006	
Naphthalene	EPA 8260B	P6G1909	2.0	**2.5**	1	7/18/2006	7/18/2006	
n-Propylbenzene	EPA 8260B	P6G1909	2.0	**2.0**	1	7/18/2006	7/18/2006	
Styrene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Tetrachloroethene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Toluene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Trichloroethene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Trichlorofluoromethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/18/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1909	10	ND	1	7/18/2006	7/18/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1909	2.0	**2.2**	1	7/18/2006	7/18/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/18/2006	
Vinyl acetate	EPA 8260B	P6G1909	25	ND	1	7/18/2006	7/18/2006	N1
Vinyl chloride	EPA 8260B	P6G1909	1.7	**4.6**	1	7/18/2006	7/18/2006	
Xylenes, Total	EPA 8260B	P6G1909	3.0	ND	1	7/18/2006	7/18/2006	
Surrogate: Dibromofluoromethane (80-130%)				*106 %*				
Surrogate: Toluene-d8 (80-120%)				*105 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*99 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084

Sampled: 07/06/06
Received: 07/06/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0084-07 (ASE-91A-6B3 - Water)				**Sampled: 07/06/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1909	200	ND	10	7/18/2006	7/18/2006	
Benzene	EPA 8260B	P6G1909	10	**34**	10	7/18/2006	7/18/2006	
Bromobenzene	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/18/2006	
Bromochloromethane	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/18/2006	
Bromodichloromethane	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/18/2006	
Bromoform	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/18/2006	
Bromomethane	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/18/2006	
2-Butanone (MEK)	EPA 8260B	P6G1909	100	ND	10	7/18/2006	7/18/2006	
n-Butylbenzene	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/18/2006	
sec-Butylbenzene	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/18/2006	
tert-Butylbenzene	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/18/2006	
Carbon Disulfide	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/18/2006	
Carbon tetrachloride	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/18/2006	
Chlorobenzene	EPA 8260B	P6G1909	10	ND	10	7/18/2006	7/18/2006	
Chloroethane	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/18/2006	
Chloroform	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/18/2006	
Chloromethane	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/18/2006	
2-Chlorotoluene	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/18/2006	
4-Chlorotoluene	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/18/2006	
Dibromochloromethane	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/18/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/18/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/18/2006	
Dibromomethane	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/18/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1909	10	ND	10	7/18/2006	7/18/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1909	10	ND	10	7/18/2006	7/18/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1909	10	ND	10	7/18/2006	7/18/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/18/2006	
1,1-Dichloroethane	EPA 8260B	P6G1909	20	**150**	10	7/18/2006	7/18/2006	
1,2-Dichloroethane	EPA 8260B	P6G1909	10	ND	10	7/18/2006	7/18/2006	
1,1-Dichloroethene	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/18/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/18/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/18/2006	
1,2-Dichloropropane	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/18/2006	
1,3-Dichloropropane	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/18/2006	
2,2-Dichloropropane	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/18/2006	
1,1-Dichloropropene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/18/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/18/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/18/2006	
Ethylbenzene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/18/2006	
Hexachlorobutadiene	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/18/2006	
2-Hexanone	EPA 8260B	P6G1909	100	ND	10	7/18/2006	7/18/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0084-07 (ASE-91A-6B3 - Water) - cont.				**Sampled: 07/06/06**				
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/18/2006	
Isopropylbenzene	EPA 8260B	P6G1909	20	**21**	10	7/18/2006	7/18/2006	
p-Isopropyltoluene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/18/2006	
Methylene chloride	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/18/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1909	100	ND	10	7/18/2006	7/18/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/18/2006	
Naphthalene	EPA 8260B	P6G1909	20	**35**	10	7/18/2006	7/18/2006	
n-Propylbenzene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/18/2006	
Styrene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/18/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/18/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/18/2006	
Tetrachloroethene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/18/2006	
Toluene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/18/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/18/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/18/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/18/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/18/2006	
Trichloroethene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/18/2006	
Trichlorofluoromethane	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/18/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1909	100	ND	10	7/18/2006	7/18/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/18/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/18/2006	
Vinyl acetate	EPA 8260B	P6G1909	250	ND	10	7/18/2006	7/18/2006	N1
Vinyl chloride	EPA 8260B	P6G1909	17	**17**	10	7/18/2006	7/18/2006	
Xylenes, Total	EPA 8260B	P6G1909	30	ND	10	7/18/2006	7/18/2006	
Surrogate: Dibromofluoromethane (80-130%)				*104 %*				
Surrogate: Toluene-d8 (80-120%)				*103 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*97 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084

Sampled: 07/06/06
Received: 07/06/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0084-08 (ASE-506-6B3 - Water)				**Sampled: 07/06/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1909	200	ND	10	7/18/2006	7/19/2006	
Benzene	EPA 8260B	P6G1909	10	**32**	10	7/18/2006	7/19/2006	
Bromobenzene	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/19/2006	
Bromochloromethane	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/19/2006	
Bromodichloromethane	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/19/2006	
Bromoform	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/19/2006	
Bromomethane	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/19/2006	
2-Butanone (MEK)	EPA 8260B	P6G1909	100	ND	10	7/18/2006	7/19/2006	
n-Butylbenzene	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/19/2006	
sec-Butylbenzene	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/19/2006	
tert-Butylbenzene	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/19/2006	
Carbon Disulfide	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/19/2006	
Carbon tetrachloride	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/19/2006	
Chlorobenzene	EPA 8260B	P6G1909	10	ND	10	7/18/2006	7/19/2006	
Chloroethane	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/19/2006	
Chloroform	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/19/2006	
Chloromethane	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/19/2006	
2-Chlorotoluene	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/19/2006	
4-Chlorotoluene	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/19/2006	
Dibromochloromethane	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/19/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/19/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/19/2006	
Dibromomethane	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/19/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1909	10	ND	10	7/18/2006	7/19/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1909	10	ND	10	7/18/2006	7/19/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1909	10	ND	10	7/18/2006	7/19/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/19/2006	
1,1-Dichloroethane	EPA 8260B	P6G1909	20	**140**	10	7/18/2006	7/19/2006	
1,2-Dichloroethane	EPA 8260B	P6G1909	10	ND	10	7/18/2006	7/19/2006	
1,1-Dichloroethene	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/19/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/19/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/19/2006	
1,2-Dichloropropane	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/19/2006	
1,3-Dichloropropane	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/19/2006	
2,2-Dichloropropane	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/19/2006	
1,1-Dichloropropene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/19/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/19/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/19/2006	
Ethylbenzene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/19/2006	
Hexachlorobutadiene	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/19/2006	
2-Hexanone	EPA 8260B	P6G1909	100	ND	10	7/18/2006	7/19/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0084-08 (ASE-506-6B3 - Water) - cont.				**Sampled: 07/06/06**				
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/19/2006	
Isopropylbenzene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/19/2006	
p-Isopropyltoluene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/19/2006	
Methylene chloride	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/19/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1909	100	ND	10	7/18/2006	7/19/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/19/2006	
Naphthalene	EPA 8260B	P6G1909	20	**28**	10	7/18/2006	7/19/2006	
n-Propylbenzene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/19/2006	
Styrene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/19/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/19/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/19/2006	
Tetrachloroethene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/19/2006	
Toluene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/19/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/19/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/19/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/19/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/19/2006	
Trichloroethene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/19/2006	
Trichlorofluoromethane	EPA 8260B	P6G1909	50	ND	10	7/18/2006	7/19/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1909	100	ND	10	7/18/2006	7/19/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/19/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1909	20	ND	10	7/18/2006	7/19/2006	
Vinyl acetate	EPA 8260B	P6G1909	250	ND	10	7/18/2006	7/19/2006	N1
Vinyl chloride	EPA 8260B	P6G1909	17	ND	10	7/18/2006	7/19/2006	
Xylenes, Total	EPA 8260B	P6G1909	30	ND	10	7/18/2006	7/19/2006	
Surrogate: Dibromofluoromethane (80-130%)				*103 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084

Sampled: 07/06/06
Received: 07/06/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0084-09 (ASE-41A-6B3 - Water)				**Sampled: 07/06/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G1909	20	ND	1	7/18/2006	7/19/2006	
Benzene	EPA 8260B	P6G1909	1.0	**38**	1	7/18/2006	7/19/2006	
Bromobenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/19/2006	
Bromochloromethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/19/2006	
Bromodichloromethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/19/2006	
Bromoform	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/19/2006	
Bromomethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/19/2006	
2-Butanone (MEK)	EPA 8260B	P6G1909	10	ND	1	7/18/2006	7/19/2006	
n-Butylbenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/19/2006	
sec-Butylbenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/19/2006	
tert-Butylbenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/19/2006	
Carbon Disulfide	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/19/2006	
Carbon tetrachloride	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/19/2006	
Chlorobenzene	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/19/2006	
Chloroethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/19/2006	
Chloroform	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/19/2006	
Chloromethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/19/2006	
2-Chlorotoluene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/19/2006	
4-Chlorotoluene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/19/2006	
Dibromochloromethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/19/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/19/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/19/2006	
Dibromomethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/19/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/19/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/19/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/19/2006	
Dichlorodifluoromethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/19/2006	
1,1-Dichloroethane	EPA 8260B	P6G1909	2.0	**37**	1	7/18/2006	7/19/2006	
1,2-Dichloroethane	EPA 8260B	P6G1909	1.0	ND	1	7/18/2006	7/19/2006	
1,1-Dichloroethene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/19/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G1909	2.0	**6.3**	1	7/18/2006	7/19/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/19/2006	
1,2-Dichloropropane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/19/2006	
1,3-Dichloropropane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/19/2006	
2,2-Dichloropropane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/19/2006	
1,1-Dichloropropene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/19/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/19/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/19/2006	
Ethylbenzene	EPA 8260B	P6G1909	2.0	**29**	1	7/18/2006	7/19/2006	
Hexachlorobutadiene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/19/2006	
2-Hexanone	EPA 8260B	P6G1909	10	ND	1	7/18/2006	7/19/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084

Sampled: 07/06/06
Received: 07/06/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0084-09 (ASE-41A-6B3 - Water) - cont.				**Sampled: 07/06/06**				
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/19/2006	
Isopropylbenzene	EPA 8260B	P6G1909	2.0	**9.2**	1	7/18/2006	7/19/2006	
p-Isopropyltoluene	EPA 8260B	P6G1909	2.0	**2.6**	1	7/18/2006	7/19/2006	
Methylene chloride	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/19/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G1909	10	ND	1	7/18/2006	7/19/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G1909	5.0	**140**	1	7/18/2006	7/19/2006	
Naphthalene	EPA 8260B	P6G1909	2.0	**110**	1	7/18/2006	7/19/2006	
n-Propylbenzene	EPA 8260B	P6G1909	2.0	**10**	1	7/18/2006	7/19/2006	
Styrene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/19/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/19/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/19/2006	
Tetrachloroethene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/19/2006	
Toluene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/19/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/19/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/19/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/19/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/19/2006	
Trichloroethene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/19/2006	
Trichlorofluoromethane	EPA 8260B	P6G1909	5.0	ND	1	7/18/2006	7/19/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G1909	10	ND	1	7/18/2006	7/19/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G1909	2.0	**14**	1	7/18/2006	7/19/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G1909	2.0	ND	1	7/18/2006	7/19/2006	
Vinyl acetate	EPA 8260B	P6G1909	25	ND	1	7/18/2006	7/19/2006	N1
Vinyl chloride	EPA 8260B	P6G1909	1.7	**16**	1	7/18/2006	7/19/2006	
Xylenes, Total	EPA 8260B	P6G1909	3.0	**9.4**	1	7/18/2006	7/19/2006	
Surrogate: Dibromofluoromethane (80-130%)				*106 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*100 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084

Sampled: 07/06/06
Received: 07/06/06

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0084-05 (ASE-108A-6B3 - Water)				**Sampled: 07/06/06**				
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6G1203	3.0	ND	1.05	7/13/2006	7/14/2006	
Acenaphthylene	EPA 8310	P6G1203	3.0	ND	1.05	7/13/2006	7/14/2006	
Anthracene	EPA 8310	P6G1203	0.30	ND	1.05	7/13/2006	7/14/2006	
Benzo(a)anthracene	EPA 8310	P6G1203	0.050	ND	1.05	7/13/2006	7/14/2006	
Benzo(a)pyrene	EPA 8310	P6G1203	0.10	ND	1.05	7/13/2006	7/14/2006	
Benzo(b)fluoranthene	EPA 8310	P6G1203	0.30	ND	1.05	7/13/2006	7/14/2006	
Benzo(g,h,i)perylene	EPA 8310	P6G1203	0.30	ND	1.05	7/13/2006	7/14/2006	
Benzo(k)fluoranthene	EPA 8310	P6G1203	0.30	ND	1.05	7/13/2006	7/14/2006	
Chrysene	EPA 8310	P6G1203	0.30	ND	1.05	7/13/2006	7/14/2006	
Dibenz(a,h)anthracene	EPA 8310	P6G1203	0.50	ND	1.05	7/13/2006	7/14/2006	
Fluoranthene	EPA 8310	P6G1203	0.30	ND	1.05	7/13/2006	7/14/2006	
Fluorene	EPA 8310	P6G1203	0.30	ND	1.05	7/13/2006	7/14/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6G1203	0.30	ND	1.05	7/13/2006	7/14/2006	
Naphthalene	EPA 8310	P6G1203	2.0	ND	1.05	7/13/2006	7/14/2006	
Phenanthrene	EPA 8310	P6G1203	0.30	ND	1.05	7/13/2006	7/14/2006	C7
Pyrene	EPA 8310	P6G1203	0.30	ND	1.05	7/13/2006	7/14/2006	
Surrogate: 2-Methylanthracene (50-115%)				*86 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1909 Extracted: 07/18/06										
Blank Analyzed: 07/18/2006 (P6G1909-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1909 Extracted: 07/18/06										
Blank Analyzed: 07/18/2006 (P6G1909-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							*N1*
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*25.8*		*ug/l*	*25.0*		*103*	*80-130*			
Surrogate: Toluene-d8	*25.8*		*ug/l*	*25.0*		*103*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.3*		*ug/l*	*25.0*		*101*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1909 Extracted: 07/18/06										
LCS Analyzed: 07/18/2006 (P6G1909-BS1)										
Acetone	30.5	20	ug/l	25.0		122	30-150			
Benzene	22.7	1.0	ug/l	25.0		91	80-120			
Bromobenzene	23.4	5.0	ug/l	25.0		94	80-125			
Bromochloromethane	22.8	5.0	ug/l	25.0		91	80-125			
Bromodichloromethane	23.5	2.0	ug/l	25.0		94	80-120			
Bromoform	21.2	5.0	ug/l	25.0		85	70-120			
Bromomethane	22.9	5.0	ug/l	25.0		92	80-135			
2-Butanone (MEK)	26.2	10	ug/l	25.0		105	55-150			
n-Butylbenzene	23.4	5.0	ug/l	25.0		94	80-120			
sec-Butylbenzene	23.0	5.0	ug/l	25.0		92	80-130			
tert-Butylbenzene	23.2	5.0	ug/l	25.0		93	80-130			
Carbon Disulfide	30.9	5.0	ug/l	25.0		124	55-145			
Carbon tetrachloride	22.6	5.0	ug/l	25.0		90	80-120			
Chlorobenzene	22.6	1.0	ug/l	25.0		90	80-120			
Chloroethane	22.9	5.0	ug/l	25.0		92	80-125			
Chloroform	22.5	2.0	ug/l	25.0		90	80-120			
Chloromethane	22.5	5.0	ug/l	25.0		90	70-130			
2-Chlorotoluene	23.2	5.0	ug/l	25.0		93	80-120			
4-Chlorotoluene	22.8	5.0	ug/l	25.0		91	80-120			
Dibromochloromethane	20.1	2.0	ug/l	25.0		80	75-120			
1,2-Dibromo-3-chloropropane	18.1	5.0	ug/l	25.0		72	55-120			
1,2-Dibromoethane (EDB)	22.0	2.0	ug/l	25.0		88	75-125			
Dibromomethane	22.5	2.0	ug/l	25.0		90	80-125			
1,2-Dichlorobenzene	22.9	1.0	ug/l	25.0		92	80-120			
1,3-Dichlorobenzene	22.9	1.0	ug/l	25.0		92	80-125			
1,4-Dichlorobenzene	23.2	1.0	ug/l	25.0		93	80-120			
Dichlorodifluoromethane	20.4	5.0	ug/l	25.0		82	60-140			
1,1-Dichloroethane	22.4	2.0	ug/l	25.0		90	80-120			
1,2-Dichloroethane	22.4	1.0	ug/l	25.0		90	75-125			
1,1-Dichloroethene	22.5	5.0	ug/l	25.0		90	75-120			
cis-1,2-Dichloroethene	22.2	2.0	ug/l	25.0		89	80-125			
trans-1,2-Dichloroethene	22.0	2.0	ug/l	25.0		88	80-120			
1,2-Dichloropropane	22.2	2.0	ug/l	25.0		89	80-120			
1,3-Dichloropropane	21.6	2.0	ug/l	25.0		86	80-120			
2,2-Dichloropropane	23.0	2.0	ug/l	25.0		92	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1909 Extracted: 07/18/06										
LCS Analyzed: 07/18/2006 (P6G1909-BS1)										
1,1-Dichloropropene	22.6	2.0	ug/l	25.0		90	80-120			
cis-1,3-Dichloropropene	24.5	2.0	ug/l	25.0		98	75-120			
trans-1,3-Dichloropropene	24.3	2.0	ug/l	25.0		97	80-120			
Ethylbenzene	22.6	2.0	ug/l	25.0		90	80-125			
Hexachlorobutadiene	19.7	5.0	ug/l	25.0		79	70-130			
2-Hexanone	26.8	10	ug/l	25.0		107	40-150			
Iodomethane	29.6	2.0	ug/l	25.0		118	80-130			
Isopropylbenzene	24.8	2.0	ug/l	25.0		99	80-140			
p-Isopropyltoluene	23.2	2.0	ug/l	25.0		93	80-130			
Methylene chloride	20.3	5.0	ug/l	25.0		81	80-120			
4-Methyl-2-pentanone (MIBK)	26.9	10	ug/l	25.0		108	50-140			
Methyl-tert-butyl Ether (MTBE)	24.0	5.0	ug/l	25.0		96	65-130			
Naphthalene	18.7	2.0	ug/l	25.0		75	70-130			
n-Propylbenzene	24.2	2.0	ug/l	25.0		97	80-135			
Styrene	26.4	2.0	ug/l	25.0		106	80-125			
1,1,1,2-Tetrachloroethane	22.2	5.0	ug/l	25.0		89	80-120			
1,1,2,2-Tetrachloroethane	22.2	2.0	ug/l	25.0		89	65-140			
Tetrachloroethene	22.5	2.0	ug/l	25.0		90	80-125			
Toluene	22.6	2.0	ug/l	25.0		90	80-125			
1,2,3-Trichlorobenzene	18.7	5.0	ug/l	25.0		75	75-125			
1,2,4-Trichlorobenzene	20.0	5.0	ug/l	25.0		80	80-125			
1,1,1-Trichloroethane	22.5	2.0	ug/l	25.0		90	75-125			
1,1,2-Trichloroethane	22.0	2.0	ug/l	25.0		88	80-125			
Trichloroethene	21.6	2.0	ug/l	25.0		86	80-120			
Trichlorofluoromethane	22.9	5.0	ug/l	25.0		92	75-130			
1,2,3-Trichloropropane	21.2	10	ug/l	25.0		85	65-135			
1,2,4-Trimethylbenzene	23.0	2.0	ug/l	25.0		92	80-125			
1,3,5-Trimethylbenzene	23.4	2.0	ug/l	25.0		94	80-130			
Vinyl acetate	32.1	25	ug/l	25.0		128	70-140			*N1*
Vinyl chloride	22.6	1.7	ug/l	25.0		90	70-135			
Xylenes, Total	45.0	3.0	ug/l	50.0		90	80-125			
Surrogate: Dibromofluoromethane	*26.1*		*ug/l*	*25.0*		*104*	*80-130*			
Surrogate: Toluene-d8	*26.0*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.6*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1909 Extracted: 07/18/06										
LCS Dup Analyzed: 07/18/2006 (P6G1909-BSD1)										
Acetone	29.3	20	ug/l	25.0		117	30-150	4	35	
Benzene	23.1	1.0	ug/l	25.0		92	80-120	2	10	
Bromobenzene	23.8	5.0	ug/l	25.0		95	80-125	2	10	
Bromochloromethane	23.8	5.0	ug/l	25.0		95	80-125	4	15	
Bromodichloromethane	24.2	2.0	ug/l	25.0		97	80-120	3	15	
Bromoform	20.7	5.0	ug/l	25.0		83	70-120	2	20	
Bromomethane	23.1	5.0	ug/l	25.0		92	80-135	1	15	
2-Butanone (MEK)	26.4	10	ug/l	25.0		106	55-150	1	35	
n-Butylbenzene	23.9	5.0	ug/l	25.0		96	80-120	2	10	
sec-Butylbenzene	23.6	5.0	ug/l	25.0		94	80-130	3	10	
tert-Butylbenzene	23.9	5.0	ug/l	25.0		96	80-130	3	10	
Carbon Disulfide	31.2	5.0	ug/l	25.0		125	55-145	1	15	
Carbon tetrachloride	22.9	5.0	ug/l	25.0		92	80-120	1	15	
Chlorobenzene	23.4	1.0	ug/l	25.0		94	80-120	3	10	
Chloroethane	22.9	5.0	ug/l	25.0		92	80-125	0	15	
Chloroform	23.2	2.0	ug/l	25.0		93	80-120	3	10	
Chloromethane	22.7	5.0	ug/l	25.0		91	70-130	1	15	
2-Chlorotoluene	23.4	5.0	ug/l	25.0		94	80-120	1	10	
4-Chlorotoluene	23.5	5.0	ug/l	25.0		94	80-120	3	10	
Dibromochloromethane	21.0	2.0	ug/l	25.0		84	75-120	4	15	
1,2-Dibromo-3-chloropropane	18.1	5.0	ug/l	25.0		72	55-120	0	35	
1,2-Dibromoethane (EDB)	22.5	2.0	ug/l	25.0		90	75-125	2	20	
Dibromomethane	22.3	2.0	ug/l	25.0		89	80-125	1	20	
1,2-Dichlorobenzene	23.3	1.0	ug/l	25.0		93	80-120	2	10	
1,3-Dichlorobenzene	23.3	1.0	ug/l	25.0		93	80-125	2	10	
1,4-Dichlorobenzene	24.1	1.0	ug/l	25.0		96	80-120	4	10	
Dichlorodifluoromethane	19.8	5.0	ug/l	25.0		79	60-140	3	15	
1,1-Dichloroethane	22.8	2.0	ug/l	25.0		91	80-120	2	10	
1,2-Dichloroethane	22.5	1.0	ug/l	25.0		90	75-125	0	20	
1,1-Dichloroethene	22.6	5.0	ug/l	25.0		90	75-120	0	15	
cis-1,2-Dichloroethene	22.9	2.0	ug/l	25.0		92	80-125	3	10	
trans-1,2-Dichloroethene	22.4	2.0	ug/l	25.0		90	80-120	2	10	
1,2-Dichloropropane	23.2	2.0	ug/l	25.0		93	80-120	4	15	
1,3-Dichloropropane	22.1	2.0	ug/l	25.0		88	80-120	2	15	
2,2-Dichloropropane	22.8	2.0	ug/l	25.0		91	70-130	1	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1909 Extracted: 07/18/06										
LCS Dup Analyzed: 07/18/2006 (P6G1909-BSD1)										
1,1-Dichloropropene	23.0	2.0	ug/l	25.0		92	80-120	2	10	
cis-1,3-Dichloropropene	24.6	2.0	ug/l	25.0		98	75-120	0	15	
trans-1,3-Dichloropropene	24.6	2.0	ug/l	25.0		98	80-120	1	20	
Ethylbenzene	23.6	2.0	ug/l	25.0		94	80-125	4	15	
Hexachlorobutadiene	20.7	5.0	ug/l	25.0		83	70-130	5	15	
2-Hexanone	26.2	10	ug/l	25.0		105	40-150	2	35	
Iodomethane	29.9	2.0	ug/l	25.0		120	80-130	1	10	
Isopropylbenzene	25.4	2.0	ug/l	25.0		102	80-140	2	10	
p-Isopropyltoluene	24.2	2.0	ug/l	25.0		97	80-130	4	15	
Methylene chloride	21.1	5.0	ug/l	25.0		84	80-120	4	10	
4-Methyl-2-pentanone (MIBK)	26.0	10	ug/l	25.0		104	50-140	3	35	
Methyl-tert-butyl Ether (MTBE)	24.2	5.0	ug/l	25.0		97	65-130	1	25	
Naphthalene	21.7	2.0	ug/l	25.0		87	70-130	15	20	
n-Propylbenzene	24.5	2.0	ug/l	25.0		98	80-135	1	10	
Styrene	27.3	2.0	ug/l	25.0		109	80-125	3	15	
1,1,1,2-Tetrachloroethane	23.1	5.0	ug/l	25.0		92	80-120	4	15	
1,1,2,2-Tetrachloroethane	22.1	2.0	ug/l	25.0		88	65-140	1	25	
Tetrachloroethene	23.2	2.0	ug/l	25.0		93	80-125	3	15	
Toluene	23.4	2.0	ug/l	25.0		94	80-125	3	10	
1,2,3-Trichlorobenzene	25.3	5.0	ug/l	25.0		101	75-125	30	15	*R6*
1,2,4-Trichlorobenzene	21.8	5.0	ug/l	25.0		87	80-125	9	15	
1,1,1-Trichloroethane	23.0	2.0	ug/l	25.0		92	75-125	2	10	
1,1,2-Trichloroethane	22.1	2.0	ug/l	25.0		88	80-125	1	25	
Trichloroethene	22.4	2.0	ug/l	25.0		90	80-120	4	10	
Trichlorofluoromethane	23.1	5.0	ug/l	25.0		92	75-130	1	10	
1,2,3-Trichloropropane	21.5	10	ug/l	25.0		86	65-135	1	25	
1,2,4-Trimethylbenzene	23.8	2.0	ug/l	25.0		95	80-125	3	10	
1,3,5-Trimethylbenzene	23.9	2.0	ug/l	25.0		96	80-130	2	10	
Vinyl acetate	31.7	25	ug/l	25.0		127	70-140	1	30	*N1*
Vinyl chloride	23.4	1.7	ug/l	25.0		94	70-135	3	15	
Xylenes, Total	46.7	3.0	ug/l	50.0		93	80-125	4	15	
Surrogate: Dibromofluoromethane	*26.7*		*ug/l*	*25.0*		*107*	*80-130*			
Surrogate: Toluene-d8	*26.3*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.1*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1909 Extracted: 07/18/06										
Matrix Spike Analyzed: 07/18/2006 (P6G1909-MS1)					**Source: PPG0084-03**					
Acetone	21.6	20	ug/l	25.0	ND	86	15-150			
Benzene	23.4	1.0	ug/l	25.0	ND	94	80-125			
Bromobenzene	23.9	5.0	ug/l	25.0	ND	96	80-125			
Bromochloromethane	22.5	5.0	ug/l	25.0	ND	90	80-130			
Bromodichloromethane	23.6	2.0	ug/l	25.0	ND	94	70-130			
Bromoform	19.8	5.0	ug/l	25.0	ND	79	70-120			
Bromomethane	23.4	5.0	ug/l	25.0	ND	94	80-135			
2-Butanone (MEK)	20.9	10	ug/l	25.0	ND	84	30-150			
n-Butylbenzene	24.9	5.0	ug/l	25.0	ND	100	80-135			
sec-Butylbenzene	24.9	5.0	ug/l	25.0	ND	100	80-130			
tert-Butylbenzene	25.2	5.0	ug/l	25.0	ND	101	80-130			
Carbon Disulfide	30.8	5.0	ug/l	25.0	ND	123	45-150			
Carbon tetrachloride	23.3	5.0	ug/l	25.0	ND	93	65-135			
Chlorobenzene	23.7	1.0	ug/l	25.0	ND	95	80-125			
Chloroethane	23.9	5.0	ug/l	25.0	ND	96	80-125			
Chloroform	23.7	2.0	ug/l	25.0	0.51	93	75-130			
Chloromethane	22.7	5.0	ug/l	25.0	ND	91	65-130			
2-Chlorotoluene	24.3	5.0	ug/l	25.0	ND	97	80-130			
4-Chlorotoluene	24.0	5.0	ug/l	25.0	ND	96	80-135			
Dibromochloromethane	19.4	2.0	ug/l	25.0	ND	78	75-120			
1,2-Dibromo-3-chloropropane	16.2	5.0	ug/l	25.0	ND	65	50-130			
1,2-Dibromoethane (EDB)	20.9	2.0	ug/l	25.0	ND	84	70-130			
Dibromomethane	21.3	2.0	ug/l	25.0	ND	85	75-130			
1,2-Dichlorobenzene	23.1	1.0	ug/l	25.0	ND	92	80-130			
1,3-Dichlorobenzene	23.7	1.0	ug/l	25.0	ND	95	80-130			
1,4-Dichlorobenzene	23.6	1.0	ug/l	25.0	ND	94	80-125			
Dichlorodifluoromethane	20.9	5.0	ug/l	25.0	ND	84	60-140			
1,1-Dichloroethane	28.9	2.0	ug/l	25.0	4.7	97	80-125			
1,2-Dichloroethane	21.6	1.0	ug/l	25.0	ND	86	60-145			
1,1-Dichloroethene	23.3	5.0	ug/l	25.0	ND	93	75-130			
cis-1,2-Dichloroethene	23.6	2.0	ug/l	25.0	ND	94	80-125			
trans-1,2-Dichloroethene	23.0	2.0	ug/l	25.0	ND	92	80-120			
1,2-Dichloropropane	22.8	2.0	ug/l	25.0	ND	91	80-125			
1,3-Dichloropropane	21.5	2.0	ug/l	25.0	ND	86	75-130			
2,2-Dichloropropane	22.4	2.0	ug/l	25.0	ND	90	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1909 Extracted: 07/18/06										
Matrix Spike Analyzed: 07/18/2006 (P6G1909-MS1)					**Source: PPG0084-03**					
1,1-Dichloropropene	23.3	2.0	ug/l	25.0	ND	93	80-125			
cis-1,3-Dichloropropene	23.7	2.0	ug/l	25.0	ND	95	75-120			
trans-1,3-Dichloropropene	22.8	2.0	ug/l	25.0	ND	91	75-130			
Ethylbenzene	24.2	2.0	ug/l	25.0	ND	97	80-130			
Hexachlorobutadiene	21.7	5.0	ug/l	25.0	ND	87	65-130			
2-Hexanone	20.9	10	ug/l	25.0	ND	84	40-150			
Iodomethane	29.6	2.0	ug/l	25.0	ND	118	70-140			
Isopropylbenzene	27.0	2.0	ug/l	25.0	ND	108	80-140			
p-Isopropyltoluene	25.1	2.0	ug/l	25.0	ND	100	80-135			
Methylene chloride	21.0	5.0	ug/l	25.0	ND	84	75-125			
4-Methyl-2-pentanone (MIBK)	22.0	10	ug/l	25.0	ND	88	40-140			
Methyl-tert-butyl Ether (MTBE)	23.2	5.0	ug/l	25.0	0.80	90	65-135			
Naphthalene	19.6	2.0	ug/l	25.0	ND	78	60-140			
n-Propylbenzene	25.9	2.0	ug/l	25.0	ND	104	80-140			
Styrene	27.4	2.0	ug/l	25.0	ND	110	30-150			
1,1,1,2-Tetrachloroethane	22.8	5.0	ug/l	25.0	ND	91	80-130			
1,1,2,2-Tetrachloroethane	20.5	2.0	ug/l	25.0	ND	82	65-140			
Tetrachloroethene	23.9	2.0	ug/l	25.0	ND	96	80-130			
Toluene	23.8	2.0	ug/l	25.0	ND	95	80-130			
1,2,3-Trichlorobenzene	22.7	5.0	ug/l	25.0	ND	91	75-140			*V1*
1,2,4-Trichlorobenzene	21.6	5.0	ug/l	25.0	ND	86	80-135			
1,1,1-Trichloroethane	23.6	2.0	ug/l	25.0	ND	94	70-135			
1,1,2-Trichloroethane	20.6	2.0	ug/l	25.0	ND	82	70-135			
Trichloroethene	24.7	2.0	ug/l	25.0	1.2	94	80-125			
Trichlorofluoromethane	23.8	5.0	ug/l	25.0	ND	95	70-140			
1,2,3-Trichloropropane	20.0	10	ug/l	25.0	ND	80	65-135			
1,2,4-Trimethylbenzene	24.8	2.0	ug/l	25.0	ND	99	75-130			
1,3,5-Trimethylbenzene	25.3	2.0	ug/l	25.0	ND	101	80-135			
Vinyl acetate	28.0	25	ug/l	25.0	ND	112	30-150			*N1*
Vinyl chloride	24.4	1.7	ug/l	25.0	0.53	95	70-135			
Xylenes, Total	47.7	3.0	ug/l	50.0	ND	95	80-125			
Surrogate: Dibromofluoromethane	*25.7*		*ug/l*	*25.0*		*103*	*80-130*			
Surrogate: Toluene-d8	*26.6*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.2*		*ug/l*	*25.0*		*101*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1909 Extracted: 07/18/06										
Matrix Spike Dup Analyzed: 07/18/2006 (P6G1909-MSD1)					**Source: PPG0084-03**					
Acetone	25.7	20	ug/l	25.0	ND	103	15-150	17	35	
Benzene	22.9	1.0	ug/l	25.0	ND	92	80-125	2	10	
Bromobenzene	23.4	5.0	ug/l	25.0	ND	94	80-125	2	15	
Bromochloromethane	23.5	5.0	ug/l	25.0	ND	94	80-130	4	20	
Bromodichloromethane	23.2	2.0	ug/l	25.0	ND	93	70-130	2	15	
Bromoform	20.0	5.0	ug/l	25.0	ND	80	70-120	1	25	
Bromomethane	23.6	5.0	ug/l	25.0	ND	94	80-135	1	20	
2-Butanone (MEK)	24.8	10	ug/l	25.0	ND	99	30-150	17	35	
n-Butylbenzene	23.7	5.0	ug/l	25.0	ND	95	80-135	5	20	
sec-Butylbenzene	23.6	5.0	ug/l	25.0	ND	94	80-130	5	20	
tert-Butylbenzene	23.8	5.0	ug/l	25.0	ND	95	80-130	6	20	
Carbon Disulfide	29.8	5.0	ug/l	25.0	ND	119	45-150	3	15	
Carbon tetrachloride	22.2	5.0	ug/l	25.0	ND	89	65-135	5	15	
Chlorobenzene	22.7	1.0	ug/l	25.0	ND	91	80-125	4	15	
Chloroethane	23.9	5.0	ug/l	25.0	ND	96	80-125	0	20	
Chloroform	23.9	2.0	ug/l	25.0	0.51	94	75-130	1	15	
Chloromethane	22.5	5.0	ug/l	25.0	ND	90	65-130	1	20	
2-Chlorotoluene	23.1	5.0	ug/l	25.0	ND	92	80-130	5	15	
4-Chlorotoluene	23.3	5.0	ug/l	25.0	ND	93	80-135	3	15	
Dibromochloromethane	19.7	2.0	ug/l	25.0	ND	79	75-120	2	20	
1,2-Dibromo-3-chloropropane	16.8	5.0	ug/l	25.0	ND	67	50-130	4	35	
1,2-Dibromoethane (EDB)	21.3	2.0	ug/l	25.0	ND	85	70-130	2	25	
Dibromomethane	21.8	2.0	ug/l	25.0	ND	87	75-130	2	25	
1,2-Dichlorobenzene	22.6	1.0	ug/l	25.0	ND	90	80-130	2	15	
1,3-Dichlorobenzene	23.2	1.0	ug/l	25.0	ND	93	80-130	2	15	
1,4-Dichlorobenzene	23.2	1.0	ug/l	25.0	ND	93	80-125	2	10	
Dichlorodifluoromethane	19.6	5.0	ug/l	25.0	ND	78	60-140	6	45	
1,1-Dichloroethane	29.1	2.0	ug/l	25.0	4.7	98	80-125	1	15	
1,2-Dichloroethane	22.2	1.0	ug/l	25.0	ND	89	60-145	3	20	
1,1-Dichloroethene	22.8	5.0	ug/l	25.0	ND	91	75-130	2	15	
cis-1,2-Dichloroethene	23.4	2.0	ug/l	25.0	ND	94	80-125	1	15	
trans-1,2-Dichloroethene	22.7	2.0	ug/l	25.0	ND	91	80-120	1	15	
1,2-Dichloropropane	22.5	2.0	ug/l	25.0	ND	90	80-125	1	15	
1,3-Dichloropropane	21.2	2.0	ug/l	25.0	ND	85	75-130	1	20	
2,2-Dichloropropane	22.0	2.0	ug/l	25.0	ND	88	60-135	2	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1909 Extracted: 07/18/06										
Matrix Spike Dup Analyzed: 07/18/2006 (P6G1909-MSD1)					**Source: PPG0084-03**					
1,1-Dichloropropene	22.2	2.0	ug/l	25.0	ND	89	80-125	5	15	
cis-1,3-Dichloropropene	23.6	2.0	ug/l	25.0	ND	94	75-120	0	15	
trans-1,3-Dichloropropene	23.3	2.0	ug/l	25.0	ND	93	75-130	2	25	
Ethylbenzene	22.9	2.0	ug/l	25.0	ND	92	80-130	6	15	
Hexachlorobutadiene	19.4	5.0	ug/l	25.0	ND	78	65-130	11	15	
2-Hexanone	23.1	10	ug/l	25.0	ND	92	40-150	10	35	
Iodomethane	29.1	2.0	ug/l	25.0	ND	116	70-140	2	15	
Isopropylbenzene	25.5	2.0	ug/l	25.0	ND	102	80-140	6	20	
p-Isopropyltoluene	23.7	2.0	ug/l	25.0	ND	95	80-135	6	20	
Methylene chloride	21.4	5.0	ug/l	25.0	ND	86	75-125	2	15	
4-Methyl-2-pentanone (MIBK)	23.9	10	ug/l	25.0	ND	96	40-140	8	35	
Methyl-tert-butyl Ether (MTBE)	24.7	5.0	ug/l	25.0	0.80	96	65-135	6	30	
Naphthalene	18.6	2.0	ug/l	25.0	ND	74	60-140	5	30	
n-Propylbenzene	24.7	2.0	ug/l	25.0	ND	99	80-140	5	20	
Styrene	26.3	2.0	ug/l	25.0	ND	105	30-150	4	25	
1,1,1,2-Tetrachloroethane	22.2	5.0	ug/l	25.0	ND	89	80-130	3	15	
1,1,2,2-Tetrachloroethane	21.1	2.0	ug/l	25.0	ND	84	65-140	3	35	
Tetrachloroethene	22.3	2.0	ug/l	25.0	ND	89	80-130	7	15	
Toluene	23.2	2.0	ug/l	25.0	ND	93	80-130	3	15	
1,2,3-Trichlorobenzene	20.7	5.0	ug/l	25.0	ND	83	75-140	9	20	*V1*
1,2,4-Trichlorobenzene	20.1	5.0	ug/l	25.0	ND	80	80-135	7	15	
1,1,1-Trichloroethane	22.7	2.0	ug/l	25.0	ND	91	70-135	4	15	
1,1,2-Trichloroethane	21.1	2.0	ug/l	25.0	ND	84	70-135	2	25	
Trichloroethene	23.6	2.0	ug/l	25.0	1.2	90	80-125	5	15	
Trichlorofluoromethane	23.1	5.0	ug/l	25.0	ND	92	70-140	3	15	
1,2,3-Trichloropropane	20.5	10	ug/l	25.0	ND	82	65-135	2	35	
1,2,4-Trimethylbenzene	23.7	2.0	ug/l	25.0	ND	95	75-130	5	15	
1,3,5-Trimethylbenzene	24.2	2.0	ug/l	25.0	ND	97	80-135	4	15	
Vinyl acetate	29.5	25	ug/l	25.0	ND	118	30-150	5	35	*N1*
Vinyl chloride	23.6	1.7	ug/l	25.0	0.53	92	70-135	3	25	
Xylenes, Total	45.8	3.0	ug/l	50.0	ND	92	80-125	4	15	
Surrogate: Dibromofluoromethane	*26.7*		*ug/l*	*25.0*		*107*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.8*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2001 Extracted: 07/19/06										
Blank Analyzed: 07/19/2006 (P6G2001-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2001 Extracted: 07/19/06										
Blank Analyzed: 07/19/2006 (P6G2001-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							*N1*
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*27.2*		*ug/l*	*25.0*		*109*	*80-130*			
Surrogate: Toluene-d8	*26.4*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.7*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2001 Extracted: 07/19/06										
LCS Analyzed: 07/19/2006 (P6G2001-BS1)										
Acetone	31.1	20	ug/l	25.0		124	30-150			
Benzene	23.7	1.0	ug/l	25.0		95	80-120			
Bromobenzene	24.7	5.0	ug/l	25.0		99	80-125			
Bromochloromethane	24.7	5.0	ug/l	25.0		99	80-125			
Bromodichloromethane	24.6	2.0	ug/l	25.0		98	80-120			
Bromoform	22.6	5.0	ug/l	25.0		90	70-120			
Bromomethane	24.0	5.0	ug/l	25.0		96	80-135			
2-Butanone (MEK)	28.3	10	ug/l	25.0		113	55-150			
n-Butylbenzene	23.4	5.0	ug/l	25.0		94	80-120			
sec-Butylbenzene	23.7	5.0	ug/l	25.0		95	80-130			
tert-Butylbenzene	24.2	5.0	ug/l	25.0		97	80-130			
Carbon Disulfide	32.0	5.0	ug/l	25.0		128	55-145			
Carbon tetrachloride	23.0	5.0	ug/l	25.0		92	80-120			
Chlorobenzene	23.7	1.0	ug/l	25.0		95	80-120			
Chloroethane	23.8	5.0	ug/l	25.0		95	80-125			
Chloroform	24.2	2.0	ug/l	25.0		97	80-120			
Chloromethane	22.9	5.0	ug/l	25.0		92	70-130			
2-Chlorotoluene	23.8	5.0	ug/l	25.0		95	80-120			
4-Chlorotoluene	23.8	5.0	ug/l	25.0		95	80-120			
Dibromochloromethane	21.4	2.0	ug/l	25.0		86	75-120			
1,2-Dibromo-3-chloropropane	19.3	5.0	ug/l	25.0		77	55-120			
1,2-Dibromoethane (EDB)	23.5	2.0	ug/l	25.0		94	75-125			
Dibromomethane	23.4	2.0	ug/l	25.0		94	80-125			
1,2-Dichlorobenzene	23.7	1.0	ug/l	25.0		95	80-120			
1,3-Dichlorobenzene	23.4	1.0	ug/l	25.0		94	80-125			
1,4-Dichlorobenzene	23.9	1.0	ug/l	25.0		96	80-120			
Dichlorodifluoromethane	19.1	5.0	ug/l	25.0		76	60-140			
1,1-Dichloroethane	23.9	2.0	ug/l	25.0		96	80-120			
1,2-Dichloroethane	23.6	1.0	ug/l	25.0		94	75-125			
1,1-Dichloroethene	23.5	5.0	ug/l	25.0		94	75-120			
cis-1,2-Dichloroethene	24.0	2.0	ug/l	25.0		96	80-125			
trans-1,2-Dichloroethene	23.1	2.0	ug/l	25.0		92	80-120			
1,2-Dichloropropane	24.0	2.0	ug/l	25.0		96	80-120			
1,3-Dichloropropane	22.7	2.0	ug/l	25.0		91	80-120			
2,2-Dichloropropane	23.3	2.0	ug/l	25.0		93	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2001 Extracted: 07/19/06										
LCS Analyzed: 07/19/2006 (P6G2001-BS1)										
1,1-Dichloropropene	22.9	2.0	ug/l	25.0		92	80-120			
cis-1,3-Dichloropropene	25.4	2.0	ug/l	25.0		102	75-120			
trans-1,3-Dichloropropene	25.6	2.0	ug/l	25.0		102	80-120			
Ethylbenzene	23.7	2.0	ug/l	25.0		95	80-125			
Hexachlorobutadiene	19.3	5.0	ug/l	25.0		77	70-130			
2-Hexanone	27.5	10	ug/l	25.0		110	40-150			
Iodomethane	31.0	2.0	ug/l	25.0		124	80-130			
Isopropylbenzene	26.0	2.0	ug/l	25.0		104	80-140			
p-Isopropyltoluene	23.8	2.0	ug/l	25.0		95	80-130			
Methylene chloride	21.9	5.0	ug/l	25.0		88	80-120			
4-Methyl-2-pentanone (MIBK)	27.4	10	ug/l	25.0		110	50-140			
Methyl-tert-butyl Ether (MTBE)	26.0	5.0	ug/l	25.0		104	65-130			
Naphthalene	20.8	2.0	ug/l	25.0		83	70-130			
n-Propylbenzene	24.7	2.0	ug/l	25.0		99	80-135			
Styrene	27.8	2.0	ug/l	25.0		111	80-125			
1,1,1,2-Tetrachloroethane	23.6	5.0	ug/l	25.0		94	80-120			
1,1,2,2-Tetrachloroethane	23.3	2.0	ug/l	25.0		93	65-140			
Tetrachloroethene	23.1	2.0	ug/l	25.0		92	80-125			
Toluene	23.8	2.0	ug/l	25.0		95	80-125			
1,2,3-Trichlorobenzene	22.1	5.0	ug/l	25.0		88	75-125			
1,2,4-Trichlorobenzene	21.4	5.0	ug/l	25.0		86	80-125			
1,1,1-Trichloroethane	23.6	2.0	ug/l	25.0		94	75-125			
1,1,2-Trichloroethane	23.4	2.0	ug/l	25.0		94	80-125			
Trichloroethene	22.7	2.0	ug/l	25.0		91	80-120			
Trichlorofluoromethane	23.1	5.0	ug/l	25.0		92	75-130			
1,2,3-Trichloropropane	22.3	10	ug/l	25.0		89	65-135			
1,2,4-Trimethylbenzene	24.0	2.0	ug/l	25.0		96	80-125			
1,3,5-Trimethylbenzene	24.3	2.0	ug/l	25.0		97	80-130			
Vinyl acetate	33.9	25	ug/l	25.0		136	70-140			*N1*
Vinyl chloride	23.9	1.7	ug/l	25.0		96	70-135			
Xylenes, Total	47.0	3.0	ug/l	50.0		94	80-125			
Surrogate: Dibromofluoromethane	*27.2*		*ug/l*	*25.0*		*109*	*80-130*			
Surrogate: Toluene-d8	*26.4*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.6*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2001 Extracted: 07/19/06										
LCS Dup Analyzed: 07/19/2006 (P6G2001-BSD1)										
Acetone	35.4	20	ug/l	25.0		142	30-150	13	35	
Benzene	22.1	1.0	ug/l	25.0		88	80-120	7	10	
Bromobenzene	23.1	5.0	ug/l	25.0		92	80-125	7	10	
Bromochloromethane	25.4	5.0	ug/l	25.0		102	80-125	3	15	
Bromodichloromethane	23.7	2.0	ug/l	25.0		95	80-120	4	15	
Bromoform	23.0	5.0	ug/l	25.0		92	70-120	2	20	
Bromomethane	22.8	5.0	ug/l	25.0		91	80-135	5	15	
2-Butanone (MEK)	32.1	10	ug/l	25.0		128	55-150	13	35	
n-Butylbenzene	21.5	5.0	ug/l	25.0		86	80-120	8	10	
sec-Butylbenzene	21.8	5.0	ug/l	25.0		87	80-130	8	10	
tert-Butylbenzene	22.3	5.0	ug/l	25.0		89	80-130	8	10	
Carbon Disulfide	29.8	5.0	ug/l	25.0		119	55-145	7	15	
Carbon tetrachloride	21.4	5.0	ug/l	25.0		86	80-120	7	15	
Chlorobenzene	22.4	1.0	ug/l	25.0		90	80-120	6	10	
Chloroethane	22.6	5.0	ug/l	25.0		90	80-125	5	15	
Chloroform	23.2	2.0	ug/l	25.0		93	80-120	4	10	
Chloromethane	21.9	5.0	ug/l	25.0		88	70-130	4	15	
2-Chlorotoluene	22.0	5.0	ug/l	25.0		88	80-120	8	10	
4-Chlorotoluene	22.0	5.0	ug/l	25.0		88	80-120	8	10	
Dibromochloromethane	21.4	2.0	ug/l	25.0		86	75-120	0	15	
1,2-Dibromo-3-chloropropane	20.8	5.0	ug/l	25.0		83	55-120	7	35	
1,2-Dibromoethane (EDB)	23.5	2.0	ug/l	25.0		94	75-125	0	20	
Dibromomethane	23.9	2.0	ug/l	25.0		96	80-125	2	20	
1,2-Dichlorobenzene	22.5	1.0	ug/l	25.0		90	80-120	5	10	
1,3-Dichlorobenzene	22.2	1.0	ug/l	25.0		89	80-125	5	10	
1,4-Dichlorobenzene	22.7	1.0	ug/l	25.0		91	80-120	5	10	
Dichlorodifluoromethane	19.3	5.0	ug/l	25.0		77	60-140	1	15	
1,1-Dichloroethane	22.9	2.0	ug/l	25.0		92	80-120	4	10	
1,2-Dichloroethane	24.3	1.0	ug/l	25.0		97	75-125	3	20	
1,1-Dichloroethene	21.9	5.0	ug/l	25.0		88	75-120	7	15	
cis-1,2-Dichloroethene	22.9	2.0	ug/l	25.0		92	80-125	5	10	
trans-1,2-Dichloroethene	22.2	2.0	ug/l	25.0		89	80-120	4	10	
1,2-Dichloropropane	22.6	2.0	ug/l	25.0		90	80-120	6	15	
1,3-Dichloropropane	23.1	2.0	ug/l	25.0		92	80-120	2	15	
2,2-Dichloropropane	21.9	2.0	ug/l	25.0		88	70-130	6	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2001 Extracted: 07/19/06										
LCS Dup Analyzed: 07/19/2006 (P6G2001-BSD1)										
1,1-Dichloropropene	21.9	2.0	ug/l	25.0		88	80-120	4	10	
cis-1,3-Dichloropropene	24.8	2.0	ug/l	25.0		99	75-120	2	15	
trans-1,3-Dichloropropene	25.4	2.0	ug/l	25.0		102	80-120	1	20	
Ethylbenzene	21.8	2.0	ug/l	25.0		87	80-125	8	15	
Hexachlorobutadiene	18.2	5.0	ug/l	25.0		73	70-130	6	15	
2-Hexanone	30.5	10	ug/l	25.0		122	40-150	10	35	
Iodomethane	29.1	2.0	ug/l	25.0		116	80-130	6	10	
Isopropylbenzene	23.5	2.0	ug/l	25.0		94	80-140	10	10	
p-Isopropyltoluene	22.0	2.0	ug/l	25.0		88	80-130	8	15	
Methylene chloride	21.3	5.0	ug/l	25.0		85	80-120	3	10	
4-Methyl-2-pentanone (MIBK)	30.2	10	ug/l	25.0		121	50-140	10	35	
Methyl-tert-butyl Ether (MTBE)	27.3	5.0	ug/l	25.0		109	65-130	5	25	
Naphthalene	21.6	2.0	ug/l	25.0		86	70-130	4	20	
n-Propylbenzene	22.4	2.0	ug/l	25.0		90	80-135	10	10	
Styrene	26.1	2.0	ug/l	25.0		104	80-125	6	15	
1,1,1,2-Tetrachloroethane	22.4	5.0	ug/l	25.0		90	80-120	5	15	
1,1,2,2-Tetrachloroethane	24.1	2.0	ug/l	25.0		96	65-140	3	25	
Tetrachloroethene	21.4	2.0	ug/l	25.0		86	80-125	8	15	
Toluene	22.3	2.0	ug/l	25.0		89	80-125	7	10	
1,2,3-Trichlorobenzene	22.2	5.0	ug/l	25.0		89	75-125	1	15	
1,2,4-Trichlorobenzene	20.9	5.0	ug/l	25.0		84	80-125	2	15	
1,1,1-Trichloroethane	22.6	2.0	ug/l	25.0		90	75-125	4	10	
1,1,2-Trichloroethane	23.4	2.0	ug/l	25.0		94	80-125	0	25	
Trichloroethene	21.3	2.0	ug/l	25.0		85	80-120	6	10	
Trichlorofluoromethane	22.5	5.0	ug/l	25.0		90	75-130	3	10	
1,2,3-Trichloropropane	23.6	10	ug/l	25.0		94	65-135	6	25	
1,2,4-Trimethylbenzene	22.2	2.0	ug/l	25.0		89	80-125	8	10	
1,3,5-Trimethylbenzene	22.4	2.0	ug/l	25.0		90	80-130	8	10	
Vinyl acetate	35.8	25	ug/l	25.0		143	70-140	5	30	*L3, N1*
Vinyl chloride	22.4	1.7	ug/l	25.0		90	70-135	6	15	
Xylenes, Total	44.2	3.0	ug/l	50.0		88	80-125	6	15	
Surrogate: Dibromofluoromethane	*27.8*		*ug/l*	*25.0*		*111*	*80-130*			
Surrogate: Toluene-d8	*26.3*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.2*		*ug/l*	*25.0*		*101*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2001 Extracted: 07/19/06										
Matrix Spike Analyzed: 07/19/2006 (P6G2001-MS1)					**Source: PPG0193-01**					
Acetone	28.1	20	ug/l	25.0	ND	112	15-150			
Benzene	23.8	1.0	ug/l	25.0	ND	95	80-125			
Bromobenzene	24.6	5.0	ug/l	25.0	ND	98	80-125			
Bromochloromethane	24.2	5.0	ug/l	25.0	ND	97	80-130			
Bromodichloromethane	24.2	2.0	ug/l	25.0	ND	97	70-130			
Bromoform	20.4	5.0	ug/l	25.0	ND	82	70-120			
Bromomethane	24.7	5.0	ug/l	25.0	ND	99	80-135			
2-Butanone (MEK)	24.4	10	ug/l	25.0	ND	98	30-150			
n-Butylbenzene	24.9	5.0	ug/l	25.0	ND	100	80-135			
sec-Butylbenzene	25.1	5.0	ug/l	25.0	ND	100	80-130			
tert-Butylbenzene	25.1	5.0	ug/l	25.0	ND	100	80-130			
Carbon Disulfide	32.8	5.0	ug/l	25.0	ND	131	45-150			
Carbon tetrachloride	24.6	5.0	ug/l	25.0	ND	98	65-135			
Chlorobenzene	23.6	1.0	ug/l	25.0	ND	94	80-125			
Chloroethane	25.6	5.0	ug/l	25.0	ND	102	80-125			
Chloroform	25.0	2.0	ug/l	25.0	ND	100	75-130			
Chloromethane	24.3	5.0	ug/l	25.0	ND	97	65-130			
2-Chlorotoluene	24.7	5.0	ug/l	25.0	ND	99	80-130			
4-Chlorotoluene	24.7	5.0	ug/l	25.0	ND	99	80-135			
Dibromochloromethane	20.9	2.0	ug/l	25.0	ND	84	75-120			
1,2-Dibromo-3-chloropropane	18.1	5.0	ug/l	25.0	ND	72	50-130			
1,2-Dibromoethane (EDB)	22.2	2.0	ug/l	25.0	ND	89	70-130			
Dibromomethane	22.5	2.0	ug/l	25.0	ND	90	75-130			
1,2-Dichlorobenzene	24.0	1.0	ug/l	25.0	ND	96	80-130			
1,3-Dichlorobenzene	24.0	1.0	ug/l	25.0	ND	96	80-130			
1,4-Dichlorobenzene	24.0	1.0	ug/l	25.0	ND	96	80-125			
Dichlorodifluoromethane	22.0	5.0	ug/l	25.0	ND	88	60-140			
1,1-Dichloroethane	25.4	2.0	ug/l	25.0	ND	102	80-125			
1,2-Dichloroethane	24.5	1.0	ug/l	25.0	ND	98	60-145			
1,1-Dichloroethene	24.5	5.0	ug/l	25.0	ND	98	75-130			
cis-1,2-Dichloroethene	24.0	2.0	ug/l	25.0	ND	96	80-125			
trans-1,2-Dichloroethene	24.0	2.0	ug/l	25.0	ND	96	80-120			
1,2-Dichloropropane	23.6	2.0	ug/l	25.0	ND	94	80-125			
1,3-Dichloropropane	22.2	2.0	ug/l	25.0	ND	89	75-130			
2,2-Dichloropropane	25.1	2.0	ug/l	25.0	ND	100	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2001 Extracted: 07/19/06										
Matrix Spike Analyzed: 07/19/2006 (P6G2001-MS1)					**Source: PPG0193-01**					
1,1-Dichloropropene	24.7	2.0	ug/l	25.0	ND	99	80-125			
cis-1,3-Dichloropropene	24.4	2.0	ug/l	25.0	ND	98	75-120			
trans-1,3-Dichloropropene	24.6	2.0	ug/l	25.0	ND	98	75-130			
Ethylbenzene	24.2	2.0	ug/l	25.0	ND	97	80-130			
Hexachlorobutadiene	21.0	5.0	ug/l	25.0	ND	84	65-130			
2-Hexanone	23.6	10	ug/l	25.0	ND	94	40-150			
Iodomethane	30.7	2.0	ug/l	25.0	ND	123	70-140			
Isopropylbenzene	27.0	2.0	ug/l	25.0	ND	108	80-140			
p-Isopropyltoluene	25.3	2.0	ug/l	25.0	ND	101	80-135			
Methylene chloride	22.2	5.0	ug/l	25.0	ND	89	75-125			
4-Methyl-2-pentanone (MIBK)	24.8	10	ug/l	25.0	ND	99	40-140			
Methyl-tert-butyl Ether (MTBE)	24.8	5.0	ug/l	25.0	ND	99	65-135			
Naphthalene	19.6	2.0	ug/l	25.0	ND	78	60-140			*V1*
n-Propylbenzene	26.0	2.0	ug/l	25.0	ND	104	80-140			
Styrene	27.5	2.0	ug/l	25.0	ND	110	30-150			
1,1,1,2-Tetrachloroethane	23.5	5.0	ug/l	25.0	ND	94	80-130			
1,1,2,2-Tetrachloroethane	22.7	2.0	ug/l	25.0	ND	91	65-140			
Tetrachloroethene	23.2	2.0	ug/l	25.0	ND	93	80-130			
Toluene	23.8	2.0	ug/l	25.0	ND	95	80-130			
1,2,3-Trichlorobenzene	21.1	5.0	ug/l	25.0	ND	84	75-140			*V1*
1,2,4-Trichlorobenzene	20.8	5.0	ug/l	25.0	ND	83	80-135			
1,1,1-Trichloroethane	25.3	2.0	ug/l	25.0	ND	101	70-135			
1,1,2-Trichloroethane	21.6	2.0	ug/l	25.0	ND	86	70-135			
Trichloroethene	22.8	2.0	ug/l	25.0	ND	91	80-125			
Trichlorofluoromethane	26.3	5.0	ug/l	25.0	ND	105	70-140			
1,2,3-Trichloropropane	21.6	10	ug/l	25.0	ND	86	65-135			
1,2,4-Trimethylbenzene	25.0	2.0	ug/l	25.0	ND	100	75-130			
1,3,5-Trimethylbenzene	25.4	2.0	ug/l	25.0	ND	102	80-135			
Vinyl acetate	31.5	25	ug/l	25.0	ND	126	30-150			*V1, N1*
Vinyl chloride	25.4	1.7	ug/l	25.0	ND	102	70-135			
Xylenes, Total	47.8	3.0	ug/l	50.0	ND	96	80-125			
Surrogate: Dibromofluoromethane	*27.7*		*ug/l*	*25.0*		*111*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.5*		*ug/l*	*25.0*		*102*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2001 Extracted: 07/19/06										
Matrix Spike Dup Analyzed: 07/19/2006 (P6G2001-MSD1)					**Source: PPG0193-01**					
Acetone	22.9	20	ug/l	25.0	ND	92	15-150	20	35	
Benzene	24.6	1.0	ug/l	25.0	ND	98	80-125	3	10	
Bromobenzene	24.2	5.0	ug/l	25.0	ND	97	80-125	2	15	
Bromochloromethane	23.6	5.0	ug/l	25.0	ND	94	80-130	3	20	
Bromodichloromethane	24.5	2.0	ug/l	25.0	ND	98	70-130	1	15	
Bromoform	19.7	5.0	ug/l	25.0	ND	79	70-120	3	25	
Bromomethane	24.6	5.0	ug/l	25.0	ND	98	80-135	0	20	
2-Butanone (MEK)	23.3	10	ug/l	25.0	ND	93	30-150	5	35	
n-Butylbenzene	25.8	5.0	ug/l	25.0	ND	103	80-135	4	20	
sec-Butylbenzene	25.6	5.0	ug/l	25.0	ND	102	80-130	2	20	
tert-Butylbenzene	25.9	5.0	ug/l	25.0	ND	104	80-130	3	20	
Carbon Disulfide	32.2	5.0	ug/l	25.0	ND	129	45-150	2	15	
Carbon tetrachloride	24.7	5.0	ug/l	25.0	ND	99	65-135	0	15	
Chlorobenzene	24.6	1.0	ug/l	25.0	ND	98	80-125	4	15	
Chloroethane	25.7	5.0	ug/l	25.0	ND	103	80-125	0	20	
Chloroform	25.1	2.0	ug/l	25.0	ND	100	75-130	0	15	
Chloromethane	24.6	5.0	ug/l	25.0	ND	98	65-130	1	20	
2-Chlorotoluene	25.4	5.0	ug/l	25.0	ND	102	80-130	3	15	
4-Chlorotoluene	25.2	5.0	ug/l	25.0	ND	101	80-135	2	15	
Dibromochloromethane	20.3	2.0	ug/l	25.0	ND	81	75-120	3	20	
1,2-Dibromo-3-chloropropane	15.8	5.0	ug/l	25.0	ND	63	50-130	14	35	
1,2-Dibromoethane (EDB)	21.0	2.0	ug/l	25.0	ND	84	70-130	6	25	
Dibromomethane	21.8	2.0	ug/l	25.0	ND	87	75-130	3	25	
1,2-Dichlorobenzene	23.3	1.0	ug/l	25.0	ND	93	80-130	3	15	
1,3-Dichlorobenzene	24.4	1.0	ug/l	25.0	ND	98	80-130	2	15	
1,4-Dichlorobenzene	24.7	1.0	ug/l	25.0	ND	99	80-125	3	10	
Dichlorodifluoromethane	20.9	5.0	ug/l	25.0	ND	84	60-140	5	45	
1,1-Dichloroethane	25.5	2.0	ug/l	25.0	ND	102	80-125	0	15	
1,2-Dichloroethane	23.8	1.0	ug/l	25.0	ND	95	60-145	3	20	
1,1-Dichloroethene	24.5	5.0	ug/l	25.0	ND	98	75-130	0	15	
cis-1,2-Dichloroethene	24.2	2.0	ug/l	25.0	ND	97	80-125	1	15	
trans-1,2-Dichloroethene	24.2	2.0	ug/l	25.0	ND	97	80-120	1	15	
1,2-Dichloropropane	24.2	2.0	ug/l	25.0	ND	97	80-125	3	15	
1,3-Dichloropropane	22.2	2.0	ug/l	25.0	ND	89	75-130	0	20	
2,2-Dichloropropane	25.0	2.0	ug/l	25.0	ND	100	60-135	0	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2001 Extracted: 07/19/06										
Matrix Spike Dup Analyzed: 07/19/2006 (P6G2001-MSD1)					**Source: PPG0193-01**					
1,1-Dichloropropene	25.0	2.0	ug/l	25.0	ND	100	80-125	1	15	
cis-1,3-Dichloropropene	24.6	2.0	ug/l	25.0	ND	98	75-120	1	15	
trans-1,3-Dichloropropene	23.8	2.0	ug/l	25.0	ND	95	75-130	3	25	
Ethylbenzene	25.0	2.0	ug/l	25.0	ND	100	80-130	3	15	
Hexachlorobutadiene	21.7	5.0	ug/l	25.0	ND	87	65-130	3	15	
2-Hexanone	21.4	10	ug/l	25.0	ND	86	40-150	10	35	
Iodomethane	30.4	2.0	ug/l	25.0	ND	122	70-140	1	15	
Isopropylbenzene	27.4	2.0	ug/l	25.0	ND	110	80-140	1	20	
p-Isopropyltoluene	26.1	2.0	ug/l	25.0	ND	104	80-135	3	20	
Methylene chloride	22.1	5.0	ug/l	25.0	ND	88	75-125	1	15	
4-Methyl-2-pentanone (MIBK)	21.6	10	ug/l	25.0	ND	86	40-140	14	35	
Methyl-tert-butyl Ether (MTBE)	22.9	5.0	ug/l	25.0	ND	92	65-135	8	30	
Naphthalene	18.2	2.0	ug/l	25.0	ND	73	60-140	7	30	*V1*
n-Propylbenzene	26.8	2.0	ug/l	25.0	ND	107	80-140	3	20	
Styrene	27.5	2.0	ug/l	25.0	ND	110	30-150	0	25	
1,1,1,2-Tetrachloroethane	23.6	5.0	ug/l	25.0	ND	94	80-130	0	15	
1,1,2,2-Tetrachloroethane	20.6	2.0	ug/l	25.0	ND	82	65-140	10	35	
Tetrachloroethene	23.9	2.0	ug/l	25.0	ND	96	80-130	3	15	
Toluene	24.3	2.0	ug/l	25.0	ND	97	80-130	2	15	
1,2,3-Trichlorobenzene	20.8	5.0	ug/l	25.0	ND	83	75-140	1	20	*V1*
1,2,4-Trichlorobenzene	20.8	5.0	ug/l	25.0	ND	83	80-135	0	15	
1,1,1-Trichloroethane	24.9	2.0	ug/l	25.0	ND	100	70-135	2	15	
1,1,2-Trichloroethane	20.6	2.0	ug/l	25.0	ND	82	70-135	5	25	
Trichloroethene	23.4	2.0	ug/l	25.0	ND	94	80-125	3	15	
Trichlorofluoromethane	26.0	5.0	ug/l	25.0	ND	104	70-140	1	15	
1,2,3-Trichloropropane	20.5	10	ug/l	25.0	ND	82	65-135	5	35	
1,2,4-Trimethylbenzene	25.5	2.0	ug/l	25.0	ND	102	75-130	2	15	
1,3,5-Trimethylbenzene	26.0	2.0	ug/l	25.0	ND	104	80-135	2	15	
Vinyl acetate	28.3	25	ug/l	25.0	ND	113	30-150	11	35	*V1, N1*
Vinyl chloride	25.8	1.7	ug/l	25.0	ND	103	70-135	2	25	
Xylenes, Total	49.0	3.0	ug/l	50.0	ND	98	80-125	2	15	
Surrogate: Dibromofluoromethane	*26.6*		*ug/l*	*25.0*		*106*	*80-130*			
Surrogate: Toluene-d8	*26.4*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.0*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1203 Extracted: 07/13/06										
Blank Analyzed: 07/14/2006 (P6G1203-BLK1)										
Acenaphthene	ND	3.0	ug/l							
Acenaphthylene	ND	3.0	ug/l							
Anthracene	ND	0.30	ug/l							
Benzo(a)anthracene	ND	0.050	ug/l							
Benzo(a)pyrene	ND	0.10	ug/l							
Benzo(b)fluoranthene	ND	0.30	ug/l							
Benzo(g,h,i)perylene	ND	0.30	ug/l							
Benzo(k)fluoranthene	ND	0.30	ug/l							
Chrysene	ND	0.30	ug/l							
Dibenz(a,h)anthracene	ND	0.50	ug/l							
Fluoranthene	ND	0.30	ug/l							
Fluorene	ND	0.30	ug/l							
Indeno(1,2,3-cd)pyrene	ND	0.30	ug/l							
Naphthalene	ND	2.0	ug/l							
Phenanthrene	ND	0.30	ug/l							
Pyrene	ND	0.30	ug/l							
Surrogate: 2-Methylanthracene	*0.448*		*ug/l*	*0.600*		*75*	*50-115*			
LCS Analyzed: 07/14/2006 (P6G1203-BS1)										**Q8**
Acenaphthene	5.19	3.0	ug/l	6.00		86	65-115			
Acenaphthylene	9.99	3.0	ug/l	12.0		83	65-115			
Anthracene	0.486	0.30	ug/l	0.600		81	65-115			
Benzo(a)anthracene	0.573	0.050	ug/l	0.600		96	80-115			
Benzo(a)pyrene	0.542	0.10	ug/l	0.600		90	70-115			
Benzo(b)fluoranthene	1.14	0.30	ug/l	1.20		95	80-115			
Benzo(g,h,i)perylene	1.20	0.30	ug/l	1.20		100	65-120			
Benzo(k)fluoranthene	0.585	0.30	ug/l	0.600		97	70-115			
Chrysene	0.571	0.30	ug/l	0.600		95	80-120			
Dibenz(a,h)anthracene	1.11	0.50	ug/l	1.20		92	50-125			
Fluoranthene	1.13	0.30	ug/l	1.20		94	70-115			
Fluorene	1.04	0.30	ug/l	1.20		87	65-115			
Indeno(1,2,3-cd)pyrene	0.542	0.30	ug/l	0.600		90	65-115			
Naphthalene	4.55	2.0	ug/l	6.00		76	55-115			
Phenanthrene	0.545	0.30	ug/l	0.600		91	60-115			
Pyrene	0.576	0.30	ug/l	0.600		96	75-115			
Surrogate: 2-Methylanthracene	*0.506*		*ug/l*	*0.600*		*84*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084
Sampled: 07/06/06
Received: 07/06/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1203 Extracted: 07/13/06										
LCS Dup Analyzed: 07/14/2006 (P6G1203-BSD1)										
Acenaphthene	5.19	3.0	ug/l	6.00		86	65-115	0	15	
Acenaphthylene	10.1	3.0	ug/l	12.0		84	65-115	1	15	
Anthracene	0.489	0.30	ug/l	0.600		81	65-115	1	15	
Benzo(a)anthracene	0.565	0.050	ug/l	0.600		94	80-115	1	15	
Benzo(a)pyrene	0.535	0.10	ug/l	0.600		89	70-115	1	15	
Benzo(b)fluoranthene	1.11	0.30	ug/l	1.20		92	80-115	3	15	
Benzo(g,h,i)perylene	1.29	0.30	ug/l	1.20		108	65-120	7	10	
Benzo(k)fluoranthene	0.574	0.30	ug/l	0.600		96	70-115	2	15	
Chrysene	0.570	0.30	ug/l	0.600		95	80-120	0	15	
Dibenz(a,h)anthracene	1.07	0.50	ug/l	1.20		89	50-125	4	25	
Fluoranthene	1.12	0.30	ug/l	1.20		93	70-115	1	20	
Fluorene	1.05	0.30	ug/l	1.20		87	65-115	1	20	
Indeno(1,2,3-cd)pyrene	0.541	0.30	ug/l	0.600		90	65-115	0	20	
Naphthalene	4.64	2.0	ug/l	6.00		77	55-115	2	25	
Phenanthrene	0.533	0.30	ug/l	0.600		89	60-115	2	30	
Pyrene	0.504	0.30	ug/l	0.600		84	75-115	13	20	
Surrogate: 2-Methylanthracene	*0.507*		*ug/l*	*0.600*		*84*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084

Sampled: 07/06/06
Received: 07/06/06

DATA QUALIFIERS AND DEFINITIONS

C7	Sample RPD between the primary and confirmatory analysis exceeded 40% per EPA Method 8000B, the lower value was reported due to apparent chromatographic interference.
D1	Sample required dilution due to matrix.
L3	The associated blank spike recovery was above method acceptance limits.
N1	See case narrative.
Q8	Insufficient sample received to meet method QC requirements. Batch QC satisfies ADEQ policies 0154 and 0155.
R6	LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
V1	CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
ND	Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
RPD	Relative Percent Difference

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0084

Sampled: 07/06/06
Received: 07/06/06

Certification Summary

TestAmerica - Phoenix, AZ

Method	Matrix	Nelac	Arizona
EPA 8015B	Water	X	X
EPA 8260B	Water	X	X
EPA 8310	Water	X	X

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

Subcontracted Laboratories

Transwest Geochem *Arizona Cert #AZ0133*

3725 E. Atlanta Ave Ste 1 - Phoenix, AZ 85040-2961

Analysis Performed: 8015B MOD-Low Level

Samples: PPG0084-02, PPG0084-03, PPG0084-04, PPG0084-05, PPG0084-06, PPG0084-07, PPG0084-08, PPG 0084-09

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

DelMar Analytical
9830 South 51st St, Suite B-120
Phoenix, AZ 85044
480-785-0043

Honeywell

Chain Of Custody / Analysis Request

[redacted]
Jennifer Holland
jennifer.holland@ch2m.com

Site Name: Sky Harbor
Location of Site: HW Quarterly / UST Sampling Program

[redacted]

Client Contact: (name, co., address)
CH2M HILL
2625 South Plaza Drive, Suite 300
Tempe, AZ 85282
Jennifer.Holland@CH2M.com

[redacted]

Sampler: Jenery Yentes
P O # BV.30.33

Analysis Turnaround Time:
Standard - Y
Rush Charges Authorized for -
2 weeks -
1 week -
Next Day -

	Sample Identification		Sample Date	Sample Time	Sample Type	Sample Matrix	# of Cont.	Preservative	VOC's (EPA 8260B)	SVOC's (EPA 8270)	PAH's (EPA 8310)	TRPH (EPA 8015M)	MEE (RSKSOP-175)	Total Metals (Varoius Methods)	Dissolved Metals (Various Methods)	Total common Ions (Various Methods)	Dissolved Common Ions (Various Methods)		VOC'S (EPA 624)		MS/MSD Requested	[redacted]
	Location ID	Field Sample ID							1	0	0	3	1	2	2	0	0		1			
									ug/L	ug/L	ug/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L		ug/L			
1	Blank	TB-070606	7.6.06	0600	RIK Water	Water		N	X													PPG0084-1
2	MW	ASE-65A-6B3	"	0702	GW	water	5	N	X			X										2
3	MW	ASE-62A-6B3	"	0747	GW	water	7	X N	X			X										3
4	MW	ASE-55A-6B3	"	0842	GW	water	5	N	X			X										4
5	MW	ASE-108A-6B3	"	0929	GW	water	7	Y	X		X	X										5
6	MW	ASE-92A-6B3	"	1013	GW	water	5	N	X			X										6
7	MW	ASE-91A-6B3	"	1214	GW	water	5	N	X			X										7
8	MW	ASE-[redacted]-6B3	"	1224	GW	water	5	N	X			X										8
9		506 [redacted]																				
10	MW	ASE-41A-6B3	7.6.06	1346	GW	water	5	N	X			X										-9
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						

3.1

Relinquished by	Company	Hargis + Associates, Inc.	Received by		Condition		Custody Seals Intact	
	Date/Time	7.6.06/1522		7-6-06	Cooler Temp.			
Relinquished by	Company		Received by		Condition		Custody Seals Intact	
	Date/Time			7/6/06 1522	Cooler Temp.	3.1		

Preservatives: 0 = None; [1 = HCL]; [2 = HNO3]; [3 = H2SO4]; [4 = NaOH]; [5 = Zn. Acetate]; [6 = MeOH]; [7 = NaHSO4]; 8 = Other (specify):

TRANSWEST GEOCHEM

June 28 , 2006

Ken Baker
TestAmerica - Phoenix
9830 S. 51st Street
Suite B-120
Phoenix, AZ 85044

Re: PPG0084
Work Order No.: 0607072

Dear Ken,

Attached is the original Report of Analysis from Columbia Analytical Services, Inc. (AZ0604) for the samples received on 7/07/06. The following analysis was performed:

Method EPA 8015B – Diesel Range Organics

If you have any questions regarding the results, please call me. We appreciate your business and thank you for choosing Transwest Geochem.

Sincerely,

for Carlene McCutchen
Skip Harden
Project Manager

ADHS License No. AZM133/AZ0133

5090 Caterpillar Road Redding, California 96003 (530) 244-5227 (530) 244-4109 fax

Columbia Analytical Services INC.
An Employee - Owned Company

July 25, 2006

Service Request No: D0600837

Carlene McCutcheon
Transwest Geochem, Incorporated
3725 East Atlanta Avenue
Suite 2
Phoenix, AZ 85040-2960

RE: PPG0084

Dear Carlene:

Enclosed are the results of the sample(s) submitted to our laboratory on July 11, 2006. For your reference, these analyses have been assigned our service request number D0600837.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 103. You may also contact me via email at EWilson@canoga.caslab.com.

Respectfully submitted,

Columbia Analytical Services, Inc.

Ed Wilson
Project Chemist

NELAP Accredited ACIL Seal of Excellence Award 100% Recycled

Current CAS Redding Accreditation Programs

Federal and National Programs

- U.S Air Force, Air Force Center for Environmental Excellence (AFCEE)
  Approved laboratory for Wastewater and Hazardous Waste
- U.S. Army Corps of Engineers – MRD, HTRW Mandatory Center of Expertise
  Validated for Wastewater and Hazardous Waste
- Department of the Navy, Naval Facilities Engineering Service Center (NFESC)
  Approved laboratory for Wastewater and Hazardous Waste

State and Local Programs

- State of Alaska, Department of Environmental Conservation
  Approved Laboratory for Contaminated Sites
  Lab ID UST-001
- State of Arizona, Department of Health Services, Office of Laboratory Licensure
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID AZ0604
- State of California, Department of Health Services, National Environmental Laboratory Accreditation Program **(NELAP)**
  Approved Laboratory for Drinking Water, Wastewater and Hazardous Waste
  Lab ID 01105CA
  - Los Angeles County Sanitation District
    Approved Laboratory for Wastewater
    Lab ID 10243
- State of California, Department of Health Services, Environmental Laboratory Accreditation Program (ELAP)
  Approved Laboratory for Microbiology of Drinking Water and Wastewater
  Lab ID 2635
- State of Florida, Department of Health, Bureau of Laboratories **(NELAP)**
  Approved Environmental Testing Laboratory for Wastewater and Hazardous Waste
  Lab ID E87203
- State of Kansas, Department of Health and Environment **(NELAP)**
  Approved Laboratory for Hazardous Waste
  Lab ID E-10323
- State of Massachusetts, Department of Environmental Protection
  Approved laboratory for Drinking Water and Wastewater
  Lab ID M-CA025
- State of Oklahoma, Department of Environmental Quality
  Approved Laboratory for General Water Quality/Sludge Testing
  Lab ID 9952
- State of Oregon, Environmental Laboratory Accreditation Program **(ORELAP)**
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID CA200004
- State of Utah, Department of Health, Bureau of Laboratory Improvement **(NELAP)**
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID QUAL1
- State of Washington, Department of Ecology
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID C1234
- State of Wisconsin, Department of Natural Resources
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID 999767340

Arizona Data Qualifiers
Revision 2.0, 11/26/2003

Developed by the Sub-committee of the
Arizona Environmental Laboratory Advisory Committee

Microbiology:
A1 = Too numerous to count.
A2 = Sample incubation period exceeded method requirement.
A3 = Sample incubation period was shorter than method requirement.
A4 = Target organism detected in associated method blank.
A5 = Incubator/water bath temperature was outside method requirements.
A6 = Target organism not detected in associated positive control.
A7 = Micro sample received without adequate headspace.

Method/calibration blank:
B1 = Target analyte detected in method blank at or above the method reporting limit.
B2 = Non-target analyte detected in method blank and sample, producing interference.
B3 = Target analyte detected in calibration blank at or above the method reporting limit.
B4 = Target analyte detected in blank at/above method acceptance criteria.
B5 = Target analyte detected in method blank at or above the method reporting limit, but below trigger level or MCL.
B6 = Target analyte detected in calibration blank at or above the method reporting limit, but below trigger level or MCL.
B7 = Target analyte detected in method blank at or above method reporting limit. Concentration found in the sample was 10 times above the concentration found in the method blank.

Confirmation:
C1 = Confirmatory analysis not performed as required by the method.
C3 = Qualitative confirmation performed.
C4 = Confirmatory analysis was past holding time.
C5 = Confirmatory analysis was past holding time. Original result not confirmed.
C6 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the higher value was reported as there was no obvious chromatographic interference.
C7 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic interference.

Dilution:
D1 = Sample required dilution due to matrix.
D2 = Sample required dilution due to high concentration of target analyte.
D3 = Sample dilution required due to insufficient sample.
D4 = Minimum reporting level (MRL) adjusted to reflect sample amount received and analyzed.

Estimated concentration:
E1 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not possible due to insufficient sample.
E2 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to sample matrix.
E3 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

E4 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL).
E5 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL), but not confirmed by alternate analysis.
E6 = Concentration estimated. Internal standard recoveries did not meet method acceptance criteria.
E7 = Concentration estimated. Internal standard recoveries did not meet laboratory acceptance criteria.
E8 = Analyte reported to MDL per project specification. Target analyte was not detected in the sample.

Hold time:
H1 = Sample analysis performed past holding time.
H2 = Initial analysis within holding time. Reanalysis for the required dilution was past holding time.
H3 = Sample was received and analyzed past holding time.
H4 = Sample was extracted past required extraction holding time, but analyzed within analysis holding time.

BOD:
K1 = The sample dilutions set-up for the BOD analysis did not meet the oxygen depletion criteria of at least 2 mg/L. Any reported result is an estimated value.
K2 = The sample dilutions set up for the BOD analysis did not meet the criteria of a residual dissolved oxygen of at least 1 mg/L. Any reported result is an estimated value.
K4 = The seed depletion was outside the method acceptance limits. The reported result is an estimated value.
K5 = The dilution water D.O. depletion was > 0.2 mg/L.
K6 = Glucose/glutamic acid BOD was below method acceptance criteria.
K7 = A discrepancy between the BOD and COD results has been verified by reanalysis of the sample for COD.
K8 = Glucose/glutamic acid BOD was above method acceptance levels.

Laboratory fortified blank/blank spike:

L1 = The associated blank spike recovery was above laboratory acceptance limits.
L2 = The associated blank spike recovery was below laboratory acceptance limits.
L3 = The associated blank spike recovery was above method acceptance limits.
L4 = The associated blank spike recovery was below method acceptance limits.

Matrix spike:
M1 = Matrix spike recovery was high, the method control sample recovery was acceptable.
M2 = Matrix spike recovery was low, the method control sample recovery was acceptable.
M3 = The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
M4 = The analysis of the spiked sample required a dilution such that the spike concentration was diluted below the reporting limit. The method control sample recovery was acceptable.
M5 = Analyte concentration was determined by the method of standard addition (MSA).

M6 = Matrix spike recovery was high. Data reported per ADEQ policy 0154.000.
M7 = Matrix spike recovery was low. Data reported per ADEQ policy 0154.000.

General:
N1 = See case narrative.
N2 = See corrective action report.
N3 = The analysis meets all method requirements. See case narrative.

Sample quality:
Q1 = Sample integrity was not maintained. See case narrative.
Q2 = Sample received with headspace.
Q3 = Sample received with improper chemical preservation.
Q4 = Sample received and analyzed without chemical preservation.
Q5 = Sample received with inadequate chemical preservation, but preserved by the laboratory.
Q6 = Sample was received above recommended temperature.
Q7 = Sample inadequately dechlorinated.
Q8 = Insufficient sample received to meet method QC requirements. Batch QC requirements satisfies ADEQ policies 0154 and 0155.
Q9 = Insufficient sample received to meet method QC requirements.
Q10 = Sample received in inappropriate sample container.
Q11 = Sample is heterogeneous. Sample homogeneity could not be readily achieved using routine laboratory practices.

Duplicates:
R1 = RPD exceeded the method control limit. See case narrative.
R2 = RPD exceeded the laboratory control limit. See case narrative.
R4 = MS/MSD RPD exceeded the method control limit. Recovery met acceptance criteria.
R5 = MS/MSD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R6 = LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
R7 = LFB/LFBD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R8 = Sample RPD exceeded the method control limit.
R9 = Sample RPD exceeded the laboratory control limit.
R10 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic problems.
R11 = The RPD calculation for MS/MSD does not provide useful information due to the varying sample weights when Encore samplers/methanol field preserved samples are used.

Surrogate:
S1 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits.
S3 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits. No target analytes were detected in the sample.
S4 = Surrogate recovery was above laboratory and method acceptance limits. No target analytes were detected in the sample.
S5 = Surrogate recovery was below laboratory acceptance limits, but within method acceptance limits.
S6 = Surrogate recovery was below laboratory and method acceptance limits. Reextraction and/or reanalysis confirms low recovery caused by matrix effect.

S7 = Surrogate recovery was below laboratory and method acceptance limits. Unable to confirm matrix effect.
S8 = The analysis of the sample required a dilution such that the surrogate recovery calculation does not provide any useful information. The method control sample recovery was acceptable.
S10 = Surrogate recovery was above laboratory and method acceptance limits. See Case narrative.
S11 = Surrogate recovery was high. Data reported per ADEQ policy 0154.000.
S12 = Surrogate recovery was low. Data reported per ADEQ policy 0154.000.

Method/analyte discrepancies:
T1 = Method approved by EPA, but not yet licensed by ADHS.
T2 = Cited ADHS licensed method does not contain this analyte as part of method compound list.
T3 = Method not promulgated either by EPA or ADHS.
T4 = Tentatively identified compound. Concentration is estimated and based on the closest internal standard.

Calibration verification:
V1 = CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
V2 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample. The sample could not be reanalyzed due to insufficient sample.
V3 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample, but the sample was not reanalyzed. See case narrative.
V4 = CCV recovery was below method acceptance limits. The sample could not be reanalyzed due to insufficient sample.
V5 = CCV recovery after a group of samples was above acceptance limits. This target analyte was not detected in the sample. Acceptable per EPA Method 8000B.
V6 = Data reported from one-point calibration criteria per ADEQ policy 0155.000.
V7 = Calibration verification recovery was above the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.
V8 = Calibration verification recovery was below the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.

Calibration:
W1 = The % RSD for this compound was above 20%. The average % RSD for all compounds in the calibration met the 20% criteria as specified in EPA method 8000B.
W2 = The % RSD for this compound was above 15%. The average % RSD for all compounds in the calibration met the 15% criteria as specified in EPA method 8260B/8270C.

Client: Transwest Geochem, Incorporated
Project: PPG0084

Service Request: D0600837

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
D0600837-001	PPG0084-02	07/06/06	07:02
D0600837-002	PPG0084-03	07/06/06	07:47
D0600837-003	PPG0084-04	07/06/06	08:42
D0600837-004	PPG0084-05	07/06/06	09:29
D0600837-005	PPG0084-06	07/06/06	10:13
D0600837-006	PPG0084-07	07/06/06	12:14
D0600837-007	PPG0084-08	07/06/06	12:24
D0600837-008	PPG0084-09	07/06/06	13:46

CASE NARRATIVE

COLUMBIA ANALYTICAL SERVICES, INC.

Client:	Transwest Geochem, Inc.	**Service Request No.:**	D0600837
Project:	PPG0084	**Date Received:**	July 11, 2006
Sample Matrix:	Water		

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of Columbia Analytical Services, Inc. (CAS). This report contains analytical results for samples designated for Tier II data deliverables.

Sample Receipt

Eight water samples were received for analysis at Columbia Analytical Services on July 11, 2006.

No discrepancies were noted upon initial sample inspection. The samples were received in good condition and consistent with the accompanying chain of custody form. The samples were stored in a refrigerator at 4°C upon receipt at the laboratory.

Diesel Range Organics by EPA Method 8015B

Continuing Calibration Verification Exceptions:
The %D for TPH-Diesel in closing Continuing Calibration Verification F0721011 (16.5%) exceeded the method criteria. Since the apparent problem equates to a potential high bias and all the QC recoveries were within control criteria; the data quality is not significantly affected. No further corrective action was taken.

Method Blank Exceptions:
The Method Blank DWB10713 contained low levels of TPH in HRO range above the Method Reporting Limit (MRL). In accordance with CAS QA/QC policy, all sample results less than twenty times the level found in the Method Blank are flagged as estimated. The samples were not re-extracted and reanalyzed because insufficient sample remained for additional testing.

Matrix Spike Recovery Exceptions:
Insufficient sample volume was received to perform a Matrix Spike/Matrix Spike Duplicate (MS/MSD). A Laboratory Control Sample/Duplicate Laboratory Control Sample (LCS/DLCS) was analyzed in order to report precision data

Elevated Method Reporting Limits:
Sample PPG0084-04 required dilution due to the presence of elevated levels of target analyte. The reporting limits are adjusted to reflect the dilution.

Approved by: _____ **Date:** 7/25/06

CHAIN OF CUSTODY DOCUMENTATION

TRANSWEST GEOCHEM

CHAIN-OF-CUSTODY

[redacted]

Skip Harden
3725 E. Atlanta Avenue
Suite 2
Phoenix, AZ 85040
TEL: (602) 437-0330
FAX: (602) 437-0660

Work Order: 0607072

Project: PPG0084

Subcontractor:
Columbia Analytical Services
5090 Caterpillar Rd.
Redding, CA 96003
TEL: (530) 244-5227
FAX: (530) 244-4109

07-Jul-06

	Client Sample ID	TGI ID	Matrix	Collection Date	Containers	Requested Tests: 8015MOD_W
1	PPG0084-02	01A	Water	7/6/2006 7:02:00 AM	1	1
2	PPG0084-03	02A	Water	7/6/2006 7:47:00 AM	1	1
3	PPG0084-04	03A	Water	7/6/2006 8:42:00 AM	1	1
4	PPG0084-05	04A	Water	7/6/2006 9:29:00 AM	1	1
5	PPG0084-06	05A	Water	7/6/2006 10:13:00 AM	1	1
6	PPG0084-07	06A	Water	7/6/2006 12:14:00 PM	1	1
7	PPG0084-08	07A	Water	7/6/2006 12:24:00 PM	1	1
8	PPG0084-09	08A	Water	7/6/2006 1:46:00 PM	1	1

need 8015 level reporting limits

need EDD's

Comments: After analysis, the samples do not need to be returned and can be disposed per your standard laboratory practices. Please provide a QC report, including Method Blank data.

Sample Receipt		
Temperature:	Ambient / Cold	Ice:
Received Intact:		Absent / Present
Custody Seals:		Wet / Blue
Total No. of Containers:		° C.

		Date/Time			Date/Time
Relinquished by:	Leslie May	7/10/06 1500	**Received by:**	UPS	
Relinquished by:			**Received by:**	[illegible]	7/11/06 0950
Relinquished by:			**Received by:**		

11

Columbia Analytical Services inc.
An Employee-Owned Company

5090 Caterpillar Road
Redding, CA 96003
Phone: (530) 244-5262
Fax #: (530) 244-4109

[redacted]

COOLER RECEIPT FORM

Project/Client: Transwest Geochem Batch No [redacted]

1. Cooler(s)/Sample(s) received on: 07/11/06 Shipped via: UPS
   Shipping Bill # (s): 1Z 73W 652 0192 380 419, 9348 2405 9279 639 # of Coolers/Packages 3
2. Radiological Screening by: NCP Acceptable Rejected
3. Custody seals on outside of cooler: YES NO N/A
   If yes, where? Front ✓ Rear ____ Lt Side ____ Rt Side ____
   Seals intact: YES NO

COOLER/SAMPLE PROCESSING

4. Sample Processing/Tagging by: NCPham
5. Cooler(s)/Sample(s) Temp's: 2°c 4°c 4°c ____ ____
   (or)
   Temp. Blank (if included): ____ ____ ____ ____ ____
6. Type of packing material (circle): Ice Blue Ice Bubble Wrap Bubble Bags Zip Locks Webbing
   Other: ____
7. Custody papers properly filled out (ink, signed, dated, released, etc.)? YES NO
8. Containers arrived in good condition (not broken, leaking, etc.)? YES NO
9. Samples received with adequate holding time remaining to conduct analysis? YES NO
10. Container labels complete (i.e. analysis, preservation, date/time, etc.)? YES NO
11. Container labels and tags agree with custody papers? YES NO
12. Correct types of containers used for the tests indicated? YES NO
    a.) Adequate sample received? If not, note on Exception Report. YES NO
13. Containers supplied by: CAS Other
14. Preserved containers received with the appropriate preservative? YES NO N/A
    pH: pres per doc H_2SO_4 (or) See pH log.
15. VOA vials free of air bubbles? YES NO N/A
16. Trip Blank preparation date: ____ CAS Other N/A
17. Volatile Soil samples: Encores or Plugs in Vials
    Freezer or GC/MS Date: ____ Time: ____ N/A

See Exception Report for discrepancies.

Rev. 8/18/2004/ds

GC TPH DIESEL

ORGANIC ANALYSES DATA PACKAGE

Analytical Method: CA LUFT AAB #: D0600837

Lab Name: Columbia Analytical Services/Redding

Base/Command: ARIZONA DELIVERABLES (RL)

Project: PPG0084

Field Sample ID	Lab Sample ID
PPG0084-02	D0600837-001
PPG0084-03	D0600837-002
PPG0084-04	D0600837-003
PPG0084-05	D0600837-004
PPG0084-06	D0600837-005
PPG0084-07	D0600837-006
PPG0084-08	D0600837-007
PPG0084-09	D0600837-008

Comments:

I certify this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: [illegible] Name: WIDA ANG

Date: 7/24/06 Title: Organic Manager

RDD-060724:CC:BS-0914PST-SR:D0600837-D0600837-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600837

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0084-02 Lab Sample ID: D0600837-001 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/11/06 Date Extracted: 07/13/06 Date Analyzed: 07/19/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	ND	1		
C23 - C32 HRO		50	**58**	1		B1
Total Petroleum Hydrocarbons		100	ND	1		B1

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	84	58-111	
Triacontane - SS	84	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600837

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0084-03 Lab Sample ID: D0600837-002 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/11/06 Date Extracted: 07/13/06 Date Analyzed: 07/19/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	ND	1		
C23 - C32 HRO		50	**57**	1		B1
Total Petroleum Hydrocarbons		100	ND	1		B1

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	87	58-111	
Triacontane - SS	88	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600837

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0084-04 Lab Sample ID: D0600837-003 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/11/06 Date Extracted: 07/13/06 Date Analyzed: 07/21/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		2000	**77000**	40		D2
C23 - C32 HRO		2000	ND	40		D2B7
Total Petroleum Hydrocarbons		4000	**77000**	40		D2B7

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	108	58-111	
Triacontane - SS	103	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600837

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0084-05 Lab Sample ID: D0600837-004 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/11/06 Date Extracted: 07/13/06 Date Analyzed: 07/19/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**160**	1		
C23 - C32 HRO		50	ND	1		B1
Total Petroleum Hydrocarbons		100	**160**	1		B1

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	87	58-111	
Triacontane - SS	88	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600837

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0084-06 Lab Sample ID: D0600837-005 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/11/06 Date Extracted: 07/13/06 Date Analyzed: 07/21/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**170**	1		
C23 - C32 HRO		50	ND	1		B1
Total Petroleum Hydrocarbons		100	**170**	1		B1

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	88	58-111	
Triacontane - SS	88	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600837

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0084-07 Lab Sample ID: D0600837-006 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/11/06 Date Extracted: 07/13/06 Date Analyzed: 07/21/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**760**	1		
C23 - C32 HRO		50	ND	1		B1
Total Petroleum Hydrocarbons		100	**760**	1		B1

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	80	58-111	
Triacontane - SS	80	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600837

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0084-08 Lab Sample ID: D0600837-007 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/11/06 Date Extracted: 07/13/06 Date Analyzed: 07/21/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**850**	1		
C23 - C32 HRO		50	ND	1		B1
Total Petroleum Hydrocarbons		100	**850**	1		B1

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	87	58-111	
Triacontane - SS	87	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600837

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0084-09 Lab Sample ID: D0600837-008 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/11/06 Date Extracted: 07/13/06 Date Analyzed: 07/21/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**1600**	1		
C23 - C32 HRO		50	**75**	1		B1
Total Petroleum Hydrocarbons		100	**1600**	1		B7

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	97	58-111	
Triacontane - SS	94	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 6
BLANKS

Analytical Method: CA LUFT AAB #: D0600837

Lab Name: Columbia Analytical Services/Redding

Concentration Units (ug/L or mg/kg): UG/L Method Blank ID: DWB10713

Lab Sample ID: DWB10713

Initial Calibration ID: 05/20/06GCF

Analyte		Method Blank	RL	Q
C13 - C22 DRO		ND	50	
C23 - C32 HRO		120	50	B1
Total Petroleum Hydrocarbons		120	100	B1

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	88	58-111	
Triacontane - SS	89	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 7
LABORATORY CONTROL SAMPLE/LABORATORY CONTROL SAMPLE DUPLICATE

Analytical Method: CA LUFT AAB #: D0600837

Lab Name: Columbia Analytical Services/Redding

Concentration Units (ug/L or mg/kg): UG/L %Solids: _____

Parent Field Sample ID: DWB10713 BS ID: DWB10713LCS BSD ID: DWB10713LCSD

Analyte	Parent Sample Result	Spike Added	Spiked Sample Result	%R	Duplicat Spike Sample Result	%R	%RPD	Control Limits %RPD	Control Limits %R	Q
C13 - C22 DRO		2500	1860	74	2110	84	13	30	64-106	

Comments:

ORGANIC ANALYSES DATA SHEET 10
INSTRUMENT ANALYSIS SEQUENCE LOG

Analytical Method: CA LUFT AAB #: D0600837

Lab Name: Columbia Analytical Services/Redding

Instrument ID #: GCF RTX-5

Field Sample ID/Std ID/ Blank ID/QC Sample ID	Laboratory File ID	Date Analysis Started	Time Analysis Started	Date Analysis Completed	Time Analysis Completed
DSTD6	F0520002	05/20/06	1838	05/20/06	1908
DSTD1	F0520003	05/20/06	1923	05/20/06	1953
DSTD2	F0520004	05/20/06	2008	05/20/06	2038
DSTD3	F0520005	05/20/06	2054	05/20/06	2124
DSTD4	F0520006	05/20/06	2139	05/20/06	2209
DSTD5	F0520007	05/20/06	2225	05/20/06	2255
QC ALT	F0520009	05/20/06	2356	05/21/06	0026
DSTD4	F0718014	07/19/06	0020	07/19/06	0050
DWB10713	F0718015	07/19/06	0105	07/19/06	0135
DWB10713LCS	F0718016	07/19/06	0149	07/19/06	0219
DWB10713LCSD	F0718017	07/19/06	0233	07/19/06	0303
PPG0084-02	F0718018	07/19/06	0317	07/19/06	0347
PPG0084-03	F0718019	07/19/06	0402	07/19/06	0432
PPG0084-05	F0718021	07/19/06	0530	07/19/06	0600
DSTD3	F0718023	07/19/06	0658	07/19/06	0728
DSTD4	F0721002	07/21/06	1629	07/21/06	1659
PPG0084-04	F0721003	07/21/06	1713	07/21/06	1743
PPG0084-06	F0721004	07/21/06	1757	07/21/06	1827
PPG0084-07	F0721005	07/21/06	1841	07/21/06	1911
PPG0084-08	F0721006	07/21/06	1926	07/21/06	1956
PPG0084-09	F0721007	07/21/06	2010	07/21/06	2040
DSTD3	F0721011	07/21/06	2306	07/21/06	2336

Comments:

ORGANIC ANALYSES DATA SHEET APPENDIX A
SURROGATE RESULTS

Analytical Method: CA LUFT AAB #: D0600837

Lab Name: Columbia Analytical Services/Redding

Matrix: Water

Field/QC Sample ID	S1	S2	S3	S4	S5	S6	S7	S8	Q
DWB10713	88	89							
DWB10713LCS	83	84							
DWB10713LCSD	89	90							
PPG0084-02	84	84							
PPG0084-03	87	88							
PPG0084-05	87	88							
PPG0084-04	108	103							
PPG0084-06	88	88							
PPG0084-07	80	80							
PPG0084-08	87	87							
PPG0084-09	97	94							

S1: Octacosane - SS 58-111
S2: Triacontane - SS 54-109

Comments:

Sab

TRANSWEST GEOCHEM

Sample Receipt Checklist

Client Name: Del Mar

Date and Time Received: 7/7/06 0945

Work Order Number: 0607 072

Checked by: DU

Checklist completed by: SBuen 7/7/06
Signature / Date

Logged In by: lm 7/7/06
Initials / Date

Matrix: W

Carrier Name: (Client) TGI _____

Reviewed by: SK 7/7/06
Initials / Date

				COMMENTS
Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐	
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☑	
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑	
Chain of custody present?	Yes ☑	No ☐		
Chain of custody signed when relinquished and received?	Yes ☑	No ☐		
Chain of custody agrees with sample labels?	Yes ☑	No ☐		
Samples in proper container/bottle?	Yes ☑	No ☐		
Sample containers intact?	Yes ☑	No ☐		
Sufficient sample volume for indicated test?	Yes ☑	No ☐		
All samples received within holding time?	Yes ☑	No ☐		
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	Temp: 3.6	Sampled < 2hrs ☐
Water – VOA vials have zero headspace?	Yes ☐	No ☐	N/A ☑	
Water – pH acceptable upon receipt?	Yes ☑	No ☐	N/A ☐	Checked by: DU
Water – Sulfides present in Cyanide samples?	Yes ☐	No ☐	N/A ☑	
Sample considered Drinking Water?	Yes ☐	No ☐	N/A ☑	

Client contacted: _____ Date contacted: _____ Person contacted: _____

Contacted by: _____ Regarding: _____

Corrective Action: _____

0607 072

TestAmerica
ANALYTICAL TESTING CORPORATION

SUBCONTRACT ORDER - PROJECT # PPG0084

SENDING LABORATORY:
Del Mar Analytical - Phoenix
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem (out)
3725 E. Atlanta Ave Ste 1
Phoenix, AZ 85040-2961
Phone :602-437-0330
Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPG0084-02 Water **Sampled: 07/06/06 07:02**		
8015B MOD-Low Level-O	07/13/06 07:02	sub to Transwest, need transfer file for EDD
1 **Containers Supplied:**		
1 L Amber w/H2SO4 (PPG0084-02D)		
1 L Amber w/H2SO4 (PPG0084-02E)		2,2
2 **Sample ID: PPG0084-03 Water** **Sampled: 07/06/06 07:47**		**MS/MSD**
8015B MOD-Low Level-O	07/13/06 07:47	sub to Transwest, need transfer file for EDD/ MS/MSD 2,2
Sample ID: PPG0084-04 Water **Sampled: 07/06/06 08:42**		
8015B MOD-Low Level-O	07/13/06 08:42	sub to Transwest, need transfer file for EDD
3 **Containers Supplied:**		
1 L Amber w/H2SO4 (PPG0084-04D)		
1 L Amber w/H2SO4 (PPG0084-04E)		2,2
Sample ID: PPG0084-05 Water **Sampled: 07/06/06 09:29**		**Use as MS/MSD**
8015B MOD-Low Level-O	07/13/06 09:29	sub to Transwest, need transfer file for EDD / MS/MSD
4 **Containers Supplied:**		
1 L Amber w/H2SO4 (PPG0084-05D)		
1 L Amber w/H2SO4 (PPG0084-05E)		2,2
Sample ID: PPG0084-06 Water **Sampled: 07/06/06 10:13**		
8015B MOD-Low Level-O	07/13/06 10:13	sub to Transwest, need transfer file for EDD
5 **Containers Supplied:**		
1 L Amber w/H2SO4 (PPG0084-06D)		
1 L Amber w/H2SO4 (PPG0084-06E)		2,2
Sample ID: PPG0084-07 Water **Sampled: 07/06/06 12:14**		
8015B MOD-Low Level-O	07/13/06 12:14	sub to Transwest, need transfer file for EDD
6 **Containers Supplied:**		
1 L Amber w/H2SO4 (PPG0084-07D)		
1 L Amber w/H2SO4 (PPG0084-07E)		2,2

Released By	Date	Time	Received By	Date	Time
				7-7-6	
Released By	Date	Time	Received By	Date	Time

0607 072

TestAmerica
ANALYTICAL TESTING CORPORATION

SUBCONTRACT ORDER - PROJECT # PPG0084

SENDING LABORATORY:
Del Mar Analytical - Phoenix
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem (out)
3725 E. Atlanta Ave Ste 1
Phoenix, AZ 85040-2961
Phone :602-437-0330
Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPG0084-08 Water	**Sampled: 07/06/06 12:24**	
8015B MOD-Low Level-O	07/13/06 12:24	sub to Transwest, need transfer file for EDD
7 **Containers Supplied:**		
1 L Amber w/H2SO4 (PPG0084-08D)		
1 L Amber w/H2SO4 (PPG0084-08E)		
Sample ID: PPG0084-09 Water	**Sampled: 07/06/06 13:46**	
8015B MOD-Low Level-O	07/13/06 13:46	sub to Transwest, need transfer file for EDD
8 **Containers Supplied:**		
1 L Amber w/H2SO4 (PPG0084-09D)		
1 L Amber w/H2SO4 (PPG0084-09E)		

pH 2, 2

2, 2

SAMPLE INTEGRITY:

All containers intact: ☐ Yes ☐ No
Custody Seals Present: ☐ Yes ☐ No
Sample labels/COC agree: ☐ Yes ☐ No
Samples Preserved Properly: ☐ Yes ☐ No
Samples Received On Ice:: ☐ Yes ☐ No
Samples Received at (temp): _____

Released By	Date	Time	Received By	Date	Time
[signature]	7-7-06	0945	[signature]	7-7-6	0945
[signature]	7-7-6	0955	A. O'Brien	7/7/06	1000

3.6

TestAmerica
ANALYTICAL TESTING CORPORATION

9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

LABORATORY REPORT

Prepared For: CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project: Sky Harbor HW Quarterly / UST Sampling Program

Sampled: 07/07/06
Received: 07/07/06
Issued: 07/26/06 15:47

NELAP #01109CA Arizona DHS#AZ0426

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.
This entire report was reviewed and approved for release.

CASE NARRATIVE

LABORATORY ID	CLIENT ID	MATRIX
PPG0141-01	TB-070706	Water
PPG0141-02	ASE-127A-6B3	Water
PPG0141-03	ASE-66A-6B3	Water
PPG0141-04	PL-507-6B3	Water
PPG0141-05	ASE-68A-6B3	Water
PPG0141-06	ASE-20A-6B3	Water
PPG0141-07	ASE-51A-6B3	Water
PPG0141-08	ASE-53A-6B3	Water
PPG0141-09	ASE-52A-6B3	Water
PPG0141-10	ASE-64A-6B3	Water
PPG0141-11	ASE-63A-6B3	Water

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe 2625 S. Plaza Drive, Ste. 300 Tempe, AZ 85282 Attention: Jennifer Holland	Project ID: Sky Harbor HW Quarterly / UST Sampling Program Report Number: PPG0141	Sampled: 07/07/06 Received: 07/07/06

SAMPLE RECEIPT:	Samples were received intact, at 3°C, on ice and with chain of custody documentation.
HOLDING TIMES:	All samples were analyzed within prescribed holding times and/or in accordance with the TestAmerica Sample Acceptance Policy unless otherwise noted in the report.
PRESERVATION:	Samples requiring preservation were verified prior to sample analysis.
QA/QC CRITERIA:	All analyses met method criteria, except as noted in the report with data qualifiers.
COMMENTS:	N1: No results were reported for the MS/MSD. The sample used for the MS/MSD required dilution due to the sample matrix. Because of this, the spike compounds were diluted below the detection limit. N1a: The second source continuing calibration verification analyzed immediately following the calibration recovered high and outside of acceptance limits for Vinly Acetate and TAME. All associated samples are non-detect and therefore should not be impacted.
SUBCONTRACTED:	Refer to the last page for specific subcontract laboratory information included in this report.

Reviewed By:

Ken Baker

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141

Sampled: 07/07/06
Received: 07/07/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0141-01 (TB-070706 - Water)				**Sampled: 07/07/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2001	20	ND	1	7/19/2006	7/19/2006	
Benzene	EPA 8260B	P6G2001	1.0	ND	1	7/19/2006	7/19/2006	
Bromobenzene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Bromochloromethane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Bromodichloromethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Bromoform	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Bromomethane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
2-Butanone (MEK)	EPA 8260B	P6G2001	10	ND	1	7/19/2006	7/19/2006	
n-Butylbenzene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
sec-Butylbenzene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
tert-Butylbenzene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Carbon Disulfide	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Carbon tetrachloride	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Chlorobenzene	EPA 8260B	P6G2001	1.0	ND	1	7/19/2006	7/19/2006	
Chloroethane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Chloroform	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Chloromethane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
2-Chlorotoluene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
4-Chlorotoluene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Dibromochloromethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Dibromomethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2001	1.0	ND	1	7/19/2006	7/19/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2001	1.0	ND	1	7/19/2006	7/19/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2001	1.0	ND	1	7/19/2006	7/19/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
1,1-Dichloroethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,2-Dichloroethane	EPA 8260B	P6G2001	1.0	ND	1	7/19/2006	7/19/2006	
1,1-Dichloroethene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,2-Dichloropropane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,3-Dichloropropane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
2,2-Dichloropropane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,1-Dichloropropene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Ethylbenzene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Hexachlorobutadiene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
2-Hexanone	EPA 8260B	P6G2001	10	ND	1	7/19/2006	7/19/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0141-01 (TB-070706 - Water) - cont.				**Sampled: 07/07/06**				
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Isopropylbenzene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
p-Isopropyltoluene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Methylene chloride	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2001	10	ND	1	7/19/2006	7/19/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Naphthalene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	V1
n-Propylbenzene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Styrene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Tetrachloroethene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Toluene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Trichloroethene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Trichlorofluoromethane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2001	10	ND	1	7/19/2006	7/19/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Vinyl acetate	EPA 8260B	P6G2001	25	ND	1	7/19/2006	7/19/2006	V1, L3, N1a
Vinyl chloride	EPA 8260B	P6G2001	1.7	ND	1	7/19/2006	7/19/2006	
Xylenes, Total	EPA 8260B	P6G2001	3.0	ND	1	7/19/2006	7/19/2006	
Surrogate: Dibromofluoromethane (80-130%)				*106 %*				
Surrogate: Toluene-d8 (80-120%)				*103 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*100 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0141-02 (ASE-127A-6B3 - Water)				**Sampled: 07/07/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2001	20	ND	1	7/19/2006	7/19/2006	
Benzene	EPA 8260B	P6G2001	1.0	ND	1	7/19/2006	7/19/2006	
Bromobenzene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Bromochloromethane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Bromodichloromethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Bromoform	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Bromomethane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
2-Butanone (MEK)	EPA 8260B	P6G2001	10	ND	1	7/19/2006	7/19/2006	
n-Butylbenzene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
sec-Butylbenzene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
tert-Butylbenzene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Carbon Disulfide	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Carbon tetrachloride	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Chlorobenzene	EPA 8260B	P6G2001	1.0	ND	1	7/19/2006	7/19/2006	
Chloroethane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Chloroform	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Chloromethane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
2-Chlorotoluene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
4-Chlorotoluene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Dibromochloromethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Dibromomethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2001	1.0	ND	1	7/19/2006	7/19/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2001	1.0	ND	1	7/19/2006	7/19/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2001	1.0	ND	1	7/19/2006	7/19/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
1,1-Dichloroethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,2-Dichloroethane	EPA 8260B	P6G2001	1.0	ND	1	7/19/2006	7/19/2006	
1,1-Dichloroethene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,2-Dichloropropane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,3-Dichloropropane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
2,2-Dichloropropane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,1-Dichloropropene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Ethylbenzene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Hexachlorobutadiene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
2-Hexanone	EPA 8260B	P6G2001	10	ND	1	7/19/2006	7/19/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0141-02 (ASE-127A-6B3 - Water) - cont.				**Sampled: 07/07/06**				
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Isopropylbenzene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
p-Isopropyltoluene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Methylene chloride	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2001	10	ND	1	7/19/2006	7/19/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Naphthalene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
n-Propylbenzene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Styrene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Tetrachloroethene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Toluene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Trichloroethene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Trichlorofluoromethane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2001	10	ND	1	7/19/2006	7/19/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Vinyl acetate	EPA 8260B	P6G2001	25	ND	1	7/19/2006	7/19/2006	L3, N1a
Vinyl chloride	EPA 8260B	P6G2001	1.7	ND	1	7/19/2006	7/19/2006	
Xylenes, Total	EPA 8260B	P6G2001	3.0	ND	1	7/19/2006	7/19/2006	
Surrogate: Dibromofluoromethane (80-130%)				*102 %*				
Surrogate: Toluene-d8 (80-120%)				*103 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0141-03 (ASE-66A-6B3 - Water)				**Sampled: 07/07/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2001	20	ND	1	7/19/2006	7/19/2006	
Benzene	EPA 8260B	P6G2001	1.0	ND	1	7/19/2006	7/19/2006	
Bromobenzene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Bromochloromethane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Bromodichloromethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Bromoform	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Bromomethane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
2-Butanone (MEK)	EPA 8260B	P6G2001	10	ND	1	7/19/2006	7/19/2006	
n-Butylbenzene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
sec-Butylbenzene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
tert-Butylbenzene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Carbon Disulfide	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Carbon tetrachloride	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Chlorobenzene	EPA 8260B	P6G2001	1.0	ND	1	7/19/2006	7/19/2006	
Chloroethane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Chloroform	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Chloromethane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
2-Chlorotoluene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
4-Chlorotoluene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Dibromochloromethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Dibromomethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2001	1.0	ND	1	7/19/2006	7/19/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2001	1.0	ND	1	7/19/2006	7/19/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2001	1.0	ND	1	7/19/2006	7/19/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
1,1-Dichloroethane	EPA 8260B	P6G2001	2.0	**4.8**	1	7/19/2006	7/19/2006	
1,2-Dichloroethane	EPA 8260B	P6G2001	1.0	ND	1	7/19/2006	7/19/2006	
1,1-Dichloroethene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,2-Dichloropropane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,3-Dichloropropane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
2,2-Dichloropropane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,1-Dichloropropene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Ethylbenzene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Hexachlorobutadiene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
2-Hexanone	EPA 8260B	P6G2001	10	ND	1	7/19/2006	7/19/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0141-03 (ASE-66A-6B3 - Water) - cont.				**Sampled: 07/07/06**				
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Isopropylbenzene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
p-Isopropyltoluene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Methylene chloride	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2001	10	ND	1	7/19/2006	7/19/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Naphthalene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
n-Propylbenzene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Styrene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Tetrachloroethene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Toluene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Trichloroethene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Trichlorofluoromethane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2001	10	ND	1	7/19/2006	7/19/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Vinyl acetate	EPA 8260B	P6G2001	25	ND	1	7/19/2006	7/19/2006	L3, N1a
Vinyl chloride	EPA 8260B	P6G2001	1.7	**1.8**	1	7/19/2006	7/19/2006	
Xylenes, Total	EPA 8260B	P6G2001	3.0	ND	1	7/19/2006	7/19/2006	
Surrogate: Dibromofluoromethane (80-130%)				*104 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141

Sampled: 07/07/06
Received: 07/07/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0141-04 (PL-507-6B3 - Water)				**Sampled: 07/07/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2001	20	ND	1	7/19/2006	7/19/2006	
Benzene	EPA 8260B	P6G2001	1.0	ND	1	7/19/2006	7/19/2006	
Bromobenzene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Bromochloromethane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Bromodichloromethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Bromoform	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Bromomethane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
2-Butanone (MEK)	EPA 8260B	P6G2001	10	ND	1	7/19/2006	7/19/2006	
n-Butylbenzene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
sec-Butylbenzene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
tert-Butylbenzene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Carbon Disulfide	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Carbon tetrachloride	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Chlorobenzene	EPA 8260B	P6G2001	1.0	ND	1	7/19/2006	7/19/2006	
Chloroethane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Chloroform	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Chloromethane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
2-Chlorotoluene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
4-Chlorotoluene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Dibromochloromethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Dibromomethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2001	1.0	ND	1	7/19/2006	7/19/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2001	1.0	ND	1	7/19/2006	7/19/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2001	1.0	ND	1	7/19/2006	7/19/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
1,1-Dichloroethane	EPA 8260B	P6G2001	2.0	**4.8**	1	7/19/2006	7/19/2006	
1,2-Dichloroethane	EPA 8260B	P6G2001	1.0	ND	1	7/19/2006	7/19/2006	
1,1-Dichloroethene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,2-Dichloropropane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,3-Dichloropropane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
2,2-Dichloropropane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,1-Dichloropropene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Ethylbenzene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Hexachlorobutadiene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
2-Hexanone	EPA 8260B	P6G2001	10	ND	1	7/19/2006	7/19/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0141-04 (PL-507-6B3 - Water) - cont.				**Sampled: 07/07/06**				
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Isopropylbenzene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
p-Isopropyltoluene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Methylene chloride	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2001	10	ND	1	7/19/2006	7/19/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
Naphthalene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	V1
n-Propylbenzene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Styrene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Tetrachloroethene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Toluene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	V1
1,2,4-Trichlorobenzene	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Trichloroethene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Trichlorofluoromethane	EPA 8260B	P6G2001	5.0	ND	1	7/19/2006	7/19/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2001	10	ND	1	7/19/2006	7/19/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2001	2.0	ND	1	7/19/2006	7/19/2006	
Vinyl acetate	EPA 8260B	P6G2001	25	ND	1	7/19/2006	7/19/2006	V1, L3, N1a
Vinyl chloride	EPA 8260B	P6G2001	1.7	**1.8**	1	7/19/2006	7/19/2006	
Xylenes, Total	EPA 8260B	P6G2001	3.0	ND	1	7/19/2006	7/19/2006	
Surrogate: Dibromofluoromethane (80-130%)				*108 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*96 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141

Sampled: 07/07/06
Received: 07/07/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0141-05 (ASE-68A-6B3 - Water)				**Sampled: 07/07/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2010	20	ND	1	7/20/2006	7/20/2006	
Benzene	EPA 8260B	P6G2010	1.0	**11**	1	7/20/2006	7/20/2006	
Bromobenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Bromochloromethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Bromodichloromethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Bromoform	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Bromomethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
2-Butanone (MEK)	EPA 8260B	P6G2010	10	ND	1	7/20/2006	7/20/2006	
n-Butylbenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
sec-Butylbenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
tert-Butylbenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Carbon Disulfide	EPA 8260B	P6G2010	5.0	**11**	1	7/20/2006	7/20/2006	
Carbon tetrachloride	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Chlorobenzene	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
Chloroethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Chloroform	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Chloromethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
2-Chlorotoluene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
4-Chlorotoluene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Dibromochloromethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Dibromomethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,1-Dichloroethane	EPA 8260B	P6G2010	2.0	**34**	1	7/20/2006	7/20/2006	
1,2-Dichloroethane	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
1,1-Dichloroethene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2010	2.0	**11**	1	7/20/2006	7/20/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2-Dichloropropane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,3-Dichloropropane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
2,2-Dichloropropane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,1-Dichloropropene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Ethylbenzene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Hexachlorobutadiene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
2-Hexanone	EPA 8260B	P6G2010	10	ND	1	7/20/2006	7/20/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0141-05 (ASE-68A-6B3 - Water) - cont.				**Sampled: 07/07/06**				
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Isopropylbenzene	EPA 8260B	P6G2010	2.0	**2.9**	1	7/20/2006	7/20/2006	
p-Isopropyltoluene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Methylene chloride	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2010	10	ND	1	7/20/2006	7/20/2006	V1
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2010	5.0	**110**	1	7/20/2006	7/20/2006	
Naphthalene	EPA 8260B	P6G2010	2.0	**4.1**	1	7/20/2006	7/20/2006	
n-Propylbenzene	EPA 8260B	P6G2010	2.0	**2.3**	1	7/20/2006	7/20/2006	
Styrene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Tetrachloroethene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Toluene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Trichloroethene	EPA 8260B	P6G2010	2.0	**4.2**	1	7/20/2006	7/20/2006	
Trichlorofluoromethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2010	10	ND	1	7/20/2006	7/20/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2010	2.0	**2.4**	1	7/20/2006	7/20/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Vinyl acetate	EPA 8260B	P6G2010	25	ND	1	7/20/2006	7/20/2006	V1, L3, N1a
Vinyl chloride	EPA 8260B	P6G2010	1.7	**29**	1	7/20/2006	7/20/2006	
Xylenes, Total	EPA 8260B	P6G2010	3.0	ND	1	7/20/2006	7/20/2006	
Surrogate: Dibromofluoromethane (80-130%)				*106 %*				
Surrogate: Toluene-d8 (80-120%)				*105 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*100 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141

Sampled: 07/07/06
Received: 07/07/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0141-06 (ASE-20A-6B3 - Water)				**Sampled: 07/07/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2010	20	ND	1	7/20/2006	7/20/2006	
Benzene	EPA 8260B	P6G2010	1.0	**11**	1	7/20/2006	7/20/2006	
Bromobenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Bromochloromethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Bromodichloromethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Bromoform	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Bromomethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
2-Butanone (MEK)	EPA 8260B	P6G2010	10	ND	1	7/20/2006	7/20/2006	
n-Butylbenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
sec-Butylbenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
tert-Butylbenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Carbon Disulfide	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Carbon tetrachloride	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Chlorobenzene	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
Chloroethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Chloroform	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Chloromethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
2-Chlorotoluene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
4-Chlorotoluene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Dibromochloromethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Dibromomethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,1-Dichloroethane	EPA 8260B	P6G2010	2.0	**17**	1	7/20/2006	7/20/2006	
1,2-Dichloroethane	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
1,1-Dichloroethene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2-Dichloropropane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,3-Dichloropropane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
2,2-Dichloropropane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,1-Dichloropropene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Ethylbenzene	EPA 8260B	P6G2010	2.0	**27**	1	7/20/2006	7/20/2006	
Hexachlorobutadiene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
2-Hexanone	EPA 8260B	P6G2010	10	ND	1	7/20/2006	7/20/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0141-06 (ASE-20A-6B3 - Water) - cont.				**Sampled: 07/07/06**				
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Isopropylbenzene	EPA 8260B	P6G2010	2.0	**11**	1	7/20/2006	7/20/2006	
p-Isopropyltoluene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Methylene chloride	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2010	10	ND	1	7/20/2006	7/20/2006	V1
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Naphthalene	EPA 8260B	P6G2010	2.0	**19**	1	7/20/2006	7/20/2006	
n-Propylbenzene	EPA 8260B	P6G2010	2.0	**10**	1	7/20/2006	7/20/2006	
Styrene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Tetrachloroethene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Toluene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Trichloroethene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Trichlorofluoromethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2010	10	ND	1	7/20/2006	7/20/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2010	2.0	**19**	1	7/20/2006	7/20/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2010	2.0	**3.9**	1	7/20/2006	7/20/2006	
Vinyl acetate	EPA 8260B	P6G2010	25	ND	1	7/20/2006	7/20/2006	V1, L3, N1a
Vinyl chloride	EPA 8260B	P6G2010	1.7	**24**	1	7/20/2006	7/20/2006	
Xylenes, Total	EPA 8260B	P6G2010	3.0	**5.7**	1	7/20/2006	7/20/2006	
Surrogate: Dibromofluoromethane (80-130%)				*100 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141

Sampled: 07/07/06
Received: 07/07/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0141-07 (ASE-51A-6B3 - Water)				**Sampled: 07/07/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2010	20	ND	1	7/20/2006	7/20/2006	
Benzene	EPA 8260B	P6G2010	1.0	**140**	1	7/20/2006	7/20/2006	
Bromobenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Bromochloromethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Bromodichloromethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Bromoform	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Bromomethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
2-Butanone (MEK)	EPA 8260B	P6G2010	10	ND	1	7/20/2006	7/20/2006	
n-Butylbenzene	EPA 8260B	P6G2010	5.0	**7.7**	1	7/20/2006	7/20/2006	
sec-Butylbenzene	EPA 8260B	P6G2010	5.0	**8.5**	1	7/20/2006	7/20/2006	
tert-Butylbenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Carbon Disulfide	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Carbon tetrachloride	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Chlorobenzene	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
Chloroethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Chloroform	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Chloromethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
2-Chlorotoluene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
4-Chlorotoluene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Dibromochloromethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Dibromomethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,1-Dichloroethane	EPA 8260B	P6G2010	2.0	**16**	1	7/20/2006	7/20/2006	
1,2-Dichloroethane	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
1,1-Dichloroethene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2-Dichloropropane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,3-Dichloropropane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
2,2-Dichloropropane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,1-Dichloropropene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Ethylbenzene	EPA 8260B	P6G2010	2.0	**100**	1	7/20/2006	7/20/2006	
Hexachlorobutadiene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
2-Hexanone	EPA 8260B	P6G2010	10	ND	1	7/20/2006	7/20/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0141-07 (ASE-51A-6B3 - Water) - cont.				**Sampled: 07/07/06**				
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Isopropylbenzene	EPA 8260B	P6G2010	2.0	**25**	1	7/20/2006	7/20/2006	
p-Isopropyltoluene	EPA 8260B	P6G2010	2.0	**4.2**	1	7/20/2006	7/20/2006	
Methylene chloride	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2010	10	ND	1	7/20/2006	7/20/2006	V1
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2010	5.0	**13**	1	7/20/2006	7/20/2006	
Naphthalene	EPA 8260B	P6G2010	2.0	**130**	1	7/20/2006	7/20/2006	
n-Propylbenzene	EPA 8260B	P6G2010	2.0	**26**	1	7/20/2006	7/20/2006	
Styrene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Tetrachloroethene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Toluene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Trichloroethene	EPA 8260B	P6G2010	2.0	**8.4**	1	7/20/2006	7/20/2006	
Trichlorofluoromethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2010	10	ND	1	7/20/2006	7/20/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2010	2.0	**59**	1	7/20/2006	7/20/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2010	2.0	**13**	1	7/20/2006	7/20/2006	
Vinyl acetate	EPA 8260B	P6G2010	25	ND	1	7/20/2006	7/20/2006	V1, L3, N1a
Vinyl chloride	EPA 8260B	P6G2010	1.7	ND	1	7/20/2006	7/20/2006	
Xylenes, Total	EPA 8260B	P6G2010	3.0	**94**	1	7/20/2006	7/20/2006	
Surrogate: Dibromofluoromethane (80-130%)				*100 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*96 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141

Sampled: 07/07/06
Received: 07/07/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0141-08 (ASE-53A-6B3 - Water)				**Sampled: 07/07/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2010	20	ND	1	7/20/2006	7/20/2006	
Benzene	EPA 8260B	P6G2010	1.0	**4.3**	1	7/20/2006	7/20/2006	
Bromobenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Bromochloromethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Bromodichloromethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Bromoform	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Bromomethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
2-Butanone (MEK)	EPA 8260B	P6G2010	10	ND	1	7/20/2006	7/20/2006	
n-Butylbenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
sec-Butylbenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
tert-Butylbenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Carbon Disulfide	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Carbon tetrachloride	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Chlorobenzene	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
Chloroethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Chloroform	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Chloromethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
2-Chlorotoluene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
4-Chlorotoluene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Dibromochloromethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Dibromomethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,1-Dichloroethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2-Dichloroethane	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
1,1-Dichloroethene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2-Dichloropropane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,3-Dichloropropane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
2,2-Dichloropropane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,1-Dichloropropene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Ethylbenzene	EPA 8260B	P6G2010	2.0	**3.7**	1	7/20/2006	7/20/2006	
Hexachlorobutadiene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
2-Hexanone	EPA 8260B	P6G2010	10	ND	1	7/20/2006	7/20/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0141-08 (ASE-53A-6B3 - Water) - cont.				**Sampled: 07/07/06**				
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Isopropylbenzene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
p-Isopropyltoluene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Methylene chloride	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2010	10	ND	1	7/20/2006	7/20/2006	V1
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2010	5.0	**8.2**	1	7/20/2006	7/20/2006	
Naphthalene	EPA 8260B	P6G2010	2.0	**7.0**	1	7/20/2006	7/20/2006	
n-Propylbenzene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Styrene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Tetrachloroethene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Toluene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Trichloroethene	EPA 8260B	P6G2010	2.0	**19**	1	7/20/2006	7/20/2006	
Trichlorofluoromethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2010	10	ND	1	7/20/2006	7/20/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2010	2.0	**2.9**	1	7/20/2006	7/20/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Vinyl acetate	EPA 8260B	P6G2010	25	ND	1	7/20/2006	7/20/2006	V1, L3, N1a
Vinyl chloride	EPA 8260B	P6G2010	1.7	ND	1	7/20/2006	7/20/2006	
Xylenes, Total	EPA 8260B	P6G2010	3.0	**3.1**	1	7/20/2006	7/20/2006	
Surrogate: Dibromofluoromethane (80-130%)				*102 %*				
Surrogate: Toluene-d8 (80-120%)				*101 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*97 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0141-09 (ASE-52A-6B3 - Water)				**Sampled: 07/07/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2010	20	ND	1	7/20/2006	7/20/2006	
Bromobenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Bromochloromethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Bromodichloromethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Bromoform	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Bromomethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
2-Butanone (MEK)	EPA 8260B	P6G2010	10	ND	1	7/20/2006	7/20/2006	
n-Butylbenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
sec-Butylbenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
tert-Butylbenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Carbon Disulfide	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Carbon tetrachloride	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Chlorobenzene	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
Chloroethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Chloroform	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Chloromethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
2-Chlorotoluene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
4-Chlorotoluene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Dibromochloromethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Dibromomethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,1-Dichloroethane	EPA 8260B	P6G2010	2.0	**11**	1	7/20/2006	7/20/2006	
1,2-Dichloroethane	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
1,1-Dichloroethene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2-Dichloropropane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,3-Dichloropropane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
2,2-Dichloropropane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,1-Dichloropropene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Ethylbenzene	EPA 8260B	P6G2010	2.0	**40**	1	7/20/2006	7/20/2006	
Hexachlorobutadiene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
2-Hexanone	EPA 8260B	P6G2010	10	ND	1	7/20/2006	7/20/2006	
Iodomethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0141-09 (ASE-52A-6B3 - Water) - cont.				**Sampled: 07/07/06**				
Reporting Units: ug/l								
Isopropylbenzene	EPA 8260B	P6G2010	2.0	**8.1**	1	7/20/2006	7/20/2006	
p-Isopropyltoluene	EPA 8260B	P6G2010	2.0	**2.1**	1	7/20/2006	7/20/2006	
Methylene chloride	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2010	10	ND	1	7/20/2006	7/20/2006	V1
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2010	5.0	**18**	1	7/20/2006	7/20/2006	
Naphthalene	EPA 8260B	P6G2010	2.0	**37**	1	7/20/2006	7/20/2006	
n-Propylbenzene	EPA 8260B	P6G2010	2.0	**7.7**	1	7/20/2006	7/20/2006	
Styrene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Tetrachloroethene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Toluene	EPA 8260B	P6G2010	2.0	**2.3**	1	7/20/2006	7/20/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Trichloroethene	EPA 8260B	P6G2010	2.0	**21**	1	7/20/2006	7/20/2006	
Trichlorofluoromethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2010	10	ND	1	7/20/2006	7/20/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2010	2.0	**36**	1	7/20/2006	7/20/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2010	2.0	**6.1**	1	7/20/2006	7/20/2006	
Vinyl acetate	EPA 8260B	P6G2010	25	ND	1	7/20/2006	7/20/2006	V1, L3, N1a
Vinyl chloride	EPA 8260B	P6G2010	1.7	ND	1	7/20/2006	7/20/2006	
Xylenes, Total	EPA 8260B	P6G2010	3.0	**75**	1	7/20/2006	7/20/2006	
Surrogate: Dibromofluoromethane (80-130%)				*100 %*				
Surrogate: Toluene-d8 (80-120%)				*103 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*95 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141

Sampled: 07/07/06
Received: 07/07/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0141-09RE1 (ASE-52A-6B3 - Water) - cont.				**Sampled: 07/07/06**				
Reporting Units: ug/l								
Benzene	EPA 8260B	P6G2129	20	**360**	20	7/21/2006	7/21/2006	
Surrogate: Dibromofluoromethane (80-130%)				*100 %*				
Surrogate: Toluene-d8 (80-120%)				*107 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*107 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0141-10 (ASE-64A-6B3 - Water)				**Sampled: 07/07/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2010	20	ND	1	7/20/2006	7/20/2006	
Benzene	EPA 8260B	P6G2010	1.0	**170**	1	7/20/2006	7/20/2006	
Bromobenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Bromochloromethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Bromodichloromethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Bromoform	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Bromomethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
2-Butanone (MEK)	EPA 8260B	P6G2010	10	ND	1	7/20/2006	7/20/2006	
n-Butylbenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
sec-Butylbenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
tert-Butylbenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Carbon Disulfide	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Carbon tetrachloride	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Chlorobenzene	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
Chloroethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Chloroform	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Chloromethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
2-Chlorotoluene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
4-Chlorotoluene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Dibromochloromethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Dibromomethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,1-Dichloroethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2-Dichloroethane	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
1,1-Dichloroethene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2-Dichloropropane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,3-Dichloropropane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
2,2-Dichloropropane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,1-Dichloropropene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Ethylbenzene	EPA 8260B	P6G2010	2.0	**160**	1	7/20/2006	7/20/2006	
Hexachlorobutadiene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
2-Hexanone	EPA 8260B	P6G2010	10	ND	1	7/20/2006	7/20/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0141-10 (ASE-64A-6B3 - Water) - cont.				**Sampled: 07/07/06**				
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Isopropylbenzene	EPA 8260B	P6G2010	2.0	**51**	1	7/20/2006	7/20/2006	
p-Isopropyltoluene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Methylene chloride	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2010	10	ND	1	7/20/2006	7/20/2006	V1
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2010	5.0	**27**	1	7/20/2006	7/20/2006	
Naphthalene	EPA 8260B	P6G2010	2.0	**43**	1	7/20/2006	7/20/2006	
n-Propylbenzene	EPA 8260B	P6G2010	2.0	**23**	1	7/20/2006	7/20/2006	
Styrene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Tetrachloroethene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Toluene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Trichloroethene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Trichlorofluoromethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2010	10	ND	1	7/20/2006	7/20/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2010	2.0	**38**	1	7/20/2006	7/20/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2010	2.0	**12**	1	7/20/2006	7/20/2006	
Vinyl acetate	EPA 8260B	P6G2010	25	ND	1	7/20/2006	7/20/2006	V1, L3, N1a
Vinyl chloride	EPA 8260B	P6G2010	1.7	ND	1	7/20/2006	7/20/2006	
Surrogate: Dibromofluoromethane (80-130%)				*98 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*96 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141

Sampled: 07/07/06
Received: 07/07/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0141-10RE1 (ASE-64A-6B3 - Water) - cont.				**Sampled: 07/07/06**				
Reporting Units: ug/l								
Xylenes, Total	EPA 8260B	P6G2129	30	**370**	10	7/21/2006	7/21/2006	
Surrogate: Dibromofluoromethane (80-130%)				*94 %*				
Surrogate: Toluene-d8 (80-120%)				*107 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*108 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0141-11 (ASE-63A-6B3 - Water)				**Sampled: 07/07/06**				
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2010	20	ND	1	7/20/2006	7/20/2006	
Bromobenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Bromochloromethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Bromodichloromethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Bromoform	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Bromomethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
2-Butanone (MEK)	EPA 8260B	P6G2010	10	ND	1	7/20/2006	7/20/2006	
n-Butylbenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
sec-Butylbenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
tert-Butylbenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Carbon Disulfide	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Carbon tetrachloride	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Chlorobenzene	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
Chloroethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Chloroform	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Chloromethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
2-Chlorotoluene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
4-Chlorotoluene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
Dibromochloromethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Dibromomethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,1-Dichloroethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2-Dichloroethane	EPA 8260B	P6G2010	1.0	ND	1	7/20/2006	7/20/2006	
1,1-Dichloroethene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2010	2.0	**7.5**	1	7/20/2006	7/20/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2-Dichloropropane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,3-Dichloropropane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
2,2-Dichloropropane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,1-Dichloropropene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Hexachlorobutadiene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
2-Hexanone	EPA 8260B	P6G2010	10	ND	1	7/20/2006	7/20/2006	
Iodomethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Isopropylbenzene	EPA 8260B	P6G2010	2.0	**44**	1	7/20/2006	7/20/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0141-11 (ASE-63A-6B3 - Water) - cont.				**Sampled: 07/07/06**				
Reporting Units: ug/l								
p-Isopropyltoluene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Methylene chloride	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2010	10	ND	1	7/20/2006	7/20/2006	V1
Naphthalene	EPA 8260B	P6G2010	2.0	**78**	1	7/20/2006	7/20/2006	
n-Propylbenzene	EPA 8260B	P6G2010	2.0	**28**	1	7/20/2006	7/20/2006	
Styrene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Tetrachloroethene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Toluene	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2010	2.0	ND	1	7/20/2006	7/20/2006	
Trichloroethene	EPA 8260B	P6G2010	2.0	**6.6**	1	7/20/2006	7/20/2006	
Trichlorofluoromethane	EPA 8260B	P6G2010	5.0	ND	1	7/20/2006	7/20/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2010	10	ND	1	7/20/2006	7/20/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2010	2.0	**18**	1	7/20/2006	7/20/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2010	2.0	**2.9**	1	7/20/2006	7/20/2006	
Vinyl acetate	EPA 8260B	P6G2010	25	ND	1	7/20/2006	7/20/2006	V1, L3, N1a
Vinyl chloride	EPA 8260B	P6G2010	1.7	ND	1	7/20/2006	7/20/2006	
Xylenes, Total	EPA 8260B	P6G2010	3.0	**74**	1	7/20/2006	7/20/2006	
Surrogate: Dibromofluoromethane (80-130%)				*98 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*96 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141

Sampled: 07/07/06
Received: 07/07/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0141-11RE1 (ASE-63A-6B3 - Water) - cont.				**Sampled: 07/07/06**				
Reporting Units: ug/l								
Benzene	EPA 8260B	P6G2129	20	**3000**	20	7/21/2006	7/21/2006	
Ethylbenzene	EPA 8260B	P6G2129	40	**500**	20	7/21/2006	7/21/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2129	100	**640**	20	7/21/2006	7/21/2006	
Surrogate: Dibromofluoromethane (80-130%)				*95 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*107 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141

Sampled: 07/07/06
Received: 07/07/06

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0141-02 (ASE-127A-6B3 - Water)				**Sampled: 07/07/06**				
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6G1203	3.0	ND	1	7/13/2006	7/14/2006	
Acenaphthylene	EPA 8310	P6G1203	3.0	ND	1	7/13/2006	7/14/2006	
Anthracene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Benzo(a)anthracene	EPA 8310	P6G1203	0.050	ND	1	7/13/2006	7/14/2006	
Benzo(a)pyrene	EPA 8310	P6G1203	0.10	ND	1	7/13/2006	7/14/2006	
Benzo(b)fluoranthene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Benzo(g,h,i)perylene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Benzo(k)fluoranthene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Chrysene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Dibenz(a,h)anthracene	EPA 8310	P6G1203	0.50	ND	1	7/13/2006	7/14/2006	
Fluoranthene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Fluorene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Naphthalene	EPA 8310	P6G1203	2.0	ND	1	7/13/2006	7/14/2006	
Phenanthrene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Pyrene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Surrogate: 2-Methylanthracene (50-115%)				*90 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2001 Extracted: 07/19/06										
Blank Analyzed: 07/19/2006 (P6G2001-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2001 Extracted: 07/19/06										
Blank Analyzed: 07/19/2006 (P6G2001-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							*N1a*
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*27.2*		*ug/l*	*25.0*		*109*	*80-130*			
Surrogate: Toluene-d8	*26.4*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.7*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2001 Extracted: 07/19/06										
LCS Analyzed: 07/19/2006 (P6G2001-BS1)										
Acetone	31.1	20	ug/l	25.0		124	30-150			
Benzene	23.7	1.0	ug/l	25.0		95	80-120			
Bromobenzene	24.7	5.0	ug/l	25.0		99	80-125			
Bromochloromethane	24.7	5.0	ug/l	25.0		99	80-125			
Bromodichloromethane	24.6	2.0	ug/l	25.0		98	80-120			
Bromoform	22.6	5.0	ug/l	25.0		90	70-120			
Bromomethane	24.0	5.0	ug/l	25.0		96	80-135			
2-Butanone (MEK)	28.3	10	ug/l	25.0		113	55-150			
n-Butylbenzene	23.4	5.0	ug/l	25.0		94	80-120			
sec-Butylbenzene	23.7	5.0	ug/l	25.0		95	80-130			
tert-Butylbenzene	24.2	5.0	ug/l	25.0		97	80-130			
Carbon Disulfide	32.0	5.0	ug/l	25.0		128	55-145			
Carbon tetrachloride	23.0	5.0	ug/l	25.0		92	80-120			
Chlorobenzene	23.7	1.0	ug/l	25.0		95	80-120			
Chloroethane	23.8	5.0	ug/l	25.0		95	80-125			
Chloroform	24.2	2.0	ug/l	25.0		97	80-120			
Chloromethane	22.9	5.0	ug/l	25.0		92	70-130			
2-Chlorotoluene	23.8	5.0	ug/l	25.0		95	80-120			
4-Chlorotoluene	23.8	5.0	ug/l	25.0		95	80-120			
Dibromochloromethane	21.4	2.0	ug/l	25.0		86	75-120			
1,2-Dibromo-3-chloropropane	19.3	5.0	ug/l	25.0		77	55-120			
1,2-Dibromoethane (EDB)	23.5	2.0	ug/l	25.0		94	75-125			
Dibromomethane	23.4	2.0	ug/l	25.0		94	80-125			
1,2-Dichlorobenzene	23.7	1.0	ug/l	25.0		95	80-120			
1,3-Dichlorobenzene	23.4	1.0	ug/l	25.0		94	80-125			
1,4-Dichlorobenzene	23.9	1.0	ug/l	25.0		96	80-120			
Dichlorodifluoromethane	19.1	5.0	ug/l	25.0		76	60-140			
1,1-Dichloroethane	23.9	2.0	ug/l	25.0		96	80-120			
1,2-Dichloroethane	23.6	1.0	ug/l	25.0		94	75-125			
1,1-Dichloroethene	23.5	5.0	ug/l	25.0		94	75-120			
cis-1,2-Dichloroethene	24.0	2.0	ug/l	25.0		96	80-125			
trans-1,2-Dichloroethene	23.1	2.0	ug/l	25.0		92	80-120			
1,2-Dichloropropane	24.0	2.0	ug/l	25.0		96	80-120			
1,3-Dichloropropane	22.7	2.0	ug/l	25.0		91	80-120			
2,2-Dichloropropane	23.3	2.0	ug/l	25.0		93	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2001 Extracted: 07/19/06										
LCS Analyzed: 07/19/2006 (P6G2001-BS1)										
1,1-Dichloropropene	22.9	2.0	ug/l	25.0		92	80-120			
cis-1,3-Dichloropropene	25.4	2.0	ug/l	25.0		102	75-120			
trans-1,3-Dichloropropene	25.6	2.0	ug/l	25.0		102	80-120			
Ethylbenzene	23.7	2.0	ug/l	25.0		95	80-125			
Hexachlorobutadiene	19.3	5.0	ug/l	25.0		77	70-130			
2-Hexanone	27.5	10	ug/l	25.0		110	40-150			
Iodomethane	31.0	2.0	ug/l	25.0		124	80-130			
Isopropylbenzene	26.0	2.0	ug/l	25.0		104	80-140			
p-Isopropyltoluene	23.8	2.0	ug/l	25.0		95	80-130			
Methylene chloride	21.9	5.0	ug/l	25.0		88	80-120			
4-Methyl-2-pentanone (MIBK)	27.4	10	ug/l	25.0		110	50-140			
Methyl-tert-butyl Ether (MTBE)	26.0	5.0	ug/l	25.0		104	65-130			
Naphthalene	20.8	2.0	ug/l	25.0		83	70-130			
n-Propylbenzene	24.7	2.0	ug/l	25.0		99	80-135			
Styrene	27.8	2.0	ug/l	25.0		111	80-125			
1,1,1,2-Tetrachloroethane	23.6	5.0	ug/l	25.0		94	80-120			
1,1,2,2-Tetrachloroethane	23.3	2.0	ug/l	25.0		93	65-140			
Tetrachloroethene	23.1	2.0	ug/l	25.0		92	80-125			
Toluene	23.8	2.0	ug/l	25.0		95	80-125			
1,2,3-Trichlorobenzene	22.1	5.0	ug/l	25.0		88	75-125			
1,2,4-Trichlorobenzene	21.4	5.0	ug/l	25.0		86	80-125			
1,1,1-Trichloroethane	23.6	2.0	ug/l	25.0		94	75-125			
1,1,2-Trichloroethane	23.4	2.0	ug/l	25.0		94	80-125			
Trichloroethene	22.7	2.0	ug/l	25.0		91	80-120			
Trichlorofluoromethane	23.1	5.0	ug/l	25.0		92	75-130			
1,2,3-Trichloropropane	22.3	10	ug/l	25.0		89	65-135			
1,2,4-Trimethylbenzene	24.0	2.0	ug/l	25.0		96	80-125			
1,3,5-Trimethylbenzene	24.3	2.0	ug/l	25.0		97	80-130			
Vinyl acetate	33.9	25	ug/l	25.0		136	70-140			*N1a*
Vinyl chloride	23.9	1.7	ug/l	25.0		96	70-135			
Xylenes, Total	47.0	3.0	ug/l	50.0		94	80-125			
Surrogate: Dibromofluoromethane	*27.2*		*ug/l*	*25.0*		*109*	*80-130*			
Surrogate: Toluene-d8	*26.4*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.6*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2001 Extracted: 07/19/06										
LCS Dup Analyzed: 07/19/2006 (P6G2001-BSD1)										
Acetone	35.4	20	ug/l	25.0		142	30-150	13	35	
Benzene	22.1	1.0	ug/l	25.0		88	80-120	7	10	
Bromobenzene	23.1	5.0	ug/l	25.0		92	80-125	7	10	
Bromochloromethane	25.4	5.0	ug/l	25.0		102	80-125	3	15	
Bromodichloromethane	23.7	2.0	ug/l	25.0		95	80-120	4	15	
Bromoform	23.0	5.0	ug/l	25.0		92	70-120	2	20	
Bromomethane	22.8	5.0	ug/l	25.0		91	80-135	5	15	
2-Butanone (MEK)	32.1	10	ug/l	25.0		128	55-150	13	35	
n-Butylbenzene	21.5	5.0	ug/l	25.0		86	80-120	8	10	
sec-Butylbenzene	21.8	5.0	ug/l	25.0		87	80-130	8	10	
tert-Butylbenzene	22.3	5.0	ug/l	25.0		89	80-130	8	10	
Carbon Disulfide	29.8	5.0	ug/l	25.0		119	55-145	7	15	
Carbon tetrachloride	21.4	5.0	ug/l	25.0		86	80-120	7	15	
Chlorobenzene	22.4	1.0	ug/l	25.0		90	80-120	6	10	
Chloroethane	22.6	5.0	ug/l	25.0		90	80-125	5	15	
Chloroform	23.2	2.0	ug/l	25.0		93	80-120	4	10	
Chloromethane	21.9	5.0	ug/l	25.0		88	70-130	4	15	
2-Chlorotoluene	22.0	5.0	ug/l	25.0		88	80-120	8	10	
4-Chlorotoluene	22.0	5.0	ug/l	25.0		88	80-120	8	10	
Dibromochloromethane	21.4	2.0	ug/l	25.0		86	75-120	0	15	
1,2-Dibromo-3-chloropropane	20.8	5.0	ug/l	25.0		83	55-120	7	35	
1,2-Dibromoethane (EDB)	23.5	2.0	ug/l	25.0		94	75-125	0	20	
Dibromomethane	23.9	2.0	ug/l	25.0		96	80-125	2	20	
1,2-Dichlorobenzene	22.5	1.0	ug/l	25.0		90	80-120	5	10	
1,3-Dichlorobenzene	22.2	1.0	ug/l	25.0		89	80-125	5	10	
1,4-Dichlorobenzene	22.7	1.0	ug/l	25.0		91	80-120	5	10	
Dichlorodifluoromethane	19.3	5.0	ug/l	25.0		77	60-140	1	15	
1,1-Dichloroethane	22.9	2.0	ug/l	25.0		92	80-120	4	10	
1,2-Dichloroethane	24.3	1.0	ug/l	25.0		97	75-125	3	20	
1,1-Dichloroethene	21.9	5.0	ug/l	25.0		88	75-120	7	15	
cis-1,2-Dichloroethene	22.9	2.0	ug/l	25.0		92	80-125	5	10	
trans-1,2-Dichloroethene	22.2	2.0	ug/l	25.0		89	80-120	4	10	
1,2-Dichloropropane	22.6	2.0	ug/l	25.0		90	80-120	6	15	
1,3-Dichloropropane	23.1	2.0	ug/l	25.0		92	80-120	2	15	
2,2-Dichloropropane	21.9	2.0	ug/l	25.0		88	70-130	6	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2001 Extracted: 07/19/06										
LCS Dup Analyzed: 07/19/2006 (P6G2001-BSD1)										
1,1-Dichloropropene	21.9	2.0	ug/l	25.0		88	80-120	4	10	
cis-1,3-Dichloropropene	24.8	2.0	ug/l	25.0		99	75-120	2	15	
trans-1,3-Dichloropropene	25.4	2.0	ug/l	25.0		102	80-120	1	20	
Ethylbenzene	21.8	2.0	ug/l	25.0		87	80-125	8	15	
Hexachlorobutadiene	18.2	5.0	ug/l	25.0		73	70-130	6	15	
2-Hexanone	30.5	10	ug/l	25.0		122	40-150	10	35	
Iodomethane	29.1	2.0	ug/l	25.0		116	80-130	6	10	
Isopropylbenzene	23.5	2.0	ug/l	25.0		94	80-140	10	10	
p-Isopropyltoluene	22.0	2.0	ug/l	25.0		88	80-130	8	15	
Methylene chloride	21.3	5.0	ug/l	25.0		85	80-120	3	10	
4-Methyl-2-pentanone (MIBK)	30.2	10	ug/l	25.0		121	50-140	10	35	
Methyl-tert-butyl Ether (MTBE)	27.3	5.0	ug/l	25.0		109	65-130	5	25	
Naphthalene	21.6	2.0	ug/l	25.0		86	70-130	4	20	
n-Propylbenzene	22.4	2.0	ug/l	25.0		90	80-135	10	10	
Styrene	26.1	2.0	ug/l	25.0		104	80-125	6	15	
1,1,1,2-Tetrachloroethane	22.4	5.0	ug/l	25.0		90	80-120	5	15	
1,1,2,2-Tetrachloroethane	24.1	2.0	ug/l	25.0		96	65-140	3	25	
Tetrachloroethene	21.4	2.0	ug/l	25.0		86	80-125	8	15	
Toluene	22.3	2.0	ug/l	25.0		89	80-125	7	10	
1,2,3-Trichlorobenzene	22.2	5.0	ug/l	25.0		89	75-125	1	15	
1,2,4-Trichlorobenzene	20.9	5.0	ug/l	25.0		84	80-125	2	15	
1,1,1-Trichloroethane	22.6	2.0	ug/l	25.0		90	75-125	4	10	
1,1,2-Trichloroethane	23.4	2.0	ug/l	25.0		94	80-125	0	25	
Trichloroethene	21.3	2.0	ug/l	25.0		85	80-120	6	10	
Trichlorofluoromethane	22.5	5.0	ug/l	25.0		90	75-130	3	10	
1,2,3-Trichloropropane	23.6	10	ug/l	25.0		94	65-135	6	25	
1,2,4-Trimethylbenzene	22.2	2.0	ug/l	25.0		89	80-125	8	10	
1,3,5-Trimethylbenzene	22.4	2.0	ug/l	25.0		90	80-130	8	10	
Vinyl acetate	35.8	25	ug/l	25.0		143	70-140	5	30	*L3, N1a*
Vinyl chloride	22.4	1.7	ug/l	25.0		90	70-135	6	15	
Xylenes, Total	44.2	3.0	ug/l	50.0		88	80-125	6	15	
Surrogate: Dibromofluoromethane	*27.8*		*ug/l*	*25.0*		*111*	*80-130*			
Surrogate: Toluene-d8	*26.3*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.2*		*ug/l*	*25.0*		*101*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2001 Extracted: 07/19/06										
Matrix Spike Analyzed: 07/19/2006 (P6G2001-MS1)					**Source: PPG0193-01**					
Acetone	28.1	20	ug/l	25.0	ND	112	15-150			
Benzene	23.8	1.0	ug/l	25.0	ND	95	80-125			
Bromobenzene	24.6	5.0	ug/l	25.0	ND	98	80-125			
Bromochloromethane	24.2	5.0	ug/l	25.0	ND	97	80-130			
Bromodichloromethane	24.2	2.0	ug/l	25.0	ND	97	70-130			
Bromoform	20.4	5.0	ug/l	25.0	ND	82	70-120			
Bromomethane	24.7	5.0	ug/l	25.0	ND	99	80-135			
2-Butanone (MEK)	24.4	10	ug/l	25.0	ND	98	30-150			
n-Butylbenzene	24.9	5.0	ug/l	25.0	ND	100	80-135			
sec-Butylbenzene	25.1	5.0	ug/l	25.0	ND	100	80-130			
tert-Butylbenzene	25.1	5.0	ug/l	25.0	ND	100	80-130			
Carbon Disulfide	32.8	5.0	ug/l	25.0	ND	131	45-150			
Carbon tetrachloride	24.6	5.0	ug/l	25.0	ND	98	65-135			
Chlorobenzene	23.6	1.0	ug/l	25.0	ND	94	80-125			
Chloroethane	25.6	5.0	ug/l	25.0	ND	102	80-125			
Chloroform	25.0	2.0	ug/l	25.0	ND	100	75-130			
Chloromethane	24.3	5.0	ug/l	25.0	ND	97	65-130			
2-Chlorotoluene	24.7	5.0	ug/l	25.0	ND	99	80-130			
4-Chlorotoluene	24.7	5.0	ug/l	25.0	ND	99	80-135			
Dibromochloromethane	20.9	2.0	ug/l	25.0	ND	84	75-120			
1,2-Dibromo-3-chloropropane	18.1	5.0	ug/l	25.0	ND	72	50-130			
1,2-Dibromoethane (EDB)	22.2	2.0	ug/l	25.0	ND	89	70-130			
Dibromomethane	22.5	2.0	ug/l	25.0	ND	90	75-130			
1,2-Dichlorobenzene	24.0	1.0	ug/l	25.0	ND	96	80-130			
1,3-Dichlorobenzene	24.0	1.0	ug/l	25.0	ND	96	80-130			
1,4-Dichlorobenzene	24.0	1.0	ug/l	25.0	ND	96	80-125			
Dichlorodifluoromethane	22.0	5.0	ug/l	25.0	ND	88	60-140			
1,1-Dichloroethane	25.4	2.0	ug/l	25.0	ND	102	80-125			
1,2-Dichloroethane	24.5	1.0	ug/l	25.0	ND	98	60-145			
1,1-Dichloroethene	24.5	5.0	ug/l	25.0	ND	98	75-130			
cis-1,2-Dichloroethene	24.0	2.0	ug/l	25.0	ND	96	80-125			
trans-1,2-Dichloroethene	24.0	2.0	ug/l	25.0	ND	96	80-120			
1,2-Dichloropropane	23.6	2.0	ug/l	25.0	ND	94	80-125			
1,3-Dichloropropane	22.2	2.0	ug/l	25.0	ND	89	75-130			
2,2-Dichloropropane	25.1	2.0	ug/l	25.0	ND	100	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2001 Extracted: 07/19/06										
Matrix Spike Analyzed: 07/19/2006 (P6G2001-MS1)					**Source: PPG0193-01**					
1,1-Dichloropropene	24.7	2.0	ug/l	25.0	ND	99	80-125			
cis-1,3-Dichloropropene	24.4	2.0	ug/l	25.0	ND	98	75-120			
trans-1,3-Dichloropropene	24.6	2.0	ug/l	25.0	ND	98	75-130			
Ethylbenzene	24.2	2.0	ug/l	25.0	ND	97	80-130			
Hexachlorobutadiene	21.0	5.0	ug/l	25.0	ND	84	65-130			
2-Hexanone	23.6	10	ug/l	25.0	ND	94	40-150			
Iodomethane	30.7	2.0	ug/l	25.0	ND	123	70-140			
Isopropylbenzene	27.0	2.0	ug/l	25.0	ND	108	80-140			
p-Isopropyltoluene	25.3	2.0	ug/l	25.0	ND	101	80-135			
Methylene chloride	22.2	5.0	ug/l	25.0	ND	89	75-125			
4-Methyl-2-pentanone (MIBK)	24.8	10	ug/l	25.0	ND	99	40-140			
Methyl-tert-butyl Ether (MTBE)	24.8	5.0	ug/l	25.0	ND	99	65-135			
Naphthalene	19.6	2.0	ug/l	25.0	ND	78	60-140			*V1*
n-Propylbenzene	26.0	2.0	ug/l	25.0	ND	104	80-140			
Styrene	27.5	2.0	ug/l	25.0	ND	110	30-150			
1,1,1,2-Tetrachloroethane	23.5	5.0	ug/l	25.0	ND	94	80-130			
1,1,2,2-Tetrachloroethane	22.7	2.0	ug/l	25.0	ND	91	65-140			
Tetrachloroethene	23.2	2.0	ug/l	25.0	ND	93	80-130			
Toluene	23.8	2.0	ug/l	25.0	ND	95	80-130			
1,2,3-Trichlorobenzene	21.1	5.0	ug/l	25.0	ND	84	75-140			*V1*
1,2,4-Trichlorobenzene	20.8	5.0	ug/l	25.0	ND	83	80-135			
1,1,1-Trichloroethane	25.3	2.0	ug/l	25.0	ND	101	70-135			
1,1,2-Trichloroethane	21.6	2.0	ug/l	25.0	ND	86	70-135			
Trichloroethene	22.8	2.0	ug/l	25.0	ND	91	80-125			
Trichlorofluoromethane	26.3	5.0	ug/l	25.0	ND	105	70-140			
1,2,3-Trichloropropane	21.6	10	ug/l	25.0	ND	86	65-135			
1,2,4-Trimethylbenzene	25.0	2.0	ug/l	25.0	ND	100	75-130			
1,3,5-Trimethylbenzene	25.4	2.0	ug/l	25.0	ND	102	80-135			
Vinyl acetate	31.5	25	ug/l	25.0	ND	126	30-150			*V1, N1a*
Vinyl chloride	25.4	1.7	ug/l	25.0	ND	102	70-135			
Xylenes, Total	47.8	3.0	ug/l	50.0	ND	96	80-125			
Surrogate: Dibromofluoromethane	*27.7*		*ug/l*	*25.0*		*111*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.5*		*ug/l*	*25.0*		*102*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2001 Extracted: 07/19/06										
Matrix Spike Dup Analyzed: 07/19/2006 (P6G2001-MSD1)					**Source: PPG0193-01**					
Acetone	22.9	20	ug/l	25.0	ND	92	15-150	20	35	
Benzene	24.6	1.0	ug/l	25.0	ND	98	80-125	3	10	
Bromobenzene	24.2	5.0	ug/l	25.0	ND	97	80-125	2	15	
Bromochloromethane	23.6	5.0	ug/l	25.0	ND	94	80-130	3	20	
Bromodichloromethane	24.5	2.0	ug/l	25.0	ND	98	70-130	1	15	
Bromoform	19.7	5.0	ug/l	25.0	ND	79	70-120	3	25	
Bromomethane	24.6	5.0	ug/l	25.0	ND	98	80-135	0	20	
2-Butanone (MEK)	23.3	10	ug/l	25.0	ND	93	30-150	5	35	
n-Butylbenzene	25.8	5.0	ug/l	25.0	ND	103	80-135	4	20	
sec-Butylbenzene	25.6	5.0	ug/l	25.0	ND	102	80-130	2	20	
tert-Butylbenzene	25.9	5.0	ug/l	25.0	ND	104	80-130	3	20	
Carbon Disulfide	32.2	5.0	ug/l	25.0	ND	129	45-150	2	15	
Carbon tetrachloride	24.7	5.0	ug/l	25.0	ND	99	65-135	0	15	
Chlorobenzene	24.6	1.0	ug/l	25.0	ND	98	80-125	4	15	
Chloroethane	25.7	5.0	ug/l	25.0	ND	103	80-125	0	20	
Chloroform	25.1	2.0	ug/l	25.0	ND	100	75-130	0	15	
Chloromethane	24.6	5.0	ug/l	25.0	ND	98	65-130	1	20	
2-Chlorotoluene	25.4	5.0	ug/l	25.0	ND	102	80-130	3	15	
4-Chlorotoluene	25.2	5.0	ug/l	25.0	ND	101	80-135	2	15	
Dibromochloromethane	20.3	2.0	ug/l	25.0	ND	81	75-120	3	20	
1,2-Dibromo-3-chloropropane	15.8	5.0	ug/l	25.0	ND	63	50-130	14	35	
1,2-Dibromoethane (EDB)	21.0	2.0	ug/l	25.0	ND	84	70-130	6	25	
Dibromomethane	21.8	2.0	ug/l	25.0	ND	87	75-130	3	25	
1,2-Dichlorobenzene	23.3	1.0	ug/l	25.0	ND	93	80-130	3	15	
1,3-Dichlorobenzene	24.4	1.0	ug/l	25.0	ND	98	80-130	2	15	
1,4-Dichlorobenzene	24.7	1.0	ug/l	25.0	ND	99	80-125	3	10	
Dichlorodifluoromethane	20.9	5.0	ug/l	25.0	ND	84	60-140	5	45	
1,1-Dichloroethane	25.5	2.0	ug/l	25.0	ND	102	80-125	0	15	
1,2-Dichloroethane	23.8	1.0	ug/l	25.0	ND	95	60-145	3	20	
1,1-Dichloroethene	24.5	5.0	ug/l	25.0	ND	98	75-130	0	15	
cis-1,2-Dichloroethene	24.2	2.0	ug/l	25.0	ND	97	80-125	1	15	
trans-1,2-Dichloroethene	24.2	2.0	ug/l	25.0	ND	97	80-120	1	15	
1,2-Dichloropropane	24.2	2.0	ug/l	25.0	ND	97	80-125	3	15	
1,3-Dichloropropane	22.2	2.0	ug/l	25.0	ND	89	75-130	0	20	
2,2-Dichloropropane	25.0	2.0	ug/l	25.0	ND	100	60-135	0	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2001 Extracted: 07/19/06										
Matrix Spike Dup Analyzed: 07/19/2006 (P6G2001-MSD1)					**Source: PPG0193-01**					
1,1-Dichloropropene	25.0	2.0	ug/l	25.0	ND	100	80-125	1	15	
cis-1,3-Dichloropropene	24.6	2.0	ug/l	25.0	ND	98	75-120	1	15	
trans-1,3-Dichloropropene	23.8	2.0	ug/l	25.0	ND	95	75-130	3	25	
Ethylbenzene	25.0	2.0	ug/l	25.0	ND	100	80-130	3	15	
Hexachlorobutadiene	21.7	5.0	ug/l	25.0	ND	87	65-130	3	15	
2-Hexanone	21.4	10	ug/l	25.0	ND	86	40-150	10	35	
Iodomethane	30.4	2.0	ug/l	25.0	ND	122	70-140	1	15	
Isopropylbenzene	27.4	2.0	ug/l	25.0	ND	110	80-140	1	20	
p-Isopropyltoluene	26.1	2.0	ug/l	25.0	ND	104	80-135	3	20	
Methylene chloride	22.1	5.0	ug/l	25.0	ND	88	75-125	1	15	
4-Methyl-2-pentanone (MIBK)	21.6	10	ug/l	25.0	ND	86	40-140	14	35	
Methyl-tert-butyl Ether (MTBE)	22.9	5.0	ug/l	25.0	ND	92	65-135	8	30	
Naphthalene	18.2	2.0	ug/l	25.0	ND	73	60-140	7	30	*V1*
n-Propylbenzene	26.8	2.0	ug/l	25.0	ND	107	80-140	3	20	
Styrene	27.5	2.0	ug/l	25.0	ND	110	30-150	0	25	
1,1,1,2-Tetrachloroethane	23.6	5.0	ug/l	25.0	ND	94	80-130	0	15	
1,1,2,2-Tetrachloroethane	20.6	2.0	ug/l	25.0	ND	82	65-140	10	35	
Tetrachloroethene	23.9	2.0	ug/l	25.0	ND	96	80-130	3	15	
Toluene	24.3	2.0	ug/l	25.0	ND	97	80-130	2	15	
1,2,3-Trichlorobenzene	20.8	5.0	ug/l	25.0	ND	83	75-140	1	20	*V1*
1,2,4-Trichlorobenzene	20.8	5.0	ug/l	25.0	ND	83	80-135	0	15	
1,1,1-Trichloroethane	24.9	2.0	ug/l	25.0	ND	100	70-135	2	15	
1,1,2-Trichloroethane	20.6	2.0	ug/l	25.0	ND	82	70-135	5	25	
Trichloroethene	23.4	2.0	ug/l	25.0	ND	94	80-125	3	15	
Trichlorofluoromethane	26.0	5.0	ug/l	25.0	ND	104	70-140	1	15	
1,2,3-Trichloropropane	20.5	10	ug/l	25.0	ND	82	65-135	5	35	
1,2,4-Trimethylbenzene	25.5	2.0	ug/l	25.0	ND	102	75-130	2	15	
1,3,5-Trimethylbenzene	26.0	2.0	ug/l	25.0	ND	104	80-135	2	15	
Vinyl acetate	28.3	25	ug/l	25.0	ND	113	30-150	11	35	*V1, N1a*
Vinyl chloride	25.8	1.7	ug/l	25.0	ND	103	70-135	2	25	
Xylenes, Total	49.0	3.0	ug/l	50.0	ND	98	80-125	2	15	
Surrogate: Dibromofluoromethane	*26.6*		*ug/l*	*25.0*		*106*	*80-130*			
Surrogate: Toluene-d8	*26.4*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.0*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2010 Extracted: 07/20/06										
Blank Analyzed: 07/20/2006 (P6G2010-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2010 Extracted: 07/20/06										
Blank Analyzed: 07/20/2006 (P6G2010-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							*V1*
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							*V1, N1a*
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*24.9*		*ug/l*	*25.0*		*100*	*80-130*			
Surrogate: Toluene-d8	*25.4*		*ug/l*	*25.0*		*102*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.9*		*ug/l*	*25.0*		*96*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2010 Extracted: 07/20/06										
LCS Analyzed: 07/20/2006 (P6G2010-BS1)										
Acetone	25.8	20	ug/l	25.0		103	30-150			
Benzene	25.4	1.0	ug/l	25.0		102	80-120			
Bromobenzene	26.2	5.0	ug/l	25.0		105	80-125			
Bromochloromethane	25.0	5.0	ug/l	25.0		100	80-125			
Bromodichloromethane	25.6	2.0	ug/l	25.0		102	80-120			
Bromoform	21.2	5.0	ug/l	25.0		85	70-120			
Bromomethane	26.8	5.0	ug/l	25.0		107	80-135			
2-Butanone (MEK)	22.0	10	ug/l	25.0		88	55-150			
n-Butylbenzene	27.3	5.0	ug/l	25.0		109	80-120			
sec-Butylbenzene	26.8	5.0	ug/l	25.0		107	80-130			
tert-Butylbenzene	27.3	5.0	ug/l	25.0		109	80-130			
Carbon Disulfide	32.4	5.0	ug/l	25.0		130	55-145			
Carbon tetrachloride	25.6	5.0	ug/l	25.0		102	80-120			
Chlorobenzene	25.2	1.0	ug/l	25.0		101	80-120			
Chloroethane	26.5	5.0	ug/l	25.0		106	80-125			
Chloroform	25.7	2.0	ug/l	25.0		103	80-120			
Chloromethane	27.9	5.0	ug/l	25.0		112	70-130			
2-Chlorotoluene	26.4	5.0	ug/l	25.0		106	80-120			
4-Chlorotoluene	26.9	5.0	ug/l	25.0		108	80-120			
Dibromochloromethane	21.0	2.0	ug/l	25.0		84	75-120			
1,2-Dibromo-3-chloropropane	16.7	5.0	ug/l	25.0		67	55-120			
1,2-Dibromoethane (EDB)	21.9	2.0	ug/l	25.0		88	75-125			
Dibromomethane	22.8	2.0	ug/l	25.0		91	80-125			
1,2-Dichlorobenzene	25.3	1.0	ug/l	25.0		101	80-120			
1,3-Dichlorobenzene	26.0	1.0	ug/l	25.0		104	80-125			
1,4-Dichlorobenzene	26.4	1.0	ug/l	25.0		106	80-120			
Dichlorodifluoromethane	29.1	5.0	ug/l	25.0		116	60-140			
1,1-Dichloroethane	26.4	2.0	ug/l	25.0		106	80-120			
1,2-Dichloroethane	23.9	1.0	ug/l	25.0		96	75-125			
1,1-Dichloroethene	25.8	5.0	ug/l	25.0		103	75-120			
cis-1,2-Dichloroethene	25.5	2.0	ug/l	25.0		102	80-125			
trans-1,2-Dichloroethene	25.6	2.0	ug/l	25.0		102	80-120			
1,2-Dichloropropane	25.4	2.0	ug/l	25.0		102	80-120			
1,3-Dichloropropane	22.6	2.0	ug/l	25.0		90	80-120			
2,2-Dichloropropane	25.8	2.0	ug/l	25.0		103	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2010 Extracted: 07/20/06										
LCS Analyzed: 07/20/2006 (P6G2010-BS1)										
1,1-Dichloropropene	25.8	2.0	ug/l	25.0		103	80-120			
cis-1,3-Dichloropropene	25.8	2.0	ug/l	25.0		103	75-120			
trans-1,3-Dichloropropene	25.0	2.0	ug/l	25.0		100	80-120			
Ethylbenzene	25.6	2.0	ug/l	25.0		102	80-125			
Hexachlorobutadiene	23.6	5.0	ug/l	25.0		94	70-130			
2-Hexanone	22.0	10	ug/l	25.0		88	40-150			
Iodomethane	30.7	2.0	ug/l	25.0		123	80-130			
Isopropylbenzene	29.2	2.0	ug/l	25.0		117	80-140			
p-Isopropyltoluene	27.4	2.0	ug/l	25.0		110	80-130			
Methylene chloride	22.9	5.0	ug/l	25.0		92	80-120			
4-Methyl-2-pentanone (MIBK)	22.2	10	ug/l	25.0		89	50-140			*V1*
Methyl-tert-butyl Ether (MTBE)	23.4	5.0	ug/l	25.0		94	65-130			
Naphthalene	22.0	2.0	ug/l	25.0		88	70-130			
n-Propylbenzene	28.2	2.0	ug/l	25.0		113	80-135			
Styrene	29.5	2.0	ug/l	25.0		118	80-125			
1,1,1,2-Tetrachloroethane	24.7	5.0	ug/l	25.0		99	80-120			
1,1,2,2-Tetrachloroethane	21.7	2.0	ug/l	25.0		87	65-140			
Tetrachloroethene	25.3	2.0	ug/l	25.0		101	80-125			
Toluene	25.6	2.0	ug/l	25.0		102	80-125			
1,2,3-Trichlorobenzene	26.8	5.0	ug/l	25.0		107	75-125			
1,2,4-Trichlorobenzene	24.0	5.0	ug/l	25.0		96	80-125			
1,1,1-Trichloroethane	26.0	2.0	ug/l	25.0		104	75-125			
1,1,2-Trichloroethane	22.0	2.0	ug/l	25.0		88	80-125			
Trichloroethene	24.6	2.0	ug/l	25.0		98	80-120			
Trichlorofluoromethane	26.7	5.0	ug/l	25.0		107	75-130			
1,2,3-Trichloropropane	20.7	10	ug/l	25.0		83	65-135			
1,2,4-Trimethylbenzene	27.2	2.0	ug/l	25.0		109	80-125			
1,3,5-Trimethylbenzene	27.3	2.0	ug/l	25.0		109	80-130			
Vinyl acetate	29.3	25	ug/l	25.0		117	70-140			*V1, N1a*
Vinyl chloride	28.5	1.7	ug/l	25.0		114	70-135			
Xylenes, Total	50.8	3.0	ug/l	50.0		102	80-125			
Surrogate: Dibromofluoromethane	*26.0*		*ug/l*	*25.0*		*104*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.5*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2010 Extracted: 07/20/06										
LCS Dup Analyzed: 07/20/2006 (P6G2010-BSD1)										
Acetone	37.0	20	ug/l	25.0		148	30-150	36	35	*R6*
Benzene	24.6	1.0	ug/l	25.0		98	80-120	3	10	
Bromobenzene	25.2	5.0	ug/l	25.0		101	80-125	4	10	
Bromochloromethane	26.2	5.0	ug/l	25.0		105	80-125	5	15	
Bromodichloromethane	25.3	2.0	ug/l	25.0		101	80-120	1	15	
Bromoform	24.3	5.0	ug/l	25.0		97	70-120	14	20	
Bromomethane	26.1	5.0	ug/l	25.0		104	80-135	3	15	
2-Butanone (MEK)	30.0	10	ug/l	25.0		120	55-150	31	35	
n-Butylbenzene	25.2	5.0	ug/l	25.0		101	80-120	8	10	
sec-Butylbenzene	25.0	5.0	ug/l	25.0		100	80-130	7	10	
tert-Butylbenzene	25.4	5.0	ug/l	25.0		102	80-130	7	10	
Carbon Disulfide	31.0	5.0	ug/l	25.0		124	55-145	4	15	
Carbon tetrachloride	24.2	5.0	ug/l	25.0		97	80-120	6	15	
Chlorobenzene	24.5	1.0	ug/l	25.0		98	80-120	3	10	
Chloroethane	25.9	5.0	ug/l	25.0		104	80-125	2	15	
Chloroform	25.2	2.0	ug/l	25.0		101	80-120	2	10	
Chloromethane	27.0	5.0	ug/l	25.0		108	70-130	3	15	
2-Chlorotoluene	24.6	5.0	ug/l	25.0		98	80-120	7	10	
4-Chlorotoluene	25.0	5.0	ug/l	25.0		100	80-120	7	10	
Dibromochloromethane	22.5	2.0	ug/l	25.0		90	75-120	7	15	
1,2-Dibromo-3-chloropropane	22.3	5.0	ug/l	25.0		89	55-120	29	35	
1,2-Dibromoethane (EDB)	24.9	2.0	ug/l	25.0		100	75-125	13	20	
Dibromomethane	25.1	2.0	ug/l	25.0		100	80-125	10	20	
1,2-Dichlorobenzene	24.9	1.0	ug/l	25.0		100	80-120	2	10	
1,3-Dichlorobenzene	24.7	1.0	ug/l	25.0		99	80-125	5	10	
1,4-Dichlorobenzene	25.8	1.0	ug/l	25.0		103	80-120	2	10	
Dichlorodifluoromethane	28.3	5.0	ug/l	25.0		113	60-140	3	15	
1,1-Dichloroethane	25.5	2.0	ug/l	25.0		102	80-120	3	10	
1,2-Dichloroethane	25.7	1.0	ug/l	25.0		103	75-125	7	20	
1,1-Dichloroethene	25.2	5.0	ug/l	25.0		101	75-120	2	15	
cis-1,2-Dichloroethene	25.2	2.0	ug/l	25.0		101	80-125	1	10	
trans-1,2-Dichloroethene	24.3	2.0	ug/l	25.0		97	80-120	5	10	
1,2-Dichloropropane	24.6	2.0	ug/l	25.0		98	80-120	3	15	
1,3-Dichloropropane	24.5	2.0	ug/l	25.0		98	80-120	8	15	
2,2-Dichloropropane	25.4	2.0	ug/l	25.0		102	70-130	2	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2010 Extracted: 07/20/06										
LCS Dup Analyzed: 07/20/2006 (P6G2010-BSD1)										
1,1-Dichloropropene	24.8	2.0	ug/l	25.0		99	80-120	4	10	
cis-1,3-Dichloropropene	26.5	2.0	ug/l	25.0		106	75-120	3	15	
trans-1,3-Dichloropropene	26.9	2.0	ug/l	25.0		108	80-120	7	20	
Ethylbenzene	24.6	2.0	ug/l	25.0		98	80-125	4	15	
Hexachlorobutadiene	21.8	5.0	ug/l	25.0		87	70-130	8	15	
2-Hexanone	29.7	10	ug/l	25.0		119	40-150	30	35	
Iodomethane	29.4	2.0	ug/l	25.0		118	80-130	4	10	
Isopropylbenzene	27.1	2.0	ug/l	25.0		108	80-140	7	10	
p-Isopropyltoluene	25.1	2.0	ug/l	25.0		100	80-130	9	15	
Methylene chloride	23.2	5.0	ug/l	25.0		93	80-120	1	10	
4-Methyl-2-pentanone (MIBK)	29.5	10	ug/l	25.0		118	50-140	28	35	*V1*
Methyl-tert-butyl Ether (MTBE)	27.2	5.0	ug/l	25.0		109	65-130	15	25	
Naphthalene	25.8	2.0	ug/l	25.0		103	70-130	16	20	
n-Propylbenzene	26.1	2.0	ug/l	25.0		104	80-135	8	10	
Styrene	28.8	2.0	ug/l	25.0		115	80-125	2	15	
1,1,1,2-Tetrachloroethane	24.2	5.0	ug/l	25.0		97	80-120	2	15	
1,1,2,2-Tetrachloroethane	26.6	2.0	ug/l	25.0		106	65-140	20	25	
Tetrachloroethene	24.1	2.0	ug/l	25.0		96	80-125	5	15	
Toluene	24.4	2.0	ug/l	25.0		98	80-125	5	10	
1,2,3-Trichlorobenzene	28.8	5.0	ug/l	25.0		115	75-125	7	15	
1,2,4-Trichlorobenzene	23.6	5.0	ug/l	25.0		94	80-125	2	15	
1,1,1-Trichloroethane	25.2	2.0	ug/l	25.0		101	75-125	3	10	
1,1,2-Trichloroethane	24.7	2.0	ug/l	25.0		99	80-125	12	25	
Trichloroethene	23.8	2.0	ug/l	25.0		95	80-120	3	10	
Trichlorofluoromethane	25.8	5.0	ug/l	25.0		103	75-130	3	10	
1,2,3-Trichloropropane	25.4	10	ug/l	25.0		102	65-135	20	25	
1,2,4-Trimethylbenzene	25.2	2.0	ug/l	25.0		101	80-125	8	10	
1,3,5-Trimethylbenzene	25.6	2.0	ug/l	25.0		102	80-130	6	10	
Vinyl acetate	35.4	25	ug/l	25.0		142	70-140	19	30	*V1, N1a*
Vinyl chloride	26.8	1.7	ug/l	25.0		107	70-135	6	15	
Xylenes, Total	49.1	3.0	ug/l	50.0		98	80-125	3	15	
Surrogate: Dibromofluoromethane	*26.8*		*ug/l*	*25.0*		*107*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.9*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2010 Extracted: 07/20/06										
Matrix Spike Analyzed: 07/20/2006 (P6G2010-MS1)					**Source: PPG0164-01**					
Acetone	23.0	20	ug/l	25.0	ND	92	15-150			
Benzene	24.3	1.0	ug/l	25.0	ND	97	80-125			
Bromobenzene	25.0	5.0	ug/l	25.0	ND	100	80-125			
Bromochloromethane	24.3	5.0	ug/l	25.0	ND	97	80-130			
Bromodichloromethane	24.3	2.0	ug/l	25.0	ND	97	70-130			
Bromoform	20.9	5.0	ug/l	25.0	ND	84	70-120			
Bromomethane	24.3	5.0	ug/l	25.0	ND	97	80-135			
2-Butanone (MEK)	22.6	10	ug/l	25.0	ND	90	30-150			
n-Butylbenzene	25.4	5.0	ug/l	25.0	ND	102	80-135			
sec-Butylbenzene	25.4	5.0	ug/l	25.0	ND	102	80-130			
tert-Butylbenzene	25.4	5.0	ug/l	25.0	ND	102	80-130			
Carbon Disulfide	30.2	5.0	ug/l	25.0	ND	121	45-150			
Carbon tetrachloride	24.4	5.0	ug/l	25.0	ND	98	65-135			
Chlorobenzene	24.8	1.0	ug/l	25.0	ND	99	80-125			
Chloroethane	25.2	5.0	ug/l	25.0	ND	101	80-125			
Chloroform	24.7	2.0	ug/l	25.0	ND	99	75-130			
Chloromethane	24.0	5.0	ug/l	25.0	ND	96	65-130			
2-Chlorotoluene	24.9	5.0	ug/l	25.0	ND	100	80-130			
4-Chlorotoluene	24.8	5.0	ug/l	25.0	ND	99	80-135			
Dibromochloromethane	20.8	2.0	ug/l	25.0	ND	83	75-120			
1,2-Dibromo-3-chloropropane	17.4	5.0	ug/l	25.0	ND	70	50-130			
1,2-Dibromoethane (EDB)	21.8	2.0	ug/l	25.0	ND	87	70-130			
Dibromomethane	22.4	2.0	ug/l	25.0	ND	90	75-130			
1,2-Dichlorobenzene	23.7	1.0	ug/l	25.0	ND	95	80-130			
1,3-Dichlorobenzene	24.5	1.0	ug/l	25.0	ND	98	80-130			
1,4-Dichlorobenzene	24.7	1.0	ug/l	25.0	ND	99	80-125			
Dichlorodifluoromethane	26.2	5.0	ug/l	25.0	ND	105	60-140			
1,1-Dichloroethane	24.9	2.0	ug/l	25.0	ND	100	80-125			
1,2-Dichloroethane	22.8	1.0	ug/l	25.0	ND	91	60-145			
1,1-Dichloroethene	24.7	5.0	ug/l	25.0	ND	99	75-130			
cis-1,2-Dichloroethene	24.4	2.0	ug/l	25.0	ND	98	80-125			
trans-1,2-Dichloroethene	24.1	2.0	ug/l	25.0	ND	96	80-120			
1,2-Dichloropropane	23.7	2.0	ug/l	25.0	ND	95	80-125			
1,3-Dichloropropane	21.9	2.0	ug/l	25.0	ND	88	75-130			
2,2-Dichloropropane	24.6	2.0	ug/l	25.0	ND	98	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2010 Extracted: 07/20/06										
Matrix Spike Analyzed: 07/20/2006 (P6G2010-MS1)					**Source: PPG0164-01**					
1,1-Dichloropropene	24.4	2.0	ug/l	25.0	ND	98	80-125			
cis-1,3-Dichloropropene	24.9	2.0	ug/l	25.0	ND	100	75-120			
trans-1,3-Dichloropropene	23.9	2.0	ug/l	25.0	ND	96	75-130			
Ethylbenzene	24.5	2.0	ug/l	25.0	ND	98	80-130			
Hexachlorobutadiene	21.5	5.0	ug/l	25.0	ND	86	65-130			
2-Hexanone	20.4	10	ug/l	25.0	ND	82	40-150			
Iodomethane	28.5	2.0	ug/l	25.0	ND	114	70-140			
Isopropylbenzene	27.4	2.0	ug/l	25.0	ND	110	80-140			
p-Isopropyltoluene	25.5	2.0	ug/l	25.0	ND	102	80-135			
Methylene chloride	22.0	5.0	ug/l	25.0	ND	88	75-125			
4-Methyl-2-pentanone (MIBK)	21.7	10	ug/l	25.0	ND	87	40-140			
Methyl-tert-butyl Ether (MTBE)	23.8	5.0	ug/l	25.0	ND	95	65-135			
Naphthalene	19.7	2.0	ug/l	25.0	ND	79	60-140			
n-Propylbenzene	26.5	2.0	ug/l	25.0	ND	106	80-140			
Styrene	28.3	2.0	ug/l	25.0	ND	113	30-150			
1,1,1,2-Tetrachloroethane	23.6	5.0	ug/l	25.0	ND	94	80-130			
1,1,2,2-Tetrachloroethane	21.5	2.0	ug/l	25.0	ND	86	65-140			
Tetrachloroethene	24.2	2.0	ug/l	25.0	ND	97	80-130			
Toluene	24.6	2.0	ug/l	25.0	ND	98	80-130			
1,2,3-Trichlorobenzene	22.0	5.0	ug/l	25.0	ND	88	75-140			*V1*
1,2,4-Trichlorobenzene	21.7	5.0	ug/l	25.0	ND	87	80-135			
1,1,1-Trichloroethane	24.2	2.0	ug/l	25.0	ND	97	70-135			
1,1,2-Trichloroethane	21.7	2.0	ug/l	25.0	ND	87	70-135			
Trichloroethene	23.5	2.0	ug/l	25.0	ND	94	80-125			
Trichlorofluoromethane	24.8	5.0	ug/l	25.0	ND	99	70-140			
1,2,3-Trichloropropane	21.2	10	ug/l	25.0	ND	85	65-135			
1,2,4-Trimethylbenzene	25.4	2.0	ug/l	25.0	ND	102	75-130			
1,3,5-Trimethylbenzene	25.6	2.0	ug/l	25.0	ND	102	80-135			
Vinyl acetate	27.3	25	ug/l	25.0	ND	109	30-150			*N1a*
Vinyl chloride	25.4	1.7	ug/l	25.0	ND	102	70-135			
Xylenes, Total	49.5	3.0	ug/l	50.0	ND	99	80-125			
Surrogate: Dibromofluoromethane	*26.0*		*ug/l*	*25.0*		*104*	*80-130*			
Surrogate: Toluene-d8	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.9*		*ug/l*	*25.0*		*96*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2010 Extracted: 07/20/06										
Matrix Spike Dup Analyzed: 07/20/2006 (P6G2010-MSD1)					**Source: PPG0164-01**					
Acetone	23.9	20	ug/l	25.0	ND	96	15-150	4	35	
Benzene	25.4	1.0	ug/l	25.0	ND	102	80-125	4	10	
Bromobenzene	25.5	5.0	ug/l	25.0	ND	102	80-125	2	15	
Bromochloromethane	25.0	5.0	ug/l	25.0	ND	100	80-130	3	20	
Bromodichloromethane	25.3	2.0	ug/l	25.0	ND	101	70-130	4	15	
Bromoform	21.3	5.0	ug/l	25.0	ND	85	70-120	2	25	
Bromomethane	25.3	5.0	ug/l	25.0	ND	101	80-135	4	20	
2-Butanone (MEK)	21.5	10	ug/l	25.0	ND	86	30-150	5	35	
n-Butylbenzene	26.4	5.0	ug/l	25.0	ND	106	80-135	4	20	
sec-Butylbenzene	26.7	5.0	ug/l	25.0	ND	107	80-130	5	20	
tert-Butylbenzene	26.8	5.0	ug/l	25.0	ND	107	80-130	5	20	
Carbon Disulfide	30.3	5.0	ug/l	25.0	ND	121	45-150	0	15	
Carbon tetrachloride	25.1	5.0	ug/l	25.0	ND	100	65-135	3	15	
Chlorobenzene	26.1	1.0	ug/l	25.0	ND	104	80-125	5	15	
Chloroethane	26.2	5.0	ug/l	25.0	ND	105	80-125	4	20	
Chloroform	25.3	2.0	ug/l	25.0	ND	101	75-130	2	15	
Chloromethane	25.3	5.0	ug/l	25.0	ND	101	65-130	5	20	
2-Chlorotoluene	26.0	5.0	ug/l	25.0	ND	104	80-130	4	15	
4-Chlorotoluene	26.0	5.0	ug/l	25.0	ND	104	80-135	5	15	
Dibromochloromethane	21.3	2.0	ug/l	25.0	ND	85	75-120	2	20	
1,2-Dibromo-3-chloropropane	17.2	5.0	ug/l	25.0	ND	69	50-130	1	35	
1,2-Dibromoethane (EDB)	22.7	2.0	ug/l	25.0	ND	91	70-130	4	25	
Dibromomethane	22.8	2.0	ug/l	25.0	ND	91	75-130	2	25	
1,2-Dichlorobenzene	25.0	1.0	ug/l	25.0	ND	100	80-130	5	15	
1,3-Dichlorobenzene	25.3	1.0	ug/l	25.0	ND	101	80-130	3	15	
1,4-Dichlorobenzene	25.8	1.0	ug/l	25.0	ND	103	80-125	4	10	
Dichlorodifluoromethane	27.0	5.0	ug/l	25.0	ND	108	60-140	3	45	
1,1-Dichloroethane	25.7	2.0	ug/l	25.0	ND	103	80-125	3	15	
1,2-Dichloroethane	23.5	1.0	ug/l	25.0	ND	94	60-145	3	20	
1,1-Dichloroethene	25.5	5.0	ug/l	25.0	ND	102	75-130	3	15	
cis-1,2-Dichloroethene	25.4	2.0	ug/l	25.0	ND	102	80-125	4	15	
trans-1,2-Dichloroethene	25.1	2.0	ug/l	25.0	ND	100	80-120	4	15	
1,2-Dichloropropane	24.6	2.0	ug/l	25.0	ND	98	80-125	4	15	
1,3-Dichloropropane	23.0	2.0	ug/l	25.0	ND	92	75-130	5	20	
2,2-Dichloropropane	25.1	2.0	ug/l	25.0	ND	100	60-135	2	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2010 Extracted: 07/20/06										
Matrix Spike Dup Analyzed: 07/20/2006 (P6G2010-MSD1)					**Source: PPG0164-01**					
1,1-Dichloropropene	25.3	2.0	ug/l	25.0	ND	101	80-125	4	15	
cis-1,3-Dichloropropene	25.4	2.0	ug/l	25.0	ND	102	75-120	2	15	
trans-1,3-Dichloropropene	24.7	2.0	ug/l	25.0	ND	99	75-130	3	25	
Ethylbenzene	25.9	2.0	ug/l	25.0	ND	104	80-130	6	15	
Hexachlorobutadiene	22.2	5.0	ug/l	25.0	ND	89	65-130	3	15	
2-Hexanone	21.9	10	ug/l	25.0	ND	88	40-150	7	35	
Iodomethane	28.8	2.0	ug/l	25.0	ND	115	70-140	1	15	
Isopropylbenzene	28.5	2.0	ug/l	25.0	ND	114	80-140	4	20	
p-Isopropyltoluene	26.8	2.0	ug/l	25.0	ND	107	80-135	5	20	
Methylene chloride	23.0	5.0	ug/l	25.0	ND	92	75-125	4	15	
4-Methyl-2-pentanone (MIBK)	21.6	10	ug/l	25.0	ND	86	40-140	1	35	
Methyl-tert-butyl Ether (MTBE)	24.2	5.0	ug/l	25.0	ND	97	65-135	2	30	
Naphthalene	18.9	2.0	ug/l	25.0	ND	76	60-140	4	30	
n-Propylbenzene	27.4	2.0	ug/l	25.0	ND	110	80-140	3	20	
Styrene	28.9	2.0	ug/l	25.0	ND	116	30-150	2	25	
1,1,1,2-Tetrachloroethane	24.9	5.0	ug/l	25.0	ND	100	80-130	5	15	
1,1,2,2-Tetrachloroethane	22.5	2.0	ug/l	25.0	ND	90	65-140	5	35	
Tetrachloroethene	25.1	2.0	ug/l	25.0	ND	100	80-130	4	15	
Toluene	25.5	2.0	ug/l	25.0	ND	102	80-130	4	15	
1,2,3-Trichlorobenzene	21.1	5.0	ug/l	25.0	ND	84	75-140	4	20	*V1*
1,2,4-Trichlorobenzene	21.7	5.0	ug/l	25.0	ND	87	80-135	0	15	
1,1,1-Trichloroethane	25.3	2.0	ug/l	25.0	ND	101	70-135	4	15	
1,1,2-Trichloroethane	22.3	2.0	ug/l	25.0	ND	89	70-135	3	25	
Trichloroethene	24.4	2.0	ug/l	25.0	ND	98	80-125	4	15	
Trichlorofluoromethane	26.0	5.0	ug/l	25.0	ND	104	70-140	5	15	
1,2,3-Trichloropropane	21.4	10	ug/l	25.0	ND	86	65-135	1	35	
1,2,4-Trimethylbenzene	26.4	2.0	ug/l	25.0	ND	106	75-130	4	15	
1,3,5-Trimethylbenzene	26.9	2.0	ug/l	25.0	ND	108	80-135	5	15	
Vinyl acetate	27.5	25	ug/l	25.0	ND	110	30-150	1	35	*N1a*
Vinyl chloride	27.0	1.7	ug/l	25.0	ND	108	70-135	6	25	
Xylenes, Total	51.8	3.0	ug/l	50.0	ND	104	80-125	5	15	
Surrogate: Dibromofluoromethane	*26.1*		*ug/l*	*25.0*		*104*	*80-130*			
Surrogate: Toluene-d8	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.8*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2129 Extracted: 07/21/06										
Blank Analyzed: 07/21/2006 (P6G2129-BLK1)										
Benzene	ND	1.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*23.6*		*ug/l*	*25.0*		*94*	*80-130*			
Surrogate: Toluene-d8	*26.5*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.7*		*ug/l*	*25.0*		*107*	*80-120*			
LCS Analyzed: 07/21/2006 (P6G2129-BS1)										**N1**
Benzene	24.7	1.0	ug/l	25.0		99	80-120			
Ethylbenzene	26.5	2.0	ug/l	25.0		106	80-125			
Methyl-tert-butyl Ether (MTBE)	26.1	5.0	ug/l	25.0		104	65-130			
Xylenes, Total	52.4	3.0	ug/l	50.0		105	80-125			
Surrogate: Dibromofluoromethane	*24.3*		*ug/l*	*25.0*		*97*	*80-130*			
Surrogate: Toluene-d8	*25.4*		*ug/l*	*25.0*		*102*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			
LCS Dup Analyzed: 07/21/2006 (P6G2129-BSD1)										
Benzene	24.5	1.0	ug/l	25.0		98	80-120	1	10	
Ethylbenzene	26.4	2.0	ug/l	25.0		106	80-125	0	15	
Methyl-tert-butyl Ether (MTBE)	25.9	5.0	ug/l	25.0		104	65-130	1	25	
Xylenes, Total	50.9	3.0	ug/l	50.0		102	80-125	3	15	
Surrogate: Dibromofluoromethane	*23.6*		*ug/l*	*25.0*		*94*	*80-130*			
Surrogate: Toluene-d8	*26.8*		*ug/l*	*25.0*		*107*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.3*		*ug/l*	*25.0*		*105*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1203 Extracted: 07/13/06										
Blank Analyzed: 07/14/2006 (P6G1203-BLK1)										
Acenaphthene	ND	3.0	ug/l							
Acenaphthylene	ND	3.0	ug/l							
Anthracene	ND	0.30	ug/l							
Benzo(a)anthracene	ND	0.050	ug/l							
Benzo(a)pyrene	ND	0.10	ug/l							
Benzo(b)fluoranthene	ND	0.30	ug/l							
Benzo(g,h,i)perylene	ND	0.30	ug/l							
Benzo(k)fluoranthene	ND	0.30	ug/l							
Chrysene	ND	0.30	ug/l							
Dibenz(a,h)anthracene	ND	0.50	ug/l							
Fluoranthene	ND	0.30	ug/l							
Fluorene	ND	0.30	ug/l							
Indeno(1,2,3-cd)pyrene	ND	0.30	ug/l							
Naphthalene	ND	2.0	ug/l							
Phenanthrene	ND	0.30	ug/l							
Pyrene	ND	0.30	ug/l							
Surrogate: 2-Methylanthracene	*0.448*		*ug/l*	*0.600*		*75*	*50-115*			
LCS Analyzed: 07/14/2006 (P6G1203-BS1)										**Q8**
Acenaphthene	5.19	3.0	ug/l	6.00		86	65-115			
Acenaphthylene	9.99	3.0	ug/l	12.0		83	65-115			
Anthracene	0.486	0.30	ug/l	0.600		81	65-115			
Benzo(a)anthracene	0.573	0.050	ug/l	0.600		96	80-115			
Benzo(a)pyrene	0.542	0.10	ug/l	0.600		90	70-115			
Benzo(b)fluoranthene	1.14	0.30	ug/l	1.20		95	80-115			
Benzo(g,h,i)perylene	1.20	0.30	ug/l	1.20		100	65-120			
Benzo(k)fluoranthene	0.585	0.30	ug/l	0.600		97	70-115			
Chrysene	0.571	0.30	ug/l	0.600		95	80-120			
Dibenz(a,h)anthracene	1.11	0.50	ug/l	1.20		92	50-125			
Fluoranthene	1.13	0.30	ug/l	1.20		94	70-115			
Fluorene	1.04	0.30	ug/l	1.20		87	65-115			
Indeno(1,2,3-cd)pyrene	0.542	0.30	ug/l	0.600		90	65-115			
Naphthalene	4.55	2.0	ug/l	6.00		76	55-115			
Phenanthrene	0.545	0.30	ug/l	0.600		91	60-115			
Pyrene	0.576	0.30	ug/l	0.600		96	75-115			
Surrogate: 2-Methylanthracene	*0.506*		*ug/l*	*0.600*		*84*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141
Sampled: 07/07/06
Received: 07/07/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1203 Extracted: 07/13/06										
LCS Dup Analyzed: 07/14/2006 (P6G1203-BSD1)										
Acenaphthene	5.19	3.0	ug/l	6.00		86	65-115	0	15	
Acenaphthylene	10.1	3.0	ug/l	12.0		84	65-115	1	15	
Anthracene	0.489	0.30	ug/l	0.600		81	65-115	1	15	
Benzo(a)anthracene	0.565	0.050	ug/l	0.600		94	80-115	1	15	
Benzo(a)pyrene	0.535	0.10	ug/l	0.600		89	70-115	1	15	
Benzo(b)fluoranthene	1.11	0.30	ug/l	1.20		92	80-115	3	15	
Benzo(g,h,i)perylene	1.29	0.30	ug/l	1.20		108	65-120	7	10	
Benzo(k)fluoranthene	0.574	0.30	ug/l	0.600		96	70-115	2	15	
Chrysene	0.570	0.30	ug/l	0.600		95	80-120	0	15	
Dibenz(a,h)anthracene	1.07	0.50	ug/l	1.20		89	50-125	4	25	
Fluoranthene	1.12	0.30	ug/l	1.20		93	70-115	1	20	
Fluorene	1.05	0.30	ug/l	1.20		87	65-115	1	20	
Indeno(1,2,3-cd)pyrene	0.541	0.30	ug/l	0.600		90	65-115	0	20	
Naphthalene	4.64	2.0	ug/l	6.00		77	55-115	2	25	
Phenanthrene	0.533	0.30	ug/l	0.600		89	60-115	2	30	
Pyrene	0.504	0.30	ug/l	0.600		84	75-115	13	20	
Surrogate: 2-Methylanthracene	*0.507*		*ug/l*	*0.600*		*84*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe	Project ID: Sky Harbor HW Quarterly / UST Sampling Program	
2625 S. Plaza Drive, Ste. 300		Sampled: 07/07/06
Tempe, AZ 85282	Report Number: PPG0141	Received: 07/07/06
Attention: Jennifer Holland		

DATA QUALIFIERS AND DEFINITIONS

L3	The associated blank spike recovery was above method acceptance limits.
N1	See case narrative.
Q8	Insufficient sample received to meet method QC requirements. Batch QC satisfies ADEQ policies 0154 and 0155.
R6	LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
V1	CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
ND	Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
RPD	Relative Percent Difference

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor HW Quarterly / UST Sampling Program
Report Number: PPG0141

Sampled: 07/07/06
Received: 07/07/06

Certification Summary

TestAmerica - Phoenix, AZ

Method	Matrix	Nelac	Arizona
EPA 8015B	Water	X	X
EPA 8260B	Water	X	X
EPA 8310	Water	X	X

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

Subcontracted Laboratories

Transwest Geochem *Arizona Cert #AZ0133*

3725 E. Atlanta Ave Ste 1 - Phoenix, AZ 85040-2961

Analysis Performed: 8015B MOD-Low Level

Samples: PPG0141-02, PPG0141-03, PPG0141-04, PPG0141-05, PPG0141-06, PPG0141-07, PPG0141-08, PPG 0141-09, PPG0141-10, PPG0141-11

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

DelMar Analytical
9830 South 51st St. Suite B-120
Phoenix, AZ 85044
480-785-0043

Honeywell

Chain Of Custody / Analysis Request

[redacted]

[redacted] Jennifer Holland
jennifer.holland@ch2m.com

Site Name: Sky Harbor
Location of Site: HW Quarterly / UST Sampling Program

[redacted] DELMAR-PHE

Client Contact: (name, co., address)
CH2M HILL
2625 South Plaza Drive, Suite 300
Tempe, AZ 85282
Jennifer.Holland@CH2M.com

[redacted]

Sampler: Jeffery Yentes
PO# BV.30.33

Analysis Turnaround Time:
Standard - Y
Rush Charges Authorized for -
2 weeks -
1 week -
Next Day -

[redacted]

Preservative: 1 | 0 | 0 | 3 | 1 | 2 | 2 | 0 | 0 | | 1 | | |

	Sample Identification		Sample Date	Sample Time	Sample Type	Sample Matrix	# of Cont.	MS/MSD REQUESTED	Field Filtered Sample?	VOC's (EPA 8260B)	SVOC's (EPA 8270)	PAH's (EPA 8310)	TRPH (EPA 8015M)	MEE (RSKSOP-175)	Total Metals (Varoius Methods)	Dissolved Metals (Various Methods)	Total common Ions (Various Methods)	Dissolved Common Ions (Various Methods)		VOC'S (EPA 624)		MS/MSD Requested	[redacted]
	Location ID	Field Sample ID								ug/L	ug/L	ug/L	ug/L	mg/L	mg/L	mg/L	mg/L	mg/L		ug/L			
1	Blank	TB-070706	7.7.06	0600	BK Water	Water	1		N	X					X								PPG0141-1
2	MW	ASE-12A-6B3	"	0747	GW	Water	7		N	X		X	X										2
3	MW	ASE-66A-6B3	"	0830	GW	Water	5		N	X			X										3
4	MW	PL-607-6B3	"	0840	GW	Water	5		N	X			X										4
5	MW	ASE-68A-6B3	"	0910	GW	Water	5		N	X			X										5
6	MW	ASE-20A-6B3	"	0947	GW	Water	5		N	X			X										6
7	MW	ASE-51A-6B3	"	1117	GW	Water	5		N	X			X										7
8	MW	ASE-53A-6B3	"	1220	GW	Water	5		N	X			X										8
9	MW	ASE-52A-6B3	"	1313	GW	Water	5		N	X			X										9
10	MW	ASE-64A-6B3	"	1404	GW	Water	5		N	X			X										10
11	MW	ASE-63A-6B3	"	1447	GW	Water	5		N	X			X										11
12																							
13																							
14																							
15																							
16																							
17																							
18																							
19																							
20																							

Relinquished by	Company	Hargis + Associates, Inc.	Received by		Condition		Custody Seals Intact	N/
	Date/Time	7.7.06/1600		7/7/06	Cooler Temp.			
Relinquished by	Company		Received by	Delmar	Condition		Custody Seals Intact	N/A
	Date/Time	7/7/06		7/7/06 1600	Cooler Temp.	3.1°C		

Preservatives: 0 = None; [1 = HCL]; [2 = HNO3]; [3 = H2SO4]; [4 = NaOH]; [5 = Zn. Acetate]; [6 = MeOH]; [7 = NaHSO4]; 8 = Other (specify):

TRANSWEST GEOCHEM

June 27 , 2006

Ken Baker
TestAmerica - Phoenix
9830 S. 51st Street
Suite B-120
Phoenix, AZ 85044

Re: PPG0141
Work Order No.: 0607089

Dear Ken,

Attached is the original Report of Analysis from Columbia Analytical Services, Inc. (AZ0604) for the samples received on 7/10/06. The following analysis was performed:

Method EPA 8015B – Diesel Range Organics

If you have any questions regarding the results, please call me. We appreciate your business and thank you for choosing Transwest Geochem.

Sincerely,

Carlene McCutchen

for Skip Harden
Project Manager

ADHS License No. AZM133/AZ0133

5090 Caterpillar Road Redding, California 96003 (530) 244-5227 (530) 244-4109 fax

Columbia Analytical Services INC.
An Employee - Owned Company

July 21, 2006

Service Request No: D0600835

Carlene McCutcheon
Transwest Geochem, Incorporated
3725 East Atlanta Avenue
Suite 2
Phoenix, AZ 85040-2960

RE: PPG0141

Dear Carlene:

Enclosed are the results of the sample(s) submitted to our laboratory on July 11, 2006. For your reference, these analyses have been assigned our service request number D0600835.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 103. You may also contact me via email at EWilson@canoga.caslab.com.

Respectfully submitted,

Columbia Analytical Services, Inc.

Ed Wilson
Project Chemist

NELAP Accredited ACIL Seal of Excellence Award 100% Recycled

Current CAS Redding Accreditation Programs

Federal and National Programs

- U.S Air Force, Air Force Center for Environmental Excellence (AFCEE)
  Approved laboratory for Wastewater and Hazardous Waste
- U.S. Army Corps of Engineers – MRD, HTRW Mandatory Center of Expertise
  Validated for Wastewater and Hazardous Waste
- Department of the Navy, Naval Facilities Engineering Service Center (NFESC)
  Approved laboratory for Wastewater and Hazardous Waste

State and Local Programs

- State of Alaska, Department of Environmental Conservation
  Approved Laboratory for Contaminated Sites
  Lab ID UST-001
- State of Arizona, Department of Health Services, Office of Laboratory Licensure
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID AZ0604
- State of California, Department of Health Services, National Environmental Laboratory Accreditation Program **(NELAP)**
  Approved Laboratory for Drinking Water, Wastewater and Hazardous Waste
  Lab ID 01105CA
  - Los Angeles County Sanitation District
    Approved Laboratory for Wastewater
    Lab ID 10243
- State of California, Department of Health Services, Environmental Laboratory Accreditation Program (ELAP)
  Approved Laboratory for Microbiology of Drinking Water and Wastewater
  Lab ID 2635
- State of Florida, Department of Health, Bureau of Laboratories **(NELAP)**
  Approved Environmental Testing Laboratory for Wastewater and Hazardous Waste
  Lab ID E87203
- State of Kansas, Department of Health and Environment **(NELAP)**
  Approved Laboratory for Hazardous Waste
  Lab ID E-10323
- State of Massachusetts, Department of Environmental Protection
  Approved laboratory for Drinking Water and Wastewater
  Lab ID M-CA025
- State of Oklahoma, Department of Environmental Quality
  Approved Laboratory for General Water Quality/Sludge Testing
  Lab ID 9952
- State of Oregon, Environmental Laboratory Accreditation Program **(ORELAP)**
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID CA200004
- State of Utah, Department of Health, Bureau of Laboratory Improvement **(NELAP)**
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID QUAL1
- State of Washington, Department of Ecology
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID C1234
- State of Wisconsin, Department of Natural Resources
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID 999767340

Arizona Data Qualifiers
Revision 2.0, 11/26/2003

Developed by the Sub-committee of the
Arizona Environmental Laboratory Advisory Committee

Microbiology:
A1 = Too numerous to count.
A2 = Sample incubation period exceeded method requirement.
A3 = Sample incubation period was shorter than method requirement.
A4 = Target organism detected in associated method blank.
A5 = Incubator/water bath temperature was outside method requirements.
A6 = Target organism not detected in associated positive control.
A7 = Micro sample received without adequate headspace.

Method/calibration blank:
B1 = Target analyte detected in method blank at or above the method reporting limit.
B2 = Non-target analyte detected in method blank and sample, producing interference.
B3 = Target analyte detected in calibration blank at or above the method reporting limit.
B4 = Target analyte detected in blank at/above method acceptance criteria.
B5 = Target analyte detected in method blank at or above the method reporting limit, but below trigger level or MCL.
B6 = Target analyte detected in calibration blank at or above the method reporting limit, but below trigger level or MCL.
B7 = Target analyte detected in method blank at or above method reporting limit. Concentration found in the sample was 10 times above the concentration found in the method blank.

Confirmation:
C1 = Confirmatory analysis not performed as required by the method.
C3 = Qualitative confirmation performed.
C4 = Confirmatory analysis was past holding time.
C5 = Confirmatory analysis was past holding time. Original result not confirmed.
C6 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the higher value was reported as there was no obvious chromatographic interference.
C7 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic interference.

Dilution:
D1 = Sample required dilution due to matrix.
D2 = Sample required dilution due to high concentration of target analyte.
D3 = Sample dilution required due to insufficient sample.
D4 = Minimum reporting level (MRL) adjusted to reflect sample amount received and analyzed.

Estimated concentration:
E1 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not possible due to insufficient sample.
E2 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to sample matrix.
E3 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

E4 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL).
E5 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL), but not confirmed by alternate analysis.
E6 = Concentration estimated. Internal standard recoveries did not meet method acceptance criteria.
E7 = Concentration estimated. Internal standard recoveries did not meet laboratory acceptance criteria.
E8 = Analyte reported to MDL per project specification. Target analyte was not detected in the sample.

Hold time:
H1 = Sample analysis performed past holding time.
H2 = Initial analysis within holding time. Reanalysis for the required dilution was past holding time.
H3 = Sample was received and analyzed past holding time.
H4 = Sample was extracted past required extraction holding time, but analyzed within analysis holding time.

BOD:
K1 = The sample dilutions set-up for the BOD analysis did not meet the oxygen depletion criteria of at least 2 mg/L. Any reported result is an estimated value.
K2 = The sample dilutions set up for the BOD analysis did not meet the criteria of a residual dissolved oxygen of at least 1 mg/L. Any reported result is an estimated value.
K4 = The seed depletion was outside the method acceptance limits. The reported result is an estimated value.
K5 = The dilution water D.O. depletion was > 0.2 mg/L.
K6 = Glucose/glutamic acid BOD was below method acceptance criteria.
K7 = A discrepancy between the BOD and COD results has been verified by reanalysis of the sample for COD.
K8 = Glucose/glutamic acid BOD was above method acceptance levels.

Laboratory fortified blank/blank spike:

L1 = The associated blank spike recovery was above laboratory acceptance limits.
L2 = The associated blank spike recovery was below laboratory acceptance limits.
L3 = The associated blank spike recovery was above method acceptance limits.
L4 = The associated blank spike recovery was below method acceptance limits.

Matrix spike:
M1 = Matrix spike recovery was high, the method control sample recovery was acceptable.
M2 = Matrix spike recovery was low, the method control sample recovery was acceptable.
M3 = The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
M4 = The analysis of the spiked sample required a dilution such that the spike concentration was diluted below the reporting limit. The method control sample recovery was acceptable.
M5 = Analyte concentration was determined by the method of standard addition (MSA).

M6 = Matrix spike recovery was high. Data reported per ADEQ policy 0154.000.
M7 = Matrix spike recovery was low. Data reported per ADEQ policy 0154.000.

General:
N1 = See case narrative.
N2 = See corrective action report.
N3 = The analysis meets all method requirements. See case narrative.

Sample quality:
Q1 = Sample integrity was not maintained. See case narrative.
Q2 = Sample received with headspace.
Q3 = Sample received with improper chemical preservation.
Q4 = Sample received and analyzed without chemical preservation.
Q5 = Sample received with inadequate chemical preservation, but preserved by the laboratory.
Q6 = Sample was received above recommended temperature.
Q7 = Sample inadequately dechlorinated.
Q8 = Insufficient sample received to meet method QC requirements. Batch QC requirements satisfies ADEQ policies 0154 and 0155.
Q9 = Insufficient sample received to meet method QC requirements.
Q10 = Sample received in inappropriate sample container.
Q11 = Sample is heterogeneous. Sample homogeneity could not be readily achieved using routine laboratory practices.

Duplicates:
R1 = RPD exceeded the method control limit. See case narrative.
R2 = RPD exceeded the laboratory control limit. See case narrative.
R4 = MS/MSD RPD exceeded the method control limit. Recovery met acceptance criteria.
R5 = MS/MSD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R6 = LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
R7 = LFB/LFBD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R8 = Sample RPD exceeded the method control limit.
R9 = Sample RPD exceeded the laboratory control limit.
R10 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic problems.
R11 = The RPD calculation for MS/MSD does not provide useful information due to the varying sample weights when Encore samplers/methanol field preserved samples are used.

Surrogate:
S1 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits.
S3 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits. No target analytes were detected in the sample.
S4 = Surrogate recovery was above laboratory and method acceptance limits. No target analytes were detected in the sample.
S5 = Surrogate recovery was below laboratory acceptance limits, but within method acceptance limits.
S6 = Surrogate recovery was below laboratory and method acceptance limits. Reextraction and/or reanalysis confirms low recovery caused by matrix effect.

S7 = Surrogate recovery was below laboratory and method acceptance limits. Unable to confirm matrix effect.
S8 = The analysis of the sample required a dilution such that the surrogate recovery calculation does not provide any useful information. The method control sample recovery was acceptable.
S10 = Surrogate recovery was above laboratory and method acceptance limits. See Case narrative.
S11 = Surrogate recovery was high. Data reported per ADEQ policy 0154.000.
S12 = Surrogate recovery was low. Data reported per ADEQ policy 0154.000.

Method/analyte discrepancies:
T1 = Method approved by EPA, but not yet licensed by ADHS.
T2 = Cited ADHS licensed method does not contain this analyte as part of method compound list.
T3 = Method not promulgated either by EPA or ADHS.
T4 = Tentatively identified compound. Concentration is estimated and based on the closest internal standard.

Calibration verification:
V1 = CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
V2 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample. The sample could not be reanalyzed due to insufficient sample.
V3 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample, but the sample was not reanalyzed. See case narrative.
V4 = CCV recovery was below method acceptance limits. The sample could not be reanalyzed due to insufficient sample.
V5 = CCV recovery after a group of samples was above acceptance limits. This target analyte was not detected in the sample. Acceptable per EPA Method 8000B.
V6 = Data reported from one-point calibration criteria per ADEQ policy 0155.000.
V7 = Calibration verification recovery was above the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.
V8 = Calibration verification recovery was below the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.

Calibration:
W1 = The % RSD for this compound was above 20%. The average % RSD for all compounds in the calibration met the 20% criteria as specified in EPA method 8000B.
W2 = The % RSD for this compound was above 15%. The average % RSD for all compounds in the calibration met the 15% criteria as specified in EPA method 8260B/8270C.

Client: Transwest Geochem, Incorporated
Project: PPG0141

Service Request: D0600835

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
D0600835-001	PPG0141-02	07/07/06	07:47
D0600835-002	PPG0141-03	07/07/06	08:30
D0600835-003	PPG0141-04	07/07/06	08:40
D0600835-004	PPG0141-05	07/07/06	09:10
D0600835-005	PPG0141-06	07/07/06	09:47
D0600835-006	PPG0141-07	07/07/06	11:17
D0600835-007	PPG0141-08	07/07/06	12:20
D0600835-008	PPG0141-09	07/07/06	13:13
D0600835-009	PPG0141-10	07/07/06	14:04
D0600835-010	PPG0141-11	07/07/06	14:47

CASE NARRATIVE

COLUMBIA ANALYTICAL SERVICES, INC.

Client:	Transwest Geochem, Inc.	**Service Request No.:**	D0600835
Project:	PPG141	**Date Received:**	July 11, 2006
Sample Matrix:	Water		

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of Columbia Analytical Services, Inc. (CAS). This report contains analytical results for samples designated for Tier II data deliverables.

Sample Receipt

Ten water samples were received for analysis at Columbia Analytical Services on July 11, 2006.

No discrepancies were noted upon initial sample inspection. The samples were received in good condition and consistent with the accompanying chain of custody form. The samples were stored in a refrigerator at 4°C upon receipt at the laboratory.

Diesel Range Organics by EPA Method 8015B

Surrogate Exceptions:
Triacontane and Octacosane surrogate recoveries were exceeded the current control criteria but within the method guidelines in samples PPG0141-03, PPG0141-06, and PPG0141-09. The control criteria were exceeded also for both surrogates in sample PPG0141-02. It appeared that twice the amount of surrogate solution was added into the sample. A reanalysis was not performed because insufficient sample was available. No further corrective action was possible.

Matrix Spike Recovery Exceptions:
Insufficient sample volume was received to perform a Matrix Spike/Matrix Spike Duplicate (MS/MSD). A Laboratory Control Sample/Duplicate Laboratory Control Sample (LCS/DLCS) was analyzed in order to report precision data.

Approved by: _____ **Date:** 7/21/06

CHAIN OF CUSTODY DOCUMENTATION

TRANSWEST GEOCHEM

CHAIN-OF-CUSTODY

[redacted]

Skip Harden
3725 E. Atlanta Avenue
Suite 2
Phoenix, AZ 85040
TEL: (602) 437-0330
FAX: (602) 437-0660

Work Order: 0607089

Project: PPG0141

Subcontractor:
Columbia Analytical Services
5090 Caterpillar Rd.
Redding, CA 96003
TEL: (530) 244-5227
FAX: (530) 244-4109

10-Jul-06

	Client Sample ID	TGI ID	Matrix	Collection Date	Containers	Requested Tests: 8015MOD_W						
1	PPG0141-02	01A	Water	7/7/2006 7:47:00 AM	1	1						
2	PPG0141-03	02A	Water	7/7/2006 8:30:00 AM	1	1						
3	PPG0141-04	03A	Water	7/7/2006 8:40:00 AM	1	1						
4	PPG0141-05	04A	Water	7/7/2006 9:10:00 AM	1	1						
5	PPG0141-06	05A	Water	7/7/2006 9:47:00 AM	1	1						
6	PPG0141-07	06A	Water	7/7/2006 11:17:00 AM	1	1						
7	PPG0141-08	07A	Water	7/7/2006 12:20:00 PM	1	1						
8	PPG0141-09	08A	Water	7/7/2006 1:13:00 PM	1	1						
9	PPG0141-10	09A	Water	7/7/2006 2:04:00 PM	1	1						
10	PPG0141-11	10A	Water	7/7/2006 2:47:00 PM	1	1						

Low Level

Need. Transfer Edd's

Comments: After analysis, the samples do not need to be returned and can be disposed per your standard laboratory practices. Please provide a QC report, including Method Blank data.

Sample Receipt		
Temperature:	Ambient / Cold	Ice:
Received Intact:		Absent / Present
Custody Seals:		Wet / Blue
Total No. of Containers:		° C.

		Date/Time			Date/Time
Relinquished by:	Leslie May - TGI	7/10/06 1500	**Received by:**	UPS	
Relinquished by:			**Received by:**	mcpham	7/11/6 0950
Relinquished by:			**Received by:**		

11

Columbia Analytical Services inc.
An Employee-Owned Company

5090 Caterpillar Road
Redding, CA 96003
Phone: (530) 244-5262
[redacted]

COOLER RECEIPT FORM

Project/Client: Transwest Geochem Batch No.: [redacted]

1. Cooler(s)/Sample(s) received on: 07/11/06 Shipped via: UPS

   Shipping Bill # (s): 1Z 73W 652 01 9238 0419, -9348 2405, -9279 6391 # of Coolers/Packages 3

2. Radiological Screening by: NCP (Acceptable) Rejected

3. Custody seals on outside of cooler: (YES) NO N/A
   If yes, where? Front ✓ Rear____ Lt Side____ Rt Side____

   Seals intact: (YES) NO

COOLER/SAMPLE PROCESSING

4. Sample Processing/Tagging by: NCPham

5. Cooler(s)/Sample(s) Temp's: 2°C 4°C 4°C ____ ____
   (or)
   Temp. Blank (if included): ____ ____ ____ ____ ____

6. Type of packing material (circle): (Ice) (Blue Ice) Bubble Wrap Bubble Bags Zip Locks (Webbing)

   Other:____

7. Custody papers properly filled out (ink, signed, dated, released, etc.)? (YES) NO

8. Containers arrived in good condition (not broken, leaking, etc.)? (YES) NO

9. Samples received with adequate holding time remaining to conduct analysis? (YES) NO

10. Container labels complete (i.e. analysis, preservation, date/time, etc.)? (YES) NO

11. Container labels and tags agree with custody papers? (YES) NO

12. Correct types of containers used for the tests indicated? (YES) NO

    a.) Adequate sample received? If not, note on Exception Report. (YES) NO

13. Containers supplied by: (CAS) Other

14. Preserved containers received with the appropriate preservative? (YES) NO N/A

    pH: presperdoc H_2SO_4 (or) See pH log.

15. VOA vials free of air bubbles? YES NO (N/A)

16. Trip Blank preparation date: ____ CAS Other (N/A)

17. Volatile Soil samples: Encores or Plugs in Vials

    Freezer or GC/MS Date:____ Time:____ (N/A)

See Exception Report for discrepancies.

Rev. 8/18/2004/ds

GC TPH DIESEL

SR#	Test	Matrix
D0600835	CA LUFT	Water

Analyst Signature/Date	Reviewer Signature/Date
CYC 7/18/06	

Yes ☒ No ☐	HOLDING TIME: Are all samples analyzed within hold times?
Yes ☐ No ☐ NA ☒	GC/MS TUNE: Are all samples analyzed with GC/MS tune window?
Yes ☒ No ☐	ICAL: Are all calibrations within primary evaluation criteria (including RRF checks)?
Yes ☒ No ☐	QCALT: Are Second Source standards within primary evaluation criteria?
Yes ☒ No ☐	CCV: Are CCV within primary evaluation criteria (including RRF Checks)?
Yes ☒ No ☐	MB: Are method blanks for all methods <MRL or less than 5% of the sample results?
Yes ☐ No ☒	SUR: Are all surrogate recoveries within control criteria?
Yes ☐ No ☐ NA ☒	IS: Are all internal standard recoveries within control criteria?
Yes ☐ No ☐ NA ☒	MS/MSD: Are all spike recoveries in MS/DMS samples within control criteria?
Yes ☐ No ☐ NA ☒	RPD (MS/MSD): Are all MS/DMS or DUP RPD within control criteria?
Yes ☒ No ☐	LCS: Are all LCS recoveries within control criteria?
Yes ☒ No ☐ NA ☐	RPD (LCS/LCD): Are RPD for LCS/DLCS within control criteria?
Yes ☒ No ☐	CONFIRM: Are confirmation results w/in advisory limits (explain all C, P, and N Flags)?
Yes ☒ No ☐	RL: Have MRL been achieved in all samples (note DL and matrix interferences)?
Yes ☒ No ☐	E FLAGS: All results over the calibration range have been reanalyzed at a dilution?
Yes ☒ No ☐	OTHER: No other discussion required (discuss X, Y, and Z flags as needed)?

Surrogate Exceptions:
The upper control criterion was exceeded for the following surrogates in samples PPG0141-02, PPG0141-03, PPG0141-06, and PPG0141-09: Triacontane and Octacosane. The error associated with an elevated recovery equates to a high bias. The quality of the sample data is not significantly affected. No further corrective action was appropriate.

Matrix Spike Recovery Exceptions:
Insufficient sample volume was received to perform a Matrix Spike/Matrix Spike Duplicate (MS/MSD). A Laboratory Control Sample/Duplicate Laboratory Control Sample (LCS/DLCS) was analyzed in order to report precision data.

ORGANIC ANALYSES DATA PACKAGE

Analytical Method: CA LUFT

AAB #: D0600835

Lab Name: Columbia Analytical Services/Redding

Base/Command: ARIZONA DELIVERABLES (RL)

Project: PPG0141

Field Sample ID	Lab Sample ID
PPG0141-02	D0600835-001
PPG0141-03	D0600835-002
PPG0141-04	D0600835-003
PPG0141-05	D0600835-004
PPG0141-06	D0600835-005
PPG0141-07	D0600835-006
PPG0141-08	D0600835-007
PPG0141-09	D0600835-008
PPG0141-10	D0600835-009
PPG0141-11	D0600835-010

Comments:

I certify this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: Wolda Ang

Name: WOLDA ANG

Date: 7/20/06

Title: Organic Manager

RDD-060718:CC:BS-1038PST-SR:D0600835-D0600835-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600835

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0141-02 Lab Sample ID: D0600835-001 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/11/06 Date Extracted: 07/12/06 Date Analyzed: 07/15/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.980 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		51	**120**	1		
C23 - C32 HRO		51	ND	1		
Total Petroleum Hydrocarbons		100	**120**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	230	58-111	*
Triacontane - SS	231	54-109	*

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600835

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0141-03 Lab Sample ID: D0600835-002 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/11/06 Date Extracted: 07/12/06 Date Analyzed: 07/15/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	ND	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	116	58-111	*
Triacontane - SS	116	54-109	*

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600835

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0141-04 Lab Sample ID: D0600835-003 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/11/06 Date Extracted: 07/12/06 Date Analyzed: 07/15/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	ND	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	93	58-111	
Triacontane - SS	93	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600835

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0141-05 Lab Sample ID: D0600835-004 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/11/06 Date Extracted: 07/12/06 Date Analyzed: 07/15/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.980 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		51	**470**	1		
C23 - C32 HRO		51	ND	1		
Total Petroleum Hydrocarbons		100	**470**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	92	58-111	
Triacontane - SS	92	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600835

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0141-06 Lab Sample ID: D0600835-005 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/11/06 Date Extracted: 07/12/06 Date Analyzed: 07/15/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**420**	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	**420**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	113	58-111	*
Triacontane - SS	113	54-109	*

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600835

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0141-07 Lab Sample ID: D0600835-006 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/11/06 Date Extracted: 07/12/06 Date Analyzed: 07/15/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**2600**	1		
C23 - C32 HRO		50	**70**	1		
Total Petroleum Hydrocarbons		100	**2600**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	97	58-111	
Triacontane - SS	96	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600835

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0141-08 Lab Sample ID: D0600835-007 Matrix: Water

% Solids: _____ Preparation Factor: 1.1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/11/06 Date Extracted: 07/12/06 Date Analyzed: 07/15/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.940 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		53	ND	1		
C23 - C32 HRO		53	ND	1		
Total Petroleum Hydrocarbons		110	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	74	58-111	
Triacontane - SS	75	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600835

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0141-09 Lab Sample ID: D0600835-008 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/11/06 Date Extracted: 07/12/06 Date Analyzed: 07/15/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.980 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		51	**370**	1		
C23 - C32 HRO		51	ND	1		
Total Petroleum Hydrocarbons		100	**370**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	111	58-111	
Triacontane - SS	111	54-109	*

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600835

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0141-10 Lab Sample ID: D0600835-009 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/11/06 Date Extracted: 07/12/06 Date Analyzed: 07/15/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**250**	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	**250**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	90	58-111	
Triacontane - SS	89	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600835

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0141-11 Lab Sample ID: D0600835-010 Matrix: Water

% Solids: _____ Preparation Factor: 1.1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/11/06 Date Extracted: 07/12/06 Date Analyzed: 07/15/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.910 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		55	**290**	1		
C23 - C32 HRO		55	ND	1		
Total Petroleum Hydrocarbons		110	**290**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	81	58-111	
Triacontane - SS	80	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 6
BLANKS

Analytical Method: CA LUFT AAB #: D0600835

Lab Name: Columbia Analytical Services/Redding

Concentration Units (ug/L or mg/kg): UG/L Method Blank ID: DWB10712

Lab Sample ID: DWB10712

Initial Calibration ID: 05/20/06GCF

Analyte		Method Blank	RL	Q
C13 - C22 DRO		ND	50	
C23 - C32 HRO		ND	50	
Total Petroleum Hydrocarbons		ND	100	

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	91	58-111	
Triacontane - SS	92	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 7
LABORATORY CONTROL SAMPLE/LABORATORY CONTROL SAMPLE DUPLICATE

Analytical Method: CA LUFT AAB #: D0600835

Lab Name: Columbia Analytical Services/Redding

Concentration Units (ug/L or mg/kg): UG/L %Solids: _____

Parent Field Sample ID: DWB10712 BS ID: DWB10712LCS BSD ID: DWB10712LCSD

Analyte	Parent Sample Result	Spike Added	Spiked Sample Result	%R	Duplicat Spike Sample Result	%R	%RPD	Control Limits %RPD	Control Limits %R	Q
C13 - C22 DRO		2500	2460	98	2360	94	4	30	64-106	

Comments:

_____

_____

_____

ORGANIC ANALYSES DATA SHEET 10
INSTRUMENT ANALYSIS SEQUENCE LOG

Analytical Method: CA LUFT AAB #: D0600835

Lab Name: Columbia Analytical Services/Redding

Instrument ID #: GCF RTX-5

Field Sample ID/Std ID/ Blank ID/QC Sample ID	Laboratory File ID	Date Analysis Started	Time Analysis Started	Date Analysis Completed	Time Analysis Completed
DSTD6	F0520002	05/20/06	1838	05/20/06	1908
DSTD1	F0520003	05/20/06	1923	05/20/06	1953
DSTD2	F0520004	05/20/06	2008	05/20/06	2038
DSTD3	F0520005	05/20/06	2054	05/20/06	2124
DSTD4	F0520006	05/20/06	2139	05/20/06	2209
DSTD5	F0520007	05/20/06	2225	05/20/06	2255
QC ALT	F0520009	05/20/06	2356	05/21/06	0026
DSTD3	F0714013	07/14/06	2235	07/14/06	2305
DWB10712	F0714020	07/15/06	0343	07/15/06	0413
DWB10712LCS	F0714021	07/15/06	0427	07/15/06	0457
DWB10712LCSD	F0714022	07/15/06	0511	07/15/06	0541
DSTD4	F0714024	07/15/06	0639	07/15/06	0709
PPG0141-02	F0714025	07/15/06	0723	07/15/06	0753
PPG0141-03	F0714026	07/15/06	0807	07/15/06	0837
PPG0141-04	F0714027	07/15/06	0851	07/15/06	0921
PPG0141-05	F0714028	07/15/06	0935	07/15/06	1005
PPG0141-06	F0714029	07/15/06	1019	07/15/06	1049
PPG0141-07	F0714030	07/15/06	1103	07/15/06	1133
PPG0141-08	F0714031	07/15/06	1147	07/15/06	1217
PPG0141-09	F0714032	07/15/06	1232	07/15/06	1302
PPG0141-10	F0714033	07/15/06	1316	07/15/06	1346
PPG0141-11	F0714034	07/15/06	1400	07/15/06	1430
DSTD3	F0714036	07/15/06	1529	07/15/06	1559

Comments:

ORGANIC ANALYSES DATA SHEET APPENDIX A
SURROGATE RESULTS

Analytical Method: CA LUFT AAB #: D0600835

Lab Name: Columbia Analytical Services/Redding

Matrix: Water

Field/QC Sample ID	S1	S2	S3	S4	S5	S6	S7	S8	Q
DWB10712	91	92							
DWB10712LCS	98	98							
DWB10712LCSD	92	92							
PPG0141-02	230	231							S1
PPG0141-03	116	116							**S10**
PPG0141-04	93	93							
PPG0141-05	92	92							
PPG0141-06	113	113							**S10**
PPG0141-07	97	96							
PPG0141-08	74	75							
PPG0141-09	111	111							**S10**
PPG0141-10	90	89							
PPG0141-11	81	80							

S1: Octacosane - SS 58-111
S2: Triacontane - SS 54-109

Comments:

TRANSWEST GEOCHEM

Sample Receipt Checklist

Client Name: Del Mar

Date and Time Received: 7/10/06 10 10

Work Order Number: 0607 089

Checked by: DO

Checklist completed by: S Bueri 7/10/06
Signature / Date

Logged In by: DO 7/10/06
Initials / Date

Matrix: W

Carrier Name: (Client) TGI _____

Reviewed by: SH 7/11/06
Initials / Date

				COMMENTS
Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐	
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☑	
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑	
Chain of custody present?	Yes ☑	No ☐		
Chain of custody signed when relinquished and received?	Yes ☑	No ☐		
Chain of custody agrees with sample labels?	Yes ☑	No ☐		
Samples in proper container/bottle?	Yes ☑	No ☐		
Sample containers intact?	Yes ☑	No ☐		
Sufficient sample volume for indicated test?	Yes ☑	No ☐		
All samples received within holding time?	Yes ☑	No ☐		
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	Temp: 5.3	Sampled < 2hrs ☐
Water – VOA vials have zero headspace?	Yes ☐	No ☐	N/A ☑	
Water – pH acceptable upon receipt?	Yes ☑	No ☐	N/A ☐	Checked by: DO
Water – Sulfides present in Cyanide samples?	Yes ☐	No ☐	N/A ☑	
Sample considered Drinking Water?	Yes ☐	No ☐	N/A ☑	

Client contacted: _____ Date contacted: _____ Person contacted: _____

Contacted by: _____ Regarding: _____

Corrective Action: _____

0607089

TestAmerica
ANALYTICAL TESTING CORPORATION

SUBCONTRACT ORDER - PROJECT # PPG0141

SENDING LABORATORY:
Del Mar Analytical - Phoenix
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem (out)
3725 E. Atlanta Ave Ste 1
Phoenix, AZ 85040-2961
Phone :602-437-0330
Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments	pH
Sample ID: PPG0141-02 Water **Sampled: 07/07/06 07:47**			
1 8015B MOD-Low Level-O	07/14/06 07:47	sub to Transwest, need transfer file for EDD	
Containers Supplied: 1 L Amber w/H2SO4 (PPG0141-02D) 1 L Amber w/H2SO4 (PPG0141-02E)			2,2
Sample ID: PPG0141-03 Water **Sampled: 07/07/06 08:30**			
2 8015B MOD-Low Level-O	07/14/06 08:30	sub to Transwest, need transfer file for EDD	
Containers Supplied: 1 L Amber w/H2SO4 (PPG0141-03D) 1 L Amber w/H2SO4 (PPG0141-03E)			2,2
Sample ID: PPG0141-04 Water **Sampled: 07/07/06 08:40**			
3 8015B MOD-Low Level-O	07/14/06 08:40	sub to Transwest, need transfer file for EDD	
Containers Supplied: 1 L Amber w/H2SO4 (PPG0141-04D) 1 L Amber w/H2SO4 (PPG0141-04E)			2,2
Sample ID: PPG0141-05 Water **Sampled: 07/07/06 09:10**			
4 8015B MOD-Low Level-O	07/14/06 09:10	sub to Transwest, need transfer file for EDD	
Containers Supplied: 1 L Amber w/H2SO4 (PPG0141-05D) 1 L Amber w/H2SO4 (PPG0141-05E)			2,2
Sample ID: PPG0141-06 Water **Sampled: 07/07/06 09:47**			
5 8015B MOD-Low Level-O	07/14/06 09:47	sub to Transwest, need transfer file for EDD	
Containers Supplied: 1 L Amber w/H2SO4 (PPG0141-06D) 1 L Amber w/H2SO4 (PPG0141-06E)			2,2

Released By	Date	Time	Received By	Date	Time

Released By	Date	Time	Received By	Date	Time

0607 089

TestAmerica
ANALYTICAL TESTING CORPORATION

SUBCONTRACT ORDER - PROJECT # PPG0141

SENDING LABORATORY:
Del Mar Analytical - Phoenix
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem (out)
3725 E. Atlanta Ave Ste 1
Phoenix, AZ 85040-2961
Phone :602-437-0330
Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments	
Sample ID: PPG0141-07 Water	**Sampled: 07/07/06 11:17**		pH
8015B MOD-Low Level-O	07/14/06 11:17	sub to Transwest, need transfer file for EDD	
6 **Containers Supplied:**			2, 2
1 L Amber w/H2SO4 (PPG0141-07D)			
1 L Amber w/H2SO4 (PPG0141-07E)			
Sample ID: PPG0141-08 Water	**Sampled: 07/07/06 12:20**		
8015B MOD-Low Level-O	07/14/06 12:20	sub to Transwest, need transfer file for EDD	
7 **Containers Supplied:**			2, 2
1 L Amber w/H2SO4 (PPG0141-08D)			
1 L Amber w/H2SO4 (PPG0141-08E)			
Sample ID: PPG0141-09 Water	**Sampled: 07/07/06 13:13**		
8015B MOD-Low Level-O	07/14/06 13:13	sub to Transwest, need transfer file for EDD	
8 **Containers Supplied:**			2, 2
1 L Amber w/H2SO4 (PPG0141-09D)			
1 L Amber w/H2SO4 (PPG0141-09E)			
Sample ID: PPG0141-10 Water	**Sampled: 07/07/06 14:04**		
8015B MOD-Low Level-O	07/14/06 14:04	sub to Transwest, need transfer file for EDD	
9 **Containers Supplied:**			2, 2
1 L Amber w/H2SO4 (PPG0141-10D)			
1 L Amber w/H2SO4 (PPG0141-10E)			
Sample ID: PPG0141-11 Water	**Sampled: 07/07/06 14:47**		
8015B MOD-Low Level-O	07/14/06 14:47	sub to Transwest, need transfer file for EDD	
10 **Containers Supplied:**			2, 2
1 L Amber w/H2SO4 (PPG0141-11D)			
1 L Amber w/H2SO4 (PPG0141-11E)			

Released By	Date	Time	Received By	Date	Time

Released By	Date	Time	Received By	Date	Time

0607089

TestAmerica
ANALYTICAL TESTING CORPORATION

SUBCONTRACT ORDER - PROJECT # PPG0141

SAMPLE INTEGRITY:

All containers intact:	☒ Yes	☐ No	Sample labels/COC agree:	☒ Yes	☐ No	Samples Received On Ice::	☒ Yes	☐ No
Custody Seals Present:	☐ Yes	☒ No	Samples Preserved Properly:	☒ Yes	☐ No	Samples Received at (temp):	5.3	

Released By	Date	Time	Received By	Date	Time
[signature]	7-10-06	0940	[signature]	7-10-06	0940
[signature]	7-10-06	1010	L. O'Brien	7/10/06	1010

5.3

TestAmerica
ANALYTICAL TESTING CORPORATION

9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

LABORATORY REPORT

Prepared For: CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project: HW Quarterly / UST Sampling Program

Sampled: 07/10/06
Received: 07/10/06
Issued: 08/02/06 14:48

NELAP #01109CA Arizona DHS#AZ0426

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.
This entire report was reviewed and approved for release.

CASE NARRATIVE

LABORATORY ID	CLIENT ID	MATRIX
PPG0176-01	TB-071006	Water
PPG0176-02	ASE-37A-6B3	Water
PPG0176-03	ASE-39A-6B3	Water
PPG0176-04	PL-101A-6B3	Water
PPG0176-05	ASE-38A-6B3	Water
PPG0176-06	ASE-57A-6B3	Water
PPG0176-07	ASE-56A-6B3	Water
PPG0176-08	ASE-116A-6B3	Water
PPG0176-09	ASE-111A-6B3	Water
PPG0176-10	ASE-115A-6B3	Water
PPG0176-11	PL-508-6B3	Water
PPG0176-12	Tank-18-6B3	Water

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe 2625 S. Plaza Drive, Ste. 300 Tempe, AZ 85282 Attention: Jennifer Holland	Project ID: HW Quarterly / UST Sampling Program Report Number: PPG0176	Sampled: 07/10/06 Received: 07/10/06

SAMPLE RECEIPT:	Samples were received intact, at 2°C, on ice and with chain of custody documentation.
HOLDING TIMES:	All samples were analyzed within prescribed holding times and/or in accordance with the TestAmerica Sample Acceptance Policy unless otherwise noted in the report.
PRESERVATION:	Samples requiring preservation were verified prior to sample analysis.
QA/QC CRITERIA:	All analyses met method criteria, except as noted in the report with data qualifiers.
COMMENTS:	N1: Concentration exceeds the calibration range and therefore result is semi-quantitative. N1a: No results were reported for the MS/MSD. The sample used for the MS/MSD required dilution due to the sample matrix. Because of this, the spike compounds were diluted below the detection limit. N1b: The second source continuing calibration verification analyzed immediately following the calibration curve recovered high and outside of acceptance limits for Vinyl Acetate and TAME. All associated samples are non-detect for these compounds and therefore should not be impacted.
SUBCONTRACTED:	Refer to the last page for specific subcontract laboratory information included in this report.

Reviewed By:

Ken Baker

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-01 (TB-071006 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2202	20	ND	1	7/22/2006	7/22/2006	L3
Benzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
Bromobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromochloromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromodichloromethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Bromoform	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromomethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Butanone (MEK)	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
n-Butylbenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
sec-Butylbenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
tert-Butylbenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Carbon Disulfide	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Carbon tetrachloride	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Chlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
Chloroethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Chloroform	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Chloromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Chlorotoluene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
4-Chlorotoluene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Dibromochloromethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Dibromomethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichloroethane	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloroethene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,3-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
2,2-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Ethylbenzene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Hexachlorobutadiene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Hexanone	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-01 (TB-071006 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Isopropylbenzene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
p-Isopropyltoluene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Methylene chloride	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Naphthalene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
n-Propylbenzene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Styrene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Tetrachloroethene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Toluene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	L3
1,2,4-Trichlorobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Trichloroethene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Trichlorofluoromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Vinyl acetate	EPA 8260B	P6G2202	25	ND	1	7/22/2006	7/22/2006	N1b
Vinyl chloride	EPA 8260B	P6G2202	1.7	ND	1	7/22/2006	7/22/2006	
Xylenes, Total	EPA 8260B	P6G2202	3.0	ND	1	7/22/2006	7/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*96 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*90 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-02 (ASE-37A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2202	20	ND	1	7/22/2006	7/22/2006	L3
Benzene	EPA 8260B	P6G2202	1.0	**190**	1	7/22/2006	7/22/2006	
Bromobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromochloromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromodichloromethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Bromoform	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromomethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Butanone (MEK)	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
n-Butylbenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
sec-Butylbenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
tert-Butylbenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Carbon Disulfide	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Carbon tetrachloride	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Chlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
Chloroethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Chloroform	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Chloromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Chlorotoluene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
4-Chlorotoluene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Dibromochloromethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Dibromomethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichloroethane	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloroethene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2202	2.0	**3.3**	1	7/22/2006	7/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,3-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
2,2-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Ethylbenzene	EPA 8260B	P6G2202	2.0	**55**	1	7/22/2006	7/22/2006	
Hexachlorobutadiene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Hexanone	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-02 (ASE-37A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Isopropylbenzene	EPA 8260B	P6G2202	2.0	**13**	1	7/22/2006	7/22/2006	
p-Isopropyltoluene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Methylene chloride	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2202	5.0	**100**	1	7/22/2006	7/22/2006	
Naphthalene	EPA 8260B	P6G2202	2.0	**13**	1	7/22/2006	7/22/2006	
n-Propylbenzene	EPA 8260B	P6G2202	2.0	**9.4**	1	7/22/2006	7/22/2006	
Styrene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Tetrachloroethene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Toluene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	L3
1,2,4-Trichlorobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Trichloroethene	EPA 8260B	P6G2202	2.0	**3.8**	1	7/22/2006	7/22/2006	
Trichlorofluoromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2202	2.0	**26**	1	7/22/2006	7/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2202	2.0	**8.9**	1	7/22/2006	7/22/2006	
Vinyl acetate	EPA 8260B	P6G2202	25	ND	1	7/22/2006	7/22/2006	N1b
Vinyl chloride	EPA 8260B	P6G2202	1.7	ND	1	7/22/2006	7/22/2006	
Xylenes, Total	EPA 8260B	P6G2202	3.0	**100**	1	7/22/2006	7/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*98 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*93 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-03 (ASE-39A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2202	20	ND	1	7/22/2006	7/22/2006	L3, M1
Bromobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromochloromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromodichloromethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Bromoform	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromomethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Butanone (MEK)	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
n-Butylbenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
sec-Butylbenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
tert-Butylbenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Carbon Disulfide	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Carbon tetrachloride	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Chlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
Chloroethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Chloroform	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Chloromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Chlorotoluene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
4-Chlorotoluene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Dibromochloromethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Dibromomethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichloroethane	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloroethene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2202	2.0	**11**	1	7/22/2006	7/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,3-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
2,2-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Hexachlorobutadiene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Hexanone	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
Iodomethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Isopropylbenzene	EPA 8260B	P6G2202	2.0	**46**	1	7/22/2006	7/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-03 (ASE-39A-6B3 - Water) - cont.								
Reporting Units: ug/l								
p-Isopropyltoluene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Methylene chloride	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
Naphthalene	EPA 8260B	P6G2202	2.0	**54**	1	7/22/2006	7/22/2006	M2
n-Propylbenzene	EPA 8260B	P6G2202	2.0	**23**	1	7/22/2006	7/22/2006	
Styrene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Tetrachloroethene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Toluene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	L3
1,2,4-Trichlorobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Trichloroethene	EPA 8260B	P6G2202	2.0	**6.0**	1	7/22/2006	7/22/2006	
Trichlorofluoromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2202	2.0	**10**	1	7/22/2006	7/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2202	2.0	**2.8**	1	7/22/2006	7/22/2006	
Vinyl acetate	EPA 8260B	P6G2202	25	ND	1	7/22/2006	7/22/2006	N1b
Vinyl chloride	EPA 8260B	P6G2202	1.7	ND	1	7/22/2006	7/22/2006	
Xylenes, Total	EPA 8260B	P6G2202	3.0	**45**	1	7/22/2006	7/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*99 %*				
Surrogate: Toluene-d8 (80-120%)				*101 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*94 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-03RE1 (ASE-39A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Benzene	EPA 8260B	P6G2401	20	**640**	20	7/24/2006	7/24/2006	
Ethylbenzene	EPA 8260B	P6G2401	40	**330**	20	7/24/2006	7/24/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2401	100	**600**	20	7/24/2006	7/24/2006	
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*112 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-04 (PL-101A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2202	20	ND	1	7/22/2006	7/22/2006	L3
Benzene	EPA 8260B	P6G2202	1.0	**190**	1	7/22/2006	7/22/2006	
Bromobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromochloromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromodichloromethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Bromoform	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromomethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Butanone (MEK)	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
n-Butylbenzene	EPA 8260B	P6G2202	5.0	**7.0**	1	7/22/2006	7/22/2006	
sec-Butylbenzene	EPA 8260B	P6G2202	5.0	**9.3**	1	7/22/2006	7/22/2006	
tert-Butylbenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Carbon Disulfide	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Carbon tetrachloride	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Chlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
Chloroethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Chloroform	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Chloromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Chlorotoluene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
4-Chlorotoluene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Dibromochloromethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Dibromomethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichloroethane	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloroethene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2202	2.0	**5.4**	1	7/22/2006	7/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,3-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
2,2-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Hexachlorobutadiene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Hexanone	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
Iodomethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-04 (PL-101A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Isopropylbenzene	EPA 8260B	P6G2202	2.0	**59**	1	7/22/2006	7/22/2006	
p-Isopropyltoluene	EPA 8260B	P6G2202	2.0	**5.6**	1	7/22/2006	7/22/2006	
Methylene chloride	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2202	5.0	**19**	1	7/22/2006	7/22/2006	
Naphthalene	EPA 8260B	P6G2202	2.0	**170**	1	7/22/2006	7/22/2006	
n-Propylbenzene	EPA 8260B	P6G2202	2.0	**44**	1	7/22/2006	7/22/2006	
Styrene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Tetrachloroethene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Toluene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	L3
1,2,4-Trichlorobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Trichloroethene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Trichlorofluoromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2202	2.0	**100**	1	7/22/2006	7/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2202	2.0	**5.1**	1	7/22/2006	7/22/2006	
Vinyl acetate	EPA 8260B	P6G2202	25	ND	1	7/22/2006	7/22/2006	N1b
Vinyl chloride	EPA 8260B	P6G2202	1.7	ND	1	7/22/2006	7/22/2006	
Xylenes, Total	EPA 8260B	P6G2202	3.0	**60**	1	7/22/2006	7/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*98 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*95 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-04RE1 (PL-101A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Ethylbenzene	EPA 8260B	P6G2401	20	**240**	10	7/24/2006	7/24/2006	
Surrogate: Dibromofluoromethane (80-130%)				*101 %*				
Surrogate: Toluene-d8 (80-120%)				*108 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*107 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-05 (ASE-38A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2202	20	ND	1	7/22/2006	7/22/2006	L3
Bromobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromochloromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromodichloromethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Bromoform	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromomethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Butanone (MEK)	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
n-Butylbenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
sec-Butylbenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
tert-Butylbenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Carbon Disulfide	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Carbon tetrachloride	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Chlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
Chloroethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Chloroform	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Chloromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Chlorotoluene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
4-Chlorotoluene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Dibromochloromethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Dibromomethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichloroethane	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloroethene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2202	2.0	**3.5**	1	7/22/2006	7/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,3-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
2,2-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Ethylbenzene	EPA 8260B	P6G2202	2.0	**180**	1	7/22/2006	7/22/2006	
Hexachlorobutadiene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Hexanone	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
Iodomethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-05 (ASE-38A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Isopropylbenzene	EPA 8260B	P6G2202	2.0	**25**	1	7/22/2006	7/22/2006	
p-Isopropyltoluene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Methylene chloride	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2202	5.0	**86**	1	7/22/2006	7/22/2006	
Naphthalene	EPA 8260B	P6G2202	2.0	**54**	1	7/22/2006	7/22/2006	
n-Propylbenzene	EPA 8260B	P6G2202	2.0	**18**	1	7/22/2006	7/22/2006	
Styrene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Tetrachloroethene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Toluene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	L3
1,2,4-Trichlorobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Trichloroethene	EPA 8260B	P6G2202	2.0	**6.2**	1	7/22/2006	7/22/2006	
Trichlorofluoromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2202	2.0	**41**	1	7/22/2006	7/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2202	2.0	**5.1**	1	7/22/2006	7/22/2006	
Vinyl acetate	EPA 8260B	P6G2202	25	ND	1	7/22/2006	7/22/2006	N1b
Vinyl chloride	EPA 8260B	P6G2202	1.7	ND	1	7/22/2006	7/22/2006	
Xylenes, Total	EPA 8260B	P6G2202	3.0	**120**	1	7/22/2006	7/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*95 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*94 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-05RE1 (ASE-38A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Benzene	EPA 8260B	P6G2401	20	**850**	20	7/24/2006	7/24/2006	
Surrogate: Dibromofluoromethane (80-130%)				*101 %*				
Surrogate: Toluene-d8 (80-120%)				*107 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*111 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-06 (ASE-57A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2202	20	ND	1	7/22/2006	7/22/2006	L3
Bromobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromochloromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromodichloromethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Bromoform	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromomethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Butanone (MEK)	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
n-Butylbenzene	EPA 8260B	P6G2202	5.0	**11**	1	7/22/2006	7/22/2006	
sec-Butylbenzene	EPA 8260B	P6G2202	5.0	**13**	1	7/22/2006	7/22/2006	
tert-Butylbenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Carbon Disulfide	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Carbon tetrachloride	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Chlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
Chloroethane	EPA 8260B	P6G2202	5.0	**20**	1	7/22/2006	7/22/2006	
Chloroform	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Chloromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Chlorotoluene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
4-Chlorotoluene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Dibromochloromethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Dibromomethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloroethane	EPA 8260B	P6G2202	2.0	**31**	1	7/22/2006	7/22/2006	
1,2-Dichloroethane	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloroethene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,3-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
2,2-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Ethylbenzene	EPA 8260B	P6G2202	2.0	**160**	1	7/22/2006	7/22/2006	
Hexachlorobutadiene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Hexanone	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
Iodomethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-06 (ASE-57A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Isopropylbenzene	EPA 8260B	P6G2202	2.0	**63**	1	7/22/2006	7/22/2006	
p-Isopropyltoluene	EPA 8260B	P6G2202	2.0	**5.6**	1	7/22/2006	7/22/2006	
Methylene chloride	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2202	5.0	**23**	1	7/22/2006	7/22/2006	
n-Propylbenzene	EPA 8260B	P6G2202	2.0	**62**	1	7/22/2006	7/22/2006	
Styrene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Tetrachloroethene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Toluene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	L3
1,2,4-Trichlorobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Trichloroethene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Trichlorofluoromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2202	2.0	**44**	1	7/22/2006	7/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2202	2.0	**13**	1	7/22/2006	7/22/2006	
Vinyl acetate	EPA 8260B	P6G2202	25	ND	1	7/22/2006	7/22/2006	N1b
Vinyl chloride	EPA 8260B	P6G2202	1.7	**20**	1	7/22/2006	7/22/2006	
Xylenes, Total	EPA 8260B	P6G2202	3.0	**11**	1	7/22/2006	7/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*94 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*95 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-06RE1 (ASE-57A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Benzene	EPA 8260B	P6G2402	20	**730**	20	7/24/2006	7/24/2006	
Naphthalene	EPA 8260B	P6G2402	40	**300**	20	7/24/2006	7/24/2006	
Surrogate: Dibromofluoromethane (80-130%)				*106 %*				
Surrogate: Toluene-d8 (80-120%)				*107 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*101 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-07 (ASE-56A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2202	200	ND	10	7/22/2006	7/22/2006	L3
Benzene	EPA 8260B	P6G2202	10	**500**	10	7/22/2006	7/22/2006	
Bromobenzene	EPA 8260B	P6G2202	50	ND	10	7/22/2006	7/22/2006	
Bromochloromethane	EPA 8260B	P6G2202	50	ND	10	7/22/2006	7/22/2006	
Bromodichloromethane	EPA 8260B	P6G2202	20	ND	10	7/22/2006	7/22/2006	
Bromoform	EPA 8260B	P6G2202	50	ND	10	7/22/2006	7/22/2006	
Bromomethane	EPA 8260B	P6G2202	50	ND	10	7/22/2006	7/22/2006	
2-Butanone (MEK)	EPA 8260B	P6G2202	100	ND	10	7/22/2006	7/22/2006	
n-Butylbenzene	EPA 8260B	P6G2202	50	ND	10	7/22/2006	7/22/2006	
sec-Butylbenzene	EPA 8260B	P6G2202	50	ND	10	7/22/2006	7/22/2006	
tert-Butylbenzene	EPA 8260B	P6G2202	50	ND	10	7/22/2006	7/22/2006	
Carbon Disulfide	EPA 8260B	P6G2202	50	ND	10	7/22/2006	7/22/2006	
Carbon tetrachloride	EPA 8260B	P6G2202	50	ND	10	7/22/2006	7/22/2006	
Chlorobenzene	EPA 8260B	P6G2202	10	ND	10	7/22/2006	7/22/2006	
Chloroethane	EPA 8260B	P6G2202	50	ND	10	7/22/2006	7/22/2006	
Chloroform	EPA 8260B	P6G2202	20	ND	10	7/22/2006	7/22/2006	
Chloromethane	EPA 8260B	P6G2202	50	ND	10	7/22/2006	7/22/2006	
2-Chlorotoluene	EPA 8260B	P6G2202	50	ND	10	7/22/2006	7/22/2006	
4-Chlorotoluene	EPA 8260B	P6G2202	50	ND	10	7/22/2006	7/22/2006	
Dibromochloromethane	EPA 8260B	P6G2202	20	ND	10	7/22/2006	7/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2202	50	ND	10	7/22/2006	7/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2202	20	ND	10	7/22/2006	7/22/2006	
Dibromomethane	EPA 8260B	P6G2202	20	ND	10	7/22/2006	7/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2202	10	ND	10	7/22/2006	7/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2202	10	ND	10	7/22/2006	7/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2202	10	ND	10	7/22/2006	7/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2202	50	ND	10	7/22/2006	7/22/2006	
1,1-Dichloroethane	EPA 8260B	P6G2202	20	**74**	10	7/22/2006	7/22/2006	
1,2-Dichloroethane	EPA 8260B	P6G2202	10	ND	10	7/22/2006	7/22/2006	
1,1-Dichloroethene	EPA 8260B	P6G2202	50	ND	10	7/22/2006	7/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2202	20	ND	10	7/22/2006	7/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2202	20	ND	10	7/22/2006	7/22/2006	
1,2-Dichloropropane	EPA 8260B	P6G2202	20	ND	10	7/22/2006	7/22/2006	
1,3-Dichloropropane	EPA 8260B	P6G2202	20	ND	10	7/22/2006	7/22/2006	
2,2-Dichloropropane	EPA 8260B	P6G2202	20	ND	10	7/22/2006	7/22/2006	
1,1-Dichloropropene	EPA 8260B	P6G2202	20	ND	10	7/22/2006	7/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2202	20	ND	10	7/22/2006	7/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2202	20	ND	10	7/22/2006	7/22/2006	
Ethylbenzene	EPA 8260B	P6G2202	20	**250**	10	7/22/2006	7/22/2006	
Hexachlorobutadiene	EPA 8260B	P6G2202	50	ND	10	7/22/2006	7/22/2006	
2-Hexanone	EPA 8260B	P6G2202	100	ND	10	7/22/2006	7/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-07 (ASE-56A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G2202	20	ND	10	7/22/2006	7/22/2006	
Isopropylbenzene	EPA 8260B	P6G2202	20	**65**	10	7/22/2006	7/22/2006	
p-Isopropyltoluene	EPA 8260B	P6G2202	20	ND	10	7/22/2006	7/22/2006	
Methylene chloride	EPA 8260B	P6G2202	50	ND	10	7/22/2006	7/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2202	100	ND	10	7/22/2006	7/22/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2202	50	ND	10	7/22/2006	7/22/2006	
Naphthalene	EPA 8260B	P6G2202	20	**230**	10	7/22/2006	7/22/2006	
n-Propylbenzene	EPA 8260B	P6G2202	20	**68**	10	7/22/2006	7/22/2006	
Styrene	EPA 8260B	P6G2202	20	ND	10	7/22/2006	7/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2202	50	ND	10	7/22/2006	7/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2202	20	ND	10	7/22/2006	7/22/2006	
Tetrachloroethene	EPA 8260B	P6G2202	20	ND	10	7/22/2006	7/22/2006	
Toluene	EPA 8260B	P6G2202	20	ND	10	7/22/2006	7/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2202	50	ND	10	7/22/2006	7/22/2006	L3
1,2,4-Trichlorobenzene	EPA 8260B	P6G2202	50	ND	10	7/22/2006	7/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2202	20	ND	10	7/22/2006	7/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2202	20	ND	10	7/22/2006	7/22/2006	
Trichloroethene	EPA 8260B	P6G2202	20	ND	10	7/22/2006	7/22/2006	
Trichlorofluoromethane	EPA 8260B	P6G2202	50	ND	10	7/22/2006	7/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2202	100	ND	10	7/22/2006	7/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2202	20	**130**	10	7/22/2006	7/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2202	20	**29**	10	7/22/2006	7/22/2006	
Vinyl acetate	EPA 8260B	P6G2202	250	ND	10	7/22/2006	7/22/2006	N1b
Vinyl chloride	EPA 8260B	P6G2202	17	**17**	10	7/22/2006	7/22/2006	
Xylenes, Total	EPA 8260B	P6G2202	30	**120**	10	7/22/2006	7/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*95 %*				
Surrogate: Toluene-d8 (80-120%)				*103 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*93 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-08 (ASE-116A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2202	20	ND	1	7/22/2006	7/22/2006	L3
Bromobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromochloromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromodichloromethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Bromoform	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromomethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Butanone (MEK)	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
n-Butylbenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
sec-Butylbenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
tert-Butylbenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Carbon Disulfide	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Carbon tetrachloride	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Chlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
Chloroethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Chloroform	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Chloromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Chlorotoluene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
4-Chlorotoluene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Dibromochloromethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Dibromomethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichloroethane	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloroethene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2202	2.0	**3.2**	1	7/22/2006	7/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,3-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
2,2-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Ethylbenzene	EPA 8260B	P6G2202	2.0	**200**	1	7/22/2006	7/22/2006	
Hexachlorobutadiene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Hexanone	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
Iodomethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-08 (ASE-116A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Isopropylbenzene	EPA 8260B	P6G2202	2.0	**28**	1	7/22/2006	7/22/2006	
p-Isopropyltoluene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Methylene chloride	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2202	5.0	**180**	1	7/22/2006	7/22/2006	
Naphthalene	EPA 8260B	P6G2202	2.0	**65**	1	7/22/2006	7/22/2006	
n-Propylbenzene	EPA 8260B	P6G2202	2.0	**20**	1	7/22/2006	7/22/2006	
Styrene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Tetrachloroethene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Toluene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	L3
1,2,4-Trichlorobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Trichloroethene	EPA 8260B	P6G2202	2.0	**8.7**	1	7/22/2006	7/22/2006	
Trichlorofluoromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2202	2.0	**4.9**	1	7/22/2006	7/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Vinyl acetate	EPA 8260B	P6G2202	25	ND	1	7/22/2006	7/22/2006	N1b
Vinyl chloride	EPA 8260B	P6G2202	1.7	ND	1	7/22/2006	7/22/2006	
Xylenes, Total	EPA 8260B	P6G2202	3.0	**3.0**	1	7/22/2006	7/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*98 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*94 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-08RE1 (ASE-116A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Benzene	EPA 8260B	P6G2401	20	**770**	20	7/24/2006	7/24/2006	
Surrogate: Dibromofluoromethane (80-130%)				*99 %*				
Surrogate: Toluene-d8 (80-120%)				*110 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*110 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-09 (ASE-111A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2202	20	ND	1	7/22/2006	7/22/2006	L3
Benzene	EPA 8260B	P6G2202	1.0	**75**	1	7/22/2006	7/22/2006	
Bromobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromochloromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromodichloromethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Bromoform	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromomethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Butanone (MEK)	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
n-Butylbenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
sec-Butylbenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
tert-Butylbenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Carbon Disulfide	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Carbon tetrachloride	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Chlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
Chloroethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Chloroform	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Chloromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Chlorotoluene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
4-Chlorotoluene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Dibromochloromethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Dibromomethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichloroethane	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloroethene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,3-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
2,2-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Ethylbenzene	EPA 8260B	P6G2202	2.0	**14**	1	7/22/2006	7/22/2006	
Hexachlorobutadiene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Hexanone	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-09 (ASE-111A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Isopropylbenzene	EPA 8260B	P6G2202	2.0	**3.3**	1	7/22/2006	7/22/2006	
p-Isopropyltoluene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Methylene chloride	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2202	5.0	**29**	1	7/22/2006	7/22/2006	
Naphthalene	EPA 8260B	P6G2202	2.0	**6.1**	1	7/22/2006	7/22/2006	
n-Propylbenzene	EPA 8260B	P6G2202	2.0	**3.1**	1	7/22/2006	7/22/2006	
Styrene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Tetrachloroethene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Toluene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	L3
1,2,4-Trichlorobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Trichloroethene	EPA 8260B	P6G2202	2.0	**16**	1	7/22/2006	7/22/2006	
Trichlorofluoromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2202	2.0	**9.0**	1	7/22/2006	7/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2202	2.0	**2.9**	1	7/22/2006	7/22/2006	
Vinyl acetate	EPA 8260B	P6G2202	25	ND	1	7/22/2006	7/22/2006	N1b
Vinyl chloride	EPA 8260B	P6G2202	1.7	ND	1	7/22/2006	7/22/2006	
Xylenes, Total	EPA 8260B	P6G2202	3.0	**36**	1	7/22/2006	7/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*96 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*94 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-10 (ASE-115A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2202	20	ND	1	7/22/2006	7/22/2006	L3
Bromobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromochloromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromodichloromethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Bromoform	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromomethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Butanone (MEK)	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
n-Butylbenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
sec-Butylbenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
tert-Butylbenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Carbon Disulfide	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Carbon tetrachloride	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Chlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
Chloroethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Chloroform	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Chloromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Chlorotoluene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
4-Chlorotoluene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Dibromochloromethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Dibromomethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichloroethane	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloroethene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,3-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
2,2-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Hexachlorobutadiene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Hexanone	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
Iodomethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Isopropylbenzene	EPA 8260B	P6G2202	2.0	**54**	1	7/22/2006	7/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-10 (ASE-115A-6B3 - Water) - cont.								
Reporting Units: ug/l								
p-Isopropyltoluene	EPA 8260B	P6G2202	2.0	**4.0**	1	7/22/2006	7/22/2006	
Methylene chloride	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
Naphthalene	EPA 8260B	P6G2202	2.0	**160**	1	7/22/2006	7/22/2006	
n-Propylbenzene	EPA 8260B	P6G2202	2.0	**46**	1	7/22/2006	7/22/2006	
Styrene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Tetrachloroethene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Toluene	EPA 8260B	P6G2202	2.0	**2.5**	1	7/22/2006	7/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	L3
1,2,4-Trichlorobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Trichloroethene	EPA 8260B	P6G2202	2.0	**6.0**	1	7/22/2006	7/22/2006	
Trichlorofluoromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2202	2.0	**160**	1	7/22/2006	7/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2202	2.0	**58**	1	7/22/2006	7/22/2006	
Vinyl acetate	EPA 8260B	P6G2202	25	ND	1	7/22/2006	7/22/2006	N1b
Vinyl chloride	EPA 8260B	P6G2202	1.7	ND	1	7/22/2006	7/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*95 %*				
Surrogate: Toluene-d8 (80-120%)				*101 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*94 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-10RE1 (ASE-115A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Benzene	EPA 8260B	P6G2401	50	**4200**	50	7/24/2006	7/24/2006	
Ethylbenzene	EPA 8260B	P6G2401	100	**500**	50	7/24/2006	7/24/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2401	250	**1100**	50	7/24/2006	7/24/2006	
Xylenes, Total	EPA 8260B	P6G2401	150	**260**	50	7/24/2006	7/24/2006	
Surrogate: Dibromofluoromethane (80-130%)				*100 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*107 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-11 (PL-508-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2202	20	ND	1	7/22/2006	7/22/2006	L3
Bromobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromochloromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromodichloromethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Bromoform	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Bromomethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Butanone (MEK)	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
n-Butylbenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
sec-Butylbenzene	EPA 8260B	P6G2202	5.0	**5.3**	1	7/22/2006	7/22/2006	
tert-Butylbenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Carbon Disulfide	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Carbon tetrachloride	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Chlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
Chloroethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Chloroform	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Chloromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Chlorotoluene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
4-Chlorotoluene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
Dibromochloromethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Dibromomethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichloroethane	EPA 8260B	P6G2202	1.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloroethene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,2-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,3-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
2,2-Dichloropropane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Hexachlorobutadiene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
2-Hexanone	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
Iodomethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Isopropylbenzene	EPA 8260B	P6G2202	2.0	**58**	1	7/22/2006	7/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-11 (PL-508-6B3 - Water) - cont.								
Reporting Units: ug/l								
p-Isopropyltoluene	EPA 8260B	P6G2202	2.0	**4.2**	1	7/22/2006	7/22/2006	
Methylene chloride	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
Naphthalene	EPA 8260B	P6G2202	2.0	**170**	1	7/22/2006	7/22/2006	
n-Propylbenzene	EPA 8260B	P6G2202	2.0	**50**	1	7/22/2006	7/22/2006	
Styrene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Tetrachloroethene	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Toluene	EPA 8260B	P6G2202	2.0	**2.6**	1	7/22/2006	7/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	L3
1,2,4-Trichlorobenzene	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2202	2.0	ND	1	7/22/2006	7/22/2006	
Trichloroethene	EPA 8260B	P6G2202	2.0	**5.9**	1	7/22/2006	7/22/2006	
Trichlorofluoromethane	EPA 8260B	P6G2202	5.0	ND	1	7/22/2006	7/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2202	10	ND	1	7/22/2006	7/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2202	2.0	**170**	1	7/22/2006	7/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2202	2.0	**63**	1	7/22/2006	7/22/2006	
Vinyl acetate	EPA 8260B	P6G2202	25	ND	1	7/22/2006	7/22/2006	N1b
Vinyl chloride	EPA 8260B	P6G2202	1.7	ND	1	7/22/2006	7/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*93 %*				
Surrogate: Toluene-d8 (80-120%)				*101 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*94 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-11RE1 (PL-508-6B3 - Water) - cont.								
Reporting Units: ug/l								
Benzene	EPA 8260B	P6G2401	50	**4100**	50	7/24/2006	7/24/2006	
Ethylbenzene	EPA 8260B	P6G2401	100	**500**	50	7/24/2006	7/24/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2401	250	**1000**	50	7/24/2006	7/24/2006	
Xylenes, Total	EPA 8260B	P6G2401	150	**270**	50	7/24/2006	7/24/2006	
Surrogate: Dibromofluoromethane (80-130%)				*101 %*				
Surrogate: Toluene-d8 (80-120%)				*107 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*110 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

PURGEABLES BY GC/MS (EPA 624)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-12 (Tank-18-6B3 - Water)								
Reporting Units: ug/l								
Benzene	EPA 624	P6G2402	2.0	ND	1	7/24/2006	7/24/2006	
Bromodichloromethane	EPA 624	P6G2402	2.0	ND	1	7/24/2006	7/24/2006	
Bromoform	EPA 624	P6G2402	5.0	ND	1	7/24/2006	7/24/2006	
Bromomethane	EPA 624	P6G2402	5.0	ND	1	7/24/2006	7/24/2006	
Carbon tetrachloride	EPA 624	P6G2402	2.5	ND	1	7/24/2006	7/24/2006	
Chlorobenzene	EPA 624	P6G2402	2.0	ND	1	7/24/2006	7/24/2006	
Dibromochloromethane	EPA 624	P6G2402	2.0	ND	1	7/24/2006	7/24/2006	
Chloroethane	EPA 624	P6G2402	5.0	ND	1	7/24/2006	7/24/2006	
Chloroform	EPA 624	P6G2402	2.0	ND	1	7/24/2006	7/24/2006	
Chloromethane	EPA 624	P6G2402	5.0	ND	1	7/24/2006	7/24/2006	
1,2-Dichlorobenzene	EPA 624	P6G2402	2.0	ND	1	7/24/2006	7/24/2006	
1,3-Dichlorobenzene	EPA 624	P6G2402	2.0	ND	1	7/24/2006	7/24/2006	
1,4-Dichlorobenzene	EPA 624	P6G2402	2.0	ND	1	7/24/2006	7/24/2006	
1,1-Dichloroethane	EPA 624	P6G2402	2.0	ND	1	7/24/2006	7/24/2006	
1,2-Dichloroethane	EPA 624	P6G2402	2.0	ND	1	7/24/2006	7/24/2006	
1,1-Dichloroethene	EPA 624	P6G2402	5.0	ND	1	7/24/2006	7/24/2006	
trans-1,2-Dichloroethene	EPA 624	P6G2402	2.0	ND	1	7/24/2006	7/24/2006	
1,2-Dichloropropane	EPA 624	P6G2402	2.0	ND	1	7/24/2006	7/24/2006	
cis-1,3-Dichloropropene	EPA 624	P6G2402	2.0	ND	1	7/24/2006	7/24/2006	
trans-1,3-Dichloropropene	EPA 624	P6G2402	2.0	ND	1	7/24/2006	7/24/2006	
Ethylbenzene	EPA 624	P6G2402	2.0	ND	1	7/24/2006	7/24/2006	
Methylene chloride	EPA 624	P6G2402	5.0	ND	1	7/24/2006	7/24/2006	
1,1,2,2-Tetrachloroethane	EPA 624	P6G2402	2.0	ND	1	7/24/2006	7/24/2006	
Tetrachloroethene	EPA 624	P6G2402	2.0	ND	1	7/24/2006	7/24/2006	
Toluene	EPA 624	P6G2402	2.0	ND	1	7/24/2006	7/24/2006	
1,1,1-Trichloroethane	EPA 624	P6G2402	2.0	ND	1	7/24/2006	7/24/2006	
1,1,2-Trichloroethane	EPA 624	P6G2402	2.0	ND	1	7/24/2006	7/24/2006	
Trichloroethene	EPA 624	P6G2402	2.0	ND	1	7/24/2006	7/24/2006	
Trichlorofluoromethane	EPA 624	P6G2402	5.0	ND	1	7/24/2006	7/24/2006	
Vinyl chloride	EPA 624	P6G2402	1.7	ND	1	7/24/2006	7/24/2006	
cis-1,2-Dichloroethene	EPA 624	P6G2402	2.0	ND	1	7/24/2006	7/24/2006	T2
Xylenes, Total	EPA 624	P6G2402	2.0	ND	1	7/24/2006	7/24/2006	T2
Surrogate: 4-Bromofluorobenzene (80-120%)				*97 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: Dibromofluoromethane (80-130%)				*105 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-08 (ASE-116A-6B3 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6G1203	3.0	ND	1	7/13/2006	7/14/2006	
Acenaphthylene	EPA 8310	P6G1203	3.0	ND	1	7/13/2006	7/14/2006	
Anthracene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Benzo(a)anthracene	EPA 8310	P6G1203	0.050	ND	1	7/13/2006	7/14/2006	
Benzo(a)pyrene	EPA 8310	P6G1203	0.10	ND	1	7/13/2006	7/14/2006	
Benzo(b)fluoranthene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Benzo(g,h,i)perylene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Benzo(k)fluoranthene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Chrysene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Dibenz(a,h)anthracene	EPA 8310	P6G1203	0.50	ND	1	7/13/2006	7/14/2006	
Fluoranthene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Fluorene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Naphthalene	EPA 8310	P6G1203	10	**51**	5	7/13/2006	7/16/2006	
Phenanthrene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Pyrene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Surrogate: 2-Methylanthracene (50-115%)				*89 %*				
Sample ID: PPG0176-09 (ASE-111A-6B3 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6G1203	3.0	ND	1	7/13/2006	7/14/2006	
Acenaphthylene	EPA 8310	P6G1203	3.0	ND	1	7/13/2006	7/14/2006	
Anthracene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Benzo(a)anthracene	EPA 8310	P6G1203	0.050	ND	1	7/13/2006	7/14/2006	
Benzo(a)pyrene	EPA 8310	P6G1203	0.10	ND	1	7/13/2006	7/14/2006	
Benzo(b)fluoranthene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Benzo(g,h,i)perylene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Benzo(k)fluoranthene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Chrysene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Dibenz(a,h)anthracene	EPA 8310	P6G1203	0.50	ND	1	7/13/2006	7/14/2006	
Fluoranthene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Fluorene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Naphthalene	EPA 8310	P6G1203	2.0	**4.6**	1	7/13/2006	7/14/2006	
Phenanthrene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Pyrene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/14/2006	
Surrogate: 2-Methylanthracene (50-115%)				*83 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0176-10 (ASE-115A-6B3 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6G1203	3.0	ND	1.01	7/13/2006	7/15/2006	
Acenaphthylene	EPA 8310	P6G1203	3.0	ND	1.01	7/13/2006	7/15/2006	
Anthracene	EPA 8310	P6G1203	0.30	ND	1.01	7/13/2006	7/15/2006	
Benzo(a)anthracene	EPA 8310	P6G1203	0.050	ND	1.01	7/13/2006	7/15/2006	
Benzo(a)pyrene	EPA 8310	P6G1203	0.10	ND	1.01	7/13/2006	7/15/2006	
Benzo(b)fluoranthene	EPA 8310	P6G1203	0.30	ND	1.01	7/13/2006	7/15/2006	
Benzo(g,h,i)perylene	EPA 8310	P6G1203	0.30	ND	1.01	7/13/2006	7/15/2006	
Benzo(k)fluoranthene	EPA 8310	P6G1203	0.30	ND	1.01	7/13/2006	7/15/2006	
Chrysene	EPA 8310	P6G1203	0.30	ND	1.01	7/13/2006	7/15/2006	
Dibenz(a,h)anthracene	EPA 8310	P6G1203	0.50	ND	1.01	7/13/2006	7/15/2006	
Fluoranthene	EPA 8310	P6G1203	0.30	ND	1.01	7/13/2006	7/15/2006	
Fluorene	EPA 8310	P6G1203	0.30	ND	1.01	7/13/2006	7/15/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6G1203	0.30	ND	1.01	7/13/2006	7/15/2006	
Naphthalene	EPA 8310	P6G1203	20	**160**	10.1	7/13/2006	7/18/2006	
Phenanthrene	EPA 8310	P6G1203	0.30	ND	1.01	7/13/2006	7/15/2006	C7
Pyrene	EPA 8310	P6G1203	0.30	ND	1.01	7/13/2006	7/15/2006	
Surrogate: 2-Methylanthracene (50-115%)				*79 %*				
Sample ID: PPG0176-11 (PL-508-6B3 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6G1203	3.0	ND	1	7/13/2006	7/15/2006	
Acenaphthylene	EPA 8310	P6G1203	3.0	ND	1	7/13/2006	7/15/2006	
Anthracene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/15/2006	
Benzo(a)anthracene	EPA 8310	P6G1203	0.050	ND	1	7/13/2006	7/15/2006	
Benzo(a)pyrene	EPA 8310	P6G1203	0.10	ND	1	7/13/2006	7/15/2006	
Benzo(b)fluoranthene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/15/2006	
Benzo(g,h,i)perylene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/15/2006	
Benzo(k)fluoranthene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/15/2006	
Chrysene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/15/2006	
Dibenz(a,h)anthracene	EPA 8310	P6G1203	0.50	ND	1	7/13/2006	7/15/2006	
Fluoranthene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/15/2006	
Fluorene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/15/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/15/2006	
Naphthalene	EPA 8310	P6G1203	20	**170**	10	7/13/2006	7/18/2006	
Phenanthrene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/15/2006	C7
Pyrene	EPA 8310	P6G1203	0.30	ND	1	7/13/2006	7/15/2006	
Surrogate: 2-Methylanthracene (50-115%)				*81 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2202 Extracted: 07/22/06										
Blank Analyzed: 07/22/2006 (P6G2202-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2202 Extracted: 07/22/06										
Blank Analyzed: 07/22/2006 (P6G2202-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							*N1b*
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*23.8*		*ug/l*	*25.0*		*95*	*80-130*			
Surrogate: Toluene-d8	*25.6*		*ug/l*	*25.0*		*102*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.4*		*ug/l*	*25.0*		*94*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2202 Extracted: 07/22/06										
LCS Analyzed: 07/22/2006 (P6G2202-BS1)										
Acetone	42.2	20	ug/l	25.0		169	30-150			*L3*
Benzene	25.2	1.0	ug/l	25.0		101	80-120			
Bromobenzene	26.9	5.0	ug/l	25.0		108	80-125			
Bromochloromethane	26.5	5.0	ug/l	25.0		106	80-125			
Bromodichloromethane	25.7	2.0	ug/l	25.0		103	80-120			
Bromoform	26.7	5.0	ug/l	25.0		107	70-120			
Bromomethane	24.7	5.0	ug/l	25.0		99	80-135			
2-Butanone (MEK)	34.2	10	ug/l	25.0		137	55-150			
n-Butylbenzene	25.7	5.0	ug/l	25.0		103	80-120			
sec-Butylbenzene	25.8	5.0	ug/l	25.0		103	80-130			
tert-Butylbenzene	26.4	5.0	ug/l	25.0		106	80-130			
Carbon Disulfide	32.2	5.0	ug/l	25.0		129	55-145			
Carbon tetrachloride	25.3	5.0	ug/l	25.0		101	80-120			
Chlorobenzene	25.4	1.0	ug/l	25.0		102	80-120			
Chloroethane	24.4	5.0	ug/l	25.0		98	80-125			
Chloroform	24.4	2.0	ug/l	25.0		98	80-120			
Chloromethane	24.7	5.0	ug/l	25.0		99	70-130			
2-Chlorotoluene	25.2	5.0	ug/l	25.0		101	80-120			
4-Chlorotoluene	25.7	5.0	ug/l	25.0		103	80-120			
Dibromochloromethane	23.4	2.0	ug/l	25.0		94	75-120			
1,2-Dibromo-3-chloropropane	23.9	5.0	ug/l	25.0		96	55-120			
1,2-Dibromoethane (EDB)	26.8	2.0	ug/l	25.0		107	75-125			
Dibromomethane	26.2	2.0	ug/l	25.0		105	80-125			
1,2-Dichlorobenzene	25.5	1.0	ug/l	25.0		102	80-120			
1,3-Dichlorobenzene	25.4	1.0	ug/l	25.0		102	80-125			
1,4-Dichlorobenzene	25.8	1.0	ug/l	25.0		103	80-120			
Dichlorodifluoromethane	26.6	5.0	ug/l	25.0		106	60-140			
1,1-Dichloroethane	24.4	2.0	ug/l	25.0		98	80-120			
1,2-Dichloroethane	24.5	1.0	ug/l	25.0		98	75-125			
1,1-Dichloroethene	25.1	5.0	ug/l	25.0		100	75-120			
cis-1,2-Dichloroethene	25.1	2.0	ug/l	25.0		100	80-125			
trans-1,2-Dichloroethene	24.8	2.0	ug/l	25.0		99	80-120			
1,2-Dichloropropane	24.4	2.0	ug/l	25.0		98	80-120			
1,3-Dichloropropane	24.3	2.0	ug/l	25.0		97	80-120			
2,2-Dichloropropane	23.1	2.0	ug/l	25.0		92	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2202 Extracted: 07/22/06										
LCS Analyzed: 07/22/2006 (P6G2202-BS1)										
1,1-Dichloropropene	25.6	2.0	ug/l	25.0		102	80-120			
cis-1,3-Dichloropropene	27.2	2.0	ug/l	25.0		109	75-120			
trans-1,3-Dichloropropene	28.0	2.0	ug/l	25.0		112	80-120			
Ethylbenzene	25.1	2.0	ug/l	25.0		100	80-125			
Hexachlorobutadiene	22.5	5.0	ug/l	25.0		90	70-130			
2-Hexanone	33.0	10	ug/l	25.0		132	40-150			
Iodomethane	29.5	2.0	ug/l	25.0		118	80-130			
Isopropylbenzene	27.9	2.0	ug/l	25.0		112	80-140			
p-Isopropyltoluene	26.1	2.0	ug/l	25.0		104	80-130			
Methylene chloride	22.7	5.0	ug/l	25.0		91	80-120			
4-Methyl-2-pentanone (MIBK)	32.3	10	ug/l	25.0		129	50-140			
Methyl-tert-butyl Ether (MTBE)	27.1	5.0	ug/l	25.0		108	65-130			
Naphthalene	27.7	2.0	ug/l	25.0		111	70-130			
n-Propylbenzene	27.0	2.0	ug/l	25.0		108	80-135			
Styrene	29.7	2.0	ug/l	25.0		119	80-125			
1,1,1,2-Tetrachloroethane	25.3	5.0	ug/l	25.0		101	80-120			
1,1,2,2-Tetrachloroethane	28.0	2.0	ug/l	25.0		112	65-140			
Tetrachloroethene	25.7	2.0	ug/l	25.0		103	80-125			
Toluene	25.5	2.0	ug/l	25.0		102	80-125			
1,2,3-Trichlorobenzene	30.5	5.0	ug/l	25.0		122	75-125			
1,2,4-Trichlorobenzene	22.9	5.0	ug/l	25.0		92	80-125			
1,1,1-Trichloroethane	24.7	2.0	ug/l	25.0		99	75-125			
1,1,2-Trichloroethane	26.1	2.0	ug/l	25.0		104	80-125			
Trichloroethene	24.6	2.0	ug/l	25.0		98	80-120			
Trichlorofluoromethane	25.1	5.0	ug/l	25.0		100	75-130			
1,2,3-Trichloropropane	27.9	10	ug/l	25.0		112	65-135			
1,2,4-Trimethylbenzene	25.9	2.0	ug/l	25.0		104	80-125			
1,3,5-Trimethylbenzene	26.3	2.0	ug/l	25.0		105	80-130			
Vinyl acetate	30.2	25	ug/l	25.0		121	70-140			*N1b*
Vinyl chloride	24.4	1.7	ug/l	25.0		98	70-135			
Xylenes, Total	50.2	3.0	ug/l	50.0		100	80-125			
Surrogate: Dibromofluoromethane	*25.5*		*ug/l*	*25.0*		*102*	*80-130*			
Surrogate: Toluene-d8	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.8*		*ug/l*	*25.0*		*95*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2202 Extracted: 07/22/06										
LCS Dup Analyzed: 07/22/2006 (P6G2202-BSD1)										
Acetone	36.5	20	ug/l	25.0		146	30-150	14	35	
Benzene	25.4	1.0	ug/l	25.0		102	80-120	1	10	
Bromobenzene	27.5	5.0	ug/l	25.0		110	80-125	2	10	
Bromochloromethane	26.0	5.0	ug/l	25.0		104	80-125	2	15	
Bromodichloromethane	25.5	2.0	ug/l	25.0		102	80-120	1	15	
Bromoform	25.1	5.0	ug/l	25.0		100	70-120	6	20	
Bromomethane	25.9	5.0	ug/l	25.0		104	80-135	5	15	
2-Butanone (MEK)	28.9	10	ug/l	25.0		116	55-150	17	35	
n-Butylbenzene	27.3	5.0	ug/l	25.0		109	80-120	6	10	
sec-Butylbenzene	27.4	5.0	ug/l	25.0		110	80-130	6	10	
tert-Butylbenzene	27.9	5.0	ug/l	25.0		112	80-130	6	10	
Carbon Disulfide	31.6	5.0	ug/l	25.0		126	55-145	2	15	
Carbon tetrachloride	25.4	5.0	ug/l	25.0		102	80-120	0	15	
Chlorobenzene	26.3	1.0	ug/l	25.0		105	80-120	3	10	
Chloroethane	25.0	5.0	ug/l	25.0		100	80-125	2	15	
Chloroform	24.6	2.0	ug/l	25.0		98	80-120	1	10	
Chloromethane	25.6	5.0	ug/l	25.0		102	70-130	4	15	
2-Chlorotoluene	26.6	5.0	ug/l	25.0		106	80-120	5	10	
4-Chlorotoluene	26.8	5.0	ug/l	25.0		107	80-120	4	10	
Dibromochloromethane	23.4	2.0	ug/l	25.0		94	75-120	0	15	
1,2-Dibromo-3-chloropropane	23.5	5.0	ug/l	25.0		94	55-120	2	35	
1,2-Dibromoethane (EDB)	26.3	2.0	ug/l	25.0		105	75-125	2	20	
Dibromomethane	25.1	2.0	ug/l	25.0		100	80-125	4	20	
1,2-Dichlorobenzene	26.3	1.0	ug/l	25.0		105	80-120	3	10	
1,3-Dichlorobenzene	26.2	1.0	ug/l	25.0		105	80-125	3	10	
1,4-Dichlorobenzene	26.6	1.0	ug/l	25.0		106	80-120	3	10	
Dichlorodifluoromethane	26.9	5.0	ug/l	25.0		108	60-140	1	15	
1,1-Dichloroethane	24.7	2.0	ug/l	25.0		99	80-120	1	10	
1,2-Dichloroethane	23.5	1.0	ug/l	25.0		94	75-125	4	20	
1,1-Dichloroethene	25.7	5.0	ug/l	25.0		103	75-120	2	15	
cis-1,2-Dichloroethene	24.9	2.0	ug/l	25.0		100	80-125	1	10	
trans-1,2-Dichloroethene	25.2	2.0	ug/l	25.0		101	80-120	2	10	
1,2-Dichloropropane	24.4	2.0	ug/l	25.0		98	80-120	0	15	
1,3-Dichloropropane	24.5	2.0	ug/l	25.0		98	80-120	1	15	
2,2-Dichloropropane	23.2	2.0	ug/l	25.0		93	70-130	0	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2202 Extracted: 07/22/06										
LCS Dup Analyzed: 07/22/2006 (P6G2202-BSD1)										
1,1-Dichloropropene	26.0	2.0	ug/l	25.0		104	80-120	2	10	
cis-1,3-Dichloropropene	26.4	2.0	ug/l	25.0		106	75-120	3	15	
trans-1,3-Dichloropropene	26.9	2.0	ug/l	25.0		108	80-120	4	20	
Ethylbenzene	26.4	2.0	ug/l	25.0		106	80-125	5	15	
Hexachlorobutadiene	23.5	5.0	ug/l	25.0		94	70-130	4	15	
2-Hexanone	29.3	10	ug/l	25.0		117	40-150	12	35	
Iodomethane	29.3	2.0	ug/l	25.0		117	80-130	1	10	
Isopropylbenzene	29.6	2.0	ug/l	25.0		118	80-140	6	10	
p-Isopropyltoluene	27.6	2.0	ug/l	25.0		110	80-130	6	15	
Methylene chloride	22.1	5.0	ug/l	25.0		88	80-120	3	10	
4-Methyl-2-pentanone (MIBK)	27.9	10	ug/l	25.0		112	50-140	15	35	
Methyl-tert-butyl Ether (MTBE)	25.3	5.0	ug/l	25.0		101	65-130	7	25	
Naphthalene	26.9	2.0	ug/l	25.0		108	70-130	3	20	
n-Propylbenzene	28.4	2.0	ug/l	25.0		114	80-135	5	10	
Styrene	30.2	2.0	ug/l	25.0		121	80-125	2	15	
1,1,1,2-Tetrachloroethane	25.7	5.0	ug/l	25.0		103	80-120	2	15	
1,1,2,2-Tetrachloroethane	26.5	2.0	ug/l	25.0		106	65-140	6	25	
Tetrachloroethene	26.7	2.0	ug/l	25.0		107	80-125	4	15	
Toluene	25.7	2.0	ug/l	25.0		103	80-125	1	10	
1,2,3-Trichlorobenzene	31.5	5.0	ug/l	25.0		126	75-125	3	15	*L3*
1,2,4-Trichlorobenzene	23.3	5.0	ug/l	25.0		93	80-125	2	15	
1,1,1-Trichloroethane	25.1	2.0	ug/l	25.0		100	75-125	2	10	
1,1,2-Trichloroethane	24.5	2.0	ug/l	25.0		98	80-125	6	25	
Trichloroethene	25.0	2.0	ug/l	25.0		100	80-120	2	10	
Trichlorofluoromethane	25.5	5.0	ug/l	25.0		102	75-130	2	10	
1,2,3-Trichloropropane	26.2	10	ug/l	25.0		105	65-135	6	25	
1,2,4-Trimethylbenzene	26.8	2.0	ug/l	25.0		107	80-125	3	10	
1,3,5-Trimethylbenzene	27.3	2.0	ug/l	25.0		109	80-130	4	10	
Vinyl acetate	28.4	25	ug/l	25.0		114	70-140	6	30	*N1b*
Vinyl chloride	25.6	1.7	ug/l	25.0		102	70-135	5	15	
Xylenes, Total	52.7	3.0	ug/l	50.0		105	80-125	5	15	
Surrogate: Dibromofluoromethane	*25.0*		*ug/l*	*25.0*		*100*	*80-130*			
Surrogate: Toluene-d8	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.1*		*ug/l*	*25.0*		*96*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2202 Extracted: 07/22/06										
Matrix Spike Analyzed: 07/22/2006 (P6G2202-MS1)					**Source: PPG0176-03**					
Acetone	395	20	ug/l	25.0	ND	1580	15-150			*M1*
Benzene	438	1.0	ug/l	25.0	430	32	80-125			*N1, M3*
Bromobenzene	28.2	5.0	ug/l	25.0	ND	113	80-125			
Bromochloromethane	25.9	5.0	ug/l	25.0	ND	104	80-130			
Bromodichloromethane	25.7	2.0	ug/l	25.0	ND	103	70-130			
Bromoform	22.6	5.0	ug/l	25.0	ND	90	70-120			
Bromomethane	26.2	5.0	ug/l	25.0	ND	105	80-135			
2-Butanone (MEK)	20.9	10	ug/l	25.0	ND	84	30-150			
n-Butylbenzene	29.6	5.0	ug/l	25.0	1.7	112	80-135			
sec-Butylbenzene	33.9	5.0	ug/l	25.0	4.9	116	80-130			
tert-Butylbenzene	30.9	5.0	ug/l	25.0	1.1	119	80-130			
Carbon Disulfide	32.6	5.0	ug/l	25.0	ND	130	45-150			
Carbon tetrachloride	25.2	5.0	ug/l	25.0	ND	101	65-135			
Chlorobenzene	27.0	1.0	ug/l	25.0	ND	108	80-125			
Chloroethane	26.2	5.0	ug/l	25.0	ND	105	80-125			
Chloroform	25.6	2.0	ug/l	25.0	ND	102	75-130			
Chloromethane	24.7	5.0	ug/l	25.0	ND	99	65-130			
2-Chlorotoluene	28.5	5.0	ug/l	25.0	ND	114	80-130			
4-Chlorotoluene	28.2	5.0	ug/l	25.0	ND	113	80-135			
Dibromochloromethane	21.4	2.0	ug/l	25.0	ND	86	75-120			
1,2-Dibromo-3-chloropropane	18.0	5.0	ug/l	25.0	ND	72	50-130			
1,2-Dibromoethane (EDB)	22.6	2.0	ug/l	25.0	ND	90	70-130			
Dibromomethane	23.0	2.0	ug/l	25.0	ND	92	75-130			
1,2-Dichlorobenzene	26.5	1.0	ug/l	25.0	ND	106	80-130			
1,3-Dichlorobenzene	27.3	1.0	ug/l	25.0	ND	109	80-130			
1,4-Dichlorobenzene	27.5	1.0	ug/l	25.0	ND	110	80-125			
Dichlorodifluoromethane	26.7	5.0	ug/l	25.0	ND	107	60-140			
1,1-Dichloroethane	26.0	2.0	ug/l	25.0	ND	104	80-125			
1,2-Dichloroethane	22.2	1.0	ug/l	25.0	ND	89	60-145			
1,1-Dichloroethene	26.9	5.0	ug/l	25.0	ND	108	75-130			
cis-1,2-Dichloroethene	37.1	2.0	ug/l	25.0	11	104	80-125			
trans-1,2-Dichloroethene	25.4	2.0	ug/l	25.0	ND	102	80-120			
1,2-Dichloropropane	25.2	2.0	ug/l	25.0	ND	101	80-125			
1,3-Dichloropropane	22.0	2.0	ug/l	25.0	ND	88	75-130			
2,2-Dichloropropane	22.4	2.0	ug/l	25.0	ND	90	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2202 Extracted: 07/22/06										
Matrix Spike Analyzed: 07/22/2006 (P6G2202-MS1)					**Source: PPG0176-03**					
1,1-Dichloropropene	26.4	2.0	ug/l	25.0	ND	106	80-125			
cis-1,3-Dichloropropene	25.9	2.0	ug/l	25.0	ND	104	75-120			
trans-1,3-Dichloropropene	24.6	2.0	ug/l	25.0	ND	98	75-130			
Ethylbenzene	278	2.0	ug/l	25.0	260	72	80-130			*N1, M3*
Hexachlorobutadiene	24.3	5.0	ug/l	25.0	ND	97	65-130			
2-Hexanone	19.6	10	ug/l	25.0	ND	78	40-150			
Iodomethane	30.7	2.0	ug/l	25.0	ND	123	70-140			
Isopropylbenzene	76.2	2.0	ug/l	25.0	46	121	80-140			
p-Isopropyltoluene	29.7	2.0	ug/l	25.0	ND	119	80-135			
Methylene chloride	23.1	5.0	ug/l	25.0	ND	92	75-125			
4-Methyl-2-pentanone (MIBK)	24.9	10	ug/l	25.0	ND	100	40-140			
Methyl-tert-butyl Ether (MTBE)	452	5.0	ug/l	25.0	440	48	65-135			*N1, M3*
Naphthalene	72.2	2.0	ug/l	25.0	54	73	60-140			
n-Propylbenzene	52.8	2.0	ug/l	25.0	23	119	80-140			
Styrene	30.8	2.0	ug/l	25.0	ND	123	30-150			
1,1,1,2-Tetrachloroethane	25.7	5.0	ug/l	25.0	ND	103	80-130			
1,1,2,2-Tetrachloroethane	22.1	2.0	ug/l	25.0	ND	88	65-140			
Tetrachloroethene	27.7	2.0	ug/l	25.0	ND	111	80-130			
Toluene	27.0	2.0	ug/l	25.0	ND	108	80-130			
1,2,3-Trichlorobenzene	30.1	5.0	ug/l	25.0	ND	120	75-140			
1,2,4-Trichlorobenzene	24.1	5.0	ug/l	25.0	ND	96	80-135			
1,1,1-Trichloroethane	26.1	2.0	ug/l	25.0	ND	104	70-135			
1,1,2-Trichloroethane	26.6	2.0	ug/l	25.0	ND	106	70-135			
Trichloroethene	31.9	2.0	ug/l	25.0	6.0	104	80-125			
Trichlorofluoromethane	24.7	5.0	ug/l	25.0	ND	99	70-140			
1,2,3-Trichloropropane	21.4	10	ug/l	25.0	ND	86	65-135			
1,2,4-Trimethylbenzene	38.7	2.0	ug/l	25.0	10	115	75-130			
1,3,5-Trimethylbenzene	32.1	2.0	ug/l	25.0	2.8	117	80-135			
Vinyl acetate	27.6	25	ug/l	25.0	ND	110	30-150			*N1b*
Vinyl chloride	27.1	1.7	ug/l	25.0	ND	108	70-135			
Xylenes, Total	101	3.0	ug/l	50.0	45	112	80-125			
Surrogate: Dibromofluoromethane	*24.7*		*ug/l*	*25.0*		*99*	*80-130*			
Surrogate: Toluene-d8	*25.4*		*ug/l*	*25.0*		*102*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.6*		*ug/l*	*25.0*		*94*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2202 Extracted: 07/22/06										
Matrix Spike Dup Analyzed: 07/22/2006 (P6G2202-MSD1)					**Source: PPG0176-03**					
Acetone	380	20	ug/l	25.0	ND	1520	15-150	4	35	*M1*
Benzene	427	1.0	ug/l	25.0	430	-12	80-125	3	10	*N1*
Bromobenzene	28.1	5.0	ug/l	25.0	ND	112	80-125	0	15	
Bromochloromethane	25.1	5.0	ug/l	25.0	ND	100	80-130	3	20	
Bromodichloromethane	24.4	2.0	ug/l	25.0	ND	98	70-130	5	15	
Bromoform	22.6	5.0	ug/l	25.0	ND	90	70-120	0	25	
Bromomethane	24.9	5.0	ug/l	25.0	ND	100	80-135	5	20	
2-Butanone (MEK)	20.7	10	ug/l	25.0	ND	83	30-150	1	35	
n-Butylbenzene	28.7	5.0	ug/l	25.0	1.7	108	80-135	3	20	
sec-Butylbenzene	33.0	5.0	ug/l	25.0	4.9	112	80-130	3	20	
tert-Butylbenzene	30.0	5.0	ug/l	25.0	1.1	116	80-130	3	20	
Carbon Disulfide	31.6	5.0	ug/l	25.0	ND	126	45-150	3	15	
Carbon tetrachloride	24.0	5.0	ug/l	25.0	ND	96	65-135	5	15	
Chlorobenzene	25.9	1.0	ug/l	25.0	ND	104	80-125	4	15	
Chloroethane	25.2	5.0	ug/l	25.0	ND	101	80-125	4	20	
Chloroform	24.6	2.0	ug/l	25.0	ND	98	75-130	4	15	
Chloromethane	23.6	5.0	ug/l	25.0	ND	94	65-130	5	20	
2-Chlorotoluene	28.1	5.0	ug/l	25.0	ND	112	80-130	1	15	
4-Chlorotoluene	27.6	5.0	ug/l	25.0	ND	110	80-135	2	15	
Dibromochloromethane	20.7	2.0	ug/l	25.0	ND	83	75-120	3	20	
1,2-Dibromo-3-chloropropane	18.1	5.0	ug/l	25.0	ND	72	50-130	1	35	
1,2-Dibromoethane (EDB)	22.1	2.0	ug/l	25.0	ND	88	70-130	2	25	
Dibromomethane	21.8	2.0	ug/l	25.0	ND	87	75-130	5	25	
1,2-Dichlorobenzene	25.8	1.0	ug/l	25.0	ND	103	80-130	3	15	
1,3-Dichlorobenzene	26.5	1.0	ug/l	25.0	ND	106	80-130	3	15	
1,4-Dichlorobenzene	27.1	1.0	ug/l	25.0	ND	108	80-125	1	10	
Dichlorodifluoromethane	25.7	5.0	ug/l	25.0	ND	103	60-140	4	45	
1,1-Dichloroethane	24.9	2.0	ug/l	25.0	ND	100	80-125	4	15	
1,2-Dichloroethane	21.6	1.0	ug/l	25.0	ND	86	60-145	3	20	
1,1-Dichloroethene	26.4	5.0	ug/l	25.0	ND	106	75-130	2	15	
cis-1,2-Dichloroethene	35.5	2.0	ug/l	25.0	11	98	80-125	4	15	
trans-1,2-Dichloroethene	24.8	2.0	ug/l	25.0	ND	99	80-120	2	15	
1,2-Dichloropropane	24.0	2.0	ug/l	25.0	ND	96	80-125	5	15	
1,3-Dichloropropane	21.4	2.0	ug/l	25.0	ND	86	75-130	3	20	
2,2-Dichloropropane	21.4	2.0	ug/l	25.0	ND	86	60-135	5	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2202 Extracted: 07/22/06										
Matrix Spike Dup Analyzed: 07/22/2006 (P6G2202-MSD1)					**Source: PPG0176-03**					
1,1-Dichloropropene	25.0	2.0	ug/l	25.0	ND	100	80-125	5	15	
cis-1,3-Dichloropropene	24.8	2.0	ug/l	25.0	ND	99	75-120	4	15	
trans-1,3-Dichloropropene	23.7	2.0	ug/l	25.0	ND	95	75-130	4	25	
Ethylbenzene	266	2.0	ug/l	25.0	260	24	80-130	4	15	*N1, M3*
Hexachlorobutadiene	23.4	5.0	ug/l	25.0	ND	94	65-130	4	15	
2-Hexanone	18.9	10	ug/l	25.0	ND	76	40-150	4	35	
Iodomethane	30.2	2.0	ug/l	25.0	ND	121	70-140	2	15	
Isopropylbenzene	74.6	2.0	ug/l	25.0	46	114	80-140	2	20	
p-Isopropyltoluene	28.7	2.0	ug/l	25.0	ND	115	80-135	3	20	
Methylene chloride	22.8	5.0	ug/l	25.0	ND	91	75-125	1	15	
4-Methyl-2-pentanone (MIBK)	24.5	10	ug/l	25.0	ND	98	40-140	2	35	
Methyl-tert-butyl Ether (MTBE)	444	5.0	ug/l	25.0	440	16	65-135	2	30	*N1, M3*
Naphthalene	68.1	2.0	ug/l	25.0	54	56	60-140	6	30	*M2*
n-Propylbenzene	51.1	2.0	ug/l	25.0	23	112	80-140	3	20	
Styrene	29.3	2.0	ug/l	25.0	ND	117	30-150	5	25	
1,1,1,2-Tetrachloroethane	24.5	5.0	ug/l	25.0	ND	98	80-130	5	15	
1,1,2,2-Tetrachloroethane	22.0	2.0	ug/l	25.0	ND	88	65-140	1	35	
Tetrachloroethene	26.7	2.0	ug/l	25.0	ND	107	80-130	4	15	
Toluene	25.7	2.0	ug/l	25.0	ND	103	80-130	5	15	
1,2,3-Trichlorobenzene	27.0	5.0	ug/l	25.0	ND	108	75-140	11	20	
1,2,4-Trichlorobenzene	22.3	5.0	ug/l	25.0	ND	89	80-135	8	15	
1,1,1-Trichloroethane	24.9	2.0	ug/l	25.0	ND	100	70-135	5	15	
1,1,2-Trichloroethane	25.4	2.0	ug/l	25.0	ND	102	70-135	5	25	
Trichloroethene	30.6	2.0	ug/l	25.0	6.0	98	80-125	4	15	
Trichlorofluoromethane	23.9	5.0	ug/l	25.0	ND	96	70-140	3	15	
1,2,3-Trichloropropane	20.8	10	ug/l	25.0	ND	83	65-135	3	35	
1,2,4-Trimethylbenzene	37.6	2.0	ug/l	25.0	10	110	75-130	3	15	
1,3,5-Trimethylbenzene	31.2	2.0	ug/l	25.0	2.8	114	80-135	3	15	
Vinyl acetate	28.1	25	ug/l	25.0	ND	112	30-150	2	35	*N1b*
Vinyl chloride	25.6	1.7	ug/l	25.0	ND	102	70-135	6	25	
Xylenes, Total	95.7	3.0	ug/l	50.0	45	101	80-125	5	15	
Surrogate: Dibromofluoromethane	*24.7*		*ug/l*	*25.0*		*99*	*80-130*			
Surrogate: Toluene-d8	*25.4*		*ug/l*	*25.0*		*102*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.4*		*ug/l*	*25.0*		*94*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2401 Extracted: 07/24/06										
Blank Analyzed: 07/24/2006 (P6G2401-BLK1)										
Benzene	ND	1.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*24.6*		*ug/l*	*25.0*		*98*	*80-130*			
Surrogate: Toluene-d8	*26.9*		*ug/l*	*25.0*		*108*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*27.1*		*ug/l*	*25.0*		*108*	*80-120*			
LCS Analyzed: 07/24/2006 (P6G2401-BS1)										**N1a**
Benzene	23.9	1.0	ug/l	25.0		96	80-120			
Ethylbenzene	24.8	2.0	ug/l	25.0		99	80-125			
Methyl-tert-butyl Ether (MTBE)	24.7	5.0	ug/l	25.0		99	65-130			
Xylenes, Total	48.0	3.0	ug/l	50.0		96	80-125			
Surrogate: Dibromofluoromethane	*24.6*		*ug/l*	*25.0*		*98*	*80-130*			
Surrogate: Toluene-d8	*27.3*		*ug/l*	*25.0*		*109*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
LCS Dup Analyzed: 07/24/2006 (P6G2401-BSD1)										
Benzene	23.9	1.0	ug/l	25.0		96	80-120	0	10	
Ethylbenzene	26.0	2.0	ug/l	25.0		104	80-125	5	15	
Methyl-tert-butyl Ether (MTBE)	24.8	5.0	ug/l	25.0		99	65-130	0	25	
Xylenes, Total	49.0	3.0	ug/l	50.0		98	80-125	2	15	
Surrogate: Dibromofluoromethane	*24.8*		*ug/l*	*25.0*		*99*	*80-130*			
Surrogate: Toluene-d8	*27.4*		*ug/l*	*25.0*		*110*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.7*		*ug/l*	*25.0*		*107*	*80-120*			
Batch: P6G2402 Extracted: 07/24/06										
Blank Analyzed: 07/24/2006 (P6G2402-BLK1)										
Benzene	ND	1.0	ug/l							
Naphthalene	ND	2.0	ug/l							
Surrogate: Dibromofluoromethane	*25.4*		*ug/l*	*25.0*		*102*	*80-130*			
Surrogate: Toluene-d8	*26.5*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.7*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2402 Extracted: 07/24/06										
LCS Analyzed: 07/24/2006 (P6G2402-BS1)										
Benzene	24.5	1.0	ug/l	25.0		98	80-120			
Naphthalene	23.2	2.0	ug/l	25.0		93	70-130			
Surrogate: Dibromofluoromethane	*26.1*		*ug/l*	*25.0*		*104*	*80-130*			
Surrogate: Toluene-d8	*27.4*		*ug/l*	*25.0*		*110*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.9*		*ug/l*	*25.0*		*100*	*80-120*			
LCS Dup Analyzed: 07/24/2006 (P6G2402-BSD1)										
Benzene	24.1	1.0	ug/l	25.0		96	80-120	2	10	
Naphthalene	22.3	2.0	ug/l	25.0		89	70-130	4	20	
Surrogate: Dibromofluoromethane	*25.3*		*ug/l*	*25.0*		*101*	*80-130*			
Surrogate: Toluene-d8	*26.6*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.0*		*ug/l*	*25.0*		*100*	*80-120*			
Matrix Spike Analyzed: 07/24/2006 (P6G2402-MS1)					**Source: PPG0249-05**					
Benzene	25.8	1.0	ug/l	25.0	ND	103	80-125			
Naphthalene	20.9	2.0	ug/l	25.0	ND	84	60-140			
Surrogate: Dibromofluoromethane	*26.2*		*ug/l*	*25.0*		*105*	*80-130*			
Surrogate: Toluene-d8	*26.7*		*ug/l*	*25.0*		*107*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.4*		*ug/l*	*25.0*		*102*	*80-120*			
Matrix Spike Dup Analyzed: 07/24/2006 (P6G2402-MSD1)					**Source: PPG0249-05**					
Benzene	26.0	1.0	ug/l	25.0	ND	104	80-125	1	10	
Naphthalene	21.1	2.0	ug/l	25.0	ND	84	60-140	1	30	
Surrogate: Dibromofluoromethane	*26.4*		*ug/l*	*25.0*		*106*	*80-130*			
Surrogate: Toluene-d8	*26.6*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.1*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

METHOD BLANK/QC DATA

PURGEABLES BY GC/MS (EPA 624)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2402 Extracted: 07/24/06										
Blank Analyzed: 07/24/2006 (P6G2402-BLK1)										
Benzene	ND	2.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
Carbon tetrachloride	ND	2.5	ug/l							
Chlorobenzene	ND	2.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
1,2-Dichlorobenzene	ND	2.0	ug/l							
1,3-Dichlorobenzene	ND	2.0	ug/l							
1,4-Dichlorobenzene	ND	2.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	2.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
Vinyl chloride	ND	1.7	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							*T2*
Xylenes, Total	ND	2.0	ug/l							*T2*
Surrogate: 4-Bromofluorobenzene	*24.7*		*ug/l*	*25.0*		*99*	*80-120*			
Surrogate: Toluene-d8	*26.5*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: Dibromofluoromethane	*25.4*		*ug/l*	*25.0*		*102*	*80-130*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

METHOD BLANK/QC DATA

PURGEABLES BY GC/MS (EPA 624)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2402 Extracted: 07/24/06										
LCS Analyzed: 07/24/2006 (P6G2402-BS1)										
Benzene	24.5	2.0	ug/l	25.0		98	37-151			
Bromodichloromethane	25.2	2.0	ug/l	25.0		101	35-155			
Bromoform	24.8	5.0	ug/l	25.0		99	45-169			
Bromomethane	23.6	5.0	ug/l	25.0		94	5-242			
Carbon tetrachloride	24.3	2.5	ug/l	25.0		97	70-140			
Chlorobenzene	24.1	2.0	ug/l	25.0		96	37-160			
Dibromochloromethane	21.9	2.0	ug/l	25.0		88	53-149			
Chloroethane	23.4	5.0	ug/l	25.0		94	14-230			
Chloroform	23.5	2.0	ug/l	25.0		94	51-138			
Chloromethane	24.2	5.0	ug/l	25.0		97	5-273			
1,2-Dichlorobenzene	23.8	2.0	ug/l	25.0		95	18-190			
1,3-Dichlorobenzene	23.8	2.0	ug/l	25.0		95	59-156			
1,4-Dichlorobenzene	24.2	2.0	ug/l	25.0		97	18-190			
1,1-Dichloroethane	23.0	2.0	ug/l	25.0		92	59-155			
1,2-Dichloroethane	23.2	2.0	ug/l	25.0		93	49-155			
1,1-Dichloroethene	23.7	5.0	ug/l	25.0		95	5-234			
trans-1,2-Dichloroethene	22.9	2.0	ug/l	25.0		92	54-156			
1,2-Dichloropropane	23.4	2.0	ug/l	25.0		94	5-210			
cis-1,3-Dichloropropene	26.1	2.0	ug/l	25.0		104	5-227			
trans-1,3-Dichloropropene	26.5	2.0	ug/l	25.0		106	17-183			
Ethylbenzene	24.0	2.0	ug/l	25.0		96	37-162			
Methylene chloride	21.8	5.0	ug/l	25.0		87	5-221			
1,1,2,2-Tetrachloroethane	25.6	2.0	ug/l	25.0		102	46-157			
Tetrachloroethene	24.3	2.0	ug/l	25.0		97	64-148			
Toluene	24.2	2.0	ug/l	25.0		97	47-150			
1,1,1-Trichloroethane	23.9	2.0	ug/l	25.0		96	52-162			
1,1,2-Trichloroethane	24.2	2.0	ug/l	25.0		97	52-150			
Trichloroethene	24.1	2.0	ug/l	25.0		96	71-157			
Trichlorofluoromethane	23.8	5.0	ug/l	25.0		95	17-181			
Vinyl chloride	23.6	1.7	ug/l	25.0		94	5-251			
cis-1,2-Dichloroethene	23.4	2.0	ug/l	25.0		94	80-125			*T2*
Xylenes, Total	47.7	2.0	ug/l	50.0		95	80-125			*T2*
Surrogate: 4-Bromofluorobenzene	*24.9*		*ug/l*	*25.0*		*100*	*80-120*			
Surrogate: Toluene-d8	*27.4*		*ug/l*	*25.0*		*110*	*80-120*			
Surrogate: Dibromofluoromethane	*26.1*		*ug/l*	*25.0*		*104*	*80-130*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

METHOD BLANK/QC DATA

PURGEABLES BY GC/MS (EPA 624)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2402 Extracted: 07/24/06										
LCS Dup Analyzed: 07/24/2006 (P6G2402-BSD1)										
Benzene	24.1	2.0	ug/l	25.0		96	37-151	2	20	
Bromodichloromethane	24.4	2.0	ug/l	25.0		98	35-155	3	20	
Bromoform	23.5	5.0	ug/l	25.0		94	45-169	5	20	
Bromomethane	23.7	5.0	ug/l	25.0		95	5-242	0	20	
Carbon tetrachloride	24.4	2.5	ug/l	25.0		98	70-140	0	20	
Chlorobenzene	24.2	2.0	ug/l	25.0		97	37-160	0	20	
Dibromochloromethane	21.2	2.0	ug/l	25.0		85	53-149	3	20	
Chloroethane	23.9	5.0	ug/l	25.0		96	14-230	2	20	
Chloroform	23.1	2.0	ug/l	25.0		92	51-138	2	20	
Chloromethane	23.8	5.0	ug/l	25.0		95	5-273	2	20	
1,2-Dichlorobenzene	24.2	2.0	ug/l	25.0		97	18-190	2	20	
1,3-Dichlorobenzene	24.5	2.0	ug/l	25.0		98	59-156	3	20	
1,4-Dichlorobenzene	25.0	2.0	ug/l	25.0		100	18-190	3	20	
1,1-Dichloroethane	23.1	2.0	ug/l	25.0		92	59-155	0	20	
1,2-Dichloroethane	22.1	2.0	ug/l	25.0		88	49-155	5	20	
1,1-Dichloroethene	23.7	5.0	ug/l	25.0		95	5-234	0	20	
trans-1,2-Dichloroethene	23.3	2.0	ug/l	25.0		93	54-156	2	20	
1,2-Dichloropropane	23.2	2.0	ug/l	25.0		93	5-210	1	20	
cis-1,3-Dichloropropene	25.1	2.0	ug/l	25.0		100	5-227	4	20	
trans-1,3-Dichloropropene	25.2	2.0	ug/l	25.0		101	17-183	5	20	
Ethylbenzene	24.4	2.0	ug/l	25.0		98	37-162	2	20	
Methylene chloride	21.0	5.0	ug/l	25.0		84	5-221	4	20	
1,1,2,2-Tetrachloroethane	24.1	2.0	ug/l	25.0		96	46-157	6	20	
Tetrachloroethene	25.0	2.0	ug/l	25.0		100	64-148	3	20	
Toluene	24.0	2.0	ug/l	25.0		96	47-150	1	20	
1,1,1-Trichloroethane	23.6	2.0	ug/l	25.0		94	52-162	1	20	
1,1,2-Trichloroethane	23.0	2.0	ug/l	25.0		92	52-150	5	20	
Trichloroethene	23.6	2.0	ug/l	25.0		94	71-157	2	20	
Trichlorofluoromethane	23.6	5.0	ug/l	25.0		94	17-181	1	20	
Vinyl chloride	24.7	1.7	ug/l	25.0		99	5-251	5	20	
cis-1,2-Dichloroethene	23.3	2.0	ug/l	25.0		93	80-125	0	10	*T2*
Xylenes, Total	48.3	2.0	ug/l	50.0		97	80-125	1	15	*T2*
Surrogate: 4-Bromofluorobenzene	*25.0*		*ug/l*	*25.0*		*100*	*80-120*			
Surrogate: Toluene-d8	*26.6*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: Dibromofluoromethane	*25.3*		*ug/l*	*25.0*		*101*	*80-130*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

METHOD BLANK/QC DATA

PURGEABLES BY GC/MS (EPA 624)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2402 Extracted: 07/24/06										
Matrix Spike Analyzed: 07/24/2006 (P6G2402-MS1)					**Source: PPG0249-05**					
Benzene	25.8	2.0	ug/l	25.0	ND	103	37-151			
Bromodichloromethane	24.4	2.0	ug/l	25.0	ND	98	35-155			
Bromoform	21.9	5.0	ug/l	25.0	ND	88	45-169			
Bromomethane	25.4	5.0	ug/l	25.0	ND	102	5-242			
Carbon tetrachloride	26.1	2.5	ug/l	25.0	ND	104	70-140			
Chlorobenzene	24.8	2.0	ug/l	25.0	ND	99	37-160			
Dibromochloromethane	20.9	2.0	ug/l	25.0	ND	84	53-149			
Chloroethane	25.8	5.0	ug/l	25.0	ND	103	14-230			
Chloroform	24.7	2.0	ug/l	25.0	ND	99	51-138			
Chloromethane	25.0	5.0	ug/l	25.0	ND	100	5-273			
1,2-Dichlorobenzene	24.5	2.0	ug/l	25.0	ND	98	18-190			
1,3-Dichlorobenzene	24.9	2.0	ug/l	25.0	ND	100	59-156			
1,4-Dichlorobenzene	25.3	2.0	ug/l	25.0	ND	101	18-190			
1,1-Dichloroethane	24.9	2.0	ug/l	25.0	ND	100	59-155			
1,2-Dichloroethane	23.3	2.0	ug/l	25.0	ND	93	49-155			
1,1-Dichloroethene	25.3	5.0	ug/l	25.0	ND	101	5-234			
trans-1,2-Dichloroethene	24.5	2.0	ug/l	25.0	ND	98	54-156			
1,2-Dichloropropane	23.9	2.0	ug/l	25.0	ND	96	5-210			
cis-1,3-Dichloropropene	25.4	2.0	ug/l	25.0	ND	102	5-227			
trans-1,3-Dichloropropene	24.9	2.0	ug/l	25.0	ND	100	17-183			
Ethylbenzene	25.7	2.0	ug/l	25.0	ND	103	37-162			
Methylene chloride	22.5	5.0	ug/l	25.0	ND	90	5-221			
1,1,2,2-Tetrachloroethane	23.2	2.0	ug/l	25.0	ND	93	46-157			
Tetrachloroethene	25.3	2.0	ug/l	25.0	ND	101	64-148			
Toluene	25.2	2.0	ug/l	25.0	ND	101	47-150			
1,1,1-Trichloroethane	25.6	2.0	ug/l	25.0	ND	102	52-162			
1,1,2-Trichloroethane	22.5	2.0	ug/l	25.0	ND	90	52-150			
Trichloroethene	24.6	2.0	ug/l	25.0	ND	98	71-157			
Trichlorofluoromethane	26.1	5.0	ug/l	25.0	ND	104	17-181			
Vinyl chloride	26.8	1.7	ug/l	25.0	ND	107	5-251			
cis-1,2-Dichloroethene	24.5	2.0	ug/l	25.0	ND	98	80-125			*T2*
Xylenes, Total	50.2	2.0	ug/l	50.0	ND	100	80-125			*T2*
Surrogate: 4-Bromofluorobenzene	*25.4*		*ug/l*	*25.0*		*102*	*80-120*			
Surrogate: Toluene-d8	*26.7*		*ug/l*	*25.0*		*107*	*80-120*			
Surrogate: Dibromofluoromethane	*26.2*		*ug/l*	*25.0*		*105*	*80-130*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

METHOD BLANK/QC DATA

PURGEABLES BY GC/MS (EPA 624)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2402 Extracted: 07/24/06										
Matrix Spike Dup Analyzed: 07/24/2006 (P6G2402-MSD1)					**Source: PPG0249-05**					
Benzene	26.0	2.0	ug/l	25.0	ND	104	37-151	1	20	
Bromodichloromethane	25.4	2.0	ug/l	25.0	ND	102	35-155	4	20	
Bromoform	22.5	5.0	ug/l	25.0	ND	90	45-169	3	20	
Bromomethane	26.1	5.0	ug/l	25.0	ND	104	5-242	3	20	
Carbon tetrachloride	26.0	2.5	ug/l	25.0	ND	104	70-140	0	20	
Chlorobenzene	25.7	2.0	ug/l	25.0	ND	103	37-160	4	20	
Dibromochloromethane	21.9	2.0	ug/l	25.0	ND	88	53-149	5	20	
Chloroethane	26.6	5.0	ug/l	25.0	ND	106	14-230	3	20	
Chloroform	25.9	2.0	ug/l	25.0	ND	104	51-138	5	20	
Chloromethane	26.2	5.0	ug/l	25.0	ND	105	5-273	5	20	
1,2-Dichlorobenzene	25.8	2.0	ug/l	25.0	ND	103	18-190	5	20	
1,3-Dichlorobenzene	26.0	2.0	ug/l	25.0	ND	104	59-156	4	20	
1,4-Dichlorobenzene	26.4	2.0	ug/l	25.0	ND	106	18-190	4	20	
1,1-Dichloroethane	26.1	2.0	ug/l	25.0	ND	104	59-155	5	20	
1,2-Dichloroethane	24.1	2.0	ug/l	25.0	ND	96	49-155	3	20	
1,1-Dichloroethene	25.8	5.0	ug/l	25.0	ND	103	5-234	2	20	
trans-1,2-Dichloroethene	25.2	2.0	ug/l	25.0	ND	101	54-156	3	20	
1,2-Dichloropropane	25.0	2.0	ug/l	25.0	ND	100	5-210	4	20	
cis-1,3-Dichloropropene	26.0	2.0	ug/l	25.0	ND	104	5-227	2	20	
trans-1,3-Dichloropropene	25.8	2.0	ug/l	25.0	ND	103	17-183	4	20	
Ethylbenzene	26.4	2.0	ug/l	25.0	ND	106	37-162	3	20	
Methylene chloride	23.6	5.0	ug/l	25.0	ND	94	5-221	5	20	
1,1,2,2-Tetrachloroethane	23.9	2.0	ug/l	25.0	ND	96	46-157	3	20	
Tetrachloroethene	25.5	2.0	ug/l	25.0	ND	102	64-148	1	20	
Toluene	25.7	2.0	ug/l	25.0	ND	103	47-150	2	20	
1,1,1-Trichloroethane	26.2	2.0	ug/l	25.0	ND	105	52-162	2	20	
1,1,2-Trichloroethane	22.6	2.0	ug/l	25.0	ND	90	52-150	0	20	
Trichloroethene	25.0	2.0	ug/l	25.0	ND	100	71-157	2	20	
Trichlorofluoromethane	26.7	5.0	ug/l	25.0	ND	107	17-181	2	20	
Vinyl chloride	27.5	1.7	ug/l	25.0	ND	110	5-251	3	20	
cis-1,2-Dichloroethene	25.4	2.0	ug/l	25.0	ND	102	80-125	4	15	*T2*
Xylenes, Total	51.7	2.0	ug/l	50.0	ND	103	80-125	3	15	*T2*
Surrogate: 4-Bromofluorobenzene	*25.1*		*ug/l*	*25.0*		*100*	*80-120*			
Surrogate: Toluene-d8	*26.6*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: Dibromofluoromethane	*26.4*		*ug/l*	*25.0*		*106*	*80-130*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1203 Extracted: 07/13/06										
Blank Analyzed: 07/14/2006 (P6G1203-BLK1)										
Acenaphthene	ND	3.0	ug/l							
Acenaphthylene	ND	3.0	ug/l							
Anthracene	ND	0.30	ug/l							
Benzo(a)anthracene	ND	0.050	ug/l							
Benzo(a)pyrene	ND	0.10	ug/l							
Benzo(b)fluoranthene	ND	0.30	ug/l							
Benzo(g,h,i)perylene	ND	0.30	ug/l							
Benzo(k)fluoranthene	ND	0.30	ug/l							
Chrysene	ND	0.30	ug/l							
Dibenz(a,h)anthracene	ND	0.50	ug/l							
Fluoranthene	ND	0.30	ug/l							
Fluorene	ND	0.30	ug/l							
Indeno(1,2,3-cd)pyrene	ND	0.30	ug/l							
Naphthalene	ND	2.0	ug/l							
Phenanthrene	ND	0.30	ug/l							
Pyrene	ND	0.30	ug/l							
Surrogate: 2-Methylanthracene	*0.448*		*ug/l*	*0.600*		*75*	*50-115*			
LCS Analyzed: 07/14/2006 (P6G1203-BS1)										**Q8**
Acenaphthene	5.19	3.0	ug/l	6.00		86	65-115			
Acenaphthylene	9.99	3.0	ug/l	12.0		83	65-115			
Anthracene	0.486	0.30	ug/l	0.600		81	65-115			
Benzo(a)anthracene	0.573	0.050	ug/l	0.600		96	80-115			
Benzo(a)pyrene	0.542	0.10	ug/l	0.600		90	70-115			
Benzo(b)fluoranthene	1.14	0.30	ug/l	1.20		95	80-115			
Benzo(g,h,i)perylene	1.20	0.30	ug/l	1.20		100	65-120			
Benzo(k)fluoranthene	0.585	0.30	ug/l	0.600		97	70-115			
Chrysene	0.571	0.30	ug/l	0.600		95	80-120			
Dibenz(a,h)anthracene	1.11	0.50	ug/l	1.20		92	50-125			
Fluoranthene	1.13	0.30	ug/l	1.20		94	70-115			
Fluorene	1.04	0.30	ug/l	1.20		87	65-115			
Indeno(1,2,3-cd)pyrene	0.542	0.30	ug/l	0.600		90	65-115			
Naphthalene	4.55	2.0	ug/l	6.00		76	55-115			
Phenanthrene	0.545	0.30	ug/l	0.600		91	60-115			
Pyrene	0.576	0.30	ug/l	0.600		96	75-115			
Surrogate: 2-Methylanthracene	*0.506*		*ug/l*	*0.600*		*84*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G1203 Extracted: 07/13/06										
LCS Dup Analyzed: 07/14/2006 (P6G1203-BSD1)										
Acenaphthene	5.19	3.0	ug/l	6.00		86	65-115	0	15	
Acenaphthylene	10.1	3.0	ug/l	12.0		84	65-115	1	15	
Anthracene	0.489	0.30	ug/l	0.600		81	65-115	1	15	
Benzo(a)anthracene	0.565	0.050	ug/l	0.600		94	80-115	1	15	
Benzo(a)pyrene	0.535	0.10	ug/l	0.600		89	70-115	1	15	
Benzo(b)fluoranthene	1.11	0.30	ug/l	1.20		92	80-115	3	15	
Benzo(g,h,i)perylene	1.29	0.30	ug/l	1.20		108	65-120	7	10	
Benzo(k)fluoranthene	0.574	0.30	ug/l	0.600		96	70-115	2	15	
Chrysene	0.570	0.30	ug/l	0.600		95	80-120	0	15	
Dibenz(a,h)anthracene	1.07	0.50	ug/l	1.20		89	50-125	4	25	
Fluoranthene	1.12	0.30	ug/l	1.20		93	70-115	1	20	
Fluorene	1.05	0.30	ug/l	1.20		87	65-115	1	20	
Indeno(1,2,3-cd)pyrene	0.541	0.30	ug/l	0.600		90	65-115	0	20	
Naphthalene	4.64	2.0	ug/l	6.00		77	55-115	2	25	
Phenanthrene	0.533	0.30	ug/l	0.600		89	60-115	2	30	
Pyrene	0.504	0.30	ug/l	0.600		84	75-115	13	20	
Surrogate: 2-Methylanthracene	*0.507*		*ug/l*	*0.600*		*84*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

DATA QUALIFIERS AND DEFINITIONS

C7	Sample RPD between the primary and confirmatory analysis exceeded 40% per EPA Method 8000B, the lower value was reported due to apparent chromatographic interference.
L3	The associated blank spike recovery was above method acceptance limits.
M1	Matrix spike recovery was high, the method control sample recovery was acceptable.
M2	Matrix spike recovery was low, the method control sample recovery was acceptable.
M3	The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
N1	See case narrative.
Q8	Insufficient sample received to meet method QC requirements. Batch QC satisfies ADEQ policies 0154 and 0155.
T2	Cited ADHS licensed method does not contain this analyte as part of method compound list.
ND	Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
RPD	Relative Percent Difference

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: HW Quarterly / UST Sampling Program
Report Number: PPG0176

Sampled: 07/10/06
Received: 07/10/06

Certification Summary

TestAmerica - Phoenix, AZ

Method	Matrix	Nelac	Arizona
EPA 624	Water	X	X
EPA 8015B	Water	X	X
EPA 8260B	Water	X	X
EPA 8310	Water	X	X

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

Subcontracted Laboratories

Transwest Geochem *Arizona Cert #AZ0133*

3725 E. Atlanta Ave Ste 1 - Phoenix, AZ 85040-2961

Analysis Performed: 8015B MOD-Low Level

Samples: PPG0176-02, PPG0176-03, PPG0176-04, PPG0176-05, PPG0176-06, PPG0176-07, PPG0176-08, PPG 0176-09, PPG0176-10, PPG0176-11

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

DelMar Analytical
9830 South 51st St, Suite B-120
Phoenix, AZ 85044
480-785-0043

Honeywell — Chain Of Custody / Analysis Request

Privileged & Confidential

[redacted] Jennifer Holland
jennifer.holland@ch2m.com

Site Name: Sky Harbor
Location of Site: HW Quarterly / UST Sampling Program

[redacted] DELMAR-PHE

Client Contact: (name, co., address)
CH2M HILL
2625 South Plaza Drive, Suite 300
Tempe, AZ 85282
Jennifer.Holland@CH2M.com

[redacted]

Sampler: Jeffery Yentes
PO# BV.30.33

Analysis Turnaround Time:
Standard - Y
Rush Charges Authorized for -
2 weeks -
1 week -
Next Day -

What is in the Text File? Mouse over here.

	Sample Identification		Sample Date	Sample Time	Sample Type	Sample Matrix	# of Cont.	MS/MSD REQUESTED	Field Filtered Sample ?	VOC's (EPA 8260B)	SVOC's (EPA 8270)	PAH's (EPA 8310)	TRPH (EPA 8015M)	MEE (RSKSOP-175)	Total Metals (Various Methods)	Dissolved Metals (Various Methods)	Total common ions (Various Methods)	Dissolved Common ions (Various Methods)		VOC'S (EPA 624)		MS/MSD Requested	[redacted]
										Preservative													
										1	0	0	3	1	2	2	0	0		1			
	Location ID	Field Sample ID	[redacted]							ug/L	ug/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L		ug/L			
1	BLANK	TB-071006	7/10/2006	0630	BlkWater	Water	1		N	X													[redacted]
2	MW	ASE-37A-6B3	7/10/2006	0815	GW	Water	5		N	X			X										-02
3	MW	ASE-39A-6B3	7/10/2006	0916	GW	Water	5		N	X			X										-03
4	MW	PL-101A-6B3	7/10/2006	0956	GW	Water	5		N	X			X										-04
5	MW	ASE-38A-6B3	7/10/2006	1116	GW	Water	5		N	X			X										-05
6	MW	ASE-57A-6B3	7/10/2006	1158	GW	Water	7	Y	N	X			X										-06
7	MW	ASE-56A-6B3	7/10/2006	1235	GW	Water	5		N	X			X										-07
8	MW	ASE-116A-6B3	7/10/2006	1339	GW	Water	7		N	X		X	X										-08
9	MW	ASE-111A-6B3	7/10/2006	1437	GW	Water	7		N	X		X	X										-09
10	MW	ASE-115A-6B3	7/10/2006	1520	GW	Water	7		N	X		X	X										-10
11	MW	PL-508-6B3	7/10/2006	1530	GW	Water	7		N	X		X	X										-11
12	~~[illegible]~~	PL-18-6B3	7/10/06	1600	purge water	Water	3		N	[illegible]										X			72hr TAT -11
13	P-Tank																						
14																							
15																							
16																							
17																							
18																							
19																							
20																							

Relinquished by:	Company	Hargis + Associates, Inc.	Received by		Condition		Custody Seals Intact
	Date/Time	7-10-06/ 1720			Cooler Temp.		07/10/06
Relinquished by	Company		Received by		Condition		Custody Seals Intact
7/10/06	Date/Time 17:20				Cooler Temp. 2-2°C		

Preservatives: 0 = None; [1 = HCL]; [2 = HNO3]; [3 = H2SO4]; [4 = NaOH]; [5 = Zn. Acetate]; [6 = MeOH]; [7 = NaHSO4]; 8 [redacted]

TRANSWEST GEOCHEM

August 01 , 2006

Ken Baker
TestAmerica - Phoenix
9830 S. 51st Street
Suite B-120
Phoenix, AZ 85044

Re: PPG0176
Work Order No.: 0607115

Dear Ken,

Attached is the original Report of Analysis from Columbia Analytical Services, Inc. (AZ0604) for the samples received on 7/11/06. The following analysis was performed:

Method EPA 8015B – Diesel Range Organics

If you have any questions regarding the results, please call me. We appreciate your business and thank you for choosing Transwest Geochem.

Sincerely,

Carlene McCutchen
for Skip Harden
Project Manager

ADHS License No. AZM133/AZ0133

CONFIDENTIAL AND PRIVILEGED

4226 E. Atlanta Avenue • Phoenix, Arizona 85040 • (602) 437-0330 • (800) 927-5183 • Fax (602) 437-0660
3860 E. Palo Verde Rd. • Suite 301 • Tucson, Arizona 85714 • (520) 573-1061 • Fax (520) 573-1063

100% Recycled

5090 Caterpillar Road Redding, California 96003 (530) 244-5227 (530) 244-4109 fax

Columbia Analytical Services INC.
An Employee - Owned Company

July 26, 2006

Service Request No: D0600857

Carlene McCutcheon
Transwest Geochem, Incorporated
3725 East Atlanta Avenue
Suite 2
Phoenix, AZ 85040-2960

RE: PPG0176

Dear Carlene:

Enclosed are the results of the sample(s) submitted to our laboratory on July 13, 2006. For your reference, these analyses have been assigned our service request number D0600857.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 103. You may also contact me via email at EWilson@canoga.caslab.com.

Respectfully submitted,

Columbia Analytical Services, Inc.

Ed Wilson
Project Chemist

NELAP Accredited ACIL Seal of Excellence Award 100% Recycled

Current CAS Redding Accreditation Programs

Federal and National Programs

- U.S Air Force, Air Force Center for Environmental Excellence (AFCEE)
  Approved laboratory for Wastewater and Hazardous Waste
- U.S. Army Corps of Engineers – MRD, HTRW Mandatory Center of Expertise
  Validated for Wastewater and Hazardous Waste
- Department of the Navy, Naval Facilities Engineering Service Center (NFESC)
  Approved laboratory for Wastewater and Hazardous Waste

State and Local Programs

- State of Alaska, Department of Environmental Conservation
  Approved Laboratory for Contaminated Sites
  Lab ID UST-001
- State of Arizona, Department of Health Services, Office of Laboratory Licensure
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID AZ0604
- State of California, Department of Health Services, National Environmental Laboratory Accreditation Program **(NELAP)**
  Approved Laboratory for Drinking Water, Wastewater and Hazardous Waste
  Lab ID 01105CA
  - Los Angeles County Sanitation District
    Approved Laboratory for Wastewater
    Lab ID 10243
- State of California, Department of Health Services, Environmental Laboratory Accreditation Program (ELAP)
  Approved Laboratory for Microbiology of Drinking Water and Wastewater
  Lab ID 2635
- State of Florida, Department of Health, Bureau of Laboratories **(NELAP)**
  Approved Environmental Testing Laboratory for Wastewater and Hazardous Waste
  Lab ID E87203
- State of Kansas, Department of Health and Environment **(NELAP)**
  Approved Laboratory for Hazardous Waste
  Lab ID E-10323
- State of Massachusetts, Department of Environmental Protection
  Approved laboratory for Drinking Water and Wastewater
  Lab ID M-CA025
- State of Oklahoma, Department of Environmental Quality
  Approved Laboratory for General Water Quality/Sludge Testing
  Lab ID 9952
- State of Oregon, Environmental Laboratory Accreditation Program **(ORELAP)**
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID CA200004
- State of Utah, Department of Health, Bureau of Laboratory Improvement **(NELAP)**
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID QUAL1
- State of Washington, Department of Ecology
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID C1234
- State of Wisconsin, Department of Natural Resources
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID 999767340

Arizona Data Qualifiers
Revision 2.0, 11/26/2003

Developed by the Sub-committee of the
Arizona Environmental Laboratory Advisory Committee

Microbiology:
A1 = Too numerous to count.
A2 = Sample incubation period exceeded method requirement.
A3 = Sample incubation period was shorter than method requirement.
A4 = Target organism detected in associated method blank.
A5 = Incubator/water bath temperature was outside method requirements.
A6 = Target organism not detected in associated positive control.
A7 = Micro sample received without adequate headspace.

Method/calibration blank:
B1 = Target analyte detected in method blank at or above the method reporting limit.
B2 = Non-target analyte detected in method blank and sample, producing interference.
B3 = Target analyte detected in calibration blank at or above the method reporting limit.
B4 = Target analyte detected in blank at/above method acceptance criteria.
B5 = Target analyte detected in method blank at or above the method reporting limit, but below trigger level or MCL.
B6 = Target analyte detected in calibration blank at or above the method reporting limit, but below trigger level or MCL.
B7 = Target analyte detected in method blank at or above method reporting limit. Concentration found in the sample was 10 times above the concentration found in the method blank.

Confirmation:
C1 = Confirmatory analysis not performed as required by the method.
C3 = Qualitative confirmation performed.
C4 = Confirmatory analysis was past holding time.
C5 = Confirmatory analysis was past holding time. Original result not confirmed.
C6 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the higher value was reported as there was no obvious chromatographic interference.
C7 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic interference.

Dilution:
D1 = Sample required dilution due to matrix.
D2 = Sample required dilution due to high concentration of target analyte.
D3 = Sample dilution required due to insufficient sample.
D4 = Minimum reporting level (MRL) adjusted to reflect sample amount received and analyzed.

Estimated concentration:
E1 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not possible due to insufficient sample.
E2 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to sample matrix.
E3 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

E4 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL).
E5 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL), but not confirmed by alternate analysis.
E6 = Concentration estimated. Internal standard recoveries did not meet method acceptance criteria.
E7 = Concentration estimated. Internal standard recoveries did not meet laboratory acceptance criteria.
E8 = Analyte reported to MDL per project specification. Target analyte was not detected in the sample.

Hold time:
H1 = Sample analysis performed past holding time.
H2 = Initial analysis within holding time. Reanalysis for the required dilution was past holding time.
H3 = Sample was received and analyzed past holding time.
H4 = Sample was extracted past required extraction holding time, but analyzed within analysis holding time.

BOD:
K1 = The sample dilutions set-up for the BOD analysis did not meet the oxygen depletion criteria of at least 2 mg/L. Any reported result is an estimated value.
K2 = The sample dilutions set up for the BOD analysis did not meet the criteria of a residual dissolved oxygen of at least 1 mg/L. Any reported result is an estimated value.
K4 = The seed depletion was outside the method acceptance limits. The reported result is an estimated value.
K5 = The dilution water D.O. depletion was > 0.2 mg/L.
K6 = Glucose/glutamic acid BOD was below method acceptance criteria.
K7 = A discrepancy between the BOD and COD results has been verified by reanalysis of the sample for COD.
K8 = Glucose/glutamic acid BOD was above method acceptance levels.

Laboratory fortified blank/blank spike:

L1 = The associated blank spike recovery was above laboratory acceptance limits.
L2 = The associated blank spike recovery was below laboratory acceptance limits.
L3 = The associated blank spike recovery was above method acceptance limits.
L4 = The associated blank spike recovery was below method acceptance limits.

Matrix spike:
M1 = Matrix spike recovery was high, the method control sample recovery was acceptable.
M2 = Matrix spike recovery was low, the method control sample recovery was acceptable.
M3 = The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
M4 = The analysis of the spiked sample required a dilution such that the spike concentration was diluted below the reporting limit. The method control sample recovery was acceptable.
M5 = Analyte concentration was determined by the method of standard addition (MSA).

M6 = Matrix spike recovery was high. Data reported per ADEQ policy 0154.000.
M7 = Matrix spike recovery was low. Data reported per ADEQ policy 0154.000.

General:
N1 = See case narrative.
N2 = See corrective action report.
N3 = The analysis meets all method requirements. See case narrative.

Sample quality:
Q1 = Sample integrity was not maintained. See case narrative.
Q2 = Sample received with headspace.
Q3 = Sample received with improper chemical preservation.
Q4 = Sample received and analyzed without chemical preservation.
Q5 = Sample received with inadequate chemical preservation, but preserved by the laboratory.
Q6 = Sample was received above recommended temperature.
Q7 = Sample inadequately dechlorinated.
Q8 = Insufficient sample received to meet method QC requirements. Batch QC requirements satisfies ADEQ policies 0154 and 0155.
Q9 = Insufficient sample received to meet method QC requirements.
Q10 = Sample received in inappropriate sample container.
Q11 = Sample is heterogeneous. Sample homogeneity could not be readily achieved using routine laboratory practices.

Duplicates:
R1 = RPD exceeded the method control limit. See case narrative.
R2 = RPD exceeded the laboratory control limit. See case narrative.
R4 = MS/MSD RPD exceeded the method control limit. Recovery met acceptance criteria.
R5 = MS/MSD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R6 = LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
R7 = LFB/LFBD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R8 = Sample RPD exceeded the method control limit.
R9 = Sample RPD exceeded the laboratory control limit.
R10 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic problems.
R11 = The RPD calculation for MS/MSD does not provide useful information due to the varying sample weights when Encore samplers/methanol field preserved samples are used.

Surrogate:
S1 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits.
S3 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits. No target analytes were detected in the sample.
S4 = Surrogate recovery was above laboratory and method acceptance limits. No target analytes were detected in the sample.
S5 = Surrogate recovery was below laboratory acceptance limits, but within method acceptance limits.
S6 = Surrogate recovery was below laboratory and method acceptance limits. Reextraction and/or reanalysis confirms low recovery caused by matrix effect.

S7 = Surrogate recovery was below laboratory and method acceptance limits. Unable to confirm matrix effect.
S8 = The analysis of the sample required a dilution such that the surrogate recovery calculation does not provide any useful information. The method control sample recovery was acceptable.
S10 = Surrogate recovery was above laboratory and method acceptance limits. See Case narrative.
S11 = Surrogate recovery was high. Data reported per ADEQ policy 0154.000.
S12 = Surrogate recovery was low. Data reported per ADEQ policy 0154.000.

Method/analyte discrepancies:
T1 = Method approved by EPA, but not yet licensed by ADHS.
T2 = Cited ADHS licensed method does not contain this analyte as part of method compound list.
T3 = Method not promulgated either by EPA or ADHS.
T4 = Tentatively identified compound. Concentration is estimated and based on the closest internal standard.

Calibration verification:
V1 = CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
V2 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample. The sample could not be reanalyzed due to insufficient sample.
V3 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample, but the sample was not reanalyzed. See case narrative.
V4 = CCV recovery was below method acceptance limits. The sample could not be reanalyzed due to insufficient sample.
V5 = CCV recovery after a group of samples was above acceptance limits. This target analyte was not detected in the sample. Acceptable per EPA Method 8000B.
V6 = Data reported from one-point calibration criteria per ADEQ policy 0155.000.
V7 = Calibration verification recovery was above the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.
V8 = Calibration verification recovery was below the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.

Calibration:
W1 = The % RSD for this compound was above 20%. The average % RSD for all compounds in the calibration met the 20% criteria as specified in EPA method 8000B.
W2 = The % RSD for this compound was above 15%. The average % RSD for all compounds in the calibration met the 15% criteria as specified in EPA method 8260B/8270C.

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
D0600857-001	PPG0176-02	07/10/06	08:15
D0600857-002	PPG0176-03	07/10/06	09:16
D0600857-003	PPG0176-04	07/10/06	09:56
D0600857-004	PPG0176-05	07/10/06	11:16
D0600857-005	PPG0176-06	07/10/06	11:58
D0600857-006	PPG0176-07	07/10/06	12:35
D0600857-007	PPG0176-08	07/10/06	13:39
D0600857-008	PPG0176-09	07/10/06	14:37
D0600857-009	PPG0176-10	07/10/06	15:20
D0600857-010	PPG0176-11	07/10/06	15:30

CASE NARRATIVE

COLUMBIA ANALYTICAL SERVICES, INC.

Client:	Transwest Geochem, Inc.	**Service Request No.:**	D0600857
Project:	PPG0176	**Date Received:**	July 13, 2006
Sample Matrix:	Water		

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of Columbia Analytical Services, Inc. (CAS). This report contains analytical results for samples designated for Tier II data deliverables.

Sample Receipt

Ten water samples were received for analysis at Columbia Analytical Services on July 13, 2006.

No discrepancies were noted upon initial sample inspection. The samples were received in good condition and consistent with the accompanying chain of custody form. The samples were stored in a refrigerator at 4°C upon receipt at the laboratory.

Diesel Range Organics by EPA Method 8015B

Continuing Calibration Verification Exceptions:
The upper control criterion was exceeded for TPH-Diesel in closing Continuing Calibration Verifications F0722013 and F0725010. Since the apparent problem equates to a potential high bias, the data quality is not significantly affected. No further corrective action was necessary.

Matrix Spike Recovery Exceptions:
Insufficient sample volume was received to perform a Matrix Spike/Matrix Spike Duplicate (MS/MSD). A Laboratory Control Sample/Duplicate Laboratory Control Sample (LCS/DLCS) was analyzed in order to report precision data.

Elevated Method Reporting Limits:
Sample PPG0176-06 required dilution due to the presence of elevated levels of target analyte. The reporting limits are adjusted to reflect the dilution.

Approved by: _____ **Date:** 7/27/06

CHAIN OF CUSTODY DOCUMENTATION

TRANSWEST GEOCHEM

CHAIN-OF-CUSTODY [redacted]

Skip Harden
3725 E. Atlanta Avenue
Suite 2
Phoenix, AZ 85040
TEL: (602) 437-0330
FAX: (602) 437-0660

Work Order: 0607115

Project: PPG0176

Subcontractor:
Columbia Analytical Services
5090 Caterpillar Rd.
Redding, CA 96003
TEL: (530) 244-5227
FAX: (530) 244-4109

11-Jul-06

Client Sample ID	TGI ID	Matrix	Collection Date	Containers	8015MOD_W
PPG0176-02	01A	Water	7/10/2006 8:15:00 AM	1	1
PPG0176-03	02A	Water	7/10/2006 9:16:00 AM	1	1
PPG0176-04	03A	Water	7/10/2006 9:56:00 AM	1	1
PPG0176-05	04A	Water	7/10/2006 11:16:00 AM	1	1
PPG0176-06	05A	Water	7/10/2006 11:58:00 AM	1	1
PPG0176-07	06A	Water	7/10/2006 12:35:00 PM	1	1
PPG0176-08	07A	Water	7/10/2006 1:39:00 PM	1	1
PPG0176-09	08A	Water	7/10/2006 2:37:00 PM	1	1
PPG0176-10	09A	Water	7/10/2006 3:20:00 PM	1	1
PPG0176-11	10A	Water	7/10/2006 3:30:00 PM	1	1

Requested Tests

need low level reporting limits

Comments: After analysis, the samples do not need to be returned and can be disposed per your standard laboratory practices. Please provide a QC report, including Method Blank data.

Sample Receipt		
Temperature:	Ambient / Cold	Ice:
Received Intact:		Absent / Present
Custody Seals:		Wet / Blue
Total No. of Containers:		°C.

		Date/Time			Date/Time
Relinquished by:	Leslie May - TGI	7/12/06 1600	**Received by:**	UPS	
Relinquished by:			**Received by:**	J Quatmer	7/13/06 0945
Relinquished by:			**Received by:**		

11

Columbia Analytical Services inc.
An Employee-Owned Company

5090 Caterpillar Road
Redding, CA 96003
Phone: (530) 244-5262

[redacted]

COOLER RECEIPT FORM

Project/Client: _____ Batch N[redacted]

1. Cooler(s)/Sample(s) received on: 7/13/06 Shipped via: UPS
   Shipping Bill # (s): 9011 7018 # of Coolers/Packages 1
2. Radiological Screening by: _____ Acceptable Rejected
3. Custody seals on outside of cooler: YES NO N/A
   If yes, where? Front ✓ Rear ✓ Lt Side_____ Rt Side_____
   Seals intact: YES NO

COOLER/SAMPLE PROCESSING

4. Sample Processing/Tagging by: [illegible]
5. Cooler(s)/Sample(s) Temp's: 3.0c _____ _____ _____ _____
   (or)
   Temp. Blank (if included): _____ _____ _____ _____ _____
6. Type of packing material (circle): Ice Blue Ice Bubble Wrap Bubble Bags Zip Locks Webbing
   Other: _____
7. Custody papers properly filled out (ink, signed, dated, released, etc.)? YES NO
8. Containers arrived in good condition (not broken, leaking, etc.)? YES NO
9. Samples received with adequate holding time remaining to conduct analysis? YES NO
10. Container labels complete (i.e. analysis, preservation, date/time, etc.)? YES NO
11. Container labels and tags agree with custody papers? YES NO
12. Correct types of containers used for the tests indicated? YES NO
    a.) Adequate sample received? If not, note on Exception Report. YES NO
13. Containers supplied by: CAS Other
14. Preserved containers received with the appropriate preservative? YES NO N/A
    pH: _____ (or) See pH log.
15. VOA vials free of air bubbles? YES NO N/A
16. Trip Blank preparation date: _____ CAS Other N/A
17. Volatile Soil samples: Encores or Plugs in Vials
    Freezer or GC/MS Date: _____ Time: _____ N/A

See Exception Report for discrepancies.

Rev. 8/18/2004/ds

GC TPH DIESEL

ORGANIC ANALYSES DATA PACKAGE

Analytical Method: CA LUFT AAB #: D0600857

Lab Name: Columbia Analytical Services/Redding

Base/Command: ARIZONA DELIVERABLES (RL)

Project: PPG0176

Field Sample ID	Lab Sample ID
PPG0176-02	D0600857-001
PPG0176-03	D0600857-002
PPG0176-04	D0600857-003
PPG0176-05	D0600857-004
PPG0176-06	D0600857-005
PPG0176-07	D0600857-006
PPG0176-08	D0600857-007
PPG0176-09	D0600857-008
PPG0176-10	D0600857-009
PPG0176-11	D0600857-010

Comments:

I certify this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: Wida Ang Name: WIDA ANG

Date: 7/26/06 Title: Organic Manager

RDD-060726:CC:BS-0950PST-SR:D0600857-D0600857-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600857

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0176-02 Lab Sample ID: D0600857-001 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/13/06 Date Extracted: 07/14/06 Date Analyzed: 07/22/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**160**	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	**160**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	94	58-111	
Triacontane - SS	94	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600857

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0176-03 Lab Sample ID: D0600857-002 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/13/06 Date Extracted: 07/14/06 Date Analyzed: 07/23/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**190**	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	**190**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	101	58-111	
Triacontane - SS	101	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600857

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0176-04 Lab Sample ID: D0600857-003 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/13/06 Date Extracted: 07/14/06 Date Analyzed: 07/23/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**570**	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	**570**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	102	58-111	
Triacontane - SS	101	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600857

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0176-05 Lab Sample ID: D0600857-004 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/13/06 Date Extracted: 07/14/06 Date Analyzed: 07/23/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**230**	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	**230**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	98	58-111	
Triacontane - SS	97	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600857

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0176-06 Lab Sample ID: D0600857-005 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/13/06 Date Extracted: 07/14/06 Date Analyzed: 07/23/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		500	**11000**	10		D2
C23 - C32 HRO		500	ND	10		D2
Total Petroleum Hydrocarbons		1000	**11000**	10		D2

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	94	58-111	
Triacontane - SS	93	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600857

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0176-07 Lab Sample ID: D0600857-006 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/13/06 Date Extracted: 07/14/06 Date Analyzed: 07/23/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**970**	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	**970**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	84	58-111	
Triacontane - SS	84	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600857

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0176-08 Lab Sample ID: D0600857-007 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/13/06 Date Extracted: 07/14/06 Date Analyzed: 07/25/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**150**	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	**150**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	92	58-111	
Triacontane - SS	92	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600857

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0176-09 Lab Sample ID: D0600857-008 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/13/06 Date Extracted: 07/14/06 Date Analyzed: 07/25/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	74	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	98	58-111	
Triacontane - SS	98	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600857

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0176-10 Lab Sample ID: D0600857-009 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/13/06 Date Extracted: 07/14/06 Date Analyzed: 07/25/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**940**	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	**990**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	100	58-111	
Triacontane - SS	99	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600857

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0176-11 Lab Sample ID: D0600857-010 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/13/06 Date Extracted: 07/14/06 Date Analyzed: 07/25/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**910**	1		
C23 - C32 HRO		50	ND	1		
Total Petroleum Hydrocarbons		100	**910**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	94	58-111	
Triacontane - SS	94	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 6
BLANKS

Analytical Method: CA LUFT AAB #: D0600857

Lab Name: Columbia Analytical Services/Redding

Concentration Units (ug/L or mg/kg): UG/L Method Blank ID: DWB10714

Lab Sample ID: DWB10714

Initial Calibration ID: 05/20/06GCF

Analyte		Method Blank	RL	Q
C13 - C22 DRO		ND	50	
C23 - C32 HRO		ND	50	
Total Petroleum Hydrocarbons		ND	100	

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	74	58-111	
Triacontane - SS	74	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 7
LABORATORY CONTROL SAMPLE/LABORATORY CONTROL SAMPLE DUPLICATE

Analytical Method: CA LUFT AAB #: D0600857

Lab Name: Columbia Analytical Services/Redding

Concentration Units (ug/L or mg/kg): UG/L %Solids: _____

Parent Field Sample ID: DWB10714 BS ID: DWB10714LCS BSD ID: DWB10714LCSD

Analyte	Parent Sample Result	Spike Added	Spiked Sample Result	%R	Duplicat Spike Sample Result	%R	%RPD	Control Limits %RPD	Control Limits %R	Q
C13 - C22 DRO		2500	2440	98	2390	96	2	30	64-106	

Comments:

ORGANIC ANALYSES DATA SHEET 10
INSTRUMENT ANALYSIS SEQUENCE LOG

Analytical Method: CA LUFT AAB #: D0600857

Lab Name: Columbia Analytical Services/Redding

Instrument ID #: GCF RTX-5

Field Sample ID/Std ID/ Blank ID/QC Sample ID	Laboratory File ID	Date Analysis Started	Time Analysis Started	Date Analysis Completed	Time Analysis Completed
DSTD6	F0520002	05/20/06	1838	05/20/06	1908
DSTD1	F0520003	05/20/06	1923	05/20/06	1953
DSTD2	F0520004	05/20/06	2008	05/20/06	2038
DSTD3	F0520005	05/20/06	2054	05/20/06	2124
DSTD4	F0520006	05/20/06	2139	05/20/06	2209
DSTD5	F0520007	05/20/06	2225	05/20/06	2255
QC ALT	F0520009	05/20/06	2356	05/21/06	0026
DSTD3	F0722002	07/22/06	2030	07/22/06	2100
DWB10714	F0722003	07/22/06	2114	07/22/06	2144
DWB10714LCS	F0722004	07/22/06	2158	07/22/06	2228
DWB10714LCSD	F0722005	07/22/06	2242	07/22/06	2312
PPG0176-02	F0722006	07/22/06	2327	07/22/06	2357
PPG0176-03	F0722007	07/23/06	0011	07/23/06	0041
PPG0176-04	F0722008	07/23/06	0055	07/23/06	0125
PPG0176-05	F0722009	07/23/06	0140	07/23/06	0210
PPG0176-06	F0722010	07/23/06	0224	07/23/06	0254
PPG0176-07	F0722011	07/23/06	0308	07/23/06	0338
DSTD4	F0722013	07/23/06	0437	07/23/06	0507
DSTD3	F0725002	07/25/06	1426	07/25/06	1456
PPG0176-08	F0725003	07/25/06	1510	07/25/06	1540
PPG0176-09	F0725004	07/25/06	1554	07/25/06	1624
PPG0176-10	F0725005	07/25/06	1639	07/25/06	1709
PPG0176-11	F0725006	07/25/06	1723	07/25/06	1753
DSTD4	F0725010	07/25/06	2021	07/25/06	2051

Comments:

ORGANIC ANALYSES DATA SHEET APPENDIX A
SURROGATE RESULTS

Analytical Method: CA LUFT AAB #: D0600857

Lab Name: Columbia Analytical Services/Redding

Matrix: Water

Field/QC Sample ID	S1	S2	S3	S4	S5	S6	S7	S8	Q
DWB10714	74	74							
DWB10714LCS	98	98							
DWB10714LCSD	94	95							
PPG0176-02	94	94							
PPG0176-03	101	101							
PPG0176-04	102	101							
PPG0176-05	98	97							
PPG0176-06	94	93							
PPG0176-07	84	84							
PPG0176-08	92	92							
PPG0176-09	98	98							
PPG0176-10	100	99							
PPG0176-11	94	94							

S1: Octacosane - SS 58-111
S2: Triacontane - SS 54-109

Comments:

Sab

TRANSWEST GEOCHEM

Sample Receipt Checklist

Client Name: Del Mar

Date and Time Received: 7/11/06 0837

Work Order Number: 0607115

Checked by: lm

Checklist completed by: Leslie May 7/11/06
Signature / Date

Logged in by: lm 7/11/06
Initials / Date

Matrix: Water Carrier Name: (Client) TGI _____

Reviewed by: SH 7/11/06
Initials / Date

				COMMENTS
Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐	
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☑	
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑	
Chain of custody present?	Yes ☑	No ☐		
Chain of custody signed when relinquished and received?	Yes ☑	No ☐		
Chain of custody agrees with sample labels?	Yes ☑	No ☐		
Samples in proper container/bottle?	Yes ☑	No ☐		
Sample containers intact?	Yes ☑	No ☐		
Sufficient sample volume for indicated test?	Yes ☑	No ☐		
All samples received within holding time?	Yes ☑	No ☐		
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	Temp: 5.4	Sampled < 2hrs ☐
Water – VOA vials have zero headspace?	Yes ☐	No ☐	N/A ☑	
Water – pH acceptable upon receipt?	Yes ☑	No ☐	N/A ☐	Checked by: lm
Water – Sulfides present in Cyanide samples?	Yes ☐	No ☐	N/A ☑	
Sample considered Drinking Water?	Yes ☐	No ☐	N/A ☑	

Client contacted: _____ Date contacted: _____ Person contacted: _____

Contacted by: _____ Regarding: _____

Corrective Action: _____

TestAmerica
ANALYTICAL TESTING CORPORATION

SUBCONTRACT ORDER - PROJECT # PPG0176

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660
0607115

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPG0176-02 Water	**Sampled: 07/10/06 08:15**	
8015B MOD-Low Level-O	07/17/06 08:15	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPG0176-02D)		
1 L Amber w/H2SO4 (PPG0176-02E)		
Sample ID: PPG0176-03 Water	**Sampled: 07/10/06 09:16**	
8015B MOD-Low Level-O	07/17/06 09:16	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPG0176-03D)		
1 L Amber w/H2SO4 (PPG0176-03E)		
Sample ID: PPG0176-04 Water	**Sampled: 07/10/06 09:56**	
8015B MOD-Low Level-O	07/17/06 09:56	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPG0176-04D)		
1 L Amber w/H2SO4 (PPG0176-04E)		
Sample ID: PPG0176-05 Water	**Sampled: 07/10/06 11:16**	
8015B MOD-Low Level-O	07/17/06 11:16	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPG0176-05D)		
1 L Amber w/H2SO4 (PPG0176-05E)		
Sample ID: PPG0176-06 Water	**Sampled: 07/10/06 11:58**	
8015B MOD-Low Level-O	07/17/06 11:58	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPG0176-06D)		
1 L Amber w/H2SO4 (PPG0176-06E)		

PH
1
2
2
2
3
2
4
2
5
2

Released By	Date	Time	Received By	Date	Time
			See p. 3 & 7/10/06		
Released By	Date	Time	Received By	Date	Time

TestAmerica
ANALYTICAL TESTING CORPORATION

SUBCONTRACT ORDER - PROJECT # PPG0176

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660
0607115

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPG0176-07 Water	**Sampled: 07/10/06 12:35**	
8015B MOD-Low Level-O	07/17/06 12:35	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPG0176-07D)		6
1 L Amber w/H2SO4 (PPG0176-07E)		2
Sample ID: PPG0176-08 Water	**Sampled: 07/10/06 13:39**	
8015B MOD-Low Level-O	07/17/06 13:39	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPG0176-08D)		7
1 L Amber w/H2SO4 (PPG0176-08E)		2
Sample ID: PPG0176-09 Water	**Sampled: 07/10/06 14:37**	
8015B MOD-Low Level-O	07/17/06 14:37	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPG0176-09D)		8
1 L Amber w/H2SO4 (PPG0176-09E)		2
Sample ID: PPG0176-10 Water	**Sampled: 07/10/06 15:20**	
8015B MOD-Low Level-O	07/17/06 15:20	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPG0176-10D)		9
1 L Amber w/H2SO4 (PPG0176-10E)		2
Sample ID: PPG0176-11 Water	**Sampled: 07/10/06 15:30**	
8015B MOD-Low Level-O	07/17/06 15:30	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPG0176-11D)		10
1 L Amber w/H2SO4 (PPG0176-11E)		2

Released By	Date	~~Time~~	Received By	Date	Time
			See p. 3	7/10/06	
Released By	Date	Time	Received By	Date	Time

TestAmerica
ANALYTICAL TESTING CORPORATION

SUBCONTRACT ORDER - PROJECT # PPG0176

0607115

SAMPLE INTEGRITY:

All containers intact:	☑ Yes	☐ No	Sample labels/COC agree:	☑ Yes	☐ No	Samples Received On Ice::	☑ Yes	☐ No	
Custody Seals Present:	☐ Yes	☑ No	Samples Preserved Properly:	☑ Yes	☐ No	Samples Received at (temp):	5.4		

Released By	Date	Time	Received By	Date	Time
[signature]	7/11/6	0800	[signature]	7/11/6	0800
[signature]	7/11/6	0837	Leslie May - T61	7/11/06	0837

TestAmerica
ANALYTICAL TESTING CORPORATION

9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

LABORATORY REPORT

Prepared For: CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project: Sky Harbor / HW Quarterly / UST Sampling Program

Sampled: 07/12/06
Received: 07/12/06
Issued: 07/30/06 09:40

NELAP #01109CA Arizona DHS#AZ0426

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.
This entire report was reviewed and approved for release.

CASE NARRATIVE

LABORATORY ID	CLIENT ID	MATRIX
PPG0291-01	TB-071206	Water
PPG0291-02	BC-7A-6B3	Water
PPG0291-03	PL-105A-6B3	Water

SAMPLE RECEIPT: Samples were received intact, at 3°C, on ice and with chain of custody documentation.

HOLDING TIMES: All samples were analyzed within prescribed holding times and/or in accordance with the TestAmerica Sample Acceptance Policy unless otherwise noted in the report.

PRESERVATION: Samples requiring preservation were verified prior to sample analysis.

QA/QC CRITERIA: All analyses met method criteria, except as noted in the report with data qualifiers.

COMMENTS: N1: The second source continuing calibration verification analyzed immediately following the calibration recovered high and outside of acceptance limits for Vinyl Acetate. All associated samples are non-detect for Vinyl Acetate and therefore should not be impacted.
R1: The RPD exceeded the method control limit.

SUBCONTRACTED: Refer to the last page for specific subcontract laboratory information included in this report.

Reviewed By:

Ken Baker

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / UST Sampling Program
Report Number: PPG0291
Sampled: 07/12/06
Received: 07/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0291-01 (TB-071206 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2515	20	ND	1	7/25/2006	7/25/2006	L3
Benzene	EPA 8260B	P6G2515	1.0	ND	1	7/25/2006	7/25/2006	
Bromobenzene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
Bromochloromethane	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
Bromodichloromethane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Bromoform	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
Bromomethane	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
2-Butanone (MEK)	EPA 8260B	P6G2515	10	ND	1	7/25/2006	7/25/2006	
n-Butylbenzene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
sec-Butylbenzene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
tert-Butylbenzene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
Carbon Disulfide	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
Carbon tetrachloride	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
Chlorobenzene	EPA 8260B	P6G2515	1.0	ND	1	7/25/2006	7/25/2006	
Chloroethane	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
Chloroform	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Chloromethane	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
2-Chlorotoluene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
4-Chlorotoluene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
Dibromochloromethane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Dibromomethane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2515	1.0	ND	1	7/25/2006	7/25/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2515	1.0	ND	1	7/25/2006	7/25/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2515	1.0	ND	1	7/25/2006	7/25/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
1,1-Dichloroethane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,2-Dichloroethane	EPA 8260B	P6G2515	1.0	ND	1	7/25/2006	7/25/2006	
1,1-Dichloroethene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,2-Dichloropropane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,3-Dichloropropane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
2,2-Dichloropropane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,1-Dichloropropene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Ethylbenzene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Hexachlorobutadiene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
2-Hexanone	EPA 8260B	P6G2515	10	ND	1	7/25/2006	7/25/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / UST Sampling Program
Report Number: PPG0291
Sampled: 07/12/06
Received: 07/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0291-01 (TB-071206 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Isopropylbenzene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
p-Isopropyltoluene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Methylene chloride	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2515	10	ND	1	7/25/2006	7/25/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
Naphthalene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
n-Propylbenzene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Styrene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Tetrachloroethene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Toluene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	V1, L3
1,2,4-Trichlorobenzene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Trichloroethene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Trichlorofluoromethane	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2515	10	ND	1	7/25/2006	7/25/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Vinyl acetate	EPA 8260B	P6G2515	25	ND	1	7/25/2006	7/25/2006	N1
Vinyl chloride	EPA 8260B	P6G2515	1.7	ND	1	7/25/2006	7/25/2006	
Xylenes, Total	EPA 8260B	P6G2515	3.0	ND	1	7/25/2006	7/25/2006	
Surrogate: Dibromofluoromethane (80-130%)				*105 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / UST Sampling Program
Report Number: PPG0291
Sampled: 07/12/06
Received: 07/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0291-02 (BC-7A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2515	20	ND	1	7/25/2006	7/25/2006	L3
Benzene	EPA 8260B	P6G2515	1.0	ND	1	7/25/2006	7/25/2006	
Bromobenzene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
Bromochloromethane	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
Bromodichloromethane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Bromoform	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
Bromomethane	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
2-Butanone (MEK)	EPA 8260B	P6G2515	10	ND	1	7/25/2006	7/25/2006	
n-Butylbenzene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
sec-Butylbenzene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
tert-Butylbenzene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
Carbon Disulfide	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
Carbon tetrachloride	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
Chlorobenzene	EPA 8260B	P6G2515	1.0	ND	1	7/25/2006	7/25/2006	
Chloroethane	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
Chloroform	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Chloromethane	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
2-Chlorotoluene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
4-Chlorotoluene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
Dibromochloromethane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Dibromomethane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2515	1.0	ND	1	7/25/2006	7/25/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2515	1.0	ND	1	7/25/2006	7/25/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2515	1.0	ND	1	7/25/2006	7/25/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
1,1-Dichloroethane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,2-Dichloroethane	EPA 8260B	P6G2515	1.0	ND	1	7/25/2006	7/25/2006	
1,1-Dichloroethene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,2-Dichloropropane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,3-Dichloropropane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
2,2-Dichloropropane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,1-Dichloropropene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Ethylbenzene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Hexachlorobutadiene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
2-Hexanone	EPA 8260B	P6G2515	10	ND	1	7/25/2006	7/25/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / UST Sampling Program
Report Number: PPG0291
Sampled: 07/12/06
Received: 07/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0291-02 (BC-7A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Isopropylbenzene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
p-Isopropyltoluene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Methylene chloride	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2515	10	ND	1	7/25/2006	7/25/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
Naphthalene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
n-Propylbenzene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Styrene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Tetrachloroethene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Toluene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	V1, L3
1,2,4-Trichlorobenzene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Trichloroethene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Trichlorofluoromethane	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2515	10	ND	1	7/25/2006	7/25/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Vinyl acetate	EPA 8260B	P6G2515	25	ND	1	7/25/2006	7/25/2006	N1
Vinyl chloride	EPA 8260B	P6G2515	1.7	ND	1	7/25/2006	7/25/2006	
Xylenes, Total	EPA 8260B	P6G2515	3.0	ND	1	7/25/2006	7/25/2006	
Surrogate: Dibromofluoromethane (80-130%)				*108 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*97 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / UST Sampling Program
Report Number: PPG0291
Sampled: 07/12/06
Received: 07/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0291-03 (PL-105A-6B3 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2515	20	ND	1	7/25/2006	7/25/2006	L3
Benzene	EPA 8260B	P6G2515	1.0	**11**	1	7/25/2006	7/25/2006	
Bromobenzene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
Bromochloromethane	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
Bromodichloromethane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Bromoform	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
Bromomethane	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
2-Butanone (MEK)	EPA 8260B	P6G2515	10	ND	1	7/25/2006	7/25/2006	
n-Butylbenzene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
sec-Butylbenzene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
tert-Butylbenzene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
Carbon Disulfide	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
Carbon tetrachloride	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
Chlorobenzene	EPA 8260B	P6G2515	1.0	ND	1	7/25/2006	7/25/2006	
Chloroethane	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
Chloroform	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Chloromethane	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
2-Chlorotoluene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
4-Chlorotoluene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
Dibromochloromethane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Dibromomethane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2515	1.0	ND	1	7/25/2006	7/25/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2515	1.0	ND	1	7/25/2006	7/25/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2515	1.0	ND	1	7/25/2006	7/25/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
1,1-Dichloroethane	EPA 8260B	P6G2515	2.0	**37**	1	7/25/2006	7/25/2006	
1,2-Dichloroethane	EPA 8260B	P6G2515	1.0	ND	1	7/25/2006	7/25/2006	
1,1-Dichloroethene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,2-Dichloropropane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,3-Dichloropropane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
2,2-Dichloropropane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,1-Dichloropropene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Ethylbenzene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Hexachlorobutadiene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
2-Hexanone	EPA 8260B	P6G2515	10	ND	1	7/25/2006	7/25/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / UST Sampling Program
Report Number: PPG0291
Sampled: 07/12/06
Received: 07/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0291-03 (PL-105A-6B3 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Isopropylbenzene	EPA 8260B	P6G2515	2.0	**9.3**	1	7/25/2006	7/25/2006	
p-Isopropyltoluene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Methylene chloride	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2515	10	ND	1	7/25/2006	7/25/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
Naphthalene	EPA 8260B	P6G2515	2.0	**23**	1	7/25/2006	7/25/2006	
n-Propylbenzene	EPA 8260B	P6G2515	2.0	**5.0**	1	7/25/2006	7/25/2006	
Styrene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Tetrachloroethene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Toluene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	V1, L3
1,2,4-Trichlorobenzene	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Trichloroethene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Trichlorofluoromethane	EPA 8260B	P6G2515	5.0	ND	1	7/25/2006	7/25/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2515	10	ND	1	7/25/2006	7/25/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2515	2.0	ND	1	7/25/2006	7/25/2006	
Vinyl acetate	EPA 8260B	P6G2515	25	ND	1	7/25/2006	7/25/2006	N1
Vinyl chloride	EPA 8260B	P6G2515	1.7	**3.1**	1	7/25/2006	7/25/2006	
Xylenes, Total	EPA 8260B	P6G2515	3.0	ND	1	7/25/2006	7/25/2006	
Surrogate: Dibromofluoromethane (80-130%)				*110 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / UST Sampling Program
Report Number: PPG0291
Sampled: 07/12/06
Received: 07/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2515 Extracted: 07/25/06										
Blank Analyzed: 07/25/2006 (P6G2515-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / UST Sampling Program
Report Number: PPG0291
Sampled: 07/12/06
Received: 07/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2515 Extracted: 07/25/06										
Blank Analyzed: 07/25/2006 (P6G2515-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							*N1*
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*26.3*		*ug/l*	*25.0*		*105*	*80-130*			
Surrogate: Toluene-d8	*26.4*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.1*		*ug/l*	*25.0*		*96*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / UST Sampling Program
Report Number: PPG0291
Sampled: 07/12/06
Received: 07/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2515 Extracted: 07/25/06										
LCS Analyzed: 07/25/2006 (P6G2515-BS1)										
Acetone	36.6	20	ug/l	25.0		146	30-150			
Benzene	25.5	1.0	ug/l	25.0		102	80-120			
Bromobenzene	26.4	5.0	ug/l	25.0		106	80-125			
Bromochloromethane	25.5	5.0	ug/l	25.0		102	80-125			
Bromodichloromethane	25.7	2.0	ug/l	25.0		103	80-120			
Bromoform	23.7	5.0	ug/l	25.0		95	70-120			
Bromomethane	26.5	5.0	ug/l	25.0		106	80-135			
2-Butanone (MEK)	26.6	10	ug/l	25.0		106	55-150			
n-Butylbenzene	27.1	5.0	ug/l	25.0		108	80-120			
sec-Butylbenzene	27.3	5.0	ug/l	25.0		109	80-130			
tert-Butylbenzene	27.5	5.0	ug/l	25.0		110	80-130			
Carbon Disulfide	29.1	5.0	ug/l	25.0		116	55-145			
Carbon tetrachloride	26.4	5.0	ug/l	25.0		106	80-120			
Chlorobenzene	25.6	1.0	ug/l	25.0		102	80-120			
Chloroethane	26.6	5.0	ug/l	25.0		106	80-125			
Chloroform	25.8	2.0	ug/l	25.0		103	80-120			
Chloromethane	27.1	5.0	ug/l	25.0		108	70-130			
2-Chlorotoluene	26.6	5.0	ug/l	25.0		106	80-120			
4-Chlorotoluene	26.5	5.0	ug/l	25.0		106	80-120			
Dibromochloromethane	22.3	2.0	ug/l	25.0		89	75-120			
1,2-Dibromo-3-chloropropane	20.2	5.0	ug/l	25.0		81	55-120			
1,2-Dibromoethane (EDB)	24.4	2.0	ug/l	25.0		98	75-125			
Dibromomethane	24.4	2.0	ug/l	25.0		98	80-125			
1,2-Dichlorobenzene	25.1	1.0	ug/l	25.0		100	80-120			
1,3-Dichlorobenzene	25.7	1.0	ug/l	25.0		103	80-125			
1,4-Dichlorobenzene	25.6	1.0	ug/l	25.0		102	80-120			
Dichlorodifluoromethane	27.3	5.0	ug/l	25.0		109	60-140			
1,1-Dichloroethane	25.9	2.0	ug/l	25.0		104	80-120			
1,2-Dichloroethane	25.4	1.0	ug/l	25.0		102	75-125			
1,1-Dichloroethene	25.6	5.0	ug/l	25.0		102	75-120			
cis-1,2-Dichloroethene	25.3	2.0	ug/l	25.0		101	80-125			
trans-1,2-Dichloroethene	24.8	2.0	ug/l	25.0		99	80-120			
1,2-Dichloropropane	25.0	2.0	ug/l	25.0		100	80-120			
1,3-Dichloropropane	23.7	2.0	ug/l	25.0		95	80-120			
2,2-Dichloropropane	25.4	2.0	ug/l	25.0		102	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / UST Sampling Program
Report Number: PPG0291
Sampled: 07/12/06
Received: 07/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2515 Extracted: 07/25/06										
LCS Analyzed: 07/25/2006 (P6G2515-BS1)										
1,1-Dichloropropene	26.0	2.0	ug/l	25.0		104	80-120			
cis-1,3-Dichloropropene	26.4	2.0	ug/l	25.0		106	75-120			
trans-1,3-Dichloropropene	26.3	2.0	ug/l	25.0		105	80-120			
Ethylbenzene	26.0	2.0	ug/l	25.0		104	80-125			
Hexachlorobutadiene	22.3	5.0	ug/l	25.0		89	70-130			
2-Hexanone	26.9	10	ug/l	25.0		108	40-150			
Iodomethane	27.8	2.0	ug/l	25.0		111	80-130			
Isopropylbenzene	29.3	2.0	ug/l	25.0		117	80-140			
p-Isopropyltoluene	27.3	2.0	ug/l	25.0		109	80-130			
Methylene chloride	23.5	5.0	ug/l	25.0		94	80-120			
4-Methyl-2-pentanone (MIBK)	27.1	10	ug/l	25.0		108	50-140			
Methyl-tert-butyl Ether (MTBE)	25.7	5.0	ug/l	25.0		103	65-130			
Naphthalene	22.3	2.0	ug/l	25.0		89	70-130			
n-Propylbenzene	28.2	2.0	ug/l	25.0		113	80-135			
Styrene	29.5	2.0	ug/l	25.0		118	80-125			
1,1,1,2-Tetrachloroethane	25.4	5.0	ug/l	25.0		102	80-120			
1,1,2,2-Tetrachloroethane	25.3	2.0	ug/l	25.0		101	65-140			
Tetrachloroethene	25.2	2.0	ug/l	25.0		101	80-125			
Toluene	25.1	2.0	ug/l	25.0		100	80-125			
1,2,3-Trichlorobenzene	25.5	5.0	ug/l	25.0		102	75-125			
1,2,4-Trichlorobenzene	21.6	5.0	ug/l	25.0		86	80-125			
1,1,1-Trichloroethane	26.1	2.0	ug/l	25.0		104	75-125			
1,1,2-Trichloroethane	23.6	2.0	ug/l	25.0		94	80-125			
Trichloroethene	25.0	2.0	ug/l	25.0		100	80-120			
Trichlorofluoromethane	27.0	5.0	ug/l	25.0		108	75-130			
1,2,3-Trichloropropane	24.6	10	ug/l	25.0		98	65-135			
1,2,4-Trimethylbenzene	27.1	2.0	ug/l	25.0		108	80-125			
1,3,5-Trimethylbenzene	27.6	2.0	ug/l	25.0		110	80-130			
Vinyl acetate	30.5	25	ug/l	25.0		122	70-140			*N1*
Vinyl chloride	27.8	1.7	ug/l	25.0		111	70-135			
Xylenes, Total	51.5	3.0	ug/l	50.0		103	80-125			
Surrogate: Dibromofluoromethane	*26.8*		*ug/l*	*25.0*		*107*	*80-130*			
Surrogate: Toluene-d8	*26.8*		*ug/l*	*25.0*		*107*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.1*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / UST Sampling Program
Report Number: PPG0291
Sampled: 07/12/06
Received: 07/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2515 Extracted: 07/25/06										
LCS Dup Analyzed: 07/25/2006 (P6G2515-BSD1)										
Acetone	40.6	20	ug/l	25.0		162	30-150	10	35	*L3*
Benzene	25.7	1.0	ug/l	25.0		103	80-120	1	10	
Bromobenzene	26.3	5.0	ug/l	25.0		105	80-125	0	10	
Bromochloromethane	26.1	5.0	ug/l	25.0		104	80-125	2	15	
Bromodichloromethane	26.5	2.0	ug/l	25.0		106	80-120	3	15	
Bromoform	24.6	5.0	ug/l	25.0		98	70-120	4	20	
Bromomethane	26.2	5.0	ug/l	25.0		105	80-135	1	15	
2-Butanone (MEK)	30.7	10	ug/l	25.0		123	55-150	14	35	
n-Butylbenzene	26.6	5.0	ug/l	25.0		106	80-120	2	10	
sec-Butylbenzene	26.8	5.0	ug/l	25.0		107	80-130	2	10	
tert-Butylbenzene	26.8	5.0	ug/l	25.0		107	80-130	3	10	
Carbon Disulfide	28.8	5.0	ug/l	25.0		115	55-145	1	15	
Carbon tetrachloride	26.0	5.0	ug/l	25.0		104	80-120	2	15	
Chlorobenzene	25.7	1.0	ug/l	25.0		103	80-120	0	10	
Chloroethane	26.4	5.0	ug/l	25.0		106	80-125	1	15	
Chloroform	26.0	2.0	ug/l	25.0		104	80-120	1	10	
Chloromethane	26.8	5.0	ug/l	25.0		107	70-130	1	15	
2-Chlorotoluene	26.1	5.0	ug/l	25.0		104	80-120	2	10	
4-Chlorotoluene	25.9	5.0	ug/l	25.0		104	80-120	2	10	
Dibromochloromethane	23.6	2.0	ug/l	25.0		94	75-120	6	15	
1,2-Dibromo-3-chloropropane	22.3	5.0	ug/l	25.0		89	55-120	10	35	
1,2-Dibromoethane (EDB)	25.8	2.0	ug/l	25.0		103	75-125	6	20	
Dibromomethane	25.5	2.0	ug/l	25.0		102	80-125	4	20	
1,2-Dichlorobenzene	25.5	1.0	ug/l	25.0		102	80-120	2	10	
1,3-Dichlorobenzene	25.6	1.0	ug/l	25.0		102	80-125	0	10	
1,4-Dichlorobenzene	25.8	1.0	ug/l	25.0		103	80-120	1	10	
Dichlorodifluoromethane	26.8	5.0	ug/l	25.0		107	60-140	2	15	
1,1-Dichloroethane	26.1	2.0	ug/l	25.0		104	80-120	1	10	
1,2-Dichloroethane	26.0	1.0	ug/l	25.0		104	75-125	2	20	
1,1-Dichloroethene	25.2	5.0	ug/l	25.0		101	75-120	2	15	
cis-1,2-Dichloroethene	25.4	2.0	ug/l	25.0		102	80-125	0	10	
trans-1,2-Dichloroethene	25.0	2.0	ug/l	25.0		100	80-120	1	10	
1,2-Dichloropropane	25.2	2.0	ug/l	25.0		101	80-120	1	15	
1,3-Dichloropropane	25.2	2.0	ug/l	25.0		101	80-120	6	15	
2,2-Dichloropropane	24.8	2.0	ug/l	25.0		99	70-130	2	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / UST Sampling Program
Report Number: PPG0291
Sampled: 07/12/06
Received: 07/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2515 Extracted: 07/25/06										
LCS Dup Analyzed: 07/25/2006 (P6G2515-BSD1)										
1,1-Dichloropropene	25.8	2.0	ug/l	25.0		103	80-120	1	10	
cis-1,3-Dichloropropene	27.2	2.0	ug/l	25.0		109	75-120	3	15	
trans-1,3-Dichloropropene	27.4	2.0	ug/l	25.0		110	80-120	4	20	
Ethylbenzene	25.9	2.0	ug/l	25.0		104	80-125	0	15	
Hexachlorobutadiene	22.2	5.0	ug/l	25.0		89	70-130	0	15	
2-Hexanone	30.7	10	ug/l	25.0		123	40-150	13	35	
Iodomethane	28.1	2.0	ug/l	25.0		112	80-130	1	10	
Isopropylbenzene	28.5	2.0	ug/l	25.0		114	80-140	3	10	
p-Isopropyltoluene	27.1	2.0	ug/l	25.0		108	80-130	1	15	
Methylene chloride	23.3	5.0	ug/l	25.0		93	80-120	1	10	
4-Methyl-2-pentanone (MIBK)	30.2	10	ug/l	25.0		121	50-140	11	35	
Methyl-tert-butyl Ether (MTBE)	27.0	5.0	ug/l	25.0		108	65-130	5	25	
Naphthalene	27.6	2.0	ug/l	25.0		110	70-130	21	20	*R6*
n-Propylbenzene	27.2	2.0	ug/l	25.0		109	80-135	4	10	
Styrene	30.2	2.0	ug/l	25.0		121	80-125	2	15	
1,1,1,2-Tetrachloroethane	25.5	5.0	ug/l	25.0		102	80-120	0	15	
1,1,2,2-Tetrachloroethane	26.8	2.0	ug/l	25.0		107	65-140	6	25	
Tetrachloroethene	25.2	2.0	ug/l	25.0		101	80-125	0	15	
Toluene	25.2	2.0	ug/l	25.0		101	80-125	0	10	
1,2,3-Trichlorobenzene	34.0	5.0	ug/l	25.0		136	75-125	29	15	*L3, R1*
1,2,4-Trichlorobenzene	23.0	5.0	ug/l	25.0		92	80-125	6	15	
1,1,1-Trichloroethane	26.3	2.0	ug/l	25.0		105	75-125	1	10	
1,1,2-Trichloroethane	24.5	2.0	ug/l	25.0		98	80-125	4	25	
Trichloroethene	24.7	2.0	ug/l	25.0		99	80-120	1	10	
Trichlorofluoromethane	26.6	5.0	ug/l	25.0		106	75-130	1	10	
1,2,3-Trichloropropane	26.5	10	ug/l	25.0		106	65-135	7	25	
1,2,4-Trimethylbenzene	26.1	2.0	ug/l	25.0		104	80-125	4	10	
1,3,5-Trimethylbenzene	27.0	2.0	ug/l	25.0		108	80-130	2	10	
Vinyl acetate	32.1	25	ug/l	25.0		128	70-140	5	30	*N1*
Vinyl chloride	26.8	1.7	ug/l	25.0		107	70-135	4	15	
Xylenes, Total	51.6	3.0	ug/l	50.0		103	80-125	0	15	
Surrogate: Dibromofluoromethane	*27.3*		*ug/l*	*25.0*		*109*	*80-130*			
Surrogate: Toluene-d8	*26.6*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.4*		*ug/l*	*25.0*		*102*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / UST Sampling Program
Report Number: PPG0291
Sampled: 07/12/06
Received: 07/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2515 Extracted: 07/25/06										
Matrix Spike Analyzed: 07/25/2006 (P6G2515-MS1)					**Source: PPG0260-05**					
Acetone	27.5	20	ug/l	25.0	ND	110	15-150			
Benzene	28.5	1.0	ug/l	25.0	ND	114	80-125			
Bromobenzene	29.1	5.0	ug/l	25.0	ND	116	80-125			
Bromochloromethane	27.6	5.0	ug/l	25.0	ND	110	80-130			
Bromodichloromethane	29.0	2.0	ug/l	25.0	ND	116	70-130			
Bromoform	23.9	5.0	ug/l	25.0	ND	96	70-120			
Bromomethane	28.6	5.0	ug/l	25.0	ND	114	80-135			
2-Butanone (MEK)	24.0	10	ug/l	25.0	ND	96	30-150			
n-Butylbenzene	29.5	5.0	ug/l	25.0	ND	118	80-135			
sec-Butylbenzene	30.7	5.0	ug/l	25.0	ND	123	80-130			
tert-Butylbenzene	31.4	5.0	ug/l	25.0	ND	126	80-130			
Carbon Disulfide	32.4	5.0	ug/l	25.0	ND	130	45-150			
Carbon tetrachloride	30.1	5.0	ug/l	25.0	ND	120	65-135			
Chlorobenzene	27.9	1.0	ug/l	25.0	ND	112	80-125			
Chloroethane	30.0	5.0	ug/l	25.0	ND	120	80-125			
Chloroform	29.2	2.0	ug/l	25.0	ND	117	75-130			
Chloromethane	29.1	5.0	ug/l	25.0	ND	116	65-130			
2-Chlorotoluene	29.6	5.0	ug/l	25.0	ND	118	80-130			
4-Chlorotoluene	29.2	5.0	ug/l	25.0	ND	117	80-135			
Dibromochloromethane	23.8	2.0	ug/l	25.0	ND	95	75-120			
1,2-Dibromo-3-chloropropane	19.8	5.0	ug/l	25.0	ND	79	50-130			
1,2-Dibromoethane (EDB)	25.3	2.0	ug/l	25.0	ND	101	70-130			
Dibromomethane	26.5	2.0	ug/l	25.0	ND	106	75-130			
1,2-Dichlorobenzene	27.4	1.0	ug/l	25.0	ND	110	80-130			
1,3-Dichlorobenzene	27.9	1.0	ug/l	25.0	ND	112	80-130			
1,4-Dichlorobenzene	27.9	1.0	ug/l	25.0	ND	112	80-125			
Dichlorodifluoromethane	31.9	5.0	ug/l	25.0	ND	128	60-140			
1,1-Dichloroethane	29.9	2.0	ug/l	25.0	ND	120	80-125			
1,2-Dichloroethane	28.4	1.0	ug/l	25.0	ND	114	60-145			
1,1-Dichloroethene	28.4	5.0	ug/l	25.0	ND	114	75-130			
cis-1,2-Dichloroethene	28.0	2.0	ug/l	25.0	ND	112	80-125			
trans-1,2-Dichloroethene	27.9	2.0	ug/l	25.0	ND	112	80-120			
1,2-Dichloropropane	27.8	2.0	ug/l	25.0	ND	111	80-125			
1,3-Dichloropropane	25.3	2.0	ug/l	25.0	ND	101	75-130			
2,2-Dichloropropane	28.5	2.0	ug/l	25.0	ND	114	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / UST Sampling Program
Report Number: PPG0291
Sampled: 07/12/06
Received: 07/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2515 Extracted: 07/25/06										
Matrix Spike Analyzed: 07/25/2006 (P6G2515-MS1)					**Source: PPG0260-05**					
1,1-Dichloropropene	29.7	2.0	ug/l	25.0	ND	119	80-125			
cis-1,3-Dichloropropene	28.8	2.0	ug/l	25.0	ND	115	75-120			
trans-1,3-Dichloropropene	28.5	2.0	ug/l	25.0	ND	114	75-130			
Ethylbenzene	28.5	2.0	ug/l	25.0	ND	114	80-130			
Hexachlorobutadiene	25.1	5.0	ug/l	25.0	ND	100	65-130			
2-Hexanone	24.5	10	ug/l	25.0	ND	98	40-150			
Iodomethane	30.5	2.0	ug/l	25.0	ND	122	70-140			
Isopropylbenzene	33.1	2.0	ug/l	25.0	ND	132	80-140			
p-Isopropyltoluene	30.6	2.0	ug/l	25.0	ND	122	80-135			
Methylene chloride	25.3	5.0	ug/l	25.0	ND	101	75-125			
4-Methyl-2-pentanone (MIBK)	25.4	10	ug/l	25.0	ND	102	40-140			
Methyl-tert-butyl Ether (MTBE)	27.1	5.0	ug/l	25.0	ND	108	65-135			
Naphthalene	24.7	2.0	ug/l	25.0	ND	99	60-140			
n-Propylbenzene	31.6	2.0	ug/l	25.0	ND	126	80-140			
Styrene	30.7	2.0	ug/l	25.0	ND	123	30-150			
1,1,1,2-Tetrachloroethane	27.0	5.0	ug/l	25.0	ND	108	80-130			
1,1,2,2-Tetrachloroethane	26.4	2.0	ug/l	25.0	ND	106	65-140			
Tetrachloroethene	27.6	2.0	ug/l	25.0	ND	110	80-130			
Toluene	27.7	2.0	ug/l	25.0	ND	111	80-130			
1,2,3-Trichlorobenzene	29.8	5.0	ug/l	25.0	ND	119	75-140			*V1*
1,2,4-Trichlorobenzene	22.1	5.0	ug/l	25.0	ND	88	80-135			
1,1,1-Trichloroethane	30.3	2.0	ug/l	25.0	ND	121	70-135			
1,1,2-Trichloroethane	25.0	2.0	ug/l	25.0	ND	100	70-135			
Trichloroethene	27.5	2.0	ug/l	25.0	ND	110	80-125			
Trichlorofluoromethane	31.4	5.0	ug/l	25.0	ND	126	70-140			
1,2,3-Trichloropropane	25.5	10	ug/l	25.0	ND	102	65-135			
1,2,4-Trimethylbenzene	29.7	2.0	ug/l	25.0	ND	119	75-130			
1,3,5-Trimethylbenzene	30.6	2.0	ug/l	25.0	ND	122	80-135			
Vinyl acetate	30.3	25	ug/l	25.0	ND	121	30-150			*N1*
Vinyl chloride	30.8	1.7	ug/l	25.0	ND	123	70-135			
Xylenes, Total	55.4	3.0	ug/l	50.0	ND	111	80-125			
Surrogate: Dibromofluoromethane	*27.8*		*ug/l*	*25.0*		*111*	*80-130*			
Surrogate: Toluene-d8	*27.4*		*ug/l*	*25.0*		*110*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.0*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / UST Sampling Program
Report Number: PPG0291
Sampled: 07/12/06
Received: 07/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2515 Extracted: 07/25/06										
Matrix Spike Dup Analyzed: 07/25/2006 (P6G2515-MSD1)					**Source: PPG0260-05**					
Acetone	27.1	20	ug/l	25.0	ND	108	15-150	1	35	
Benzene	27.6	1.0	ug/l	25.0	ND	110	80-125	3	10	
Bromobenzene	28.0	5.0	ug/l	25.0	ND	112	80-125	4	15	
Bromochloromethane	26.9	5.0	ug/l	25.0	ND	108	80-130	3	20	
Bromodichloromethane	27.6	2.0	ug/l	25.0	ND	110	70-130	5	15	
Bromoform	23.5	5.0	ug/l	25.0	ND	94	70-120	2	25	
Bromomethane	28.4	5.0	ug/l	25.0	ND	114	80-135	1	20	
2-Butanone (MEK)	24.3	10	ug/l	25.0	ND	97	30-150	1	35	
n-Butylbenzene	28.0	5.0	ug/l	25.0	ND	112	80-135	5	20	
sec-Butylbenzene	29.4	5.0	ug/l	25.0	ND	118	80-130	4	20	
tert-Butylbenzene	30.0	5.0	ug/l	25.0	ND	120	80-130	5	20	
Carbon Disulfide	30.6	5.0	ug/l	25.0	ND	122	45-150	6	15	
Carbon tetrachloride	28.5	5.0	ug/l	25.0	ND	114	65-135	5	15	
Chlorobenzene	26.3	1.0	ug/l	25.0	ND	105	80-125	6	15	
Chloroethane	28.9	5.0	ug/l	25.0	ND	116	80-125	4	20	
Chloroform	28.2	2.0	ug/l	25.0	ND	113	75-130	3	15	
Chloromethane	29.1	5.0	ug/l	25.0	ND	116	65-130	0	20	
2-Chlorotoluene	28.2	5.0	ug/l	25.0	ND	113	80-130	5	15	
4-Chlorotoluene	27.9	5.0	ug/l	25.0	ND	112	80-135	5	15	
Dibromochloromethane	22.7	2.0	ug/l	25.0	ND	91	75-120	5	20	
1,2-Dibromo-3-chloropropane	19.2	5.0	ug/l	25.0	ND	77	50-130	3	35	
1,2-Dibromoethane (EDB)	24.1	2.0	ug/l	25.0	ND	96	70-130	5	25	
Dibromomethane	24.8	2.0	ug/l	25.0	ND	99	75-130	7	25	
1,2-Dichlorobenzene	26.2	1.0	ug/l	25.0	ND	105	80-130	4	15	
1,3-Dichlorobenzene	26.4	1.0	ug/l	25.0	ND	106	80-130	6	15	
1,4-Dichlorobenzene	26.7	1.0	ug/l	25.0	ND	107	80-125	4	10	
Dichlorodifluoromethane	30.2	5.0	ug/l	25.0	ND	121	60-140	5	45	
1,1-Dichloroethane	28.4	2.0	ug/l	25.0	ND	114	80-125	5	15	
1,2-Dichloroethane	26.9	1.0	ug/l	25.0	ND	108	60-145	5	20	
1,1-Dichloroethene	27.7	5.0	ug/l	25.0	ND	111	75-130	2	15	
cis-1,2-Dichloroethene	26.8	2.0	ug/l	25.0	ND	107	80-125	4	15	
trans-1,2-Dichloroethene	26.6	2.0	ug/l	25.0	ND	106	80-120	5	15	
1,2-Dichloropropane	26.8	2.0	ug/l	25.0	ND	107	80-125	4	15	
1,3-Dichloropropane	24.1	2.0	ug/l	25.0	ND	96	75-130	5	20	
2,2-Dichloropropane	27.8	2.0	ug/l	25.0	ND	111	60-135	2	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / UST Sampling Program
Report Number: PPG0291
Sampled: 07/12/06
Received: 07/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2515 Extracted: 07/25/06										
Matrix Spike Dup Analyzed: 07/25/2006 (P6G2515-MSD1)					**Source: PPG0260-05**					
1,1-Dichloropropene	28.1	2.0	ug/l	25.0	ND	112	80-125	6	15	
cis-1,3-Dichloropropene	27.6	2.0	ug/l	25.0	ND	110	75-120	4	15	
trans-1,3-Dichloropropene	26.9	2.0	ug/l	25.0	ND	108	75-130	6	25	
Ethylbenzene	27.1	2.0	ug/l	25.0	ND	108	80-130	5	15	
Hexachlorobutadiene	23.3	5.0	ug/l	25.0	ND	93	65-130	7	15	
2-Hexanone	24.2	10	ug/l	25.0	ND	97	40-150	1	35	
Iodomethane	29.0	2.0	ug/l	25.0	ND	116	70-140	5	15	
Isopropylbenzene	31.5	2.0	ug/l	25.0	ND	126	80-140	5	20	
p-Isopropyltoluene	29.3	2.0	ug/l	25.0	ND	117	80-135	4	20	
Methylene chloride	24.2	5.0	ug/l	25.0	ND	97	75-125	4	15	
4-Methyl-2-pentanone (MIBK)	24.8	10	ug/l	25.0	ND	99	40-140	2	35	
Methyl-tert-butyl Ether (MTBE)	25.8	5.0	ug/l	25.0	ND	103	65-135	5	30	
Naphthalene	23.4	2.0	ug/l	25.0	ND	94	60-140	5	30	
n-Propylbenzene	30.5	2.0	ug/l	25.0	ND	122	80-140	4	20	
Styrene	29.2	2.0	ug/l	25.0	ND	117	30-150	5	25	
1,1,1,2-Tetrachloroethane	25.8	5.0	ug/l	25.0	ND	103	80-130	5	15	
1,1,2,2-Tetrachloroethane	25.1	2.0	ug/l	25.0	ND	100	65-140	5	35	
Tetrachloroethene	26.2	2.0	ug/l	25.0	ND	105	80-130	5	15	
Toluene	26.8	2.0	ug/l	25.0	ND	107	80-130	3	15	
1,2,3-Trichlorobenzene	28.8	5.0	ug/l	25.0	ND	115	75-140	3	20	*V1*
1,2,4-Trichlorobenzene	21.7	5.0	ug/l	25.0	ND	87	80-135	2	15	
1,1,1-Trichloroethane	28.8	2.0	ug/l	25.0	ND	115	70-135	5	15	
1,1,2-Trichloroethane	23.8	2.0	ug/l	25.0	ND	95	70-135	5	25	
Trichloroethene	26.5	2.0	ug/l	25.0	ND	106	80-125	4	15	
Trichlorofluoromethane	30.0	5.0	ug/l	25.0	ND	120	70-140	5	15	
1,2,3-Trichloropropane	24.4	10	ug/l	25.0	ND	98	65-135	4	35	
1,2,4-Trimethylbenzene	28.6	2.0	ug/l	25.0	ND	114	75-130	4	15	
1,3,5-Trimethylbenzene	29.6	2.0	ug/l	25.0	ND	118	80-135	3	15	
Vinyl acetate	28.6	25	ug/l	25.0	ND	114	30-150	6	35	*N1*
Vinyl chloride	30.0	1.7	ug/l	25.0	ND	120	70-135	3	25	
Xylenes, Total	53.0	3.0	ug/l	50.0	ND	106	80-125	4	15	
Surrogate: Dibromofluoromethane	*27.8*		*ug/l*	*25.0*		*111*	*80-130*			
Surrogate: Toluene-d8	*27.0*		*ug/l*	*25.0*		*108*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.3*		*ug/l*	*25.0*		*101*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / UST Sampling Program
Report Number: PPG0291
Sampled: 07/12/06
Received: 07/12/06

DATA QUALIFIERS AND DEFINITIONS

L3	The associated blank spike recovery was above method acceptance limits.
N1	See case narrative.
R1	RPD exceeded the method control limit. See case narrative.
R6	LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
V1	CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
ND	Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
RPD	Relative Percent Difference

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / UST Sampling Program
Report Number: PPG0291
Sampled: 07/12/06
Received: 07/12/06

Certification Summary

TestAmerica - Phoenix, AZ

Method	Matrix	Nelac	Arizona
EPA 8015B	Water	X	X
EPA 8260B	Water	X	X

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

Subcontracted Laboratories

Transwest Geochem *Arizona Cert #AZ0133*
3725 E. Atlanta Ave Ste 1 - Phoenix, AZ 85040-2961
Analysis Performed: 8015B MOD-Low Level
Samples: PPG0291-02, PPG0291-03

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

DelMar Analytical
9830 South 51st St, Suite B-120
Phoenix, AZ 85044
480-785-0043

Honeywell — Chain Of Custody / Analysis Request

[redacted] Jennifer Holland
jennifer.holland@ch2m.com

Site Name: Sky Harbor
Location of Site: HW Quarterly / UST Sampling Program

[redacted] DELMAR-PHE

Client Contact: (name, co., address)
CH2M HILL
2625 South Plaza Drive, Suite 300
Tempe, AZ 85282
Jennifer.Holland@CH2M.com
[redacted]

Sampler: Jenery Yentes
PO# BV.30.33
Analysis Turnaround Time:
Standard - Y
Rush Charges Authorized for -
2 weeks -
1 week -
Next Day -

	Sample Identification		Sample Date	Sample Time	Sample Type	Sample Matrix	# of Cont.	[redacted]	Preservative	1	0	0	3	1	2	2	0	0		1		
	Location ID	Field Sample ID								VOC's (EPA 8260B)	SVOC's (EPA 8270)	PAH's (EPA 8310)	TRPH (EPA 8015M)	MEE (RSKSOP-175)	Total Metals (Varous Methods)	Dissolved Metals (Various Methods)	Total common Ions (Various Methods)	Dissolved Common Ions (Various Methods)		VOC'S (EPA 624)		MS/MSD Requested
										ug/L	ug/L	ug/L	ug/L	mg/L	mg/L	mg/L	mg/L	mg/L		ug/L		
1	Blank	TB-071206	7.12.06	0800	DI Water	Water	1		N	X												[redacted]
2	MW	BC-7A-GB3	"	1030	GW	Water	5		N	X			X									[redacted]
3	MW	PL-105A-GB3	"	1330	GW	Water	5		N	X			X									[redacted]
4									N													
5									N													
6									N													
7									N													
8									N													
9									N													
10									N													
11																						
12																						
13																						
14																						
15																						
16																						
17																						
18																						
19																						
20																						

Relinquished by	Company	Hargis + Associates, Inc.	Received by			Condition		Custody Seals Intact
	Date/Time	7/12/06 : 1610				Cooler Temp.		
Relinquished by	Company		Received by	TA-Phx		Condition		Custody Seals Intact
	Date/Time			7/12/6 1610		Cooler Temp.	3.0C	

Preservatives: 0 = None; [1 = HCL]; [2 = HNO3]; [3 = H2SO4]; [4 = NaOH]; [5 = Zn. Acetate]; [6 = MeOH]; [7 = NaHSO4]; 8 = Other (specify):

TRANSWEST GEOCHEM

August 15 , 2006

Ken Baker
TestAmerica - Phoenix
9830 S. 51st Street
Suite B-120
Phoenix, AZ 85044

Re: PPG0291
Work Order No.: 0607184

Dear Ken,

Attached is the original Report of Analysis from Columbia Analytical Services, Inc. (AZ0604) for the samples received on 7/13/06. The following analysis was performed:

Method EPA 8015B – Diesel Range Organics

If you have any questions regarding the results, please call me. We appreciate your business and thank you for choosing Transwest Geochem.

Sincerely,

Skip Harden
Project Manager

ADHS License No. AZM133/AZ0133

CONFIDENTIAL AND PRIVILEGED

2725 E. Atlanta Avenue • Phoenix, Arizona 85040 • (602) 437-0330 • (800) 927-5183 • Fax (602) 437-0660
2861 S. Palo Verde Rd. • Suite 301 • Tucson, Arizona 85714 • (520) 573-1061 • Fax (520) 573-1063

5090 Caterpillar Road Redding, California 96003 (530) 244-5227 (530) 244-4109 fax

Columbia Analytical Services INC.
An Employee - Owned Company

August 03, 2006

Service Request No: D0600869

Carlene McCutcheon
Transwest Geochem, Incorporated
3725 East Atlanta Avenue
Suite 2
Phoenix, AZ 85040-2960

RE: PPG0291

Dear Carlene:

Enclosed are the results of the sample(s) submitted to our laboratory on July 14, 2006. For your reference, these analyses have been assigned our service request number D0600869.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 103. You may also contact me via email at EWilson@canoga.caslab.com.

Respectfully submitted,

Columbia Analytical Services, Inc.

Ed Wilson
Project Chemist

NELAP Accredited ACIL Seal of Excellence Award 100% Recycled

Current CAS Redding Accreditation Programs

Federal and National Programs

- U.S Air Force, Air Force Center for Environmental Excellence (AFCEE)
  Approved laboratory for Wastewater and Hazardous Waste
- U.S. Army Corps of Engineers – MRD, HTRW Mandatory Center of Expertise
  Validated for Wastewater and Hazardous Waste
- Department of the Navy, Naval Facilities Engineering Service Center (NFESC)
  Approved laboratory for Wastewater and Hazardous Waste

State and Local Programs

- State of Alaska, Department of Environmental Conservation
  Approved Laboratory for Contaminated Sites
  Lab ID UST-001
- State of Arizona, Department of Health Services, Office of Laboratory Licensure
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID AZ0604
- State of California, Department of Health Services, National Environmental Laboratory Accreditation Program **(NELAP)**
  Approved Laboratory for Drinking Water, Wastewater and Hazardous Waste
  Lab ID 01105CA
  - Los Angeles County Sanitation District
    Approved Laboratory for Wastewater
    Lab ID 10243
- State of California, Department of Health Services, Environmental Laboratory Accreditation Program (ELAP)
  Approved Laboratory for Microbiology of Drinking Water and Wastewater
  Lab ID 2635
- State of Florida, Department of Health, Bureau of Laboratories **(NELAP)**
  Approved Environmental Testing Laboratory for Wastewater and Hazardous Waste
  Lab ID E87203
- State of Kansas, Department of Health and Environment **(NELAP)**
  Approved Laboratory for Hazardous Waste
  Lab ID E-10323
- State of Massachusetts, Department of Environmental Protection
  Approved laboratory for Drinking Water and Wastewater
  Lab ID M-CA025
- State of Oklahoma, Department of Environmental Quality
  Approved Laboratory for General Water Quality/Sludge Testing
  Lab ID 9952
- State of Oregon, Environmental Laboratory Accreditation Program **(ORELAP)**
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID CA200004
- State of Utah, Department of Health, Bureau of Laboratory Improvement **(NELAP)**
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID QUAL1
- State of Washington, Department of Ecology
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID C1234
- State of Wisconsin, Department of Natural Resources
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID 999767340

Arizona Data Qualifiers
Revision 2.0, 11/26/2003

Developed by the Sub-committee of the
Arizona Environmental Laboratory Advisory Committee

Microbiology:
A1 = Too numerous to count.
A2 = Sample incubation period exceeded method requirement.
A3 = Sample incubation period was shorter than method requirement.
A4 = Target organism detected in associated method blank.
A5 = Incubator/water bath temperature was outside method requirements.
A6 = Target organism not detected in associated positive control.
A7 = Micro sample received without adequate headspace.

Method/calibration blank:
B1 = Target analyte detected in method blank at or above the method reporting limit.
B2 = Non-target analyte detected in method blank and sample, producing interference.
B3 = Target analyte detected in calibration blank at or above the method reporting limit.
B4 = Target analyte detected in blank at/above method acceptance criteria.
B5 = Target analyte detected in method blank at or above the method reporting limit, but below trigger level or MCL.
B6 = Target analyte detected in calibration blank at or above the method reporting limit, but below trigger level or MCL.
B7 = Target analyte detected in method blank at or above method reporting limit. Concentration found in the sample was 10 times above the concentration found in the method blank.

Confirmation:
C1 = Confirmatory analysis not performed as required by the method.
C3 = Qualitative confirmation performed.
C4 = Confirmatory analysis was past holding time.
C5 = Confirmatory analysis was past holding time. Original result not confirmed.
C6 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the higher value was reported as there was no obvious chromatographic interference.
C7 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic interference.

Dilution:
D1 = Sample required dilution due to matrix.
D2 = Sample required dilution due to high concentration of target analyte.
D3 = Sample dilution required due to insufficient sample.
D4 = Minimum reporting level (MRL) adjusted to reflect sample amount received and analyzed.

Estimated concentration:
E1 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not possible due to insufficient sample.
E2 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to sample matrix.
E3 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

E4 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL).
E5 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL), but not confirmed by alternate analysis.
E6 = Concentration estimated. Internal standard recoveries did not meet method acceptance criteria.
E7 = Concentration estimated. Internal standard recoveries did not meet laboratory acceptance criteria.
E8 = Analyte reported to MDL per project specification. Target analyte was not detected in the sample.

Hold time:
H1 = Sample analysis performed past holding time.
H2 = Initial analysis within holding time. Reanalysis for the required dilution was past holding time.
H3 = Sample was received and analyzed past holding time.
H4 = Sample was extracted past required extraction holding time, but analyzed within analysis holding time.

BOD:
K1 = The sample dilutions set-up for the BOD analysis did not meet the oxygen depletion criteria of at least 2 mg/L. Any reported result is an estimated value.
K2 = The sample dilutions set up for the BOD analysis did not meet the criteria of a residual dissolved oxygen of at least 1 mg/L. Any reported result is an estimated value.
K4 = The seed depletion was outside the method acceptance limits. The reported result is an estimated value.
K5 = The dilution water D.O. depletion was > 0.2 mg/L.
K6 = Glucose/glutamic acid BOD was below method acceptance criteria.
K7 = A discrepancy between the BOD and COD results has been verified by reanalysis of the sample for COD.
K8 = Glucose/glutamic acid BOD was above method acceptance levels.

Laboratory fortified blank/blank spike:

L1 = The associated blank spike recovery was above laboratory acceptance limits.
L2 = The associated blank spike recovery was below laboratory acceptance limits.
L3 = The associated blank spike recovery was above method acceptance limits.
L4 = The associated blank spike recovery was below method acceptance limits.

Matrix spike:
M1 = Matrix spike recovery was high, the method control sample recovery was acceptable.
M2 = Matrix spike recovery was low, the method control sample recovery was acceptable.
M3 = The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
M4 = The analysis of the spiked sample required a dilution such that the spike concentration was diluted below the reporting limit. The method control sample recovery was acceptable.
M5 = Analyte concentration was determined by the method of standard addition (MSA).

M6 = Matrix spike recovery was high. Data reported per ADEQ policy 0154.000.
M7 = Matrix spike recovery was low. Data reported per ADEQ policy 0154.000.

General:
N1 = See case narrative.
N2 = See corrective action report.
N3 = The analysis meets all method requirements. See case narrative.

Sample quality:
Q1 = Sample integrity was not maintained. See case narrative.
Q2 = Sample received with headspace.
Q3 = Sample received with improper chemical preservation.
Q4 = Sample received and analyzed without chemical preservation.
Q5 = Sample received with inadequate chemical preservation, but preserved by the laboratory.
Q6 = Sample was received above recommended temperature.
Q7 = Sample inadequately dechlorinated.
Q8 = Insufficient sample received to meet method QC requirements. Batch QC requirements satisfies ADEQ policies 0154 and 0155.
Q9 = Insufficient sample received to meet method QC requirements.
Q10 = Sample received in inappropriate sample container.
Q11 = Sample is heterogeneous. Sample homogeneity could not be readily achieved using routine laboratory practices.

Duplicates:
R1 = RPD exceeded the method control limit. See case narrative.
R2 = RPD exceeded the laboratory control limit. See case narrative.
R4 = MS/MSD RPD exceeded the method control limit. Recovery met acceptance criteria.
R5 = MS/MSD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R6 = LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
R7 = LFB/LFBD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R8 = Sample RPD exceeded the method control limit.
R9 = Sample RPD exceeded the laboratory control limit.
R10 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic problems.
R11 = The RPD calculation for MS/MSD does not provide useful information due to the varying sample weights when Encore samplers/methanol field preserved samples are used.

Surrogate:
S1 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits.
S3 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits. No target analytes were detected in the sample.
S4 = Surrogate recovery was above laboratory and method acceptance limits. No target analytes were detected in the sample.
S5 = Surrogate recovery was below laboratory acceptance limits, but within method acceptance limits.
S6 = Surrogate recovery was below laboratory and method acceptance limits. Reextraction and/or reanalysis confirms low recovery caused by matrix effect.

S7 = Surrogate recovery was below laboratory and method acceptance limits. Unable to confirm matrix effect.
S8 = The analysis of the sample required a dilution such that the surrogate recovery calculation does not provide any useful information. The method control sample recovery was acceptable.
S10 = Surrogate recovery was above laboratory and method acceptance limits. See Case narrative.
S11 = Surrogate recovery was high. Data reported per ADEQ policy 0154.000.
S12 = Surrogate recovery was low. Data reported per ADEQ policy 0154.000.

Method/analyte discrepancies:
T1 = Method approved by EPA, but not yet licensed by ADHS.
T2 = Cited ADHS licensed method does not contain this analyte as part of method compound list.
T3 = Method not promulgated either by EPA or ADHS.
T4 = Tentatively identified compound. Concentration is estimated and based on the closest internal standard.

Calibration verification:
V1 = CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
V2 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample. The sample could not be reanalyzed due to insufficient sample.
V3 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample, but the sample was not reanalyzed. See case narrative.
V4 = CCV recovery was below method acceptance limits. The sample could not be reanalyzed due to insufficient sample.
V5 = CCV recovery after a group of samples was above acceptance limits. This target analyte was not detected in the sample. Acceptable per EPA Method 8000B.
V6 = Data reported from one-point calibration criteria per ADEQ policy 0155.000.
V7 = Calibration verification recovery was above the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.
V8 = Calibration verification recovery was below the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.

Calibration:
W1 = The % RSD for this compound was above 20%. The average % RSD for all compounds in the calibration met the 20% criteria as specified in EPA method 8000B.
W2 = The % RSD for this compound was above 15%. The average % RSD for all compounds in the calibration met the 15% criteria as specified in EPA method 8260B/8270C.

Client: Transwest Geochem, Incorporated
Project: PPG0291

Service Request: D0600869

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
D0600869-001	PPG0291-02	07/12/06	10:20
D0600869-002	PPG0291-03	07/12/06	12:30

CASE NARRATIVE

COLUMBIA ANALYTICAL SERVICES, INC.

Client:	Transwest Geochem, Inc.	**Service Request No.:**	D0600869
Project:	PPC/PPD	**Date Received:**	July 14, 2006
Sample Matrix:	Water		

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of Columbia Analytical Services, Inc. (CAS). This report contains analytical results for samples designated for Tier II data deliverables.

Sample Receipt

Two water samples were received for analysis at Columbia Analytical Services on July 14, 2006.

No discrepancies were noted upon initial sample inspection. The samples were received in good condition and consistent with the accompanying chain of custody form. The samples were stored in a refrigerator at 4°C upon receipt at the laboratory.

Diesel Range Organics by EPA Method 8015B

Method Blank Exceptions:
The Method Blank DWB10720 contained low levels of contaminants in Diesel range above the Method Reporting Limit (MRL). In accordance with CAS QA/QC policy, all sample results less than twenty times the level found in the Method Blank are flagged as estimated. The samples were not re-extracted and reanalyzed because insufficient sample remained for additional testing.

Surrogate Exceptions:
The upper control criterion was exceeded for the following surrogates in Method Blank DWB10720 and Laboratory Control Sample DWB10720LCS. However all these recoveries were within the method guidelines. The quality of the sample data is not significantly affected. No further corrective action was appropriate.

Matrix Spike Recovery Exceptions:
Insufficient sample volume was received to perform a Matrix Spike/Matrix Spike Duplicate (MS/MSD). A Laboratory Control Sample/Duplicate Laboratory Control Sample (LCS/DLCS) was analyzed in order to report precision data.

Lab Control Sample Exceptions:
The upper control criterion was exceeded for the following analyte in Laboratory Control Sample (LCS) DWB10720LCS: TPH-Diesel. However, the Duplicate Laboratory Control Sample had acceptable results indicating the analytical batch was in control. The error associated with elevated recovery equates to a high bias. The sample data is not significantly affected. No further corrective action was appropriate.

Approved by: _____ **Date:** 8/3/06

CHAIN OF CUSTODY DOCUMENTATION

TRANSWEST GEOCHEM

CHAIN-OF-CUSTODY

[redacted]

Skip Harden
3725 E. Atlanta Avenue
Suite 2
Phoenix, AZ 85040
TEL: (602) 437-0330
FAX: (602) 437-0660

Work Order: 0607184

Project: PPG0291

Subcontractor:
Columbia Analytical Services
5090 Caterpillar Rd.
Redding, CA 96003
TEL: (530) 244-5227
FAX: (530) 244-4109

13-Jul-06

Client Sample ID	TGI ID	Matrix	Collection Date	Containers	Requested Tests: 8015MOD_W						
PPG0291-02	01A	Water	7/12/2006 10:20:00 AM	1	1						
PPG0291-03	02A	Water	7/12/2006 12:30:00 PM	1	1						

need low level reporting limits

'Transfer' file needed

Comments: After analysis, the samples do not need to be returned and can be disposed per your standard laboratory practices. Please provide a QC report, including Method Blank data.

Sample Receipt		
Temperature:	Ambient / Cold	Ice:
Received Intact:		Absent / Present
Custody Seals:		Wet / Blue
Total No. of Containers:		° C.

		Date/Time			Date/Time
Relinquished by:	Leslie May - TGI	7/13/06 1530	**Received by:**	UPS	
Relinquished by:			**Received by:**	[illegible]	7/14/06 1020
Relinquished by:			**Received by:**		

11

Columbia Analytical Services inc.
An Employee-Owned Company

5090 Caterpillar Road
Redding, CA 96003
Phone: (530) 244-5262
[redacted]

COOLER RECEIPT FORM

Project/Client: _____ Batch No: [redacted]

1. Cooler(s)/Sample(s) received on: 7/14/06 Shipped via: UPS
   Shipping Bill # (s): 652 01 9309 2452 # of Coolers/Packages 1
2. Radiological Screening by: 0 Acceptable Rejected
3. Custody seals on outside of cooler: YES (NO) N/A
   If yes, where? Front_____ Rear_____ Lt Side_____ Rt Side_____
   Seals intact: YES (NO)

COOLER/SAMPLE PROCESSING

4. Sample Processing/Tagging by: JEhrlman
5. Cooler(s)/Sample(s) Temp's: 3.0C _____ _____ _____ _____
   (or)
   Temp. Blank (if included): _____ _____ _____ _____ _____
6. Type of packing material (circle): (Ice) (Blue Ice) Bubble Wrap (Bubble Bags) Zip Locks Webbing
   Other: _____
7. Custody papers properly filled out (ink, signed, dated, released, etc.)? (YES) NO
8. Containers arrived in good condition (not broken, leaking, etc.)? (YES) NO
9. Samples received with adequate holding time remaining to conduct analysis? (YES) NO
10. Container labels complete (i.e. analysis, preservation, date/time, etc.)? (YES) NO
11. Container labels and tags agree with custody papers? (YES) NO
12. Correct types of containers used for the tests indicated? (YES) NO
    a.) Adequate sample received? If not, note on Exception Report. (YES) NO
13. Containers supplied by: CAS (Other)
14. Preserved containers received with the appropriate preservative? YES NO (N/A)
    pH: _____ (or) See pH log.
15. VOA vials free of air bubbles? YES NO (N/A)
16. Trip Blank preparation date: _____ CAS Other (N/A)
17. Volatile Soil samples: Encores or Plugs in Vials
    Freezer or GC/MS Date: _____ Time: _____ (N/A)

See Exception Report for discrepancies.

Rev. 8/18/2004/ds

GC TPH DIESEL

ORGANIC ANALYSES DATA PACKAGE

Analytical Method: CA LUFT

AAB #: D0600869

Lab Name: Columbia Analytical Services/Redding

Base/Command: ARIZONA DELIVERABLES (RL)

Project: PPG0291

Field Sample ID	Lab Sample ID
PPG0291-02	D0600869-001
PPG0291-03	D0600869-002

Comments:

I certify this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: [illegible]

Name: WIDA ANG

Date: [illegible]

Title: Organic Manager

RDD-060802:CC:BS-1151PST-SR:D0600869-D0600869-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600869

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0291-02 Lab Sample ID: D0600869-001 Matrix: Water

% Solids: _____ Preparation Factor: 1.1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/14/06 Date Extracted: 07/20/06 Date Analyzed: 07/30/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.950 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		53	ND	1		B1L1
C23 - C32 HRO		53	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	79	58-111	
Triacontane - SS	80	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600869

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0291-03 Lab Sample ID: D0600869-002 Matrix: Water

% Solids: _____ Preparation Factor: 1.1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/14/06 Date Extracted: 07/20/06 Date Analyzed: 07/31/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.950 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		53	**2800**	1		B7L1
C23 - C32 HRO		53	**54**	1		
Total Petroleum Hydrocarbons		100	**2800**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	105	58-111	
Triacontane - SS	104	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 6
BLANKS

Analytical Method: CA LUFT AAB #: D0600869

Lab Name: Columbia Analytical Services/Redding

Concentration Units (ug/L or mg/kg): UG/L Method Blank ID: DWB10720

Lab Sample ID: DWB10720

Initial Calibration ID: 05/20/06GCF

Analyte		Method Blank	RL	Q
C13 - C22 DRO		64	50	B1L1
C23 - C32 HRO		ND	50	
Total Petroleum Hydrocarbons		ND	100	

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	117	58-111	1 *
Triacontane - SS	100	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 7
LABORATORY CONTROL SAMPLE/LABORATORY CONTROL SAMPLE DUPLICATE

Analytical Method: CA LUFT AAB #: D0600869

Lab Name: Columbia Analytical Services/Redding

Concentration Units (ug/L or mg/kg): UG/L %Solids: _____

Parent Field Sample ID: DWB10720 BS ID: DWB10720LCS BSD ID: DWB10720LCSD

Analyte	Parent Sample Result	Spike Added	Spiked Sample Result	%R	Duplicat Spike Sample Result	%R	%RPD	Control Limits %RPD	Control Limits %R	Q
C13 - C22 DRO		2500	3330	133	2560	102	26	30	64-106	**L1B7**

Comments:

ORGANIC ANALYSES DATA SHEET 10
INSTRUMENT ANALYSIS SEQUENCE LOG

Analytical Method: CA LUFT AAB #: D0600869

Lab Name: Columbia Analytical Services/Redding

Instrument ID #: GCF RTX-5

Field Sample ID/Std ID/ Blank ID/QC Sample ID	Laboratory File ID	Date Analysis Started	Time Analysis Started	Date Analysis Completed	Time Analysis Completed
DSTD6	F0520002	05/20/06	1838	05/20/06	1908
DSTD1	F0520003	05/20/06	1923	05/20/06	1953
DSTD2	F0520004	05/20/06	2008	05/20/06	2038
DSTD3	F0520005	05/20/06	2054	05/20/06	2124
DSTD4	F0520006	05/20/06	2139	05/20/06	2209
DSTD5	F0520007	05/20/06	2225	05/20/06	2255
QC ALT	F0520009	05/20/06	2356	05/21/06	0026
DSTD3	F0730006	07/30/06	2020	07/30/06	2050
DWB10720LCS	F0730008	07/30/06	2148	07/30/06	2218
DWB10720LCSD	F0730009	07/30/06	2232	07/30/06	2302
PPG0291-02	F0730010	07/30/06	2317	07/30/06	2347
PPG0291-03	F0730011	07/31/06	0000	07/31/06	0030
DSTD4	F0730014	07/31/06	0213	07/31/06	0243
DSTD4	F0801002	08/01/06	1724	08/01/06	1754
DWB10720	F0801003	08/01/06	1809	08/01/06	1839
DSTD3	F0801013	08/02/06	0130	08/02/06	0200

Comments:

ORGANIC ANALYSES DATA SHEET APPENDIX A
SURROGATE RESULTS

Analytical Method: CA LUFT AAB #: D0600869

Lab Name: Columbia Analytical Services/Redding

Matrix: Water

Field/QC Sample ID	S1	S2	S3	S4	S5	S6	S7	S8	Q
DWB10720LCS	123	121							**S10**
DWB10720LCSD	95	93							
PPG0291-02	79	80							
PPG0291-03	105	104							
DWB10720	117	100							**S10**

S1: Octacosane - SS 58-111
S2: Triacontane - SS 54-109

Comments:

Sub

TRANSWEST GEOCHEM

Sample Receipt Checklist

Client Name: Del Mar

Date and Time Received: 7/13/06 0818

Work Order Number: 0607184

Checked by: lm

Checklist completed by: Leslie May 7/13/06
Signature / Date

Logged In by: lm 7/13/06
Initials / Date

Matrix: Water

Carrier Name: (Client) TGI _____

Reviewed by: SH 7/14/06
Initials / Date

				COMMENTS
Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐	
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☑	
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑	
Chain of custody present?	Yes ☑	No ☐		
Chain of custody signed when relinquished and received?	Yes ☑	No ☐		
Chain of custody agrees with sample labels?	Yes ☑	No ☐		
Samples in proper container/bottle?	Yes ☑	No ☐		
Sample containers intact?	Yes ☑	No ☐		
Sufficient sample volume for indicated test?	Yes ☑	No ☐		
All samples received within holding time?	Yes ☑	No ☐		
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	Temp: 2.9	Sampled < 2hrs ☐
Water – VOA vials have zero headspace?	Yes ☐	No ☐	N/A ☑	
Water – pH acceptable upon receipt?	Yes ☑	No ☐	N/A ☐	Checked by: lm
Water – Sulfides present in Cyanide samples?	Yes ☐	No ☐	N/A ☑	
Sample considered Drinking Water?	Yes ☐	No ☐	N/A ☑	

Client contacted: _____ Date contacted: _____ Person contacted: _____

Contacted by: _____ Regarding: _____

Corrective Action: _____

TestAmerica
ANALYTICAL TESTING CORPORATION

SUBCONTRACT ORDER - PROJECT # PPG0291

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660

0607184

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments	
Sample ID: PPG0291-02 Water	**Sampled: 07/12/06 10:20**		
8015B MOD-Low Level-O	07/19/06 10:20	sub to Transwest, need transfer file for EDD	pH
Containers Supplied:			
1 L Amber (PPG0291-02D)			1
1 L Amber (PPG0291-02E)			2
Sample ID: PPG0291-03 Water	**Sampled: 07/12/06 12:30**		
8015B MOD-Low Level-O	07/19/06 12:30	sub to Transwest, need transfer file for EDD	
Containers Supplied:			
1 L Amber (PPG0291-03D)			2
1 L Amber (PPG0291-03E)			2

SAMPLE INTEGRITY:

All containers intact: ☑ Yes ☐ No
Custody Seals Present: ☐ Yes ☑ No
Sample labels/COC agree: ☑ Yes ☐ No
Samples Preserved Properly: ☑ Yes ☐ No
Samples Received On Ice:: ☑ Yes ☐ No
Samples Received at (temp): 2.9

Released By	Date	Time	Received By	Date	Time
[signature]	7/13/06	0700	[signature]	7-13-06	0700
[signature]	7-13-06	0818	Leslie May. TGI	7/13/06	~~0818~~ 0818 7-13-0

TestAmerica
ANALYTICAL TESTING CORPORATION

9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

LABORATORY REPORT

Prepared For: CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project: Sky Harbor / HW Quarterly / Monthly UST Sampling

Sampled: 07/19/06
Received: 07/19/06
Issued: 08/08/06 12:37

NELAP #01109CA Arizona DHS#AZ0426

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.
This entire report was reviewed and approved for release.

CASE NARRATIVE

LABORATORY ID	CLIENT ID	MATRIX
PPG0518-01	PL-501-6C1	Water
PPG0518-02	ASE-125A-6C1	Water
PPG0518-03	ASE-126A-6C1	Water
PPG0518-04	PL-502-6C1	Water
PPG0518-05	TB-071906	Water

SAMPLE RECEIPT: Samples were received intact, at 3°C, on ice and with chain of custody documentation.

HOLDING TIMES: All samples were analyzed within prescribed holding times and/or in accordance with the TestAmerica Sample Acceptance Policy unless otherwise noted in the report.

PRESERVATION: Samples requiring preservation were verified prior to sample analysis.

QA/QC CRITERIA: All analyses met method criteria, except as noted in the report with data qualifiers.

COMMENTS: No significant observations were made.

SUBCONTRACTED: Refer to the last page for specific subcontract laboratory information included in this report.

Reviewed By:

Ken Baker

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / Monthly UST Sampling
Report Number: PPG0518

Sampled: 07/19/06
Received: 07/19/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0518-01 (PL-501-6C1 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2819	20	ND	1	7/28/2006	7/28/2006	
Benzene	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
Bromobenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Bromochloromethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Bromodichloromethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Bromoform	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Bromomethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
2-Butanone (MEK)	EPA 8260B	P6G2819	10	ND	1	7/28/2006	7/28/2006	
n-Butylbenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
sec-Butylbenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
tert-Butylbenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Carbon Disulfide	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Carbon tetrachloride	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Chlorobenzene	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
Chloroethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Chloroform	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Chloromethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
2-Chlorotoluene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
4-Chlorotoluene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Dibromochloromethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Dibromomethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,1-Dichloroethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,2-Dichloroethane	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
1,1-Dichloroethene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,2-Dichloropropane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,3-Dichloropropane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
2,2-Dichloropropane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,1-Dichloropropene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Ethylbenzene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Hexachlorobutadiene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
2-Hexanone	EPA 8260B	P6G2819	10	ND	1	7/28/2006	7/28/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / Monthly UST Sampling
Report Number: PPG0518

Sampled: 07/19/06
Received: 07/19/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0518-01 (PL-501-6C1 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Isopropylbenzene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
p-Isopropyltoluene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Methylene chloride	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2819	10	ND	1	7/28/2006	7/28/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Naphthalene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
n-Propylbenzene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Styrene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Tetrachloroethene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Toluene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Trichloroethene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Trichlorofluoromethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2819	10	ND	1	7/28/2006	7/28/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Vinyl acetate	EPA 8260B	P6G2819	25	ND	1	7/28/2006	7/28/2006	
Vinyl chloride	EPA 8260B	P6G2819	1.7	ND	1	7/28/2006	7/28/2006	
Xylenes, Total	EPA 8260B	P6G2819	3.0	ND	1	7/28/2006	7/28/2006	
Surrogate: Dibromofluoromethane (80-130%)				*103 %*				
Surrogate: Toluene-d8 (80-120%)				*107 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*104 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / Monthly UST Sampling
Report Number: PPG0518

Sampled: 07/19/06
Received: 07/19/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0518-02 (ASE-125A-6C1 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2819	20	ND	1	7/28/2006	7/28/2006	
Benzene	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
Bromobenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Bromochloromethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Bromodichloromethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Bromoform	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Bromomethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
2-Butanone (MEK)	EPA 8260B	P6G2819	10	ND	1	7/28/2006	7/28/2006	
n-Butylbenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
sec-Butylbenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
tert-Butylbenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Carbon Disulfide	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Carbon tetrachloride	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Chlorobenzene	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
Chloroethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Chloroform	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Chloromethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
2-Chlorotoluene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
4-Chlorotoluene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Dibromochloromethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Dibromomethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,1-Dichloroethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,2-Dichloroethane	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
1,1-Dichloroethene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,2-Dichloropropane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,3-Dichloropropane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
2,2-Dichloropropane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,1-Dichloropropene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Ethylbenzene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Hexachlorobutadiene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
2-Hexanone	EPA 8260B	P6G2819	10	ND	1	7/28/2006	7/28/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / Monthly UST Sampling
Report Number: PPG0518

Sampled: 07/19/06
Received: 07/19/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0518-02 (ASE-125A-6C1 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Isopropylbenzene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
p-Isopropyltoluene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Methylene chloride	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2819	10	ND	1	7/28/2006	7/28/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Naphthalene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
n-Propylbenzene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Styrene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Tetrachloroethene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Toluene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Trichloroethene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Trichlorofluoromethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2819	10	ND	1	7/28/2006	7/28/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Vinyl acetate	EPA 8260B	P6G2819	25	ND	1	7/28/2006	7/28/2006	
Vinyl chloride	EPA 8260B	P6G2819	1.7	ND	1	7/28/2006	7/28/2006	
Xylenes, Total	EPA 8260B	P6G2819	3.0	ND	1	7/28/2006	7/28/2006	
Surrogate: Dibromofluoromethane (80-130%)				*98 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*104 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / Monthly UST Sampling
Report Number: PPG0518
Sampled: 07/19/06
Received: 07/19/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0518-03 (ASE-126A-6C1 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2819	20	ND	1	7/28/2006	7/28/2006	
Benzene	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
Bromobenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Bromochloromethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Bromodichloromethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Bromoform	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Bromomethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
2-Butanone (MEK)	EPA 8260B	P6G2819	10	ND	1	7/28/2006	7/28/2006	
n-Butylbenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
sec-Butylbenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
tert-Butylbenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Carbon Disulfide	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Carbon tetrachloride	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Chlorobenzene	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
Chloroethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Chloroform	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Chloromethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
2-Chlorotoluene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
4-Chlorotoluene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Dibromochloromethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Dibromomethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,1-Dichloroethane	EPA 8260B	P6G2819	2.0	**11**	1	7/28/2006	7/28/2006	
1,2-Dichloroethane	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
1,1-Dichloroethene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,2-Dichloropropane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,3-Dichloropropane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
2,2-Dichloropropane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,1-Dichloropropene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Ethylbenzene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Hexachlorobutadiene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
2-Hexanone	EPA 8260B	P6G2819	10	ND	1	7/28/2006	7/28/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / Monthly UST Sampling
Report Number: PPG0518

Sampled: 07/19/06
Received: 07/19/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0518-03 (ASE-126A-6C1 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Isopropylbenzene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
p-Isopropyltoluene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Methylene chloride	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2819	10	ND	1	7/28/2006	7/28/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Naphthalene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
n-Propylbenzene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Styrene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Tetrachloroethene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Toluene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Trichloroethene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Trichlorofluoromethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2819	10	ND	1	7/28/2006	7/28/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Vinyl acetate	EPA 8260B	P6G2819	25	ND	1	7/28/2006	7/28/2006	
Vinyl chloride	EPA 8260B	P6G2819	1.7	ND	1	7/28/2006	7/28/2006	
Xylenes, Total	EPA 8260B	P6G2819	3.0	ND	1	7/28/2006	7/28/2006	
Surrogate: Dibromofluoromethane (80-130%)				*108 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*105 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / Monthly UST Sampling
Report Number: PPG0518
Sampled: 07/19/06
Received: 07/19/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0518-04 (PL-502-6C1 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2819	20	ND	1	7/28/2006	7/28/2006	
Benzene	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
Bromobenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Bromochloromethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Bromodichloromethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Bromoform	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Bromomethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	M1
2-Butanone (MEK)	EPA 8260B	P6G2819	10	ND	1	7/28/2006	7/28/2006	
n-Butylbenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
sec-Butylbenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
tert-Butylbenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Carbon Disulfide	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Carbon tetrachloride	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Chlorobenzene	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
Chloroethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	M1
Chloroform	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Chloromethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	M1
2-Chlorotoluene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
4-Chlorotoluene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Dibromochloromethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	M1
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Dibromomethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,1-Dichloroethane	EPA 8260B	P6G2819	2.0	**11**	1	7/28/2006	7/28/2006	M1
1,2-Dichloroethane	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
1,1-Dichloroethene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,2-Dichloropropane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,3-Dichloropropane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
2,2-Dichloropropane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,1-Dichloropropene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	M1
trans-1,3-Dichloropropene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	M1
Ethylbenzene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Hexachlorobutadiene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
2-Hexanone	EPA 8260B	P6G2819	10	ND	1	7/28/2006	7/28/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / Monthly UST Sampling
Report Number: PPG0518

Sampled: 07/19/06
Received: 07/19/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0518-04 (PL-502-6C1 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Isopropylbenzene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
p-Isopropyltoluene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Methylene chloride	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2819	10	ND	1	7/28/2006	7/28/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	M1
Naphthalene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
n-Propylbenzene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Styrene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Tetrachloroethene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Toluene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Trichloroethene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Trichlorofluoromethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2819	10	ND	1	7/28/2006	7/28/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Vinyl acetate	EPA 8260B	P6G2819	25	ND	1	7/28/2006	7/28/2006	
Vinyl chloride	EPA 8260B	P6G2819	1.7	ND	1	7/28/2006	7/28/2006	
Xylenes, Total	EPA 8260B	P6G2819	3.0	ND	1	7/28/2006	7/28/2006	
Surrogate: Dibromofluoromethane (80-130%)				*110 %*				
Surrogate: Toluene-d8 (80-120%)				*108 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*104 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / Monthly UST Sampling
Report Number: PPG0518

Sampled: 07/19/06
Received: 07/19/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0518-05 (TB-071906 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6G2819	20	ND	1	7/28/2006	7/28/2006	
Benzene	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
Bromobenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Bromochloromethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Bromodichloromethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Bromoform	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Bromomethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
2-Butanone (MEK)	EPA 8260B	P6G2819	10	ND	1	7/28/2006	7/28/2006	
n-Butylbenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
sec-Butylbenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
tert-Butylbenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Carbon Disulfide	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Carbon tetrachloride	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Chlorobenzene	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
Chloroethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Chloroform	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Chloromethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
2-Chlorotoluene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
4-Chlorotoluene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Dibromochloromethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Dibromomethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,2-Dichlorobenzene	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
1,3-Dichlorobenzene	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
1,4-Dichlorobenzene	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
Dichlorodifluoromethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,1-Dichloroethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,2-Dichloroethane	EPA 8260B	P6G2819	1.0	ND	1	7/28/2006	7/28/2006	
1,1-Dichloroethene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,2-Dichloropropane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,3-Dichloropropane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
2,2-Dichloropropane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,1-Dichloropropene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Ethylbenzene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Hexachlorobutadiene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
2-Hexanone	EPA 8260B	P6G2819	10	ND	1	7/28/2006	7/28/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / Monthly UST Sampling
Report Number: PPG0518

Sampled: 07/19/06
Received: 07/19/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0518-05 (TB-071906 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Isopropylbenzene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
p-Isopropyltoluene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Methylene chloride	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6G2819	10	ND	1	7/28/2006	7/28/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
Naphthalene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
n-Propylbenzene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Styrene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Tetrachloroethene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Toluene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,1,1-Trichloroethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,1,2-Trichloroethane	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Trichloroethene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Trichlorofluoromethane	EPA 8260B	P6G2819	5.0	ND	1	7/28/2006	7/28/2006	
1,2,3-Trichloropropane	EPA 8260B	P6G2819	10	ND	1	7/28/2006	7/28/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6G2819	2.0	ND	1	7/28/2006	7/28/2006	
Vinyl acetate	EPA 8260B	P6G2819	25	ND	1	7/28/2006	7/28/2006	
Vinyl chloride	EPA 8260B	P6G2819	1.7	ND	1	7/28/2006	7/28/2006	
Xylenes, Total	EPA 8260B	P6G2819	3.0	ND	1	7/28/2006	7/28/2006	
Surrogate: Dibromofluoromethane (80-130%)				*110 %*				
Surrogate: Toluene-d8 (80-120%)				*108 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*105 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / Monthly UST Sampling
Report Number: PPG0518

Sampled: 07/19/06
Received: 07/19/06

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0518-02RE1 (ASE-125A-6C1 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6G2606	3.0	ND	1.02	7/26/2006	7/27/2006	
Acenaphthylene	EPA 8310	P6G2606	3.0	ND	1.02	7/26/2006	7/27/2006	
Anthracene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Benzo(a)anthracene	EPA 8310	P6G2606	0.050	ND	1.02	7/26/2006	7/27/2006	
Benzo(a)pyrene	EPA 8310	P6G2606	0.10	ND	1.02	7/26/2006	7/27/2006	
Benzo(b)fluoranthene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Benzo(g,h,i)perylene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Benzo(k)fluoranthene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Chrysene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Dibenz(a,h)anthracene	EPA 8310	P6G2606	0.50	ND	1.02	7/26/2006	7/27/2006	
Fluoranthene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Fluorene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Naphthalene	EPA 8310	P6G2606	2.0	ND	1.02	7/26/2006	7/27/2006	
Phenanthrene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Pyrene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Surrogate: 2-Methylanthracene (50-115%)				*88 %*				
Sample ID: PPG0518-03RE1 (ASE-126A-6C1 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6G2606	3.0	ND	1.02	7/26/2006	7/27/2006	
Acenaphthylene	EPA 8310	P6G2606	3.0	ND	1.02	7/26/2006	7/27/2006	
Anthracene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Benzo(a)anthracene	EPA 8310	P6G2606	0.050	ND	1.02	7/26/2006	7/27/2006	
Benzo(a)pyrene	EPA 8310	P6G2606	0.10	ND	1.02	7/26/2006	7/27/2006	
Benzo(b)fluoranthene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Benzo(g,h,i)perylene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Benzo(k)fluoranthene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Chrysene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Dibenz(a,h)anthracene	EPA 8310	P6G2606	0.50	ND	1.02	7/26/2006	7/27/2006	
Fluoranthene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Fluorene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Naphthalene	EPA 8310	P6G2606	2.0	ND	1.02	7/26/2006	7/27/2006	
Phenanthrene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Pyrene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Surrogate: 2-Methylanthracene (50-115%)				*88 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / Monthly UST Sampling
Report Number: PPG0518

Sampled: 07/19/06
Received: 07/19/06

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPG0518-04RE1 (PL-502-6C1 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6G2606	3.0	ND	1.02	7/26/2006	7/27/2006	
Acenaphthylene	EPA 8310	P6G2606	3.0	ND	1.02	7/26/2006	7/27/2006	
Anthracene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Benzo(a)anthracene	EPA 8310	P6G2606	0.050	ND	1.02	7/26/2006	7/27/2006	
Benzo(a)pyrene	EPA 8310	P6G2606	0.10	ND	1.02	7/26/2006	7/27/2006	
Benzo(b)fluoranthene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Benzo(g,h,i)perylene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Benzo(k)fluoranthene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Chrysene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Dibenz(a,h)anthracene	EPA 8310	P6G2606	0.50	ND	1.02	7/26/2006	7/27/2006	
Fluoranthene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Fluorene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Naphthalene	EPA 8310	P6G2606	2.0	ND	1.02	7/26/2006	7/27/2006	
Phenanthrene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Pyrene	EPA 8310	P6G2606	0.30	ND	1.02	7/26/2006	7/27/2006	
Surrogate: 2-Methylanthracene (50-115%)				*90 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / Monthly UST Sampling
Report Number: PPG0518
Sampled: 07/19/06
Received: 07/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2819 Extracted: 07/28/06										
Blank Analyzed: 07/28/2006 (P6G2819-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / Monthly UST Sampling
Report Number: PPG0518
Sampled: 07/19/06
Received: 07/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2819 Extracted: 07/28/06										
Blank Analyzed: 07/28/2006 (P6G2819-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*25.1*		*ug/l*	*25.0*		*100*	*80-130*			
Surrogate: Toluene-d8	*26.8*		*ug/l*	*25.0*		*107*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / Monthly UST Sampling
Report Number: PPG0518
Sampled: 07/19/06
Received: 07/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2819 Extracted: 07/28/06										
LCS Analyzed: 07/28/2006 (P6G2819-BS1)										
Acetone	23.2	20	ug/l	25.0		93	30-150			
Benzene	24.8	1.0	ug/l	25.0		99	80-120			
Bromobenzene	25.9	5.0	ug/l	25.0		104	80-125			
Bromochloromethane	26.4	5.0	ug/l	25.0		106	80-125			
Bromodichloromethane	25.0	2.0	ug/l	25.0		100	80-120			
Bromoform	25.6	5.0	ug/l	25.0		102	70-120			
Bromomethane	26.7	5.0	ug/l	25.0		107	80-135			
2-Butanone (MEK)	27.4	10	ug/l	25.0		110	55-150			
n-Butylbenzene	25.2	5.0	ug/l	25.0		101	80-120			
sec-Butylbenzene	25.2	5.0	ug/l	25.0		101	80-130			
tert-Butylbenzene	25.2	5.0	ug/l	25.0		101	80-130			
Carbon Disulfide	24.3	5.0	ug/l	25.0		97	55-145			
Carbon tetrachloride	25.2	5.0	ug/l	25.0		101	80-120			
Chlorobenzene	25.4	1.0	ug/l	25.0		102	80-120			
Chloroethane	24.9	5.0	ug/l	25.0		100	80-125			
Chloroform	24.2	2.0	ug/l	25.0		97	80-120			
Chloromethane	25.0	5.0	ug/l	25.0		100	70-130			
2-Chlorotoluene	24.6	5.0	ug/l	25.0		98	80-120			
4-Chlorotoluene	25.0	5.0	ug/l	25.0		100	80-120			
Dibromochloromethane	25.8	2.0	ug/l	25.0		103	75-120			
1,2-Dibromo-3-chloropropane	24.3	5.0	ug/l	25.0		97	55-120			
1,2-Dibromoethane (EDB)	24.8	2.0	ug/l	25.0		99	75-125			
Dibromomethane	24.9	2.0	ug/l	25.0		100	80-125			
1,2-Dichlorobenzene	25.9	1.0	ug/l	25.0		104	80-120			
1,3-Dichlorobenzene	25.5	1.0	ug/l	25.0		102	80-125			
1,4-Dichlorobenzene	25.8	1.0	ug/l	25.0		103	80-120			
Dichlorodifluoromethane	23.4	5.0	ug/l	25.0		94	60-140			
1,1-Dichloroethane	24.3	2.0	ug/l	25.0		97	80-120			
1,2-Dichloroethane	22.9	1.0	ug/l	25.0		92	75-125			
1,1-Dichloroethene	25.0	5.0	ug/l	25.0		100	75-120			
cis-1,2-Dichloroethene	24.5	2.0	ug/l	25.0		98	80-125			
trans-1,2-Dichloroethene	25.0	2.0	ug/l	25.0		100	80-120			
1,2-Dichloropropane	24.1	2.0	ug/l	25.0		96	80-120			
1,3-Dichloropropane	24.4	2.0	ug/l	25.0		98	80-120			
2,2-Dichloropropane	25.2	2.0	ug/l	25.0		101	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / Monthly UST Sampling
Report Number: PPG0518
Sampled: 07/19/06
Received: 07/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2819 Extracted: 07/28/06										
LCS Analyzed: 07/28/2006 (P6G2819-BS1)										
1,1-Dichloropropene	24.6	2.0	ug/l	25.0		98	80-120			
cis-1,3-Dichloropropene	26.4	2.0	ug/l	25.0		106	75-120			
trans-1,3-Dichloropropene	27.0	2.0	ug/l	25.0		108	80-120			
Ethylbenzene	25.2	2.0	ug/l	25.0		101	80-125			
Hexachlorobutadiene	24.1	5.0	ug/l	25.0		96	70-130			
2-Hexanone	25.3	10	ug/l	25.0		101	40-150			
Iodomethane	25.3	2.0	ug/l	25.0		101	80-130			
Isopropylbenzene	27.2	2.0	ug/l	25.0		109	80-140			
p-Isopropyltoluene	25.6	2.0	ug/l	25.0		102	80-130			
Methylene chloride	22.4	5.0	ug/l	25.0		90	80-120			
4-Methyl-2-pentanone (MIBK)	23.4	10	ug/l	25.0		94	50-140			
Methyl-tert-butyl Ether (MTBE)	26.1	5.0	ug/l	25.0		104	65-130			
Naphthalene	25.8	2.0	ug/l	25.0		103	70-130			
n-Propylbenzene	26.0	2.0	ug/l	25.0		104	80-135			
Styrene	27.4	2.0	ug/l	25.0		110	80-125			
1,1,1,2-Tetrachloroethane	25.2	5.0	ug/l	25.0		101	80-120			
1,1,2,2-Tetrachloroethane	25.0	2.0	ug/l	25.0		100	65-140			
Tetrachloroethene	26.1	2.0	ug/l	25.0		104	80-125			
Toluene	25.6	2.0	ug/l	25.0		102	80-125			
1,2,3-Trichlorobenzene	25.9	5.0	ug/l	25.0		104	75-125			
1,2,4-Trichlorobenzene	26.4	5.0	ug/l	25.0		106	80-125			
1,1,1-Trichloroethane	24.5	2.0	ug/l	25.0		98	75-125			
1,1,2-Trichloroethane	24.4	2.0	ug/l	25.0		98	80-125			
Trichloroethene	24.2	2.0	ug/l	25.0		97	80-120			
Trichlorofluoromethane	24.5	5.0	ug/l	25.0		98	75-130			
1,2,3-Trichloropropane	24.5	10	ug/l	25.0		98	65-135			
1,2,4-Trimethylbenzene	25.2	2.0	ug/l	25.0		101	80-125			
1,3,5-Trimethylbenzene	24.8	2.0	ug/l	25.0		99	80-130			
Vinyl acetate	29.6	25	ug/l	25.0		118	70-140			
Vinyl chloride	23.7	1.7	ug/l	25.0		95	70-135			
Xylenes, Total	51.4	3.0	ug/l	50.0		103	80-125			
Surrogate: Dibromofluoromethane	*26.4*		*ug/l*	*25.0*		*106*	*80-130*			
Surrogate: Toluene-d8	*26.6*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / Monthly UST Sampling
Report Number: PPG0518
Sampled: 07/19/06
Received: 07/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2819 Extracted: 07/28/06										
LCS Dup Analyzed: 07/28/2006 (P6G2819-BSD1)										
Acetone	22.2	20	ug/l	25.0		89	30-150	4	35	
Benzene	25.4	1.0	ug/l	25.0		102	80-120	2	10	
Bromobenzene	27.0	5.0	ug/l	25.0		108	80-125	4	10	
Bromochloromethane	26.0	5.0	ug/l	25.0		104	80-125	2	15	
Bromodichloromethane	25.9	2.0	ug/l	25.0		104	80-120	4	15	
Bromoform	26.6	5.0	ug/l	25.0		106	70-120	4	20	
Bromomethane	26.4	5.0	ug/l	25.0		106	80-135	1	15	
2-Butanone (MEK)	25.5	10	ug/l	25.0		102	55-150	7	35	
n-Butylbenzene	26.1	5.0	ug/l	25.0		104	80-120	4	10	
sec-Butylbenzene	26.1	5.0	ug/l	25.0		104	80-130	4	10	
tert-Butylbenzene	26.2	5.0	ug/l	25.0		105	80-130	4	10	
Carbon Disulfide	23.1	5.0	ug/l	25.0		92	55-145	5	15	
Carbon tetrachloride	26.1	5.0	ug/l	25.0		104	80-120	4	15	
Chlorobenzene	26.5	1.0	ug/l	25.0		106	80-120	4	10	
Chloroethane	24.6	5.0	ug/l	25.0		98	80-125	1	15	
Chloroform	24.3	2.0	ug/l	25.0		97	80-120	0	10	
Chloromethane	24.6	5.0	ug/l	25.0		98	70-130	2	15	
2-Chlorotoluene	25.2	5.0	ug/l	25.0		101	80-120	2	10	
4-Chlorotoluene	25.8	5.0	ug/l	25.0		103	80-120	3	10	
Dibromochloromethane	26.9	2.0	ug/l	25.0		108	75-120	4	15	
1,2-Dibromo-3-chloropropane	26.1	5.0	ug/l	25.0		104	55-120	7	35	
1,2-Dibromoethane (EDB)	26.0	2.0	ug/l	25.0		104	75-125	5	20	
Dibromomethane	26.2	2.0	ug/l	25.0		105	80-125	5	20	
1,2-Dichlorobenzene	26.6	1.0	ug/l	25.0		106	80-120	3	10	
1,3-Dichlorobenzene	26.2	1.0	ug/l	25.0		105	80-125	3	10	
1,4-Dichlorobenzene	26.7	1.0	ug/l	25.0		107	80-120	3	10	
Dichlorodifluoromethane	23.8	5.0	ug/l	25.0		95	60-140	2	15	
1,1-Dichloroethane	24.3	2.0	ug/l	25.0		97	80-120	0	10	
1,2-Dichloroethane	23.3	1.0	ug/l	25.0		93	75-125	2	20	
1,1-Dichloroethene	24.9	5.0	ug/l	25.0		100	75-120	0	15	
cis-1,2-Dichloroethene	24.7	2.0	ug/l	25.0		99	80-125	1	10	
trans-1,2-Dichloroethene	24.0	2.0	ug/l	25.0		96	80-120	4	10	
1,2-Dichloropropane	24.9	2.0	ug/l	25.0		100	80-120	3	15	
1,3-Dichloropropane	25.7	2.0	ug/l	25.0		103	80-120	5	15	
2,2-Dichloropropane	24.6	2.0	ug/l	25.0		98	70-130	2	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / Monthly UST Sampling
Report Number: PPG0518
Sampled: 07/19/06
Received: 07/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2819 Extracted: 07/28/06										
LCS Dup Analyzed: 07/28/2006 (P6G2819-BSD1)										
1,1-Dichloropropene	25.3	2.0	ug/l	25.0		101	80-120	3	10	
cis-1,3-Dichloropropene	27.5	2.0	ug/l	25.0		110	75-120	4	15	
trans-1,3-Dichloropropene	27.9	2.0	ug/l	25.0		112	80-120	3	20	
Ethylbenzene	26.2	2.0	ug/l	25.0		105	80-125	4	15	
Hexachlorobutadiene	25.4	5.0	ug/l	25.0		102	70-130	5	15	
2-Hexanone	26.1	10	ug/l	25.0		104	40-150	3	35	
Iodomethane	24.6	2.0	ug/l	25.0		98	80-130	3	10	
Isopropylbenzene	28.1	2.0	ug/l	25.0		112	80-140	3	10	
p-Isopropyltoluene	26.4	2.0	ug/l	25.0		106	80-130	3	15	
Methylene chloride	22.3	5.0	ug/l	25.0		89	80-120	0	10	
4-Methyl-2-pentanone (MIBK)	23.4	10	ug/l	25.0		94	50-140	0	35	
Methyl-tert-butyl Ether (MTBE)	25.9	5.0	ug/l	25.0		104	65-130	1	25	
Naphthalene	27.0	2.0	ug/l	25.0		108	70-130	5	20	
n-Propylbenzene	27.1	2.0	ug/l	25.0		108	80-135	4	10	
Styrene	28.6	2.0	ug/l	25.0		114	80-125	4	15	
1,1,1,2-Tetrachloroethane	25.9	5.0	ug/l	25.0		104	80-120	3	15	
1,1,2,2-Tetrachloroethane	26.2	2.0	ug/l	25.0		105	65-140	5	25	
Tetrachloroethene	26.8	2.0	ug/l	25.0		107	80-125	3	15	
Toluene	26.4	2.0	ug/l	25.0		106	80-125	3	10	
1,2,3-Trichlorobenzene	27.4	5.0	ug/l	25.0		110	75-125	6	15	
1,2,4-Trichlorobenzene	27.9	5.0	ug/l	25.0		112	80-125	6	15	
1,1,1-Trichloroethane	24.5	2.0	ug/l	25.0		98	75-125	0	10	
1,1,2-Trichloroethane	24.9	2.0	ug/l	25.0		100	80-125	2	25	
Trichloroethene	25.0	2.0	ug/l	25.0		100	80-120	3	10	
Trichlorofluoromethane	24.4	5.0	ug/l	25.0		98	75-130	0	10	
1,2,3-Trichloropropane	25.5	10	ug/l	25.0		102	65-135	4	25	
1,2,4-Trimethylbenzene	25.8	2.0	ug/l	25.0		103	80-125	2	10	
1,3,5-Trimethylbenzene	26.0	2.0	ug/l	25.0		104	80-130	5	10	
Vinyl acetate	28.1	25	ug/l	25.0		112	70-140	5	30	
Vinyl chloride	22.7	1.7	ug/l	25.0		91	70-135	4	15	
Xylenes, Total	54.4	3.0	ug/l	50.0		109	80-125	6	15	
Surrogate: Dibromofluoromethane	*25.3*		*ug/l*	*25.0*		*101*	*80-130*			
Surrogate: Toluene-d8	*26.4*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.6*		*ug/l*	*25.0*		*106*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / Monthly UST Sampling
Report Number: PPG0518
Sampled: 07/19/06
Received: 07/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2819 Extracted: 07/28/06										
Matrix Spike Analyzed: 07/28/2006 (P6G2819-MS1)					**Source: PPG0518-04**					
Acetone	31.8	20	ug/l	25.0	ND	127	15-150			
Benzene	29.0	1.0	ug/l	25.0	ND	116	80-125			
Bromobenzene	28.1	5.0	ug/l	25.0	ND	112	80-125			
Bromochloromethane	31.7	5.0	ug/l	25.0	ND	127	80-130			
Bromodichloromethane	32.1	2.0	ug/l	25.0	ND	128	70-130			
Bromoform	27.4	5.0	ug/l	25.0	ND	110	70-120			
Bromomethane	30.6	5.0	ug/l	25.0	ND	122	80-135			
2-Butanone (MEK)	34.1	10	ug/l	25.0	ND	136	30-150			
n-Butylbenzene	29.2	5.0	ug/l	25.0	ND	117	80-135			
sec-Butylbenzene	28.2	5.0	ug/l	25.0	ND	113	80-130			
tert-Butylbenzene	28.6	5.0	ug/l	25.0	ND	114	80-130			
Carbon Disulfide	28.0	5.0	ug/l	25.0	ND	112	45-150			
Carbon tetrachloride	32.2	5.0	ug/l	25.0	ND	129	65-135			
Chlorobenzene	29.2	1.0	ug/l	25.0	ND	117	80-125			
Chloroethane	31.5	5.0	ug/l	25.0	ND	126	80-125			*M1*
Chloroform	31.9	2.0	ug/l	25.0	ND	128	75-130			
Chloromethane	30.9	5.0	ug/l	25.0	ND	124	65-130			
2-Chlorotoluene	28.0	5.0	ug/l	25.0	ND	112	80-130			
4-Chlorotoluene	28.6	5.0	ug/l	25.0	ND	114	80-135			
Dibromochloromethane	31.2	2.0	ug/l	25.0	ND	125	75-120			*M1*
1,2-Dibromo-3-chloropropane	30.5	5.0	ug/l	25.0	ND	122	50-130			
1,2-Dibromoethane (EDB)	30.6	2.0	ug/l	25.0	ND	122	70-130			
Dibromomethane	31.3	2.0	ug/l	25.0	ND	125	75-130			
1,2-Dichlorobenzene	29.2	1.0	ug/l	25.0	ND	117	80-130			
1,3-Dichlorobenzene	28.3	1.0	ug/l	25.0	ND	113	80-130			
1,4-Dichlorobenzene	29.2	1.0	ug/l	25.0	ND	117	80-125			
Dichlorodifluoromethane	30.8	5.0	ug/l	25.0	ND	123	60-140			
1,1-Dichloroethane	43.9	2.0	ug/l	25.0	11	132	80-125			*M1*
1,2-Dichloroethane	33.2	1.0	ug/l	25.0	ND	133	60-145			
1,1-Dichloroethene	31.2	5.0	ug/l	25.0	0.53	123	75-130			
cis-1,2-Dichloroethene	30.4	2.0	ug/l	25.0	0.68	119	80-125			
trans-1,2-Dichloroethene	29.6	2.0	ug/l	25.0	ND	118	80-120			
1,2-Dichloropropane	29.5	2.0	ug/l	25.0	ND	118	80-125			
1,3-Dichloropropane	30.7	2.0	ug/l	25.0	ND	123	75-130			
2,2-Dichloropropane	31.8	2.0	ug/l	25.0	ND	127	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / Monthly UST Sampling
Report Number: PPG0518
Sampled: 07/19/06
Received: 07/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2819 Extracted: 07/28/06										
Matrix Spike Analyzed: 07/28/2006 (P6G2819-MS1)					**Source: PPG0518-04**					
1,1-Dichloropropene	30.6	2.0	ug/l	25.0	ND	122	80-125			
cis-1,3-Dichloropropene	32.4	2.0	ug/l	25.0	ND	130	75-120			*M1*
trans-1,3-Dichloropropene	34.8	2.0	ug/l	25.0	ND	139	75-130			*M1*
Ethylbenzene	30.1	2.0	ug/l	25.0	ND	120	80-130			
Hexachlorobutadiene	26.6	5.0	ug/l	25.0	ND	106	65-130			
2-Hexanone	32.6	10	ug/l	25.0	ND	130	40-150			
Iodomethane	28.6	2.0	ug/l	25.0	ND	114	70-140			
Isopropylbenzene	30.2	2.0	ug/l	25.0	ND	121	80-140			
p-Isopropyltoluene	29.0	2.0	ug/l	25.0	ND	116	80-135			
Methylene chloride	28.0	5.0	ug/l	25.0	ND	112	75-125			
4-Methyl-2-pentanone (MIBK)	31.6	10	ug/l	25.0	ND	126	40-140			
Methyl-tert-butyl Ether (MTBE)	36.4	5.0	ug/l	25.0	0.91	142	65-135			*M1*
Naphthalene	30.8	2.0	ug/l	25.0	ND	123	60-140			
n-Propylbenzene	29.5	2.0	ug/l	25.0	ND	118	80-140			
Styrene	32.3	2.0	ug/l	25.0	ND	129	30-150			
1,1,1,2-Tetrachloroethane	29.5	5.0	ug/l	25.0	ND	118	80-130			
1,1,2,2-Tetrachloroethane	30.3	2.0	ug/l	25.0	ND	121	65-140			
Tetrachloroethene	28.7	2.0	ug/l	25.0	ND	115	80-130			
Toluene	30.4	2.0	ug/l	25.0	ND	122	80-130			
1,2,3-Trichlorobenzene	29.3	5.0	ug/l	25.0	ND	117	75-140			
1,2,4-Trichlorobenzene	29.3	5.0	ug/l	25.0	ND	117	80-135			
1,1,1-Trichloroethane	32.7	2.0	ug/l	25.0	ND	131	70-135			
1,1,2-Trichloroethane	30.3	2.0	ug/l	25.0	ND	121	70-135			
Trichloroethene	30.8	2.0	ug/l	25.0	1.5	117	80-125			
Trichlorofluoromethane	33.7	5.0	ug/l	25.0	ND	135	70-140			
1,2,3-Trichloropropane	29.6	10	ug/l	25.0	ND	118	65-135			
1,2,4-Trimethylbenzene	28.7	2.0	ug/l	25.0	ND	115	75-130			
1,3,5-Trimethylbenzene	28.6	2.0	ug/l	25.0	ND	114	80-135			
Vinyl acetate	36.6	25	ug/l	25.0	ND	146	30-150			
Vinyl chloride	31.5	1.7	ug/l	25.0	0.78	123	70-135			
Xylenes, Total	60.5	3.0	ug/l	50.0	ND	121	80-125			
Surrogate: Dibromofluoromethane	*29.4*		*ug/l*	*25.0*		*118*	*80-130*			
Surrogate: Toluene-d8	*27.7*		*ug/l*	*25.0*		*111*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*28.3*		*ug/l*	*25.0*		*113*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / Monthly UST Sampling
Report Number: PPG0518
Sampled: 07/19/06
Received: 07/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2819 Extracted: 07/28/06										
Matrix Spike Dup Analyzed: 07/28/2006 (P6G2819-MSD1)					**Source: PPG0518-04**					
Acetone	26.4	20	ug/l	25.0	ND	106	15-150	19	35	
Benzene	27.7	1.0	ug/l	25.0	ND	111	80-125	5	10	
Bromobenzene	27.2	5.0	ug/l	25.0	ND	109	80-125	3	15	
Bromochloromethane	29.6	5.0	ug/l	25.0	ND	118	80-130	7	20	
Bromodichloromethane	29.5	2.0	ug/l	25.0	ND	118	70-130	8	15	
Bromoform	25.5	5.0	ug/l	25.0	ND	102	70-120	7	25	
Bromomethane	34.0	5.0	ug/l	25.0	ND	136	80-135	11	20	*M1*
2-Butanone (MEK)	29.1	10	ug/l	25.0	ND	116	30-150	16	35	
n-Butylbenzene	28.8	5.0	ug/l	25.0	ND	115	80-135	1	20	
sec-Butylbenzene	28.1	5.0	ug/l	25.0	ND	112	80-130	0	20	
tert-Butylbenzene	28.1	5.0	ug/l	25.0	ND	112	80-130	2	20	
Carbon Disulfide	28.6	5.0	ug/l	25.0	ND	114	45-150	2	15	
Carbon tetrachloride	30.4	5.0	ug/l	25.0	ND	122	65-135	6	15	
Chlorobenzene	27.6	1.0	ug/l	25.0	ND	110	80-125	6	15	
Chloroethane	32.8	5.0	ug/l	25.0	ND	131	80-125	4	20	*M1*
Chloroform	29.7	2.0	ug/l	25.0	ND	119	75-130	7	15	
Chloromethane	34.8	5.0	ug/l	25.0	ND	139	65-130	12	20	*M1*
2-Chlorotoluene	27.3	5.0	ug/l	25.0	ND	109	80-130	3	15	
4-Chlorotoluene	27.6	5.0	ug/l	25.0	ND	110	80-135	4	15	
Dibromochloromethane	27.6	2.0	ug/l	25.0	ND	110	75-120	12	20	
1,2-Dibromo-3-chloropropane	28.0	5.0	ug/l	25.0	ND	112	50-130	9	35	
1,2-Dibromoethane (EDB)	27.1	2.0	ug/l	25.0	ND	108	70-130	12	25	
Dibromomethane	28.9	2.0	ug/l	25.0	ND	116	75-130	8	25	
1,2-Dichlorobenzene	28.4	1.0	ug/l	25.0	ND	114	80-130	3	15	
1,3-Dichlorobenzene	27.6	1.0	ug/l	25.0	ND	110	80-130	3	15	
1,4-Dichlorobenzene	28.0	1.0	ug/l	25.0	ND	112	80-125	4	10	
Dichlorodifluoromethane	32.0	5.0	ug/l	25.0	ND	128	60-140	4	45	
1,1-Dichloroethane	40.7	2.0	ug/l	25.0	11	119	80-125	8	15	
1,2-Dichloroethane	29.9	1.0	ug/l	25.0	ND	120	60-145	10	20	
1,1-Dichloroethene	30.0	5.0	ug/l	25.0	0.53	118	75-130	4	15	
cis-1,2-Dichloroethene	28.7	2.0	ug/l	25.0	0.68	112	80-125	6	15	
trans-1,2-Dichloroethene	27.4	2.0	ug/l	25.0	ND	110	80-120	8	15	
1,2-Dichloropropane	28.1	2.0	ug/l	25.0	ND	112	80-125	5	15	
1,3-Dichloropropane	27.5	2.0	ug/l	25.0	ND	110	75-130	11	20	
2,2-Dichloropropane	29.8	2.0	ug/l	25.0	ND	119	60-135	6	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / Monthly UST Sampling
Report Number: PPG0518
Sampled: 07/19/06
Received: 07/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2819 Extracted: 07/28/06										
Matrix Spike Dup Analyzed: 07/28/2006 (P6G2819-MSD1)					**Source: PPG0518-04**					
1,1-Dichloropropene	28.8	2.0	ug/l	25.0	ND	115	80-125	6	15	
cis-1,3-Dichloropropene	30.2	2.0	ug/l	25.0	ND	121	75-120	7	15	*M1*
trans-1,3-Dichloropropene	31.4	2.0	ug/l	25.0	ND	126	75-130	10	25	
Ethylbenzene	28.3	2.0	ug/l	25.0	ND	113	80-130	6	15	
Hexachlorobutadiene	26.2	5.0	ug/l	25.0	ND	105	65-130	2	15	
2-Hexanone	28.2	10	ug/l	25.0	ND	113	40-150	14	35	
Iodomethane	29.2	2.0	ug/l	25.0	ND	117	70-140	2	15	
Isopropylbenzene	29.8	2.0	ug/l	25.0	ND	119	80-140	1	20	
p-Isopropyltoluene	28.3	2.0	ug/l	25.0	ND	113	80-135	2	20	
Methylene chloride	26.4	5.0	ug/l	25.0	ND	106	75-125	6	15	
4-Methyl-2-pentanone (MIBK)	27.1	10	ug/l	25.0	ND	108	40-140	15	35	
Methyl-tert-butyl Ether (MTBE)	31.8	5.0	ug/l	25.0	0.91	124	65-135	13	30	
Naphthalene	28.5	2.0	ug/l	25.0	ND	114	60-140	8	30	
n-Propylbenzene	28.6	2.0	ug/l	25.0	ND	114	80-140	3	20	
Styrene	30.0	2.0	ug/l	25.0	ND	120	30-150	7	25	
1,1,1,2-Tetrachloroethane	27.2	5.0	ug/l	25.0	ND	109	80-130	8	15	
1,1,2,2-Tetrachloroethane	27.2	2.0	ug/l	25.0	ND	109	65-140	11	35	
Tetrachloroethene	27.5	2.0	ug/l	25.0	ND	110	80-130	4	15	
Toluene	28.8	2.0	ug/l	25.0	ND	115	80-130	5	15	
1,2,3-Trichlorobenzene	28.5	5.0	ug/l	25.0	ND	114	75-140	3	20	
1,2,4-Trichlorobenzene	28.4	5.0	ug/l	25.0	ND	114	80-135	3	15	
1,1,1-Trichloroethane	30.4	2.0	ug/l	25.0	ND	122	70-135	7	15	
1,1,2-Trichloroethane	27.3	2.0	ug/l	25.0	ND	109	70-135	10	25	
Trichloroethene	29.3	2.0	ug/l	25.0	1.5	111	80-125	5	15	
Trichlorofluoromethane	32.3	5.0	ug/l	25.0	ND	129	70-140	4	15	
1,2,3-Trichloropropane	26.8	10	ug/l	25.0	ND	107	65-135	10	35	
1,2,4-Trimethylbenzene	28.2	2.0	ug/l	25.0	ND	113	75-130	2	15	
1,3,5-Trimethylbenzene	28.0	2.0	ug/l	25.0	ND	112	80-135	2	15	
Vinyl acetate	32.7	25	ug/l	25.0	ND	131	30-150	11	35	
Vinyl chloride	34.2	1.7	ug/l	25.0	0.78	134	70-135	8	25	
Xylenes, Total	57.2	3.0	ug/l	50.0	ND	114	80-125	6	15	
Surrogate: Dibromofluoromethane	*28.6*		*ug/l*	*25.0*		*114*	*80-130*			
Surrogate: Toluene-d8	*27.4*		*ug/l*	*25.0*		*110*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*27.5*		*ug/l*	*25.0*		*110*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / Monthly UST Sampling
Report Number: PPG0518
Sampled: 07/19/06
Received: 07/19/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2606 Extracted: 07/26/06										
Blank Analyzed: 07/27/2006 (P6G2606-BLK1)										
Acenaphthene	ND	3.0	ug/l							
Acenaphthylene	ND	3.0	ug/l							
Anthracene	ND	0.30	ug/l							
Benzo(a)anthracene	ND	0.050	ug/l							
Benzo(a)pyrene	ND	0.10	ug/l							
Benzo(b)fluoranthene	ND	0.30	ug/l							
Benzo(g,h,i)perylene	ND	0.30	ug/l							
Benzo(k)fluoranthene	ND	0.30	ug/l							
Chrysene	ND	0.30	ug/l							
Dibenz(a,h)anthracene	ND	0.50	ug/l							
Fluoranthene	ND	0.30	ug/l							
Fluorene	ND	0.30	ug/l							
Indeno(1,2,3-cd)pyrene	ND	0.30	ug/l							
Naphthalene	ND	2.0	ug/l							
Phenanthrene	ND	0.30	ug/l							
Pyrene	ND	0.30	ug/l							
Surrogate: 2-Methylanthracene	*0.472*		*ug/l*	*0.600*		*79*	*50-115*			
LCS Analyzed: 07/27/2006 (P6G2606-BS1)										**Q8**
Acenaphthene	4.82	3.0	ug/l	6.00		80	55-115			
Acenaphthylene	9.47	3.0	ug/l	12.0		79	55-115			
Anthracene	0.442	0.30	ug/l	0.600		74	55-115			
Benzo(a)anthracene	0.524	0.050	ug/l	0.600		87	70-115			
Benzo(a)pyrene	0.491	0.10	ug/l	0.600		82	75-115			
Benzo(b)fluoranthene	1.02	0.30	ug/l	1.20		85	80-115			
Benzo(g,h,i)perylene	1.05	0.30	ug/l	1.20		87	70-115			
Benzo(k)fluoranthene	0.523	0.30	ug/l	0.600		87	70-115			
Chrysene	0.524	0.30	ug/l	0.600		87	70-115			
Dibenz(a,h)anthracene	0.993	0.50	ug/l	1.20		83	65-115			
Fluoranthene	0.999	0.30	ug/l	1.20		83	60-115			
Fluorene	0.926	0.30	ug/l	1.20		77	55-115			
Indeno(1,2,3-cd)pyrene	0.475	0.30	ug/l	0.600		79	70-115			
Naphthalene	4.50	2.0	ug/l	6.00		75	45-115			
Phenanthrene	0.476	0.30	ug/l	0.600		79	50-115			
Pyrene	0.471	0.30	ug/l	0.600		78	65-115			
Surrogate: 2-Methylanthracene	*0.497*		*ug/l*	*0.600*		*83*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / Monthly UST Sampling
Report Number: PPG0518
Sampled: 07/19/06
Received: 07/19/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6G2606 Extracted: 07/26/06										
LCS Dup Analyzed: 07/27/2006 (P6G2606-BSD1)										
Acenaphthene	5.39	3.0	ug/l	6.00		90	55-115	11	15	
Acenaphthylene	10.5	3.0	ug/l	12.0		88	55-115	10	20	
Anthracene	0.492	0.30	ug/l	0.600		82	55-115	11	20	
Benzo(a)anthracene	0.559	0.050	ug/l	0.600		93	70-115	6	15	
Benzo(a)pyrene	0.536	0.10	ug/l	0.600		89	75-115	9	15	
Benzo(b)fluoranthene	1.09	0.30	ug/l	1.20		91	80-115	7	15	
Benzo(g,h,i)perylene	1.14	0.30	ug/l	1.20		95	70-115	8	15	
Benzo(k)fluoranthene	0.565	0.30	ug/l	0.600		94	70-115	8	15	
Chrysene	0.565	0.30	ug/l	0.600		94	70-115	8	15	
Dibenz(a,h)anthracene	1.07	0.50	ug/l	1.20		89	65-115	7	15	
Fluoranthene	1.10	0.30	ug/l	1.20		92	60-115	10	20	
Fluorene	1.04	0.30	ug/l	1.20		87	55-115	12	20	
Indeno(1,2,3-cd)pyrene	0.518	0.30	ug/l	0.600		86	70-115	9	20	
Naphthalene	4.98	2.0	ug/l	6.00		83	45-115	10	25	
Phenanthrene	0.542	0.30	ug/l	0.600		90	50-115	13	25	
Pyrene	0.532	0.30	ug/l	0.600		89	65-115	12	20	
Surrogate: 2-Methylanthracene	*0.546*		*ug/l*	*0.600*		*91*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / Monthly UST Sampling
Report Number: PPG0518

Sampled: 07/19/06
Received: 07/19/06

DATA QUALIFIERS AND DEFINITIONS

M1	Matrix spike recovery was high, the method control sample recovery was acceptable.
Q8	Insufficient sample received to meet method QC requirements. Batch QC satisfies ADEQ policies 0154 and 0155.
ND	Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
RPD	Relative Percent Difference

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Sky Harbor / HW Quarterly / Monthly UST Sampling
Report Number: PPG0518

Sampled: 07/19/06
Received: 07/19/06

Certification Summary

TestAmerica - Phoenix, AZ

Method	Matrix	Nelac	Arizona
EPA 8015B	Water	X	X
EPA 8260B	Water	X	X
EPA 8310	Water	X	X

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

Subcontracted Laboratories

Transwest Geochem *Arizona Cert #AZ0133*
3725 E. Atlanta Ave Ste 1 - Phoenix, AZ 85040-2961
Analysis Performed: 8015B MOD-Low Level
Samples: PPG0518-02, PPG0518-03, PPG0518-04

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

DelMar Analytical
9830 South 51st St, Suite B-120
Phoenix, AZ 85044
480-785-0043

Honeywell

Chain Of Custody / Analysis Request

[redacted] Jennifer Holland
[redacted] jennifer.holland@ch2m.com

Site Name: Sky Harbor
Location of Site: HW Quarterly / Monthly UST Sampling Program

[redacted]

Client Contact: (name, co., address)
CH2M HILL
2625 South Plaza Drive, Suite 300
Tempe, AZ 85282
Jennifer.Holland@CH2M.com

[redacted] Jennifer Holland, CH2M Hill
[redacted]

Sampler: Rich Randall
PO# 2959460

Analysis Turnaround Time:
Standard - Y
Rush Charges Authorized for -
2 weeks -
1 week -
Next Day -

[redacted]

	Sample Identification		Sample Date	Sample Time	Sample Type	Sample Matrix	# of Cont.	MS/MSD REQUESTED	Field Filtered Sample ?	VOC's (EPA 8260B)	SVOC's (EPA 8270)	PAH's (EPA 8310)	TRPH (EPA 8015M)	MEE (RSKSOP-175)	Total Metals (Varoius Methods)	Dissolved Metals (Various Methods)	Total common Ions (Various Methods)	Dissolved Common Ions (Various Methods)		VOC'S (EPA 624)		MS/MSD Requested	[redacted]
	Location ID	Field Sample ID								Preservative													
										1	0	0	3	1	2	2	0	0		1			
										ug/L	ug/L	ug/L	ug/L	mg/L	mg/L	mg/L	mg/L	mg/L		ug/L			
1	EQUIPBLANK	PL-501-6C1	7/19/2006	0225	BLKWATER	WATER	1		N	X													PPGD518-01
2	ASE-125A	ASE-125A-6C1	7/19/2006	0400	GW	WATER	9	Y	N	X		X	X										-02
3	ASE-126A	ASE-126A-6C1	7/19/2006	0303	GW	WATER	7		N	X		X	X										-03
4	ASE-126A	PL-502-6C1	7/19/2006	0303	GW	WATER	7		N	X		X	X										-04
5	Trip Blank	TB-071906	7/19/2006	0419	BLKWATER	WATER	1		N	X													-05
6																							
7																							
8																							
9																							
10																							
11																							
12																							
13																							
14																							
15																							
16																							
17																							
18																							
19																							
20																							

Relinquished by: RRandall	Company:	Hargis + Associates, Inc.	Received by:		Condition:		Custody Seals Intact:
	Date/Time:	7-19-06 1401			Cooler Temp.:	7/19/06	
Relinquished by: 7/19/06	Company:		Received by:		Condition:		Custody Seals Intact:
	Date/Time: 7/19/06 1215	TEST AMERICA PHOENIX			Cooler Temp.: 3-0°C		

Preservatives: 0 = None; [1 = HCL]; [2 = HNO3]; [3 = H2SO4]; [4 = NaOH]; [5 = Zn. Acetate]; [6 = MeOH]; [7 = NaHSO4]; 8 = Other (specify):

TRANSWEST GEOCHEM

August 17, 2006

Ken Baker
TestAmerica - Phoenix
9830 S. 51st Street
Suite B-120
Phoenix, AZ 85044

Re: PPG0518
Work Order No.: 0607291

Dear Ken,

Attached is the original Report of Analysis from Columbia Analytical Services, Inc. (AZ0604) for the samples received on 7/19/06. The following analysis was performed:

Method EPA 8015B – Diesel Range Organics

If you have any questions regarding the results, please call me. We appreciate your business and thank you for choosing Transwest Geochem.

Sincerely,

Skip Harden
Project Manager

ADHS License No. AZM133/AZ0133

CONFIDENTIAL AND PRIVILEGED

3725 E. Atlanta Avenue • Phoenix, Arizona 85040 • (602) 437-0330 • (800) 927-5183 • Fax (602) 437-0660
3860 S. Palo Verde Rd. • Suite 301 • Tucson, Arizona 85714 • (520) 573-1061 • Fax (520) 573-1063

5090 Caterpillar Road Redding, California 96003 (530) 244-5227 (530) 244-4109 fax

Columbia Analytical Services INC.
An Employee - Owned Company

August 04, 2006

Service Request No: D0600924

Carlene McCutcheon
Transwest Geochem, Incorporated
3725 East Atlanta Avenue
Suite 2
Phoenix, AZ 85040-2960

RE: PPG0518

Dear Carlene:

Enclosed are the results of the sample(s) submitted to our laboratory on July 21, 2006. For your reference, these analyses have been assigned our service request number D0600924.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 103. You may also contact me via email at EWilson@canoga.caslab.com.

Respectfully submitted,

Columbia Analytical Services, Inc.

Ed Wilson
Project Chemist

NELAP Accredited ACIL Seal of Excellence Award 100% Recycled

Current CAS Redding Accreditation Programs

Federal and National Programs

- U.S Air Force, Air Force Center for Environmental Excellence (AFCEE)
  Approved laboratory for Wastewater and Hazardous Waste
- U.S. Army Corps of Engineers – MRD, HTRW Mandatory Center of Expertise
  Validated for Wastewater and Hazardous Waste
- Department of the Navy, Naval Facilities Engineering Service Center (NFESC)
  Approved laboratory for Wastewater and Hazardous Waste

State and Local Programs

- State of Alaska, Department of Environmental Conservation
  Approved Laboratory for Contaminated Sites
  Lab ID UST-001
- State of Arizona, Department of Health Services, Office of Laboratory Licensure
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID AZ0604
- State of California, Department of Health Services, National Environmental Laboratory Accreditation Program **(NELAP)**
  Approved Laboratory for Drinking Water, Wastewater and Hazardous Waste
  Lab ID 01105CA
  - Los Angeles County Sanitation District
    Approved Laboratory for Wastewater
    Lab ID 10243
- State of California, Department of Health Services, Environmental Laboratory Accreditation Program (ELAP)
  Approved Laboratory for Microbiology of Drinking Water and Wastewater
  Lab ID 2635
- State of Florida, Department of Health, Bureau of Laboratories **(NELAP)**
  Approved Environmental Testing Laboratory for Wastewater and Hazardous Waste
  Lab ID E87203
- State of Kansas, Department of Health and Environment **(NELAP)**
  Approved Laboratory for Hazardous Waste
  Lab ID E-10323
- State of Massachusetts, Department of Environmental Protection
  Approved laboratory for Drinking Water and Wastewater
  Lab ID M-CA025
- State of Oklahoma, Department of Environmental Quality
  Approved Laboratory for General Water Quality/Sludge Testing
  Lab ID 9952
- State of Oregon, Environmental Laboratory Accreditation Program **(ORELAP)**
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID CA200004
- State of Utah, Department of Health, Bureau of Laboratory Improvement **(NELAP)**
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID QUAL1
- State of Washington, Department of Ecology
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID C1234
- State of Wisconsin, Department of Natural Resources
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID 999767340

Arizona Data Qualifiers

Revision 2.0, 11/26/2003

Developed by the Sub-committee of the
Arizona Environmental Laboratory Advisory Committee

Microbiology:

A1 = Too numerous to count.
A2 = Sample incubation period exceeded method requirement.
A3 = Sample incubation period was shorter than method requirement.
A4 = Target organism detected in associated method blank.
A5 = Incubator/water bath temperature was outside method requirements.
A6 = Target organism not detected in associated positive control.
A7 = Micro sample received without adequate headspace.

Method/calibration blank:

B1 = Target analyte detected in method blank at or above the method reporting limit.
B2 = Non-target analyte detected in method blank and sample, producing interference.
B3 = Target analyte detected in calibration blank at or above the method reporting limit.
B4 = Target analyte detected in blank at/above method acceptance criteria.
B5 = Target analyte detected in method blank at or above the method reporting limit, but below trigger level or MCL.
B6 = Target analyte detected in calibration blank at or above the method reporting limit, but below trigger level or MCL.
B7 = Target analyte detected in method blank at or above method reporting limit. Concentration found in the sample was 10 times above the concentration found in the method blank.

Confirmation:

C1 = Confirmatory analysis not performed as required by the method.
C3 = Qualitative confirmation performed.
C4 = Confirmatory analysis was past holding time.
C5 = Confirmatory analysis was past holding time. Original result not confirmed.
C6 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the higher value was reported as there was no obvious chromatographic interference.
C7 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic interference.

Dilution:

D1 = Sample required dilution due to matrix.
D2 = Sample required dilution due to high concentration of target analyte.
D3 = Sample dilution required due to insufficient sample.
D4 = Minimum reporting level (MRL) adjusted to reflect sample amount received and analyzed.

Estimated concentration:

E1 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not possible due to insufficient sample.
E2 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to sample matrix.
E3 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

E4 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL).
E5 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL), but not confirmed by alternate analysis.
E6 = Concentration estimated. Internal standard recoveries did not meet method acceptance criteria.
E7 = Concentration estimated. Internal standard recoveries did not meet laboratory acceptance criteria.
E8 = Analyte reported to MDL per project specification. Target analyte was not detected in the sample.

Hold time:
H1 = Sample analysis performed past holding time.
H2 = Initial analysis within holding time. Reanalysis for the required dilution was past holding time.
H3 = Sample was received and analyzed past holding time.
H4 = Sample was extracted past required extraction holding time, but analyzed within analysis holding time.

BOD:
K1 = The sample dilutions set-up for the BOD analysis did not meet the oxygen depletion criteria of at least 2 mg/L. Any reported result is an estimated value.
K2 = The sample dilutions set up for the BOD analysis did not meet the criteria of a residual dissolved oxygen of at least 1 mg/L. Any reported result is an estimated value.
K4 = The seed depletion was outside the method acceptance limits. The reported result is an estimated value.
K5 = The dilution water D.O. depletion was > 0.2 mg/L.
K6 = Glucose/glutamic acid BOD was below method acceptance criteria.
K7 = A discrepancy between the BOD and COD results has been verified by reanalysis of the sample for COD.
K8 = Glucose/glutamic acid BOD was above method acceptance levels.

Laboratory fortified blank/blank spike:

L1 = The associated blank spike recovery was above laboratory acceptance limits.
L2 = The associated blank spike recovery was below laboratory acceptance limits.
L3 = The associated blank spike recovery was above method acceptance limits.
L4 = The associated blank spike recovery was below method acceptance limits.

Matrix spike:
M1 = Matrix spike recovery was high, the method control sample recovery was acceptable.
M2 = Matrix spike recovery was low, the method control sample recovery was acceptable.
M3 = The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
M4 = The analysis of the spiked sample required a dilution such that the spike concentration was diluted below the reporting limit. The method control sample recovery was acceptable.
M5 = Analyte concentration was determined by the method of standard addition (MSA).

M6 = Matrix spike recovery was high. Data reported per ADEQ policy 0154.000.
M7 = Matrix spike recovery was low. Data reported per ADEQ policy 0154.000.

General:
N1 = See case narrative.
N2 = See corrective action report.
N3 = The analysis meets all method requirements. See case narrative.

Sample quality:
Q1 = Sample integrity was not maintained. See case narrative.
Q2 = Sample received with headspace.
Q3 = Sample received with improper chemical preservation.
Q4 = Sample received and analyzed without chemical preservation.
Q5 = Sample received with inadequate chemical preservation, but preserved by the laboratory.
Q6 = Sample was received above recommended temperature.
Q7 = Sample inadequately dechlorinated.
Q8 = Insufficient sample received to meet method QC requirements. Batch QC requirements satisfies ADEQ policies 0154 and 0155.
Q9 = Insufficient sample received to meet method QC requirements.
Q10 = Sample received in inappropriate sample container.
Q11 = Sample is heterogeneous. Sample homogeneity could not be readily achieved using routine laboratory practices.

Duplicates:
R1 = RPD exceeded the method control limit. See case narrative.
R2 = RPD exceeded the laboratory control limit. See case narrative.
R4 = MS/MSD RPD exceeded the method control limit. Recovery met acceptance criteria.
R5 = MS/MSD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R6 = LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
R7 = LFB/LFBD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R8 = Sample RPD exceeded the method control limit.
R9 = Sample RPD exceeded the laboratory control limit.
R10 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic problems.
R11 = The RPD calculation for MS/MSD does not provide useful information due to the varying sample weights when Encore samplers/methanol field preserved samples are used.

Surrogate:
S1 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits.
S3 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits. No target analytes were detected in the sample.
S4 = Surrogate recovery was above laboratory and method acceptance limits. No target analytes were detected in the sample.
S5 = Surrogate recovery was below laboratory acceptance limits, but within method acceptance limits.
S6 = Surrogate recovery was below laboratory and method acceptance limits. Reextraction and/or reanalysis confirms low recovery caused by matrix effect.

S7 = Surrogate recovery was below laboratory and method acceptance limits. Unable to confirm matrix effect.
S8 = The analysis of the sample required a dilution such that the surrogate recovery calculation does not provide any useful information. The method control sample recovery was acceptable.
S10 = Surrogate recovery was above laboratory and method acceptance limits. See Case narrative.
S11 = Surrogate recovery was high. Data reported per ADEQ policy 0154.000.
S12 = Surrogate recovery was low. Data reported per ADEQ policy 0154.000.

Method/analyte discrepancies:
T1 = Method approved by EPA, but not yet licensed by ADHS.
T2 = Cited ADHS licensed method does not contain this analyte as part of method compound list.
T3 = Method not promulgated either by EPA or ADHS.
T4 = Tentatively identified compound. Concentration is estimated and based on the closest internal standard.

Calibration verification:
V1 = CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
V2 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample. The sample could not be reanalyzed due to insufficient sample.
V3 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample, but the sample was not reanalyzed. See case narrative.
V4 = CCV recovery was below method acceptance limits. The sample could not be reanalyzed due to insufficient sample.
V5 = CCV recovery after a group of samples was above acceptance limits. This target analyte was not detected in the sample. Acceptable per EPA Method 8000B.
V6 = Data reported from one-point calibration criteria per ADEQ policy 0155.000.
V7 = Calibration verification recovery was above the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.
V8 = Calibration verification recovery was below the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.

Calibration:
W1 = The % RSD for this compound was above 20%. The average % RSD for all compounds in the calibration met the 20% criteria as specified in EPA method 8000B.
W2 = The % RSD for this compound was above 15%. The average % RSD for all compounds in the calibration met the 15% criteria as specified in EPA method 8260B/8270C.

Client: Transwest Geochem, Incorporated
Project: PPG0518

Service Request: D0600924

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
D0600924-001	PPG0518-02	07/19/06	04:00
D0600924-002	PPG0518-03	07/19/06	03:03
D0600924-003	PPG0518-04	07/19/06	03:03

CASE NARRATIVE

COLUMBIA ANALYTICAL SERVICES, INC.

Client:	Transwest Geochem, Inc.	**Service Request No.:**	D0600924
Project:	PPG0518	**Date Received:**	July 21. 2006
Sample Matrix:	Water		

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of Columbia Analytical Services, Inc. (CAS). This report contains analytical results for samples designated for Tier II data deliverables.

Sample Receipt

Three water samples were received for analysis at Columbia Analytical Services on July 21. 2006.

No discrepancies were noted upon initial sample inspection. The samples were received in good condition and consistent with the accompanying chain of custody form. The samples were stored in a refrigerator at 4°C upon receipt at the laboratory.

Diesel Range Organics by EPA Method 8015B

Continuing Calibration Verification Exceptions:
The upper control criterion was exceeded for TPH-Diesel in Continuing Calibration Verification (CCV) F0726014 and F0801018. Triacontane and Octacosane were also exceeded the CCV criteria in closing CCV F0801018. The field samples analyzed in this sequence did not contain TPH-Diesel. Since the apparent problem equates to a potential high bias, the data quality is not affected. No further corrective action was required.

Lab Control Sample Exceptions:
The spike recovery for TPH-Diesel in Laboratory Control Sample (LCS) DWB10801018 was exceeded current control criterion but within the method guidelines. The analyte in question was not detected in the associated field samples. The error associated with elevated recovery equates to a high bias. The sample data is not significantly affected. No further corrective action was appropriate.

Approved by: _____ **Date:** 8/4/06

CHAIN OF CUSTODY DOCUMENTATION

TRANSWEST GEOCHEM

CHAIN-OF-CUSTODY [redacted]

Skip Harden
3725 E. Atlanta Avenue
Suite 2
Phoenix, AZ 85040
TEL: (602) 437-0330
FAX: (602) 437-0660

Work Order: 0607291

Project: PPG0518

Subcontractor:
Columbia Analytical Services
5090 Caterpillar Rd.
Redding, CA 96003
TEL: (530) 244-5227
FAX: (530) 244-4109

19-Jul-06

Client Sample ID	TGI ID	Matrix	Collection Date	Containers	Requested Tests: 8015MOD_W				
PPG0518-02	01A	Water	7/19/2006 4:00:00 AM	2	1				
PPG0518-03	02A	Water	7/19/2006 3:03:00 AM	2	1				
PPG0518-04	03A	Water	7/19/2006 3:03:00 AM	2	1				

low level reporting limits required

need EDD transfer file

Comments: After analysis, the samples do not need to be returned and can be disposed per your standard laboratory practices. Please provide a QC report, including Method Blank data.

Sample Receipt		
Temperature:	Ambient / Cold	Ice:
Received Intact:		Absent / Present
Custody Seals:		Wet / Blue
Total No. of Containers:		° C.

		Date/Time			Date/Time
Relinquished by:	Leslie May - TGI	7/20/06 1600	**Received by:**	KB	
Relinquished by:			**Received by:**	D Gutman	7/21/06 0945
Relinquished by:			**Received by:**		

Columbia Analytical Services inc.
An Employee-Owned Company

5090 Caterpillar Road
Redding, CA 96003
Phone: (530) 244-5262

[redacted]

COOLER RECEIPT FORM

Project/Client: _____ Batch [redacted]

1. Cooler(s)/Sample(s) received on: 7/21/06 Shipped via: UPS

   Shipping Bill # (s): 01 9330 9832 # of Coolers/Packages 1

2. Radiological Screening by: _____ Acceptable Rejected

3. Custody seals on outside of cooler: YES NO N/A
   If yes, where? Front ✓ Rear ____ Lt Side ____ Rt Side ____

   Seals intact: YES NO

COOLER/SAMPLE PROCESSING

4. Sample Processing/Tagging by: [illegible]

5. Cooler(s)/Sample(s) Temp's: 2.0C ____ ____ ____ ____
   (or)
   Temp. Blank (if included): ____ ____ ____ ____ ____

6. Type of packing material (circle): Ice Blue Ice Bubble Wrap Bubble Bags Zip Locks Webbing

   Other: _____

7. Custody papers properly filled out (ink, signed, dated, released, etc.)? YES NO

8. Containers arrived in good condition (not broken, leaking, etc.)? YES NO

9. Samples received with adequate holding time remaining to conduct analysis? YES NO

10. Container labels complete (i.e. analysis, preservation, date/time, etc.)? YES NO

11. Container labels and tags agree with custody papers? YES NO

12. Correct types of containers used for the tests indicated? YES NO

    a.) Adequate sample received? If not, note on Exception Report. YES NO

13. Containers supplied by: CAS Other

14. Preserved containers received with the appropriate preservative? YES NO N/A

    pH: _____ (or) See pH log.

15. VOA vials free of air bubbles? YES NO N/A

16. Trip Blank preparation date: _____ CAS Other N/A

17. Volatile Soil samples: Encores or Plugs in Vials

    Freezer or GC/MS Date: _____ Time: _____ N/A

See Exception Report for discrepancies.

Rev. 8/18/2004/ds

GC TPH DIESEL

ORGANIC ANALYSES DATA PACKAGE

Analytical Method: CA LUFT

AAB #: D0600924

Lab Name: Columbia Analytical Services/Redding

Base/Command: ARIZONA DELIVERABLES (RL)

Project: PPG0518

Field Sample ID	Lab Sample ID
PPG0518-02	D0600924-001
PPG0518-03	D0600924-002
PPG0518-04	D0600924-003

Comments:

I certify this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: Wida Ang

Name: WIDA ANG

Date: 8/3/06

Title: Organic Manager

RDD-060803:CC:BS-1056PST-SR:D0600924-D0600924-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600924

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0518-02 Lab Sample ID: D0600924-001 Matrix: Water

% Solids: _____ Preparation Factor: 1.1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/21/06 Date Extracted: 07/24/06 Date Analyzed: 08/02/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.950 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		53	ND	1		L1
C23 - C32 HRO		53	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	93	58-111	
Triacontane - SS	93	54-109	

Comments:

RDD-060803:CC:BS-1056PST-SR:D0600924-D0600924-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600924

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0518-03 Lab Sample ID: D0600924-002 Matrix: Water

% Solids: _____ Preparation Factor: 1.1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/21/06 Date Extracted: 07/24/06 Date Analyzed: 08/02/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.950 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		53	ND	1		L1
C23 - C32 HRO		53	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	70	58-111	
Triacontane - SS	70	54-109	

Comments:

RDD-060803:CC:BS-1056PST-SR:D0600924-D0600924-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0600924

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPG0518-04 Lab Sample ID: D0600924-003 Matrix: Water

% Solids: _____ Preparation Factor: 1.1 Initial Calibration ID: 05/20/06GCF

Date Received: 07/21/06 Date Extracted: 07/24/06 Date Analyzed: 08/02/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.950 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		53	ND	1		L1
C23 - C32 HRO		53	ND	1		
Total Petroleum Hydrocarbons		100	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	92	58-111	
Triacontane - SS	92	54-109	

Comments:

RDD-060803:CC:BS-1056PST-SR:D0600924-D0600924-D

ORGANIC ANALYSES DATA SHEET 6
BLANKS

Analytical Method: CA LUFT AAB #: D0600924

Lab Name: Columbia Analytical Services/Redding

Concentration Units (ug/L or mg/kg): UG/L Method Blank ID: DWB10724

Lab Sample ID: DWB10724

Initial Calibration ID: 05/20/06GCF

Analyte		Method Blank	RL	Q
C13 - C22 DRO		ND	50	L1
C23 - C32 HRO		ND	50	
Total Petroleum Hydrocarbons		ND	100	

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	94	58-111	
Triacontane - SS	95	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 7
LABORATORY CONTROL SAMPLE

Analytical Method: CA LUFT AAB #: D0600924

Lab Name: Columbia Analytical Services/Redding

LCS ID: DWB10724LCS Concentration Units (ug/L or mg/kg): UG/L

Date Extracted: 07/24/06 Date Analyzed: 07/26/06

Initial Calibration ID: 05/20/06GCF

Analyte	Expected	Found	%R	Control Limits	Q
C13 - C22 DRO	2500	2720	109	64-106	L1

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	108	58-111	
Triacontane - SS	108	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 10
INSTRUMENT ANALYSIS SEQUENCE LOG

Analytical Method: CA LUFT AAB #: D0600924

Lab Name: Columbia Analytical Services/Redding

Instrument ID #: GCF RTX-5

Field Sample ID/Std ID/ Blank ID/QC Sample ID	Laboratory File ID	Date Analysis Started	Time Analysis Started	Date Analysis Completed	Time Analysis Completed
DSTD6	F0520002	05/20/06	1838	05/20/06	1908
DSTD1	F0520003	05/20/06	1923	05/20/06	1953
DSTD2	F0520004	05/20/06	2008	05/20/06	2038
DSTD3	F0520005	05/20/06	2054	05/20/06	2124
DSTD4	F0520006	05/20/06	2139	05/20/06	2209
DSTD5	F0520007	05/20/06	2225	05/20/06	2255
QC ALT	F0520009	05/20/06	2356	05/21/06	0026
DSTD3	F0726004	07/26/06	1557	07/26/06	1627
DWB10724	F0726005	07/26/06	1642	07/26/06	1712
DWB10724LCS	F0726006	07/26/06	1726	07/26/06	1756
DSTD4	F0726014	07/26/06	2319	07/26/06	2349
DSTD3	F0801013	08/02/06	0130	08/02/06	0200
PPG0518-02	F0801014	08/02/06	0215	08/02/06	0245
PPG0518-03	F0801015	08/02/06	0259	08/02/06	0329
PPG0518-04	F0801016	08/02/06	0342	08/02/06	0412
DSTD4	F0801018	08/02/06	0511	08/02/06	0541

Comments:

ORGANIC ANALYSES DATA SHEET APPENDIX A
SURROGATE RESULTS

Analytical Method: CA LUFT AAB #: D0600924

Lab Name: Columbia Analytical Services/Redding

Matrix: Water

Field/QC Sample ID	S1	S2	S3	S4	S5	S6	S7	S8	Q
DWB10724	94	95							
DWB10724LCS	108	108							
PPG0518-02	93	93							
PPG0518-03	70	70							
PPG0518-04	92	92							

S1: Octacosane - SS 58-111
S2: Triacontane - SS 54-109

Comments:

TRANSWEST GEOCHEM

Sub

Sample Receipt Checklist

Client Name: Test America

Date and Time Received: 7/19/06 1520

Work Order Number: 0607291

Checked by: lm

Checklist completed by: Leslie May 7/19/06
Signature / Date

Logged In by: lm 7/19/06
Initials / Date

Matrix: Water Carrier Name: (Client) TGI _____

Reviewed by: CM
Initials / Date

				COMMENTS
Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐	
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☑	
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑	
Chain of custody present?	Yes ☑	No ☐		
Chain of custody signed when relinquished and received?	Yes ☑	No ☐		
Chain of custody agrees with sample labels?	Yes ☑	No ☐		
Samples in proper container/bottle?	Yes ☑	No ☐		
Sample containers intact?	Yes ☑	No ☐		
Sufficient sample volume for indicated test?	Yes ☑	No ☐		
All samples received within holding time?	Yes ☑	No ☐		
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	Temp: 4.9	Sampled < 2hrs ☐
Water – VOA vials have zero headspace?	Yes ☐	No ☐	N/A ☑	
Water – pH acceptable upon receipt?	Yes ☑	No ☐	N/A ☐	Checked by: lm
Water – Sulfides present in Cyanide samples?	Yes ☐	No ☐	N/A ☑	
Sample considered Drinking Water for metal analysis?	Yes ☐	No ☐	N/A ☑	

Client contacted: _____ Date contacted: _____ Person contacted: _____

Contacted by: _____ Regarding: _____

Corrective Action: _____

TestAmerica
ANALYTICAL TESTING CORPORATION

SUBCONTRACT ORDER - PROJECT # PPG0518

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660
0607291

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments		
Sample ID: PPG0518-02 Water	**Sampled: 07/19/06 04:00**			
8015B MOD-Low Level-O	07/26/06 04:00	sub to Transwest, need transfer file for EDD		
Containers Supplied:				
1 L Amber w/H2SO4 (PPG0518-02F)				2/2
1 L Amber w/H2SO4 (PPG0518-02G)			1	pH
Sample ID: PPG0518-03 Water	**Sampled: 07/19/06 03:03**			
8015B MOD-Low Level-O	07/26/06 03:03	sub to Transwest, need transfer file for EDD		
Containers Supplied:				
1 L Amber w/H2SO4 (PPG0518-03F)			2	2/2
1 L Amber w/H2SO4 (PPG0518-03G)				
Sample ID: PPG0518-04 Water	**Sampled: 07/19/06 03:03**			
8015B MOD-Low Level-O	07/26/06 03:03	sub to Transwest, need transfer file for EDD		
Containers Supplied:				
1 L Amber w/H2SO4 (PPG0518-04F)			3	2/2
1 L Amber w/H2SO4 (PPG0518-04G)				

SAMPLE INTEGRITY:

All containers intact: ☑ Yes ☐ No
Custody Seals Present: ☐ Yes ☑ No
Sample labels/COC agree: ☑ Yes ☐ No
Samples Preserved Properly: ☑ Yes ☐ No
Samples Received On Ice:: ☑ Yes ☐ No
Samples Received at (temp): 4.9

Released By	Date	Time	Received By	Date	Time
[signature]	7/19/06	1450	[signature]	7/19/06	1450
[signature]	7/19/6	1520	Leslie Hay-TCI	7/19/06	1520

TRANSWEST GEOCHEM

CHAIN-OF-CUSTODY

Skip Harden
3725 E. Atlanta Avenue
Suite 2
Phoenix, AZ 85040
TEL: (602) 437-0330
FAX: (602) 437-0660

Work Order: 0607291

Project: PPG0518

Subcontractor:
Columbia Analytical Services
5090 Caterpillar Rd.
Redding, CA 96003
TEL: (530) 244-5227
FAX: (530) 244-4109

19-Jul-06

Client Sample ID	TGI ID	Matrix	Collection Date	Containers	Requested Tests: 8015MOD_W						
PPG0518-02	01A	Water	7/19/2006 4:00:00 AM	2	1						
PPG0518-03	02A	Water	7/19/2006 3:03:00 AM	2	1						
PPG0518-04	03A	Water	7/19/2006 3:03:00 AM	2	1						

low level reporting limits required

need EDD transfer file

Comments: After analysis, the samples do not need to be returned and can be disposed per your standard laboratory practices. Please provide a QC report, including Method Blank data.

Sample Receipt		
Temperature:	Ambient / Cold	Ice:
Received Intact:		Absent / Present
Custody Seals:		Wet / Blue
Total No. of Containers:		° C.

		Date/Time			Date/Time
Relinquished by:	Leslie May - TGI	7/20/06 1600	**Received by:**	UPS	
Relinquished by:			**Received by:**		
Relinquished by:			**Received by:**		

TestAmerica
ANALYTICAL TESTING CORPORATION

9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

LABORATORY REPORT

Prepared For: CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project: Honeywell-Sky Harbor-PO# 2959460

Sampled: 09/11/06
Received: 09/12/06
Issued: 09/30/06 12:02

NELAP #01109CA Arizona DHS#AZ0426

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.
This entire report was reviewed and approved for release.

CASE NARRATIVE

LABORATORY ID	CLIENT ID	MATRIX
PPI0248-01	TB-091106B	Water
PPI0248-02	BC-7A-6C2	Water
PPI0248-03	ASE-127A-6C2	Water
PPI0248-04	ASE-88B-6C2	Water
PPI0248-05	ASE-75C-6C2	Water
PPI0248-06	ASE-75B-6C2	Water
PPI0248-07	PL-503-6C2	Water
PPI0248-08	ASE-75A-6C2	Water

SAMPLE RECEIPT: Samples were received intact, at 6°C, on ice and with chain of custody documentation.

HOLDING TIMES: All samples were analyzed within prescribed holding times and/or in accordance with the TestAmerica Sample Acceptance Policy unless otherwise noted in the report.

PRESERVATION: Samples requiring preservation were verified prior to sample analysis.

QA/QC CRITERIA: All analyses met method criteria, except as noted in the report with data qualifiers.

COMMENTS: N1: CCV in second clock failed high for Carbon Disulfide (155%). Sample data not affected.

SUBCONTRACTED: Refer to the last page for specific subcontract laboratory information included in this report.

Reviewed By:

Ken Baker

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0248-01 (TB-091106B - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2221	20	ND	1	9/21/2006	9/22/2006	
Benzene	EPA 8260B	P6I2221	1.0	ND	1	9/21/2006	9/22/2006	
Bromobenzene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
Bromochloromethane	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
Bromodichloromethane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Bromoform	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
Bromomethane	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
2-Butanone (MEK)	EPA 8260B	P6I2221	10	ND	1	9/21/2006	9/22/2006	
n-Butylbenzene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
sec-Butylbenzene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
tert-Butylbenzene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
Carbon Disulfide	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
Carbon tetrachloride	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
Chlorobenzene	EPA 8260B	P6I2221	1.0	ND	1	9/21/2006	9/22/2006	
Chloroethane	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
Chloroform	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Chloromethane	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
2-Chlorotoluene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
4-Chlorotoluene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
Dibromochloromethane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	V1
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Dibromomethane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2221	1.0	ND	1	9/21/2006	9/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2221	1.0	ND	1	9/21/2006	9/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2221	1.0	ND	1	9/21/2006	9/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
1,1-Dichloroethane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,2-Dichloroethane	EPA 8260B	P6I2221	1.0	ND	1	9/21/2006	9/22/2006	
1,1-Dichloroethene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,2-Dichloropropane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,3-Dichloropropane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
2,2-Dichloropropane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,1-Dichloropropene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Ethylbenzene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Hexachlorobutadiene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
2-Hexanone	EPA 8260B	P6I2221	10	ND	1	9/21/2006	9/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0248-01 (TB-091106B - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	L4, N1
Isopropylbenzene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
p-Isopropyltoluene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Methylene chloride	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2221	10	ND	1	9/21/2006	9/22/2006	V1
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
Naphthalene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
n-Propylbenzene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Styrene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	V1
Tetrachloroethene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Toluene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Trichloroethene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Trichlorofluoromethane	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2221	10	ND	1	9/21/2006	9/22/2006	V1
1,2,4-Trimethylbenzene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Vinyl acetate	EPA 8260B	P6I2221	25	ND	1	9/21/2006	9/22/2006	
Vinyl chloride	EPA 8260B	P6I2221	1.7	ND	1	9/21/2006	9/22/2006	
Xylenes, Total	EPA 8260B	P6I2221	3.0	ND	1	9/21/2006	9/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*121 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*94 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0248-02 (BC-7A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2221	20	ND	1	9/21/2006	9/22/2006	
Benzene	EPA 8260B	P6I2221	1.0	ND	1	9/21/2006	9/22/2006	
Bromobenzene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
Bromochloromethane	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
Bromodichloromethane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Bromoform	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
Bromomethane	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
2-Butanone (MEK)	EPA 8260B	P6I2221	10	ND	1	9/21/2006	9/22/2006	
n-Butylbenzene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
sec-Butylbenzene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
tert-Butylbenzene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
Carbon Disulfide	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
Carbon tetrachloride	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
Chlorobenzene	EPA 8260B	P6I2221	1.0	ND	1	9/21/2006	9/22/2006	
Chloroethane	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
Chloroform	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Chloromethane	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
2-Chlorotoluene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
4-Chlorotoluene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
Dibromochloromethane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	V1
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Dibromomethane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2221	1.0	ND	1	9/21/2006	9/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2221	1.0	ND	1	9/21/2006	9/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2221	1.0	ND	1	9/21/2006	9/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
1,1-Dichloroethane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,2-Dichloroethane	EPA 8260B	P6I2221	1.0	ND	1	9/21/2006	9/22/2006	
1,1-Dichloroethene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,2-Dichloropropane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,3-Dichloropropane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
2,2-Dichloropropane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,1-Dichloropropene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Ethylbenzene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Hexachlorobutadiene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
2-Hexanone	EPA 8260B	P6I2221	10	ND	1	9/21/2006	9/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0248-02 (BC-7A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	L4, N1
Isopropylbenzene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
p-Isopropyltoluene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Methylene chloride	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2221	10	ND	1	9/21/2006	9/22/2006	V1
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
Naphthalene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
n-Propylbenzene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Styrene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	V1
Tetrachloroethene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Toluene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Trichloroethene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Trichlorofluoromethane	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2221	10	ND	1	9/21/2006	9/22/2006	V1
1,2,4-Trimethylbenzene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Vinyl acetate	EPA 8260B	P6I2221	25	ND	1	9/21/2006	9/22/2006	
Vinyl chloride	EPA 8260B	P6I2221	1.7	ND	1	9/21/2006	9/22/2006	
Xylenes, Total	EPA 8260B	P6I2221	3.0	ND	1	9/21/2006	9/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*122 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*94 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0248-03 (ASE-127A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2221	20	ND	1	9/21/2006	9/22/2006	
Benzene	EPA 8260B	P6I2221	1.0	ND	1	9/21/2006	9/22/2006	
Bromobenzene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
Bromochloromethane	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
Bromodichloromethane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Bromoform	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
Bromomethane	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
2-Butanone (MEK)	EPA 8260B	P6I2221	10	ND	1	9/21/2006	9/22/2006	
n-Butylbenzene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
sec-Butylbenzene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
tert-Butylbenzene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
Carbon Disulfide	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
Carbon tetrachloride	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
Chlorobenzene	EPA 8260B	P6I2221	1.0	ND	1	9/21/2006	9/22/2006	
Chloroethane	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
Chloroform	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Chloromethane	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
2-Chlorotoluene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
4-Chlorotoluene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
Dibromochloromethane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	V1
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Dibromomethane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2221	1.0	ND	1	9/21/2006	9/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2221	1.0	ND	1	9/21/2006	9/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2221	1.0	ND	1	9/21/2006	9/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
1,1-Dichloroethane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,2-Dichloroethane	EPA 8260B	P6I2221	1.0	ND	1	9/21/2006	9/22/2006	
1,1-Dichloroethene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,2-Dichloropropane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,3-Dichloropropane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
2,2-Dichloropropane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,1-Dichloropropene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Ethylbenzene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Hexachlorobutadiene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
2-Hexanone	EPA 8260B	P6I2221	10	ND	1	9/21/2006	9/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0248-03 (ASE-127A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	L4, N1
Isopropylbenzene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
p-Isopropyltoluene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Methylene chloride	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2221	10	ND	1	9/21/2006	9/22/2006	V1
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
Naphthalene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
n-Propylbenzene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Styrene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	V1
Tetrachloroethene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Toluene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Trichloroethene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Trichlorofluoromethane	EPA 8260B	P6I2221	5.0	ND	1	9/21/2006	9/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2221	10	ND	1	9/21/2006	9/22/2006	V1
1,2,4-Trimethylbenzene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2221	2.0	ND	1	9/21/2006	9/22/2006	
Vinyl acetate	EPA 8260B	P6I2221	25	ND	1	9/21/2006	9/22/2006	
Vinyl chloride	EPA 8260B	P6I2221	1.7	ND	1	9/21/2006	9/22/2006	
Xylenes, Total	EPA 8260B	P6I2221	3.0	ND	1	9/21/2006	9/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*119 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*95 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0248-04 (ASE-88B-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2216	20	ND	1	9/22/2006	9/22/2006	
Benzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Bromobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromochloromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromodichloromethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Bromoform	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromomethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Butanone (MEK)	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
n-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
sec-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
tert-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Carbon Disulfide	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	V1
Carbon tetrachloride	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Chlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Chloroethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Chloroform	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Chloromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Chlorotoluene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
4-Chlorotoluene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Dibromochloromethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Dibromomethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloroethane	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
2,2-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Ethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Hexachlorobutadiene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Hexanone	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0248-04 (ASE-88B-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Isopropylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
p-Isopropyltoluene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Methylene chloride	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Naphthalene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
n-Propylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Styrene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Tetrachloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Toluene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Trichloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Trichlorofluoromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Vinyl acetate	EPA 8260B	P6I2216	25	ND	1	9/22/2006	9/22/2006	
Vinyl chloride	EPA 8260B	P6I2216	1.7	ND	1	9/22/2006	9/22/2006	
Xylenes, Total	EPA 8260B	P6I2216	3.0	ND	1	9/22/2006	9/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*101 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0248-05 (ASE-75C-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2216	20	ND	1	9/22/2006	9/22/2006	
Benzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Bromobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromochloromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromodichloromethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Bromoform	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromomethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Butanone (MEK)	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
n-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
sec-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
tert-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Carbon Disulfide	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	V1
Carbon tetrachloride	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Chlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Chloroethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Chloroform	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Chloromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Chlorotoluene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
4-Chlorotoluene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Dibromochloromethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Dibromomethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloroethane	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
2,2-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Ethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Hexachlorobutadiene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Hexanone	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0248-05 (ASE-75C-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Isopropylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
p-Isopropyltoluene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Methylene chloride	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Naphthalene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
n-Propylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Styrene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Tetrachloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Toluene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Trichloroethene	EPA 8260B	P6I2216	2.0	**3.2**	1	9/22/2006	9/22/2006	
Trichlorofluoromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Vinyl acetate	EPA 8260B	P6I2216	25	ND	1	9/22/2006	9/22/2006	
Vinyl chloride	EPA 8260B	P6I2216	1.7	ND	1	9/22/2006	9/22/2006	
Xylenes, Total	EPA 8260B	P6I2216	3.0	ND	1	9/22/2006	9/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*100 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*97 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0248-06 (ASE-75B-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2216	20	ND	1	9/22/2006	9/22/2006	
Benzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Bromobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromochloromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromodichloromethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Bromoform	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromomethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Butanone (MEK)	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
n-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
sec-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
tert-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Carbon Disulfide	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	V1
Carbon tetrachloride	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Chlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Chloroethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Chloroform	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Chloromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Chlorotoluene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
4-Chlorotoluene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Dibromochloromethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Dibromomethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloroethane	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2216	2.0	**3.3**	1	9/22/2006	9/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
2,2-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Ethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Hexachlorobutadiene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Hexanone	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0248-06 (ASE-75B-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Isopropylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
p-Isopropyltoluene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Methylene chloride	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Naphthalene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
n-Propylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Styrene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Tetrachloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Toluene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Trichloroethene	EPA 8260B	P6I2216	2.0	**17**	1	9/22/2006	9/22/2006	
Trichlorofluoromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Vinyl acetate	EPA 8260B	P6I2216	25	ND	1	9/22/2006	9/22/2006	
Vinyl chloride	EPA 8260B	P6I2216	1.7	ND	1	9/22/2006	9/22/2006	
Xylenes, Total	EPA 8260B	P6I2216	3.0	ND	1	9/22/2006	9/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*102 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*99 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0248-07 (PL-503-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2216	20	ND	1	9/22/2006	9/22/2006	
Benzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Bromobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromochloromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromodichloromethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Bromoform	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromomethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Butanone (MEK)	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
n-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
sec-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
tert-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Carbon Disulfide	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	V1
Carbon tetrachloride	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Chlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Chloroethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Chloroform	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Chloromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Chlorotoluene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
4-Chlorotoluene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Dibromochloromethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Dibromomethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloroethane	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2216	2.0	**3.4**	1	9/22/2006	9/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
2,2-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Ethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Hexachlorobutadiene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Hexanone	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0248-07 (PL-503-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Isopropylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
p-Isopropyltoluene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Methylene chloride	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Naphthalene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
n-Propylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Styrene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Tetrachloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Toluene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Trichloroethene	EPA 8260B	P6I2216	2.0	**17**	1	9/22/2006	9/22/2006	
Trichlorofluoromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Vinyl acetate	EPA 8260B	P6I2216	25	ND	1	9/22/2006	9/22/2006	
Vinyl chloride	EPA 8260B	P6I2216	1.7	ND	1	9/22/2006	9/22/2006	
Xylenes, Total	EPA 8260B	P6I2216	3.0	ND	1	9/22/2006	9/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*104 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*99 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0248-08 (ASE-75A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2216	20	ND	1	9/22/2006	9/22/2006	
Benzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Bromobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromochloromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromodichloromethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Bromoform	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromomethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Butanone (MEK)	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
n-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
sec-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
tert-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Carbon Disulfide	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	V1
Carbon tetrachloride	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Chlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Chloroethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Chloroform	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Chloromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Chlorotoluene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
4-Chlorotoluene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Dibromochloromethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Dibromomethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethane	EPA 8260B	P6I2216	2.0	**2.0**	1	9/22/2006	9/22/2006	
1,2-Dichloroethane	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
2,2-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Ethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Hexachlorobutadiene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Hexanone	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0248-08 (ASE-75A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Isopropylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
p-Isopropyltoluene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Methylene chloride	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Naphthalene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
n-Propylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Styrene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Tetrachloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Toluene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Trichloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Trichlorofluoromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Vinyl acetate	EPA 8260B	P6I2216	25	ND	1	9/22/2006	9/22/2006	
Vinyl chloride	EPA 8260B	P6I2216	1.7	ND	1	9/22/2006	9/22/2006	
Xylenes, Total	EPA 8260B	P6I2216	3.0	ND	1	9/22/2006	9/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*106 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*99 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0248-03 (ASE-127A-6C2 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6I1522	3.0	ND	1	9/15/2006	9/22/2006	
Acenaphthylene	EPA 8310	P6I1522	3.0	ND	1	9/15/2006	9/22/2006	
Anthracene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Benzo(a)anthracene	EPA 8310	P6I1522	0.050	ND	1	9/15/2006	9/22/2006	
Benzo(a)pyrene	EPA 8310	P6I1522	0.10	ND	1	9/15/2006	9/22/2006	
Benzo(b)fluoranthene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Benzo(g,h,i)perylene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Benzo(k)fluoranthene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Chrysene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Dibenz(a,h)anthracene	EPA 8310	P6I1522	0.50	ND	1	9/15/2006	9/22/2006	
Fluoranthene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Fluorene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Naphthalene	EPA 8310	P6I1522	2.0	ND	1	9/15/2006	9/22/2006	
Phenanthrene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Pyrene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Surrogate: 2-Methylanthracene (50-115%)				*93 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2216 Extracted: 09/22/06										
Blank Analyzed: 09/22/2006 (P6I2216-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2216 Extracted: 09/22/06										
Blank Analyzed: 09/22/2006 (P6I2216-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*23.8*		*ug/l*	*25.0*		*95*	*80-130*			
Surrogate: Toluene-d8	*25.4*		*ug/l*	*25.0*		*102*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.7*		*ug/l*	*25.0*		*95*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2216 Extracted: 09/22/06										
LCS Analyzed: 09/22/2006 (P6I2216-BS1)										
Acetone	24.4	20	ug/l	25.0		98	30-150			
Benzene	25.3	1.0	ug/l	25.0		101	80-120			
Bromobenzene	23.4	5.0	ug/l	25.0		94	80-125			
Bromochloromethane	23.6	5.0	ug/l	25.0		94	80-125			
Bromodichloromethane	23.8	2.0	ug/l	25.0		95	80-120			
Bromoform	20.0	5.0	ug/l	25.0		80	70-120			
Bromomethane	23.3	5.0	ug/l	25.0		93	80-135			
2-Butanone (MEK)	22.7	10	ug/l	25.0		91	55-150			
n-Butylbenzene	25.9	5.0	ug/l	25.0		104	80-120			
sec-Butylbenzene	24.6	5.0	ug/l	25.0		98	80-130			
tert-Butylbenzene	23.8	5.0	ug/l	25.0		95	80-130			
Carbon Disulfide	26.2	5.0	ug/l	25.0		105	55-145			
Carbon tetrachloride	23.4	5.0	ug/l	25.0		94	80-120			
Chlorobenzene	24.9	1.0	ug/l	25.0		100	80-120			
Chloroethane	26.4	5.0	ug/l	25.0		106	80-125			
Chloroform	23.0	2.0	ug/l	25.0		92	80-120			
Chloromethane	24.9	5.0	ug/l	25.0		100	70-130			
2-Chlorotoluene	23.4	5.0	ug/l	25.0		94	80-120			
4-Chlorotoluene	23.7	5.0	ug/l	25.0		95	80-120			
Dibromochloromethane	23.1	2.0	ug/l	25.0		92	75-120			
1,2-Dibromo-3-chloropropane	20.3	5.0	ug/l	25.0		81	55-120			
1,2-Dibromoethane (EDB)	24.1	2.0	ug/l	25.0		96	75-125			
Dibromomethane	23.3	2.0	ug/l	25.0		93	80-125			
1,2-Dichlorobenzene	24.1	1.0	ug/l	25.0		96	80-120			
1,3-Dichlorobenzene	24.4	1.0	ug/l	25.0		98	80-125			
1,4-Dichlorobenzene	25.0	1.0	ug/l	25.0		100	80-120			
Dichlorodifluoromethane	18.3	5.0	ug/l	25.0		73	60-140			
1,1-Dichloroethane	24.0	2.0	ug/l	25.0		96	80-120			
1,2-Dichloroethane	22.4	1.0	ug/l	25.0		90	75-125			
1,1-Dichloroethene	25.8	5.0	ug/l	25.0		103	75-120			
cis-1,2-Dichloroethene	23.6	2.0	ug/l	25.0		94	80-125			
trans-1,2-Dichloroethene	24.3	2.0	ug/l	25.0		97	80-120			
1,2-Dichloropropane	26.1	2.0	ug/l	25.0		104	80-120			
1,3-Dichloropropane	25.0	2.0	ug/l	25.0		100	80-120			
2,2-Dichloropropane	23.9	2.0	ug/l	25.0		96	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2216 Extracted: 09/22/06										
LCS Analyzed: 09/22/2006 (P6I2216-BS1)										
1,1-Dichloropropene	25.5	2.0	ug/l	25.0		102	80-120			
cis-1,3-Dichloropropene	25.4	2.0	ug/l	25.0		102	75-120			
trans-1,3-Dichloropropene	24.7	2.0	ug/l	25.0		99	80-120			
Ethylbenzene	26.0	2.0	ug/l	25.0		104	80-125			
Hexachlorobutadiene	25.1	5.0	ug/l	25.0		100	70-130			
2-Hexanone	23.3	10	ug/l	25.0		93	40-150			
Iodomethane	26.2	2.0	ug/l	25.0		105	80-130			
Isopropylbenzene	26.0	2.0	ug/l	25.0		104	80-140			
p-Isopropyltoluene	25.0	2.0	ug/l	25.0		100	80-130			
Methylene chloride	24.8	5.0	ug/l	25.0		99	80-120			
4-Methyl-2-pentanone (MIBK)	23.6	10	ug/l	25.0		94	50-140			
Methyl-tert-butyl Ether (MTBE)	24.2	5.0	ug/l	25.0		97	65-130			
Naphthalene	22.0	2.0	ug/l	25.0		88	70-130			
n-Propylbenzene	25.2	2.0	ug/l	25.0		101	80-135			
Styrene	25.3	2.0	ug/l	25.0		101	80-125			
1,1,1,2-Tetrachloroethane	24.4	5.0	ug/l	25.0		98	80-120			
1,1,2,2-Tetrachloroethane	24.4	2.0	ug/l	25.0		98	65-140			
Tetrachloroethene	24.8	2.0	ug/l	25.0		99	80-125			
Toluene	25.9	2.0	ug/l	25.0		104	80-125			
1,2,3-Trichlorobenzene	24.9	5.0	ug/l	25.0		100	75-125			
1,2,4-Trichlorobenzene	25.5	5.0	ug/l	25.0		102	80-125			
1,1,1-Trichloroethane	22.6	2.0	ug/l	25.0		90	75-125			
1,1,2-Trichloroethane	23.9	2.0	ug/l	25.0		96	80-125			
Trichloroethene	24.9	2.0	ug/l	25.0		100	80-120			
Trichlorofluoromethane	23.6	5.0	ug/l	25.0		94	75-130			
1,2,3-Trichloropropane	22.0	10	ug/l	25.0		88	65-135			
1,2,4-Trimethylbenzene	24.6	2.0	ug/l	25.0		98	80-125			
1,3,5-Trimethylbenzene	24.0	2.0	ug/l	25.0		96	80-130			
Vinyl acetate	31.0	25	ug/l	25.0		124	70-140			
Vinyl chloride	23.9	1.7	ug/l	25.0		96	70-135			
Xylenes, Total	51.0	3.0	ug/l	50.0		102	80-125			
Surrogate: Dibromofluoromethane	*23.8*		*ug/l*	*25.0*		*95*	*80-130*			
Surrogate: Toluene-d8	*25.7*		*ug/l*	*25.0*		*103*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.4*		*ug/l*	*25.0*		*94*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2216 Extracted: 09/22/06										
LCS Dup Analyzed: 09/22/2006 (P6I2216-BSD1)										
Acetone	24.8	20	ug/l	25.0		99	30-150	2	35	
Benzene	24.8	1.0	ug/l	25.0		99	80-120	2	10	
Bromobenzene	23.8	5.0	ug/l	25.0		95	80-125	2	10	
Bromochloromethane	22.9	5.0	ug/l	25.0		92	80-125	3	15	
Bromodichloromethane	23.1	2.0	ug/l	25.0		92	80-120	3	15	
Bromoform	21.4	5.0	ug/l	25.0		86	70-120	7	20	
Bromomethane	22.5	5.0	ug/l	25.0		90	80-135	3	15	
2-Butanone (MEK)	23.8	10	ug/l	25.0		95	55-150	5	35	
n-Butylbenzene	24.8	5.0	ug/l	25.0		99	80-120	4	10	
sec-Butylbenzene	24.0	5.0	ug/l	25.0		96	80-130	2	10	
tert-Butylbenzene	23.4	5.0	ug/l	25.0		94	80-130	2	10	
Carbon Disulfide	27.3	5.0	ug/l	25.0		109	55-145	4	15	
Carbon tetrachloride	22.5	5.0	ug/l	25.0		90	80-120	4	15	
Chlorobenzene	24.1	1.0	ug/l	25.0		96	80-120	3	10	
Chloroethane	25.5	5.0	ug/l	25.0		102	80-125	3	15	
Chloroform	22.0	2.0	ug/l	25.0		88	80-120	4	10	
Chloromethane	22.6	5.0	ug/l	25.0		90	70-130	10	15	
2-Chlorotoluene	23.2	5.0	ug/l	25.0		93	80-120	1	10	
4-Chlorotoluene	23.8	5.0	ug/l	25.0		95	80-120	0	10	
Dibromochloromethane	22.8	2.0	ug/l	25.0		91	75-120	1	15	
1,2-Dibromo-3-chloropropane	21.2	5.0	ug/l	25.0		85	55-120	4	35	
1,2-Dibromoethane (EDB)	23.7	2.0	ug/l	25.0		95	75-125	2	20	
Dibromomethane	23.3	2.0	ug/l	25.0		93	80-125	0	20	
1,2-Dichlorobenzene	23.6	1.0	ug/l	25.0		94	80-120	2	10	
1,3-Dichlorobenzene	23.4	1.0	ug/l	25.0		94	80-125	4	10	
1,4-Dichlorobenzene	24.7	1.0	ug/l	25.0		99	80-120	1	10	
Dichlorodifluoromethane	17.2	5.0	ug/l	25.0		69	60-140	6	15	
1,1-Dichloroethane	23.4	2.0	ug/l	25.0		94	80-120	3	10	
1,2-Dichloroethane	22.4	1.0	ug/l	25.0		90	75-125	0	20	
1,1-Dichloroethene	24.8	5.0	ug/l	25.0		99	75-120	4	15	
cis-1,2-Dichloroethene	22.6	2.0	ug/l	25.0		90	80-125	4	10	
trans-1,2-Dichloroethene	23.2	2.0	ug/l	25.0		93	80-120	5	10	
1,2-Dichloropropane	25.6	2.0	ug/l	25.0		102	80-120	2	15	
1,3-Dichloropropane	24.4	2.0	ug/l	25.0		98	80-120	2	15	
2,2-Dichloropropane	22.6	2.0	ug/l	25.0		90	70-130	6	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2216 Extracted: 09/22/06										
LCS Dup Analyzed: 09/22/2006 (P6I2216-BSD1)										
1,1-Dichloropropene	24.6	2.0	ug/l	25.0		98	80-120	4	10	
cis-1,3-Dichloropropene	24.3	2.0	ug/l	25.0		97	75-120	4	15	
trans-1,3-Dichloropropene	24.4	2.0	ug/l	25.0		98	80-120	1	20	
Ethylbenzene	24.7	2.0	ug/l	25.0		99	80-125	5	15	
Hexachlorobutadiene	23.9	5.0	ug/l	25.0		96	70-130	5	15	
2-Hexanone	25.9	10	ug/l	25.0		104	40-150	11	35	
Iodomethane	25.4	2.0	ug/l	25.0		102	80-130	3	10	
Isopropylbenzene	25.5	2.0	ug/l	25.0		102	80-140	2	10	
p-Isopropyltoluene	24.3	2.0	ug/l	25.0		97	80-130	3	15	
Methylene chloride	24.3	5.0	ug/l	25.0		97	80-120	2	10	
4-Methyl-2-pentanone (MIBK)	25.0	10	ug/l	25.0		100	50-140	6	35	
Methyl-tert-butyl Ether (MTBE)	24.6	5.0	ug/l	25.0		98	65-130	2	25	
Naphthalene	23.5	2.0	ug/l	25.0		94	70-130	7	20	
n-Propylbenzene	24.9	2.0	ug/l	25.0		100	80-135	1	10	
Styrene	25.0	2.0	ug/l	25.0		100	80-125	1	15	
1,1,1,2-Tetrachloroethane	23.9	5.0	ug/l	25.0		96	80-120	2	15	
1,1,2,2-Tetrachloroethane	25.4	2.0	ug/l	25.0		102	65-140	4	25	
Tetrachloroethene	23.3	2.0	ug/l	25.0		93	80-125	6	15	
Toluene	24.1	2.0	ug/l	25.0		96	80-125	7	10	
1,2,3-Trichlorobenzene	24.6	5.0	ug/l	25.0		98	75-125	1	15	
1,2,4-Trichlorobenzene	25.0	5.0	ug/l	25.0		100	80-125	2	15	
1,1,1-Trichloroethane	21.8	2.0	ug/l	25.0		87	75-125	4	10	
1,1,2-Trichloroethane	24.0	2.0	ug/l	25.0		96	80-125	0	25	
Trichloroethene	23.6	2.0	ug/l	25.0		94	80-120	5	10	
Trichlorofluoromethane	22.0	5.0	ug/l	25.0		88	75-130	7	10	
1,2,3-Trichloropropane	23.7	10	ug/l	25.0		95	65-135	7	25	
1,2,4-Trimethylbenzene	23.9	2.0	ug/l	25.0		96	80-125	3	10	
1,3,5-Trimethylbenzene	23.4	2.0	ug/l	25.0		94	80-130	3	10	
Vinyl acetate	32.2	25	ug/l	25.0		129	70-140	4	30	
Vinyl chloride	21.0	1.7	ug/l	25.0		84	70-135	13	15	
Xylenes, Total	48.8	3.0	ug/l	50.0		98	80-125	4	15	
Surrogate: Dibromofluoromethane	*24.2*		*ug/l*	*25.0*		*97*	*80-130*			
Surrogate: Toluene-d8	*25.3*		*ug/l*	*25.0*		*101*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.8*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2216 Extracted: 09/22/06										
Matrix Spike Analyzed: 09/22/2006 (P6I2216-MS1)					**Source: PPI0345-07**					
Acetone	21.6	20	ug/l	25.0	ND	86	15-150			
Benzene	22.2	1.0	ug/l	25.0	ND	89	80-125			
Bromobenzene	20.9	5.0	ug/l	25.0	ND	84	80-125			
Bromochloromethane	21.2	5.0	ug/l	25.0	ND	85	80-130			
Bromodichloromethane	20.8	2.0	ug/l	25.0	ND	83	70-130			
Bromoform	17.7	5.0	ug/l	25.0	ND	71	70-120			
Bromomethane	20.3	5.0	ug/l	25.0	ND	81	80-135			
2-Butanone (MEK)	22.7	10	ug/l	25.0	ND	91	30-150			
n-Butylbenzene	21.8	5.0	ug/l	25.0	ND	87	80-135			
sec-Butylbenzene	21.1	5.0	ug/l	25.0	ND	84	80-130			
tert-Butylbenzene	20.4	5.0	ug/l	25.0	ND	82	80-130			
Carbon Disulfide	26.9	5.0	ug/l	25.0	ND	108	45-150			
Carbon tetrachloride	18.9	5.0	ug/l	25.0	ND	76	65-135			
Chlorobenzene	21.7	1.0	ug/l	25.0	ND	87	80-125			
Chloroethane	22.6	5.0	ug/l	25.0	ND	90	80-125			
Chloroform	21.5	2.0	ug/l	25.0	0.49	84	75-130			
Chloromethane	20.6	5.0	ug/l	25.0	ND	82	65-130			
2-Chlorotoluene	20.7	5.0	ug/l	25.0	ND	83	80-130			
4-Chlorotoluene	21.1	5.0	ug/l	25.0	ND	84	80-135			
Dibromochloromethane	19.8	2.0	ug/l	25.0	ND	79	75-120			
1,2-Dibromo-3-chloropropane	18.0	5.0	ug/l	25.0	ND	72	50-130			
1,2-Dibromoethane (EDB)	21.1	2.0	ug/l	25.0	ND	84	70-130			
Dibromomethane	20.7	2.0	ug/l	25.0	ND	83	75-130			
1,2-Dichlorobenzene	20.7	1.0	ug/l	25.0	ND	83	80-130			
1,3-Dichlorobenzene	21.1	1.0	ug/l	25.0	ND	84	80-130			
1,4-Dichlorobenzene	21.7	1.0	ug/l	25.0	ND	87	80-125			
Dichlorodifluoromethane	12.9	5.0	ug/l	25.0	ND	52	60-140			*M2*
1,1-Dichloroethane	21.8	2.0	ug/l	25.0	ND	87	80-125			
1,2-Dichloroethane	21.3	1.0	ug/l	25.0	ND	85	60-145			
1,1-Dichloroethene	21.8	5.0	ug/l	25.0	ND	87	75-130			
cis-1,2-Dichloroethene	21.6	2.0	ug/l	25.0	ND	86	80-125			
trans-1,2-Dichloroethene	21.3	2.0	ug/l	25.0	ND	85	80-120			
1,2-Dichloropropane	23.1	2.0	ug/l	25.0	ND	92	80-125			
1,3-Dichloropropane	22.6	2.0	ug/l	25.0	ND	90	75-130			
2,2-Dichloropropane	20.8	2.0	ug/l	25.0	ND	83	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2216 Extracted: 09/22/06										
Matrix Spike Analyzed: 09/22/2006 (P6I2216-MS1)					**Source: PPI0345-07**					
1,1-Dichloropropene	21.3	2.0	ug/l	25.0	ND	85	80-125			
cis-1,3-Dichloropropene	22.0	2.0	ug/l	25.0	ND	88	75-120			
trans-1,3-Dichloropropene	20.9	2.0	ug/l	25.0	ND	84	75-130			
Ethylbenzene	22.3	2.0	ug/l	25.0	ND	89	80-130			
Hexachlorobutadiene	20.8	5.0	ug/l	25.0	ND	83	65-130			
2-Hexanone	21.7	10	ug/l	25.0	ND	87	40-150			
Iodomethane	25.3	2.0	ug/l	25.0	ND	101	70-140			
Isopropylbenzene	22.3	2.0	ug/l	25.0	ND	89	80-140			
p-Isopropyltoluene	21.2	2.0	ug/l	25.0	ND	85	80-135			
Methylene chloride	22.8	5.0	ug/l	25.0	ND	91	75-125			
4-Methyl-2-pentanone (MIBK)	21.2	10	ug/l	25.0	ND	85	40-140			
Methyl-tert-butyl Ether (MTBE)	22.2	5.0	ug/l	25.0	ND	89	65-135			
Naphthalene	19.6	2.0	ug/l	25.0	ND	78	60-140			
n-Propylbenzene	21.9	2.0	ug/l	25.0	ND	88	80-140			
Styrene	7.70	2.0	ug/l	25.0	ND	31	30-150			
1,1,1,2-Tetrachloroethane	20.6	5.0	ug/l	25.0	ND	82	80-130			
1,1,2,2-Tetrachloroethane	21.4	2.0	ug/l	25.0	ND	86	65-140			
Tetrachloroethene	21.3	2.0	ug/l	25.0	ND	85	80-130			
Toluene	22.1	2.0	ug/l	25.0	ND	88	80-130			
1,2,3-Trichlorobenzene	21.6	5.0	ug/l	25.0	ND	86	75-140			
1,2,4-Trichlorobenzene	21.6	5.0	ug/l	25.0	ND	86	80-135			
1,1,1-Trichloroethane	19.6	2.0	ug/l	25.0	ND	78	70-135			
1,1,2-Trichloroethane	20.6	2.0	ug/l	25.0	ND	82	70-135			
Trichloroethene	23.4	2.0	ug/l	25.0	2.2	85	80-125			
Trichlorofluoromethane	19.2	5.0	ug/l	25.0	ND	77	70-140			
1,2,3-Trichloropropane	20.2	10	ug/l	25.0	ND	81	65-135			
1,2,4-Trimethylbenzene	21.5	2.0	ug/l	25.0	ND	86	75-130			
1,3,5-Trimethylbenzene	20.4	2.0	ug/l	25.0	ND	82	80-135			
Vinyl acetate	12.6	25	ug/l	25.0	ND	50	30-150			
Vinyl chloride	20.9	1.7	ug/l	25.0	ND	84	70-135			
Xylenes, Total	43.4	3.0	ug/l	50.0	ND	87	80-125			
Surrogate: Dibromofluoromethane	*25.8*		*ug/l*	*25.0*		*103*	*80-130*			
Surrogate: Toluene-d8	*25.7*		*ug/l*	*25.0*		*103*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.6*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2216 Extracted: 09/22/06										
Matrix Spike Dup Analyzed: 09/22/2006 (P6I2216-MSD1)					**Source: PPI0345-07**					
Acetone	17.7	20	ug/l	25.0	ND	71	15-150	20	35	
Benzene	23.8	1.0	ug/l	25.0	ND	95	80-125	7	10	
Bromobenzene	22.1	5.0	ug/l	25.0	ND	88	80-125	6	15	
Bromochloromethane	23.0	5.0	ug/l	25.0	ND	92	80-130	8	20	
Bromodichloromethane	22.0	2.0	ug/l	25.0	ND	88	70-130	6	15	
Bromoform	18.2	5.0	ug/l	25.0	ND	73	70-120	3	25	
Bromomethane	21.1	5.0	ug/l	25.0	ND	84	80-135	4	20	
2-Butanone (MEK)	21.2	10	ug/l	25.0	ND	85	30-150	7	35	
n-Butylbenzene	23.3	5.0	ug/l	25.0	ND	93	80-135	7	20	
sec-Butylbenzene	22.1	5.0	ug/l	25.0	ND	88	80-130	5	20	
tert-Butylbenzene	21.8	5.0	ug/l	25.0	ND	87	80-130	7	20	
Carbon Disulfide	28.8	5.0	ug/l	25.0	ND	115	45-150	7	15	
Carbon tetrachloride	20.1	5.0	ug/l	25.0	ND	80	65-135	6	15	
Chlorobenzene	22.9	1.0	ug/l	25.0	ND	92	80-125	5	15	
Chloroethane	23.7	5.0	ug/l	25.0	ND	95	80-125	5	20	
Chloroform	23.2	2.0	ug/l	25.0	0.49	91	75-130	8	15	
Chloromethane	21.8	5.0	ug/l	25.0	ND	87	65-130	6	20	
2-Chlorotoluene	22.4	5.0	ug/l	25.0	ND	90	80-130	8	15	
4-Chlorotoluene	22.7	5.0	ug/l	25.0	ND	91	80-135	7	15	
Dibromochloromethane	20.3	2.0	ug/l	25.0	ND	81	75-120	2	20	
1,2-Dibromo-3-chloropropane	16.8	5.0	ug/l	25.0	ND	67	50-130	7	35	
1,2-Dibromoethane (EDB)	21.3	2.0	ug/l	25.0	ND	85	70-130	1	25	
Dibromomethane	21.8	2.0	ug/l	25.0	ND	87	75-130	5	25	
1,2-Dichlorobenzene	22.1	1.0	ug/l	25.0	ND	88	80-130	7	15	
1,3-Dichlorobenzene	22.3	1.0	ug/l	25.0	ND	89	80-130	6	15	
1,4-Dichlorobenzene	23.2	1.0	ug/l	25.0	ND	93	80-125	7	10	
Dichlorodifluoromethane	13.5	5.0	ug/l	25.0	ND	54	60-140	5	45	*M2*
1,1-Dichloroethane	23.2	2.0	ug/l	25.0	ND	93	80-125	6	15	
1,2-Dichloroethane	22.0	1.0	ug/l	25.0	ND	88	60-145	3	20	
1,1-Dichloroethene	23.2	5.0	ug/l	25.0	ND	93	75-130	6	15	
cis-1,2-Dichloroethene	22.9	2.0	ug/l	25.0	ND	92	80-125	6	15	
trans-1,2-Dichloroethene	22.7	2.0	ug/l	25.0	ND	91	80-120	6	15	
1,2-Dichloropropane	24.6	2.0	ug/l	25.0	ND	98	80-125	6	15	
1,3-Dichloropropane	23.3	2.0	ug/l	25.0	ND	93	75-130	3	20	
2,2-Dichloropropane	21.8	2.0	ug/l	25.0	ND	87	60-135	5	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2216 Extracted: 09/22/06										
Matrix Spike Dup Analyzed: 09/22/2006 (P6I2216-MSD1)					**Source: PPI0345-07**					
1,1-Dichloropropene	22.4	2.0	ug/l	25.0	ND	90	80-125	5	15	
cis-1,3-Dichloropropene	23.0	2.0	ug/l	25.0	ND	92	75-120	4	15	
trans-1,3-Dichloropropene	21.6	2.0	ug/l	25.0	ND	86	75-130	3	25	
Ethylbenzene	23.4	2.0	ug/l	25.0	ND	94	80-130	5	15	
Hexachlorobutadiene	21.7	5.0	ug/l	25.0	ND	87	65-130	4	15	
2-Hexanone	19.8	10	ug/l	25.0	ND	79	40-150	9	35	
Iodomethane	25.5	2.0	ug/l	25.0	ND	102	70-140	1	15	
Isopropylbenzene	23.6	2.0	ug/l	25.0	ND	94	80-140	6	20	
p-Isopropyltoluene	22.6	2.0	ug/l	25.0	ND	90	80-135	6	20	
Methylene chloride	24.4	5.0	ug/l	25.0	ND	98	75-125	7	15	
4-Methyl-2-pentanone (MIBK)	20.3	10	ug/l	25.0	ND	81	40-140	4	35	
Methyl-tert-butyl Ether (MTBE)	22.5	5.0	ug/l	25.0	ND	90	65-135	1	30	
Naphthalene	18.8	2.0	ug/l	25.0	ND	75	60-140	4	30	
n-Propylbenzene	23.4	2.0	ug/l	25.0	ND	94	80-140	7	20	
Styrene	4.81	2.0	ug/l	25.0	ND	19	30-150	46	25	*M2*
1,1,1,2-Tetrachloroethane	21.8	5.0	ug/l	25.0	ND	87	80-130	6	15	
1,1,2,2-Tetrachloroethane	21.9	2.0	ug/l	25.0	ND	88	65-140	2	35	
Tetrachloroethene	22.3	2.0	ug/l	25.0	ND	89	80-130	5	15	
Toluene	23.8	2.0	ug/l	25.0	ND	95	80-130	7	15	
1,2,3-Trichlorobenzene	21.0	5.0	ug/l	25.0	ND	84	75-140	3	20	
1,2,4-Trichlorobenzene	22.4	5.0	ug/l	25.0	ND	90	80-135	4	15	
1,1,1-Trichloroethane	20.7	2.0	ug/l	25.0	ND	83	70-135	5	15	
1,1,2-Trichloroethane	21.3	2.0	ug/l	25.0	ND	85	70-135	3	25	
Trichloroethene	24.6	2.0	ug/l	25.0	2.2	90	80-125	5	15	
Trichlorofluoromethane	20.1	5.0	ug/l	25.0	ND	80	70-140	5	15	
1,2,3-Trichloropropane	20.1	10	ug/l	25.0	ND	80	65-135	1	35	
1,2,4-Trimethylbenzene	22.8	2.0	ug/l	25.0	ND	91	75-130	6	15	
1,3,5-Trimethylbenzene	21.9	2.0	ug/l	25.0	ND	88	80-135	7	15	
Vinyl acetate	9.45	25	ug/l	25.0	ND	38	30-150	29	35	
Vinyl chloride	22.4	1.7	ug/l	25.0	ND	90	70-135	7	25	
Xylenes, Total	46.0	3.0	ug/l	50.0	ND	92	80-125	6	15	
Surrogate: Dibromofluoromethane	*25.6*		*ug/l*	*25.0*		*102*	*80-130*			
Surrogate: Toluene-d8	*25.8*		*ug/l*	*25.0*		*103*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.5*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248
Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2221 Extracted: 09/21/06										
Blank Analyzed: 09/21/2006 (P6I2221-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							*V1*
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2221 Extracted: 09/21/06										
Blank Analyzed: 09/21/2006 (P6I2221-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							*V1*
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							*V1*
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							*V1*
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*25.8*		*ug/l*	*25.0*		*103*	*80-130*			
Surrogate: Toluene-d8	*25.4*		*ug/l*	*25.0*		*102*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.8*		*ug/l*	*25.0*		*95*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2221 Extracted: 09/21/06										
LCS Analyzed: 09/21/2006 (P6I2221-BS1)										
Acetone	21.3	20	ug/l	25.0		85	30-150			
Benzene	22.3	1.0	ug/l	25.0		89	80-120			
Bromobenzene	24.7	5.0	ug/l	25.0		99	80-125			
Bromochloromethane	23.8	5.0	ug/l	25.0		95	80-125			
Bromodichloromethane	21.6	2.0	ug/l	25.0		86	80-120			
Bromoform	21.5	5.0	ug/l	25.0		86	70-120			
Bromomethane	21.9	5.0	ug/l	25.0		88	80-135			
2-Butanone (MEK)	19.9	10	ug/l	25.0		80	55-150			
n-Butylbenzene	22.3	5.0	ug/l	25.0		89	80-120			
sec-Butylbenzene	23.9	5.0	ug/l	25.0		96	80-130			
tert-Butylbenzene	24.4	5.0	ug/l	25.0		98	80-130			
Carbon Disulfide	19.3	5.0	ug/l	25.0		77	55-145			
Carbon tetrachloride	21.7	5.0	ug/l	25.0		87	80-120			
Chlorobenzene	22.2	1.0	ug/l	25.0		89	80-120			
Chloroethane	23.3	5.0	ug/l	25.0		93	80-125			
Chloroform	22.2	2.0	ug/l	25.0		89	80-120			
Chloromethane	23.8	5.0	ug/l	25.0		95	70-130			
2-Chlorotoluene	23.5	5.0	ug/l	25.0		94	80-120			
4-Chlorotoluene	23.6	5.0	ug/l	25.0		94	80-120			
Dibromochloromethane	19.8	2.0	ug/l	25.0		79	75-120			
1,2-Dibromo-3-chloropropane	24.0	5.0	ug/l	25.0		96	55-120			*V1*
1,2-Dibromoethane (EDB)	23.0	2.0	ug/l	25.0		92	75-125			
Dibromomethane	22.0	2.0	ug/l	25.0		88	80-125			
1,2-Dichlorobenzene	23.4	1.0	ug/l	25.0		94	80-120			
1,3-Dichlorobenzene	22.9	1.0	ug/l	25.0		92	80-125			
1,4-Dichlorobenzene	23.3	1.0	ug/l	25.0		93	80-120			
Dichlorodifluoromethane	18.8	5.0	ug/l	25.0		75	60-140			
1,1-Dichloroethane	22.6	2.0	ug/l	25.0		90	80-120			
1,2-Dichloroethane	23.2	1.0	ug/l	25.0		93	75-125			
1,1-Dichloroethene	22.1	5.0	ug/l	25.0		88	75-120			
cis-1,2-Dichloroethene	22.8	2.0	ug/l	25.0		91	80-125			
trans-1,2-Dichloroethene	23.1	2.0	ug/l	25.0		92	80-120			
1,2-Dichloropropane	22.6	2.0	ug/l	25.0		90	80-120			
1,3-Dichloropropane	23.6	2.0	ug/l	25.0		94	80-120			
2,2-Dichloropropane	21.8	2.0	ug/l	25.0		87	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2221 Extracted: 09/21/06										
LCS Analyzed: 09/21/2006 (P6I2221-BS1)										
1,1-Dichloropropene	23.1	2.0	ug/l	25.0		92	80-120			
cis-1,3-Dichloropropene	22.0	2.0	ug/l	25.0		88	75-120			
trans-1,3-Dichloropropene	21.8	2.0	ug/l	25.0		87	80-120			
Ethylbenzene	23.1	2.0	ug/l	25.0		92	80-125			
Hexachlorobutadiene	21.5	5.0	ug/l	25.0		86	70-130			
2-Hexanone	21.1	10	ug/l	25.0		84	40-150			
Iodomethane	19.8	2.0	ug/l	25.0		79	80-130			*L4, N1*
Isopropylbenzene	25.8	2.0	ug/l	25.0		103	80-140			
p-Isopropyltoluene	23.7	2.0	ug/l	25.0		95	80-130			
Methylene chloride	20.9	5.0	ug/l	25.0		84	80-120			
4-Methyl-2-pentanone (MIBK)	20.0	10	ug/l	25.0		80	50-140			*V1*
Methyl-tert-butyl Ether (MTBE)	22.6	5.0	ug/l	25.0		90	65-130			
Naphthalene	21.7	2.0	ug/l	25.0		87	70-130			
n-Propylbenzene	24.6	2.0	ug/l	25.0		98	80-135			
Styrene	23.1	2.0	ug/l	25.0		92	80-125			
1,1,1,2-Tetrachloroethane	22.8	5.0	ug/l	25.0		91	80-120			
1,1,2,2-Tetrachloroethane	26.9	2.0	ug/l	25.0		108	65-140			*V1*
Tetrachloroethene	21.5	2.0	ug/l	25.0		86	80-125			
Toluene	22.2	2.0	ug/l	25.0		89	80-125			
1,2,3-Trichlorobenzene	22.5	5.0	ug/l	25.0		90	75-125			
1,2,4-Trichlorobenzene	21.1	5.0	ug/l	25.0		84	80-125			
1,1,1-Trichloroethane	22.1	2.0	ug/l	25.0		88	75-125			
1,1,2-Trichloroethane	22.5	2.0	ug/l	25.0		90	80-125			
Trichloroethene	22.3	2.0	ug/l	25.0		89	80-120			
Trichlorofluoromethane	23.3	5.0	ug/l	25.0		93	75-130			
1,2,3-Trichloropropane	23.8	10	ug/l	25.0		95	65-135			*V1*
1,2,4-Trimethylbenzene	24.2	2.0	ug/l	25.0		97	80-125			
1,3,5-Trimethylbenzene	24.1	2.0	ug/l	25.0		96	80-130			
Vinyl acetate	26.1	25	ug/l	25.0		104	70-140			
Vinyl chloride	23.7	1.7	ug/l	25.0		95	70-135			
Xylenes, Total	45.3	3.0	ug/l	50.0		91	80-125			
Surrogate: Dibromofluoromethane	*26.7*		*ug/l*	*25.0*		*107*	*80-130*			
Surrogate: Toluene-d8	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.8*		*ug/l*	*25.0*		*103*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2221 Extracted: 09/21/06										
LCS Dup Analyzed: 09/21/2006 (P6I2221-BSD1)										
Acetone	22.6	20	ug/l	25.0		90	30-150	6	35	
Benzene	22.7	1.0	ug/l	25.0		91	80-120	2	10	
Bromobenzene	24.6	5.0	ug/l	25.0		98	80-125	0	10	
Bromochloromethane	23.4	5.0	ug/l	25.0		94	80-125	2	15	
Bromodichloromethane	22.2	2.0	ug/l	25.0		89	80-120	3	15	
Bromoform	21.3	5.0	ug/l	25.0		85	70-120	1	20	
Bromomethane	23.6	5.0	ug/l	25.0		94	80-135	7	15	
2-Butanone (MEK)	21.0	10	ug/l	25.0		84	55-150	5	35	
n-Butylbenzene	22.3	5.0	ug/l	25.0		89	80-120	0	10	
sec-Butylbenzene	23.8	5.0	ug/l	25.0		95	80-130	0	10	
tert-Butylbenzene	24.2	5.0	ug/l	25.0		97	80-130	1	10	
Carbon Disulfide	21.2	5.0	ug/l	25.0		85	55-145	9	15	
Carbon tetrachloride	22.4	5.0	ug/l	25.0		90	80-120	3	15	
Chlorobenzene	22.8	1.0	ug/l	25.0		91	80-120	3	10	
Chloroethane	23.7	5.0	ug/l	25.0		95	80-125	2	15	
Chloroform	22.4	2.0	ug/l	25.0		90	80-120	1	10	
Chloromethane	25.1	5.0	ug/l	25.0		100	70-130	5	15	
2-Chlorotoluene	23.9	5.0	ug/l	25.0		96	80-120	2	10	
4-Chlorotoluene	23.6	5.0	ug/l	25.0		94	80-120	0	10	
Dibromochloromethane	20.1	2.0	ug/l	25.0		80	75-120	2	15	
1,2-Dibromo-3-chloropropane	23.6	5.0	ug/l	25.0		94	55-120	2	35	*V1*
1,2-Dibromoethane (EDB)	22.4	2.0	ug/l	25.0		90	75-125	3	20	
Dibromomethane	22.4	2.0	ug/l	25.0		90	80-125	2	20	
1,2-Dichlorobenzene	23.3	1.0	ug/l	25.0		93	80-120	0	10	
1,3-Dichlorobenzene	22.8	1.0	ug/l	25.0		91	80-125	0	10	
1,4-Dichlorobenzene	23.7	1.0	ug/l	25.0		95	80-120	2	10	
Dichlorodifluoromethane	20.6	5.0	ug/l	25.0		82	60-140	9	15	
1,1-Dichloroethane	23.6	2.0	ug/l	25.0		94	80-120	4	10	
1,2-Dichloroethane	23.6	1.0	ug/l	25.0		94	75-125	2	20	
1,1-Dichloroethene	23.2	5.0	ug/l	25.0		93	75-120	5	15	
cis-1,2-Dichloroethene	23.4	2.0	ug/l	25.0		94	80-125	3	10	
trans-1,2-Dichloroethene	24.3	2.0	ug/l	25.0		97	80-120	5	10	
1,2-Dichloropropane	23.2	2.0	ug/l	25.0		93	80-120	3	15	
1,3-Dichloropropane	23.2	2.0	ug/l	25.0		93	80-120	2	15	
2,2-Dichloropropane	23.1	2.0	ug/l	25.0		92	70-130	6	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2221 Extracted: 09/21/06										
LCS Dup Analyzed: 09/21/2006 (P6I2221-BSD1)										
1,1-Dichloropropene	23.3	2.0	ug/l	25.0		93	80-120	1	10	
cis-1,3-Dichloropropene	22.8	2.0	ug/l	25.0		91	75-120	4	15	
trans-1,3-Dichloropropene	21.4	2.0	ug/l	25.0		86	80-120	2	20	
Ethylbenzene	23.0	2.0	ug/l	25.0		92	80-125	0	15	
Hexachlorobutadiene	21.2	5.0	ug/l	25.0		85	70-130	1	15	
2-Hexanone	20.0	10	ug/l	25.0		80	40-150	5	35	
Iodomethane	21.4	2.0	ug/l	25.0		86	80-130	8	10	
Isopropylbenzene	26.0	2.0	ug/l	25.0		104	80-140	1	10	
p-Isopropyltoluene	23.7	2.0	ug/l	25.0		95	80-130	0	15	
Methylene chloride	22.0	5.0	ug/l	25.0		88	80-120	5	10	
4-Methyl-2-pentanone (MIBK)	20.1	10	ug/l	25.0		80	50-140	1	35	*V1*
Methyl-tert-butyl Ether (MTBE)	22.7	5.0	ug/l	25.0		91	65-130	0	25	
Naphthalene	20.8	2.0	ug/l	25.0		83	70-130	4	20	
n-Propylbenzene	23.7	2.0	ug/l	25.0		95	80-135	4	10	
Styrene	22.9	2.0	ug/l	25.0		92	80-125	1	15	
1,1,1,2-Tetrachloroethane	23.0	5.0	ug/l	25.0		92	80-120	1	15	
1,1,2,2-Tetrachloroethane	25.4	2.0	ug/l	25.0		102	65-140	6	25	*V1*
Tetrachloroethene	22.1	2.0	ug/l	25.0		88	80-125	3	15	
Toluene	22.0	2.0	ug/l	25.0		88	80-125	1	10	
1,2,3-Trichlorobenzene	21.4	5.0	ug/l	25.0		86	75-125	5	15	
1,2,4-Trichlorobenzene	20.2	5.0	ug/l	25.0		81	80-125	4	15	
1,1,1-Trichloroethane	22.7	2.0	ug/l	25.0		91	75-125	3	10	
1,1,2-Trichloroethane	22.2	2.0	ug/l	25.0		89	80-125	1	25	
Trichloroethene	22.9	2.0	ug/l	25.0		92	80-120	3	10	
Trichlorofluoromethane	24.0	5.0	ug/l	25.0		96	75-130	3	10	
1,2,3-Trichloropropane	23.6	10	ug/l	25.0		94	65-135	1	25	*V1*
1,2,4-Trimethylbenzene	24.3	2.0	ug/l	25.0		97	80-125	0	10	
1,3,5-Trimethylbenzene	24.2	2.0	ug/l	25.0		97	80-130	0	10	
Vinyl acetate	26.8	25	ug/l	25.0		107	70-140	3	30	
Vinyl chloride	25.6	1.7	ug/l	25.0		102	70-135	8	15	
Xylenes, Total	45.9	3.0	ug/l	50.0		92	80-125	1	15	
Surrogate: Dibromofluoromethane	*26.6*		*ug/l*	*25.0*		*106*	*80-130*			
Surrogate: Toluene-d8	*25.2*		*ug/l*	*25.0*		*101*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.1*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2221 Extracted: 09/21/06										
Matrix Spike Analyzed: 09/21/2006 (P6I2221-MS1)					**Source: PPI0202-01**					
Acetone	29.3	20	ug/l	25.0	ND	117	15-150			
Benzene	25.8	1.0	ug/l	25.0	2.7	92	80-125			
Bromobenzene	23.6	5.0	ug/l	25.0	ND	94	80-125			
Bromochloromethane	24.6	5.0	ug/l	25.0	ND	98	80-130			
Bromodichloromethane	23.3	2.0	ug/l	25.0	ND	93	70-130			
Bromoform	20.9	5.0	ug/l	25.0	ND	84	70-120			
Bromomethane	22.0	5.0	ug/l	25.0	ND	88	80-135			
2-Butanone (MEK)	24.7	10	ug/l	25.0	ND	99	30-150			
n-Butylbenzene	23.0	5.0	ug/l	25.0	0.78	89	80-135			
sec-Butylbenzene	23.8	5.0	ug/l	25.0	0.81	92	80-130			
tert-Butylbenzene	23.4	5.0	ug/l	25.0	ND	94	80-130			
Carbon Disulfide	20.5	5.0	ug/l	25.0	ND	82	45-150			
Carbon tetrachloride	22.5	5.0	ug/l	25.0	ND	90	65-135			
Chlorobenzene	22.5	1.0	ug/l	25.0	ND	90	80-125			
Chloroethane	22.8	5.0	ug/l	25.0	ND	91	80-125			
Chloroform	23.9	2.0	ug/l	25.0	ND	96	75-130			
Chloromethane	23.3	5.0	ug/l	25.0	ND	93	65-130			
2-Chlorotoluene	22.4	5.0	ug/l	25.0	ND	90	80-130			
4-Chlorotoluene	23.0	5.0	ug/l	25.0	ND	92	80-135			
Dibromochloromethane	20.4	2.0	ug/l	25.0	ND	82	75-120			
1,2-Dibromo-3-chloropropane	25.4	5.0	ug/l	25.0	ND	102	50-130			*V1*
1,2-Dibromoethane (EDB)	24.3	2.0	ug/l	25.0	ND	97	70-130			
Dibromomethane	22.9	2.0	ug/l	25.0	ND	92	75-130			
1,2-Dichlorobenzene	23.3	1.0	ug/l	25.0	ND	93	80-130			
1,3-Dichlorobenzene	22.3	1.0	ug/l	25.0	ND	89	80-130			
1,4-Dichlorobenzene	23.1	1.0	ug/l	25.0	ND	92	80-125			
Dichlorodifluoromethane	19.2	5.0	ug/l	25.0	ND	77	60-140			
1,1-Dichloroethane	23.4	2.0	ug/l	25.0	ND	94	80-125			
1,2-Dichloroethane	26.0	1.0	ug/l	25.0	1.1	100	60-145			
1,1-Dichloroethene	23.0	5.0	ug/l	25.0	ND	92	75-130			
cis-1,2-Dichloroethene	23.2	2.0	ug/l	25.0	ND	93	80-125			
trans-1,2-Dichloroethene	24.0	2.0	ug/l	25.0	ND	96	80-120			
1,2-Dichloropropane	24.0	2.0	ug/l	25.0	ND	96	80-125			
1,3-Dichloropropane	24.2	2.0	ug/l	25.0	ND	97	75-130			
2,2-Dichloropropane	21.6	2.0	ug/l	25.0	ND	86	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2221 Extracted: 09/21/06										
Matrix Spike Analyzed: 09/21/2006 (P6I2221-MS1)					**Source: PPI0202-01**					
1,1-Dichloropropene	23.0	2.0	ug/l	25.0	ND	92	80-125			
cis-1,3-Dichloropropene	23.3	2.0	ug/l	25.0	ND	93	75-120			
trans-1,3-Dichloropropene	23.9	2.0	ug/l	25.0	ND	96	75-130			
Ethylbenzene	40.2	2.0	ug/l	25.0	17	93	80-130			
Hexachlorobutadiene	22.1	5.0	ug/l	25.0	ND	88	65-130			
2-Hexanone	21.6	10	ug/l	25.0	ND	86	40-150			
Iodomethane	20.8	2.0	ug/l	25.0	ND	83	70-140			
Isopropylbenzene	26.7	2.0	ug/l	25.0	2.3	98	80-140			
p-Isopropyltoluene	23.2	2.0	ug/l	25.0	ND	93	80-135			
Methylene chloride	22.5	5.0	ug/l	25.0	ND	90	75-125			
4-Methyl-2-pentanone (MIBK)	140	10	ug/l	25.0	ND	560	40-140			*V1, M1*
Methyl-tert-butyl Ether (MTBE)	24.7	5.0	ug/l	25.0	ND	99	65-135			
Naphthalene	30.2	2.0	ug/l	25.0	4.7	102	60-140			
n-Propylbenzene	30.3	2.0	ug/l	25.0	7.4	92	80-140			
Styrene	23.2	2.0	ug/l	25.0	ND	93	30-150			
1,1,1,2-Tetrachloroethane	22.7	5.0	ug/l	25.0	ND	91	80-130			
1,1,2,2-Tetrachloroethane	27.0	2.0	ug/l	25.0	ND	108	65-140			*V1*
Tetrachloroethene	21.4	2.0	ug/l	25.0	ND	86	80-130			
Toluene	22.8	2.0	ug/l	25.0	ND	91	80-130			
1,2,3-Trichlorobenzene	25.6	5.0	ug/l	25.0	ND	102	75-140			
1,2,4-Trichlorobenzene	22.9	5.0	ug/l	25.0	ND	92	80-135			
1,1,1-Trichloroethane	23.1	2.0	ug/l	25.0	ND	92	70-135			
1,1,2-Trichloroethane	24.5	2.0	ug/l	25.0	ND	98	70-135			
Trichloroethene	23.3	2.0	ug/l	25.0	ND	93	80-125			
Trichlorofluoromethane	23.8	5.0	ug/l	25.0	ND	95	70-140			
1,2,3-Trichloropropane	25.4	10	ug/l	25.0	ND	102	65-135			*V1*
1,2,4-Trimethylbenzene	24.3	2.0	ug/l	25.0	0.91	94	75-130			
1,3,5-Trimethylbenzene	24.8	2.0	ug/l	25.0	1.5	93	80-135			
Vinyl acetate	35.8	25	ug/l	25.0	ND	143	30-150			
Vinyl chloride	23.1	1.7	ug/l	25.0	ND	92	70-135			
Xylenes, Total	45.6	3.0	ug/l	50.0	ND	91	80-125			
Surrogate: Dibromofluoromethane	*27.6*		*ug/l*	*25.0*		*110*	*80-130*			
Surrogate: Toluene-d8	*27.1*		*ug/l*	*25.0*		*108*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.0*		*ug/l*	*25.0*		*104*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2221 Extracted: 09/21/06										
Matrix Spike Dup Analyzed: 09/21/2006 (P6I2221-MSD1)					**Source: PPI0202-01**					
Acetone	27.8	20	ug/l	25.0	ND	111	15-150	5	35	
Benzene	25.0	1.0	ug/l	25.0	2.7	89	80-125	3	10	
Bromobenzene	23.9	5.0	ug/l	25.0	ND	96	80-125	1	15	
Bromochloromethane	23.3	5.0	ug/l	25.0	ND	93	80-130	5	20	
Bromodichloromethane	21.8	2.0	ug/l	25.0	ND	87	70-130	7	15	
Bromoform	19.6	5.0	ug/l	25.0	ND	78	70-120	6	25	
Bromomethane	22.6	5.0	ug/l	25.0	ND	90	80-135	3	20	
2-Butanone (MEK)	20.7	10	ug/l	25.0	ND	83	30-150	18	35	
n-Butylbenzene	23.0	5.0	ug/l	25.0	0.78	89	80-135	0	20	
sec-Butylbenzene	23.9	5.0	ug/l	25.0	0.81	92	80-130	0	20	
tert-Butylbenzene	23.6	5.0	ug/l	25.0	ND	94	80-130	1	20	
Carbon Disulfide	19.6	5.0	ug/l	25.0	ND	78	45-150	4	15	
Carbon tetrachloride	21.3	5.0	ug/l	25.0	ND	85	65-135	5	15	
Chlorobenzene	22.6	1.0	ug/l	25.0	ND	90	80-125	0	15	
Chloroethane	23.8	5.0	ug/l	25.0	ND	95	80-125	4	20	
Chloroform	22.9	2.0	ug/l	25.0	ND	92	75-130	4	15	
Chloromethane	22.7	5.0	ug/l	25.0	ND	91	65-130	3	20	
2-Chlorotoluene	22.1	5.0	ug/l	25.0	ND	88	80-130	1	15	
4-Chlorotoluene	23.0	5.0	ug/l	25.0	ND	92	80-135	0	15	
Dibromochloromethane	19.0	2.0	ug/l	25.0	ND	76	75-120	7	20	
1,2-Dibromo-3-chloropropane	21.4	5.0	ug/l	25.0	ND	86	50-130	17	35	*V1*
1,2-Dibromoethane (EDB)	22.0	2.0	ug/l	25.0	ND	88	70-130	10	25	
Dibromomethane	21.7	2.0	ug/l	25.0	ND	87	75-130	5	25	
1,2-Dichlorobenzene	22.7	1.0	ug/l	25.0	ND	91	80-130	3	15	
1,3-Dichlorobenzene	22.3	1.0	ug/l	25.0	ND	89	80-130	0	15	
1,4-Dichlorobenzene	23.0	1.0	ug/l	25.0	ND	92	80-125	0	10	
Dichlorodifluoromethane	17.9	5.0	ug/l	25.0	ND	72	60-140	7	45	
1,1-Dichloroethane	23.0	2.0	ug/l	25.0	ND	92	80-125	2	15	
1,2-Dichloroethane	24.3	1.0	ug/l	25.0	1.1	93	60-145	7	20	
1,1-Dichloroethene	23.3	5.0	ug/l	25.0	ND	93	75-130	1	15	
cis-1,2-Dichloroethene	22.9	2.0	ug/l	25.0	ND	92	80-125	1	15	
trans-1,2-Dichloroethene	23.0	2.0	ug/l	25.0	ND	92	80-120	4	15	
1,2-Dichloropropane	22.9	2.0	ug/l	25.0	ND	92	80-125	5	15	
1,3-Dichloropropane	22.0	2.0	ug/l	25.0	ND	88	75-130	10	20	
2,2-Dichloropropane	21.0	2.0	ug/l	25.0	ND	84	60-135	3	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2221 Extracted: 09/21/06										
Matrix Spike Dup Analyzed: 09/21/2006 (P6I2221-MSD1)					**Source: PPI0202-01**					
1,1-Dichloropropene	22.6	2.0	ug/l	25.0	ND	90	80-125	2	15	
cis-1,3-Dichloropropene	21.8	2.0	ug/l	25.0	ND	87	75-120	7	15	
trans-1,3-Dichloropropene	21.3	2.0	ug/l	25.0	ND	85	75-130	12	25	
Ethylbenzene	40.2	2.0	ug/l	25.0	17	93	80-130	0	15	
Hexachlorobutadiene	22.1	5.0	ug/l	25.0	ND	88	65-130	0	15	
2-Hexanone	16.9	10	ug/l	25.0	ND	68	40-150	24	35	
Iodomethane	20.6	2.0	ug/l	25.0	ND	82	70-140	1	15	
Isopropylbenzene	27.2	2.0	ug/l	25.0	2.3	100	80-140	2	20	
p-Isopropyltoluene	23.0	2.0	ug/l	25.0	ND	92	80-135	1	20	
Methylene chloride	22.3	5.0	ug/l	25.0	ND	89	75-125	1	15	
4-Methyl-2-pentanone (MIBK)	133	10	ug/l	25.0	ND	532	40-140	5	35	*V1, M1*
Methyl-tert-butyl Ether (MTBE)	21.9	5.0	ug/l	25.0	ND	88	65-135	12	30	
Naphthalene	27.8	2.0	ug/l	25.0	4.7	92	60-140	8	30	
n-Propylbenzene	30.8	2.0	ug/l	25.0	7.4	94	80-140	2	20	
Styrene	23.3	2.0	ug/l	25.0	ND	93	30-150	0	25	
1,1,1,2-Tetrachloroethane	23.1	5.0	ug/l	25.0	ND	92	80-130	2	15	
1,1,2,2-Tetrachloroethane	23.6	2.0	ug/l	25.0	ND	94	65-140	13	35	*V1*
Tetrachloroethene	21.4	2.0	ug/l	25.0	ND	86	80-130	0	15	
Toluene	23.2	2.0	ug/l	25.0	ND	93	80-130	2	15	
1,2,3-Trichlorobenzene	24.5	5.0	ug/l	25.0	ND	98	75-140	4	20	
1,2,4-Trichlorobenzene	22.9	5.0	ug/l	25.0	ND	92	80-135	0	15	
1,1,1-Trichloroethane	22.3	2.0	ug/l	25.0	ND	89	70-135	4	15	
1,1,2-Trichloroethane	22.7	2.0	ug/l	25.0	ND	91	70-135	8	25	
Trichloroethene	22.4	2.0	ug/l	25.0	ND	90	80-125	4	15	
Trichlorofluoromethane	22.5	5.0	ug/l	25.0	ND	90	70-140	6	15	
1,2,3-Trichloropropane	22.0	10	ug/l	25.0	ND	88	65-135	14	35	*V1*
1,2,4-Trimethylbenzene	23.9	2.0	ug/l	25.0	0.91	92	75-130	2	15	
1,3,5-Trimethylbenzene	25.6	2.0	ug/l	25.0	1.5	96	80-135	3	15	
Vinyl acetate	31.7	25	ug/l	25.0	ND	127	30-150	12	35	
Vinyl chloride	22.9	1.7	ug/l	25.0	ND	92	70-135	1	25	
Xylenes, Total	46.3	3.0	ug/l	50.0	ND	93	80-125	2	15	
Surrogate: Dibromofluoromethane	*27.0*		*ug/l*	*25.0*		*108*	*80-130*			
Surrogate: Toluene-d8	*25.8*		*ug/l*	*25.0*		*103*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.6*		*ug/l*	*25.0*		*102*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248
Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I1522 Extracted: 09/15/06										
Blank Analyzed: 09/22/2006 (P6I1522-BLK1)										
Acenaphthene	ND	3.0	ug/l							
Acenaphthylene	ND	3.0	ug/l							
Anthracene	ND	0.30	ug/l							
Benzo(a)anthracene	ND	0.050	ug/l							
Benzo(a)pyrene	ND	0.10	ug/l							
Benzo(b)fluoranthene	ND	0.30	ug/l							
Benzo(g,h,i)perylene	ND	0.30	ug/l							
Benzo(k)fluoranthene	ND	0.30	ug/l							
Chrysene	ND	0.30	ug/l							
Dibenz(a,h)anthracene	ND	0.50	ug/l							
Fluoranthene	ND	0.30	ug/l							
Fluorene	ND	0.30	ug/l							
Indeno(1,2,3-cd)pyrene	ND	0.30	ug/l							
Naphthalene	ND	2.0	ug/l							
Phenanthrene	ND	0.30	ug/l							
Pyrene	ND	0.30	ug/l							
Surrogate: 2-Methylanthracene	*0.515*		*ug/l*	*0.600*		*86*	*50-115*			
LCS Analyzed: 09/22/2006 (P6I1522-BS1)										**Q8**
Acenaphthene	4.61	3.0	ug/l	6.00		77	55-115			
Acenaphthylene	8.75	3.0	ug/l	12.0		73	55-115			
Anthracene	0.426	0.30	ug/l	0.600		71	55-115			
Benzo(a)anthracene	0.499	0.050	ug/l	0.600		83	70-115			
Benzo(a)pyrene	0.480	0.10	ug/l	0.600		80	75-115			
Benzo(b)fluoranthene	1.01	0.30	ug/l	1.20		84	80-115			
Benzo(g,h,i)perylene	1.05	0.30	ug/l	1.20		87	70-115			
Benzo(k)fluoranthene	0.509	0.30	ug/l	0.600		85	70-115			
Chrysene	0.509	0.30	ug/l	0.600		85	70-115			
Dibenz(a,h)anthracene	0.953	0.50	ug/l	1.20		79	65-115			
Fluoranthene	1.01	0.30	ug/l	1.20		84	60-115			
Fluorene	0.903	0.30	ug/l	1.20		75	55-115			
Indeno(1,2,3-cd)pyrene	0.494	0.30	ug/l	0.600		82	70-115			
Naphthalene	4.16	2.0	ug/l	6.00		69	45-115			
Phenanthrene	0.491	0.30	ug/l	0.600		82	50-115			
Pyrene	0.500	0.30	ug/l	0.600		83	65-115			
Surrogate: 2-Methylanthracene	*0.530*		*ug/l*	*0.600*		*88*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I1522 Extracted: 09/15/06										
LCS Dup Analyzed: 09/22/2006 (P6I1522-BSD1)										
Acenaphthene	4.93	3.0	ug/l	6.00		82	55-115	7	15	
Acenaphthylene	9.31	3.0	ug/l	12.0		78	55-115	6	20	
Anthracene	0.447	0.30	ug/l	0.600		74	55-115	5	20	
Benzo(a)anthracene	0.505	0.050	ug/l	0.600		84	70-115	1	15	
Benzo(a)pyrene	0.491	0.10	ug/l	0.600		82	75-115	2	15	
Benzo(b)fluoranthene	1.01	0.30	ug/l	1.20		84	80-115	0	15	
Benzo(g,h,i)perylene	1.02	0.30	ug/l	1.20		85	70-115	3	15	
Benzo(k)fluoranthene	0.512	0.30	ug/l	0.600		85	70-115	1	15	
Chrysene	0.513	0.30	ug/l	0.600		86	70-115	1	15	
Dibenz(a,h)anthracene	0.911	0.50	ug/l	1.20		76	65-115	5	15	
Fluoranthene	1.04	0.30	ug/l	1.20		87	60-115	3	20	
Fluorene	0.966	0.30	ug/l	1.20		80	55-115	7	20	
Indeno(1,2,3-cd)pyrene	0.495	0.30	ug/l	0.600		82	70-115	0	20	
Naphthalene	4.34	2.0	ug/l	6.00		72	45-115	4	25	
Phenanthrene	0.520	0.30	ug/l	0.600		87	50-115	6	25	
Pyrene	0.512	0.30	ug/l	0.600		85	65-115	2	20	
Surrogate: 2-Methylanthracene	*0.538*		*ug/l*	*0.600*		*90*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe	Project ID: Honeywell-Sky Harbor-PO# 2959460	
2625 S. Plaza Drive, Ste. 300		Sampled: 09/11/06
Tempe, AZ 85282	Report Number: PPI0248	Received: 09/12/06
Attention: Jennifer Holland		

DATA QUALIFIERS AND DEFINITIONS

L4	The associated blank spike recovery was below method acceptance limits.
M1	Matrix spike recovery was high, the method control sample recovery was acceptable.
M2	Matrix spike recovery was low, the method control sample recovery was acceptable.
N1	See case narrative.
Q8	Insufficient sample received to meet method QC requirements. Batch QC satisfies ADEQ policies 0154 and 0155.
V1	CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
ND	Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
RPD	Relative Percent Difference

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0248

Sampled: 09/11/06
Received: 09/12/06

Certification Summary

TestAmerica - Phoenix, AZ

Method	Matrix	Nelac	Arizona
EPA 8015B	Water	X	X
EPA 8260B	Water	X	X
EPA 8310	Water	X	X

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

Subcontracted Laboratories

Transwest Geochem *Arizona Cert #AZ0133*
3725 E. Atlanta Ave Ste 1 - Phoenix, AZ 85040-2961
Analysis Performed: 8015B MOD-Low Level
Samples: PPI0248-02, PPI0248-03

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Jennifer Dodd
CH2M HILL
2625 South Plaza
Tempe, AZ 85282
480-377-6287

21 Day ☐
28 Day ☐

Lab Use Only
Project No:
Job No.

	Sample Identification		Sample Date	Sample Time	Sample Type	Matrix	# of Cont.	Preservation Used	Use for MS/MSD	Filtered Sample	Unfiltered Sample	SW8015	SW8260	SW8310											Lab Sample Numbers
	Location ID	Field Sample ID																							
1	Trip Blank	TB-091106B	Sep 11 2006	0650	BLKWATER	WATER	11	X			X		X					PP36248				1			
2	BC-7A	BC-7A-6C2	Sep 11 2006	0906	GW	WATER	35	X			X	X	X									2			
3	ASE-127A	ASE-127A-6C2	Sep 11 2006	0959	GW	WATER	7	X			X	X	X	X								3			
4	ASE-88B	ASE-88B-6C2	Sep 11 2006	1124	GW	WATER	3	X			X		X									4			
5	ASE-75C	ASE-75C-6C2	Sep 11 2006	1413	GW	WATER	3	X			X		X									5			
6	ASE-75B	ASE-75B-6C2	Sep 11 2006	1541	GW	WATER	3	X			X		X									6			
7	FIELDQC	PL-503-6C2	Sep 11 2006	1551	GW	WATER	3	X			X		X									7			
8	ASE-75A	ASE-75A-6C2	Sep 11 2006	1659	GW	WATER	3	X			X		X									8			
9	~~ASE-28A~~	~~ASE-28A-6C2~~	~~Sep 11 2006~~		~~GW~~	~~WATER~~	3	~~X~~			~~X~~		~~X~~												
10																									
11																									
12																									
13																									
14																									
15																									
16																									
17																									
18																									
19																									
20																									
21																									
22																									
23																									

Not Logged Well log

Special Instructions: Standard TAT 10 days. The SW8015 is for low level analysis and we need the raw data.

Relinquished by:	Company:	Date/Time:	Received by:	Company:
	HTA	09/12/06 0837		
Relinquished by:	Company:	Date/Time:	Received by:	Company:
Relinquished by:	Company:	Date/Time:	Received by:	Company:

TRANSWEST GEOCHEM

October 04, 2006

Ken Baker
TestAmerica - Phoenix
9830 S. 51st Street
Suite B-120
Phoenix, AZ 85044

Re: PPI0248
Work Order No.: 0609155

Dear Ken,

Attached is the original Report of Analysis from Columbia Analytical Services, Inc. (AZ0604) for the samples received on 9/12/06. The following analysis was performed:

Method EPA 8015B – Diesel Range Organics

If you have any questions regarding the results, please call me. We appreciate your business and thank you for choosing Transwest Geochem.

Sincerely,

Skip Harden
Project Manager

ADHS License No. AZM133/AZ0133

CONFIDENTIAL AND PRIVILEGED

[illegible] Avenue • Phoenix, Arizona 85040 • (602) 437-0330 • (800) 927-5183 • Fax (602) 437-0660
[illegible] East [illegible] Rd • Suite 301 • Tucson, Arizona 85714 • (520) 573-1061 • Fax (520) 573-1063
100% Recycled

5090 Caterpillar Road Redding, California 96003 (530) 244-5227 (530) 244-4109 fax

Columbia Analytical Services INC
An Employee - Owned Company

September 28, 2006

Service Request No: D0601341

Skip Harden
Transwest Geochem, Incorporated
3725 East Atlanta Avenue
Suite 2
Phoenix, AZ 85040-2960

RE: PPC/PPD PPI0248/0609155

Dear Skip:

Enclosed are the results of the sample(s) submitted to our laboratory on September 13, 2006. For your reference, these analyses have been assigned our service request number D0601341.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 112. You may also contact me via email at mhovanec@redding.caslab.com.

Respectfully submitted,

Columbia Analytical Services, Inc.

Michael Hovanec
Project Chemist

NELAP Accredited ACIL Seal of Excellence Award 100% Recycled

Current CAS Redding Accreditation Programs

Federal and National Programs

- U.S Air Force, Air Force Center for Environmental Excellence (AFCEE)
  Approved laboratory for Wastewater and Hazardous Waste
- U.S. Army Corps of Engineers – MRD, HTRW Mandatory Center of Expertise
  Validated for Wastewater and Hazardous Waste
- Department of the Navy, Naval Facilities Engineering Service Center (NFESC)
  Approved laboratory for Wastewater and Hazardous Waste

State and Local Programs

- State of Alaska, Department of Environmental Conservation
  Approved Laboratory for Contaminated Sites
  Lab ID UST-001
- State of Arizona, Department of Health Services, Office of Laboratory Licensure
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID AZ0604
- State of California, Department of Health Services, National Environmental Laboratory Accreditation Program **(NELAP)**
  Approved Laboratory for Drinking Water, Wastewater and Hazardous Waste
  Lab ID 01105CA
  - Los Angeles County Sanitation District
    Approved Laboratory for Wastewater
    Lab ID 10243
- State of California, Department of Health Services, Environmental Laboratory Accreditation Program (ELAP)
  Approved Laboratory for Microbiology of Drinking Water and Wastewater
  Lab ID 2635
- State of Florida, Department of Health, Bureau of Laboratories **(NELAP)**
  Approved Environmental Testing Laboratory for Wastewater and Hazardous Waste
  Lab ID E87203
- State of Kansas, Department of Health and Environment **(NELAP)**
  Approved Laboratory for Hazardous Waste
  Lab ID E-10323
- State of Massachusetts, Department of Environmental Protection
  Approved laboratory for Drinking Water and Wastewater
  Lab ID M-CA025
- State of Oklahoma, Department of Environmental Quality
  Approved Laboratory for General Water Quality/Sludge Testing
  Lab ID 9952
- State of Oregon, Environmental Laboratory Accreditation Program **(ORELAP)**
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID CA200004
- State of Utah, Department of Health, Bureau of Laboratory Improvement **(NELAP)**
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID QUAL1
- State of Washington, Department of Ecology
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID C1234
- State of Wisconsin, Department of Natural Resources
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID 999767340

Arizona Data Qualifiers

Revision 2.0, 11/26/2003

Developed by the Sub-committee of the
Arizona Environmental Laboratory Advisory Committee

Microbiology:

A1 = Too numerous to count.
A2 = Sample incubation period exceeded method requirement.
A3 = Sample incubation period was shorter than method requirement.
A4 = Target organism detected in associated method blank.
A5 = Incubator/water bath temperature was outside method requirements.
A6 = Target organism not detected in associated positive control.
A7 = Micro sample received without adequate headspace.

Method/calibration blank:

B1 = Target analyte detected in method blank at or above the method reporting limit.
B2 = Non-target analyte detected in method blank and sample, producing interference.
B3 = Target analyte detected in calibration blank at or above the method reporting limit.
B4 = Target analyte detected in blank at/above method acceptance criteria.
B5 = Target analyte detected in method blank at or above the method reporting limit, but below trigger level or MCL.
B6 = Target analyte detected in calibration blank at or above the method reporting limit, but below trigger level or MCL.
B7 = Target analyte detected in method blank at or above method reporting limit. Concentration found in the sample was 10 times above the concentration found in the method blank.

Confirmation:

C1 = Confirmatory analysis not performed as required by the method.
C3 = Qualitative confirmation performed.
C4 = Confirmatory analysis was past holding time.
C5 = Confirmatory analysis was past holding time. Original result not confirmed.
C6 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the higher value was reported as there was no obvious chromatographic interference.
C7 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic interference.

Dilution:

D1 = Sample required dilution due to matrix.
D2 = Sample required dilution due to high concentration of target analyte.
D3 = Sample dilution required due to insufficient sample.
D4 = Minimum reporting level (MRL) adjusted to reflect sample amount received and analyzed.

Estimated concentration:

E1 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not possible due to insufficient sample.
E2 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to sample matrix.
E3 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

E4 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL).
E5 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL), but not confirmed by alternate analysis.
E6 = Concentration estimated. Internal standard recoveries did not meet method acceptance criteria.
E7 = Concentration estimated. Internal standard recoveries did not meet laboratory acceptance criteria.
E8 = Analyte reported to MDL per project specification. Target analyte was not detected in the sample.

Hold time:
H1 = Sample analysis performed past holding time.
H2 = Initial analysis within holding time. Reanalysis for the required dilution was past holding time.
H3 = Sample was received and analyzed past holding time.
H4 = Sample was extracted past required extraction holding time, but analyzed within analysis holding time.

BOD:
K1 = The sample dilutions set-up for the BOD analysis did not meet the oxygen depletion criteria of at least 2 mg/L. Any reported result is an estimated value.
K2 = The sample dilutions set up for the BOD analysis did not meet the criteria of a residual dissolved oxygen of at least 1 mg/L. Any reported result is an estimated value.
K4 = The seed depletion was outside the method acceptance limits. The reported result is an estimated value.
K5 = The dilution water D.O. depletion was > 0.2 mg/L.
K6 = Glucose/glutamic acid BOD was below method acceptance criteria.
K7 = A discrepancy between the BOD and COD results has been verified by reanalysis of the sample for COD.
K8 = Glucose/glutamic acid BOD was above method acceptance levels.

Laboratory fortified blank/blank spike:

L1 = The associated blank spike recovery was above laboratory acceptance limits.
L2 = The associated blank spike recovery was below laboratory acceptance limits.
L3 = The associated blank spike recovery was above method acceptance limits.
L4 = The associated blank spike recovery was below method acceptance limits.

Matrix spike:
M1 = Matrix spike recovery was high, the method control sample recovery was acceptable.
M2 = Matrix spike recovery was low, the method control sample recovery was acceptable.
M3 = The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
M4 = The analysis of the spiked sample required a dilution such that the spike concentration was diluted below the reporting limit. The method control sample recovery was acceptable.
M5 = Analyte concentration was determined by the method of standard addition (MSA).

M6 = Matrix spike recovery was high. Data reported per ADEQ policy 0154.000.
M7 = Matrix spike recovery was low. Data reported per ADEQ policy 0154.000.

General:
N1 = See case narrative.
N2 = See corrective action report.
N3 = The analysis meets all method requirements. See case narrative.

Sample quality:
Q1 = Sample integrity was not maintained. See case narrative.
Q2 = Sample received with headspace.
Q3 = Sample received with improper chemical preservation.
Q4 = Sample received and analyzed without chemical preservation.
Q5 = Sample received with inadequate chemical preservation, but preserved by the laboratory.
Q6 = Sample was received above recommended temperature.
Q7 = Sample inadequately dechlorinated.
Q8 = Insufficient sample received to meet method QC requirements. Batch QC requirements satisfies ADEQ policies 0154 and 0155.
Q9 = Insufficient sample received to meet method QC requirements.
Q10 = Sample received in inappropriate sample container.
Q11 = Sample is heterogeneous. Sample homogeneity could not be readily achieved using routine laboratory practices.

Duplicates:
R1 = RPD exceeded the method control limit. See case narrative.
R2 = RPD exceeded the laboratory control limit. See case narrative.
R4 = MS/MSD RPD exceeded the method control limit. Recovery met acceptance criteria.
R5 = MS/MSD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R6 = LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
R7 = LFB/LFBD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R8 = Sample RPD exceeded the method control limit.
R9 = Sample RPD exceeded the laboratory control limit.
R10 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic problems.
R11 = The RPD calculation for MS/MSD does not provide useful information due to the varying sample weights when Encore samplers/methanol field preserved samples are used.

Surrogate:
S1 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits.
S3 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits. No target analytes were detected in the sample.
S4 = Surrogate recovery was above laboratory and method acceptance limits. No target analytes were detected in the sample.
S5 = Surrogate recovery was below laboratory acceptance limits, but within method acceptance limits.
S6 = Surrogate recovery was below laboratory and method acceptance limits. Reextraction and/or reanalysis confirms low recovery caused by matrix effect.

S7 = Surrogate recovery was below laboratory and method acceptance limits. Unable to confirm matrix effect.
S8 = The analysis of the sample required a dilution such that the surrogate recovery calculation does not provide any useful information. The method control sample recovery was acceptable.
S10 = Surrogate recovery was above laboratory and method acceptance limits. See Case narrative.
S11 = Surrogate recovery was high. Data reported per ADEQ policy 0154.000.
S12 = Surrogate recovery was low. Data reported per ADEQ policy 0154.000.

Method/analyte discrepancies:
T1 = Method approved by EPA, but not yet licensed by ADHS.
T2 = Cited ADHS licensed method does not contain this analyte as part of method compound list.
T3 = Method not promulgated either by EPA or ADHS.
T4 = Tentatively identified compound. Concentration is estimated and based on the closest internal standard.

Calibration verification:
V1 = CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
V2 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample. The sample could not be reanalyzed due to insufficient sample.
V3 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample, but the sample was not reanalyzed. See case narrative.
V4 = CCV recovery was below method acceptance limits. The sample could not be reanalyzed due to insufficient sample.
V5 = CCV recovery after a group of samples was above acceptance limits. This target analyte was not detected in the sample. Acceptable per EPA Method 8000B.
V6 = Data reported from one-point calibration criteria per ADEQ policy 0155.000.
V7 = Calibration verification recovery was above the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.
V8 = Calibration verification recovery was below the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.

Calibration:
W1 = The % RSD for this compound was above 20%. The average % RSD for all compounds in the calibration met the 20% criteria as specified in EPA method 8000B.
W2 = The % RSD for this compound was above 15%. The average % RSD for all compounds in the calibration met the 15% criteria as specified in EPA method 8260B/8270C.

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
D0601341-001	PPI0248-02	09/11/06	09:06
D0601341-002	PPI0248-03	09/11/06	09:59

CASE NARRATIVE

COLUMBIA ANALYTICAL SERVICES, INC.

Client:	Transwest Geochem, Incorporated	**Service Request No.:**	D0601341
Project:	PPC/PPD PPI0248	**Date Received:**	09/13/06
Sample Matrix:	Aqueous		

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of Columbia Analytical Services, Inc. (CAS).This report contains analytical results for samples designated for Tier II data deliverables.

Sample Receipt

2 Aqueous samples were received for analysis at Columbia Analytical Services on 09/13/06.

No discrepancies were noted upon initial sample inspection. The samples were received in good condition and consistent with the accompanying chain of custody form. The samples were stored in a refrigerator at 4 degrees Celsius upon receipt at the laboratory.

Diesel Range Organics by EPA Method 8015B

Matrix Spike Recovery Exceptions:

Insufficient sample volume was received to perform a Matrix Spike/Matrix Spike Duplicate (MS/MSD). A Laboratory Control Sample/Duplicate Laboratory Control Sample (LCS/DLCS) was analyzed in order to report precision data.

No anomalies associated with the analysis of these samples by the above-mentioned method were observed.

Approved by: Michael C. Hovan **Date:** 9/28/06

CHAIN OF CUSTODY DOCUMENTATION

TRANSWEST GEOCHEM

CHAIN-OF-CUSTODY [redacted]

Skip Harden
3725 E. Atlanta Avenue
Suite 2
Phoenix, AZ 85040
TEL: (602) 437-0330
FAX: (602) 437-0660

Work Order: 0609155

Project: PPI0248

Subcontractor:
Columbia Analytical Services
5090 Caterpillar Rd.
Redding, CA 96003
TEL: (530) 244-5227
FAX: (530) 244-4109

12-Sep-06

Client Sample ID	TGI ID	Matrix	Collection Date	Containers	Requested Tests: 8015MOD_W	
PPI0248-02	01A	Water	9/11/2006 9:06:00 AM	1	1	
PPI0248-03	02A	Water	9/11/2006 9:59:00 AM	1	1	

Low Level

Del Mar's Edd Transfer Files needed

Comments: After analysis, the samples do not need to be returned and can be disposed per your standard laboratory practices. Please provide a QC report, including Method Blank data.

Sample Receipt		
Temperature:	Ambient / Cold	Ice:
Received Intact:		Absent / Present
Custody Seals:		Wet / Blue
Total No. of Containers:		°C.

		Date/Time			Date/Time
Relinquished by:	[signature]	9/12/06 17:00	**Received by:**	UPS	9/12/06 17:00
Relinquished by:			**Received by:**	Tammy Reed CHS	9/13/06 1000
Relinquished by:			**Received by:**		

11

Columbia Analytical Services inc.
An Employee-Owned Company

5090 Caterpillar Road
Redding, CA 96003
Phone: (530) 244-5262
[redacted]

COOLER RECEIPT FORM

Project/Client: _____ Batch No.: [redacted]

1. Cooler(s)/Sample(s) received on: 9.13.06 Shipped via: UPS
   Shipping Bill # (s): UPS 01 9203 29R9 # of Coolers/Packages 4
2. Radiological Screening by: 01 9391 3116, 01 9058 8126, 01 9128, 1937 — Acceptable / Rejected
3. Custody seals on outside of cooler: YES NO (N/A)
   If yes, where? Front ✓ Rear ✓ Lt Side X Rt Side ✓
   Seals intact: (YES) NO

COOLER/SAMPLE PROCESSING

4. Sample Processing/Tagging by: Tammy Reed
5. Cooler(s)/Sample(s) Temp's: _____ _____ _____ _____ _____
   (or)
   Temp. Blank (if included): 3°C 3°C 3°C 3°C _____
6. Type of packing material (circle): Ice (Blue Ice) Bubble Wrap (Bubble Bags) (Zip Locks) Webbing
   Other: _____
7. Custody papers properly filled out (ink, signed, dated, released, etc.)? (YES) NO
8. Containers arrived in good condition (not broken, leaking, etc.)? (YES) NO
9. Samples received with adequate holding time remaining to conduct analysis? (YES) NO
10. Container labels complete (i.e. analysis, preservation, date/time, etc.)? (YES) NO
11. Container labels and tags agree with custody papers? (YES) NO
12. Correct types of containers used for the tests indicated? (YES) NO
    a.) Adequate sample received? If not, note on Exception Report. (YES) NO
13. Containers supplied by: CAS (Other)
14. Preserved containers received with the appropriate preservative? YES NO (N/A)
    pH: _____ (or) See pH log.
15. VOA vials free of air bubbles? YES NO (N/A)
16. Trip Blank preparation date: _____ CAS Other (N/A)
17. Volatile Soil samples: Encores or Plugs in Vials
    Freezer or GC/MS Date: _____ Time: _____ (N/A)

See Exception Report for discrepancies.

Rev. 8/18/2004/ds

Fuel Characterization

COLUMBIA ANALYTICAL SERVICES, INC.

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0248/0609155

Service Request: D0601341

Cover Page - Organic Analysis Data Package
Hydrocarbon Scan / Fuel Characterization

Sample Name	Lab Code	Date Collected	Date Received
PPI0248-02	D0601341-001	09/11/2006	09/13/2006
PPI0248-03	D0601341-002	09/11/2006	09/13/2006

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the case narrative. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: Wida Ang

Name: WIDA ANG

Date: 9/27/06

Title: Organic Manager

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601341
Project:	PPC/PPD PPI0248/0609155	**Date Collected:**	09/11/2006
Sample Matrix:	Water	**Date Received:**	09/13/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0248-02	**Units:**	ug/L
Lab Code:	D0601341-001	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	50	1	09/22/06	09/26/06	
C23 - C32 HRO	ND	U	50	1	09/22/06	09/26/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	79	40-150	09/26/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0248/0609155
Sample Matrix: Water

Service Request: D0601341
Date Collected: 09/11/2006
Date Received: 09/13/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name: PPI0248-03
Lab Code: D0601341-002

Units: ug/L
Basis: NA

Extraction Method: EPA 3510C
Analysis Method: 8015B

Level: Low

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	50	1	09/22/06	09/26/06	
C23 - C32 HRO	ND	U	50	1	09/22/06	09/26/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	83	40-150	09/26/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0248/0609155
Sample Matrix: Water

Service Request: D0601341
Date Collected: NA
Date Received: NA

Hydrocarbon Scan / Fuel Characterization

Sample Name: Method Blank
Lab Code: LWG0600807-3

Units: ug/L
Basis: NA

Extraction Method: EPA 3510C
Analysis Method: 8015B

Level: Low

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	50	1	09/22/06	09/26/06	
C23 - C32 HRO	ND	U	50	1	09/22/06	09/26/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	78	40-150	09/26/06	

Comments:

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0248/0609155
Sample Matrix: Water

Service Request: D0601341

Surrogate Recovery Summary
Hydrocarbon Scan / Fuel Characterization

Extraction Method: EPA 3510C
Analysis Method: 8015B

Units: PERCENT
Level: Low

Sample Name	Lab Code	Sur1
PPI0248-02	D0601341-001	79
PPI0248-03	D0601341-002	83
Method Blank	LWG0600807-3	78
Lab Control Sample	LWG0600807-1	79
Duplicate Lab Control Sample	LWG0600807-2	79

Surrogate Recovery Control Limits (%)

Sur1 = Octacosane 40-150

Results flagged with an asterisk (*) indicate values outside control criteria.
Results flagged with a pound (#) indicate the control criteria is not applicable.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0248/0609155
Sample Matrix: Water

Service Request: D0601341
Date Extracted: 09/22/2006
Date Analyzed: 09/26/2006

Lab Control Spike/Duplicate Lab Control Spike Summary
Hydrocarbon Scan / Fuel Characterization

Extraction Method: EPA 3510C
Analysis Method: 8015B

Units: ug/L
Basis: NA
Level: Low
Extraction Lot: LWG0600807

	Lab Control Sample LWG0600807-1 Lab Control Spike			Duplicate Lab Control Sample LWG0600807-2 Duplicate Lab Control Spike					
Analyte Name	**Result**	**Expected**	**%Rec**	**Result**	**Expected**	**%Rec**	**%Rec Limits**	**RPD**	**RPD Limit**
C13 - C22 DRO	1620	2500	65	1650	2500	66	50-140	2	30

Results flagged with an asterisk (*) indicate values outside control criteria.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

A57

TRANSWEST GEOCHEM

Sample Receipt Checklist

Client Name: Test America

Date and Time Received: 9/12/06 13:27

Work Order Number: 0609155

Checked by: SH/EP

Checklist completed by: [signature] 9.12.2006
Signature / Date

Logged In by: ~~lm 9/13/06~~ SH 9/12/06
Initials / Date

Matrix: Water Carrier Name: (Client) TGI _____

Reviewed by: MD 9-13-06
Initials / Date

				COMMENTS
Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐	
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☑	
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑	
Chain of custody present?	Yes ☑	No ☐		
Chain of custody signed when relinquished and received?	Yes ☑	No ☐		
Chain of custody agrees with sample labels?	Yes ☑	No ☐		
Samples in proper container/bottle?	Yes ☑	No ☐		
Sample containers intact?	Yes ☑	No ☐		
Sufficient sample volume for indicated test?	Yes ☑	No ☐		
All samples received within holding time?	Yes ☑	No ☐		
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	Temp: 5.8	Sampled < 2hrs ☐
Water – VOA vials have zero headspace?	Yes ☐	No ☐	N/A ☑	
Water – pH acceptable upon receipt?	Yes ☑	No ☐	N/A ☐	Checked by: EP
Water – Sulfides present in Cyanide samples?	Yes ☐	No ☐	N/A ☑	
Sample considered Drinking Water for metal analysis?	Yes ☐	No ☐	N/A ☑	

Client contacted: _____ Date contacted: _____ Person contacted: _____

Contacted by: _____ Regarding: _____

Corrective Action: _____

TestAmerica
ANALYTICAL TESTING CORPORATION

~~SUB 02~~

SUBCONTRACT ORDER - PROJECT # PPI0248

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660

0609155

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPI0248-02 Water Sampled: 09/11/06 09:06		
8015B MOD-Low Level-O	09/18/06 09:06	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0248-02D)		
1 L Amber w/H2SO4 (PPI0248-02E)		
Sample ID: PPI0248-03 Water Sampled: 09/11/06 09:59		
8015B MOD-Low Level-O	09/18/06 09:59	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0248-03D)		
1 L Amber w/H2SO4 (PPI0248-03E)		

5.8°

PH 42

SAMPLE INTEGRITY:

All containers intact: ☑ Yes ☐ No
Custody Seals Present: ☐ Yes ☑ No
Sample labels/COC agree: ☑ Yes ☐ No
Samples Preserved Properly: ☐ Yes ☐ No
Samples Received On Ice:: ☑ Yes ☐ No
Samples Received at (temp): _____

Released By	Date	Time	Received By	Date	Time
MDV	9/12/6	1300	[illegible]	9-12-06	1300
[illegible]	9-12-06	1327	[illegible]	9-12-06	1327

TestAmerica
ANALYTICAL TESTING CORPORATION

9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

LABORATORY REPORT

Prepared For: CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project: Honeywell-Sky Harbor-PO# 2959460

Sampled: 09/11/06
Received: 09/12/06
Issued: 09/27/06 09:19

NELAP #01109CA Arizona DHS#AZ0426

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.
This entire report was reviewed and approved for release.

CASE NARRATIVE

LABORATORY ID	CLIENT ID	MATRIX
PPI0249-01	ASE-21C-6C2	Water
PPI0249-02	ASE-59A-6C2	Water
PPI0249-03	ASE-60A-6C2	Water
PPI0249-04	ASE-61A-6C2	Water
PPI0249-05	BC-1-6C2	Water
PPI0249-06	BC-2-6C2	Water
PPI0249-07	PL-504-6C2	Water
PPI0249-08	PL-102A-6C2	Water
PPI0249-09	TB-091106A	Water

SAMPLE RECEIPT: Samples were received intact, at 6°C, on ice and with chain of custody documentation.

HOLDING TIMES: All samples were analyzed within prescribed holding times and/or in accordance with the TestAmerica Sample Acceptance Policy unless otherwise noted in the report.

PRESERVATION: Samples requiring preservation were verified prior to sample analysis.

QA/QC CRITERIA: All analyses met method criteria, except as noted in the report with data qualifiers.

COMMENTS: No significant observations were made.

SUBCONTRACTED: Refer to the last page for specific subcontract laboratory information included in this report.

Reviewed By:

Ken Baker

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0249-01 (ASE-21C-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2230	20	ND	1	9/22/2006	9/22/2006	
Benzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
Bromobenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Bromochloromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Bromodichloromethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Bromoform	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Bromomethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
2-Butanone (MEK)	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	
n-Butylbenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
sec-Butylbenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
tert-Butylbenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Carbon Disulfide	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Carbon tetrachloride	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Chlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
Chloroethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Chloroform	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Chloromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
2-Chlorotoluene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
4-Chlorotoluene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Dibromochloromethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Dibromomethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloroethane	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloropropane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichloropropane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
2,2-Dichloropropane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloropropene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Ethylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Hexachlorobutadiene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
2-Hexanone	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0249-01 (ASE-21C-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Isopropylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
p-Isopropyltoluene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Methylene chloride	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Naphthalene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
n-Propylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Styrene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Tetrachloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Toluene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Trichloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Trichlorofluoromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Vinyl acetate	EPA 8260B	P6I2230	25	ND	1	9/22/2006	9/22/2006	L3
Vinyl chloride	EPA 8260B	P6I2230	1.7	ND	1	9/22/2006	9/22/2006	
Xylenes, Total	EPA 8260B	P6I2230	3.0	ND	1	9/22/2006	9/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*111 %*				
Surrogate: Toluene-d8 (80-120%)				*99 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*92 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0249-02 (ASE-59A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2230	20	ND	1	9/22/2006	9/22/2006	
Benzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
Bromobenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Bromochloromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Bromodichloromethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Bromoform	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Bromomethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
2-Butanone (MEK)	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	
n-Butylbenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
sec-Butylbenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
tert-Butylbenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Carbon Disulfide	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Carbon tetrachloride	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Chlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
Chloroethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Chloroform	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Chloromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
2-Chlorotoluene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
4-Chlorotoluene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Dibromochloromethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Dibromomethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethane	EPA 8260B	P6I2230	2.0	**41**	1	9/22/2006	9/22/2006	
1,2-Dichloroethane	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloropropane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichloropropane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
2,2-Dichloropropane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloropropene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Ethylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Hexachlorobutadiene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
2-Hexanone	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0249-02 (ASE-59A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Isopropylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
p-Isopropyltoluene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Methylene chloride	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Naphthalene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
n-Propylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Styrene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Tetrachloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Toluene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	M2
1,1,1-Trichloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Trichloroethene	EPA 8260B	P6I2230	2.0	**3.2**	1	9/22/2006	9/22/2006	
Trichlorofluoromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Vinyl acetate	EPA 8260B	P6I2230	25	ND	1	9/22/2006	9/22/2006	L3
Vinyl chloride	EPA 8260B	P6I2230	1.7	ND	1	9/22/2006	9/22/2006	
Xylenes, Total	EPA 8260B	P6I2230	3.0	ND	1	9/22/2006	9/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*108 %*				
Surrogate: Toluene-d8 (80-120%)				*98 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*90 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0249-03 (ASE-60A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2230	20	ND	1	9/22/2006	9/22/2006	
Benzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
Bromobenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Bromochloromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Bromodichloromethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Bromoform	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Bromomethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
2-Butanone (MEK)	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	
n-Butylbenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
sec-Butylbenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
tert-Butylbenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Carbon Disulfide	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Carbon tetrachloride	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Chlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
Chloroethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Chloroform	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Chloromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
2-Chlorotoluene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
4-Chlorotoluene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Dibromochloromethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Dibromomethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloroethane	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloropropane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichloropropane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
2,2-Dichloropropane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloropropene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Ethylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Hexachlorobutadiene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
2-Hexanone	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0249-03 (ASE-60A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Isopropylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
p-Isopropyltoluene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Methylene chloride	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Naphthalene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
n-Propylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Styrene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Tetrachloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Toluene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Trichloroethene	EPA 8260B	P6I2230	2.0	**40**	1	9/22/2006	9/22/2006	
Trichlorofluoromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Vinyl acetate	EPA 8260B	P6I2230	25	ND	1	9/22/2006	9/22/2006	L3
Vinyl chloride	EPA 8260B	P6I2230	1.7	ND	1	9/22/2006	9/22/2006	
Xylenes, Total	EPA 8260B	P6I2230	3.0	ND	1	9/22/2006	9/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*113 %*				
Surrogate: Toluene-d8 (80-120%)				*98 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*92 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0249-04 (ASE-61A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2230	20	ND	1	9/22/2006	9/22/2006	
Benzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
Bromobenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Bromochloromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Bromodichloromethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Bromoform	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Bromomethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
2-Butanone (MEK)	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	
n-Butylbenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
sec-Butylbenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
tert-Butylbenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Carbon Disulfide	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Carbon tetrachloride	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Chlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
Chloroethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Chloroform	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Chloromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
2-Chlorotoluene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
4-Chlorotoluene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Dibromochloromethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Dibromomethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloroethane	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloropropane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichloropropane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
2,2-Dichloropropane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloropropene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Ethylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Hexachlorobutadiene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
2-Hexanone	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0249-04 (ASE-61A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Isopropylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
p-Isopropyltoluene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Methylene chloride	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Naphthalene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
n-Propylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Styrene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Tetrachloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Toluene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Trichloroethene	EPA 8260B	P6I2230	2.0	**2.6**	1	9/22/2006	9/22/2006	
Trichlorofluoromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Vinyl acetate	EPA 8260B	P6I2230	25	ND	1	9/22/2006	9/22/2006	L3
Vinyl chloride	EPA 8260B	P6I2230	1.7	ND	1	9/22/2006	9/22/2006	
Xylenes, Total	EPA 8260B	P6I2230	3.0	ND	1	9/22/2006	9/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*116 %*				
Surrogate: Toluene-d8 (80-120%)				*99 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*91 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0249-05 (BC-1-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2230	20	ND	1	9/22/2006	9/22/2006	
Benzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
Bromobenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Bromochloromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Bromodichloromethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Bromoform	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Bromomethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
2-Butanone (MEK)	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	
n-Butylbenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
sec-Butylbenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
tert-Butylbenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Carbon Disulfide	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Carbon tetrachloride	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Chlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
Chloroethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Chloroform	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Chloromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
2-Chlorotoluene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
4-Chlorotoluene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Dibromochloromethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Dibromomethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloroethane	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloropropane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichloropropane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
2,2-Dichloropropane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloropropene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Ethylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Hexachlorobutadiene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
2-Hexanone	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0249-05 (BC-1-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Isopropylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
p-Isopropyltoluene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Methylene chloride	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Naphthalene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
n-Propylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Styrene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Tetrachloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Toluene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Trichloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Trichlorofluoromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Vinyl acetate	EPA 8260B	P6I2230	25	ND	1	9/22/2006	9/22/2006	L3
Vinyl chloride	EPA 8260B	P6I2230	1.7	ND	1	9/22/2006	9/22/2006	
Xylenes, Total	EPA 8260B	P6I2230	3.0	ND	1	9/22/2006	9/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*113 %*				
Surrogate: Toluene-d8 (80-120%)				*99 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*92 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0249-06 (BC-2-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2230	20	ND	1	9/22/2006	9/22/2006	
Benzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
Bromobenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Bromochloromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Bromodichloromethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Bromoform	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Bromomethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
2-Butanone (MEK)	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	
n-Butylbenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
sec-Butylbenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
tert-Butylbenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Carbon Disulfide	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Carbon tetrachloride	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Chlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
Chloroethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Chloroform	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Chloromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
2-Chlorotoluene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
4-Chlorotoluene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Dibromochloromethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Dibromomethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloroethane	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloropropane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichloropropane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
2,2-Dichloropropane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloropropene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Ethylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Hexachlorobutadiene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
2-Hexanone	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0249-06 (BC-2-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Isopropylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
p-Isopropyltoluene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Methylene chloride	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Naphthalene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
n-Propylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Styrene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Tetrachloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Toluene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Trichloroethene	EPA 8260B	P6I2230	2.0	**27**	1	9/22/2006	9/22/2006	
Trichlorofluoromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Vinyl acetate	EPA 8260B	P6I2230	25	ND	1	9/22/2006	9/22/2006	L3
Vinyl chloride	EPA 8260B	P6I2230	1.7	ND	1	9/22/2006	9/22/2006	
Xylenes, Total	EPA 8260B	P6I2230	3.0	ND	1	9/22/2006	9/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*112 %*				
Surrogate: Toluene-d8 (80-120%)				*100 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*89 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0249-07 (PL-504-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2230	20	ND	1	9/22/2006	9/22/2006	
Benzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
Bromobenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Bromochloromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Bromodichloromethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Bromoform	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Bromomethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
2-Butanone (MEK)	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	
n-Butylbenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
sec-Butylbenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
tert-Butylbenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Carbon Disulfide	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Carbon tetrachloride	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Chlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
Chloroethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Chloroform	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Chloromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
2-Chlorotoluene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
4-Chlorotoluene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Dibromochloromethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Dibromomethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethane	EPA 8260B	P6I2230	2.0	**39**	1	9/22/2006	9/22/2006	
1,2-Dichloroethane	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloropropane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichloropropane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
2,2-Dichloropropane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloropropene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Ethylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Hexachlorobutadiene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
2-Hexanone	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0249-07 (PL-504-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Isopropylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
p-Isopropyltoluene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Methylene chloride	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Naphthalene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
n-Propylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Styrene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Tetrachloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Toluene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Trichloroethene	EPA 8260B	P6I2230	2.0	**3.2**	1	9/22/2006	9/22/2006	
Trichlorofluoromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Vinyl acetate	EPA 8260B	P6I2230	25	ND	1	9/22/2006	9/22/2006	L3
Vinyl chloride	EPA 8260B	P6I2230	1.7	ND	1	9/22/2006	9/22/2006	
Xylenes, Total	EPA 8260B	P6I2230	3.0	ND	1	9/22/2006	9/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*115 %*				
Surrogate: Toluene-d8 (80-120%)				*97 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*91 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0249-08 (PL-102A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2230	20	ND	1	9/22/2006	9/22/2006	
Benzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
Bromobenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Bromochloromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Bromodichloromethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Bromoform	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Bromomethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
2-Butanone (MEK)	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	
n-Butylbenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
sec-Butylbenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
tert-Butylbenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Carbon Disulfide	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Carbon tetrachloride	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Chlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
Chloroethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Chloroform	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Chloromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
2-Chlorotoluene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
4-Chlorotoluene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Dibromochloromethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Dibromomethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloroethane	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloropropane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichloropropane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
2,2-Dichloropropane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloropropene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Ethylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Hexachlorobutadiene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
2-Hexanone	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0249-08 (PL-102A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Isopropylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
p-Isopropyltoluene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Methylene chloride	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Naphthalene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
n-Propylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Styrene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Tetrachloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Toluene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Trichloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Trichlorofluoromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Vinyl acetate	EPA 8260B	P6I2230	25	ND	1	9/22/2006	9/22/2006	L3
Vinyl chloride	EPA 8260B	P6I2230	1.7	ND	1	9/22/2006	9/22/2006	
Xylenes, Total	EPA 8260B	P6I2230	3.0	ND	1	9/22/2006	9/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*112 %*				
Surrogate: Toluene-d8 (80-120%)				*99 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*90 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0249-09 (TB-091106A - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2230	20	ND	1	9/22/2006	9/22/2006	
Benzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
Bromobenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Bromochloromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Bromodichloromethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Bromoform	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Bromomethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
2-Butanone (MEK)	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	
n-Butylbenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
sec-Butylbenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
tert-Butylbenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Carbon Disulfide	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Carbon tetrachloride	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Chlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
Chloroethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Chloroform	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Chloromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
2-Chlorotoluene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
4-Chlorotoluene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Dibromochloromethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Dibromomethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloroethane	EPA 8260B	P6I2230	1.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloropropane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichloropropane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
2,2-Dichloropropane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloropropene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Ethylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Hexachlorobutadiene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
2-Hexanone	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0249-09 (TB-091106A - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Isopropylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
p-Isopropyltoluene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Methylene chloride	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
Naphthalene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
n-Propylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Styrene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Tetrachloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Toluene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Trichloroethene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Trichlorofluoromethane	EPA 8260B	P6I2230	5.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2230	10	ND	1	9/22/2006	9/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2230	2.0	ND	1	9/22/2006	9/22/2006	
Vinyl acetate	EPA 8260B	P6I2230	25	ND	1	9/22/2006	9/22/2006	L3
Vinyl chloride	EPA 8260B	P6I2230	1.7	ND	1	9/22/2006	9/22/2006	
Xylenes, Total	EPA 8260B	P6I2230	3.0	ND	1	9/22/2006	9/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*112 %*				
Surrogate: Toluene-d8 (80-120%)				*99 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*94 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

TOTAL RECOVERABLE METALS

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0249-08 (PL-102A-6C2 - Water)								
Reporting Units: mg/l								
Nickel	EPA 200.7	P6I1504	0.050	**0.076**	1	9/15/2006	9/15/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2230 Extracted: 09/22/06										
Blank Analyzed: 09/22/2006 (P6I2230-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2230 Extracted: 09/22/06										
Blank Analyzed: 09/22/2006 (P6I2230-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*26.5*		*ug/l*	*25.0*		*106*	*80-130*			
Surrogate: Toluene-d8	*24.6*		*ug/l*	*25.0*		*98*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.1*		*ug/l*	*25.0*		*92*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2230 Extracted: 09/22/06										
LCS Analyzed: 09/22/2006 (P6I2230-BS1)										
Acetone	29.5	20	ug/l	25.0		118	30-150			
Benzene	24.8	1.0	ug/l	25.0		99	80-120			
Bromobenzene	25.9	5.0	ug/l	25.0		104	80-125			
Bromochloromethane	27.7	5.0	ug/l	25.0		111	80-125			
Bromodichloromethane	24.7	2.0	ug/l	25.0		99	80-120			
Bromoform	24.6	5.0	ug/l	25.0		98	70-120			
Bromomethane	27.9	5.0	ug/l	25.0		112	80-135			
2-Butanone (MEK)	27.4	10	ug/l	25.0		110	55-150			
n-Butylbenzene	26.6	5.0	ug/l	25.0		106	80-120			
sec-Butylbenzene	26.8	5.0	ug/l	25.0		107	80-130			
tert-Butylbenzene	26.8	5.0	ug/l	25.0		107	80-130			
Carbon Disulfide	25.3	5.0	ug/l	25.0		101	55-145			
Carbon tetrachloride	24.9	5.0	ug/l	25.0		100	80-120			
Chlorobenzene	25.4	1.0	ug/l	25.0		102	80-120			
Chloroethane	26.2	5.0	ug/l	25.0		105	80-125			
Chloroform	26.9	2.0	ug/l	25.0		108	80-120			
Chloromethane	29.2	5.0	ug/l	25.0		117	70-130			
2-Chlorotoluene	26.5	5.0	ug/l	25.0		106	80-120			
4-Chlorotoluene	27.2	5.0	ug/l	25.0		109	80-120			
Dibromochloromethane	24.3	2.0	ug/l	25.0		97	75-120			
1,2-Dibromo-3-chloropropane	24.9	5.0	ug/l	25.0		100	55-120			
1,2-Dibromoethane (EDB)	26.3	2.0	ug/l	25.0		105	75-125			
Dibromomethane	26.0	2.0	ug/l	25.0		104	80-125			
1,2-Dichlorobenzene	26.5	1.0	ug/l	25.0		106	80-120			
1,3-Dichlorobenzene	25.6	1.0	ug/l	25.0		102	80-125			
1,4-Dichlorobenzene	26.6	1.0	ug/l	25.0		106	80-120			
Dichlorodifluoromethane	28.5	5.0	ug/l	25.0		114	60-140			
1,1-Dichloroethane	26.7	2.0	ug/l	25.0		107	80-120			
1,2-Dichloroethane	29.0	1.0	ug/l	25.0		116	75-125			
1,1-Dichloroethene	25.6	5.0	ug/l	25.0		102	75-120			
cis-1,2-Dichloroethene	27.2	2.0	ug/l	25.0		109	80-125			
trans-1,2-Dichloroethene	28.1	2.0	ug/l	25.0		112	80-120			
1,2-Dichloropropane	25.3	2.0	ug/l	25.0		101	80-120			
1,3-Dichloropropane	26.2	2.0	ug/l	25.0		105	80-120			
2,2-Dichloropropane	25.5	2.0	ug/l	25.0		102	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2230 Extracted: 09/22/06										
LCS Analyzed: 09/22/2006 (P6I2230-BS1)										
1,1-Dichloropropene	25.4	2.0	ug/l	25.0		102	80-120			
cis-1,3-Dichloropropene	24.6	2.0	ug/l	25.0		98	75-120			
trans-1,3-Dichloropropene	25.0	2.0	ug/l	25.0		100	80-120			
Ethylbenzene	25.6	2.0	ug/l	25.0		102	80-125			
Hexachlorobutadiene	25.8	5.0	ug/l	25.0		103	70-130			
2-Hexanone	25.1	10	ug/l	25.0		100	40-150			
Iodomethane	25.4	2.0	ug/l	25.0		102	80-130			
Isopropylbenzene	28.7	2.0	ug/l	25.0		115	80-140			
p-Isopropyltoluene	27.1	2.0	ug/l	25.0		108	80-130			
Methylene chloride	27.1	5.0	ug/l	25.0		108	80-120			
4-Methyl-2-pentanone (MIBK)	25.1	10	ug/l	25.0		100	50-140			
Methyl-tert-butyl Ether (MTBE)	27.0	5.0	ug/l	25.0		108	65-130			
Naphthalene	25.4	2.0	ug/l	25.0		102	70-130			
n-Propylbenzene	28.0	2.0	ug/l	25.0		112	80-135			
Styrene	26.0	2.0	ug/l	25.0		104	80-125			
1,1,1,2-Tetrachloroethane	25.1	5.0	ug/l	25.0		100	80-120			
1,1,2,2-Tetrachloroethane	28.9	2.0	ug/l	25.0		116	65-140			
Tetrachloroethene	23.5	2.0	ug/l	25.0		94	80-125			
Toluene	25.5	2.0	ug/l	25.0		102	80-125			
1,2,3-Trichlorobenzene	24.5	5.0	ug/l	25.0		98	75-125			
1,2,4-Trichlorobenzene	24.2	5.0	ug/l	25.0		97	80-125			
1,1,1-Trichloroethane	27.6	2.0	ug/l	25.0		110	75-125			
1,1,2-Trichloroethane	25.4	2.0	ug/l	25.0		102	80-125			
Trichloroethene	24.7	2.0	ug/l	25.0		99	80-120			
Trichlorofluoromethane	29.6	5.0	ug/l	25.0		118	75-130			
1,2,3-Trichloropropane	27.2	10	ug/l	25.0		109	65-135			
1,2,4-Trimethylbenzene	26.7	2.0	ug/l	25.0		107	80-125			
1,3,5-Trimethylbenzene	26.6	2.0	ug/l	25.0		106	80-130			
Vinyl acetate	35.7	25	ug/l	25.0		143	70-140			*L3*
Vinyl chloride	28.4	1.7	ug/l	25.0		114	70-135			
Xylenes, Total	51.0	3.0	ug/l	50.0		102	80-125			
Surrogate: Dibromofluoromethane	*27.0*		*ug/l*	*25.0*		*108*	*80-130*			
Surrogate: Toluene-d8	*24.7*		*ug/l*	*25.0*		*99*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.3*		*ug/l*	*25.0*		*97*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2230 Extracted: 09/22/06										
LCS Dup Analyzed: 09/22/2006 (P6I2230-BSD1)										
Acetone	30.4	20	ug/l	25.0		122	30-150	3	35	
Benzene	24.1	1.0	ug/l	25.0		96	80-120	3	10	
Bromobenzene	25.5	5.0	ug/l	25.0		102	80-125	2	10	
Bromochloromethane	27.0	5.0	ug/l	25.0		108	80-125	3	15	
Bromodichloromethane	24.0	2.0	ug/l	25.0		96	80-120	3	15	
Bromoform	23.9	5.0	ug/l	25.0		96	70-120	3	20	
Bromomethane	26.8	5.0	ug/l	25.0		107	80-135	4	15	
2-Butanone (MEK)	26.9	10	ug/l	25.0		108	55-150	2	35	
n-Butylbenzene	25.4	5.0	ug/l	25.0		102	80-120	5	10	
sec-Butylbenzene	26.5	5.0	ug/l	25.0		106	80-130	1	10	
tert-Butylbenzene	26.6	5.0	ug/l	25.0		106	80-130	1	10	
Carbon Disulfide	25.1	5.0	ug/l	25.0		100	55-145	1	15	
Carbon tetrachloride	24.4	5.0	ug/l	25.0		98	80-120	2	15	
Chlorobenzene	24.7	1.0	ug/l	25.0		99	80-120	3	10	
Chloroethane	26.3	5.0	ug/l	25.0		105	80-125	0	15	
Chloroform	25.9	2.0	ug/l	25.0		104	80-120	4	10	
Chloromethane	29.0	5.0	ug/l	25.0		116	70-130	1	15	
2-Chlorotoluene	25.9	5.0	ug/l	25.0		104	80-120	2	10	
4-Chlorotoluene	26.6	5.0	ug/l	25.0		106	80-120	2	10	
Dibromochloromethane	23.2	2.0	ug/l	25.0		93	75-120	5	15	
1,2-Dibromo-3-chloropropane	23.3	5.0	ug/l	25.0		93	55-120	7	35	
1,2-Dibromoethane (EDB)	25.3	2.0	ug/l	25.0		101	75-125	4	20	
Dibromomethane	25.0	2.0	ug/l	25.0		100	80-125	4	20	
1,2-Dichlorobenzene	25.2	1.0	ug/l	25.0		101	80-120	5	10	
1,3-Dichlorobenzene	24.5	1.0	ug/l	25.0		98	80-125	4	10	
1,4-Dichlorobenzene	25.4	1.0	ug/l	25.0		102	80-120	5	10	
Dichlorodifluoromethane	28.2	5.0	ug/l	25.0		113	60-140	1	15	
1,1-Dichloroethane	25.8	2.0	ug/l	25.0		103	80-120	3	10	
1,2-Dichloroethane	27.7	1.0	ug/l	25.0		111	75-125	5	20	
1,1-Dichloroethene	25.0	5.0	ug/l	25.0		100	75-120	2	15	
cis-1,2-Dichloroethene	26.4	2.0	ug/l	25.0		106	80-125	3	10	
trans-1,2-Dichloroethene	26.4	2.0	ug/l	25.0		106	80-120	6	10	
1,2-Dichloropropane	25.1	2.0	ug/l	25.0		100	80-120	1	15	
1,3-Dichloropropane	25.0	2.0	ug/l	25.0		100	80-120	5	15	
2,2-Dichloropropane	24.8	2.0	ug/l	25.0		99	70-130	3	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2230 Extracted: 09/22/06										
LCS Dup Analyzed: 09/22/2006 (P6I2230-BSD1)										
1,1-Dichloropropene	24.5	2.0	ug/l	25.0		98	80-120	4	10	
cis-1,3-Dichloropropene	23.6	2.0	ug/l	25.0		94	75-120	4	15	
trans-1,3-Dichloropropene	24.4	2.0	ug/l	25.0		98	80-120	2	20	
Ethylbenzene	25.1	2.0	ug/l	25.0		100	80-125	2	15	
Hexachlorobutadiene	22.7	5.0	ug/l	25.0		91	70-130	13	15	
2-Hexanone	24.0	10	ug/l	25.0		96	40-150	4	35	
Iodomethane	25.2	2.0	ug/l	25.0		101	80-130	1	10	
Isopropylbenzene	28.5	2.0	ug/l	25.0		114	80-140	1	10	
p-Isopropyltoluene	25.9	2.0	ug/l	25.0		104	80-130	5	15	
Methylene chloride	26.0	5.0	ug/l	25.0		104	80-120	4	10	
4-Methyl-2-pentanone (MIBK)	24.6	10	ug/l	25.0		98	50-140	2	35	
Methyl-tert-butyl Ether (MTBE)	26.1	5.0	ug/l	25.0		104	65-130	3	25	
Naphthalene	22.7	2.0	ug/l	25.0		91	70-130	11	20	
n-Propylbenzene	27.6	2.0	ug/l	25.0		110	80-135	1	10	
Styrene	24.6	2.0	ug/l	25.0		98	80-125	6	15	
1,1,1,2-Tetrachloroethane	24.2	5.0	ug/l	25.0		97	80-120	4	15	
1,1,2,2-Tetrachloroethane	27.7	2.0	ug/l	25.0		111	65-140	4	25	
Tetrachloroethene	23.3	2.0	ug/l	25.0		93	80-125	1	15	
Toluene	24.8	2.0	ug/l	25.0		99	80-125	3	10	
1,2,3-Trichlorobenzene	21.4	5.0	ug/l	25.0		86	75-125	14	15	
1,2,4-Trichlorobenzene	21.7	5.0	ug/l	25.0		87	80-125	11	15	
1,1,1-Trichloroethane	26.0	2.0	ug/l	25.0		104	75-125	6	10	
1,1,2-Trichloroethane	24.3	2.0	ug/l	25.0		97	80-125	4	25	
Trichloroethene	24.2	2.0	ug/l	25.0		97	80-120	2	10	
Trichlorofluoromethane	28.8	5.0	ug/l	25.0		115	75-130	3	10	
1,2,3-Trichloropropane	27.1	10	ug/l	25.0		108	65-135	0	25	
1,2,4-Trimethylbenzene	26.0	2.0	ug/l	25.0		104	80-125	3	10	
1,3,5-Trimethylbenzene	26.2	2.0	ug/l	25.0		105	80-130	2	10	
Vinyl acetate	34.2	25	ug/l	25.0		137	70-140	4	30	
Vinyl chloride	27.9	1.7	ug/l	25.0		112	70-135	2	15	
Xylenes, Total	49.1	3.0	ug/l	50.0		98	80-125	4	15	
Surrogate: Dibromofluoromethane	*27.1*		*ug/l*	*25.0*		*108*	*80-130*			
Surrogate: Toluene-d8	*24.9*		*ug/l*	*25.0*		*100*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.9*		*ug/l*	*25.0*		*96*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2230 Extracted: 09/22/06										
Matrix Spike Analyzed: 09/22/2006 (P6I2230-MS1)					**Source: PPI0249-02**					
Acetone	29.7	20	ug/l	25.0	ND	119	15-150			
Benzene	21.1	1.0	ug/l	25.0	ND	84	80-125			
Bromobenzene	21.7	5.0	ug/l	25.0	ND	87	80-125			
Bromochloromethane	24.0	5.0	ug/l	25.0	ND	96	80-130			
Bromodichloromethane	21.3	2.0	ug/l	25.0	ND	85	70-130			
Bromoform	20.4	5.0	ug/l	25.0	ND	82	70-120			
Bromomethane	22.5	5.0	ug/l	25.0	ND	90	80-135			
2-Butanone (MEK)	30.2	10	ug/l	25.0	ND	121	30-150			
n-Butylbenzene	22.0	5.0	ug/l	25.0	ND	88	80-135			
sec-Butylbenzene	22.6	5.0	ug/l	25.0	ND	90	80-130			
tert-Butylbenzene	22.4	5.0	ug/l	25.0	ND	90	80-130			
Carbon Disulfide	25.1	5.0	ug/l	25.0	ND	100	45-150			
Carbon tetrachloride	21.4	5.0	ug/l	25.0	ND	86	65-135			
Chlorobenzene	22.0	1.0	ug/l	25.0	ND	88	80-125			
Chloroethane	22.7	5.0	ug/l	25.0	ND	91	80-125			
Chloroform	24.2	2.0	ug/l	25.0	0.58	94	75-130			
Chloromethane	22.9	5.0	ug/l	25.0	ND	92	65-130			
2-Chlorotoluene	22.4	5.0	ug/l	25.0	ND	90	80-130			
4-Chlorotoluene	22.3	5.0	ug/l	25.0	ND	89	80-135			
Dibromochloromethane	21.2	2.0	ug/l	25.0	ND	85	75-120			
1,2-Dibromo-3-chloropropane	22.3	5.0	ug/l	25.0	ND	89	50-130			
1,2-Dibromoethane (EDB)	23.6	2.0	ug/l	25.0	ND	94	70-130			
Dibromomethane	22.4	2.0	ug/l	25.0	ND	90	75-130			
1,2-Dichlorobenzene	21.9	1.0	ug/l	25.0	ND	88	80-130			
1,3-Dichlorobenzene	21.3	1.0	ug/l	25.0	ND	85	80-130			
1,4-Dichlorobenzene	21.6	1.0	ug/l	25.0	ND	86	80-125			
Dichlorodifluoromethane	16.0	5.0	ug/l	25.0	ND	64	60-140			
1,1-Dichloroethane	63.9	2.0	ug/l	25.0	41	92	80-125			
1,2-Dichloroethane	25.4	1.0	ug/l	25.0	ND	102	60-145			
1,1-Dichloroethene	22.8	5.0	ug/l	25.0	1.3	86	75-130			
cis-1,2-Dichloroethene	23.3	2.0	ug/l	25.0	0.57	91	80-125			
trans-1,2-Dichloroethene	23.3	2.0	ug/l	25.0	ND	93	80-120			
1,2-Dichloropropane	21.8	2.0	ug/l	25.0	ND	87	80-125			
1,3-Dichloropropane	23.1	2.0	ug/l	25.0	ND	92	75-130			
2,2-Dichloropropane	22.6	2.0	ug/l	25.0	ND	90	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2230 Extracted: 09/22/06										
Matrix Spike Analyzed: 09/22/2006 (P6I2230-MS1)					**Source: PPI0249-02**					
1,1-Dichloropropene	21.3	2.0	ug/l	25.0	ND	85	80-125			
cis-1,3-Dichloropropene	20.9	2.0	ug/l	25.0	ND	84	75-120			
trans-1,3-Dichloropropene	21.3	2.0	ug/l	25.0	ND	85	75-130			
Ethylbenzene	22.0	2.0	ug/l	25.0	ND	88	80-130			
Hexachlorobutadiene	19.7	5.0	ug/l	25.0	ND	79	65-130			
2-Hexanone	27.0	10	ug/l	25.0	ND	108	40-150			
Iodomethane	25.4	2.0	ug/l	25.0	ND	102	70-140			
Isopropylbenzene	24.1	2.0	ug/l	25.0	ND	96	80-140			
p-Isopropyltoluene	22.2	2.0	ug/l	25.0	ND	89	80-135			
Methylene chloride	22.9	5.0	ug/l	25.0	ND	92	75-125			
4-Methyl-2-pentanone (MIBK)	26.7	10	ug/l	25.0	ND	107	40-140			
Methyl-tert-butyl Ether (MTBE)	24.2	5.0	ug/l	25.0	ND	97	65-135			
Naphthalene	21.2	2.0	ug/l	25.0	ND	85	60-140			
n-Propylbenzene	23.4	2.0	ug/l	25.0	ND	94	80-140			
Styrene	17.3	2.0	ug/l	25.0	ND	69	30-150			
1,1,1,2-Tetrachloroethane	21.2	5.0	ug/l	25.0	ND	85	80-130			
1,1,2,2-Tetrachloroethane	25.5	2.0	ug/l	25.0	ND	102	65-140			
Tetrachloroethene	20.6	2.0	ug/l	25.0	ND	82	80-130			
Toluene	22.6	2.0	ug/l	25.0	0.73	87	80-130			
1,2,3-Trichlorobenzene	19.2	5.0	ug/l	25.0	ND	77	75-140			
1,2,4-Trichlorobenzene	18.7	5.0	ug/l	25.0	ND	75	80-135			*M2*
1,1,1-Trichloroethane	23.6	2.0	ug/l	25.0	ND	94	70-135			
1,1,2-Trichloroethane	21.7	2.0	ug/l	25.0	ND	87	70-135			
Trichloroethene	24.4	2.0	ug/l	25.0	3.2	85	80-125			
Trichlorofluoromethane	23.7	5.0	ug/l	25.0	ND	95	70-140			
1,2,3-Trichloropropane	24.1	10	ug/l	25.0	ND	96	65-135			
1,2,4-Trimethylbenzene	22.2	2.0	ug/l	25.0	ND	89	75-130			
1,3,5-Trimethylbenzene	22.5	2.0	ug/l	25.0	ND	90	80-135			
Vinyl acetate	31.0	25	ug/l	25.0	ND	124	30-150			
Vinyl chloride	22.0	1.7	ug/l	25.0	ND	88	70-135			
Xylenes, Total	43.7	3.0	ug/l	50.0	ND	87	80-125			
Surrogate: Dibromofluoromethane	*28.1*		*ug/l*	*25.0*		*112*	*80-130*			
Surrogate: Toluene-d8	*24.9*		*ug/l*	*25.0*		*100*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.5*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2230 Extracted: 09/22/06										
Matrix Spike Dup Analyzed: 09/22/2006 (P6I2230-MSD1)					**Source: PPI0249-02**					
Acetone	27.5	20	ug/l	25.0	ND	110	15-150	8	35	
Benzene	22.0	1.0	ug/l	25.0	ND	88	80-125	4	10	
Bromobenzene	22.8	5.0	ug/l	25.0	ND	91	80-125	5	15	
Bromochloromethane	24.4	5.0	ug/l	25.0	ND	98	80-130	2	20	
Bromodichloromethane	21.8	2.0	ug/l	25.0	ND	87	70-130	2	15	
Bromoform	20.7	5.0	ug/l	25.0	ND	83	70-120	1	25	
Bromomethane	22.9	5.0	ug/l	25.0	ND	92	80-135	2	20	
2-Butanone (MEK)	24.1	10	ug/l	25.0	ND	96	30-150	22	35	
n-Butylbenzene	23.0	5.0	ug/l	25.0	ND	92	80-135	4	20	
sec-Butylbenzene	23.9	5.0	ug/l	25.0	ND	96	80-130	6	20	
tert-Butylbenzene	24.0	5.0	ug/l	25.0	ND	96	80-130	7	20	
Carbon Disulfide	26.3	5.0	ug/l	25.0	ND	105	45-150	5	15	
Carbon tetrachloride	22.0	5.0	ug/l	25.0	ND	88	65-135	3	15	
Chlorobenzene	22.2	1.0	ug/l	25.0	ND	89	80-125	1	15	
Chloroethane	24.0	5.0	ug/l	25.0	ND	96	80-125	6	20	
Chloroform	24.8	2.0	ug/l	25.0	0.58	97	75-130	2	15	
Chloromethane	23.4	5.0	ug/l	25.0	ND	94	65-130	2	20	
2-Chlorotoluene	23.5	5.0	ug/l	25.0	ND	94	80-130	5	15	
4-Chlorotoluene	23.8	5.0	ug/l	25.0	ND	95	80-135	7	15	
Dibromochloromethane	21.0	2.0	ug/l	25.0	ND	84	75-120	1	20	
1,2-Dibromo-3-chloropropane	22.2	5.0	ug/l	25.0	ND	89	50-130	0	35	
1,2-Dibromoethane (EDB)	22.5	2.0	ug/l	25.0	ND	90	70-130	5	25	
Dibromomethane	22.3	2.0	ug/l	25.0	ND	89	75-130	0	25	
1,2-Dichlorobenzene	22.9	1.0	ug/l	25.0	ND	92	80-130	4	15	
1,3-Dichlorobenzene	22.0	1.0	ug/l	25.0	ND	88	80-130	3	15	
1,4-Dichlorobenzene	22.8	1.0	ug/l	25.0	ND	91	80-125	5	10	
Dichlorodifluoromethane	16.6	5.0	ug/l	25.0	ND	66	60-140	4	45	
1,1-Dichloroethane	65.5	2.0	ug/l	25.0	41	98	80-125	2	15	
1,2-Dichloroethane	26.1	1.0	ug/l	25.0	ND	104	60-145	3	20	
1,1-Dichloroethene	23.8	5.0	ug/l	25.0	1.3	90	75-130	4	15	
cis-1,2-Dichloroethene	25.0	2.0	ug/l	25.0	0.57	98	80-125	7	15	
trans-1,2-Dichloroethene	23.8	2.0	ug/l	25.0	ND	95	80-120	2	15	
1,2-Dichloropropane	22.6	2.0	ug/l	25.0	ND	90	80-125	4	15	
1,3-Dichloropropane	22.2	2.0	ug/l	25.0	ND	89	75-130	4	20	
2,2-Dichloropropane	23.1	2.0	ug/l	25.0	ND	92	60-135	2	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2230 Extracted: 09/22/06										
Matrix Spike Dup Analyzed: 09/22/2006 (P6I2230-MSD1)					**Source: PPI0249-02**					
1,1-Dichloropropene	22.2	2.0	ug/l	25.0	ND	89	80-125	4	15	
cis-1,3-Dichloropropene	21.1	2.0	ug/l	25.0	ND	84	75-120	1	15	
trans-1,3-Dichloropropene	21.7	2.0	ug/l	25.0	ND	87	75-130	2	25	
Ethylbenzene	22.2	2.0	ug/l	25.0	ND	89	80-130	1	15	
Hexachlorobutadiene	20.8	5.0	ug/l	25.0	ND	83	65-130	5	15	
2-Hexanone	23.1	10	ug/l	25.0	ND	92	40-150	16	35	
Iodomethane	26.2	2.0	ug/l	25.0	ND	105	70-140	3	15	
Isopropylbenzene	25.3	2.0	ug/l	25.0	ND	101	80-140	5	20	
p-Isopropyltoluene	23.8	2.0	ug/l	25.0	ND	95	80-135	7	20	
Methylene chloride	24.1	5.0	ug/l	25.0	ND	96	75-125	5	15	
4-Methyl-2-pentanone (MIBK)	24.4	10	ug/l	25.0	ND	98	40-140	9	35	
Methyl-tert-butyl Ether (MTBE)	24.2	5.0	ug/l	25.0	ND	97	65-135	0	30	
Naphthalene	21.1	2.0	ug/l	25.0	ND	84	60-140	1	30	
n-Propylbenzene	24.7	2.0	ug/l	25.0	ND	99	80-140	5	20	
Styrene	17.5	2.0	ug/l	25.0	ND	70	30-150	1	25	
1,1,1,2-Tetrachloroethane	21.0	5.0	ug/l	25.0	ND	84	80-130	1	15	
1,1,2,2-Tetrachloroethane	24.5	2.0	ug/l	25.0	ND	98	65-140	4	35	
Tetrachloroethene	20.5	2.0	ug/l	25.0	ND	82	80-130	1	15	
Toluene	23.3	2.0	ug/l	25.0	0.73	90	80-130	3	15	
1,2,3-Trichlorobenzene	20.1	5.0	ug/l	25.0	ND	80	75-140	5	20	
1,2,4-Trichlorobenzene	20.0	5.0	ug/l	25.0	ND	80	80-135	7	15	
1,1,1-Trichloroethane	24.3	2.0	ug/l	25.0	ND	97	70-135	3	15	
1,1,2-Trichloroethane	21.9	2.0	ug/l	25.0	ND	88	70-135	1	25	
Trichloroethene	25.1	2.0	ug/l	25.0	3.2	88	80-125	3	15	
Trichlorofluoromethane	24.6	5.0	ug/l	25.0	ND	98	70-140	4	15	
1,2,3-Trichloropropane	23.6	10	ug/l	25.0	ND	94	65-135	2	35	
1,2,4-Trimethylbenzene	23.3	2.0	ug/l	25.0	ND	93	75-130	5	15	
1,3,5-Trimethylbenzene	23.8	2.0	ug/l	25.0	ND	95	80-135	6	15	
Vinyl acetate	30.9	25	ug/l	25.0	ND	124	30-150	0	35	
Vinyl chloride	23.1	1.7	ug/l	25.0	ND	92	70-135	5	25	
Xylenes, Total	44.2	3.0	ug/l	50.0	ND	88	80-125	1	15	
Surrogate: Dibromofluoromethane	*27.6*		*ug/l*	*25.0*		*110*	*80-130*			
Surrogate: Toluene-d8	*24.9*		*ug/l*	*25.0*		*100*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.6*		*ug/l*	*25.0*		*94*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

METHOD BLANK/QC DATA

TOTAL RECOVERABLE METALS

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I1504 Extracted: 09/15/06										
Blank Analyzed: 09/15/2006 (P6I1504-BLK1)										
Nickel	ND	0.050	mg/l							
LCS Analyzed: 09/15/2006 (P6I1504-BS1)										
Nickel	1.02	0.050	mg/l	0.999		102	85-115			
LCS Dup Analyzed: 09/15/2006 (P6I1504-BSD1)										
Nickel	1.01	0.050	mg/l	0.999		101	85-115	1	20	
Matrix Spike Analyzed: 09/15/2006 (P6I1504-MS1)					**Source: PPI0417-04**					
Nickel	1.01	0.050	mg/l	0.999	ND	101	70-130			
Matrix Spike Dup Analyzed: 09/15/2006 (P6I1504-MSD1)					**Source: PPI0417-04**					
Nickel	0.986	0.050	mg/l	0.999	ND	99	70-130	2	20	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

DATA QUALIFIERS AND DEFINITIONS

L3	The associated blank spike recovery was above method acceptance limits.
M2	Matrix spike recovery was low, the method control sample recovery was acceptable.
ND	Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
RPD	Relative Percent Difference

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0249

Sampled: 09/11/06
Received: 09/12/06

Certification Summary

TestAmerica - Phoenix, AZ

Method	Matrix	Nelac	Arizona
EPA 200.7	Water		X
EPA 8015B	Water	X	X
EPA 8260B	Water	X	X

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

Subcontracted Laboratories

Transwest Geochem *Arizona Cert #AZ0133*
3725 E. Atlanta Ave Ste 1 - Phoenix, AZ 85040-2961
Analysis Performed: 8015B MOD-Low Level
Samples: PPI0249-02, PPI0249-03, PPI0249-04, PPI0249-07

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

COC # 37380 060911A

Page 1 of 1

Lab Use Only

Project No:

Job No.

Phone 480-785-004

Client Contact: (Name)

Jennifer Holland

CH2M HILL

2625 South Plaza Dr STE 300

Tempe, AZ 85282

480-377-6287

Sampler: (Name)

Project Sampler: (Name)

Analysis Turnaround:

24 Hour

5 Day

14 Day

21 Day -

28 Day -

Site Name:

Location of Site: (City, State)

	Sample Identification		Sample Date	Sample Time	Sample Type	Matrix	# of Cont.	Preservation Used	Use for MS / MSD	Filtered Sample	Unfiltered Sample	SW6010	SW8015	SW8260	Lab Sample Numbers
	Location ID	Field Sample ID													
1	ASE-21C	ASE-21C-6C2	Sep 11 2006	1323	GW	WATER	3	X			X			X	PPI0249-1
2	ASE-59A	ASE-59A-6C2	Sep 11 2006	1107	GW	WATER	5	X			X		X	X	2
3	ASE-60A	ASE-60A-6C2	Sep 11 2006	1516	GW	WATER	5	X			X		X	X	3
4	ASE-61A	ASE-61A-6C2	Sep 11 2006	1405	GW	WATER	5	X			X		X	X	4
5	BC-1	BC-1-6C2	Sep 11 2006	1009	GW	WATER	3	X			X			X	5
6	BC-2	BC-2-6C2	Sep 11 2006	0917	GW	WATER	3	X			X			X	6
~~7~~	~~EQUIPBLANK~~	~~PL-502-6C2~~	~~Sep 11 2006~~		~~BLKWATER~~	~~WATER~~	~~3~~	~~X~~			~~X~~			~~X~~	
8	FIELDQC	PL-504-6C2	Sep 11 2006	1117	GW	WATER	5	X			X		X	X	7
9	PL-102A	PL-102A-6C2	Sep 11 2006	1203	GW	WATER	4	X			X	X		X	8
10	Trip Blank	TB-091106A	Sep 11 2006	0634	BLKWATER	WATER	31	X			X			X	9
11															
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															

PPI0249

Special Instructions: SW6010 is for Nickel only. The SW8015 is for low level analysis and we need the raw data.

Relinquished by:	Company:	Date/Time:	Received by:	Company:
	H+A	09/12/06 0844		
Relinquished by:	Company:	Date/Time:	Received by:	Company:
Relinquished by:	Company:	Date/Time:	Received by:	Company:
				TA PHX

TRANSWEST GEOCHEM

October 04, 2006

Ken Baker
TestAmerica - Phoenix
9830 S. 51st Street
Suite B-120
Phoenix, AZ 85044

Re: PPI0249
Work Order No.: 0609156

Dear Ken,

Attached is the original Report of Analysis from Columbia Analytical Services, Inc. (AZ0604) for the samples received on 9/12/06. The following analysis was performed:

Method EPA 8015B – Diesel Range Organics

If you have any questions regarding the results, please call me. We appreciate your business and thank you for choosing Transwest Geochem.

Sincerely,

Skip Harden
Project Manager

ADHS License No. AZM133/AZ0133

CONFIDENTIAL AND PRIVILEGED

[illegible] • Phoenix, Arizona 85040 • (602) 437-0330 • (800) 927-5183 • Fax (602) 437-0660
[illegible] Suite 301 • Tucson, Arizona 85714 • (520) 573-1061 • Fax (520) 573-1063

100% Recycled

5090 Caterpillar Road Redding, California 96003 (530) 244-5227 (530) 244-4109 fax

Columbia Analytical Services INC
An Employee - Owned Company

September 28, 2006 Service Request No: D0601342

Skip Harden
Transwest Geochem, Incorporated
3725 East Atlanta Avenue
Suite 2
Phoenix, AZ 85040-2960

RE: PPC/PPD PPI0249/0609156

Dear Skip:

Enclosed are the results of the sample(s) submitted to our laboratory on September 13, 2006. For your reference, these analyses have been assigned our service request number D0601342.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 112. You may also contact me via email at mhovanec@redding.caslab.com.

Respectfully submitted,

Columbia Analytical Services, Inc.

Michael Hovanec
Project Chemist

NELAP Accredited ACIL Seal of Excellence Award 100% Recycled

Current CAS Redding Accreditation Programs

Federal and National Programs

- U.S Air Force, Air Force Center for Environmental Excellence (AFCEE)
  Approved laboratory for Wastewater and Hazardous Waste
- U.S. Army Corps of Engineers – MRD, HTRW Mandatory Center of Expertise
  Validated for Wastewater and Hazardous Waste
- Department of the Navy, Naval Facilities Engineering Service Center (NFESC)
  Approved laboratory for Wastewater and Hazardous Waste

State and Local Programs

- State of Alaska, Department of Environmental Conservation
  Approved Laboratory for Contaminated Sites
  Lab ID UST-001
- State of Arizona, Department of Health Services, Office of Laboratory Licensure
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID AZ0604
- State of California, Department of Health Services, National Environmental Laboratory Accreditation Program **(NELAP)**
  Approved Laboratory for Drinking Water, Wastewater and Hazardous Waste
  Lab ID 01105CA
  - Los Angeles County Sanitation District
    Approved Laboratory for Wastewater
    Lab ID 10243
- State of California, Department of Health Services, Environmental Laboratory Accreditation Program (ELAP)
  Approved Laboratory for Microbiology of Drinking Water and Wastewater
  Lab ID 2635
- State of Florida, Department of Health, Bureau of Laboratories **(NELAP)**
  Approved Environmental Testing Laboratory for Wastewater and Hazardous Waste
  Lab ID E87203
- State of Kansas, Department of Health and Environment **(NELAP)**
  Approved Laboratory for Hazardous Waste
  Lab ID E-10323
- State of Massachusetts, Department of Environmental Protection
  Approved laboratory for Drinking Water and Wastewater
  Lab ID M-CA025
- State of Oklahoma, Department of Environmental Quality
  Approved Laboratory for General Water Quality/Sludge Testing
  Lab ID 9952
- State of Oregon, Environmental Laboratory Accreditation Program **(ORELAP)**
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID CA200004
- State of Utah, Department of Health, Bureau of Laboratory Improvement **(NELAP)**
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID QUAL1
- State of Washington, Department of Ecology
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID C1234
- State of Wisconsin, Department of Natural Resources
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID 999767340

Arizona Data Qualifiers
Revision 2.0, 11/26/2003

Developed by the Sub-committee of the
Arizona Environmental Laboratory Advisory Committee

Microbiology:
A1 = Too numerous to count.
A2 = Sample incubation period exceeded method requirement.
A3 = Sample incubation period was shorter than method requirement.
A4 = Target organism detected in associated method blank.
A5 = Incubator/water bath temperature was outside method requirements.
A6 = Target organism not detected in associated positive control.
A7 = Micro sample received without adequate headspace.

Method/calibration blank:
B1 = Target analyte detected in method blank at or above the method reporting limit.
B2 = Non-target analyte detected in method blank and sample, producing interference.
B3 = Target analyte detected in calibration blank at or above the method reporting limit.
B4 = Target analyte detected in blank at/above method acceptance criteria.
B5 = Target analyte detected in method blank at or above the method reporting limit, but below trigger level or MCL.
B6 = Target analyte detected in calibration blank at or above the method reporting limit, but below trigger level or MCL.
B7 = Target analyte detected in method blank at or above method reporting limit. Concentration found in the sample was 10 times above the concentration found in the method blank.

Confirmation:
C1 = Confirmatory analysis not performed as required by the method.
C3 = Qualitative confirmation performed.
C4 = Confirmatory analysis was past holding time.
C5 = Confirmatory analysis was past holding time. Original result not confirmed.
C6 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the higher value was reported as there was no obvious chromatographic interference.
C7 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic interference.

Dilution:
D1 = Sample required dilution due to matrix.
D2 = Sample required dilution due to high concentration of target analyte.
D3 = Sample dilution required due to insufficient sample.
D4 = Minimum reporting level (MRL) adjusted to reflect sample amount received and analyzed.

Estimated concentration:
E1 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not possible due to insufficient sample.
E2 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to sample matrix.
E3 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

E4 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL).
E5 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL), but not confirmed by alternate analysis.
E6 = Concentration estimated. Internal standard recoveries did not meet method acceptance criteria.
E7 = Concentration estimated. Internal standard recoveries did not meet laboratory acceptance criteria.
E8 = Analyte reported to MDL per project specification. Target analyte was not detected in the sample.

Hold time:
H1 = Sample analysis performed past holding time.
H2 = Initial analysis within holding time. Reanalysis for the required dilution was past holding time.
H3 = Sample was received and analyzed past holding time.
H4 = Sample was extracted past required extraction holding time, but analyzed within analysis holding time.

BOD:
K1 = The sample dilutions set-up for the BOD analysis did not meet the oxygen depletion criteria of at least 2 mg/L. Any reported result is an estimated value.
K2 = The sample dilutions set up for the BOD analysis did not meet the criteria of a residual dissolved oxygen of at least 1 mg/L. Any reported result is an estimated value.
K4 = The seed depletion was outside the method acceptance limits. The reported result is an estimated value.
K5 = The dilution water D.O. depletion was > 0.2 mg/L.
K6 = Glucose/glutamic acid BOD was below method acceptance criteria.
K7 = A discrepancy between the BOD and COD results has been verified by reanalysis of the sample for COD.
K8 = Glucose/glutamic acid BOD was above method acceptance levels.

Laboratory fortified blank/blank spike:

L1 = The associated blank spike recovery was above laboratory acceptance limits.
L2 = The associated blank spike recovery was below laboratory acceptance limits.
L3 = The associated blank spike recovery was above method acceptance limits.
L4 = The associated blank spike recovery was below method acceptance limits.

Matrix spike:
M1 = Matrix spike recovery was high, the method control sample recovery was acceptable.
M2 = Matrix spike recovery was low, the method control sample recovery was acceptable.
M3 = The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
M4 = The analysis of the spiked sample required a dilution such that the spike concentration was diluted below the reporting limit. The method control sample recovery was acceptable.
M5 = Analyte concentration was determined by the method of standard addition (MSA).

M6 = Matrix spike recovery was high. Data reported per ADEQ policy 0154.000.
M7 = Matrix spike recovery was low. Data reported per ADEQ policy 0154.000.

General:
N1 = See case narrative.
N2 = See corrective action report.
N3 = The analysis meets all method requirements. See case narrative.

Sample quality:
Q1 = Sample integrity was not maintained. See case narrative.
Q2 = Sample received with headspace.
Q3 = Sample received with improper chemical preservation.
Q4 = Sample received and analyzed without chemical preservation.
Q5 = Sample received with inadequate chemical preservation, but preserved by the laboratory.
Q6 = Sample was received above recommended temperature.
Q7 = Sample inadequately dechlorinated.
Q8 = Insufficient sample received to meet method QC requirements. Batch QC requirements satisfies ADEQ policies 0154 and 0155.
Q9 = Insufficient sample received to meet method QC requirements.
Q10 = Sample received in inappropriate sample container.
Q11 = Sample is heterogeneous. Sample homogeneity could not be readily achieved using routine laboratory practices.

Duplicates:
R1 = RPD exceeded the method control limit. See case narrative.
R2 = RPD exceeded the laboratory control limit. See case narrative.
R4 = MS/MSD RPD exceeded the method control limit. Recovery met acceptance criteria.
R5 = MS/MSD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R6 = LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
R7 = LFB/LFBD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R8 = Sample RPD exceeded the method control limit.
R9 = Sample RPD exceeded the laboratory control limit.
R10 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic problems.
R11 = The RPD calculation for MS/MSD does not provide useful information due to the varying sample weights when Encore samplers/methanol field preserved samples are used.

Surrogate:
S1 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits.
S3 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits. No target analytes were detected in the sample.
S4 = Surrogate recovery was above laboratory and method acceptance limits. No target analytes were detected in the sample.
S5 = Surrogate recovery was below laboratory acceptance limits, but within method acceptance limits.
S6 = Surrogate recovery was below laboratory and method acceptance limits. Reextraction and/or reanalysis confirms low recovery caused by matrix effect.

S7 = Surrogate recovery was below laboratory and method acceptance limits. Unable to confirm matrix effect.
S8 = The analysis of the sample required a dilution such that the surrogate recovery calculation does not provide any useful information. The method control sample recovery was acceptable.
S10 = Surrogate recovery was above laboratory and method acceptance limits. See Case narrative.
S11 = Surrogate recovery was high. Data reported per ADEQ policy 0154.000.
S12 = Surrogate recovery was low. Data reported per ADEQ policy 0154.000.

Method/analyte discrepancies:
T1 = Method approved by EPA, but not yet licensed by ADHS.
T2 = Cited ADHS licensed method does not contain this analyte as part of method compound list.
T3 = Method not promulgated either by EPA or ADHS.
T4 = Tentatively identified compound. Concentration is estimated and based on the closest internal standard.

Calibration verification:
V1 = CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
V2 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample. The sample could not be reanalyzed due to insufficient sample.
V3 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample, but the sample was not reanalyzed. See case narrative.
V4 = CCV recovery was below method acceptance limits. The sample could not be reanalyzed due to insufficient sample.
V5 = CCV recovery after a group of samples was above acceptance limits. This target analyte was not detected in the sample. Acceptable per EPA Method 8000B.
V6 = Data reported from one-point calibration criteria per ADEQ policy 0155.000.
V7 = Calibration verification recovery was above the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.
V8 = Calibration verification recovery was below the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.

Calibration:
W1 = The % RSD for this compound was above 20%. The average % RSD for all compounds in the calibration met the 20% criteria as specified in EPA method 8000B.
W2 = The % RSD for this compound was above 15%. The average % RSD for all compounds in the calibration met the 15% criteria as specified in EPA method 8260B/8270C.

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0249/0609156

Service Request: D0601342

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
D0601342-001	PPI0249-02	09/11/06	11:07
D0601342-002	PPI0249-03	09/11/06	15:16
D0601342-003	PPI0249-04	09/11/06	14:05
D0601342-004	PPI0249-07	09/11/06	11:17

CASE NARRATIVE

COLUMBIA ANALYTICAL SERVICES, INC.

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0249
Sample Matrix: Aqueous

Service Request No.: D0601342
Date Received: 09/13/06

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of Columbia Analytical Services, Inc. (CAS).This report contains analytical results for samples designated for Tier II data deliverables.

Sample Receipt

4 Aqueous samples were received for analysis at Columbia Analytical Services on 09/13/06.

No discrepancies were noted upon initial sample inspection. The samples were received in good condition and consistent with the accompanying chain of custody form. The samples were stored in a refrigerator at 4 degrees Celsius upon receipt at the laboratory.

Diesel Range Organics by EPA Method 8015B

Matrix Spike Recovery Exceptions:

Insufficient sample volume was received to perform a Matrix Spike/Matrix Spike Duplicate (MS/MSD). A Laboratory Control Sample/Duplicate Laboratory Control Sample (LCS/DLCS) was analyzed in order to report precision data.

No anomalies associated with the analysis of these samples by the above-mentioned method were observed.

Approved by: _____ **Date:** 9/29/06

CHAIN OF CUSTODY DOCUMENTATION

TRANSWEST GEOCHEM

CHAIN-OF-CUSTODY [redacted]

Skip Harden
3725 E. Atlanta Avenue
Suite 2
Phoenix, AZ 85040
TEL: (602) 437-0330
FAX: (602) 437-0660

Work Order: 0609156

Project: PPI0249

Subcontractor:
Columbia Analytical Services
5090 Caterpillar Rd.
Redding, CA 96003
TEL: (530) 244-5227
FAX: (530) 244-4109

12-Sep-06

Client Sample ID	TGI ID	Matrix	Collection Date	Containers	8015MOD_W
PPI0249-02	01A	Water	9/11/2006 11:07:00 AM	1	1
PPI0249-03	02A	Water	9/11/2006 3:16:00 PM	1	1
PPI0249-04	03A	Water	9/11/2006 2:05:00 PM	1	1
PPI0249-07	04A	Water	9/11/2006 11:17:00 AM	1	1

Requested Tests

Low Level

Del Mar's Transfer Files Needed

Comments: After analysis, the samples do not need to be returned and can be disposed per your standard laboratory practices. Please provide a QC report, including Method Blank data.

Sample Receipt		
Temperature:	Ambient / Cold	Ice:
Received Intact:		Absent / Present
Custody Seals:		Wet / Blue
Total No. of Containers:		°C.

		Date/Time			Date/Time
Relinquished by:	[signature]	9/12/06 17:00	**Received by:**	UPS	9/12/06 17:00
Relinquished by:			**Received by:**	Sammy Reed CAS	9/13/06 1000
Relinquished by:			**Received by:**		

Columbia Analytical Services inc.
An Employee-Owned Company

5090 Caterpillar Road
Redding, CA 96003
Phone: (530) 244-5262
[redacted]

COOLER RECEIPT FORM

Project/Client: _____ Batch No. [redacted]

1. Cooler(s)/Sample(s) received on: 9.13.06 Shipped via: UPS
   Shipping Bill # (s): UPS 01 9203 29R9 # of Coolers/Packages 4
2. Radiological Screening by: 01 9391 3116, 01 9058 8126, 01 9128, 1937 — Acceptable / Rejected
3. Custody seals on outside of cooler? YES NO (N/A)
   If yes, where? Front ✓ Rear ✓ Lt Side X Rt Side ✓
   Seals intact: (YES) NO

COOLER/SAMPLE PROCESSING

4. Sample Processing/Tagging by: Tammy Reed
5. Cooler(s)/Sample(s) Temp's: _____ _____ _____ _____ _____
   (or)
   Temp. Blank (if included): 3°C 3°C 3°C 3°C _____
6. Type of packing material (circle): Ice (Blue Ice) Bubble Wrap (Bubble Bags) (Zip Locks) Webbing
   Other: _____
7. Custody papers properly filled out (ink, signed, dated, released, etc.)? (YES) NO
8. Containers arrived in good condition (not broken, leaking, etc.)? (YES) NO
9. Samples received with adequate holding time remaining to conduct analysis? (YES) NO
10. Container labels complete (i.e. analysis, preservation, date/time, etc.)? (YES) NO
11. Container labels and tags agree with custody papers? (YES) NO
12. Correct types of containers used for the tests indicated? (YES) NO
    a.) Adequate sample received? If not, note on Exception Report. (YES) NO
13. Containers supplied by: CAS (Other)
14. Preserved containers received with the appropriate preservative? YES NO (N/A)
    pH: _____ (or) See pH log.
15. VOA vials free of air bubbles? YES NO (N/A)
16. Trip Blank preparation date: _____ CAS Other (N/A)
17. Volatile Soil samples: Encores or Plugs in Vials
    Freezer or GC/MS Date: _____ Time: _____ (N/A)

See Exception Report for discrepancies.

Rev. 8/18/2004/ds

Fuel Characterization

COLUMBIA ANALYTICAL SERVICES, INC.

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0249/0609156

Service Request: D0601342

Cover Page - Organic Analysis Data Package
Hydrocarbon Scan / Fuel Characterization

Sample Name	Lab Code	Date Collected	Date Received
PPI0249-02	D0601342-001	09/11/2006	09/13/2006
PPI0249-03	D0601342-002	09/11/2006	09/13/2006
PPI0249-04	D0601342-003	09/11/2006	09/13/2006
PPI0249-07	D0601342-004	09/11/2006	09/13/2006

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the case narrative. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: Wida Ang

Name: WIDA ANG

Date: 9/27/06

Title: Organic Manager

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0249/0609156
Sample Matrix: Water

Service Request: D0601342
Date Collected: 09/11/2006
Date Received: 09/13/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name: PPI0249-02
Lab Code: D0601342-001

Units: ug/L
Basis: NA

Extraction Method: EPA 3510C
Analysis Method: 8015B

Level: Low

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	50	1	09/22/06	09/26/06	
C23 - C32 HRO	ND	U	50	1	09/22/06	09/26/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	61	40-150	09/26/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0249/0609156
Sample Matrix: Water

Service Request: D0601342
Date Collected: 09/11/2006
Date Received: 09/13/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name: PPI0249-03
Lab Code: D0601342-002

Units: ug/L
Basis: NA

Extraction Method: EPA 3510C
Analysis Method: 8015B

Level: Low

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	50	1	09/22/06	09/26/06	
C23 - C32 HRO	ND	U	50	1	09/22/06	09/26/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	75	40-150	09/26/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0249/0609156
Sample Matrix: Water

Service Request: D0601342
Date Collected: 09/11/2006
Date Received: 09/13/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name: PPI0249-04
Lab Code: D0601342-003

Units: ug/L
Basis: NA

Extraction Method: EPA 3510C
Analysis Method: 8015B

Level: Low

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	50	1	09/22/06	09/26/06	
C23 - C32 HRO	ND	U	50	1	09/22/06	09/26/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	67	40-150	09/26/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601342
Project:	PPC/PPD PPI0249/0609156	**Date Collected:**	09/11/2006
Sample Matrix:	Water	**Date Received:**	09/13/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0249-07	**Units:**	ug/L
Lab Code:	D0601342-004	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	50	1	09/22/06	09/26/06	
C23 - C32 HRO	ND	U	50	1	09/22/06	09/26/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	71	40-150	09/26/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601342
Project:	PPC/PPD PPI0249/0609156	**Date Collected:**	NA
Sample Matrix:	Water	**Date Received:**	NA

Hydrocarbon Scan / Fuel Characterization

Sample Name:	Method Blank	**Units:**	ug/L
Lab Code:	LWG0600807-3	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	50	1	09/22/06	09/26/06	
C23 - C32 HRO	ND	U	50	1	09/22/06	09/26/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	78	40-150	09/26/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0249/0609156
Sample Matrix: Water

Service Request: D0601342

Surrogate Recovery Summary
Hydrocarbon Scan / Fuel Characterization

Extraction Method: EPA 3510C
Analysis Method: 8015B

Units: PERCENT
Level: Low

Sample Name	Lab Code	Sur1
PPI0249-02	D0601342-001	61
PPI0249-03	D0601342-002	75
PPI0249-04	D0601342-003	67
PPI0249-07	D0601342-004	71
Method Blank	LWG0600807-3	78
Lab Control Sample	LWG0600807-1	79
Duplicate Lab Control Sample	LWG0600807-2	79

Surrogate Recovery Control Limits (%)

Sur1 = Octacosane 40-150

Results flagged with an asterisk (*) indicate values outside control criteria.
Results flagged with a pound (#) indicate the control criteria is not applicable.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601342
Project:	PPC/PPD PPI0249/0609156	**Date Extracted:**	09/22/2006
Sample Matrix:	Water	**Date Analyzed:**	09/26/2006

Lab Control Spike/Duplicate Lab Control Spike Summary
Hydrocarbon Scan / Fuel Characterization

Extraction Method:	EPA 3510C	**Units:**	ug/L
Analysis Method:	8015B	**Basis:**	NA
		Level:	Low
		Extraction Lot:	LWG0600807

	Lab Control Sample LWG0600807-1 Lab Control Spike			Duplicate Lab Control Sample LWG0600807-2 Duplicate Lab Control Spike					
Analyte Name	**Result**	**Expected**	**%Rec**	**Result**	**Expected**	**%Rec**	**%Rec Limits**	**RPD**	**RPD Limit**
C13 - C22 DRO	1620	2500	65	1650	2500	66	50-140	2	30

Results flagged with an asterisk (*) indicate values outside control criteria.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

A-57

TRANSWEST GEOCHEM

Sample Receipt Checklist

Client Name: Test America

Date and Time Received: 9/12/06 13:30

Work Order Number: 0609156

Checked by: SH/EP

Checklist completed by: 9/12/06
Signature / Date

Logged In by: 9/13/06 SH 9/12/06
Initials / Date

Matrix: Water Carrier Name: (Client) TGI _____

Reviewed by: MD 9/13/06
Initials / Date

				COMMENTS
Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐	
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☑	
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑	
Chain of custody present?	Yes ☑	No ☐		
Chain of custody signed when relinquished and received?	Yes ☑	No ☐		
Chain of custody agrees with sample labels?	Yes ☑	No ☐		
Samples in proper container/bottle?	Yes ☑	No ☐		
Sample containers intact?	Yes ☑	No ☐		
Sufficient sample volume for indicated test?	Yes ☑	No ☐		
All samples received within holding time?	Yes ☑	No ☐		
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	Temp: 5.8	Sampled < 2hrs ☐
Water – VOA vials have zero headspace?	Yes ☐	No ☐	N/A ☑	
Water – pH acceptable upon receipt?	Yes ☑	No ☐	N/A ☐	Checked by: EP
Water – Sulfides present in Cyanide samples?	Yes ☐	No ☐	N/A ☑	
Sample considered Drinking Water for metal analysis?	Yes ☐	No ☐	N/A ☑	

Client contacted: _____ Date contacted: _____ Person contacted: _____

Contacted by: _____ Regarding: _____

Corrective Action: _____

TestAmerica
ANALYTICAL TESTING CORPORATION

SUBCONTRACT ORDER - PROJECT # PPI0249

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660

0609156

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPI0249-02 Water Sampled: 09/11/06 11:07		
8015B MOD-Low Level-O	09/18/06 11:07	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0249-02D)		
1 L Amber w/H2SO4 (PPI0249-02E)		
Sample ID: PPI0249-03 Water Sampled: 09/11/06 15:16		
8015B MOD-Low Level-O	09/18/06 15:16	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0249-03D)		
1 L Amber w/H2SO4 (PPI0249-03E)		
Sample ID: PPI0249-04 Water Sampled: 09/11/06 14:05		
8015B MOD-Low Level-O	09/18/06 14:05	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0249-04D)		
1 L Amber w/H2SO4 (PPI0249-04E)		
Sample ID: PPI0249-07 Water Sampled: 09/11/06 11:17		
8015B MOD-Low Level-O	09/18/06 11:17	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0249-07D)		
1 L Amber w/H2SO4 (PPI0249-07E)		

PH

SAMPLE INTEGRITY:

All containers intact: ☑ Yes ☐ No
Custody Seals Present: ☐ Yes ☑ No
Sample labels/COC agree: ☑ Yes ☐ No
Samples Preserved Properly: ☐ Yes ☐ No
Samples Received On Ice:: ☑ Yes ☐ No
Samples Received at (temp): 5.8

Released By	Date	Time	Received By	Date	Time
MDU	9/12/06	17:00	Fed Ex	9/12/06	17:00
[signature]	9-12-06	1300 13:27	[signature]	9-12-06 / 9.12.06	1300 / 1327

TestAmerica
ANALYTICAL TESTING CORPORATION

9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

LABORATORY REPORT

Prepared For: CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project: Honeywell-Sky Harbor

Sampled: 09/12/06
Received: 09/13/06
Issued: 09/28/06 08:22

NELAP #01109CA Arizona DHS#AZ0426

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.
This entire report was reviewed and approved for release.

CASE NARRATIVE

LABORATORY ID	CLIENT ID	MATRIX
PPI0345-01	TB-091206A	Water
PPI0345-02	BC-14-6C2	Water
PPI0345-03	PL-506-6C2	Water
PPI0345-04	BC-13-6C2	Water
PPI0345-05	BC-15-6C2	Water
PPI0345-06	ASE-69A-6C2	Water
PPI0345-07	PL-2103-6C2	Water
PPI0345-08	PL-2102-6C2	Water
PPI0345-09	PL-2101-6C2	Water
PPI0345-10	BC-4-6C2	Water
PPI0345-11	ASE-54A-6C2	Water

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe 2625 S. Plaza Drive, Ste. 300 Tempe, AZ 85282 Attention: Jennifer Holland	Project ID: Honeywell-Sky Harbor Report Number: PPI0345	Sampled: 09/12/06 Received: 09/13/06

SAMPLE RECEIPT:	Samples were received intact, at 4°C, on ice and with chain of custody documentation.
HOLDING TIMES:	All samples were analyzed within prescribed holding times and/or in accordance with the TestAmerica Sample Acceptance Policy unless otherwise noted in the report.
PRESERVATION:	Samples requiring preservation were verified prior to sample analysis.
QA/QC CRITERIA:	All analyses met method criteria, except as noted in the report with data qualifiers.
COMMENTS:	N1: Concentration exceeds the calibration range and therefore result is semi-quantitative.
SUBCONTRACTED:	Refer to the last page for specific subcontract laboratory information included in this report.

Reviewed By:

Ken Baker

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0345-01 (TB-091206A - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2506	20	ND	1	9/22/2006	9/22/2006	
Benzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/22/2006	
Bromobenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/22/2006	
Bromochloromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/22/2006	
Bromodichloromethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	
Bromoform	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/22/2006	
Bromomethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/22/2006	
2-Butanone (MEK)	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/22/2006	
n-Butylbenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/22/2006	
sec-Butylbenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/22/2006	
tert-Butylbenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/22/2006	
Carbon Disulfide	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/22/2006	
Carbon tetrachloride	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/22/2006	
Chlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/22/2006	
Chloroethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/22/2006	
Chloroform	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	
Chloromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/22/2006	
2-Chlorotoluene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/22/2006	
4-Chlorotoluene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/22/2006	
Dibromochloromethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/22/2006	V1
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	
Dibromomethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloroethane	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloropropane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichloropropane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	
2,2-Dichloropropane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloropropene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	
Ethylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	
Hexachlorobutadiene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/22/2006	
2-Hexanone	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0345-01 (TB-091206A - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	
Isopropylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	
p-Isopropyltoluene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	
Methylene chloride	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/22/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/22/2006	
Naphthalene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	
n-Propylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	
Styrene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	V1
Tetrachloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	
Toluene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/22/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	
Trichloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	
Trichlorofluoromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/22/2006	
Vinyl acetate	EPA 8260B	P6I2506	25	ND	1	9/22/2006	9/22/2006	
Vinyl chloride	EPA 8260B	P6I2506	1.7	ND	1	9/22/2006	9/22/2006	
Xylenes, Total	EPA 8260B	P6I2506	3.0	ND	1	9/22/2006	9/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*104 %*				
Surrogate: Toluene-d8 (80-120%)				*103 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*93 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0345-02 (BC-14-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2506	20	ND	1	9/22/2006	9/23/2006	
Benzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
Bromobenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Bromochloromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Bromodichloromethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Bromoform	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Bromomethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
2-Butanone (MEK)	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/23/2006	
n-Butylbenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
sec-Butylbenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
tert-Butylbenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Carbon Disulfide	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Carbon tetrachloride	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Chlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
Chloroethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Chloroform	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Chloromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
2-Chlorotoluene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
4-Chlorotoluene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Dibromochloromethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	V1
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Dibromomethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,1-Dichloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2-Dichloroethane	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
1,1-Dichloroethene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2-Dichloropropane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,3-Dichloropropane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
2,2-Dichloropropane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,1-Dichloropropene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Ethylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Hexachlorobutadiene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
2-Hexanone	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/23/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0345-02 (BC-14-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Isopropylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
p-Isopropyltoluene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Methylene chloride	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/23/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Naphthalene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
n-Propylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Styrene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	V1
Tetrachloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Toluene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Trichloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Trichlorofluoromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/23/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Vinyl acetate	EPA 8260B	P6I2506	25	ND	1	9/22/2006	9/23/2006	
Vinyl chloride	EPA 8260B	P6I2506	1.7	ND	1	9/22/2006	9/23/2006	
Xylenes, Total	EPA 8260B	P6I2506	3.0	ND	1	9/22/2006	9/23/2006	
Surrogate: Dibromofluoromethane (80-130%)				*114 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*92 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0345-03 (PL-506-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2506	20	ND	1	9/22/2006	9/23/2006	
Benzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
Bromobenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Bromochloromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Bromodichloromethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Bromoform	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Bromomethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
2-Butanone (MEK)	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/23/2006	
n-Butylbenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
sec-Butylbenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
tert-Butylbenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Carbon Disulfide	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Carbon tetrachloride	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Chlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
Chloroethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Chloroform	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Chloromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
2-Chlorotoluene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
4-Chlorotoluene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Dibromochloromethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	V1
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Dibromomethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,1-Dichloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2-Dichloroethane	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
1,1-Dichloroethene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2-Dichloropropane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,3-Dichloropropane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
2,2-Dichloropropane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,1-Dichloropropene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Ethylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Hexachlorobutadiene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
2-Hexanone	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/23/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0345-03 (PL-506-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Isopropylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
p-Isopropyltoluene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Methylene chloride	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/23/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Naphthalene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
n-Propylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Styrene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	V1
Tetrachloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Toluene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Trichloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Trichlorofluoromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/23/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Vinyl acetate	EPA 8260B	P6I2506	25	ND	1	9/22/2006	9/23/2006	
Vinyl chloride	EPA 8260B	P6I2506	1.7	ND	1	9/22/2006	9/23/2006	
Xylenes, Total	EPA 8260B	P6I2506	3.0	ND	1	9/22/2006	9/23/2006	
Surrogate: Dibromofluoromethane (80-130%)				*110 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*92 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0345-04 (BC-13-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2506	20	ND	1	9/22/2006	9/23/2006	
Benzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
Bromobenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Bromochloromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Bromodichloromethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Bromoform	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Bromomethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
2-Butanone (MEK)	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/23/2006	
n-Butylbenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
sec-Butylbenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
tert-Butylbenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Carbon Disulfide	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Carbon tetrachloride	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Chlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
Chloroethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Chloroform	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Chloromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
2-Chlorotoluene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
4-Chlorotoluene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Dibromochloromethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	V1
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Dibromomethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,1-Dichloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2-Dichloroethane	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
1,1-Dichloroethene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2-Dichloropropane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,3-Dichloropropane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
2,2-Dichloropropane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,1-Dichloropropene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Ethylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Hexachlorobutadiene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
2-Hexanone	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/23/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0345-04 (BC-13-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Isopropylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
p-Isopropyltoluene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Methylene chloride	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/23/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Naphthalene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
n-Propylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Styrene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	V1
Tetrachloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Toluene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2506	2.0	**2.4**	1	9/22/2006	9/23/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Trichloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Trichlorofluoromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/23/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Vinyl acetate	EPA 8260B	P6I2506	25	ND	1	9/22/2006	9/23/2006	
Vinyl chloride	EPA 8260B	P6I2506	1.7	ND	1	9/22/2006	9/23/2006	
Xylenes, Total	EPA 8260B	P6I2506	3.0	ND	1	9/22/2006	9/23/2006	
Surrogate: Dibromofluoromethane (80-130%)				*118 %*				
Surrogate: Toluene-d8 (80-120%)				*101 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*95 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0345-05 (BC-15-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2506	20	ND	1	9/22/2006	9/23/2006	
Benzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
Bromobenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Bromochloromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Bromodichloromethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Bromoform	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Bromomethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
2-Butanone (MEK)	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/23/2006	
n-Butylbenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
sec-Butylbenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
tert-Butylbenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Carbon Disulfide	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Carbon tetrachloride	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Chlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
Chloroethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Chloroform	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Chloromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
2-Chlorotoluene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
4-Chlorotoluene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Dibromochloromethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	V1
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Dibromomethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,1-Dichloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2-Dichloroethane	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
1,1-Dichloroethene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2-Dichloropropane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,3-Dichloropropane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
2,2-Dichloropropane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,1-Dichloropropene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Ethylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Hexachlorobutadiene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
2-Hexanone	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/23/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0345-05 (BC-15-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Isopropylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
p-Isopropyltoluene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Methylene chloride	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/23/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Naphthalene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
n-Propylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Styrene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	V1
Tetrachloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Toluene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Trichloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Trichlorofluoromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/23/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Vinyl acetate	EPA 8260B	P6I2506	25	ND	1	9/22/2006	9/23/2006	
Vinyl chloride	EPA 8260B	P6I2506	1.7	ND	1	9/22/2006	9/23/2006	
Xylenes, Total	EPA 8260B	P6I2506	3.0	ND	1	9/22/2006	9/23/2006	
Surrogate: Dibromofluoromethane (80-130%)				*119 %*				
Surrogate: Toluene-d8 (80-120%)				*103 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0345-06 (ASE-69A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2506	20	ND	1	9/22/2006	9/23/2006	
Benzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
Bromobenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Bromochloromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Bromodichloromethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Bromoform	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Bromomethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
2-Butanone (MEK)	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/23/2006	
n-Butylbenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
sec-Butylbenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
tert-Butylbenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Carbon Disulfide	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Carbon tetrachloride	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Chlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
Chloroethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Chloroform	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Chloromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
2-Chlorotoluene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
4-Chlorotoluene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Dibromochloromethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	V1
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Dibromomethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,1-Dichloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2-Dichloroethane	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
1,1-Dichloroethene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2-Dichloropropane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,3-Dichloropropane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
2,2-Dichloropropane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,1-Dichloropropene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Ethylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Hexachlorobutadiene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
2-Hexanone	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/23/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0345-06 (ASE-69A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Isopropylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
p-Isopropyltoluene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Methylene chloride	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/23/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Naphthalene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
n-Propylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Styrene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	V1
Tetrachloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Toluene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Trichloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Trichlorofluoromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/23/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Vinyl acetate	EPA 8260B	P6I2506	25	ND	1	9/22/2006	9/23/2006	
Vinyl chloride	EPA 8260B	P6I2506	1.7	ND	1	9/22/2006	9/23/2006	
Xylenes, Total	EPA 8260B	P6I2506	3.0	ND	1	9/22/2006	9/23/2006	
Surrogate: Dibromofluoromethane (80-130%)				*121 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*96 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0345-07 (PL-2103-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2216	20	ND	1	9/22/2006	9/22/2006	
Benzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Bromobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromochloromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromodichloromethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Bromoform	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromomethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Butanone (MEK)	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
n-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
sec-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
tert-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Carbon Disulfide	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Carbon tetrachloride	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Chlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Chloroethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Chloroform	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Chloromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Chlorotoluene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
4-Chlorotoluene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Dibromochloromethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Dibromomethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	M2
1,1-Dichloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloroethane	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
2,2-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Ethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Hexachlorobutadiene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Hexanone	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0345-07 (PL-2103-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Isopropylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
p-Isopropyltoluene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Methylene chloride	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Naphthalene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
n-Propylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Styrene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	M2
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Tetrachloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Toluene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Trichloroethene	EPA 8260B	P6I2216	2.0	**2.2**	1	9/22/2006	9/22/2006	
Trichlorofluoromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Vinyl acetate	EPA 8260B	P6I2216	25	ND	1	9/22/2006	9/22/2006	
Vinyl chloride	EPA 8260B	P6I2216	1.7	ND	1	9/22/2006	9/22/2006	
Xylenes, Total	EPA 8260B	P6I2216	3.0	ND	1	9/22/2006	9/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*109 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*96 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0345-08 (PL-2102-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2216	20	ND	1	9/22/2006	9/22/2006	
Benzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Bromobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromochloromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromodichloromethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Bromoform	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromomethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Butanone (MEK)	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
n-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
sec-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
tert-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Carbon Disulfide	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	V1
Carbon tetrachloride	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Chlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Chloroethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Chloroform	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Chloromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Chlorotoluene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
4-Chlorotoluene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Dibromochloromethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Dibromomethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloroethane	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
2,2-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Ethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Hexachlorobutadiene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Hexanone	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0345-08 (PL-2102-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Isopropylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
p-Isopropyltoluene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Methylene chloride	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Naphthalene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
n-Propylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Styrene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Tetrachloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Toluene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Trichloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Trichlorofluoromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Vinyl acetate	EPA 8260B	P6I2216	25	ND	1	9/22/2006	9/22/2006	
Vinyl chloride	EPA 8260B	P6I2216	1.7	ND	1	9/22/2006	9/22/2006	
Xylenes, Total	EPA 8260B	P6I2216	3.0	ND	1	9/22/2006	9/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*106 %*				
Surrogate: Toluene-d8 (80-120%)				*101 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*97 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0345-09 (PL-2101-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2216	20	ND	1	9/22/2006	9/22/2006	
Benzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Bromobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromochloromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromodichloromethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Bromoform	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromomethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Butanone (MEK)	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
n-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
sec-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
tert-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Carbon Disulfide	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	V1
Carbon tetrachloride	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Chlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Chloroethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Chloroform	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Chloromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Chlorotoluene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
4-Chlorotoluene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Dibromochloromethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Dibromomethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethane	EPA 8260B	P6I2216	2.0	**5.0**	1	9/22/2006	9/22/2006	
1,2-Dichloroethane	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
2,2-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Ethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Hexachlorobutadiene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Hexanone	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0345-09 (PL-2101-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Isopropylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
p-Isopropyltoluene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Methylene chloride	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Naphthalene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
n-Propylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Styrene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Tetrachloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Toluene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Trichloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Trichlorofluoromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Vinyl acetate	EPA 8260B	P6I2216	25	ND	1	9/22/2006	9/22/2006	
Vinyl chloride	EPA 8260B	P6I2216	1.7	**2.2**	1	9/22/2006	9/22/2006	
Xylenes, Total	EPA 8260B	P6I2216	3.0	ND	1	9/22/2006	9/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*102 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*97 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0345-10 (BC-4-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2216	20	ND	1	9/22/2006	9/22/2006	
Benzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Bromobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromochloromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromodichloromethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Bromoform	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromomethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Butanone (MEK)	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
n-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
sec-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
tert-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Carbon Disulfide	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	V1
Carbon tetrachloride	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Chlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Chloroethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Chloroform	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Chloromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Chlorotoluene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
4-Chlorotoluene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Dibromochloromethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Dibromomethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloroethane	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
2,2-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Ethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Hexachlorobutadiene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Hexanone	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0345-10 (BC-4-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Isopropylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
p-Isopropyltoluene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Methylene chloride	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Naphthalene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
n-Propylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Styrene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Tetrachloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Toluene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Trichloroethene	EPA 8260B	P6I2216	2.0	**21**	1	9/22/2006	9/22/2006	
Trichlorofluoromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Vinyl acetate	EPA 8260B	P6I2216	25	ND	1	9/22/2006	9/22/2006	
Vinyl chloride	EPA 8260B	P6I2216	1.7	ND	1	9/22/2006	9/22/2006	
Xylenes, Total	EPA 8260B	P6I2216	3.0	ND	1	9/22/2006	9/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*106 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0345-11 (ASE-54A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2216	20	ND	1	9/22/2006	9/22/2006	
Benzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Bromobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromochloromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromodichloromethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Bromoform	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Bromomethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Butanone (MEK)	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
n-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
sec-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
tert-Butylbenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Carbon Disulfide	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	V1
Carbon tetrachloride	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Chlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Chloroethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Chloroform	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Chloromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Chlorotoluene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
4-Chlorotoluene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Dibromochloromethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Dibromomethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloroethane	EPA 8260B	P6I2216	1.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloroethene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,3-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
2,2-Dichloropropane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Ethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Hexachlorobutadiene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
2-Hexanone	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0345-11 (ASE-54A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Isopropylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
p-Isopropyltoluene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Methylene chloride	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
Naphthalene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
n-Propylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Styrene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Tetrachloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Toluene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Trichloroethene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Trichlorofluoromethane	EPA 8260B	P6I2216	5.0	ND	1	9/22/2006	9/22/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2216	10	ND	1	9/22/2006	9/22/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2216	2.0	ND	1	9/22/2006	9/22/2006	
Vinyl acetate	EPA 8260B	P6I2216	25	ND	1	9/22/2006	9/22/2006	
Vinyl chloride	EPA 8260B	P6I2216	1.7	ND	1	9/22/2006	9/22/2006	
Xylenes, Total	EPA 8260B	P6I2216	3.0	ND	1	9/22/2006	9/22/2006	
Surrogate: Dibromofluoromethane (80-130%)				*104 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2216 Extracted: 09/22/06										
Blank Analyzed: 09/22/2006 (P6I2216-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2216 Extracted: 09/22/06										
Blank Analyzed: 09/22/2006 (P6I2216-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*23.8*		*ug/l*	*25.0*		*95*	*80-130*			
Surrogate: Toluene-d8	*25.4*		*ug/l*	*25.0*		*102*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.7*		*ug/l*	*25.0*		*95*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2216 Extracted: 09/22/06										
LCS Analyzed: 09/22/2006 (P6I2216-BS1)										
Acetone	24.4	20	ug/l	25.0		98	30-150			
Benzene	25.3	1.0	ug/l	25.0		101	80-120			
Bromobenzene	23.4	5.0	ug/l	25.0		94	80-125			
Bromochloromethane	23.6	5.0	ug/l	25.0		94	80-125			
Bromodichloromethane	23.8	2.0	ug/l	25.0		95	80-120			
Bromoform	20.0	5.0	ug/l	25.0		80	70-120			
Bromomethane	23.3	5.0	ug/l	25.0		93	80-135			
2-Butanone (MEK)	22.7	10	ug/l	25.0		91	55-150			
n-Butylbenzene	25.9	5.0	ug/l	25.0		104	80-120			
sec-Butylbenzene	24.6	5.0	ug/l	25.0		98	80-130			
tert-Butylbenzene	23.8	5.0	ug/l	25.0		95	80-130			
Carbon Disulfide	26.2	5.0	ug/l	25.0		105	55-145			
Carbon tetrachloride	23.4	5.0	ug/l	25.0		94	80-120			
Chlorobenzene	24.9	1.0	ug/l	25.0		100	80-120			
Chloroethane	26.4	5.0	ug/l	25.0		106	80-125			
Chloroform	23.0	2.0	ug/l	25.0		92	80-120			
Chloromethane	24.9	5.0	ug/l	25.0		100	70-130			
2-Chlorotoluene	23.4	5.0	ug/l	25.0		94	80-120			
4-Chlorotoluene	23.7	5.0	ug/l	25.0		95	80-120			
Dibromochloromethane	23.1	2.0	ug/l	25.0		92	75-120			
1,2-Dibromo-3-chloropropane	20.3	5.0	ug/l	25.0		81	55-120			
1,2-Dibromoethane (EDB)	24.1	2.0	ug/l	25.0		96	75-125			
Dibromomethane	23.3	2.0	ug/l	25.0		93	80-125			
1,2-Dichlorobenzene	24.1	1.0	ug/l	25.0		96	80-120			
1,3-Dichlorobenzene	24.4	1.0	ug/l	25.0		98	80-125			
1,4-Dichlorobenzene	25.0	1.0	ug/l	25.0		100	80-120			
Dichlorodifluoromethane	18.3	5.0	ug/l	25.0		73	60-140			
1,1-Dichloroethane	24.0	2.0	ug/l	25.0		96	80-120			
1,2-Dichloroethane	22.4	1.0	ug/l	25.0		90	75-125			
1,1-Dichloroethene	25.8	5.0	ug/l	25.0		103	75-120			
cis-1,2-Dichloroethene	23.6	2.0	ug/l	25.0		94	80-125			
trans-1,2-Dichloroethene	24.3	2.0	ug/l	25.0		97	80-120			
1,2-Dichloropropane	26.1	2.0	ug/l	25.0		104	80-120			
1,3-Dichloropropane	25.0	2.0	ug/l	25.0		100	80-120			
2,2-Dichloropropane	23.9	2.0	ug/l	25.0		96	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2216 Extracted: 09/22/06										
LCS Analyzed: 09/22/2006 (P6I2216-BS1)										
1,1-Dichloropropene	25.5	2.0	ug/l	25.0		102	80-120			
cis-1,3-Dichloropropene	25.4	2.0	ug/l	25.0		102	75-120			
trans-1,3-Dichloropropene	24.7	2.0	ug/l	25.0		99	80-120			
Ethylbenzene	26.0	2.0	ug/l	25.0		104	80-125			
Hexachlorobutadiene	25.1	5.0	ug/l	25.0		100	70-130			
2-Hexanone	23.3	10	ug/l	25.0		93	40-150			
Iodomethane	26.2	2.0	ug/l	25.0		105	80-130			
Isopropylbenzene	26.0	2.0	ug/l	25.0		104	80-140			
p-Isopropyltoluene	25.0	2.0	ug/l	25.0		100	80-130			
Methylene chloride	24.8	5.0	ug/l	25.0		99	80-120			
4-Methyl-2-pentanone (MIBK)	23.6	10	ug/l	25.0		94	50-140			
Methyl-tert-butyl Ether (MTBE)	24.2	5.0	ug/l	25.0		97	65-130			
Naphthalene	22.0	2.0	ug/l	25.0		88	70-130			
n-Propylbenzene	25.2	2.0	ug/l	25.0		101	80-135			
Styrene	25.3	2.0	ug/l	25.0		101	80-125			
1,1,1,2-Tetrachloroethane	24.4	5.0	ug/l	25.0		98	80-120			
1,1,2,2-Tetrachloroethane	24.4	2.0	ug/l	25.0		98	65-140			
Tetrachloroethene	24.8	2.0	ug/l	25.0		99	80-125			
Toluene	25.9	2.0	ug/l	25.0		104	80-125			
1,2,3-Trichlorobenzene	24.9	5.0	ug/l	25.0		100	75-125			
1,2,4-Trichlorobenzene	25.5	5.0	ug/l	25.0		102	80-125			
1,1,1-Trichloroethane	22.6	2.0	ug/l	25.0		90	75-125			
1,1,2-Trichloroethane	23.9	2.0	ug/l	25.0		96	80-125			
Trichloroethene	24.9	2.0	ug/l	25.0		100	80-120			
Trichlorofluoromethane	23.6	5.0	ug/l	25.0		94	75-130			
1,2,3-Trichloropropane	22.0	10	ug/l	25.0		88	65-135			
1,2,4-Trimethylbenzene	24.6	2.0	ug/l	25.0		98	80-125			
1,3,5-Trimethylbenzene	24.0	2.0	ug/l	25.0		96	80-130			
Vinyl acetate	31.0	25	ug/l	25.0		124	70-140			
Vinyl chloride	23.9	1.7	ug/l	25.0		96	70-135			
Xylenes, Total	51.0	3.0	ug/l	50.0		102	80-125			
Surrogate: Dibromofluoromethane	*23.8*		*ug/l*	*25.0*		*95*	*80-130*			
Surrogate: Toluene-d8	*25.7*		*ug/l*	*25.0*		*103*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.4*		*ug/l*	*25.0*		*94*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2216 Extracted: 09/22/06										
LCS Dup Analyzed: 09/22/2006 (P6I2216-BSD1)										
Acetone	24.8	20	ug/l	25.0		99	30-150	2	35	
Benzene	24.8	1.0	ug/l	25.0		99	80-120	2	10	
Bromobenzene	23.8	5.0	ug/l	25.0		95	80-125	2	10	
Bromochloromethane	22.9	5.0	ug/l	25.0		92	80-125	3	15	
Bromodichloromethane	23.1	2.0	ug/l	25.0		92	80-120	3	15	
Bromoform	21.4	5.0	ug/l	25.0		86	70-120	7	20	
Bromomethane	22.5	5.0	ug/l	25.0		90	80-135	3	15	
2-Butanone (MEK)	23.8	10	ug/l	25.0		95	55-150	5	35	
n-Butylbenzene	24.8	5.0	ug/l	25.0		99	80-120	4	10	
sec-Butylbenzene	24.0	5.0	ug/l	25.0		96	80-130	2	10	
tert-Butylbenzene	23.4	5.0	ug/l	25.0		94	80-130	2	10	
Carbon Disulfide	27.3	5.0	ug/l	25.0		109	55-145	4	15	
Carbon tetrachloride	22.5	5.0	ug/l	25.0		90	80-120	4	15	
Chlorobenzene	24.1	1.0	ug/l	25.0		96	80-120	3	10	
Chloroethane	25.5	5.0	ug/l	25.0		102	80-125	3	15	
Chloroform	22.0	2.0	ug/l	25.0		88	80-120	4	10	
Chloromethane	22.6	5.0	ug/l	25.0		90	70-130	10	15	
2-Chlorotoluene	23.2	5.0	ug/l	25.0		93	80-120	1	10	
4-Chlorotoluene	23.8	5.0	ug/l	25.0		95	80-120	0	10	
Dibromochloromethane	22.8	2.0	ug/l	25.0		91	75-120	1	15	
1,2-Dibromo-3-chloropropane	21.2	5.0	ug/l	25.0		85	55-120	4	35	
1,2-Dibromoethane (EDB)	23.7	2.0	ug/l	25.0		95	75-125	2	20	
Dibromomethane	23.3	2.0	ug/l	25.0		93	80-125	0	20	
1,2-Dichlorobenzene	23.6	1.0	ug/l	25.0		94	80-120	2	10	
1,3-Dichlorobenzene	23.4	1.0	ug/l	25.0		94	80-125	4	10	
1,4-Dichlorobenzene	24.7	1.0	ug/l	25.0		99	80-120	1	10	
Dichlorodifluoromethane	17.2	5.0	ug/l	25.0		69	60-140	6	15	
1,1-Dichloroethane	23.4	2.0	ug/l	25.0		94	80-120	3	10	
1,2-Dichloroethane	22.4	1.0	ug/l	25.0		90	75-125	0	20	
1,1-Dichloroethene	24.8	5.0	ug/l	25.0		99	75-120	4	15	
cis-1,2-Dichloroethene	22.6	2.0	ug/l	25.0		90	80-125	4	10	
trans-1,2-Dichloroethene	23.2	2.0	ug/l	25.0		93	80-120	5	10	
1,2-Dichloropropane	25.6	2.0	ug/l	25.0		102	80-120	2	15	
1,3-Dichloropropane	24.4	2.0	ug/l	25.0		98	80-120	2	15	
2,2-Dichloropropane	22.6	2.0	ug/l	25.0		90	70-130	6	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2216 Extracted: 09/22/06										
LCS Dup Analyzed: 09/22/2006 (P6I2216-BSD1)										
1,1-Dichloropropene	24.6	2.0	ug/l	25.0		98	80-120	4	10	
cis-1,3-Dichloropropene	24.3	2.0	ug/l	25.0		97	75-120	4	15	
trans-1,3-Dichloropropene	24.4	2.0	ug/l	25.0		98	80-120	1	20	
Ethylbenzene	24.7	2.0	ug/l	25.0		99	80-125	5	15	
Hexachlorobutadiene	23.9	5.0	ug/l	25.0		96	70-130	5	15	
2-Hexanone	25.9	10	ug/l	25.0		104	40-150	11	35	
Iodomethane	25.4	2.0	ug/l	25.0		102	80-130	3	10	
Isopropylbenzene	25.5	2.0	ug/l	25.0		102	80-140	2	10	
p-Isopropyltoluene	24.3	2.0	ug/l	25.0		97	80-130	3	15	
Methylene chloride	24.3	5.0	ug/l	25.0		97	80-120	2	10	
4-Methyl-2-pentanone (MIBK)	25.0	10	ug/l	25.0		100	50-140	6	35	
Methyl-tert-butyl Ether (MTBE)	24.6	5.0	ug/l	25.0		98	65-130	2	25	
Naphthalene	23.5	2.0	ug/l	25.0		94	70-130	7	20	
n-Propylbenzene	24.9	2.0	ug/l	25.0		100	80-135	1	10	
Styrene	25.0	2.0	ug/l	25.0		100	80-125	1	15	
1,1,1,2-Tetrachloroethane	23.9	5.0	ug/l	25.0		96	80-120	2	15	
1,1,2,2-Tetrachloroethane	25.4	2.0	ug/l	25.0		102	65-140	4	25	
Tetrachloroethene	23.3	2.0	ug/l	25.0		93	80-125	6	15	
Toluene	24.1	2.0	ug/l	25.0		96	80-125	7	10	
1,2,3-Trichlorobenzene	24.6	5.0	ug/l	25.0		98	75-125	1	15	
1,2,4-Trichlorobenzene	25.0	5.0	ug/l	25.0		100	80-125	2	15	
1,1,1-Trichloroethane	21.8	2.0	ug/l	25.0		87	75-125	4	10	
1,1,2-Trichloroethane	24.0	2.0	ug/l	25.0		96	80-125	0	25	
Trichloroethene	23.6	2.0	ug/l	25.0		94	80-120	5	10	
Trichlorofluoromethane	22.0	5.0	ug/l	25.0		88	75-130	7	10	
1,2,3-Trichloropropane	23.7	10	ug/l	25.0		95	65-135	7	25	
1,2,4-Trimethylbenzene	23.9	2.0	ug/l	25.0		96	80-125	3	10	
1,3,5-Trimethylbenzene	23.4	2.0	ug/l	25.0		94	80-130	3	10	
Vinyl acetate	32.2	25	ug/l	25.0		129	70-140	4	30	
Vinyl chloride	21.0	1.7	ug/l	25.0		84	70-135	13	15	
Xylenes, Total	48.8	3.0	ug/l	50.0		98	80-125	4	15	
Surrogate: Dibromofluoromethane	*24.2*		*ug/l*	*25.0*		*97*	*80-130*			
Surrogate: Toluene-d8	*25.3*		*ug/l*	*25.0*		*101*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.8*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2216 Extracted: 09/22/06										
Matrix Spike Analyzed: 09/22/2006 (P6I2216-MS1)					**Source: PPI0345-07**					
Acetone	21.6	20	ug/l	25.0	ND	86	15-150			
Benzene	22.2	1.0	ug/l	25.0	ND	89	80-125			
Bromobenzene	20.9	5.0	ug/l	25.0	ND	84	80-125			
Bromochloromethane	21.2	5.0	ug/l	25.0	ND	85	80-130			
Bromodichloromethane	20.8	2.0	ug/l	25.0	ND	83	70-130			
Bromoform	17.7	5.0	ug/l	25.0	ND	71	70-120			
Bromomethane	20.3	5.0	ug/l	25.0	ND	81	80-135			
2-Butanone (MEK)	22.7	10	ug/l	25.0	ND	91	30-150			
n-Butylbenzene	21.8	5.0	ug/l	25.0	ND	87	80-135			
sec-Butylbenzene	21.1	5.0	ug/l	25.0	ND	84	80-130			
tert-Butylbenzene	20.4	5.0	ug/l	25.0	ND	82	80-130			
Carbon Disulfide	26.9	5.0	ug/l	25.0	ND	108	45-150			
Carbon tetrachloride	18.9	5.0	ug/l	25.0	ND	76	65-135			
Chlorobenzene	21.7	1.0	ug/l	25.0	ND	87	80-125			
Chloroethane	22.6	5.0	ug/l	25.0	ND	90	80-125			
Chloroform	21.5	2.0	ug/l	25.0	0.49	84	75-130			
Chloromethane	20.6	5.0	ug/l	25.0	ND	82	65-130			
2-Chlorotoluene	20.7	5.0	ug/l	25.0	ND	83	80-130			
4-Chlorotoluene	21.1	5.0	ug/l	25.0	ND	84	80-135			
Dibromochloromethane	19.8	2.0	ug/l	25.0	ND	79	75-120			
1,2-Dibromo-3-chloropropane	18.0	5.0	ug/l	25.0	ND	72	50-130			
1,2-Dibromoethane (EDB)	21.1	2.0	ug/l	25.0	ND	84	70-130			
Dibromomethane	20.7	2.0	ug/l	25.0	ND	83	75-130			
1,2-Dichlorobenzene	20.7	1.0	ug/l	25.0	ND	83	80-130			
1,3-Dichlorobenzene	21.1	1.0	ug/l	25.0	ND	84	80-130			
1,4-Dichlorobenzene	21.7	1.0	ug/l	25.0	ND	87	80-125			
Dichlorodifluoromethane	12.9	5.0	ug/l	25.0	ND	52	60-140			*M2*
1,1-Dichloroethane	21.8	2.0	ug/l	25.0	ND	87	80-125			
1,2-Dichloroethane	21.3	1.0	ug/l	25.0	ND	85	60-145			
1,1-Dichloroethene	21.8	5.0	ug/l	25.0	ND	87	75-130			
cis-1,2-Dichloroethene	21.6	2.0	ug/l	25.0	ND	86	80-125			
trans-1,2-Dichloroethene	21.3	2.0	ug/l	25.0	ND	85	80-120			
1,2-Dichloropropane	23.1	2.0	ug/l	25.0	ND	92	80-125			
1,3-Dichloropropane	22.6	2.0	ug/l	25.0	ND	90	75-130			
2,2-Dichloropropane	20.8	2.0	ug/l	25.0	ND	83	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2216 Extracted: 09/22/06										
Matrix Spike Analyzed: 09/22/2006 (P6I2216-MS1)					**Source: PPI0345-07**					
1,1-Dichloropropene	21.3	2.0	ug/l	25.0	ND	85	80-125			
cis-1,3-Dichloropropene	22.0	2.0	ug/l	25.0	ND	88	75-120			
trans-1,3-Dichloropropene	20.9	2.0	ug/l	25.0	ND	84	75-130			
Ethylbenzene	22.3	2.0	ug/l	25.0	ND	89	80-130			
Hexachlorobutadiene	20.8	5.0	ug/l	25.0	ND	83	65-130			
2-Hexanone	21.7	10	ug/l	25.0	ND	87	40-150			
Iodomethane	25.3	2.0	ug/l	25.0	ND	101	70-140			
Isopropylbenzene	22.3	2.0	ug/l	25.0	ND	89	80-140			
p-Isopropyltoluene	21.2	2.0	ug/l	25.0	ND	85	80-135			
Methylene chloride	22.8	5.0	ug/l	25.0	ND	91	75-125			
4-Methyl-2-pentanone (MIBK)	21.2	10	ug/l	25.0	ND	85	40-140			
Methyl-tert-butyl Ether (MTBE)	22.2	5.0	ug/l	25.0	ND	89	65-135			
Naphthalene	19.6	2.0	ug/l	25.0	ND	78	60-140			
n-Propylbenzene	21.9	2.0	ug/l	25.0	ND	88	80-140			
Styrene	7.70	2.0	ug/l	25.0	ND	31	30-150			
1,1,1,2-Tetrachloroethane	20.6	5.0	ug/l	25.0	ND	82	80-130			
1,1,2,2-Tetrachloroethane	21.4	2.0	ug/l	25.0	ND	86	65-140			
Tetrachloroethene	21.3	2.0	ug/l	25.0	ND	85	80-130			
Toluene	22.1	2.0	ug/l	25.0	ND	88	80-130			
1,2,3-Trichlorobenzene	21.6	5.0	ug/l	25.0	ND	86	75-140			
1,2,4-Trichlorobenzene	21.6	5.0	ug/l	25.0	ND	86	80-135			
1,1,1-Trichloroethane	19.6	2.0	ug/l	25.0	ND	78	70-135			
1,1,2-Trichloroethane	20.6	2.0	ug/l	25.0	ND	82	70-135			
Trichloroethene	23.4	2.0	ug/l	25.0	2.2	85	80-125			
Trichlorofluoromethane	19.2	5.0	ug/l	25.0	ND	77	70-140			
1,2,3-Trichloropropane	20.2	10	ug/l	25.0	ND	81	65-135			
1,2,4-Trimethylbenzene	21.5	2.0	ug/l	25.0	ND	86	75-130			
1,3,5-Trimethylbenzene	20.4	2.0	ug/l	25.0	ND	82	80-135			
Vinyl acetate	12.6	25	ug/l	25.0	ND	50	30-150			
Vinyl chloride	20.9	1.7	ug/l	25.0	ND	84	70-135			
Xylenes, Total	43.4	3.0	ug/l	50.0	ND	87	80-125			
Surrogate: Dibromofluoromethane	*25.8*		*ug/l*	*25.0*		*103*	*80-130*			
Surrogate: Toluene-d8	*25.7*		*ug/l*	*25.0*		*103*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.6*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2216 Extracted: 09/22/06										
Matrix Spike Dup Analyzed: 09/22/2006 (P6I2216-MSD1)					**Source: PPI0345-07**					
Acetone	17.7	20	ug/l	25.0	ND	71	15-150	20	35	
Benzene	23.8	1.0	ug/l	25.0	ND	95	80-125	7	10	
Bromobenzene	22.1	5.0	ug/l	25.0	ND	88	80-125	6	15	
Bromochloromethane	23.0	5.0	ug/l	25.0	ND	92	80-130	8	20	
Bromodichloromethane	22.0	2.0	ug/l	25.0	ND	88	70-130	6	15	
Bromoform	18.2	5.0	ug/l	25.0	ND	73	70-120	3	25	
Bromomethane	21.1	5.0	ug/l	25.0	ND	84	80-135	4	20	
2-Butanone (MEK)	21.2	10	ug/l	25.0	ND	85	30-150	7	35	
n-Butylbenzene	23.3	5.0	ug/l	25.0	ND	93	80-135	7	20	
sec-Butylbenzene	22.1	5.0	ug/l	25.0	ND	88	80-130	5	20	
tert-Butylbenzene	21.8	5.0	ug/l	25.0	ND	87	80-130	7	20	
Carbon Disulfide	28.8	5.0	ug/l	25.0	ND	115	45-150	7	15	
Carbon tetrachloride	20.1	5.0	ug/l	25.0	ND	80	65-135	6	15	
Chlorobenzene	22.9	1.0	ug/l	25.0	ND	92	80-125	5	15	
Chloroethane	23.7	5.0	ug/l	25.0	ND	95	80-125	5	20	
Chloroform	23.2	2.0	ug/l	25.0	0.49	91	75-130	8	15	
Chloromethane	21.8	5.0	ug/l	25.0	ND	87	65-130	6	20	
2-Chlorotoluene	22.4	5.0	ug/l	25.0	ND	90	80-130	8	15	
4-Chlorotoluene	22.7	5.0	ug/l	25.0	ND	91	80-135	7	15	
Dibromochloromethane	20.3	2.0	ug/l	25.0	ND	81	75-120	2	20	
1,2-Dibromo-3-chloropropane	16.8	5.0	ug/l	25.0	ND	67	50-130	7	35	
1,2-Dibromoethane (EDB)	21.3	2.0	ug/l	25.0	ND	85	70-130	1	25	
Dibromomethane	21.8	2.0	ug/l	25.0	ND	87	75-130	5	25	
1,2-Dichlorobenzene	22.1	1.0	ug/l	25.0	ND	88	80-130	7	15	
1,3-Dichlorobenzene	22.3	1.0	ug/l	25.0	ND	89	80-130	6	15	
1,4-Dichlorobenzene	23.2	1.0	ug/l	25.0	ND	93	80-125	7	10	
Dichlorodifluoromethane	13.5	5.0	ug/l	25.0	ND	54	60-140	5	45	*M2*
1,1-Dichloroethane	23.2	2.0	ug/l	25.0	ND	93	80-125	6	15	
1,2-Dichloroethane	22.0	1.0	ug/l	25.0	ND	88	60-145	3	20	
1,1-Dichloroethene	23.2	5.0	ug/l	25.0	ND	93	75-130	6	15	
cis-1,2-Dichloroethene	22.9	2.0	ug/l	25.0	ND	92	80-125	6	15	
trans-1,2-Dichloroethene	22.7	2.0	ug/l	25.0	ND	91	80-120	6	15	
1,2-Dichloropropane	24.6	2.0	ug/l	25.0	ND	98	80-125	6	15	
1,3-Dichloropropane	23.3	2.0	ug/l	25.0	ND	93	75-130	3	20	
2,2-Dichloropropane	21.8	2.0	ug/l	25.0	ND	87	60-135	5	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2216 Extracted: 09/22/06										
Matrix Spike Dup Analyzed: 09/22/2006 (P6I2216-MSD1)					**Source: PPI0345-07**					
1,1-Dichloropropene	22.4	2.0	ug/l	25.0	ND	90	80-125	5	15	
cis-1,3-Dichloropropene	23.0	2.0	ug/l	25.0	ND	92	75-120	4	15	
trans-1,3-Dichloropropene	21.6	2.0	ug/l	25.0	ND	86	75-130	3	25	
Ethylbenzene	23.4	2.0	ug/l	25.0	ND	94	80-130	5	15	
Hexachlorobutadiene	21.7	5.0	ug/l	25.0	ND	87	65-130	4	15	
2-Hexanone	19.8	10	ug/l	25.0	ND	79	40-150	9	35	
Iodomethane	25.5	2.0	ug/l	25.0	ND	102	70-140	1	15	
Isopropylbenzene	23.6	2.0	ug/l	25.0	ND	94	80-140	6	20	
p-Isopropyltoluene	22.6	2.0	ug/l	25.0	ND	90	80-135	6	20	
Methylene chloride	24.4	5.0	ug/l	25.0	ND	98	75-125	7	15	
4-Methyl-2-pentanone (MIBK)	20.3	10	ug/l	25.0	ND	81	40-140	4	35	
Methyl-tert-butyl Ether (MTBE)	22.5	5.0	ug/l	25.0	ND	90	65-135	1	30	
Naphthalene	18.8	2.0	ug/l	25.0	ND	75	60-140	4	30	
n-Propylbenzene	23.4	2.0	ug/l	25.0	ND	94	80-140	7	20	
Styrene	4.81	2.0	ug/l	25.0	ND	19	30-150	46	25	*M2*
1,1,1,2-Tetrachloroethane	21.8	5.0	ug/l	25.0	ND	87	80-130	6	15	
1,1,2,2-Tetrachloroethane	21.9	2.0	ug/l	25.0	ND	88	65-140	2	35	
Tetrachloroethene	22.3	2.0	ug/l	25.0	ND	89	80-130	5	15	
Toluene	23.8	2.0	ug/l	25.0	ND	95	80-130	7	15	
1,2,3-Trichlorobenzene	21.0	5.0	ug/l	25.0	ND	84	75-140	3	20	
1,2,4-Trichlorobenzene	22.4	5.0	ug/l	25.0	ND	90	80-135	4	15	
1,1,1-Trichloroethane	20.7	2.0	ug/l	25.0	ND	83	70-135	5	15	
1,1,2-Trichloroethane	21.3	2.0	ug/l	25.0	ND	85	70-135	3	25	
Trichloroethene	24.6	2.0	ug/l	25.0	2.2	90	80-125	5	15	
Trichlorofluoromethane	20.1	5.0	ug/l	25.0	ND	80	70-140	5	15	
1,2,3-Trichloropropane	20.1	10	ug/l	25.0	ND	80	65-135	1	35	
1,2,4-Trimethylbenzene	22.8	2.0	ug/l	25.0	ND	91	75-130	6	15	
1,3,5-Trimethylbenzene	21.9	2.0	ug/l	25.0	ND	88	80-135	7	15	
Vinyl acetate	9.45	25	ug/l	25.0	ND	38	30-150	29	35	
Vinyl chloride	22.4	1.7	ug/l	25.0	ND	90	70-135	7	25	
Xylenes, Total	46.0	3.0	ug/l	50.0	ND	92	80-125	6	15	
Surrogate: Dibromofluoromethane	*25.6*		*ug/l*	*25.0*		*102*	*80-130*			
Surrogate: Toluene-d8	*25.8*		*ug/l*	*25.0*		*103*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.5*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2506 Extracted: 09/22/06										
Blank Analyzed: 09/22/2006 (P6I2506-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2506 Extracted: 09/22/06										
Blank Analyzed: 09/22/2006 (P6I2506-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*26.9*		*ug/l*	*25.0*		*108*	*80-130*			
Surrogate: Toluene-d8	*25.4*		*ug/l*	*25.0*		*102*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.1*		*ug/l*	*25.0*		*96*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2506 Extracted: 09/22/06										
LCS Analyzed: 09/22/2006 (P6I2506-BS1)										
Acetone	25.6	20	ug/l	25.0		102	30-150			
Benzene	23.1	1.0	ug/l	25.0		92	80-120			
Bromobenzene	23.6	5.0	ug/l	25.0		94	80-125			
Bromochloromethane	23.9	5.0	ug/l	25.0		96	80-125			
Bromodichloromethane	22.9	2.0	ug/l	25.0		92	80-120			
Bromoform	19.8	5.0	ug/l	25.0		79	70-120			
Bromomethane	23.4	5.0	ug/l	25.0		94	80-135			
2-Butanone (MEK)	22.9	10	ug/l	25.0		92	55-150			
n-Butylbenzene	24.4	5.0	ug/l	25.0		98	80-120			
sec-Butylbenzene	24.9	5.0	ug/l	25.0		100	80-130			
tert-Butylbenzene	24.4	5.0	ug/l	25.0		98	80-130			
Carbon Disulfide	25.2	5.0	ug/l	25.0		101	55-145			
Carbon tetrachloride	23.8	5.0	ug/l	25.0		95	80-120			
Chlorobenzene	23.5	1.0	ug/l	25.0		94	80-120			
Chloroethane	24.6	5.0	ug/l	25.0		98	80-125			
Chloroform	24.3	2.0	ug/l	25.0		97	80-120			
Chloromethane	24.7	5.0	ug/l	25.0		99	70-130			
2-Chlorotoluene	24.2	5.0	ug/l	25.0		97	80-120			
4-Chlorotoluene	24.6	5.0	ug/l	25.0		98	80-120			
Dibromochloromethane	20.4	2.0	ug/l	25.0		82	75-120			
1,2-Dibromo-3-chloropropane	22.4	5.0	ug/l	25.0		90	55-120			
1,2-Dibromoethane (EDB)	22.6	2.0	ug/l	25.0		90	75-125			
Dibromomethane	22.3	2.0	ug/l	25.0		89	80-125			
1,2-Dichlorobenzene	24.6	1.0	ug/l	25.0		98	80-120			
1,3-Dichlorobenzene	23.6	1.0	ug/l	25.0		94	80-125			
1,4-Dichlorobenzene	24.1	1.0	ug/l	25.0		96	80-120			
Dichlorodifluoromethane	18.2	5.0	ug/l	25.0		73	60-140			
1,1-Dichloroethane	24.6	2.0	ug/l	25.0		98	80-120			
1,2-Dichloroethane	24.4	1.0	ug/l	25.0		98	75-125			
1,1-Dichloroethene	23.5	5.0	ug/l	25.0		94	75-120			
cis-1,2-Dichloroethene	23.7	2.0	ug/l	25.0		95	80-125			
trans-1,2-Dichloroethene	24.8	2.0	ug/l	25.0		99	80-120			
1,2-Dichloropropane	24.2	2.0	ug/l	25.0		97	80-120			
1,3-Dichloropropane	23.4	2.0	ug/l	25.0		94	80-120			
2,2-Dichloropropane	24.8	2.0	ug/l	25.0		99	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2506 Extracted: 09/22/06										
LCS Analyzed: 09/22/2006 (P6I2506-BS1)										
1,1-Dichloropropene	23.9	2.0	ug/l	25.0		96	80-120			
cis-1,3-Dichloropropene	23.4	2.0	ug/l	25.0		94	75-120			
trans-1,3-Dichloropropene	22.5	2.0	ug/l	25.0		90	80-120			
Ethylbenzene	23.6	2.0	ug/l	25.0		94	80-125			
Hexachlorobutadiene	25.2	5.0	ug/l	25.0		101	70-130			
2-Hexanone	22.3	10	ug/l	25.0		89	40-150			
Iodomethane	25.8	2.0	ug/l	25.0		103	80-130			
Isopropylbenzene	26.5	2.0	ug/l	25.0		106	80-140			
p-Isopropyltoluene	25.5	2.0	ug/l	25.0		102	80-130			
Methylene chloride	22.8	5.0	ug/l	25.0		91	80-120			
4-Methyl-2-pentanone (MIBK)	22.4	10	ug/l	25.0		90	50-140			
Methyl-tert-butyl Ether (MTBE)	22.8	5.0	ug/l	25.0		91	65-130			
Naphthalene	24.1	2.0	ug/l	25.0		96	70-130			
n-Propylbenzene	25.3	2.0	ug/l	25.0		101	80-135			
Styrene	24.1	2.0	ug/l	25.0		96	80-125			
1,1,1,2-Tetrachloroethane	23.9	5.0	ug/l	25.0		96	80-120			
1,1,2,2-Tetrachloroethane	23.8	2.0	ug/l	25.0		95	65-140			
Tetrachloroethene	22.1	2.0	ug/l	25.0		88	80-125			
Toluene	23.6	2.0	ug/l	25.0		94	80-125			
1,2,3-Trichlorobenzene	26.6	5.0	ug/l	25.0		106	75-125			
1,2,4-Trichlorobenzene	24.8	5.0	ug/l	25.0		99	80-125			
1,1,1-Trichloroethane	23.9	2.0	ug/l	25.0		96	75-125			
1,1,2-Trichloroethane	22.4	2.0	ug/l	25.0		90	80-125			
Trichloroethene	23.4	2.0	ug/l	25.0		94	80-120			
Trichlorofluoromethane	25.8	5.0	ug/l	25.0		103	75-130			
1,2,3-Trichloropropane	23.5	10	ug/l	25.0		94	65-135			
1,2,4-Trimethylbenzene	24.6	2.0	ug/l	25.0		98	80-125			
1,3,5-Trimethylbenzene	24.5	2.0	ug/l	25.0		98	80-130			
Vinyl acetate	32.1	25	ug/l	25.0		128	70-140			
Vinyl chloride	25.0	1.7	ug/l	25.0		100	70-135			
Xylenes, Total	47.1	3.0	ug/l	50.0		94	80-125			
Surrogate: Dibromofluoromethane	*27.2*		*ug/l*	*25.0*		*109*	*80-130*			
Surrogate: Toluene-d8	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.3*		*ug/l*	*25.0*		*105*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2506 Extracted: 09/22/06										
LCS Dup Analyzed: 09/22/2006 (P6I2506-BSD1)										
Acetone	26.9	20	ug/l	25.0		108	30-150	5	35	
Benzene	23.0	1.0	ug/l	25.0		92	80-120	0	10	
Bromobenzene	25.2	5.0	ug/l	25.0		101	80-125	7	10	
Bromochloromethane	23.8	5.0	ug/l	25.0		95	80-125	0	15	
Bromodichloromethane	22.9	2.0	ug/l	25.0		92	80-120	0	15	
Bromoform	21.0	5.0	ug/l	25.0		84	70-120	6	20	
Bromomethane	23.8	5.0	ug/l	25.0		95	80-135	2	15	
2-Butanone (MEK)	23.5	10	ug/l	25.0		94	55-150	3	35	
n-Butylbenzene	23.8	5.0	ug/l	25.0		95	80-120	2	10	
sec-Butylbenzene	24.6	5.0	ug/l	25.0		98	80-130	1	10	
tert-Butylbenzene	24.7	5.0	ug/l	25.0		99	80-130	1	10	
Carbon Disulfide	24.8	5.0	ug/l	25.0		99	55-145	2	15	
Carbon tetrachloride	23.2	5.0	ug/l	25.0		93	80-120	3	15	
Chlorobenzene	22.8	1.0	ug/l	25.0		91	80-120	3	10	
Chloroethane	23.8	5.0	ug/l	25.0		95	80-125	3	15	
Chloroform	23.7	2.0	ug/l	25.0		95	80-120	2	10	
Chloromethane	24.6	5.0	ug/l	25.0		98	70-130	0	15	
2-Chlorotoluene	24.3	5.0	ug/l	25.0		97	80-120	0	10	
4-Chlorotoluene	24.8	5.0	ug/l	25.0		99	80-120	1	10	
Dibromochloromethane	20.2	2.0	ug/l	25.0		81	75-120	1	15	
1,2-Dibromo-3-chloropropane	24.5	5.0	ug/l	25.0		98	55-120	9	35	
1,2-Dibromoethane (EDB)	23.3	2.0	ug/l	25.0		93	75-125	3	20	
Dibromomethane	23.0	2.0	ug/l	25.0		92	80-125	3	20	
1,2-Dichlorobenzene	23.8	1.0	ug/l	25.0		95	80-120	3	10	
1,3-Dichlorobenzene	23.2	1.0	ug/l	25.0		93	80-125	2	10	
1,4-Dichlorobenzene	23.6	1.0	ug/l	25.0		94	80-120	2	10	
Dichlorodifluoromethane	18.9	5.0	ug/l	25.0		76	60-140	4	15	
1,1-Dichloroethane	24.2	2.0	ug/l	25.0		97	80-120	2	10	
1,2-Dichloroethane	25.3	1.0	ug/l	25.0		101	75-125	4	20	
1,1-Dichloroethene	23.3	5.0	ug/l	25.0		93	75-120	1	15	
cis-1,2-Dichloroethene	23.9	2.0	ug/l	25.0		96	80-125	1	10	
trans-1,2-Dichloroethene	24.3	2.0	ug/l	25.0		97	80-120	2	10	
1,2-Dichloropropane	24.6	2.0	ug/l	25.0		98	80-120	2	15	
1,3-Dichloropropane	23.2	2.0	ug/l	25.0		93	80-120	1	15	
2,2-Dichloropropane	24.3	2.0	ug/l	25.0		97	70-130	2	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2506 Extracted: 09/22/06										
LCS Dup Analyzed: 09/22/2006 (P6I2506-BSD1)										
1,1-Dichloropropene	23.9	2.0	ug/l	25.0		96	80-120	0	10	
cis-1,3-Dichloropropene	23.5	2.0	ug/l	25.0		94	75-120	0	15	
trans-1,3-Dichloropropene	23.0	2.0	ug/l	25.0		92	80-120	2	20	
Ethylbenzene	23.4	2.0	ug/l	25.0		94	80-125	1	15	
Hexachlorobutadiene	22.9	5.0	ug/l	25.0		92	70-130	10	15	
2-Hexanone	23.7	10	ug/l	25.0		95	40-150	6	35	
Iodomethane	25.0	2.0	ug/l	25.0		100	80-130	3	10	
Isopropylbenzene	26.3	2.0	ug/l	25.0		105	80-140	1	10	
p-Isopropyltoluene	24.7	2.0	ug/l	25.0		99	80-130	3	15	
Methylene chloride	23.1	5.0	ug/l	25.0		92	80-120	1	10	
4-Methyl-2-pentanone (MIBK)	23.7	10	ug/l	25.0		95	50-140	6	35	
Methyl-tert-butyl Ether (MTBE)	23.3	5.0	ug/l	25.0		93	65-130	2	25	
Naphthalene	23.8	2.0	ug/l	25.0		95	70-130	1	20	
n-Propylbenzene	25.4	2.0	ug/l	25.0		102	80-135	0	10	
Styrene	23.3	2.0	ug/l	25.0		93	80-125	3	15	
1,1,1,2-Tetrachloroethane	23.7	5.0	ug/l	25.0		95	80-120	1	15	
1,1,2,2-Tetrachloroethane	26.1	2.0	ug/l	25.0		104	65-140	9	25	
Tetrachloroethene	21.2	2.0	ug/l	25.0		85	80-125	4	15	
Toluene	22.9	2.0	ug/l	25.0		92	80-125	3	10	
1,2,3-Trichlorobenzene	24.5	5.0	ug/l	25.0		98	75-125	8	15	
1,2,4-Trichlorobenzene	23.4	5.0	ug/l	25.0		94	80-125	6	15	
1,1,1-Trichloroethane	23.6	2.0	ug/l	25.0		94	75-125	1	10	
1,1,2-Trichloroethane	22.8	2.0	ug/l	25.0		91	80-125	2	25	
Trichloroethene	23.2	2.0	ug/l	25.0		93	80-120	1	10	
Trichlorofluoromethane	25.7	5.0	ug/l	25.0		103	75-130	0	10	
1,2,3-Trichloropropane	24.0	10	ug/l	25.0		96	65-135	2	25	
1,2,4-Trimethylbenzene	24.5	2.0	ug/l	25.0		98	80-125	0	10	
1,3,5-Trimethylbenzene	24.8	2.0	ug/l	25.0		99	80-130	1	10	
Vinyl acetate	32.5	25	ug/l	25.0		130	70-140	1	30	
Vinyl chloride	24.8	1.7	ug/l	25.0		99	70-135	1	15	
Xylenes, Total	46.4	3.0	ug/l	50.0		93	80-125	1	15	
Surrogate: Dibromofluoromethane	*27.5*		*ug/l*	*25.0*		*110*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.6*		*ug/l*	*25.0*		*102*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2506 Extracted: 09/22/06										
Matrix Spike Analyzed: 09/22/2006 (P6I2506-MS1)					**Source: PPI0454-01**					
Acetone	54.1	20	ug/l	25.0	31	92	15-150			
Benzene	23.3	1.0	ug/l	25.0	ND	93	80-125			
Bromobenzene	25.2	5.0	ug/l	25.0	ND	101	80-125			
Bromochloromethane	23.3	5.0	ug/l	25.0	ND	93	80-130			
Bromodichloromethane	20.9	2.0	ug/l	25.0	ND	84	70-130			
Bromoform	19.8	5.0	ug/l	25.0	ND	79	70-120			
Bromomethane	20.4	5.0	ug/l	25.0	ND	82	80-135			
2-Butanone (MEK)	28.3	10	ug/l	25.0	ND	113	30-150			
n-Butylbenzene	28.6	5.0	ug/l	25.0	5.7	92	80-135			
sec-Butylbenzene	24.6	5.0	ug/l	25.0	ND	98	80-130			
tert-Butylbenzene	24.2	5.0	ug/l	25.0	ND	97	80-130			
Carbon Disulfide	23.5	5.0	ug/l	25.0	ND	94	45-150			
Carbon tetrachloride	20.5	5.0	ug/l	25.0	ND	82	65-135			
Chlorobenzene	23.3	1.0	ug/l	25.0	ND	93	80-125			
Chloroethane	22.5	5.0	ug/l	25.0	ND	90	80-125			
Chloroform	21.8	2.0	ug/l	25.0	ND	87	75-130			
Chloromethane	20.0	5.0	ug/l	25.0	ND	80	65-130			
2-Chlorotoluene	40.2	5.0	ug/l	25.0	ND	161	80-130			*M1*
4-Chlorotoluene	32.8	5.0	ug/l	25.0	ND	131	80-135			
Dibromochloromethane	18.8	2.0	ug/l	25.0	ND	75	75-120			
1,2-Dibromo-3-chloropropane	20.7	5.0	ug/l	25.0	ND	83	50-130			*V1*
1,2-Dibromoethane (EDB)	21.7	2.0	ug/l	25.0	ND	87	70-130			
Dibromomethane	21.2	2.0	ug/l	25.0	ND	85	75-130			
1,2-Dichlorobenzene	23.6	1.0	ug/l	25.0	ND	94	80-130			
1,3-Dichlorobenzene	23.3	1.0	ug/l	25.0	ND	93	80-130			
1,4-Dichlorobenzene	23.9	1.0	ug/l	25.0	ND	96	80-125			
Dichlorodifluoromethane	14.1	5.0	ug/l	25.0	ND	56	60-140			*M2*
1,1-Dichloroethane	22.0	2.0	ug/l	25.0	ND	88	80-125			
1,2-Dichloroethane	34.6	1.0	ug/l	25.0	13	86	60-145			
1,1-Dichloroethene	32.5	5.0	ug/l	25.0	10	90	75-130			
cis-1,2-Dichloroethene	23.7	2.0	ug/l	25.0	ND	95	80-125			
trans-1,2-Dichloroethene	23.0	2.0	ug/l	25.0	ND	92	80-120			
1,2-Dichloropropane	23.6	2.0	ug/l	25.0	ND	94	80-125			
1,3-Dichloropropane	22.9	2.0	ug/l	25.0	ND	92	75-130			
2,2-Dichloropropane	20.2	2.0	ug/l	25.0	ND	81	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2506 Extracted: 09/22/06										
Matrix Spike Analyzed: 09/22/2006 (P6I2506-MS1)					**Source: PPI0454-01**					
1,1-Dichloropropene	22.2	2.0	ug/l	25.0	ND	89	80-125			
cis-1,3-Dichloropropene	22.6	2.0	ug/l	25.0	ND	90	75-120			
trans-1,3-Dichloropropene	21.2	2.0	ug/l	25.0	ND	85	75-130			
Ethylbenzene	158	2.0	ug/l	25.0	140	72	80-130			*M2*
Hexachlorobutadiene	22.6	5.0	ug/l	25.0	ND	90	65-130			
2-Hexanone	23.6	10	ug/l	25.0	ND	94	40-150			
Iodomethane	25.3	2.0	ug/l	25.0	ND	101	70-140			
Isopropylbenzene	37.2	2.0	ug/l	25.0	11	105	80-140			
p-Isopropyltoluene	25.5	2.0	ug/l	25.0	1.5	96	80-135			
Methylene chloride	21.4	5.0	ug/l	25.0	ND	86	75-125			
4-Methyl-2-pentanone (MIBK)	22.1	10	ug/l	25.0	ND	88	40-140			
Methyl-tert-butyl Ether (MTBE)	20.5	5.0	ug/l	25.0	ND	82	65-135			
Naphthalene	56.6	2.0	ug/l	25.0	28	114	60-140			
n-Propylbenzene	51.0	2.0	ug/l	25.0	27	96	80-140			
Styrene	24.4	2.0	ug/l	25.0	ND	98	30-150			
1,1,1,2-Tetrachloroethane	22.2	5.0	ug/l	25.0	ND	89	80-130			
1,1,2,2-Tetrachloroethane	21.5	2.0	ug/l	25.0	ND	86	65-140			*V1*
Tetrachloroethene	50.7	2.0	ug/l	25.0	28	91	80-130			
Toluene	408	2.0	ug/l	25.0	390	72	80-130			*N1, M3*
1,2,3-Trichlorobenzene	25.7	5.0	ug/l	25.0	ND	103	75-140			
1,2,4-Trichlorobenzene	24.2	5.0	ug/l	25.0	ND	97	80-135			
1,1,1-Trichloroethane	20.3	2.0	ug/l	25.0	ND	81	70-135			
1,1,2-Trichloroethane	22.5	2.0	ug/l	25.0	ND	90	70-135			
Trichloroethene	30.5	2.0	ug/l	25.0	7.6	92	80-125			
Trichlorofluoromethane	20.5	5.0	ug/l	25.0	ND	82	70-140			
1,2,3-Trichloropropane	21.9	10	ug/l	25.0	ND	88	65-135			
1,2,4-Trimethylbenzene	150	2.0	ug/l	25.0	130	80	75-130			
1,3,5-Trimethylbenzene	82.7	2.0	ug/l	25.0	60	91	80-135			
Vinyl acetate	28.5	25	ug/l	25.0	ND	114	30-150			
Vinyl chloride	20.2	1.7	ug/l	25.0	ND	81	70-135			
Xylenes, Total	873	3.0	ug/l	50.0	840	66	80-125			*N1, M3*
Surrogate: Dibromofluoromethane	*24.7*		*ug/l*	*25.0*		*99*	*80-130*			
Surrogate: Toluene-d8	*25.3*		*ug/l*	*25.0*		*101*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.0*		*ug/l*	*25.0*		*96*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2506 Extracted: 09/22/06										
Matrix Spike Dup Analyzed: 09/22/2006 (P6I2506-MSD1)					**Source: PPI0454-01**					
Acetone	55.5	20	ug/l	25.0	31	98	15-150	3	35	
Benzene	23.9	1.0	ug/l	25.0	ND	96	80-125	3	10	
Bromobenzene	25.8	5.0	ug/l	25.0	ND	103	80-125	2	15	
Bromochloromethane	23.1	5.0	ug/l	25.0	ND	92	80-130	1	20	
Bromodichloromethane	21.8	2.0	ug/l	25.0	ND	87	70-130	4	15	
Bromoform	20.7	5.0	ug/l	25.0	ND	83	70-120	4	25	
Bromomethane	20.3	5.0	ug/l	25.0	ND	81	80-135	1	20	
2-Butanone (MEK)	28.4	10	ug/l	25.0	ND	114	30-150	0	35	
n-Butylbenzene	27.3	5.0	ug/l	25.0	5.7	86	80-135	5	20	
sec-Butylbenzene	24.1	5.0	ug/l	25.0	ND	96	80-130	2	20	
tert-Butylbenzene	23.2	5.0	ug/l	25.0	ND	93	80-130	4	20	
Carbon Disulfide	23.6	5.0	ug/l	25.0	ND	94	45-150	0	15	
Carbon tetrachloride	20.1	5.0	ug/l	25.0	ND	80	65-135	2	15	
Chlorobenzene	23.2	1.0	ug/l	25.0	ND	93	80-125	0	15	
Chloroethane	22.1	5.0	ug/l	25.0	ND	88	80-125	2	20	
Chloroform	21.7	2.0	ug/l	25.0	ND	87	75-130	1	15	
Chloromethane	19.9	5.0	ug/l	25.0	ND	80	65-130	1	20	
2-Chlorotoluene	38.9	5.0	ug/l	25.0	ND	156	80-130	3	15	*M1*
4-Chlorotoluene	31.1	5.0	ug/l	25.0	ND	124	80-135	5	15	
Dibromochloromethane	19.0	2.0	ug/l	25.0	ND	76	75-120	1	20	
1,2-Dibromo-3-chloropropane	22.3	5.0	ug/l	25.0	ND	89	50-130	7	35	*V1*
1,2-Dibromoethane (EDB)	22.2	2.0	ug/l	25.0	ND	89	70-130	2	25	
Dibromomethane	21.7	2.0	ug/l	25.0	ND	87	75-130	2	25	
1,2-Dichlorobenzene	23.2	1.0	ug/l	25.0	ND	93	80-130	2	15	
1,3-Dichlorobenzene	22.8	1.0	ug/l	25.0	ND	91	80-130	2	15	
1,4-Dichlorobenzene	23.9	1.0	ug/l	25.0	ND	96	80-125	0	10	
Dichlorodifluoromethane	13.7	5.0	ug/l	25.0	ND	55	60-140	3	45	*M2*
1,1-Dichloroethane	21.9	2.0	ug/l	25.0	ND	88	80-125	1	15	
1,2-Dichloroethane	35.5	1.0	ug/l	25.0	13	90	60-145	3	20	
1,1-Dichloroethene	32.2	5.0	ug/l	25.0	10	89	75-130	1	15	
cis-1,2-Dichloroethene	24.3	2.0	ug/l	25.0	ND	97	80-125	2	15	
trans-1,2-Dichloroethene	23.7	2.0	ug/l	25.0	ND	95	80-120	3	15	
1,2-Dichloropropane	23.5	2.0	ug/l	25.0	ND	94	80-125	0	15	
1,3-Dichloropropane	21.8	2.0	ug/l	25.0	ND	87	75-130	5	20	
2,2-Dichloropropane	20.0	2.0	ug/l	25.0	ND	80	60-135	1	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2506 Extracted: 09/22/06										
Matrix Spike Dup Analyzed: 09/22/2006 (P6I2506-MSD1)					**Source: PPI0454-01**					
1,1-Dichloropropene	22.6	2.0	ug/l	25.0	ND	90	80-125	2	15	
cis-1,3-Dichloropropene	23.1	2.0	ug/l	25.0	ND	92	75-120	2	15	
trans-1,3-Dichloropropene	21.8	2.0	ug/l	25.0	ND	87	75-130	3	25	
Ethylbenzene	151	2.0	ug/l	25.0	140	44	80-130	5	15	*M2*
Hexachlorobutadiene	21.9	5.0	ug/l	25.0	ND	88	65-130	3	15	
2-Hexanone	23.3	10	ug/l	25.0	ND	93	40-150	1	35	
Iodomethane	25.1	2.0	ug/l	25.0	ND	100	70-140	1	15	
Isopropylbenzene	34.8	2.0	ug/l	25.0	11	95	80-140	7	20	
p-Isopropyltoluene	24.6	2.0	ug/l	25.0	1.5	92	80-135	4	20	
Methylene chloride	21.9	5.0	ug/l	25.0	ND	88	75-125	2	15	
4-Methyl-2-pentanone (MIBK)	24.3	10	ug/l	25.0	ND	97	40-140	9	35	
Methyl-tert-butyl Ether (MTBE)	21.6	5.0	ug/l	25.0	ND	86	65-135	5	30	
Naphthalene	58.1	2.0	ug/l	25.0	28	120	60-140	3	30	
n-Propylbenzene	47.8	2.0	ug/l	25.0	27	83	80-140	6	20	
Styrene	24.1	2.0	ug/l	25.0	ND	96	30-150	1	25	
1,1,1,2-Tetrachloroethane	22.8	5.0	ug/l	25.0	ND	91	80-130	3	15	
1,1,2,2-Tetrachloroethane	22.9	2.0	ug/l	25.0	ND	92	65-140	6	35	*V1*
Tetrachloroethene	50.8	2.0	ug/l	25.0	28	91	80-130	0	15	
Toluene	405	2.0	ug/l	25.0	390	60	80-130	1	15	*N1, M3*
1,2,3-Trichlorobenzene	26.7	5.0	ug/l	25.0	ND	107	75-140	4	20	
1,2,4-Trichlorobenzene	24.6	5.0	ug/l	25.0	ND	98	80-135	2	15	
1,1,1-Trichloroethane	20.2	2.0	ug/l	25.0	ND	81	70-135	1	15	
1,1,2-Trichloroethane	22.8	2.0	ug/l	25.0	ND	91	70-135	1	25	
Trichloroethene	30.6	2.0	ug/l	25.0	7.6	92	80-125	0	15	
Trichlorofluoromethane	20.0	5.0	ug/l	25.0	ND	80	70-140	2	15	
1,2,3-Trichloropropane	23.3	10	ug/l	25.0	ND	93	65-135	6	35	
1,2,4-Trimethylbenzene	143	2.0	ug/l	25.0	130	52	75-130	5	15	*M2*
1,3,5-Trimethylbenzene	79.0	2.0	ug/l	25.0	60	76	80-135	5	15	*M2*
Vinyl acetate	29.8	25	ug/l	25.0	ND	119	30-150	4	35	
Vinyl chloride	20.0	1.7	ug/l	25.0	ND	80	70-135	1	25	
Xylenes, Total	842	3.0	ug/l	50.0	840	4	80-125	4	15	*N1, M3*
Surrogate: Dibromofluoromethane	*25.4*		*ug/l*	*25.0*		*102*	*80-130*			
Surrogate: Toluene-d8	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.2*		*ug/l*	*25.0*		*97*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

DATA QUALIFIERS AND DEFINITIONS

M1	Matrix spike recovery was high, the method control sample recovery was acceptable.
M2	Matrix spike recovery was low, the method control sample recovery was acceptable.
M3	The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
N1	See case narrative.
V1	CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
ND	Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
RPD	Relative Percent Difference

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0345

Sampled: 09/12/06
Received: 09/13/06

Certification Summary

TestAmerica - Phoenix, AZ

Method	Matrix	Nelac	Arizona
EPA 8015B	Water	X	X
EPA 8260B	Water	X	X

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

Subcontracted Laboratories

Transwest Geochem *Arizona Cert #AZ0133*
3725 E. Atlanta Ave Ste 1 - Phoenix, AZ 85040-2961

Analysis Performed: 8015B MOD-Low Level
Samples: PPI0345-08, PPI0345-09, PPI0345-11

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Jennifer [illegible]
CH2M HILL
2625 South Plaza [illegible]
Tempe, AZ 85282
480-377-6287

Turn Around Time
21 Day ☐
28 Day ☐

Lab Use Only
Project No:
Job No.

	Sample Identification		Sample Date	Sample Time	Sample Type	Matrix	# of Cont.	Preservation Used	Use for MS / MSD	Filtered Sample	Unfiltered Sample	SW8015	SW8260	Lab Sample Numbers
	Location ID	Field Sample ID												
1	Trip Blank	TB-091206A	Sep 12 2006	0628	BLKWATER	WATER	1	X			X		X	8PI0345-01
2	BC-14	BC-14-6C2	Sep 12 2006	0739	GW	WATER	3	X			X		X	-02
3	FIELDQC	PL-506-6C2	Sep 12 2006	0749	GW	WATER	3	X			X		X	-03
4	BC-13	BC-13-6C2	Sep 12 2006	0826	GW	WATER	3	X			X		X	-04
5	BC-15	BC-15-6C2	Sep 12 2006	1120	GW	WATER	3	X			X		X	-05
6	ASE-69A	ASE-69A-6C2	Sep 12 2006	1003	GW	WATER	3	X			X		X	-06
7	PL-2103	PL-2103-6C2	Sep 12 2006	0928	GW	WATER	5	X	X		X		X	-07
8	PL-2102	PL-2102-6C2	Sep 12 2006	1151	GW	WATER	5	X			X	X	X	-08
9	PL-2101	PL-2101-6C2	Sep 12 2006	1229	GW	WATER	5	X			X	X	X	-09
10	BC-4	BC-4-6C2	Sep 12 2006	1349	GW	WATER	3	X			X		X	-10
11	ASE-54A	ASE-54A-6C2	Sep 12 2006	1306	GW	WATER	5	X			X	X	X	-11
12														
13														
14														
15														
16														
17														
18														
19														
20														
21														
22														
23														

Special Instructions: Standard TAT 10 days. The SW8015 is for low level analysis and we need the raw data.

Relinquished by:	Company:	Date/Time:	Received by:	Company:
	H+A	09/13/06 1148		
Relinquished by:	Company:	Date/Time:	Received by:	Company: 09/13/06
Relinquished by:	Company: 09/13/06	Date/Time:	Received by:	Company:

TRANSWEST GEOCHEM

October 04, 2006

Ken Baker
TestAmerica - Phoenix
9830 S. 51st Street
Suite B-120
Phoenix, AZ 85044

Re: PPI0345
Work Order No.: 0609214

Dear Ken,

Attached is the original Report of Analysis from Columbia Analytical Services, Inc. (AZ0604) for the samples received on 9/13/06. The following analysis was performed:

Method EPA 8015B – Diesel Range Organics

If you have any questions regarding the results, please call me. We appreciate your business and thank you for choosing Transwest Geochem.

Sincerely,

Skip Harden
Project Manager

ADHS License No. AZM133/AZ0133

CONFIDENTIAL AND PRIVILEGED

[illegible] Avenue • [illegible], Arizona 85040 • (602) 437-0330 • (800) 927-5183 • Fax (602) 437-0660
[illegible] • Suite 301 • Tucson, Arizona 85714 • (520) 573-1061 • Fax (520) 573-1063

5090 Caterpillar Road Redding, California 96003 (530) 244-5227 (530) 244-4109 fax

Columbia Analytical Services INC.
An Employee - Owned Company

September 28, 2006

Service Request No: D0601340

Skip Harden
Transwest Geochem, Incorporated
3725 East Atlanta Avenue
Suite 2
Phoenix, AZ 85040-2960

RE: PPC/PPD PPI0345/0609214

Dear Skip:

Enclosed are the results of the sample(s) submitted to our laboratory on September 14, 2006. For your reference, these analyses have been assigned our service request number D0601340.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 112. You may also contact me via email at mhovanec@redding.caslab.com.

Respectfully submitted,

Columbia Analytical Services, Inc.

Michael Hovanec
Project Chemist

NELAP Accredited ACIL Seal of Excellence Award 100% Recycled

Current CAS Redding Accreditation Programs

Federal and National Programs

- U.S Air Force, Air Force Center for Environmental Excellence (AFCEE)
  Approved laboratory for Wastewater and Hazardous Waste
- U.S. Army Corps of Engineers – MRD, HTRW Mandatory Center of Expertise
  Validated for Wastewater and Hazardous Waste
- Department of the Navy, Naval Facilities Engineering Service Center (NFESC)
  Approved laboratory for Wastewater and Hazardous Waste

State and Local Programs

- State of Alaska, Department of Environmental Conservation
  Approved Laboratory for Contaminated Sites
  Lab ID UST-001
- State of Arizona, Department of Health Services, Office of Laboratory Licensure
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID AZ0604
- State of California, Department of Health Services, National Environmental Laboratory Accreditation Program **(NELAP)**
  Approved Laboratory for Drinking Water, Wastewater and Hazardous Waste
  Lab ID 01105CA
  - Los Angeles County Sanitation District
    Approved Laboratory for Wastewater
    Lab ID 10243
- State of California, Department of Health Services, Environmental Laboratory Accreditation Program (ELAP)
  Approved Laboratory for Microbiology of Drinking Water and Wastewater
  Lab ID 2635
- State of Florida, Department of Health, Bureau of Laboratories **(NELAP)**
  Approved Environmental Testing Laboratory for Wastewater and Hazardous Waste
  Lab ID E87203
- State of Kansas, Department of Health and Environment **(NELAP)**
  Approved Laboratory for Hazardous Waste
  Lab ID E-10323
- State of Massachusetts, Department of Environmental Protection
  Approved laboratory for Drinking Water and Wastewater
  Lab ID M-CA025
- State of Oklahoma, Department of Environmental Quality
  Approved Laboratory for General Water Quality/Sludge Testing
  Lab ID 9952
- State of Oregon, Environmental Laboratory Accreditation Program **(ORELAP)**
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID CA200004
- State of Utah, Department of Health, Bureau of Laboratory Improvement **(NELAP)**
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID QUAL1
- State of Washington, Department of Ecology
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID C1234
- State of Wisconsin, Department of Natural Resources
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID 999767340

Arizona Data Qualifiers
Revision 2.0, 11/26/2003

Developed by the Sub-committee of the
Arizona Environmental Laboratory Advisory Committee

Microbiology:
A1 = Too numerous to count.
A2 = Sample incubation period exceeded method requirement.
A3 = Sample incubation period was shorter than method requirement.
A4 = Target organism detected in associated method blank.
A5 = Incubator/water bath temperature was outside method requirements.
A6 = Target organism not detected in associated positive control.
A7 = Micro sample received without adequate headspace.

Method/calibration blank:
B1 = Target analyte detected in method blank at or above the method reporting limit.
B2 = Non-target analyte detected in method blank and sample, producing interference.
B3 = Target analyte detected in calibration blank at or above the method reporting limit.
B4 = Target analyte detected in blank at/above method acceptance criteria.
B5 = Target analyte detected in method blank at or above the method reporting limit, but below trigger level or MCL.
B6 = Target analyte detected in calibration blank at or above the method reporting limit, but below trigger level or MCL.
B7 = Target analyte detected in method blank at or above method reporting limit. Concentration found in the sample was 10 times above the concentration found in the method blank.

Confirmation:
C1 = Confirmatory analysis not performed as required by the method.
C3 = Qualitative confirmation performed.
C4 = Confirmatory analysis was past holding time.
C5 = Confirmatory analysis was past holding time. Original result not confirmed.
C6 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the higher value was reported as there was no obvious chromatographic interference.
C7 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic interference.

Dilution:
D1 = Sample required dilution due to matrix.
D2 = Sample required dilution due to high concentration of target analyte.
D3 = Sample dilution required due to insufficient sample.
D4 = Minimum reporting level (MRL) adjusted to reflect sample amount received and analyzed.

Estimated concentration:
E1 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not possible due to insufficient sample.
E2 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to sample matrix.
E3 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

E4 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL).
E5 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL), but not confirmed by alternate analysis.
E6 = Concentration estimated. Internal standard recoveries did not meet method acceptance criteria.
E7 = Concentration estimated. Internal standard recoveries did not meet laboratory acceptance criteria.
E8 = Analyte reported to MDL per project specification. Target analyte was not detected in the sample.

Hold time:
H1 = Sample analysis performed past holding time.
H2 = Initial analysis within holding time. Reanalysis for the required dilution was past holding time.
H3 = Sample was received and analyzed past holding time.
H4 = Sample was extracted past required extraction holding time, but analyzed within analysis holding time.

BOD:
K1 = The sample dilutions set-up for the BOD analysis did not meet the oxygen depletion criteria of at least 2 mg/L. Any reported result is an estimated value.
K2 = The sample dilutions set up for the BOD analysis did not meet the criteria of a residual dissolved oxygen of at least 1 mg/L. Any reported result is an estimated value.
K4 = The seed depletion was outside the method acceptance limits. The reported result is an estimated value.
K5 = The dilution water D.O. depletion was > 0.2 mg/L.
K6 = Glucose/glutamic acid BOD was below method acceptance criteria.
K7 = A discrepancy between the BOD and COD results has been verified by reanalysis of the sample for COD.
K8 = Glucose/glutamic acid BOD was above method acceptance levels.

Laboratory fortified blank/blank spike:

L1 = The associated blank spike recovery was above laboratory acceptance limits.
L2 = The associated blank spike recovery was below laboratory acceptance limits.
L3 = The associated blank spike recovery was above method acceptance limits.
L4 = The associated blank spike recovery was below method acceptance limits.

Matrix spike:
M1 = Matrix spike recovery was high, the method control sample recovery was acceptable.
M2 = Matrix spike recovery was low, the method control sample recovery was acceptable.
M3 = The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
M4 = The analysis of the spiked sample required a dilution such that the spike concentration was diluted below the reporting limit. The method control sample recovery was acceptable.
M5 = Analyte concentration was determined by the method of standard addition (MSA).

M6 = Matrix spike recovery was high. Data reported per ADEQ policy 0154.000.
M7 = Matrix spike recovery was low. Data reported per ADEQ policy 0154.000.

General:
N1 = See case narrative.
N2 = See corrective action report.
N3 = The analysis meets all method requirements. See case narrative.

Sample quality:
Q1 = Sample integrity was not maintained. See case narrative.
Q2 = Sample received with headspace.
Q3 = Sample received with improper chemical preservation.
Q4 = Sample received and analyzed without chemical preservation.
Q5 = Sample received with inadequate chemical preservation, but preserved by the laboratory.
Q6 = Sample was received above recommended temperature.
Q7 = Sample inadequately dechlorinated.
Q8 = Insufficient sample received to meet method QC requirements. Batch QC requirements satisfies ADEQ policies 0154 and 0155.
Q9 = Insufficient sample received to meet method QC requirements.
Q10 = Sample received in inappropriate sample container.
Q11 = Sample is heterogeneous. Sample homogeneity could not be readily achieved using routine laboratory practices.

Duplicates:
R1 = RPD exceeded the method control limit. See case narrative.
R2 = RPD exceeded the laboratory control limit. See case narrative.
R4 = MS/MSD RPD exceeded the method control limit. Recovery met acceptance criteria.
R5 = MS/MSD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R6 = LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
R7 = LFB/LFBD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R8 = Sample RPD exceeded the method control limit.
R9 = Sample RPD exceeded the laboratory control limit.
R10 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic problems.
R11 = The RPD calculation for MS/MSD does not provide useful information due to the varying sample weights when Encore samplers/methanol field preserved samples are used.

Surrogate:
S1 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits.
S3 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits. No target analytes were detected in the sample.
S4 = Surrogate recovery was above laboratory and method acceptance limits. No target analytes were detected in the sample.
S5 = Surrogate recovery was below laboratory acceptance limits, but within method acceptance limits.
S6 = Surrogate recovery was below laboratory and method acceptance limits. Reextraction and/or reanalysis confirms low recovery caused by matrix effect.

S7 = Surrogate recovery was below laboratory and method acceptance limits. Unable to confirm matrix effect.
S8 = The analysis of the sample required a dilution such that the surrogate recovery calculation does not provide any useful information. The method control sample recovery was acceptable.
S10 = Surrogate recovery was above laboratory and method acceptance limits. See Case narrative.
S11 = Surrogate recovery was high. Data reported per ADEQ policy 0154.000.
S12 = Surrogate recovery was low. Data reported per ADEQ policy 0154.000.

Method/analyte discrepancies:
T1 = Method approved by EPA, but not yet licensed by ADHS.
T2 = Cited ADHS licensed method does not contain this analyte as part of method compound list.
T3 = Method not promulgated either by EPA or ADHS.
T4 = Tentatively identified compound. Concentration is estimated and based on the closest internal standard.

Calibration verification:
V1 = CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
V2 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample. The sample could not be reanalyzed due to insufficient sample.
V3 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample, but the sample was not reanalyzed. See case narrative.
V4 = CCV recovery was below method acceptance limits. The sample could not be reanalyzed due to insufficient sample.
V5 = CCV recovery after a group of samples was above acceptance limits. This target analyte was not detected in the sample. Acceptable per EPA Method 8000B.
V6 = Data reported from one-point calibration criteria per ADEQ policy 0155.000.
V7 = Calibration verification recovery was above the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.
V8 = Calibration verification recovery was below the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.

Calibration:
W1 = The % RSD for this compound was above 20%. The average % RSD for all compounds in the calibration met the 20% criteria as specified in EPA method 8000B.
W2 = The % RSD for this compound was above 15%. The average % RSD for all compounds in the calibration met the 15% criteria as specified in EPA method 8260B/8270C.

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0345/0609214

Service Request: D0601340

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
D0601340-001	PPI345-08	09/12/06	11:51
D0601340-002	PPI345-09	09/12/06	12:29
D0601340-003	PPI345-11	09/12/06	13:06

CASE NARRATIVE

COLUMBIA ANALYTICAL SERVICES, INC.

Client:	Transwest Geochem, Incorporated	**Service Request No.:**	D0601340
Project:	PPC/PPD PPI0345	**Date Received:**	09/14/06
Sample Matrix:	Aqueous		

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of Columbia Analytical Services, Inc. (CAS).This report contains analytical results for samples designated for Tier II data deliverables.

Sample Receipt

3 Aqueous samples were received for analysis at Columbia Analytical Services on 09/14/06.

No discrepancies were noted upon initial sample inspection. The samples were received in good condition and consistent with the accompanying chain of custody form. The samples were stored in a refrigerator at 4 degrees Celsius upon receipt at the laboratory.

Diesel Range Organics by EPA Method 8015B

Matrix Spike Recovery Exceptions:

Insufficient sample volume was received to perform a Matrix Spike/Matrix Spike Duplicate (MS/MSD). A Laboratory Control Sample/Duplicate Laboratory Control Sample (LCS/DLCS) was analyzed in order to report precision data.

No anomalies associated with the analysis of these samples by the above-mentioned method were observed.

Approved by: _____ **Date:** 9/29/06

CHAIN OF CUSTODY DOCUMENTATION

TRANSWEST GEOCHEM

CHAIN-OF-CUSTODY

[redacted]

Skip Harden
3725 E. Atlanta Avenue
Suite 2
Phoenix, AZ 85040
TEL: (602) 437-0330
FAX: (602) 437-0660

Work Order: 0609214

Project: PPI0345

Subcontractor:
Columbia Analytical Services
5090 Caterpillar Rd.
Redding, CA 96003
TEL: (530) 244-5227
FAX: (530) 244-4109

13-Sep-06

Client Sample ID	TGI ID	Matrix	Collection Date	Containers	Requested Tests: 8015MOD_W
PPI345-08	01A	Water	9/12/2006 11:51:00 AM	1	1
PPI345-09	02A	Water	9/12/2006 12:29:00 PM	1	1
PPI345-11	03A	Water	9/12/2006 1:06:00 PM	1	1

low level

Comments: After analysis, the samples do not need to be returned and can be disposed per your standard laboratory practices. Please provide a QC report, including Method Blank data.

Sample Receipt		
Temperature:	Ambient / Cold	Ice:
Received Intact:		Absent / Present
Custody Seals:		Wet / Blue
Total No. of Containers:		° C.

		Date/Time			Date/Time
Relinquished by:	Leslie May- TGI	9/13/06 1600	**Received by:**	UPS	
Relinquished by:			**Received by:**	K May	9.14.06 9:30
Relinquished by:			**Received by:**		

11

Columbia Analytical Services inc.
An Employee-Owned Company

5090 Caterpillar Road
Redding, CA 96003
Phone: (530) 244-5262
Fax #: (530) 244-4109

[redacted]

COOLER RECEIPT FORM

Project/Client: TGI Batch No.

1. Cooler(s)/Sample(s) received on: _____ Shipped via: UPS

   Shipping Bill # (s): 1Z 52X01 9817 8626 # of Coolers/Packages 5

2. Radiological Screening by: _____ Acceptable Rejected

3. Custody seals on outside of cooler: YES NO N/A

   If yes, where? Front_____ Rear_____ Lt Side_____ Rt Side_____

   Seals intact: YES NO

COOLER/SAMPLE PROCESSING

4. Sample Processing/Tagging by: Tammy Reed

5. Cooler(s)/Sample(s) Temp's: _____ _____ _____ _____ _____

   (or)

   Temp. Blank (if included): 2°C 3°C 3°C 2°C 3°C

6. Type of packing material (circle): Ice Blue Ice Bubble Wrap Bubble Bags Zip Locks Webbing

   Other: _____

7. Custody papers properly filled out (ink, signed, dated, released, etc.)? YES NO

8. Containers arrived in good condition (not broken, leaking, etc.)? YES NO

9. Samples received with adequate holding time remaining to conduct analysis? YES NO

10. Container labels complete (i.e. analysis, preservation, date/time, etc.)? YES NO

11. Container labels and tags agree with custody papers? YES NO

12. Correct types of containers used for the tests indicated? YES NO

    a.) Adequate sample received? If not, note on Exception Report. YES NO

13. Containers supplied by: CAS Other

14. Preserved containers received with the appropriate preservative? YES NO N/A

    pH: _____ (or) See pH log.

15. VOA vials free of air bubbles? YES NO N/A

16. Trip Blank preparation date: _____ CAS Other N/A

17. Volatile Soil samples: Encores or Plugs in Vials

    Freezer or GC/MS Date: _____ Time: _____ N/A

See Exception Report for discrepancies.

Rev. 8/18/2004/ds

Fuel Characterization

COLUMBIA ANALYTICAL SERVICES, INC.

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0345/0609214

Service Request: D0601340

Cover Page - Organic Analysis Data Package
Hydrocarbon Scan / Fuel Characterization

Sample Name	Lab Code	Date Collected	Date Received
PPI345-08	D0601340-001	09/12/2006	09/14/2006
PPI345-09	D0601340-002	09/12/2006	09/14/2006
PPI345-11	D0601340-003	09/12/2006	09/14/2006

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the case narrative. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: Wida Ang

Name: WIDA ANG

Date: 9/27/06

Title: Organic Manager

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0345/0609214
Sample Matrix: Water

Service Request: D0601340
Date Collected: 09/12/2006
Date Received: 09/14/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name: PPI345-08
Lab Code: D0601340-001

Units: ug/L
Basis: NA

Extraction Method: EPA 3510C
Analysis Method: 8015B

Level: Low

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	50	1	09/22/06	09/26/06	
C23 - C32 HRO	ND	U	50	1	09/22/06	09/26/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	75	40-150	09/26/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0345/0609214
Sample Matrix: Water

Service Request: D0601340
Date Collected: 09/12/2006
Date Received: 09/14/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name: PPI345-09
Lab Code: D0601340-002

Units: ug/L
Basis: NA

Extraction Method: EPA 3510C
Analysis Method: 8015B

Level: Low

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	50	1	09/22/06	09/26/06	
C23 - C32 HRO	ND	U	50	1	09/22/06	09/26/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	79	40-150	09/26/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0345/0609214
Sample Matrix: Water

Service Request: D0601340
Date Collected: 09/12/2006
Date Received: 09/14/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name: PPI345-11
Lab Code: D0601340-003

Units: ug/L
Basis: NA

Extraction Method: EPA 3510C
Analysis Method: 8015B

Level: Low

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	50	1	09/22/06	09/26/06	
C23 - C32 HRO	ND	U	50	1	09/22/06	09/26/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	70	40-150	09/26/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0345/0609214
Sample Matrix: Water

Service Request: D0601340
Date Collected: NA
Date Received: NA

Hydrocarbon Scan / Fuel Characterization

Sample Name: Method Blank
Lab Code: LWG0600807-3

Units: ug/L
Basis: NA

Extraction Method: EPA 3510C
Analysis Method: 8015B

Level: Low

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	50	1	09/22/06	09/26/06	
C23 - C32 HRO	ND	U	50	1	09/22/06	09/26/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	78	40-150	09/26/06	

Comments:

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0345/0609214
Sample Matrix: Water

Service Request: D0601340

Surrogate Recovery Summary
Hydrocarbon Scan / Fuel Characterization

Extraction Method: EPA 3510C
Analysis Method: 8015B

Units: PERCENT
Level: Low

Sample Name	Lab Code	Sur1
PPI345-08	D0601340-001	75
PPI345-09	D0601340-002	79
PPI345-11	D0601340-003	70
Method Blank	LWG0600807-3	78
Lab Control Sample	LWG0600807-1	79
Duplicate Lab Control Sample	LWG0600807-2	79

Surrogate Recovery Control Limits (%)

Sur1 = Octacosane 40-150

Results flagged with an asterisk (*) indicate values outside control criteria.
Results flagged with a pound (#) indicate the control criteria is not applicable.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0345/0609214
Sample Matrix: Water

Service Request: D0601340
Date Extracted: 09/22/2006
Date Analyzed: 09/26/2006

Lab Control Spike/Duplicate Lab Control Spike Summary
Hydrocarbon Scan / Fuel Characterization

Extraction Method: EPA 3510C
Analysis Method: 8015B

Units: ug/L
Basis: NA
Level: Low
Extraction Lot: LWG0600807

	Lab Control Sample LWG0600807-1 Lab Control Spike			Duplicate Lab Control Sample LWG0600807-2 Duplicate Lab Control Spike					
Analyte Name	**Result**	**Expected**	**%Rec**	**Result**	**Expected**	**%Rec**	**%Rec Limits**	**RPD**	**RPD Limit**
C13 - C22 DRO	1620	2500	65	1650	2500	66	50-140	2	30

Results flagged with an asterisk (*) indicate values outside control criteria.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

~~A-62~~ EB
SUB

TRANSWEST GEOCHEM

Sample Receipt Checklist

Client Name: Test America

Work Order Number: 0609214

Checklist completed by: [signature] 9.13.2006
Signature / Date

Matrix: Water Carrier Name: Client (TGI) _____

Date and Time Received: 9.13.2006 ~~1130~~ 1422

Checked by: CB/LM

Logged In by: LM 9.13.2006
Initials / Date

Reviewed by: SH 9/15/06
Initials / Date

				COMMENTS
Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐	
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☑	
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑	
Chain of custody present?	Yes ☑	No ☐		
Chain of custody signed when relinquished and received?	Yes ☑	No ☐		
Chain of custody agrees with sample labels?	Yes ☑	No ☐		
Samples in proper container/bottle?	Yes ☑	No ☐		
Sample containers intact?	Yes ☑	No ☐		
Sufficient sample volume for indicated test?	Yes ☑	No ☐		
All samples received within holding time?	Yes ☑	No ☐		
Container/Temp Blank temperature in compliance?	Yes ☐	No ☐	Temp: 4.4	Sampled < 2hrs ☐
Water – VOA vials have zero headspace?	Yes ☐	No ☐	N/A ☑	
Water – pH acceptable upon receipt?	Yes ☑	No ☐	N/A ☐	Checked by: CB
Water – Sulfides present in Cyanide samples?	Yes ☐	No ☐	N/A ☑	
Sample considered Drinking Water for metal analysis?	Yes ☐	No ☐	N/A ☑	

Client contacted: _____ Date contacted: _____ Person contacted: _____

Contacted by: _____ Regarding: _____

Corrective Action: _____

TestAmerica
ANALYTICAL TESTING CORPORATION

0609 ~~216~~ 214

SUBCONTRACT ORDER - PROJECT # PPI0345

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPI0345-08 Water Sampled: 09/12/06 11:51		
8015B MOD-Low Level-O	09/19/06 11:51	sub to Transwest, need transfer file for EDD
1 **Containers Supplied:**		
1 L Amber w/H2SO4 (PPI0345-08D)		
1 L Amber w/H2SO4 (PPI0345-08E)		
Sample ID: PPI0345-09 Water Sampled: 09/12/06 12:29		
8015B MOD-Low Level-O	09/19/06 12:29	sub to Transwest, need transfer file for EDD
2 **Containers Supplied:**		
1 L Amber w/H2SO4 (PPI0345-09D)		
1 L Amber w/H2SO4 (PPI0345-09E)		
Sample ID: PPI0345-11 Water Sampled: 09/12/06 13:06		
3 8015B MOD-Low Level-O	09/19/06 13:06	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0345-11D)		
1 L Amber w/H2SO4 (PPI0345-11E)		

SAMPLE INTEGRITY:

All containers intact: ☑ Yes ☐ No
Custody Seals Present: ☐ Yes ☑ No
Sample labels/COC agree: ☑ Yes ☐ No
Samples Preserved Properly: ☑ Yes ☐ No
Samples Received On Ice:: ☑ Yes ☐ No
Samples Received at (temp): 4.4

Released By	Date	Time	Received By	Date	Time
Elizabeth C. Walker	9/13/06				
B S	9/13/06	14:22			

TestAmerica
ANALYTICAL TESTING CORPORATION

9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

LABORATORY REPORT

Prepared For: CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project: Honeywell-Sky Harbor

Sampled: 09/13/06
Received: 09/13/06
Issued: 10/11/06 14:38

NELAP #01109CA Arizona DHS#AZ0426

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.
This entire report was reviewed and approved for release.

CASE NARRATIVE

LABORATORY ID	CLIENT ID	MATRIX
PPI0347-01	TB-091306B	Water
PPI0347-02	ASE-128A-6C2	Water
PPI0347-03	ASE-125A-6C2	Water
PPI0347-04	ASE-95A-6C2	Water
PPI0347-05	ASE-96A-6C2	Water
PPI0347-06	ASE-107A-6C2	Water
PPI0347-07	ASE-113A-6C2	Water
PPI0347-08	ASE-106A-6C2	Water
PPI0347-09	ASE-124A-6C2	Water
PPI0347-10	PL-507-6C2	Water
PPI0347-11	ASE-35A-6C2	Water

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe 2625 S. Plaza Drive, Ste. 300 Tempe, AZ 85282 Attention: Jennifer Holland	Project ID: Honeywell-Sky Harbor Report Number: PPI0347	Sampled: 09/13/06 Received: 09/13/06

SAMPLE RECEIPT:	Samples were received intact, at 4°C, on ice and with chain of custody documentation.
HOLDING TIMES:	All samples were analyzed within prescribed holding times and/or in accordance with the TestAmerica Sample Acceptance Policy unless otherwise noted in the report.
PRESERVATION:	Samples requiring preservation were verified prior to sample analysis.
QA/QC CRITERIA:	All analyses met method criteria, except as noted in the report with data qualifiers.
COMMENTS:	N1: The LCS and MSD recovered high and outside of acceptance limits for Chloromethane. All associated samples were non-detect for this compound and therefore should not be impacted. R1: The RPD exceeded the method control limit.
SUBCONTRACTED:	Refer to the last page for specific subcontract laboratory information included in this report.

Reviewed By:

Ken Baker

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0347-01 (TB-091306B - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2629	20	ND	1	9/26/2006	9/26/2006	
Benzene	EPA 8260B	P6I2629	1.0	ND	1	9/26/2006	9/26/2006	
Bromobenzene	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
Bromochloromethane	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
Bromodichloromethane	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
Bromoform	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
Bromomethane	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
2-Butanone (MEK)	EPA 8260B	P6I2629	10	ND	1	9/26/2006	9/26/2006	
n-Butylbenzene	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
sec-Butylbenzene	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
tert-Butylbenzene	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
Carbon Disulfide	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
Carbon tetrachloride	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
Chlorobenzene	EPA 8260B	P6I2629	1.0	ND	1	9/26/2006	9/26/2006	
Chloroethane	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
Chloroform	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
Chloromethane	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	V1
2-Chlorotoluene	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
4-Chlorotoluene	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
Dibromochloromethane	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
Dibromomethane	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2629	1.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2629	1.0	ND	1	9/26/2006	9/26/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2629	1.0	ND	1	9/26/2006	9/26/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloroethane	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichloroethane	EPA 8260B	P6I2629	1.0	ND	1	9/26/2006	9/26/2006	V1, L3
1,1-Dichloroethene	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichloropropane	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichloropropane	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
2,2-Dichloropropane	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloropropene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
Ethylbenzene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
Hexachlorobutadiene	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
2-Hexanone	EPA 8260B	P6I2629	10	ND	1	9/26/2006	9/26/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0347-01 (TB-091306B - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
Isopropylbenzene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
p-Isopropyltoluene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
Methylene chloride	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2629	10	ND	1	9/26/2006	9/26/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
Naphthalene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
n-Propylbenzene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
Styrene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
Tetrachloroethene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
Toluene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
Trichloroethene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
Trichlorofluoromethane	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2629	10	ND	1	9/26/2006	9/26/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
Vinyl acetate	EPA 8260B	P6I2629	25	ND	1	9/26/2006	9/26/2006	V1, L3
Vinyl chloride	EPA 8260B	P6I2629	1.7	ND	1	9/26/2006	9/26/2006	
Xylenes, Total	EPA 8260B	P6I2629	3.0	ND	1	9/26/2006	9/26/2006	
Surrogate: Dibromofluoromethane (80-130%)				*125 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*97 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0347-02 (ASE-128A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I1807	20	ND	1	9/18/2006	9/18/2006	
Benzene	EPA 8260B	P6I1807	1.0	ND	1	9/18/2006	9/18/2006	
Bromobenzene	EPA 8260B	P6I1807	5.0	ND	1	9/18/2006	9/18/2006	
Bromochloromethane	EPA 8260B	P6I1807	5.0	ND	1	9/18/2006	9/18/2006	
Bromodichloromethane	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	
Bromoform	EPA 8260B	P6I1807	5.0	ND	1	9/18/2006	9/18/2006	
Bromomethane	EPA 8260B	P6I1807	5.0	ND	1	9/18/2006	9/18/2006	
2-Butanone (MEK)	EPA 8260B	P6I1807	10	ND	1	9/18/2006	9/18/2006	
n-Butylbenzene	EPA 8260B	P6I1807	5.0	ND	1	9/18/2006	9/18/2006	
sec-Butylbenzene	EPA 8260B	P6I1807	5.0	ND	1	9/18/2006	9/18/2006	
tert-Butylbenzene	EPA 8260B	P6I1807	5.0	ND	1	9/18/2006	9/18/2006	
Carbon Disulfide	EPA 8260B	P6I1807	5.0	ND	1	9/18/2006	9/18/2006	
Carbon tetrachloride	EPA 8260B	P6I1807	5.0	ND	1	9/18/2006	9/18/2006	
Chlorobenzene	EPA 8260B	P6I1807	1.0	ND	1	9/18/2006	9/18/2006	
Chloroethane	EPA 8260B	P6I1807	5.0	ND	1	9/18/2006	9/18/2006	M1
Chloroform	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	
Chloromethane	EPA 8260B	P6I1807	5.0	ND	1	9/18/2006	9/18/2006	L3, N1
2-Chlorotoluene	EPA 8260B	P6I1807	5.0	ND	1	9/18/2006	9/18/2006	
4-Chlorotoluene	EPA 8260B	P6I1807	5.0	ND	1	9/18/2006	9/18/2006	
Dibromochloromethane	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I1807	5.0	ND	1	9/18/2006	9/18/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	
Dibromomethane	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I1807	1.0	ND	1	9/18/2006	9/18/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I1807	1.0	ND	1	9/18/2006	9/18/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I1807	1.0	ND	1	9/18/2006	9/18/2006	
Dichlorodifluoromethane	EPA 8260B	P6I1807	5.0	ND	1	9/18/2006	9/18/2006	
1,1-Dichloroethane	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	
1,2-Dichloroethane	EPA 8260B	P6I1807	1.0	ND	1	9/18/2006	9/18/2006	
1,1-Dichloroethene	EPA 8260B	P6I1807	5.0	ND	1	9/18/2006	9/18/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	M1
1,2-Dichloropropane	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	
1,3-Dichloropropane	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	
2,2-Dichloropropane	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	
1,1-Dichloropropene	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	
Ethylbenzene	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	
Hexachlorobutadiene	EPA 8260B	P6I1807	5.0	ND	1	9/18/2006	9/18/2006	
2-Hexanone	EPA 8260B	P6I1807	10	ND	1	9/18/2006	9/18/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0347-02 (ASE-128A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	
Isopropylbenzene	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	
p-Isopropyltoluene	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	
Methylene chloride	EPA 8260B	P6I1807	5.0	ND	1	9/18/2006	9/18/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I1807	10	ND	1	9/18/2006	9/18/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I1807	5.0	ND	1	9/18/2006	9/18/2006	
Naphthalene	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	
n-Propylbenzene	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	
Styrene	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I1807	5.0	ND	1	9/18/2006	9/18/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	
Tetrachloroethene	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	
Toluene	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I1807	5.0	ND	1	9/18/2006	9/18/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I1807	5.0	ND	1	9/18/2006	9/18/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	
Trichloroethene	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	
Trichlorofluoromethane	EPA 8260B	P6I1807	5.0	ND	1	9/18/2006	9/18/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I1807	10	ND	1	9/18/2006	9/18/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I1807	2.0	ND	1	9/18/2006	9/18/2006	
Vinyl acetate	EPA 8260B	P6I1807	25	ND	1	9/18/2006	9/18/2006	
Vinyl chloride	EPA 8260B	P6I1807	1.7	ND	1	9/18/2006	9/18/2006	M1
Xylenes, Total	EPA 8260B	P6I1807	3.0	ND	1	9/18/2006	9/18/2006	
Surrogate: Dibromofluoromethane (80-130%)				*98 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*96 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0347-03 (ASE-125A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2613	20	ND	1	9/25/2006	9/25/2006	
Benzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
Bromobenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Bromochloromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Bromodichloromethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Bromoform	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Bromomethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
2-Butanone (MEK)	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/25/2006	
n-Butylbenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
sec-Butylbenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
tert-Butylbenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Carbon Disulfide	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Carbon tetrachloride	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Chlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
Chloroethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Chloroform	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Chloromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
2-Chlorotoluene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
4-Chlorotoluene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Dibromochloromethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Dibromomethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,1-Dichloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dichloroethane	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
1,1-Dichloroethene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dichloropropane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,3-Dichloropropane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
2,2-Dichloropropane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,1-Dichloropropene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Ethylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Hexachlorobutadiene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
2-Hexanone	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/25/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0347-03 (ASE-125A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Isopropylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
p-Isopropyltoluene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Methylene chloride	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/25/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Naphthalene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
n-Propylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Styrene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Tetrachloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Toluene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Trichloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Trichlorofluoromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/25/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Vinyl acetate	EPA 8260B	P6I2613	25	ND	1	9/25/2006	9/25/2006	
Vinyl chloride	EPA 8260B	P6I2613	1.7	ND	1	9/25/2006	9/25/2006	
Xylenes, Total	EPA 8260B	P6I2613	3.0	ND	1	9/25/2006	9/25/2006	
Surrogate: Dibromofluoromethane (80-130%)				*88 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*92 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0347-04 (ASE-95A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2613	20	ND	1	9/25/2006	9/25/2006	
Benzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
Bromobenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Bromochloromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Bromodichloromethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Bromoform	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Bromomethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
2-Butanone (MEK)	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/25/2006	
n-Butylbenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
sec-Butylbenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
tert-Butylbenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Carbon Disulfide	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Carbon tetrachloride	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Chlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
Chloroethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Chloroform	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Chloromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
2-Chlorotoluene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
4-Chlorotoluene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Dibromochloromethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Dibromomethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,1-Dichloroethane	EPA 8260B	P6I2613	2.0	**5.2**	1	9/25/2006	9/25/2006	
1,2-Dichloroethane	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
1,1-Dichloroethene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dichloropropane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,3-Dichloropropane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
2,2-Dichloropropane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,1-Dichloropropene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Ethylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Hexachlorobutadiene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
2-Hexanone	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/25/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0347-04 (ASE-95A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Isopropylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
p-Isopropyltoluene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Methylene chloride	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/25/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2613	5.0	**70**	1	9/25/2006	9/25/2006	
Naphthalene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
n-Propylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Styrene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Tetrachloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Toluene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Trichloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Trichlorofluoromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/25/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Vinyl acetate	EPA 8260B	P6I2613	25	ND	1	9/25/2006	9/25/2006	
Vinyl chloride	EPA 8260B	P6I2613	1.7	**1.8**	1	9/25/2006	9/25/2006	
Xylenes, Total	EPA 8260B	P6I2613	3.0	ND	1	9/25/2006	9/25/2006	
Surrogate: Dibromofluoromethane (80-130%)				*102 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*100 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0347-05 (ASE-96A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2613	20	ND	1	9/25/2006	9/25/2006	
Benzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
Bromobenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Bromochloromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Bromodichloromethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Bromoform	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Bromomethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
2-Butanone (MEK)	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/25/2006	
n-Butylbenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
sec-Butylbenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
tert-Butylbenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Carbon Disulfide	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Carbon tetrachloride	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Chlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
Chloroethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Chloroform	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Chloromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
2-Chlorotoluene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
4-Chlorotoluene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Dibromochloromethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Dibromomethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,1-Dichloroethane	EPA 8260B	P6I2613	2.0	**11**	1	9/25/2006	9/25/2006	
1,2-Dichloroethane	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
1,1-Dichloroethene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dichloropropane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,3-Dichloropropane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
2,2-Dichloropropane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,1-Dichloropropene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Ethylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Hexachlorobutadiene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
2-Hexanone	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/25/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0347-05 (ASE-96A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Isopropylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
p-Isopropyltoluene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Methylene chloride	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/25/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2613	5.0	**85**	1	9/25/2006	9/25/2006	M1
Naphthalene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
n-Propylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Styrene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Tetrachloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Toluene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Trichloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Trichlorofluoromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/25/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Vinyl acetate	EPA 8260B	P6I2613	25	ND	1	9/25/2006	9/25/2006	
Vinyl chloride	EPA 8260B	P6I2613	1.7	**3.2**	1	9/25/2006	9/25/2006	M2
Xylenes, Total	EPA 8260B	P6I2613	3.0	ND	1	9/25/2006	9/25/2006	
Surrogate: Dibromofluoromethane (80-130%)				*93 %*				
Surrogate: Toluene-d8 (80-120%)				*107 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*96 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0347-06 (ASE-107A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2613	20	ND	1	9/25/2006	9/25/2006	
Benzene	EPA 8260B	P6I2613	1.0	**15**	1	9/25/2006	9/25/2006	
Bromobenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Bromochloromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Bromodichloromethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Bromoform	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Bromomethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
2-Butanone (MEK)	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/25/2006	
n-Butylbenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
sec-Butylbenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
tert-Butylbenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Carbon Disulfide	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Carbon tetrachloride	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Chlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
Chloroethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Chloroform	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Chloromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
2-Chlorotoluene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
4-Chlorotoluene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Dibromochloromethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Dibromomethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,1-Dichloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dichloroethane	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
1,1-Dichloroethene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dichloropropane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,3-Dichloropropane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
2,2-Dichloropropane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,1-Dichloropropene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Ethylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Hexachlorobutadiene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
2-Hexanone	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/25/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0347-06 (ASE-107A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Isopropylbenzene	EPA 8260B	P6I2613	2.0	**6.7**	1	9/25/2006	9/25/2006	
p-Isopropyltoluene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Methylene chloride	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/25/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2613	5.0	**13**	1	9/25/2006	9/25/2006	
Naphthalene	EPA 8260B	P6I2613	2.0	**14**	1	9/25/2006	9/25/2006	
n-Propylbenzene	EPA 8260B	P6I2613	2.0	**4.9**	1	9/25/2006	9/25/2006	
Styrene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Tetrachloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Toluene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Trichloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Trichlorofluoromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/25/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2613	2.0	**2.4**	1	9/25/2006	9/25/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Vinyl acetate	EPA 8260B	P6I2613	25	ND	1	9/25/2006	9/25/2006	
Vinyl chloride	EPA 8260B	P6I2613	1.7	ND	1	9/25/2006	9/25/2006	
Xylenes, Total	EPA 8260B	P6I2613	3.0	ND	1	9/25/2006	9/25/2006	
Surrogate: Dibromofluoromethane (80-130%)				*103 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*100 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0347-07 (ASE-113A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2613	20	ND	1	9/25/2006	9/25/2006	
Benzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
Bromobenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Bromochloromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Bromodichloromethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Bromoform	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Bromomethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
2-Butanone (MEK)	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/25/2006	
n-Butylbenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
sec-Butylbenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
tert-Butylbenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Carbon Disulfide	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Carbon tetrachloride	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Chlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
Chloroethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Chloroform	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Chloromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
2-Chlorotoluene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
4-Chlorotoluene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Dibromochloromethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Dibromomethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,1-Dichloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dichloroethane	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
1,1-Dichloroethene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dichloropropane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,3-Dichloropropane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
2,2-Dichloropropane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,1-Dichloropropene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Ethylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Hexachlorobutadiene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
2-Hexanone	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/25/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0347-07 (ASE-113A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Isopropylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
p-Isopropyltoluene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Methylene chloride	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/25/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Naphthalene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
n-Propylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Styrene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Tetrachloroethene	EPA 8260B	P6I2613	2.0	**2.1**	1	9/25/2006	9/25/2006	
Toluene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Trichloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Trichlorofluoromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/25/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Vinyl acetate	EPA 8260B	P6I2613	25	ND	1	9/25/2006	9/25/2006	
Vinyl chloride	EPA 8260B	P6I2613	1.7	ND	1	9/25/2006	9/25/2006	
Xylenes, Total	EPA 8260B	P6I2613	3.0	ND	1	9/25/2006	9/25/2006	
Surrogate: Dibromofluoromethane (80-130%)				*102 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*99 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0347-08 (ASE-106A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2613	20	ND	1	9/25/2006	9/25/2006	
Benzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
Bromobenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Bromochloromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Bromodichloromethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Bromoform	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Bromomethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
2-Butanone (MEK)	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/25/2006	
n-Butylbenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
sec-Butylbenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
tert-Butylbenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Carbon Disulfide	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Carbon tetrachloride	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Chlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
Chloroethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Chloroform	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Chloromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
2-Chlorotoluene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
4-Chlorotoluene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Dibromochloromethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Dibromomethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,1-Dichloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dichloroethane	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
1,1-Dichloroethene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dichloropropane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,3-Dichloropropane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
2,2-Dichloropropane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,1-Dichloropropene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Ethylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Hexachlorobutadiene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
2-Hexanone	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/25/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0347-08 (ASE-106A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Isopropylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
p-Isopropyltoluene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Methylene chloride	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/25/2006	
Naphthalene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
n-Propylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Styrene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Tetrachloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Toluene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Trichloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Trichlorofluoromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/25/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Vinyl acetate	EPA 8260B	P6I2613	25	ND	1	9/25/2006	9/25/2006	
Vinyl chloride	EPA 8260B	P6I2613	1.7	ND	1	9/25/2006	9/25/2006	
Xylenes, Total	EPA 8260B	P6I2613	3.0	ND	1	9/25/2006	9/25/2006	
Surrogate: Dibromofluoromethane (80-130%)				*102 %*				
Surrogate: Toluene-d8 (80-120%)				*107 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*100 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0347-08RE1 (ASE-106A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2725	50	**240**	10	9/26/2006	9/26/2006	
Surrogate: Dibromofluoromethane (80-130%)				*102 %*				
Surrogate: Toluene-d8 (80-120%)				*108 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*101 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0347-09 (ASE-124A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2613	20	ND	1	9/25/2006	9/25/2006	
Benzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
Bromobenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Bromochloromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Bromodichloromethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Bromoform	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Bromomethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
2-Butanone (MEK)	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/25/2006	
n-Butylbenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
sec-Butylbenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
tert-Butylbenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Carbon Disulfide	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Carbon tetrachloride	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Chlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
Chloroethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Chloroform	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Chloromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
2-Chlorotoluene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
4-Chlorotoluene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Dibromochloromethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Dibromomethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,1-Dichloroethane	EPA 8260B	P6I2613	2.0	**2.6**	1	9/25/2006	9/25/2006	
1,2-Dichloroethane	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/25/2006	
1,1-Dichloroethene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dichloropropane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,3-Dichloropropane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
2,2-Dichloropropane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,1-Dichloropropene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Ethylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Hexachlorobutadiene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
2-Hexanone	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/25/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0347-09 (ASE-124A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Isopropylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
p-Isopropyltoluene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Methylene chloride	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/25/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
Naphthalene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
n-Propylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Styrene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Tetrachloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Toluene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Trichloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Trichlorofluoromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/25/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/25/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/25/2006	
Vinyl acetate	EPA 8260B	P6I2613	25	ND	1	9/25/2006	9/25/2006	
Vinyl chloride	EPA 8260B	P6I2613	1.7	ND	1	9/25/2006	9/25/2006	
Xylenes, Total	EPA 8260B	P6I2613	3.0	ND	1	9/25/2006	9/25/2006	
Surrogate: Dibromofluoromethane (80-130%)				*102 %*				
Surrogate: Toluene-d8 (80-120%)				*107 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*101 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0347-10 (PL-507-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2613	20	ND	1	9/25/2006	9/26/2006	
Benzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/26/2006	
Bromobenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
Bromochloromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
Bromodichloromethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
Bromoform	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
Bromomethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
2-Butanone (MEK)	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/26/2006	
n-Butylbenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
sec-Butylbenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
tert-Butylbenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
Carbon Disulfide	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
Carbon tetrachloride	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
Chlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/26/2006	
Chloroethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
Chloroform	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
Chloromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
2-Chlorotoluene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
4-Chlorotoluene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
Dibromochloromethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
Dibromomethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/26/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/26/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/26/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
1,1-Dichloroethane	EPA 8260B	P6I2613	2.0	**2.6**	1	9/25/2006	9/26/2006	
1,2-Dichloroethane	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/26/2006	
1,1-Dichloroethene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
1,2-Dichloropropane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
1,3-Dichloropropane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
2,2-Dichloropropane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
1,1-Dichloropropene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
Ethylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
Hexachlorobutadiene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
2-Hexanone	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/26/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0347-10 (PL-507-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
Isopropylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
p-Isopropyltoluene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
Methylene chloride	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/26/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
Naphthalene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
n-Propylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
Styrene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
Tetrachloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
Toluene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
Trichloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
Trichlorofluoromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/26/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
Vinyl acetate	EPA 8260B	P6I2613	25	ND	1	9/25/2006	9/26/2006	
Vinyl chloride	EPA 8260B	P6I2613	1.7	ND	1	9/25/2006	9/26/2006	
Xylenes, Total	EPA 8260B	P6I2613	3.0	ND	1	9/25/2006	9/26/2006	
Surrogate: Dibromofluoromethane (80-130%)				*104 %*				
Surrogate: Toluene-d8 (80-120%)				*110 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*100 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0347-11 (ASE-35A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2613	20	ND	1	9/25/2006	9/26/2006	
Benzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/26/2006	
Bromobenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
Bromochloromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
Bromodichloromethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
Bromoform	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
Bromomethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
2-Butanone (MEK)	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/26/2006	
n-Butylbenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
sec-Butylbenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
tert-Butylbenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
Carbon Disulfide	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
Carbon tetrachloride	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
Chlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/26/2006	
Chloroethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
Chloroform	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
Chloromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
2-Chlorotoluene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
4-Chlorotoluene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
Dibromochloromethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
Dibromomethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/26/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/26/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/26/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
1,1-Dichloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
1,2-Dichloroethane	EPA 8260B	P6I2613	1.0	ND	1	9/25/2006	9/26/2006	
1,1-Dichloroethene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
1,2-Dichloropropane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
1,3-Dichloropropane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
2,2-Dichloropropane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
1,1-Dichloropropene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
Ethylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
Hexachlorobutadiene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
2-Hexanone	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/26/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0347-11 (ASE-35A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
Isopropylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
p-Isopropyltoluene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
Methylene chloride	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/26/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
Naphthalene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
n-Propylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
Styrene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
Tetrachloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
Toluene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
Trichloroethene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
Trichlorofluoromethane	EPA 8260B	P6I2613	5.0	ND	1	9/25/2006	9/26/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2613	10	ND	1	9/25/2006	9/26/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2613	2.0	**2.1**	1	9/25/2006	9/26/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2613	2.0	ND	1	9/25/2006	9/26/2006	
Vinyl acetate	EPA 8260B	P6I2613	25	ND	1	9/25/2006	9/26/2006	
Vinyl chloride	EPA 8260B	P6I2613	1.7	ND	1	9/25/2006	9/26/2006	
Xylenes, Total	EPA 8260B	P6I2613	3.0	ND	1	9/25/2006	9/26/2006	
Surrogate: Dibromofluoromethane (80-130%)				*106 %*				
Surrogate: Toluene-d8 (80-120%)				*109 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*101 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0347-02 (ASE-128A-6C2 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6I1522	3.0	ND	1	9/15/2006	9/22/2006	
Acenaphthylene	EPA 8310	P6I1522	3.0	ND	1	9/15/2006	9/22/2006	
Anthracene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Benzo(a)anthracene	EPA 8310	P6I1522	0.050	ND	1	9/15/2006	9/22/2006	
Benzo(a)pyrene	EPA 8310	P6I1522	0.10	ND	1	9/15/2006	9/22/2006	
Benzo(b)fluoranthene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Benzo(g,h,i)perylene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Benzo(k)fluoranthene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Chrysene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Dibenz(a,h)anthracene	EPA 8310	P6I1522	0.50	ND	1	9/15/2006	9/22/2006	
Fluoranthene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Fluorene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Naphthalene	EPA 8310	P6I1522	2.0	ND	1	9/15/2006	9/22/2006	
Phenanthrene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Pyrene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Surrogate: 2-Methylanthracene (50-115%)				*95 %*				
Sample ID: PPI0347-03 (ASE-125A-6C2 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6I1522	3.0	ND	1	9/15/2006	10/8/2006	
Acenaphthylene	EPA 8310	P6I1522	3.0	ND	1	9/15/2006	10/8/2006	
Anthracene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	10/8/2006	
Benzo(a)anthracene	EPA 8310	P6I1522	0.050	ND	1	9/15/2006	10/8/2006	
Benzo(a)pyrene	EPA 8310	P6I1522	0.10	ND	1	9/15/2006	10/8/2006	
Benzo(b)fluoranthene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	10/8/2006	
Benzo(g,h,i)perylene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	10/8/2006	
Benzo(k)fluoranthene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	10/8/2006	
Chrysene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	10/8/2006	
Dibenz(a,h)anthracene	EPA 8310	P6I1522	0.50	ND	1	9/15/2006	10/8/2006	
Fluoranthene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	10/8/2006	
Fluorene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	10/8/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	10/8/2006	
Naphthalene	EPA 8310	P6I1522	2.0	ND	1	9/15/2006	10/8/2006	
Phenanthrene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	10/8/2006	
Pyrene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	10/8/2006	
Surrogate: 2-Methylanthracene (50-115%)				*80 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I1807 Extracted: 09/18/06										
Blank Analyzed: 09/18/2006 (P6I1807-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I1807 Extracted: 09/18/06										
Blank Analyzed: 09/18/2006 (P6I1807-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*26.5*		*ug/l*	*25.0*		*106*	*80-130*			
Surrogate: Toluene-d8	*26.9*		*ug/l*	*25.0*		*108*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.1*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I1807 Extracted: 09/18/06										
LCS Analyzed: 09/18/2006 (P6I1807-BS1)										
Acetone	24.7	20	ug/l	25.0		99	30-150			
Benzene	28.7	1.0	ug/l	25.0		115	80-120			
Bromobenzene	26.5	5.0	ug/l	25.0		106	80-125			
Bromochloromethane	27.4	5.0	ug/l	25.0		110	80-125			
Bromodichloromethane	27.9	2.0	ug/l	25.0		112	80-120			
Bromoform	25.0	5.0	ug/l	25.0		100	70-120			
Bromomethane	28.4	5.0	ug/l	25.0		114	80-135			
2-Butanone (MEK)	24.2	10	ug/l	25.0		97	55-150			
n-Butylbenzene	28.9	5.0	ug/l	25.0		116	80-120			
sec-Butylbenzene	27.8	5.0	ug/l	25.0		111	80-130			
tert-Butylbenzene	27.1	5.0	ug/l	25.0		108	80-130			
Carbon Disulfide	27.7	5.0	ug/l	25.0		111	55-145			
Carbon tetrachloride	26.9	5.0	ug/l	25.0		108	80-120			
Chlorobenzene	27.1	1.0	ug/l	25.0		108	80-120			
Chloroethane	30.9	5.0	ug/l	25.0		124	80-125			
Chloroform	27.5	2.0	ug/l	25.0		110	80-120			
Chloromethane	32.8	5.0	ug/l	25.0		131	70-130			*L3*
2-Chlorotoluene	27.2	5.0	ug/l	25.0		109	80-120			
4-Chlorotoluene	27.6	5.0	ug/l	25.0		110	80-120			
Dibromochloromethane	26.1	2.0	ug/l	25.0		104	75-120			
1,2-Dibromo-3-chloropropane	25.4	5.0	ug/l	25.0		102	55-120			
1,2-Dibromoethane (EDB)	27.0	2.0	ug/l	25.0		108	75-125			
Dibromomethane	27.6	2.0	ug/l	25.0		110	80-125			
1,2-Dichlorobenzene	26.8	1.0	ug/l	25.0		107	80-120			
1,3-Dichlorobenzene	26.6	1.0	ug/l	25.0		106	80-125			
1,4-Dichlorobenzene	28.3	1.0	ug/l	25.0		113	80-120			
Dichlorodifluoromethane	30.5	5.0	ug/l	25.0		122	60-140			
1,1-Dichloroethane	28.3	2.0	ug/l	25.0		113	80-120			
1,2-Dichloroethane	27.8	1.0	ug/l	25.0		111	75-125			
1,1-Dichloroethene	29.0	5.0	ug/l	25.0		116	75-120			
cis-1,2-Dichloroethene	27.5	2.0	ug/l	25.0		110	80-125			
trans-1,2-Dichloroethene	28.1	2.0	ug/l	25.0		112	80-120			
1,2-Dichloropropane	29.8	2.0	ug/l	25.0		119	80-120			
1,3-Dichloropropane	29.0	2.0	ug/l	25.0		116	80-120			
2,2-Dichloropropane	28.8	2.0	ug/l	25.0		115	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I1807 Extracted: 09/18/06										
LCS Analyzed: 09/18/2006 (P6I1807-BS1)										
1,1-Dichloropropene	29.0	2.0	ug/l	25.0		116	80-120			
cis-1,3-Dichloropropene	29.1	2.0	ug/l	25.0		116	75-120			
trans-1,3-Dichloropropene	28.9	2.0	ug/l	25.0		116	80-120			
Ethylbenzene	28.8	2.0	ug/l	25.0		115	80-125			
Hexachlorobutadiene	28.4	5.0	ug/l	25.0		114	70-130			
2-Hexanone	24.2	10	ug/l	25.0		97	40-150			
Iodomethane	24.9	2.0	ug/l	25.0		100	80-130			
Isopropylbenzene	29.8	2.0	ug/l	25.0		119	80-140			
p-Isopropyltoluene	27.9	2.0	ug/l	25.0		112	80-130			
Methylene chloride	27.8	5.0	ug/l	25.0		111	80-120			
4-Methyl-2-pentanone (MIBK)	23.9	10	ug/l	25.0		96	50-140			
Methyl-tert-butyl Ether (MTBE)	29.6	5.0	ug/l	25.0		118	65-130			
Naphthalene	25.4	2.0	ug/l	25.0		102	70-130			
n-Propylbenzene	29.1	2.0	ug/l	25.0		116	80-135			
Styrene	27.9	2.0	ug/l	25.0		112	80-125			
1,1,1,2-Tetrachloroethane	26.7	5.0	ug/l	25.0		107	80-120			
1,1,2,2-Tetrachloroethane	28.3	2.0	ug/l	25.0		113	65-140			
Tetrachloroethene	26.8	2.0	ug/l	25.0		107	80-125			
Toluene	28.3	2.0	ug/l	25.0		113	80-125			
1,2,3-Trichlorobenzene	28.1	5.0	ug/l	25.0		112	75-125			
1,2,4-Trichlorobenzene	28.6	5.0	ug/l	25.0		114	80-125			
1,1,1-Trichloroethane	27.4	2.0	ug/l	25.0		110	75-125			
1,1,2-Trichloroethane	27.1	2.0	ug/l	25.0		108	80-125			
Trichloroethene	27.8	2.0	ug/l	25.0		111	80-120			
Trichlorofluoromethane	29.4	5.0	ug/l	25.0		118	75-130			
1,2,3-Trichloropropane	26.1	10	ug/l	25.0		104	65-135			
1,2,4-Trimethylbenzene	27.8	2.0	ug/l	25.0		111	80-125			
1,3,5-Trimethylbenzene	27.4	2.0	ug/l	25.0		110	80-130			
Vinyl acetate	32.3	25	ug/l	25.0		129	70-140			
Vinyl chloride	28.4	1.7	ug/l	25.0		114	70-135			
Xylenes, Total	55.0	3.0	ug/l	50.0		110	80-125			
Surrogate: Dibromofluoromethane	*26.5*		*ug/l*	*25.0*		*106*	*80-130*			
Surrogate: Toluene-d8	*26.9*		*ug/l*	*25.0*		*108*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.0*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I1807 Extracted: 09/18/06										
LCS Dup Analyzed: 09/18/2006 (P6I1807-BSD1)										
Acetone	19.9	20	ug/l	25.0		80	30-150	22	35	
Benzene	27.5	1.0	ug/l	25.0		110	80-120	4	10	
Bromobenzene	25.9	5.0	ug/l	25.0		104	80-125	2	10	
Bromochloromethane	26.1	5.0	ug/l	25.0		104	80-125	5	15	
Bromodichloromethane	26.5	2.0	ug/l	25.0		106	80-120	5	15	
Bromoform	23.8	5.0	ug/l	25.0		95	70-120	5	20	
Bromomethane	27.0	5.0	ug/l	25.0		108	80-135	5	15	
2-Butanone (MEK)	24.0	10	ug/l	25.0		96	55-150	1	35	
n-Butylbenzene	27.9	5.0	ug/l	25.0		112	80-120	4	10	
sec-Butylbenzene	26.8	5.0	ug/l	25.0		107	80-130	4	10	
tert-Butylbenzene	26.1	5.0	ug/l	25.0		104	80-130	4	10	
Carbon Disulfide	26.8	5.0	ug/l	25.0		107	55-145	3	15	
Carbon tetrachloride	25.7	5.0	ug/l	25.0		103	80-120	5	15	
Chlorobenzene	26.4	1.0	ug/l	25.0		106	80-120	3	10	
Chloroethane	30.0	5.0	ug/l	25.0		120	80-125	3	15	
Chloroform	26.5	2.0	ug/l	25.0		106	80-120	4	10	
Chloromethane	30.9	5.0	ug/l	25.0		124	70-130	6	15	
2-Chlorotoluene	26.4	5.0	ug/l	25.0		106	80-120	3	10	
4-Chlorotoluene	26.7	5.0	ug/l	25.0		107	80-120	3	10	
Dibromochloromethane	25.0	2.0	ug/l	25.0		100	75-120	4	15	
1,2-Dibromo-3-chloropropane	25.3	5.0	ug/l	25.0		101	55-120	0	35	
1,2-Dibromoethane (EDB)	26.3	2.0	ug/l	25.0		105	75-125	3	20	
Dibromomethane	26.4	2.0	ug/l	25.0		106	80-125	4	20	
1,2-Dichlorobenzene	26.2	1.0	ug/l	25.0		105	80-120	2	10	
1,3-Dichlorobenzene	25.6	1.0	ug/l	25.0		102	80-125	4	10	
1,4-Dichlorobenzene	27.2	1.0	ug/l	25.0		109	80-120	4	10	
Dichlorodifluoromethane	29.3	5.0	ug/l	25.0		117	60-140	4	15	
1,1-Dichloroethane	27.2	2.0	ug/l	25.0		109	80-120	4	10	
1,2-Dichloroethane	27.0	1.0	ug/l	25.0		108	75-125	3	20	
1,1-Dichloroethene	27.7	5.0	ug/l	25.0		111	75-120	5	15	
cis-1,2-Dichloroethene	26.4	2.0	ug/l	25.0		106	80-125	4	10	
trans-1,2-Dichloroethene	26.6	2.0	ug/l	25.0		106	80-120	5	10	
1,2-Dichloropropane	28.7	2.0	ug/l	25.0		115	80-120	4	15	
1,3-Dichloropropane	27.2	2.0	ug/l	25.0		109	80-120	6	15	
2,2-Dichloropropane	26.2	2.0	ug/l	25.0		105	70-130	9	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I1807 Extracted: 09/18/06										
LCS Dup Analyzed: 09/18/2006 (P6I1807-BSD1)										
1,1-Dichloropropene	27.6	2.0	ug/l	25.0		110	80-120	5	10	
cis-1,3-Dichloropropene	27.5	2.0	ug/l	25.0		110	75-120	6	15	
trans-1,3-Dichloropropene	27.6	2.0	ug/l	25.0		110	80-120	5	20	
Ethylbenzene	27.6	2.0	ug/l	25.0		110	80-125	4	15	
Hexachlorobutadiene	26.7	5.0	ug/l	25.0		107	70-130	6	15	
2-Hexanone	23.6	10	ug/l	25.0		94	40-150	3	35	
Iodomethane	23.9	2.0	ug/l	25.0		96	80-130	4	10	
Isopropylbenzene	29.4	2.0	ug/l	25.0		118	80-140	1	10	
p-Isopropyltoluene	26.7	2.0	ug/l	25.0		107	80-130	4	15	
Methylene chloride	27.2	5.0	ug/l	25.0		109	80-120	2	10	
4-Methyl-2-pentanone (MIBK)	23.3	10	ug/l	25.0		93	50-140	3	35	
Methyl-tert-butyl Ether (MTBE)	28.2	5.0	ug/l	25.0		113	65-130	5	25	
Naphthalene	25.8	2.0	ug/l	25.0		103	70-130	2	20	
n-Propylbenzene	28.4	2.0	ug/l	25.0		114	80-135	2	10	
Styrene	27.5	2.0	ug/l	25.0		110	80-125	1	15	
1,1,1,2-Tetrachloroethane	25.9	5.0	ug/l	25.0		104	80-120	3	15	
1,1,2,2-Tetrachloroethane	27.6	2.0	ug/l	25.0		110	65-140	3	25	
Tetrachloroethene	25.4	2.0	ug/l	25.0		102	80-125	5	15	
Toluene	27.1	2.0	ug/l	25.0		108	80-125	4	10	
1,2,3-Trichlorobenzene	27.2	5.0	ug/l	25.0		109	75-125	3	15	
1,2,4-Trichlorobenzene	27.6	5.0	ug/l	25.0		110	80-125	4	15	
1,1,1-Trichloroethane	26.0	2.0	ug/l	25.0		104	75-125	5	10	
1,1,2-Trichloroethane	26.3	2.0	ug/l	25.0		105	80-125	3	25	
Trichloroethene	27.0	2.0	ug/l	25.0		108	80-120	3	10	
Trichlorofluoromethane	27.7	5.0	ug/l	25.0		111	75-130	6	10	
1,2,3-Trichloropropane	26.0	10	ug/l	25.0		104	65-135	0	25	
1,2,4-Trimethylbenzene	26.8	2.0	ug/l	25.0		107	80-125	4	10	
1,3,5-Trimethylbenzene	26.6	2.0	ug/l	25.0		106	80-130	3	10	
Vinyl acetate	31.0	25	ug/l	25.0		124	70-140	4	30	
Vinyl chloride	26.6	1.7	ug/l	25.0		106	70-135	7	15	
Xylenes, Total	53.8	3.0	ug/l	50.0		108	80-125	2	15	
Surrogate: Dibromofluoromethane	*26.9*		*ug/l*	*25.0*		*108*	*80-130*			
Surrogate: Toluene-d8	*26.9*		*ug/l*	*25.0*		*108*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.5*		*ug/l*	*25.0*		*102*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I1807 Extracted: 09/18/06										
Matrix Spike Analyzed: 09/18/2006 (P6I1807-MS1)					**Source: PPI0347-02**					
Acetone	19.5	20	ug/l	25.0	ND	78	15-150			
Benzene	29.1	1.0	ug/l	25.0	ND	116	80-125			
Bromobenzene	26.2	5.0	ug/l	25.0	ND	105	80-125			
Bromochloromethane	25.5	5.0	ug/l	25.0	ND	102	80-130			
Bromodichloromethane	27.0	2.0	ug/l	25.0	ND	108	70-130			
Bromoform	20.8	5.0	ug/l	25.0	ND	83	70-120			
Bromomethane	28.2	5.0	ug/l	25.0	ND	113	80-135			
2-Butanone (MEK)	18.5	10	ug/l	25.0	ND	74	30-150			
n-Butylbenzene	29.8	5.0	ug/l	25.0	ND	119	80-135			
sec-Butylbenzene	28.6	5.0	ug/l	25.0	ND	114	80-130			
tert-Butylbenzene	27.6	5.0	ug/l	25.0	ND	110	80-130			
Carbon Disulfide	27.8	5.0	ug/l	25.0	ND	111	45-150			
Carbon tetrachloride	26.2	5.0	ug/l	25.0	ND	105	65-135			
Chlorobenzene	27.5	1.0	ug/l	25.0	ND	110	80-125			
Chloroethane	32.8	5.0	ug/l	25.0	ND	131	80-125			*M1*
Chloroform	28.2	2.0	ug/l	25.0	ND	113	75-130			
Chloromethane	32.4	5.0	ug/l	25.0	ND	130	65-130			
2-Chlorotoluene	28.0	5.0	ug/l	25.0	ND	112	80-130			
4-Chlorotoluene	28.3	5.0	ug/l	25.0	ND	113	80-135			
Dibromochloromethane	23.4	2.0	ug/l	25.0	ND	94	75-120			
1,2-Dibromo-3-chloropropane	20.7	5.0	ug/l	25.0	ND	83	50-130			
1,2-Dibromoethane (EDB)	23.6	2.0	ug/l	25.0	ND	94	70-130			
Dibromomethane	24.8	2.0	ug/l	25.0	ND	99	75-130			
1,2-Dichlorobenzene	25.6	1.0	ug/l	25.0	ND	102	80-130			
1,3-Dichlorobenzene	26.9	1.0	ug/l	25.0	ND	108	80-130			
1,4-Dichlorobenzene	27.4	1.0	ug/l	25.0	ND	110	80-125			
Dichlorodifluoromethane	28.8	5.0	ug/l	25.0	ND	115	60-140			
1,1-Dichloroethane	29.2	2.0	ug/l	25.0	ND	117	80-125			
1,2-Dichloroethane	25.9	1.0	ug/l	25.0	ND	104	60-145			
1,1-Dichloroethene	29.6	5.0	ug/l	25.0	ND	118	75-130			
cis-1,2-Dichloroethene	27.6	2.0	ug/l	25.0	ND	110	80-125			
trans-1,2-Dichloroethene	28.7	2.0	ug/l	25.0	ND	115	80-120			
1,2-Dichloropropane	29.6	2.0	ug/l	25.0	ND	118	80-125			
1,3-Dichloropropane	25.7	2.0	ug/l	25.0	ND	103	75-130			
2,2-Dichloropropane	29.1	2.0	ug/l	25.0	ND	116	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I1807 Extracted: 09/18/06										
Matrix Spike Analyzed: 09/18/2006 (P6I1807-MS1)					**Source: PPI0347-02**					
1,1-Dichloropropene	28.8	2.0	ug/l	25.0	ND	115	80-125			
cis-1,3-Dichloropropene	28.1	2.0	ug/l	25.0	ND	112	75-120			
trans-1,3-Dichloropropene	26.8	2.0	ug/l	25.0	ND	107	75-130			
Ethylbenzene	29.0	2.0	ug/l	25.0	ND	116	80-130			
Hexachlorobutadiene	27.9	5.0	ug/l	25.0	ND	112	65-130			
2-Hexanone	17.7	10	ug/l	25.0	ND	71	40-150			
Iodomethane	24.0	2.0	ug/l	25.0	ND	96	70-140			
Isopropylbenzene	30.4	2.0	ug/l	25.0	ND	122	80-140			
p-Isopropyltoluene	28.5	2.0	ug/l	25.0	ND	114	80-135			
Methylene chloride	28.9	5.0	ug/l	25.0	ND	116	75-125			
4-Methyl-2-pentanone (MIBK)	18.4	10	ug/l	25.0	ND	74	40-140			
Methyl-tert-butyl Ether (MTBE)	25.5	5.0	ug/l	25.0	ND	102	65-135			
Naphthalene	21.5	2.0	ug/l	25.0	ND	86	60-140			
n-Propylbenzene	29.9	2.0	ug/l	25.0	ND	120	80-140			
Styrene	27.0	2.0	ug/l	25.0	ND	108	30-150			
1,1,1,2-Tetrachloroethane	26.1	5.0	ug/l	25.0	ND	104	80-130			
1,1,2,2-Tetrachloroethane	23.9	2.0	ug/l	25.0	ND	96	65-140			
Tetrachloroethene	26.6	2.0	ug/l	25.0	ND	106	80-130			
Toluene	29.1	2.0	ug/l	25.0	ND	116	80-130			
1,2,3-Trichlorobenzene	25.3	5.0	ug/l	25.0	ND	101	75-140			
1,2,4-Trichlorobenzene	26.9	5.0	ug/l	25.0	ND	108	80-135			
1,1,1-Trichloroethane	26.8	2.0	ug/l	25.0	ND	107	70-135			
1,1,2-Trichloroethane	24.6	2.0	ug/l	25.0	ND	98	70-135			
Trichloroethene	28.0	2.0	ug/l	25.0	ND	112	80-125			
Trichlorofluoromethane	28.7	5.0	ug/l	25.0	ND	115	70-140			
1,2,3-Trichloropropane	22.6	10	ug/l	25.0	ND	90	65-135			
1,2,4-Trimethylbenzene	29.4	2.0	ug/l	25.0	0.97	114	75-130			
1,3,5-Trimethylbenzene	28.6	2.0	ug/l	25.0	ND	114	80-135			
Vinyl acetate	26.6	25	ug/l	25.0	ND	106	30-150			
Vinyl chloride	32.0	1.7	ug/l	25.0	ND	128	70-135			
Xylenes, Total	56.1	3.0	ug/l	50.0	ND	112	80-125			
Surrogate: Dibromofluoromethane	*26.1*		*ug/l*	*25.0*		*104*	*80-130*			
Surrogate: Toluene-d8	*27.5*		*ug/l*	*25.0*		*110*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.2*		*ug/l*	*25.0*		*101*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I1807 Extracted: 09/18/06										
Matrix Spike Dup Analyzed: 09/18/2006 (P6I1807-MSD1)					**Source: PPI0347-02**					
Acetone	20.2	20	ug/l	25.0	ND	81	15-150	4	35	
Benzene	30.7	1.0	ug/l	25.0	ND	123	80-125	5	10	
Bromobenzene	27.6	5.0	ug/l	25.0	ND	110	80-125	5	15	
Bromochloromethane	28.1	5.0	ug/l	25.0	ND	112	80-130	10	20	
Bromodichloromethane	28.4	2.0	ug/l	25.0	ND	114	70-130	5	15	
Bromoform	21.8	5.0	ug/l	25.0	ND	87	70-120	5	25	
Bromomethane	30.0	5.0	ug/l	25.0	ND	120	80-135	6	20	
2-Butanone (MEK)	22.1	10	ug/l	25.0	ND	88	30-150	18	35	
n-Butylbenzene	30.5	5.0	ug/l	25.0	ND	122	80-135	2	20	
sec-Butylbenzene	29.3	5.0	ug/l	25.0	ND	117	80-130	2	20	
tert-Butylbenzene	28.2	5.0	ug/l	25.0	ND	113	80-130	2	20	
Carbon Disulfide	30.3	5.0	ug/l	25.0	ND	121	45-150	9	15	
Carbon tetrachloride	27.3	5.0	ug/l	25.0	ND	109	65-135	4	15	
Chlorobenzene	28.9	1.0	ug/l	25.0	ND	116	80-125	5	15	
Chloroethane	33.4	5.0	ug/l	25.0	ND	134	80-125	2	20	*M1*
Chloroform	30.6	2.0	ug/l	25.0	ND	122	75-130	8	15	
Chloromethane	34.5	5.0	ug/l	25.0	ND	138	65-130	6	20	*N1*
2-Chlorotoluene	28.8	5.0	ug/l	25.0	ND	115	80-130	3	15	
4-Chlorotoluene	29.4	5.0	ug/l	25.0	ND	118	80-135	4	15	
Dibromochloromethane	25.5	2.0	ug/l	25.0	ND	102	75-120	9	20	
1,2-Dibromo-3-chloropropane	21.5	5.0	ug/l	25.0	ND	86	50-130	4	35	
1,2-Dibromoethane (EDB)	26.3	2.0	ug/l	25.0	ND	105	70-130	11	25	
Dibromomethane	26.6	2.0	ug/l	25.0	ND	106	75-130	7	25	
1,2-Dichlorobenzene	26.9	1.0	ug/l	25.0	ND	108	80-130	5	15	
1,3-Dichlorobenzene	27.6	1.0	ug/l	25.0	ND	110	80-130	3	15	
1,4-Dichlorobenzene	28.9	1.0	ug/l	25.0	ND	116	80-125	5	10	
Dichlorodifluoromethane	28.4	5.0	ug/l	25.0	ND	114	60-140	1	45	
1,1-Dichloroethane	31.3	2.0	ug/l	25.0	ND	125	80-125	7	15	
1,2-Dichloroethane	28.6	1.0	ug/l	25.0	ND	114	60-145	10	20	
1,1-Dichloroethene	31.4	5.0	ug/l	25.0	ND	126	75-130	6	15	
cis-1,2-Dichloroethene	29.9	2.0	ug/l	25.0	ND	120	80-125	8	15	
trans-1,2-Dichloroethene	30.4	2.0	ug/l	25.0	ND	122	80-120	6	15	*M1*
1,2-Dichloropropane	31.3	2.0	ug/l	25.0	ND	125	80-125	6	15	
1,3-Dichloropropane	29.1	2.0	ug/l	25.0	ND	116	75-130	12	20	
2,2-Dichloropropane	31.3	2.0	ug/l	25.0	ND	125	60-135	7	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I1807 Extracted: 09/18/06										
Matrix Spike Dup Analyzed: 09/18/2006 (P6I1807-MSD1)					**Source: PPI0347-02**					
1,1-Dichloropropene	30.2	2.0	ug/l	25.0	ND	121	80-125	5	15	
cis-1,3-Dichloropropene	29.5	2.0	ug/l	25.0	ND	118	75-120	5	15	
trans-1,3-Dichloropropene	27.8	2.0	ug/l	25.0	ND	111	75-130	4	25	
Ethylbenzene	30.6	2.0	ug/l	25.0	ND	122	80-130	5	15	
Hexachlorobutadiene	28.4	5.0	ug/l	25.0	ND	114	65-130	2	15	
2-Hexanone	21.5	10	ug/l	25.0	ND	86	40-150	19	35	
Iodomethane	27.1	2.0	ug/l	25.0	ND	108	70-140	12	15	
Isopropylbenzene	31.0	2.0	ug/l	25.0	ND	124	80-140	2	20	
p-Isopropyltoluene	29.5	2.0	ug/l	25.0	ND	118	80-135	3	20	
Methylene chloride	30.4	5.0	ug/l	25.0	ND	122	75-125	5	15	
4-Methyl-2-pentanone (MIBK)	21.3	10	ug/l	25.0	ND	85	40-140	15	35	
Methyl-tert-butyl Ether (MTBE)	28.3	5.0	ug/l	25.0	ND	113	65-135	10	30	
Naphthalene	22.9	2.0	ug/l	25.0	ND	92	60-140	6	30	
n-Propylbenzene	30.7	2.0	ug/l	25.0	ND	123	80-140	3	20	
Styrene	24.4	2.0	ug/l	25.0	ND	98	30-150	10	25	
1,1,1,2-Tetrachloroethane	27.4	5.0	ug/l	25.0	ND	110	80-130	5	15	
1,1,2,2-Tetrachloroethane	25.6	2.0	ug/l	25.0	ND	102	65-140	7	35	
Tetrachloroethene	28.5	2.0	ug/l	25.0	ND	114	80-130	7	15	
Toluene	29.8	2.0	ug/l	25.0	ND	119	80-130	2	15	
1,2,3-Trichlorobenzene	25.4	5.0	ug/l	25.0	ND	102	75-140	0	20	
1,2,4-Trichlorobenzene	27.7	5.0	ug/l	25.0	ND	111	80-135	3	15	
1,1,1-Trichloroethane	29.0	2.0	ug/l	25.0	ND	116	70-135	8	15	
1,1,2-Trichloroethane	25.9	2.0	ug/l	25.0	ND	104	70-135	5	25	
Trichloroethene	29.2	2.0	ug/l	25.0	ND	117	80-125	4	15	
Trichlorofluoromethane	30.6	5.0	ug/l	25.0	ND	122	70-140	6	15	
1,2,3-Trichloropropane	24.7	10	ug/l	25.0	ND	99	65-135	9	35	
1,2,4-Trimethylbenzene	30.3	2.0	ug/l	25.0	0.97	117	75-130	3	15	
1,3,5-Trimethylbenzene	29.1	2.0	ug/l	25.0	ND	116	80-135	2	15	
Vinyl acetate	29.6	25	ug/l	25.0	ND	118	30-150	11	35	
Vinyl chloride	34.0	1.7	ug/l	25.0	ND	136	70-135	6	25	*M1*
Xylenes, Total	58.4	3.0	ug/l	50.0	ND	117	80-125	4	15	
Surrogate: Dibromofluoromethane	*27.3*		*ug/l*	*25.0*		*109*	*80-130*			
Surrogate: Toluene-d8	*27.2*		*ug/l*	*25.0*		*109*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.5*		*ug/l*	*25.0*		*102*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2613 Extracted: 09/25/06										
Blank Analyzed: 09/25/2006 (P6I2613-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2613 Extracted: 09/25/06										
Blank Analyzed: 09/25/2006 (P6I2613-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*23.7*		*ug/l*	*25.0*		*95*	*80-130*			
Surrogate: Toluene-d8	*25.5*		*ug/l*	*25.0*		*102*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.6*		*ug/l*	*25.0*		*94*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2613 Extracted: 09/25/06										
LCS Analyzed: 09/25/2006 (P6I2613-BS1)										
Acetone	16.0	20	ug/l	25.0		64	30-150			
Benzene	24.3	1.0	ug/l	25.0		97	80-120			
Bromobenzene	23.3	5.0	ug/l	25.0		93	80-125			
Bromochloromethane	23.0	5.0	ug/l	25.0		92	80-125			
Bromodichloromethane	23.3	2.0	ug/l	25.0		93	80-120			
Bromoform	20.5	5.0	ug/l	25.0		82	70-120			
Bromomethane	23.6	5.0	ug/l	25.0		94	80-135			
2-Butanone (MEK)	20.3	10	ug/l	25.0		81	55-150			
n-Butylbenzene	24.8	5.0	ug/l	25.0		99	80-120			
sec-Butylbenzene	24.1	5.0	ug/l	25.0		96	80-130			
tert-Butylbenzene	23.5	5.0	ug/l	25.0		94	80-130			
Carbon Disulfide	24.7	5.0	ug/l	25.0		99	55-145			
Carbon tetrachloride	23.2	5.0	ug/l	25.0		93	80-120			
Chlorobenzene	24.2	1.0	ug/l	25.0		97	80-120			
Chloroethane	26.3	5.0	ug/l	25.0		105	80-125			
Chloroform	22.7	2.0	ug/l	25.0		91	80-120			
Chloromethane	26.4	5.0	ug/l	25.0		106	70-130			
2-Chlorotoluene	23.1	5.0	ug/l	25.0		92	80-120			
4-Chlorotoluene	23.4	5.0	ug/l	25.0		94	80-120			
Dibromochloromethane	22.8	2.0	ug/l	25.0		91	75-120			
1,2-Dibromo-3-chloropropane	20.3	5.0	ug/l	25.0		81	55-120			
1,2-Dibromoethane (EDB)	23.3	2.0	ug/l	25.0		93	75-125			
Dibromomethane	22.6	2.0	ug/l	25.0		90	80-125			
1,2-Dichlorobenzene	23.2	1.0	ug/l	25.0		93	80-120			
1,3-Dichlorobenzene	23.5	1.0	ug/l	25.0		94	80-125			
1,4-Dichlorobenzene	24.2	1.0	ug/l	25.0		97	80-120			
Dichlorodifluoromethane	23.6	5.0	ug/l	25.0		94	60-140			
1,1-Dichloroethane	23.0	2.0	ug/l	25.0		92	80-120			
1,2-Dichloroethane	22.4	1.0	ug/l	25.0		90	75-125			
1,1-Dichloroethene	25.3	5.0	ug/l	25.0		101	75-120			
cis-1,2-Dichloroethene	23.0	2.0	ug/l	25.0		92	80-125			
trans-1,2-Dichloroethene	23.7	2.0	ug/l	25.0		95	80-120			
1,2-Dichloropropane	24.9	2.0	ug/l	25.0		100	80-120			
1,3-Dichloropropane	24.1	2.0	ug/l	25.0		96	80-120			
2,2-Dichloropropane	23.2	2.0	ug/l	25.0		93	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2613 Extracted: 09/25/06										
LCS Analyzed: 09/25/2006 (P6I2613-BS1)										
1,1-Dichloropropene	24.5	2.0	ug/l	25.0		98	80-120			
cis-1,3-Dichloropropene	24.3	2.0	ug/l	25.0		97	75-120			
trans-1,3-Dichloropropene	23.9	2.0	ug/l	25.0		96	80-120			
Ethylbenzene	25.1	2.0	ug/l	25.0		100	80-125			
Hexachlorobutadiene	24.8	5.0	ug/l	25.0		99	70-130			
2-Hexanone	20.7	10	ug/l	25.0		83	40-150			
Iodomethane	23.2	2.0	ug/l	25.0		93	80-130			
Isopropylbenzene	25.4	2.0	ug/l	25.0		102	80-140			
p-Isopropyltoluene	24.2	2.0	ug/l	25.0		97	80-130			
Methylene chloride	23.9	5.0	ug/l	25.0		96	80-120			
4-Methyl-2-pentanone (MIBK)	20.6	10	ug/l	25.0		82	50-140			
Methyl-tert-butyl Ether (MTBE)	23.5	5.0	ug/l	25.0		94	65-130			
Naphthalene	22.8	2.0	ug/l	25.0		91	70-130			
n-Propylbenzene	24.6	2.0	ug/l	25.0		98	80-135			
Styrene	24.3	2.0	ug/l	25.0		97	80-125			
1,1,1,2-Tetrachloroethane	23.3	5.0	ug/l	25.0		93	80-120			
1,1,2,2-Tetrachloroethane	23.3	2.0	ug/l	25.0		93	65-140			
Tetrachloroethene	24.0	2.0	ug/l	25.0		96	80-125			
Toluene	24.6	2.0	ug/l	25.0		98	80-125			
1,2,3-Trichlorobenzene	24.7	5.0	ug/l	25.0		99	75-125			
1,2,4-Trichlorobenzene	24.9	5.0	ug/l	25.0		100	80-125			
1,1,1-Trichloroethane	22.6	2.0	ug/l	25.0		90	75-125			
1,1,2-Trichloroethane	23.3	2.0	ug/l	25.0		93	80-125			
Trichloroethene	24.1	2.0	ug/l	25.0		96	80-120			
Trichlorofluoromethane	24.2	5.0	ug/l	25.0		97	75-130			
1,2,3-Trichloropropane	21.8	10	ug/l	25.0		87	65-135			
1,2,4-Trimethylbenzene	23.9	2.0	ug/l	25.0		96	80-125			
1,3,5-Trimethylbenzene	23.3	2.0	ug/l	25.0		93	80-130			
Vinyl acetate	27.7	25	ug/l	25.0		111	70-140			
Vinyl chloride	23.0	1.7	ug/l	25.0		92	70-135			
Xylenes, Total	49.0	3.0	ug/l	50.0		98	80-125			
Surrogate: Dibromofluoromethane	*25.5*		*ug/l*	*25.0*		*102*	*80-130*			
Surrogate: Toluene-d8	*27.0*		*ug/l*	*25.0*		*108*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.7*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2613 Extracted: 09/25/06										
LCS Dup Analyzed: 09/25/2006 (P6I2613-BSD1)										
Acetone	18.7	20	ug/l	25.0		75	30-150	16	35	
Benzene	23.9	1.0	ug/l	25.0		96	80-120	2	10	
Bromobenzene	22.5	5.0	ug/l	25.0		90	80-125	3	10	
Bromochloromethane	23.1	5.0	ug/l	25.0		92	80-125	0	15	
Bromodichloromethane	23.0	2.0	ug/l	25.0		92	80-120	1	15	
Bromoform	20.6	5.0	ug/l	25.0		82	70-120	1	20	
Bromomethane	23.6	5.0	ug/l	25.0		94	80-135	0	15	
2-Butanone (MEK)	20.2	10	ug/l	25.0		81	55-150	1	35	
n-Butylbenzene	24.1	5.0	ug/l	25.0		96	80-120	3	10	
sec-Butylbenzene	23.6	5.0	ug/l	25.0		94	80-130	2	10	
tert-Butylbenzene	23.0	5.0	ug/l	25.0		92	80-130	2	10	
Carbon Disulfide	29.0	5.0	ug/l	25.0		116	55-145	16	15	*R6*
Carbon tetrachloride	22.5	5.0	ug/l	25.0		90	80-120	3	15	
Chlorobenzene	23.2	1.0	ug/l	25.0		93	80-120	4	10	
Chloroethane	26.3	5.0	ug/l	25.0		105	80-125	0	15	
Chloroform	22.3	2.0	ug/l	25.0		89	80-120	2	10	
Chloromethane	26.1	5.0	ug/l	25.0		104	70-130	1	15	
2-Chlorotoluene	22.6	5.0	ug/l	25.0		90	80-120	2	10	
4-Chlorotoluene	23.2	5.0	ug/l	25.0		93	80-120	1	10	
Dibromochloromethane	22.2	2.0	ug/l	25.0		89	75-120	3	15	
1,2-Dibromo-3-chloropropane	20.1	5.0	ug/l	25.0		80	55-120	1	35	
1,2-Dibromoethane (EDB)	22.6	2.0	ug/l	25.0		90	75-125	3	20	
Dibromomethane	22.5	2.0	ug/l	25.0		90	80-125	0	20	
1,2-Dichlorobenzene	22.9	1.0	ug/l	25.0		92	80-120	1	10	
1,3-Dichlorobenzene	22.8	1.0	ug/l	25.0		91	80-125	3	10	
1,4-Dichlorobenzene	24.0	1.0	ug/l	25.0		96	80-120	1	10	
Dichlorodifluoromethane	23.3	5.0	ug/l	25.0		93	60-140	1	15	
1,1-Dichloroethane	23.0	2.0	ug/l	25.0		92	80-120	0	10	
1,2-Dichloroethane	22.1	1.0	ug/l	25.0		88	75-125	1	20	
1,1-Dichloroethene	25.2	5.0	ug/l	25.0		101	75-120	0	15	
cis-1,2-Dichloroethene	23.0	2.0	ug/l	25.0		92	80-125	0	10	
trans-1,2-Dichloroethene	23.7	2.0	ug/l	25.0		95	80-120	0	10	
1,2-Dichloropropane	24.4	2.0	ug/l	25.0		98	80-120	2	15	
1,3-Dichloropropane	23.3	2.0	ug/l	25.0		93	80-120	3	15	
2,2-Dichloropropane	22.4	2.0	ug/l	25.0		90	70-130	4	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2613 Extracted: 09/25/06										
LCS Dup Analyzed: 09/25/2006 (P6I2613-BSD1)										
1,1-Dichloropropene	24.0	2.0	ug/l	25.0		96	80-120	2	10	
cis-1,3-Dichloropropene	23.9	2.0	ug/l	25.0		96	75-120	2	15	
trans-1,3-Dichloropropene	23.4	2.0	ug/l	25.0		94	80-120	2	20	
Ethylbenzene	24.0	2.0	ug/l	25.0		96	80-125	4	15	
Hexachlorobutadiene	23.3	5.0	ug/l	25.0		93	70-130	6	15	
2-Hexanone	20.5	10	ug/l	25.0		82	40-150	1	35	
Iodomethane	22.6	2.0	ug/l	25.0		90	80-130	3	10	
Isopropylbenzene	24.8	2.0	ug/l	25.0		99	80-140	2	10	
p-Isopropyltoluene	23.8	2.0	ug/l	25.0		95	80-130	2	15	
Methylene chloride	23.3	5.0	ug/l	25.0		93	80-120	3	10	
4-Methyl-2-pentanone (MIBK)	20.5	10	ug/l	25.0		82	50-140	1	35	
Methyl-tert-butyl Ether (MTBE)	23.6	5.0	ug/l	25.0		94	65-130	0	25	
Naphthalene	22.2	2.0	ug/l	25.0		89	70-130	3	20	
n-Propylbenzene	24.3	2.0	ug/l	25.0		97	80-135	1	10	
Styrene	23.4	2.0	ug/l	25.0		94	80-125	4	15	
1,1,1,2-Tetrachloroethane	22.9	5.0	ug/l	25.0		92	80-120	2	15	
1,1,2,2-Tetrachloroethane	23.5	2.0	ug/l	25.0		94	65-140	1	25	
Tetrachloroethene	23.0	2.0	ug/l	25.0		92	80-125	4	15	
Toluene	23.8	2.0	ug/l	25.0		95	80-125	3	10	
1,2,3-Trichlorobenzene	23.8	5.0	ug/l	25.0		95	75-125	4	15	
1,2,4-Trichlorobenzene	24.2	5.0	ug/l	25.0		97	80-125	3	15	
1,1,1-Trichloroethane	22.2	2.0	ug/l	25.0		89	75-125	2	10	
1,1,2-Trichloroethane	23.0	2.0	ug/l	25.0		92	80-125	1	25	
Trichloroethene	23.8	2.0	ug/l	25.0		95	80-120	1	10	
Trichlorofluoromethane	23.9	5.0	ug/l	25.0		96	75-130	1	10	
1,2,3-Trichloropropane	21.9	10	ug/l	25.0		88	65-135	1	25	
1,2,4-Trimethylbenzene	23.4	2.0	ug/l	25.0		94	80-125	2	10	
1,3,5-Trimethylbenzene	22.9	2.0	ug/l	25.0		92	80-130	2	10	
Vinyl acetate	27.5	25	ug/l	25.0		110	70-140	1	30	
Vinyl chloride	24.7	1.7	ug/l	25.0		99	70-135	7	15	
Xylenes, Total	46.8	3.0	ug/l	50.0		94	80-125	5	15	
Surrogate: Dibromofluoromethane	*26.2*		*ug/l*	*25.0*		*105*	*80-130*			
Surrogate: Toluene-d8	*26.9*		*ug/l*	*25.0*		*108*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.8*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2613 Extracted: 09/25/06										
Matrix Spike Analyzed: 09/26/2006 (P6I2613-MS1)					**Source: PPI0347-05**					
Acetone	23.8	20	ug/l	25.0	ND	95	15-150			
Benzene	25.4	1.0	ug/l	25.0	ND	102	80-125			
Bromobenzene	23.9	5.0	ug/l	25.0	ND	96	80-125			
Bromochloromethane	24.7	5.0	ug/l	25.0	ND	99	80-130			
Bromodichloromethane	24.6	2.0	ug/l	25.0	ND	98	70-130			
Bromoform	22.4	5.0	ug/l	25.0	ND	90	70-120			
Bromomethane	24.0	5.0	ug/l	25.0	ND	96	80-135			
2-Butanone (MEK)	24.1	10	ug/l	25.0	ND	96	30-150			
n-Butylbenzene	24.0	5.0	ug/l	25.0	ND	96	80-135			
sec-Butylbenzene	23.4	5.0	ug/l	25.0	ND	94	80-130			
tert-Butylbenzene	23.0	5.0	ug/l	25.0	ND	92	80-130			
Carbon Disulfide	36.3	5.0	ug/l	25.0	ND	145	45-150			
Carbon tetrachloride	22.5	5.0	ug/l	25.0	ND	90	65-135			
Chlorobenzene	24.6	1.0	ug/l	25.0	ND	98	80-125			
Chloroethane	28.2	5.0	ug/l	25.0	ND	113	80-125			
Chloroform	23.9	2.0	ug/l	25.0	ND	96	75-130			
Chloromethane	28.1	5.0	ug/l	25.0	ND	112	65-130			
2-Chlorotoluene	23.2	5.0	ug/l	25.0	ND	93	80-130			
4-Chlorotoluene	23.6	5.0	ug/l	25.0	ND	94	80-135			
Dibromochloromethane	24.6	2.0	ug/l	25.0	ND	98	75-120			
1,2-Dibromo-3-chloropropane	24.1	5.0	ug/l	25.0	ND	96	50-130			
1,2-Dibromoethane (EDB)	26.7	2.0	ug/l	25.0	ND	107	70-130			
Dibromomethane	25.6	2.0	ug/l	25.0	ND	102	75-130			
1,2-Dichlorobenzene	23.8	1.0	ug/l	25.0	ND	95	80-130			
1,3-Dichlorobenzene	23.1	1.0	ug/l	25.0	ND	92	80-130			
1,4-Dichlorobenzene	24.5	1.0	ug/l	25.0	ND	98	80-125			
Dichlorodifluoromethane	24.0	5.0	ug/l	25.0	ND	96	60-140			
1,1-Dichloroethane	35.3	2.0	ug/l	25.0	11	97	80-125			
1,2-Dichloroethane	24.8	1.0	ug/l	25.0	ND	99	60-145			
1,1-Dichloroethene	26.9	5.0	ug/l	25.0	0.74	105	75-130			
cis-1,2-Dichloroethene	24.7	2.0	ug/l	25.0	0.71	96	80-125			
trans-1,2-Dichloroethene	24.2	2.0	ug/l	25.0	ND	97	80-120			
1,2-Dichloropropane	26.8	2.0	ug/l	25.0	ND	107	80-125			
1,3-Dichloropropane	27.8	2.0	ug/l	25.0	ND	111	75-130			
2,2-Dichloropropane	19.9	2.0	ug/l	25.0	ND	80	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2613 Extracted: 09/25/06										
Matrix Spike Analyzed: 09/26/2006 (P6I2613-MS1)					**Source: PPI0347-05**					
1,1-Dichloropropene	24.8	2.0	ug/l	25.0	ND	99	80-125			
cis-1,3-Dichloropropene	24.8	2.0	ug/l	25.0	ND	99	75-120			
trans-1,3-Dichloropropene	25.2	2.0	ug/l	25.0	ND	101	75-130			
Ethylbenzene	25.4	2.0	ug/l	25.0	ND	102	80-130			
Hexachlorobutadiene	23.0	5.0	ug/l	25.0	ND	92	65-130			
2-Hexanone	26.9	10	ug/l	25.0	ND	108	40-150			
Iodomethane	21.7	2.0	ug/l	25.0	ND	87	70-140			
Isopropylbenzene	25.0	2.0	ug/l	25.0	ND	100	80-140			
p-Isopropyltoluene	23.3	2.0	ug/l	25.0	ND	93	80-135			
Methylene chloride	26.2	5.0	ug/l	25.0	ND	105	75-125			
4-Methyl-2-pentanone (MIBK)	25.7	10	ug/l	25.0	ND	103	40-140			
Methyl-tert-butyl Ether (MTBE)	169	5.0	ug/l	25.0	85	336	65-135			*M1*
Naphthalene	25.8	2.0	ug/l	25.0	ND	103	60-140			
n-Propylbenzene	24.4	2.0	ug/l	25.0	ND	98	80-140			
Styrene	22.8	2.0	ug/l	25.0	ND	91	30-150			
1,1,1,2-Tetrachloroethane	24.3	5.0	ug/l	25.0	ND	97	80-130			
1,1,2,2-Tetrachloroethane	28.1	2.0	ug/l	25.0	ND	112	65-140			
Tetrachloroethene	23.9	2.0	ug/l	25.0	ND	96	80-130			
Toluene	24.9	2.0	ug/l	25.0	ND	100	80-130			
1,2,3-Trichlorobenzene	25.4	5.0	ug/l	25.0	ND	102	75-140			
1,2,4-Trichlorobenzene	24.8	5.0	ug/l	25.0	ND	99	80-135			
1,1,1-Trichloroethane	22.6	2.0	ug/l	25.0	ND	90	70-135			
1,1,2-Trichloroethane	26.0	2.0	ug/l	25.0	ND	104	70-135			
Trichloroethene	25.0	2.0	ug/l	25.0	0.60	98	80-125			
Trichlorofluoromethane	24.6	5.0	ug/l	25.0	ND	98	70-140			
1,2,3-Trichloropropane	26.4	10	ug/l	25.0	ND	106	65-135			
1,2,4-Trimethylbenzene	23.3	2.0	ug/l	25.0	0.47	91	75-130			
1,3,5-Trimethylbenzene	22.9	2.0	ug/l	25.0	ND	92	80-135			
Vinyl acetate	23.2	25	ug/l	25.0	ND	93	30-150			
Vinyl chloride	24.9	1.7	ug/l	25.0	3.2	87	70-135			
Xylenes, Total	48.8	3.0	ug/l	50.0	ND	98	80-125			
Surrogate: Dibromofluoromethane	*26.4*		*ug/l*	*25.0*		*106*	*80-130*			
Surrogate: Toluene-d8	*27.1*		*ug/l*	*25.0*		*108*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2613 Extracted: 09/25/06										
Matrix Spike Dup Analyzed: 09/26/2006 (P6I2613-MSD1)					**Source: PPI0347-05**					
Acetone	23.3	20	ug/l	25.0	ND	93	15-150	2	35	
Benzene	25.2	1.0	ug/l	25.0	ND	101	80-125	1	10	
Bromobenzene	23.7	5.0	ug/l	25.0	ND	95	80-125	1	15	
Bromochloromethane	24.6	5.0	ug/l	25.0	ND	98	80-130	0	20	
Bromodichloromethane	24.2	2.0	ug/l	25.0	ND	97	70-130	2	15	
Bromoform	22.6	5.0	ug/l	25.0	ND	90	70-120	1	25	
Bromomethane	25.0	5.0	ug/l	25.0	ND	100	80-135	4	20	
2-Butanone (MEK)	26.4	10	ug/l	25.0	ND	106	30-150	9	35	
n-Butylbenzene	24.3	5.0	ug/l	25.0	ND	97	80-135	1	20	
sec-Butylbenzene	23.6	5.0	ug/l	25.0	ND	94	80-130	1	20	
tert-Butylbenzene	23.0	5.0	ug/l	25.0	ND	92	80-130	0	20	
Carbon Disulfide	25.1	5.0	ug/l	25.0	ND	100	45-150	36	15	*R1*
Carbon tetrachloride	22.0	5.0	ug/l	25.0	ND	88	65-135	2	15	
Chlorobenzene	24.1	1.0	ug/l	25.0	ND	96	80-125	2	15	
Chloroethane	28.7	5.0	ug/l	25.0	ND	115	80-125	2	20	
Chloroform	24.0	2.0	ug/l	25.0	ND	96	75-130	0	15	
Chloromethane	28.3	5.0	ug/l	25.0	ND	113	65-130	1	20	
2-Chlorotoluene	23.4	5.0	ug/l	25.0	ND	94	80-130	1	15	
4-Chlorotoluene	23.6	5.0	ug/l	25.0	ND	94	80-135	0	15	
Dibromochloromethane	23.4	2.0	ug/l	25.0	ND	94	75-120	5	20	
1,2-Dibromo-3-chloropropane	25.1	5.0	ug/l	25.0	ND	100	50-130	4	35	
1,2-Dibromoethane (EDB)	25.6	2.0	ug/l	25.0	ND	102	70-130	4	25	
Dibromomethane	25.2	2.0	ug/l	25.0	ND	101	75-130	2	25	
1,2-Dichlorobenzene	23.8	1.0	ug/l	25.0	ND	95	80-130	0	15	
1,3-Dichlorobenzene	23.2	1.0	ug/l	25.0	ND	93	80-130	0	15	
1,4-Dichlorobenzene	24.6	1.0	ug/l	25.0	ND	98	80-125	0	10	
Dichlorodifluoromethane	25.3	5.0	ug/l	25.0	ND	101	60-140	5	45	
1,1-Dichloroethane	34.2	2.0	ug/l	25.0	11	93	80-125	3	15	
1,2-Dichloroethane	25.3	1.0	ug/l	25.0	ND	101	60-145	2	20	
1,1-Dichloroethene	26.7	5.0	ug/l	25.0	0.74	104	75-130	1	15	
cis-1,2-Dichloroethene	24.7	2.0	ug/l	25.0	0.71	96	80-125	0	15	
trans-1,2-Dichloroethene	18.2	2.0	ug/l	25.0	ND	73	80-120	28	15	*M2, R4*
1,2-Dichloropropane	26.4	2.0	ug/l	25.0	ND	106	80-125	2	15	
1,3-Dichloropropane	26.2	2.0	ug/l	25.0	ND	105	75-130	6	20	
2,2-Dichloropropane	19.4	2.0	ug/l	25.0	ND	78	60-135	3	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2613 Extracted: 09/25/06										
Matrix Spike Dup Analyzed: 09/26/2006 (P6I2613-MSD1)					**Source: PPI0347-05**					
1,1-Dichloropropene	24.5	2.0	ug/l	25.0	ND	98	80-125	1	15	
cis-1,3-Dichloropropene	24.7	2.0	ug/l	25.0	ND	99	75-120	0	15	
trans-1,3-Dichloropropene	25.3	2.0	ug/l	25.0	ND	101	75-130	0	25	
Ethylbenzene	24.4	2.0	ug/l	25.0	ND	98	80-130	4	15	
Hexachlorobutadiene	23.0	5.0	ug/l	25.0	ND	92	65-130	0	15	
2-Hexanone	26.0	10	ug/l	25.0	ND	104	40-150	3	35	
Iodomethane	23.1	2.0	ug/l	25.0	ND	92	70-140	6	15	
Isopropylbenzene	25.5	2.0	ug/l	25.0	ND	102	80-140	2	20	
p-Isopropyltoluene	23.7	2.0	ug/l	25.0	ND	95	80-135	2	20	
Methylene chloride	26.2	5.0	ug/l	25.0	ND	105	75-125	0	15	
4-Methyl-2-pentanone (MIBK)	25.7	10	ug/l	25.0	ND	103	40-140	0	35	
Methyl-tert-butyl Ether (MTBE)	158	5.0	ug/l	25.0	85	292	65-135	7	30	*M1*
Naphthalene	25.7	2.0	ug/l	25.0	ND	103	60-140	0	30	
n-Propylbenzene	25.0	2.0	ug/l	25.0	ND	100	80-140	2	20	
Styrene	22.5	2.0	ug/l	25.0	ND	90	30-150	1	25	
1,1,1,2-Tetrachloroethane	23.7	5.0	ug/l	25.0	ND	95	80-130	2	15	
1,1,2,2-Tetrachloroethane	27.8	2.0	ug/l	25.0	ND	111	65-140	1	35	
Tetrachloroethene	22.9	2.0	ug/l	25.0	ND	92	80-130	4	15	
Toluene	24.7	2.0	ug/l	25.0	ND	99	80-130	1	15	
1,2,3-Trichlorobenzene	25.3	5.0	ug/l	25.0	ND	101	75-140	0	20	
1,2,4-Trichlorobenzene	24.9	5.0	ug/l	25.0	ND	100	80-135	0	15	
1,1,1-Trichloroethane	22.6	2.0	ug/l	25.0	ND	90	70-135	0	15	
1,1,2-Trichloroethane	25.9	2.0	ug/l	25.0	ND	104	70-135	0	25	
Trichloroethene	24.5	2.0	ug/l	25.0	0.60	96	80-125	2	15	
Trichlorofluoromethane	24.4	5.0	ug/l	25.0	ND	98	70-140	1	15	
1,2,3-Trichloropropane	26.2	10	ug/l	25.0	ND	105	65-135	1	35	
1,2,4-Trimethylbenzene	23.5	2.0	ug/l	25.0	0.47	92	75-130	1	15	
1,3,5-Trimethylbenzene	23.0	2.0	ug/l	25.0	ND	92	80-135	0	15	
Vinyl acetate	23.2	25	ug/l	25.0	ND	93	30-150	0	35	
Vinyl chloride	18.4	1.7	ug/l	25.0	3.2	61	70-135	30	25	*M2, R4*
Xylenes, Total	48.4	3.0	ug/l	50.0	ND	97	80-125	1	15	
Surrogate: Dibromofluoromethane	*26.9*		*ug/l*	*25.0*		*108*	*80-130*			
Surrogate: Toluene-d8	*26.8*		*ug/l*	*25.0*		*107*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.8*		*ug/l*	*25.0*		*103*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2629 Extracted: 09/26/06										
Blank Analyzed: 09/26/2006 (P6I2629-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							*V1*
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							*V1*
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2629 Extracted: 09/26/06										
Blank Analyzed: 09/26/2006 (P6I2629-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							*V1*
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*29.4*		*ug/l*	*25.0*		*118*	*80-130*			
Surrogate: Toluene-d8	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.7*		*ug/l*	*25.0*		*95*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2629 Extracted: 09/26/06										
LCS Analyzed: 09/26/2006 (P6I2629-BS1)										
Acetone	35.3	20	ug/l	25.0		141	30-150			
Benzene	25.6	1.0	ug/l	25.0		102	80-120			
Bromobenzene	28.2	5.0	ug/l	25.0		113	80-125			
Bromochloromethane	29.3	5.0	ug/l	25.0		117	80-125			
Bromodichloromethane	25.6	2.0	ug/l	25.0		102	80-120			
Bromoform	27.8	5.0	ug/l	25.0		111	70-120			
Bromomethane	30.2	5.0	ug/l	25.0		121	80-135			
2-Butanone (MEK)	29.6	10	ug/l	25.0		118	55-150			
n-Butylbenzene	26.6	5.0	ug/l	25.0		106	80-120			
sec-Butylbenzene	28.9	5.0	ug/l	25.0		116	80-130			
tert-Butylbenzene	28.7	5.0	ug/l	25.0		115	80-130			
Carbon Disulfide	25.7	5.0	ug/l	25.0		103	55-145			
Carbon tetrachloride	25.9	5.0	ug/l	25.0		104	80-120			
Chlorobenzene	26.5	1.0	ug/l	25.0		106	80-120			
Chloroethane	29.1	5.0	ug/l	25.0		116	80-125			
Chloroform	29.2	2.0	ug/l	25.0		117	80-120			
Chloromethane	32.0	5.0	ug/l	25.0		128	70-130			*V1*
2-Chlorotoluene	28.9	5.0	ug/l	25.0		116	80-120			
4-Chlorotoluene	29.5	5.0	ug/l	25.0		118	80-120			
Dibromochloromethane	25.8	2.0	ug/l	25.0		103	75-120			
1,2-Dibromo-3-chloropropane	28.2	5.0	ug/l	25.0		113	55-120			
1,2-Dibromoethane (EDB)	27.9	2.0	ug/l	25.0		112	75-125			
Dibromomethane	26.9	2.0	ug/l	25.0		108	80-125			
1,2-Dichlorobenzene	26.8	1.0	ug/l	25.0		107	80-120			
1,3-Dichlorobenzene	26.3	1.0	ug/l	25.0		105	80-125			
1,4-Dichlorobenzene	26.8	1.0	ug/l	25.0		107	80-120			
Dichlorodifluoromethane	30.2	5.0	ug/l	25.0		121	60-140			
1,1-Dichloroethane	29.2	2.0	ug/l	25.0		117	80-120			
1,2-Dichloroethane	31.6	1.0	ug/l	25.0		126	75-125			*V1, L3*
1,1-Dichloroethene	27.1	5.0	ug/l	25.0		108	75-120			
cis-1,2-Dichloroethene	28.6	2.0	ug/l	25.0		114	80-125			
trans-1,2-Dichloroethene	29.4	2.0	ug/l	25.0		118	80-120			
1,2-Dichloropropane	25.8	2.0	ug/l	25.0		103	80-120			
1,3-Dichloropropane	27.2	2.0	ug/l	25.0		109	80-120			
2,2-Dichloropropane	26.3	2.0	ug/l	25.0		105	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2629 Extracted: 09/26/06										
LCS Analyzed: 09/26/2006 (P6I2629-BS1)										
1,1-Dichloropropene	25.6	2.0	ug/l	25.0		102	80-120			
cis-1,3-Dichloropropene	25.0	2.0	ug/l	25.0		100	75-120			
trans-1,3-Dichloropropene	25.6	2.0	ug/l	25.0		102	80-120			
Ethylbenzene	26.1	2.0	ug/l	25.0		104	80-125			
Hexachlorobutadiene	21.5	5.0	ug/l	25.0		86	70-130			
2-Hexanone	27.4	10	ug/l	25.0		110	40-150			
Iodomethane	26.4	2.0	ug/l	25.0		106	80-130			
Isopropylbenzene	31.6	2.0	ug/l	25.0		126	80-140			
p-Isopropyltoluene	27.8	2.0	ug/l	25.0		111	80-130			
Methylene chloride	28.2	5.0	ug/l	25.0		113	80-120			
4-Methyl-2-pentanone (MIBK)	26.2	10	ug/l	25.0		105	50-140			
Methyl-tert-butyl Ether (MTBE)	29.5	5.0	ug/l	25.0		118	65-130			
Naphthalene	23.6	2.0	ug/l	25.0		94	70-130			
n-Propylbenzene	30.2	2.0	ug/l	25.0		121	80-135			
Styrene	25.4	2.0	ug/l	25.0		102	80-125			
1,1,1,2-Tetrachloroethane	25.4	5.0	ug/l	25.0		102	80-120			
1,1,2,2-Tetrachloroethane	32.5	2.0	ug/l	25.0		130	65-140			
Tetrachloroethene	24.6	2.0	ug/l	25.0		98	80-125			
Toluene	25.4	2.0	ug/l	25.0		102	80-125			
1,2,3-Trichlorobenzene	21.6	5.0	ug/l	25.0		86	75-125			
1,2,4-Trichlorobenzene	21.4	5.0	ug/l	25.0		86	80-125			
1,1,1-Trichloroethane	29.1	2.0	ug/l	25.0		116	75-125			
1,1,2-Trichloroethane	25.5	2.0	ug/l	25.0		102	80-125			
Trichloroethene	25.4	2.0	ug/l	25.0		102	80-120			
Trichlorofluoromethane	31.3	5.0	ug/l	25.0		125	75-130			
1,2,3-Trichloropropane	31.6	10	ug/l	25.0		126	65-135			
1,2,4-Trimethylbenzene	28.3	2.0	ug/l	25.0		113	80-125			
1,3,5-Trimethylbenzene	29.2	2.0	ug/l	25.0		117	80-130			
Vinyl acetate	37.2	25	ug/l	25.0		149	70-140			*V1, L3*
Vinyl chloride	30.2	1.7	ug/l	25.0		121	70-135			
Xylenes, Total	51.6	3.0	ug/l	50.0		103	80-125			
Surrogate: Dibromofluoromethane	*30.4*		*ug/l*	*25.0*		*122*	*80-130*			
Surrogate: Toluene-d8	*25.5*		*ug/l*	*25.0*		*102*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.2*		*ug/l*	*25.0*		*101*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2629 Extracted: 09/26/06										
LCS Dup Analyzed: 09/26/2006 (P6I2629-BSD1)										
Acetone	34.5	20	ug/l	25.0		138	30-150	2	35	
Benzene	25.2	1.0	ug/l	25.0		101	80-120	2	10	
Bromobenzene	26.0	5.0	ug/l	25.0		104	80-125	8	10	
Bromochloromethane	28.1	5.0	ug/l	25.0		112	80-125	4	15	
Bromodichloromethane	25.5	2.0	ug/l	25.0		102	80-120	0	15	
Bromoform	26.3	5.0	ug/l	25.0		105	70-120	6	20	
Bromomethane	28.6	5.0	ug/l	25.0		114	80-135	5	15	
2-Butanone (MEK)	29.0	10	ug/l	25.0		116	55-150	2	35	
n-Butylbenzene	26.1	5.0	ug/l	25.0		104	80-120	2	10	
sec-Butylbenzene	27.3	5.0	ug/l	25.0		109	80-130	6	10	
tert-Butylbenzene	27.6	5.0	ug/l	25.0		110	80-130	4	10	
Carbon Disulfide	25.6	5.0	ug/l	25.0		102	55-145	0	15	
Carbon tetrachloride	25.9	5.0	ug/l	25.0		104	80-120	0	15	
Chlorobenzene	25.9	1.0	ug/l	25.0		104	80-120	2	10	
Chloroethane	27.2	5.0	ug/l	25.0		109	80-125	7	15	
Chloroform	28.5	2.0	ug/l	25.0		114	80-120	2	10	
Chloromethane	31.1	5.0	ug/l	25.0		124	70-130	3	15	*V1*
2-Chlorotoluene	27.4	5.0	ug/l	25.0		110	80-120	5	10	
4-Chlorotoluene	27.3	5.0	ug/l	25.0		109	80-120	8	10	
Dibromochloromethane	25.9	2.0	ug/l	25.0		104	75-120	0	15	
1,2-Dibromo-3-chloropropane	27.2	5.0	ug/l	25.0		109	55-120	4	35	
1,2-Dibromoethane (EDB)	27.7	2.0	ug/l	25.0		111	75-125	1	20	
Dibromomethane	26.2	2.0	ug/l	25.0		105	80-125	3	20	
1,2-Dichlorobenzene	25.9	1.0	ug/l	25.0		104	80-120	3	10	
1,3-Dichlorobenzene	25.0	1.0	ug/l	25.0		100	80-125	5	10	
1,4-Dichlorobenzene	26.1	1.0	ug/l	25.0		104	80-120	3	10	
Dichlorodifluoromethane	28.7	5.0	ug/l	25.0		115	60-140	5	15	
1,1-Dichloroethane	28.3	2.0	ug/l	25.0		113	80-120	3	10	
1,2-Dichloroethane	31.0	1.0	ug/l	25.0		124	75-125	2	20	*V1*
1,1-Dichloroethene	26.6	5.0	ug/l	25.0		106	75-120	2	15	
cis-1,2-Dichloroethene	27.8	2.0	ug/l	25.0		111	80-125	3	10	
trans-1,2-Dichloroethene	28.2	2.0	ug/l	25.0		113	80-120	4	10	
1,2-Dichloropropane	26.1	2.0	ug/l	25.0		104	80-120	1	15	
1,3-Dichloropropane	27.1	2.0	ug/l	25.0		108	80-120	0	15	
2,2-Dichloropropane	25.8	2.0	ug/l	25.0		103	70-130	2	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2629 Extracted: 09/26/06										
LCS Dup Analyzed: 09/26/2006 (P6I2629-BSD1)										
1,1-Dichloropropene	25.8	2.0	ug/l	25.0		103	80-120	1	10	
cis-1,3-Dichloropropene	24.6	2.0	ug/l	25.0		98	75-120	2	15	
trans-1,3-Dichloropropene	24.9	2.0	ug/l	25.0		100	80-120	3	20	
Ethylbenzene	25.5	2.0	ug/l	25.0		102	80-125	2	15	
Hexachlorobutadiene	23.0	5.0	ug/l	25.0		92	70-130	7	15	
2-Hexanone	26.6	10	ug/l	25.0		106	40-150	3	35	
Iodomethane	24.8	2.0	ug/l	25.0		99	80-130	6	10	
Isopropylbenzene	29.6	2.0	ug/l	25.0		118	80-140	7	10	
p-Isopropyltoluene	26.3	2.0	ug/l	25.0		105	80-130	6	15	
Methylene chloride	28.2	5.0	ug/l	25.0		113	80-120	0	10	
4-Methyl-2-pentanone (MIBK)	26.7	10	ug/l	25.0		107	50-140	2	35	
Methyl-tert-butyl Ether (MTBE)	29.5	5.0	ug/l	25.0		118	65-130	0	25	
Naphthalene	24.4	2.0	ug/l	25.0		98	70-130	3	20	
n-Propylbenzene	29.0	2.0	ug/l	25.0		116	80-135	4	10	
Styrene	25.0	2.0	ug/l	25.0		100	80-125	2	15	
1,1,1,2-Tetrachloroethane	25.2	5.0	ug/l	25.0		101	80-120	1	15	
1,1,2,2-Tetrachloroethane	30.3	2.0	ug/l	25.0		121	65-140	7	25	
Tetrachloroethene	23.6	2.0	ug/l	25.0		94	80-125	4	15	
Toluene	25.3	2.0	ug/l	25.0		101	80-125	0	10	
1,2,3-Trichlorobenzene	23.0	5.0	ug/l	25.0		92	75-125	6	15	
1,2,4-Trichlorobenzene	22.2	5.0	ug/l	25.0		89	80-125	4	15	
1,1,1-Trichloroethane	28.7	2.0	ug/l	25.0		115	75-125	1	10	
1,1,2-Trichloroethane	25.2	2.0	ug/l	25.0		101	80-125	1	25	
Trichloroethene	25.3	2.0	ug/l	25.0		101	80-120	0	10	
Trichlorofluoromethane	30.0	5.0	ug/l	25.0		120	75-130	4	10	
1,2,3-Trichloropropane	30.2	10	ug/l	25.0		121	65-135	5	25	
1,2,4-Trimethylbenzene	27.4	2.0	ug/l	25.0		110	80-125	3	10	
1,3,5-Trimethylbenzene	27.1	2.0	ug/l	25.0		108	80-130	7	10	
Vinyl acetate	34.8	25	ug/l	25.0		139	70-140	7	30	*V1*
Vinyl chloride	28.5	1.7	ug/l	25.0		114	70-135	6	15	
Xylenes, Total	50.2	3.0	ug/l	50.0		100	80-125	3	15	
Surrogate: Dibromofluoromethane	*30.8*		*ug/l*	*25.0*		*123*	*80-130*			
Surrogate: Toluene-d8	*26.0*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.8*		*ug/l*	*25.0*		*103*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2629 Extracted: 09/26/06										
Matrix Spike Analyzed: 09/26/2006 (P6I2629-MS1)					**Source: PPI0386-03**					
Acetone	30.8	20	ug/l	25.0	ND	123	15-150			
Benzene	24.2	1.0	ug/l	25.0	ND	97	80-125			
Bromobenzene	26.4	5.0	ug/l	25.0	ND	106	80-125			
Bromochloromethane	27.2	5.0	ug/l	25.0	ND	109	80-130			
Bromodichloromethane	24.3	2.0	ug/l	25.0	ND	97	70-130			
Bromoform	25.1	5.0	ug/l	25.0	ND	100	70-120			
Bromomethane	26.5	5.0	ug/l	25.0	ND	106	80-135			
2-Butanone (MEK)	26.6	10	ug/l	25.0	ND	106	30-150			
n-Butylbenzene	24.9	5.0	ug/l	25.0	ND	100	80-135			
sec-Butylbenzene	26.8	5.0	ug/l	25.0	ND	107	80-130			
tert-Butylbenzene	27.3	5.0	ug/l	25.0	ND	109	80-130			
Carbon Disulfide	24.9	5.0	ug/l	25.0	ND	100	45-150			
Carbon tetrachloride	24.0	5.0	ug/l	25.0	ND	96	65-135			
Chlorobenzene	24.6	1.0	ug/l	25.0	ND	98	80-125			
Chloroethane	25.8	5.0	ug/l	25.0	ND	103	80-125			
Chloroform	27.2	2.0	ug/l	25.0	ND	109	75-130			
Chloromethane	28.6	5.0	ug/l	25.0	ND	114	65-130			*V1*
2-Chlorotoluene	27.0	5.0	ug/l	25.0	ND	108	80-130			
4-Chlorotoluene	26.5	5.0	ug/l	25.0	ND	106	80-135			
Dibromochloromethane	24.2	2.0	ug/l	25.0	ND	97	75-120			
1,2-Dibromo-3-chloropropane	25.2	5.0	ug/l	25.0	ND	101	50-130			
1,2-Dibromoethane (EDB)	26.0	2.0	ug/l	25.0	ND	104	70-130			
Dibromomethane	25.4	2.0	ug/l	25.0	ND	102	75-130			
1,2-Dichlorobenzene	25.1	1.0	ug/l	25.0	ND	100	80-130			
1,3-Dichlorobenzene	24.5	1.0	ug/l	25.0	ND	98	80-130			
1,4-Dichlorobenzene	24.6	1.0	ug/l	25.0	ND	98	80-125			
Dichlorodifluoromethane	26.3	5.0	ug/l	25.0	ND	105	60-140			
1,1-Dichloroethane	26.9	2.0	ug/l	25.0	ND	108	80-125			
1,2-Dichloroethane	29.3	1.0	ug/l	25.0	ND	117	60-145			*V1*
1,1-Dichloroethene	25.3	5.0	ug/l	25.0	ND	101	75-130			
cis-1,2-Dichloroethene	26.9	2.0	ug/l	25.0	ND	108	80-125			
trans-1,2-Dichloroethene	27.3	2.0	ug/l	25.0	ND	109	80-120			
1,2-Dichloropropane	25.4	2.0	ug/l	25.0	ND	102	80-125			
1,3-Dichloropropane	26.2	2.0	ug/l	25.0	ND	105	75-130			
2,2-Dichloropropane	23.6	2.0	ug/l	25.0	ND	94	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2629 Extracted: 09/26/06										
Matrix Spike Analyzed: 09/26/2006 (P6I2629-MS1)					**Source: PPI0386-03**					
1,1-Dichloropropene	24.4	2.0	ug/l	25.0	ND	98	80-125			
cis-1,3-Dichloropropene	23.5	2.0	ug/l	25.0	ND	94	75-120			
trans-1,3-Dichloropropene	24.4	2.0	ug/l	25.0	ND	98	75-130			
Ethylbenzene	24.4	2.0	ug/l	25.0	ND	98	80-130			
Hexachlorobutadiene	20.8	5.0	ug/l	25.0	ND	83	65-130			
2-Hexanone	24.5	10	ug/l	25.0	ND	98	40-150			
Iodomethane	25.0	2.0	ug/l	25.0	ND	100	70-140			
Isopropylbenzene	29.3	2.0	ug/l	25.0	ND	117	80-140			
p-Isopropyltoluene	25.9	2.0	ug/l	25.0	ND	104	80-135			
Methylene chloride	26.5	5.0	ug/l	25.0	ND	106	75-125			
4-Methyl-2-pentanone (MIBK)	26.0	10	ug/l	25.0	ND	104	40-140			
Methyl-tert-butyl Ether (MTBE)	27.8	5.0	ug/l	25.0	ND	111	65-135			
Naphthalene	22.4	2.0	ug/l	25.0	ND	90	60-140			
n-Propylbenzene	28.3	2.0	ug/l	25.0	ND	113	80-140			
Styrene	20.8	2.0	ug/l	25.0	ND	83	30-150			
1,1,1,2-Tetrachloroethane	23.8	5.0	ug/l	25.0	ND	95	80-130			
1,1,2,2-Tetrachloroethane	31.0	2.0	ug/l	25.0	ND	124	65-140			
Tetrachloroethene	22.0	2.0	ug/l	25.0	ND	88	80-130			
Toluene	24.2	2.0	ug/l	25.0	ND	97	80-130			
1,2,3-Trichlorobenzene	20.4	5.0	ug/l	25.0	ND	82	75-140			
1,2,4-Trichlorobenzene	19.7	5.0	ug/l	25.0	ND	79	80-135			*M2*
1,1,1-Trichloroethane	26.7	2.0	ug/l	25.0	ND	107	70-135			
1,1,2-Trichloroethane	24.6	2.0	ug/l	25.0	ND	98	70-135			
Trichloroethene	23.7	2.0	ug/l	25.0	ND	95	80-125			
Trichlorofluoromethane	28.1	5.0	ug/l	25.0	ND	112	70-140			
1,2,3-Trichloropropane	30.1	10	ug/l	25.0	ND	120	65-135			
1,2,4-Trimethylbenzene	26.2	2.0	ug/l	25.0	ND	105	75-130			
1,3,5-Trimethylbenzene	27.0	2.0	ug/l	25.0	ND	108	80-135			
Vinyl acetate	33.9	25	ug/l	25.0	ND	136	30-150			*V1*
Vinyl chloride	26.8	1.7	ug/l	25.0	ND	107	70-135			
Xylenes, Total	47.8	3.0	ug/l	50.0	ND	96	80-125			
Surrogate: Dibromofluoromethane	*30.9*		*ug/l*	*25.0*		*124*	*80-130*			
Surrogate: Toluene-d8	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2629 Extracted: 09/26/06										
Matrix Spike Dup Analyzed: 09/26/2006 (P6I2629-MSD1)					**Source: PPI0386-03**					
Acetone	30.0	20	ug/l	25.0	ND	120	15-150	3	35	
Benzene	24.0	1.0	ug/l	25.0	ND	96	80-125	1	10	
Bromobenzene	24.7	5.0	ug/l	25.0	ND	99	80-125	7	15	
Bromochloromethane	27.2	5.0	ug/l	25.0	ND	109	80-130	0	20	
Bromodichloromethane	24.0	2.0	ug/l	25.0	ND	96	70-130	1	15	
Bromoform	23.5	5.0	ug/l	25.0	ND	94	70-120	7	25	
Bromomethane	26.7	5.0	ug/l	25.0	ND	107	80-135	1	20	
2-Butanone (MEK)	28.3	10	ug/l	25.0	ND	113	30-150	6	35	
n-Butylbenzene	24.9	5.0	ug/l	25.0	ND	100	80-135	0	20	
sec-Butylbenzene	26.8	5.0	ug/l	25.0	ND	107	80-130	0	20	
tert-Butylbenzene	26.6	5.0	ug/l	25.0	ND	106	80-130	3	20	
Carbon Disulfide	25.8	5.0	ug/l	25.0	ND	103	45-150	4	15	
Carbon tetrachloride	24.2	5.0	ug/l	25.0	ND	97	65-135	1	15	
Chlorobenzene	24.8	1.0	ug/l	25.0	ND	99	80-125	1	15	
Chloroethane	26.2	5.0	ug/l	25.0	ND	105	80-125	2	20	
Chloroform	27.6	2.0	ug/l	25.0	ND	110	75-130	1	15	
Chloromethane	28.5	5.0	ug/l	25.0	ND	114	65-130	0	20	*V1*
2-Chlorotoluene	26.4	5.0	ug/l	25.0	ND	106	80-130	2	15	
4-Chlorotoluene	26.5	5.0	ug/l	25.0	ND	106	80-135	0	15	
Dibromochloromethane	23.4	2.0	ug/l	25.0	ND	94	75-120	3	20	
1,2-Dibromo-3-chloropropane	24.6	5.0	ug/l	25.0	ND	98	50-130	2	35	
1,2-Dibromoethane (EDB)	26.0	2.0	ug/l	25.0	ND	104	70-130	0	25	
Dibromomethane	25.1	2.0	ug/l	25.0	ND	100	75-130	1	25	
1,2-Dichlorobenzene	24.9	1.0	ug/l	25.0	ND	100	80-130	1	15	
1,3-Dichlorobenzene	23.8	1.0	ug/l	25.0	ND	95	80-130	3	15	
1,4-Dichlorobenzene	24.2	1.0	ug/l	25.0	ND	97	80-125	2	10	
Dichlorodifluoromethane	26.8	5.0	ug/l	25.0	ND	107	60-140	2	45	
1,1-Dichloroethane	26.9	2.0	ug/l	25.0	ND	108	80-125	0	15	
1,2-Dichloroethane	30.0	1.0	ug/l	25.0	ND	120	60-145	2	20	*V1*
1,1-Dichloroethene	25.9	5.0	ug/l	25.0	ND	104	75-130	2	15	
cis-1,2-Dichloroethene	26.6	2.0	ug/l	25.0	ND	106	80-125	1	15	
trans-1,2-Dichloroethene	26.3	2.0	ug/l	25.0	ND	105	80-120	4	15	
1,2-Dichloropropane	24.9	2.0	ug/l	25.0	ND	100	80-125	2	15	
1,3-Dichloropropane	25.5	2.0	ug/l	25.0	ND	102	75-130	3	20	
2,2-Dichloropropane	23.2	2.0	ug/l	25.0	ND	93	60-135	2	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2629 Extracted: 09/26/06										
Matrix Spike Dup Analyzed: 09/26/2006 (P6I2629-MSD1)					**Source: PPI0386-03**					
1,1-Dichloropropene	24.6	2.0	ug/l	25.0	ND	98	80-125	1	15	
cis-1,3-Dichloropropene	23.3	2.0	ug/l	25.0	ND	93	75-120	1	15	
trans-1,3-Dichloropropene	23.5	2.0	ug/l	25.0	ND	94	75-130	4	25	
Ethylbenzene	24.7	2.0	ug/l	25.0	ND	99	80-130	1	15	
Hexachlorobutadiene	22.0	5.0	ug/l	25.0	ND	88	65-130	6	15	
2-Hexanone	24.9	10	ug/l	25.0	ND	100	40-150	2	35	
Iodomethane	26.1	2.0	ug/l	25.0	ND	104	70-140	4	15	
Isopropylbenzene	28.6	2.0	ug/l	25.0	ND	114	80-140	2	20	
p-Isopropyltoluene	25.1	2.0	ug/l	25.0	ND	100	80-135	3	20	
Methylene chloride	26.8	5.0	ug/l	25.0	ND	107	75-125	1	15	
4-Methyl-2-pentanone (MIBK)	25.1	10	ug/l	25.0	ND	100	40-140	4	35	
Methyl-tert-butyl Ether (MTBE)	27.7	5.0	ug/l	25.0	ND	111	65-135	0	30	
Naphthalene	23.2	2.0	ug/l	25.0	ND	93	60-140	4	30	
n-Propylbenzene	27.3	2.0	ug/l	25.0	ND	109	80-140	4	20	
Styrene	21.2	2.0	ug/l	25.0	ND	85	30-150	2	25	
1,1,1,2-Tetrachloroethane	23.1	5.0	ug/l	25.0	ND	92	80-130	3	15	
1,1,2,2-Tetrachloroethane	29.4	2.0	ug/l	25.0	ND	118	65-140	5	35	
Tetrachloroethene	21.9	2.0	ug/l	25.0	ND	88	80-130	1	15	
Toluene	24.3	2.0	ug/l	25.0	ND	97	80-130	0	15	
1,2,3-Trichlorobenzene	21.9	5.0	ug/l	25.0	ND	88	75-140	7	20	
1,2,4-Trichlorobenzene	20.5	5.0	ug/l	25.0	ND	82	80-135	4	15	
1,1,1-Trichloroethane	26.6	2.0	ug/l	25.0	ND	106	70-135	0	15	
1,1,2-Trichloroethane	24.8	2.0	ug/l	25.0	ND	99	70-135	1	25	
Trichloroethene	24.2	2.0	ug/l	25.0	ND	97	80-125	2	15	
Trichlorofluoromethane	28.4	5.0	ug/l	25.0	ND	114	70-140	1	15	
1,2,3-Trichloropropane	27.8	10	ug/l	25.0	ND	111	65-135	8	35	
1,2,4-Trimethylbenzene	26.0	2.0	ug/l	25.0	ND	104	75-130	1	15	
1,3,5-Trimethylbenzene	26.3	2.0	ug/l	25.0	ND	105	80-135	3	15	
Vinyl acetate	33.8	25	ug/l	25.0	ND	135	30-150	0	35	*V1*
Vinyl chloride	26.8	1.7	ug/l	25.0	ND	107	70-135	0	25	
Xylenes, Total	48.8	3.0	ug/l	50.0	ND	98	80-125	2	15	
Surrogate: Dibromofluoromethane	*30.5*		*ug/l*	*25.0*		*122*	*80-130*			
Surrogate: Toluene-d8	*26.3*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2725 Extracted: 09/26/06										
Blank Analyzed: 09/26/2006 (P6I2725-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							*V1*
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2725 Extracted: 09/26/06										
Blank Analyzed: 09/26/2006 (P6I2725-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*25.4*		*ug/l*	*25.0*		*102*	*80-130*			
Surrogate: Toluene-d8	*26.9*		*ug/l*	*25.0*		*108*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2725 Extracted: 09/26/06										
LCS Analyzed: 09/26/2006 (P6I2725-BS1)										
Acetone	21.2	20	ug/l	25.0		85	30-150			
Benzene	27.0	1.0	ug/l	25.0		108	80-120			
Bromobenzene	25.6	5.0	ug/l	25.0		102	80-125			
Bromochloromethane	25.8	5.0	ug/l	25.0		103	80-125			
Bromodichloromethane	25.4	2.0	ug/l	25.0		102	80-120			
Bromoform	23.0	5.0	ug/l	25.0		92	70-120			
Bromomethane	24.8	5.0	ug/l	25.0		99	80-135			
2-Butanone (MEK)	23.1	10	ug/l	25.0		92	55-150			
n-Butylbenzene	27.5	5.0	ug/l	25.0		110	80-120			
sec-Butylbenzene	26.4	5.0	ug/l	25.0		106	80-130			
tert-Butylbenzene	25.9	5.0	ug/l	25.0		104	80-130			
Carbon Disulfide	24.6	5.0	ug/l	25.0		98	55-145			*V1*
Carbon tetrachloride	24.8	5.0	ug/l	25.0		99	80-120			
Chlorobenzene	26.8	1.0	ug/l	25.0		107	80-120			
Chloroethane	28.1	5.0	ug/l	25.0		112	80-125			
Chloroform	25.2	2.0	ug/l	25.0		101	80-120			
Chloromethane	27.5	5.0	ug/l	25.0		110	70-130			
2-Chlorotoluene	26.2	5.0	ug/l	25.0		105	80-120			
4-Chlorotoluene	26.2	5.0	ug/l	25.0		105	80-120			
Dibromochloromethane	25.1	2.0	ug/l	25.0		100	75-120			
1,2-Dibromo-3-chloropropane	23.5	5.0	ug/l	25.0		94	55-120			
1,2-Dibromoethane (EDB)	26.2	2.0	ug/l	25.0		105	75-125			
Dibromomethane	25.8	2.0	ug/l	25.0		103	80-125			
1,2-Dichlorobenzene	26.2	1.0	ug/l	25.0		105	80-120			
1,3-Dichlorobenzene	25.9	1.0	ug/l	25.0		104	80-125			
1,4-Dichlorobenzene	27.1	1.0	ug/l	25.0		108	80-120			
Dichlorodifluoromethane	24.9	5.0	ug/l	25.0		100	60-140			
1,1-Dichloroethane	25.6	2.0	ug/l	25.0		102	80-120			
1,2-Dichloroethane	25.1	1.0	ug/l	25.0		100	75-125			
1,1-Dichloroethene	27.9	5.0	ug/l	25.0		112	75-120			
cis-1,2-Dichloroethene	25.7	2.0	ug/l	25.0		103	80-125			
trans-1,2-Dichloroethene	26.1	2.0	ug/l	25.0		104	80-120			
1,2-Dichloropropane	27.7	2.0	ug/l	25.0		111	80-120			
1,3-Dichloropropane	27.6	2.0	ug/l	25.0		110	80-120			
2,2-Dichloropropane	25.6	2.0	ug/l	25.0		102	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2725 Extracted: 09/26/06										
LCS Analyzed: 09/26/2006 (P6I2725-BS1)										
1,1-Dichloropropene	26.9	2.0	ug/l	25.0		108	80-120			
cis-1,3-Dichloropropene	26.5	2.0	ug/l	25.0		106	75-120			
trans-1,3-Dichloropropene	25.9	2.0	ug/l	25.0		104	80-120			
Ethylbenzene	27.4	2.0	ug/l	25.0		110	80-125			
Hexachlorobutadiene	26.5	5.0	ug/l	25.0		106	70-130			
2-Hexanone	23.8	10	ug/l	25.0		95	40-150			
Iodomethane	24.1	2.0	ug/l	25.0		96	80-130			
Isopropylbenzene	27.3	2.0	ug/l	25.0		109	80-140			
p-Isopropyltoluene	26.6	2.0	ug/l	25.0		106	80-130			
Methylene chloride	26.9	5.0	ug/l	25.0		108	80-120			
4-Methyl-2-pentanone (MIBK)	22.2	10	ug/l	25.0		89	50-140			
Methyl-tert-butyl Ether (MTBE)	27.5	5.0	ug/l	25.0		110	65-130			
Naphthalene	25.7	2.0	ug/l	25.0		103	70-130			
n-Propylbenzene	27.3	2.0	ug/l	25.0		109	80-135			
Styrene	27.4	2.0	ug/l	25.0		110	80-125			
1,1,1,2-Tetrachloroethane	26.0	5.0	ug/l	25.0		104	80-120			
1,1,2,2-Tetrachloroethane	27.6	2.0	ug/l	25.0		110	65-140			
Tetrachloroethene	26.4	2.0	ug/l	25.0		106	80-125			
Toluene	26.4	2.0	ug/l	25.0		106	80-125			
1,2,3-Trichlorobenzene	27.4	5.0	ug/l	25.0		110	75-125			
1,2,4-Trichlorobenzene	27.7	5.0	ug/l	25.0		111	80-125			
1,1,1-Trichloroethane	24.8	2.0	ug/l	25.0		99	75-125			
1,1,2-Trichloroethane	25.1	2.0	ug/l	25.0		100	80-125			
Trichloroethene	26.2	2.0	ug/l	25.0		105	80-120			
Trichlorofluoromethane	25.8	5.0	ug/l	25.0		103	75-130			
1,2,3-Trichloropropane	25.7	10	ug/l	25.0		103	65-135			
1,2,4-Trimethylbenzene	26.4	2.0	ug/l	25.0		106	80-125			
1,3,5-Trimethylbenzene	26.0	2.0	ug/l	25.0		104	80-130			
Vinyl acetate	30.3	25	ug/l	25.0		121	70-140			
Vinyl chloride	22.3	1.7	ug/l	25.0		89	70-135			
Xylenes, Total	53.9	3.0	ug/l	50.0		108	80-125			
Surrogate: Dibromofluoromethane	*25.7*		*ug/l*	*25.0*		*103*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2725 Extracted: 09/26/06										
LCS Dup Analyzed: 09/26/2006 (P6I2725-BSD1)										
Acetone	22.3	20	ug/l	25.0		89	30-150	5	35	
Benzene	27.3	1.0	ug/l	25.0		109	80-120	1	10	
Bromobenzene	25.5	5.0	ug/l	25.0		102	80-125	0	10	
Bromochloromethane	25.9	5.0	ug/l	25.0		104	80-125	0	15	
Bromodichloromethane	26.1	2.0	ug/l	25.0		104	80-120	3	15	
Bromoform	23.2	5.0	ug/l	25.0		93	70-120	1	20	
Bromomethane	26.2	5.0	ug/l	25.0		105	80-135	5	15	
2-Butanone (MEK)	24.1	10	ug/l	25.0		96	55-150	4	35	
n-Butylbenzene	27.0	5.0	ug/l	25.0		108	80-120	2	10	
sec-Butylbenzene	25.8	5.0	ug/l	25.0		103	80-130	2	10	
tert-Butylbenzene	25.2	5.0	ug/l	25.0		101	80-130	3	10	
Carbon Disulfide	25.8	5.0	ug/l	25.0		103	55-145	5	15	*V1*
Carbon tetrachloride	24.9	5.0	ug/l	25.0		100	80-120	0	15	
Chlorobenzene	26.7	1.0	ug/l	25.0		107	80-120	0	10	
Chloroethane	29.4	5.0	ug/l	25.0		118	80-125	5	15	
Chloroform	25.0	2.0	ug/l	25.0		100	80-120	1	10	
Chloromethane	29.7	5.0	ug/l	25.0		119	70-130	8	15	
2-Chlorotoluene	25.2	5.0	ug/l	25.0		101	80-120	4	10	
4-Chlorotoluene	25.7	5.0	ug/l	25.0		103	80-120	2	10	
Dibromochloromethane	25.8	2.0	ug/l	25.0		103	75-120	3	15	
1,2-Dibromo-3-chloropropane	24.5	5.0	ug/l	25.0		98	55-120	4	35	
1,2-Dibromoethane (EDB)	27.2	2.0	ug/l	25.0		109	75-125	4	20	
Dibromomethane	26.4	2.0	ug/l	25.0		106	80-125	2	20	
1,2-Dichlorobenzene	26.0	1.0	ug/l	25.0		104	80-120	1	10	
1,3-Dichlorobenzene	25.8	1.0	ug/l	25.0		103	80-125	0	10	
1,4-Dichlorobenzene	26.8	1.0	ug/l	25.0		107	80-120	1	10	
Dichlorodifluoromethane	24.9	5.0	ug/l	25.0		100	60-140	0	15	
1,1-Dichloroethane	25.9	2.0	ug/l	25.0		104	80-120	1	10	
1,2-Dichloroethane	25.6	1.0	ug/l	25.0		102	75-125	2	20	
1,1-Dichloroethene	28.4	5.0	ug/l	25.0		114	75-120	2	15	
cis-1,2-Dichloroethene	25.3	2.0	ug/l	25.0		101	80-125	2	10	
trans-1,2-Dichloroethene	26.0	2.0	ug/l	25.0		104	80-120	0	10	
1,2-Dichloropropane	28.3	2.0	ug/l	25.0		113	80-120	2	15	
1,3-Dichloropropane	28.7	2.0	ug/l	25.0		115	80-120	4	15	
2,2-Dichloropropane	25.6	2.0	ug/l	25.0		102	70-130	0	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2725 Extracted: 09/26/06										
LCS Dup Analyzed: 09/26/2006 (P6I2725-BSD1)										
1,1-Dichloropropene	27.3	2.0	ug/l	25.0		109	80-120	1	10	
cis-1,3-Dichloropropene	27.1	2.0	ug/l	25.0		108	75-120	2	15	
trans-1,3-Dichloropropene	27.3	2.0	ug/l	25.0		109	80-120	5	20	
Ethylbenzene	27.9	2.0	ug/l	25.0		112	80-125	2	15	
Hexachlorobutadiene	26.8	5.0	ug/l	25.0		107	70-130	1	15	
2-Hexanone	25.6	10	ug/l	25.0		102	40-150	7	35	
Iodomethane	23.7	2.0	ug/l	25.0		95	80-130	2	10	
Isopropylbenzene	27.4	2.0	ug/l	25.0		110	80-140	0	10	
p-Isopropyltoluene	26.3	2.0	ug/l	25.0		105	80-130	1	15	
Methylene chloride	27.2	5.0	ug/l	25.0		109	80-120	1	10	
4-Methyl-2-pentanone (MIBK)	24.6	10	ug/l	25.0		98	50-140	10	35	
Methyl-tert-butyl Ether (MTBE)	28.0	5.0	ug/l	25.0		112	65-130	2	25	
Naphthalene	26.4	2.0	ug/l	25.0		106	70-130	3	20	
n-Propylbenzene	26.8	2.0	ug/l	25.0		107	80-135	2	10	
Styrene	27.0	2.0	ug/l	25.0		108	80-125	1	15	
1,1,1,2-Tetrachloroethane	26.0	5.0	ug/l	25.0		104	80-120	0	15	
1,1,2,2-Tetrachloroethane	28.1	2.0	ug/l	25.0		112	65-140	2	25	
Tetrachloroethene	26.7	2.0	ug/l	25.0		107	80-125	1	15	
Toluene	27.2	2.0	ug/l	25.0		109	80-125	3	10	
1,2,3-Trichlorobenzene	27.7	5.0	ug/l	25.0		111	75-125	1	15	
1,2,4-Trichlorobenzene	27.7	5.0	ug/l	25.0		111	80-125	0	15	
1,1,1-Trichloroethane	24.5	2.0	ug/l	25.0		98	75-125	1	10	
1,1,2-Trichloroethane	26.9	2.0	ug/l	25.0		108	80-125	7	25	
Trichloroethene	26.7	2.0	ug/l	25.0		107	80-120	2	10	
Trichlorofluoromethane	26.2	5.0	ug/l	25.0		105	75-130	2	10	
1,2,3-Trichloropropane	26.4	10	ug/l	25.0		106	65-135	3	25	
1,2,4-Trimethylbenzene	25.9	2.0	ug/l	25.0		104	80-125	2	10	
1,3,5-Trimethylbenzene	25.5	2.0	ug/l	25.0		102	80-130	2	10	
Vinyl acetate	31.1	25	ug/l	25.0		124	70-140	3	30	
Vinyl chloride	18.2	1.7	ug/l	25.0		73	70-135	20	15	*R6*
Xylenes, Total	53.8	3.0	ug/l	50.0		108	80-125	0	15	
Surrogate: Dibromofluoromethane	*25.8*		*ug/l*	*25.0*		*103*	*80-130*			
Surrogate: Toluene-d8	*26.8*		*ug/l*	*25.0*		*107*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.1*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2725 Extracted: 09/26/06										
Matrix Spike Analyzed: 09/26/2006 (P6I2725-MS1)					**Source: PPI0483-01**					
Acetone	21.9	20	ug/l	25.0	ND	88	15-150			
Benzene	26.3	1.0	ug/l	25.0	ND	105	80-125			
Bromobenzene	23.9	5.0	ug/l	25.0	ND	96	80-125			
Bromochloromethane	23.2	5.0	ug/l	25.0	ND	93	80-130			
Bromodichloromethane	23.8	2.0	ug/l	25.0	ND	95	70-130			
Bromoform	19.4	5.0	ug/l	25.0	ND	78	70-120			
Bromomethane	25.5	5.0	ug/l	25.0	ND	102	80-135			
2-Butanone (MEK)	19.7	10	ug/l	25.0	ND	79	30-150			
n-Butylbenzene	27.2	5.0	ug/l	25.0	ND	109	80-135			
sec-Butylbenzene	26.2	5.0	ug/l	25.0	ND	105	80-130			
tert-Butylbenzene	25.0	5.0	ug/l	25.0	ND	100	80-130			
Carbon Disulfide	26.0	5.0	ug/l	25.0	ND	104	45-150			*V1*
Carbon tetrachloride	23.8	5.0	ug/l	25.0	ND	95	65-135			
Chlorobenzene	25.1	1.0	ug/l	25.0	ND	100	80-125			
Chloroethane	28.0	5.0	ug/l	25.0	ND	112	80-125			
Chloroform	25.9	2.0	ug/l	25.0	1.5	98	75-130			
Chloromethane	27.0	5.0	ug/l	25.0	ND	108	65-130			
2-Chlorotoluene	25.2	5.0	ug/l	25.0	ND	101	80-130			
4-Chlorotoluene	25.5	5.0	ug/l	25.0	ND	102	80-135			
Dibromochloromethane	21.9	2.0	ug/l	25.0	ND	88	75-120			
1,2-Dibromo-3-chloropropane	18.7	5.0	ug/l	25.0	ND	75	50-130			
1,2-Dibromoethane (EDB)	23.2	2.0	ug/l	25.0	ND	93	70-130			
Dibromomethane	22.9	2.0	ug/l	25.0	ND	92	75-130			
1,2-Dichlorobenzene	24.1	1.0	ug/l	25.0	ND	96	80-130			
1,3-Dichlorobenzene	24.6	1.0	ug/l	25.0	ND	98	80-130			
1,4-Dichlorobenzene	25.3	1.0	ug/l	25.0	ND	101	80-125			
Dichlorodifluoromethane	24.4	5.0	ug/l	25.0	ND	98	60-140			
1,1-Dichloroethane	25.7	2.0	ug/l	25.0	0.46	101	80-125			
1,2-Dichloroethane	23.0	1.0	ug/l	25.0	ND	92	60-145			
1,1-Dichloroethene	27.2	5.0	ug/l	25.0	ND	109	75-130			
cis-1,2-Dichloroethene	24.7	2.0	ug/l	25.0	ND	99	80-125			
trans-1,2-Dichloroethene	25.6	2.0	ug/l	25.0	ND	102	80-120			
1,2-Dichloropropane	26.5	2.0	ug/l	25.0	ND	106	80-125			
1,3-Dichloropropane	24.9	2.0	ug/l	25.0	ND	100	75-130			
2,2-Dichloropropane	24.8	2.0	ug/l	25.0	ND	99	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2725 Extracted: 09/26/06										
Matrix Spike Analyzed: 09/26/2006 (P6I2725-MS1)					**Source: PPI0483-01**					
1,1-Dichloropropene	26.2	2.0	ug/l	25.0	ND	105	80-125			
cis-1,3-Dichloropropene	24.7	2.0	ug/l	25.0	ND	99	75-120			
trans-1,3-Dichloropropene	23.7	2.0	ug/l	25.0	ND	95	75-130			
Ethylbenzene	26.6	2.0	ug/l	25.0	ND	106	80-130			
Hexachlorobutadiene	26.5	5.0	ug/l	25.0	ND	106	65-130			
2-Hexanone	19.6	10	ug/l	25.0	ND	78	40-150			
Iodomethane	22.8	2.0	ug/l	25.0	ND	91	70-140			
Isopropylbenzene	27.6	2.0	ug/l	25.0	ND	110	80-140			
p-Isopropyltoluene	26.2	2.0	ug/l	25.0	ND	105	80-135			
Methylene chloride	26.1	5.0	ug/l	25.0	ND	104	75-125			
4-Methyl-2-pentanone (MIBK)	19.2	10	ug/l	25.0	ND	77	40-140			
Methyl-tert-butyl Ether (MTBE)	23.3	5.0	ug/l	25.0	ND	93	65-135			
Naphthalene	22.1	2.0	ug/l	25.0	ND	88	60-140			
n-Propylbenzene	27.0	2.0	ug/l	25.0	ND	108	80-140			
Styrene	24.7	2.0	ug/l	25.0	ND	99	30-150			
1,1,1,2-Tetrachloroethane	23.6	5.0	ug/l	25.0	ND	94	80-130			
1,1,2,2-Tetrachloroethane	24.1	2.0	ug/l	25.0	ND	96	65-140			
Tetrachloroethene	47.7	2.0	ug/l	25.0	22	103	80-130			
Toluene	25.9	2.0	ug/l	25.0	ND	104	80-130			
1,2,3-Trichlorobenzene	25.1	5.0	ug/l	25.0	ND	100	75-140			
1,2,4-Trichlorobenzene	25.7	5.0	ug/l	25.0	ND	103	80-135			
1,1,1-Trichloroethane	24.1	2.0	ug/l	25.0	ND	96	70-135			
1,1,2-Trichloroethane	22.7	2.0	ug/l	25.0	ND	91	70-135			
Trichloroethene	26.9	2.0	ug/l	25.0	1.1	103	80-125			
Trichlorofluoromethane	25.6	5.0	ug/l	25.0	ND	102	70-140			
1,2,3-Trichloropropane	22.3	10	ug/l	25.0	ND	89	65-135			
1,2,4-Trimethylbenzene	25.5	2.0	ug/l	25.0	ND	102	75-130			
1,3,5-Trimethylbenzene	25.2	2.0	ug/l	25.0	ND	101	80-135			
Vinyl acetate	26.9	25	ug/l	25.0	ND	108	30-150			
Vinyl chloride	20.9	1.7	ug/l	25.0	ND	84	70-135			
Xylenes, Total	50.8	3.0	ug/l	50.0	ND	102	80-125			
Surrogate: Dibromofluoromethane	*25.8*		*ug/l*	*25.0*		*103*	*80-130*			
Surrogate: Toluene-d8	*26.9*		*ug/l*	*25.0*		*108*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.1*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2725 Extracted: 09/26/06										
Matrix Spike Dup Analyzed: 09/26/2006 (P6I2725-MSD1)					**Source: PPI0483-01**					
Acetone	23.0	20	ug/l	25.0	ND	92	15-150	5	35	
Benzene	26.0	1.0	ug/l	25.0	ND	104	80-125	1	10	
Bromobenzene	24.3	5.0	ug/l	25.0	ND	97	80-125	2	15	
Bromochloromethane	23.8	5.0	ug/l	25.0	ND	95	80-130	3	20	
Bromodichloromethane	24.3	2.0	ug/l	25.0	ND	97	70-130	2	15	
Bromoform	20.7	5.0	ug/l	25.0	ND	83	70-120	6	25	
Bromomethane	25.4	5.0	ug/l	25.0	ND	102	80-135	0	20	
2-Butanone (MEK)	22.3	10	ug/l	25.0	ND	89	30-150	12	35	
n-Butylbenzene	26.3	5.0	ug/l	25.0	ND	105	80-135	3	20	
sec-Butylbenzene	25.4	5.0	ug/l	25.0	ND	102	80-130	3	20	
tert-Butylbenzene	24.6	5.0	ug/l	25.0	ND	98	80-130	2	20	
Carbon Disulfide	36.4	5.0	ug/l	25.0	ND	146	45-150	33	15	*V1, R4*
Carbon tetrachloride	23.8	5.0	ug/l	25.0	ND	95	65-135	0	15	
Chlorobenzene	24.9	1.0	ug/l	25.0	ND	100	80-125	1	15	
Chloroethane	28.8	5.0	ug/l	25.0	ND	115	80-125	3	20	
Chloroform	26.0	2.0	ug/l	25.0	1.5	98	75-130	0	15	
Chloromethane	28.8	5.0	ug/l	25.0	ND	115	65-130	6	20	
2-Chlorotoluene	24.6	5.0	ug/l	25.0	ND	98	80-130	2	15	
4-Chlorotoluene	25.2	5.0	ug/l	25.0	ND	101	80-135	1	15	
Dibromochloromethane	23.0	2.0	ug/l	25.0	ND	92	75-120	5	20	
1,2-Dibromo-3-chloropropane	20.9	5.0	ug/l	25.0	ND	84	50-130	11	35	
1,2-Dibromoethane (EDB)	24.3	2.0	ug/l	25.0	ND	97	70-130	5	25	
Dibromomethane	23.8	2.0	ug/l	25.0	ND	95	75-130	4	25	
1,2-Dichlorobenzene	24.0	1.0	ug/l	25.0	ND	96	80-130	0	15	
1,3-Dichlorobenzene	24.3	1.0	ug/l	25.0	ND	97	80-130	1	15	
1,4-Dichlorobenzene	25.4	1.0	ug/l	25.0	ND	102	80-125	0	10	
Dichlorodifluoromethane	25.2	5.0	ug/l	25.0	ND	101	60-140	3	45	
1,1-Dichloroethane	25.8	2.0	ug/l	25.0	0.46	101	80-125	0	15	
1,2-Dichloroethane	24.1	1.0	ug/l	25.0	ND	96	60-145	5	20	
1,1-Dichloroethene	27.3	5.0	ug/l	25.0	ND	109	75-130	0	15	
cis-1,2-Dichloroethene	24.8	2.0	ug/l	25.0	ND	99	80-125	0	15	
trans-1,2-Dichloroethene	25.4	2.0	ug/l	25.0	ND	102	80-120	1	15	
1,2-Dichloropropane	26.5	2.0	ug/l	25.0	ND	106	80-125	0	15	
1,3-Dichloropropane	26.2	2.0	ug/l	25.0	ND	105	75-130	5	20	
2,2-Dichloropropane	24.5	2.0	ug/l	25.0	ND	98	60-135	1	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2725 Extracted: 09/26/06										
Matrix Spike Dup Analyzed: 09/26/2006 (P6I2725-MSD1)					**Source: PPI0483-01**					
1,1-Dichloropropene	25.9	2.0	ug/l	25.0	ND	104	80-125	1	15	
cis-1,3-Dichloropropene	25.0	2.0	ug/l	25.0	ND	100	75-120	1	15	
trans-1,3-Dichloropropene	24.7	2.0	ug/l	25.0	ND	99	75-130	4	25	
Ethylbenzene	26.2	2.0	ug/l	25.0	ND	105	80-130	2	15	
Hexachlorobutadiene	25.4	5.0	ug/l	25.0	ND	102	65-130	4	15	
2-Hexanone	22.0	10	ug/l	25.0	ND	88	40-150	12	35	
Iodomethane	23.8	2.0	ug/l	25.0	ND	95	70-140	4	15	
Isopropylbenzene	26.5	2.0	ug/l	25.0	ND	106	80-140	4	20	
p-Isopropyltoluene	25.4	2.0	ug/l	25.0	ND	102	80-135	3	20	
Methylene chloride	26.9	5.0	ug/l	25.0	ND	108	75-125	3	15	
4-Methyl-2-pentanone (MIBK)	21.6	10	ug/l	25.0	ND	86	40-140	12	35	
Methyl-tert-butyl Ether (MTBE)	25.2	5.0	ug/l	25.0	ND	101	65-135	8	30	
Naphthalene	23.2	2.0	ug/l	25.0	ND	93	60-140	5	30	
n-Propylbenzene	26.4	2.0	ug/l	25.0	ND	106	80-140	2	20	
Styrene	24.8	2.0	ug/l	25.0	ND	99	30-150	0	25	
1,1,1,2-Tetrachloroethane	24.0	5.0	ug/l	25.0	ND	96	80-130	2	15	
1,1,2,2-Tetrachloroethane	25.5	2.0	ug/l	25.0	ND	102	65-140	6	35	
Tetrachloroethene	46.1	2.0	ug/l	25.0	22	96	80-130	3	15	
Toluene	25.7	2.0	ug/l	25.0	ND	103	80-130	1	15	
1,2,3-Trichlorobenzene	25.3	5.0	ug/l	25.0	ND	101	75-140	1	20	
1,2,4-Trichlorobenzene	25.5	5.0	ug/l	25.0	ND	102	80-135	1	15	
1,1,1-Trichloroethane	23.9	2.0	ug/l	25.0	ND	96	70-135	1	15	
1,1,2-Trichloroethane	24.1	2.0	ug/l	25.0	ND	96	70-135	6	25	
Trichloroethene	26.2	2.0	ug/l	25.0	1.1	100	80-125	3	15	
Trichlorofluoromethane	25.8	5.0	ug/l	25.0	ND	103	70-140	1	15	
1,2,3-Trichloropropane	23.8	10	ug/l	25.0	ND	95	65-135	7	35	
1,2,4-Trimethylbenzene	25.3	2.0	ug/l	25.0	ND	101	75-130	1	15	
1,3,5-Trimethylbenzene	24.8	2.0	ug/l	25.0	ND	99	80-135	2	15	
Vinyl acetate	29.0	25	ug/l	25.0	ND	116	30-150	8	35	
Vinyl chloride	26.9	1.7	ug/l	25.0	ND	108	70-135	25	25	
Xylenes, Total	50.4	3.0	ug/l	50.0	ND	101	80-125	1	15	
Surrogate: Dibromofluoromethane	*25.9*		*ug/l*	*25.0*		*104*	*80-130*			
Surrogate: Toluene-d8	*26.9*		*ug/l*	*25.0*		*108*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.1*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I1522 Extracted: 09/15/06										
Blank Analyzed: 09/22/2006 (P6I1522-BLK1)										
Acenaphthene	ND	3.0	ug/l							
Acenaphthylene	ND	3.0	ug/l							
Anthracene	ND	0.30	ug/l							
Benzo(a)anthracene	ND	0.050	ug/l							
Benzo(a)pyrene	ND	0.10	ug/l							
Benzo(b)fluoranthene	ND	0.30	ug/l							
Benzo(g,h,i)perylene	ND	0.30	ug/l							
Benzo(k)fluoranthene	ND	0.30	ug/l							
Chrysene	ND	0.30	ug/l							
Dibenz(a,h)anthracene	ND	0.50	ug/l							
Fluoranthene	ND	0.30	ug/l							
Fluorene	ND	0.30	ug/l							
Indeno(1,2,3-cd)pyrene	ND	0.30	ug/l							
Naphthalene	ND	2.0	ug/l							
Phenanthrene	ND	0.30	ug/l							
Pyrene	ND	0.30	ug/l							
Surrogate: 2-Methylanthracene	*0.515*		*ug/l*	*0.600*		*86*	*50-115*			
LCS Analyzed: 09/22/2006 (P6I1522-BS1)										**Q8**
Acenaphthene	4.61	3.0	ug/l	6.00		77	55-115			
Acenaphthylene	8.75	3.0	ug/l	12.0		73	55-115			
Anthracene	0.426	0.30	ug/l	0.600		71	55-115			
Benzo(a)anthracene	0.499	0.050	ug/l	0.600		83	70-115			
Benzo(a)pyrene	0.480	0.10	ug/l	0.600		80	75-115			
Benzo(b)fluoranthene	1.01	0.30	ug/l	1.20		84	80-115			
Benzo(g,h,i)perylene	1.05	0.30	ug/l	1.20		87	70-115			
Benzo(k)fluoranthene	0.509	0.30	ug/l	0.600		85	70-115			
Chrysene	0.509	0.30	ug/l	0.600		85	70-115			
Dibenz(a,h)anthracene	0.953	0.50	ug/l	1.20		79	65-115			
Fluoranthene	1.01	0.30	ug/l	1.20		84	60-115			
Fluorene	0.903	0.30	ug/l	1.20		75	55-115			
Indeno(1,2,3-cd)pyrene	0.494	0.30	ug/l	0.600		82	70-115			
Naphthalene	4.16	2.0	ug/l	6.00		69	45-115			
Phenanthrene	0.491	0.30	ug/l	0.600		82	50-115			
Pyrene	0.500	0.30	ug/l	0.600		83	65-115			
Surrogate: 2-Methylanthracene	*0.530*		*ug/l*	*0.600*		*88*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I1522 Extracted: 09/15/06										
LCS Dup Analyzed: 09/22/2006 (P6I1522-BSD1)										
Acenaphthene	4.93	3.0	ug/l	6.00		82	55-115	7	15	
Acenaphthylene	9.31	3.0	ug/l	12.0		78	55-115	6	20	
Anthracene	0.447	0.30	ug/l	0.600		74	55-115	5	20	
Benzo(a)anthracene	0.505	0.050	ug/l	0.600		84	70-115	1	15	
Benzo(a)pyrene	0.491	0.10	ug/l	0.600		82	75-115	2	15	
Benzo(b)fluoranthene	1.01	0.30	ug/l	1.20		84	80-115	0	15	
Benzo(g,h,i)perylene	1.02	0.30	ug/l	1.20		85	70-115	3	15	
Benzo(k)fluoranthene	0.512	0.30	ug/l	0.600		85	70-115	1	15	
Chrysene	0.513	0.30	ug/l	0.600		86	70-115	1	15	
Dibenz(a,h)anthracene	0.911	0.50	ug/l	1.20		76	65-115	5	15	
Fluoranthene	1.04	0.30	ug/l	1.20		87	60-115	3	20	
Fluorene	0.966	0.30	ug/l	1.20		80	55-115	7	20	
Indeno(1,2,3-cd)pyrene	0.495	0.30	ug/l	0.600		82	70-115	0	20	
Naphthalene	4.34	2.0	ug/l	6.00		72	45-115	4	25	
Phenanthrene	0.520	0.30	ug/l	0.600		87	50-115	6	25	
Pyrene	0.512	0.30	ug/l	0.600		85	65-115	2	20	
Surrogate: 2-Methylanthracene	*0.538*		*ug/l*	*0.600*		*90*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

DATA QUALIFIERS AND DEFINITIONS

L3	The associated blank spike recovery was above method acceptance limits.
M1	Matrix spike recovery was high, the method control sample recovery was acceptable.
M2	Matrix spike recovery was low, the method control sample recovery was acceptable.
N1	See case narrative.
Q8	Insufficient sample received to meet method QC requirements. Batch QC satisfies ADEQ policies 0154 and 0155.
R1	RPD exceeded the method control limit. See case narrative.
R4	MS/MSD RPD exceeded the method control limit. Recovery met acceptance criteria.
R6	LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
V1	CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
ND	Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
RPD	Relative Percent Difference

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0347

Sampled: 09/13/06
Received: 09/13/06

Certification Summary

TestAmerica - Phoenix, AZ

Method	Matrix	Nelac	Arizona
EPA 8015B	Water	X	X
EPA 8260B	Water	X	X
EPA 8310	Water	X	X

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

Subcontracted Laboratories

Transwest Geochem *Arizona Cert #AZ0133*

3725 E. Atlanta Ave Ste 1 - Phoenix, AZ 85040-2961

Analysis Performed: 8015B MOD-Low Level

Samples: PPI0347-02, PPI0347-03, PPI0347-04, PPI0347-05, PPI0347-06, PPI0347-07, PPI0347-08, PPI0347-09, PPI0347-10

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Phoenix, AZ 85044
Phone 480-785-0043

Page 1 of 1

Lab Use Only
Project No:
Job No.

Client Contact: (name, co., address)
Jennifer Holland
CH2M HILL
2625 South Plaza Dr STE 300
Tempe, AZ 85282
480-377-6287

Sampler: M Wines
Project Number: PO #2959460
Analysis Turnaround Time:
24 Hour
7 Day
14 Day -
21 Day -
28 Day -

Site Name: Sky Harbor
Location of Site: Phoenix, AZ

	Sample Identification		Sample Date	Sample Time	Sample Type	Matrix	# of Cont.	Preservation Used	Use for MS / MSD	Filtered Sample	Unfiltered Sample	SW8015	SW8260	SW8310	72 hr TAT	Lab Sample Numbers
	Location ID	Field Sample ID														
1	Trip Blank	TB-091306B	Sep 13 2006	0012	BLKWATER	WATER	1	X			X		X			PPI0347-01
2	ASE-128A	ASE-128A-6C2	Sep 13 2006	0124	GW	WATER	7	X			X	X	X	X	X	-02
3	ASE-125A	ASE-125A-6C2	Sep 13 2006	0211	GW	WATER	7	X			X	X	X	X		-03
4	ASE-95A	ASE-95A-6C2	Sep 13 2006	0257	GW	WATER	5	X			X	X	X			-04
5	ASE-96A	ASE-96A-6C2	Sep 13 2006	0335	GW	WATER	5	X			X	X	X			-05
6	ASE-107A	ASE-107A-6C2	Sep 13 2006	0415	GW	WATER	~~5~~ 4	X			X	X	X			-06
7	ASE-113A	ASE-113A-6C2	Sep 13 2006	0527	GW	WATER	5	X			X	X	X			-07
~~8~~	~~ASE-122A~~	~~ASE-122A-6C2~~	~~Sep 13 2006~~		~~GW~~	~~WATER~~	~~7~~	~~X~~			~~X~~	~~X~~	~~X~~	~~X~~		
~~9~~	~~ASE-114A~~	~~ASE-114A-6C2~~	~~Sep 13 2006~~		~~GW~~	~~WATER~~	~~5~~	~~X~~			~~X~~	~~X~~	~~X~~			
10	ASE-106A	ASE-106A-6C2	Sep 13 2006	0618	GW	WATER	5	X			X	X	X			PPI0347-08
11	ASE-124A	ASE-124A-6C2	Sep 13 2006	0701	GW	WATER	5	X			X	X	X			-09
12	FIELDQC	PL-507-6C2	Sep 13 2006	0711	GW	WATER	5	X			X	X	X			-10
13																
14	ASE35A	ASE35A-6C2	13 Sep 06	0036	GW	WTR	3	X			X		X			-11
15																
16																
17																
18																
19																
20																
21																
22																
23																

- 1 Bottle
Previously Standard TAT 12 Sep 06
Not Sampled

Special Instructions: Standard TAT 10 days. The SW8015 is for low level analysis and we need the raw data.

Relinquished by:	Company:	Date/Time:	Received by:	Company:
	HA	09/13/06 1224		
Relinquished by:	Company:	Date/Time:	Received by:	Company:
Relinquished by:	Company:	Date/Time:	Received by:	Company: IA Phx

4.5°C

TRANSWEST GEOCHEM

October 05, 2006

Ken Baker
TestAmerica - Phoenix
9830 S. 51st Street
Suite B-120
Phoenix, AZ 85044

Re: PPI0347
Work Order No.: 0609213

Dear Ken,

Attached is the original Report of Analysis from Columbia Analytical Services, Inc. (AZ0604) for the samples received on 9/13/06. The following analysis was performed:

Method EPA 8015B – Fuel Characterization

If you have any questions regarding the results, please call me. We appreciate your business and thank you for choosing Transwest Geochem.

Sincerely,

Skip Harden
Project Manager

ADHS License No. AZM133/AZ0133

CONFIDENTIAL AND PRIVILEGED

[illegible] Arizona 85040 • (602) 437-0330 • (800) 927-5183 • Fax (602) 437-0660
[illegible] Suite 301 • Tucson, Arizona 85714 • (520) 573-1061 • Fax (520) 573-1063

5090 Caterpillar Road Redding, California 96003 (530) 244-5227 (530) 244-4109 fax

Columbia Analytical Services INC.
An Employee - Owned Company

October 03, 2006 Service Request No: D0601338

Skip Harden
Transwest Geochem, Incorporated
3725 East Atlanta Avenue
Suite 2
Phoenix, AZ 85040-2960

RE: PPC/PPD PPI0347/0609213

Dear Skip:

Enclosed are the results of the sample(s) submitted to our laboratory on September 14, 2006. For your reference, these analyses have been assigned our service request number D0601338.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 112. You may also contact me via email at mhovanec@redding.caslab.com.

Respectfully submitted,

Columbia Analytical Services, Inc.

Michael Hovanec
Project Chemist

NELAP Accredited ACIL Seal of Excellence Award 100% Recycled

Current CAS Redding Accreditation Programs

Federal and National Programs

- U.S Air Force, Air Force Center for Environmental Excellence (AFCEE)
  Approved laboratory for Wastewater and Hazardous Waste
- U.S. Army Corps of Engineers – MRD, HTRW Mandatory Center of Expertise
  Validated for Wastewater and Hazardous Waste
- Department of the Navy, Naval Facilities Engineering Service Center (NFESC)
  Approved laboratory for Wastewater and Hazardous Waste

State and Local Programs

- State of Alaska, Department of Environmental Conservation
  Approved Laboratory for Contaminated Sites
  Lab ID UST-001
- State of Arizona, Department of Health Services, Office of Laboratory Licensure
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID AZ0604
- State of California, Department of Health Services, National Environmental Laboratory Accreditation Program **(NELAP)**
  Approved Laboratory for Drinking Water, Wastewater and Hazardous Waste
  Lab ID 01105CA
  - Los Angeles County Sanitation District
    Approved Laboratory for Wastewater
    Lab ID 10243
- State of California, Department of Health Services, Environmental Laboratory Accreditation Program (ELAP)
  Approved Laboratory for Microbiology of Drinking Water and Wastewater
  Lab ID 2635
- State of Florida, Department of Health, Bureau of Laboratories **(NELAP)**
  Approved Environmental Testing Laboratory for Wastewater and Hazardous Waste
  Lab ID E87203
- State of Kansas, Department of Health and Environment **(NELAP)**
  Approved Laboratory for Hazardous Waste
  Lab ID E-10323
- State of Massachusetts, Department of Environmental Protection
  Approved laboratory for Drinking Water and Wastewater
  Lab ID M-CA025
- State of Oklahoma, Department of Environmental Quality
  Approved Laboratory for General Water Quality/Sludge Testing
  Lab ID 9952
- State of Oregon, Environmental Laboratory Accreditation Program **(ORELAP)**
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID CA200004
- State of Utah, Department of Health, Bureau of Laboratory Improvement **(NELAP)**
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID QUAL1
- State of Washington, Department of Ecology
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID C1234
- State of Wisconsin, Department of Natural Resources
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID 999767340

Arizona Data Qualifiers
Revision 2.0, 11/26/2003

Developed by the Sub-committee of the
Arizona Environmental Laboratory Advisory Committee

Microbiology:
A1 = Too numerous to count.
A2 = Sample incubation period exceeded method requirement.
A3 = Sample incubation period was shorter than method requirement.
A4 = Target organism detected in associated method blank.
A5 = Incubator/water bath temperature was outside method requirements.
A6 = Target organism not detected in associated positive control.
A7 = Micro sample received without adequate headspace.

Method/calibration blank:
B1 = Target analyte detected in method blank at or above the method reporting limit.
B2 = Non-target analyte detected in method blank and sample, producing interference.
B3 = Target analyte detected in calibration blank at or above the method reporting limit.
B4 = Target analyte detected in blank at/above method acceptance criteria.
B5 = Target analyte detected in method blank at or above the method reporting limit, but below trigger level or MCL.
B6 = Target analyte detected in calibration blank at or above the method reporting limit, but below trigger level or MCL.
B7 = Target analyte detected in method blank at or above method reporting limit. Concentration found in the sample was 10 times above the concentration found in the method blank.

Confirmation:
C1 = Confirmatory analysis not performed as required by the method.
C3 = Qualitative confirmation performed.
C4 = Confirmatory analysis was past holding time.
C5 = Confirmatory analysis was past holding time. Original result not confirmed.
C6 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the higher value was reported as there was no obvious chromatographic interference.
C7 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic interference.

Dilution:
D1 = Sample required dilution due to matrix.
D2 = Sample required dilution due to high concentration of target analyte.
D3 = Sample dilution required due to insufficient sample.
D4 = Minimum reporting level (MRL) adjusted to reflect sample amount received and analyzed.

Estimated concentration:
E1 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not possible due to insufficient sample.
E2 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to sample matrix.
E3 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

E4 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL).
E5 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL), but not confirmed by alternate analysis.
E6 = Concentration estimated. Internal standard recoveries did not meet method acceptance criteria.
E7 = Concentration estimated. Internal standard recoveries did not meet laboratory acceptance criteria.
E8 = Analyte reported to MDL per project specification. Target analyte was not detected in the sample.

Hold time:
H1 = Sample analysis performed past holding time.
H2 = Initial analysis within holding time. Reanalysis for the required dilution was past holding time.
H3 = Sample was received and analyzed past holding time.
H4 = Sample was extracted past required extraction holding time, but analyzed within analysis holding time.

BOD:
K1 = The sample dilutions set-up for the BOD analysis did not meet the oxygen depletion criteria of at least 2 mg/L. Any reported result is an estimated value.
K2 = The sample dilutions set up for the BOD analysis did not meet the criteria of a residual dissolved oxygen of at least 1 mg/L. Any reported result is an estimated value.
K4 = The seed depletion was outside the method acceptance limits. The reported result is an estimated value.
K5 = The dilution water D.O. depletion was > 0.2 mg/L.
K6 = Glucose/glutamic acid BOD was below method acceptance criteria.
K7 = A discrepancy between the BOD and COD results has been verified by reanalysis of the sample for COD.
K8 = Glucose/glutamic acid BOD was above method acceptance levels.

Laboratory fortified blank/blank spike:

L1 = The associated blank spike recovery was above laboratory acceptance limits.
L2 = The associated blank spike recovery was below laboratory acceptance limits.
L3 = The associated blank spike recovery was above method acceptance limits.
L4 = The associated blank spike recovery was below method acceptance limits.

Matrix spike:
M1 = Matrix spike recovery was high, the method control sample recovery was acceptable.
M2 = Matrix spike recovery was low, the method control sample recovery was acceptable.
M3 = The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
M4 = The analysis of the spiked sample required a dilution such that the spike concentration was diluted below the reporting limit. The method control sample recovery was acceptable.
M5 = Analyte concentration was determined by the method of standard addition (MSA).

M6 = Matrix spike recovery was high. Data reported per ADEQ policy 0154.000.
M7 = Matrix spike recovery was low. Data reported per ADEQ policy 0154.000.

General:
N1 = See case narrative.
N2 = See corrective action report.
N3 = The analysis meets all method requirements. See case narrative.

Sample quality:
Q1 = Sample integrity was not maintained. See case narrative.
Q2 = Sample received with headspace.
Q3 = Sample received with improper chemical preservation.
Q4 = Sample received and analyzed without chemical preservation.
Q5 = Sample received with inadequate chemical preservation, but preserved by the laboratory.
Q6 = Sample was received above recommended temperature.
Q7 = Sample inadequately dechlorinated.
Q8 = Insufficient sample received to meet method QC requirements. Batch QC requirements satisfies ADEQ policies 0154 and 0155.
Q9 = Insufficient sample received to meet method QC requirements.
Q10 = Sample received in inappropriate sample container.
Q11 = Sample is heterogeneous. Sample homogeneity could not be readily achieved using routine laboratory practices.

Duplicates:
R1 = RPD exceeded the method control limit. See case narrative.
R2 = RPD exceeded the laboratory control limit. See case narrative.
R4 = MS/MSD RPD exceeded the method control limit. Recovery met acceptance criteria.
R5 = MS/MSD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R6 = LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
R7 = LFB/LFBD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R8 = Sample RPD exceeded the method control limit.
R9 = Sample RPD exceeded the laboratory control limit.
R10 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic problems.
R11 = The RPD calculation for MS/MSD does not provide useful information due to the varying sample weights when Encore samplers/methanol field preserved samples are used.

Surrogate:
S1 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits.
S3 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits. No target analytes were detected in the sample.
S4 = Surrogate recovery was above laboratory and method acceptance limits. No target analytes were detected in the sample.
S5 = Surrogate recovery was below laboratory acceptance limits, but within method acceptance limits.
S6 = Surrogate recovery was below laboratory and method acceptance limits. Reextraction and/or reanalysis confirms low recovery caused by matrix effect.

S7 = Surrogate recovery was below laboratory and method acceptance limits. Unable to confirm matrix effect.
S8 = The analysis of the sample required a dilution such that the surrogate recovery calculation does not provide any useful information. The method control sample recovery was acceptable.
S10 = Surrogate recovery was above laboratory and method acceptance limits. See Case narrative.
S11 = Surrogate recovery was high. Data reported per ADEQ policy 0154.000.
S12 = Surrogate recovery was low. Data reported per ADEQ policy 0154.000.

Method/analyte discrepancies:
T1 = Method approved by EPA, but not yet licensed by ADHS.
T2 = Cited ADHS licensed method does not contain this analyte as part of method compound list.
T3 = Method not promulgated either by EPA or ADHS.
T4 = Tentatively identified compound. Concentration is estimated and based on the closest internal standard.

Calibration verification:
V1 = CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
V2 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample. The sample could not be reanalyzed due to insufficient sample.
V3 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample, but the sample was not reanalyzed. See case narrative.
V4 = CCV recovery was below method acceptance limits. The sample could not be reanalyzed due to insufficient sample.
V5 = CCV recovery after a group of samples was above acceptance limits. This target analyte was not detected in the sample. Acceptable per EPA Method 8000B.
V6 = Data reported from one-point calibration criteria per ADEQ policy 0155.000.
V7 = Calibration verification recovery was above the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.
V8 = Calibration verification recovery was below the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.

Calibration:
W1 = The % RSD for this compound was above 20%. The average % RSD for all compounds in the calibration met the 20% criteria as specified in EPA method 8000B.
W2 = The % RSD for this compound was above 15%. The average % RSD for all compounds in the calibration met the 15% criteria as specified in EPA method 8260B/8270C.

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
D0601338-001	PPI0347-02	09/13/06	01:24
D0601338-002	PPI0347-03	09/13/06	02:11
D0601338-003	PPI0347-04	09/13/06	02:57
D0601338-004	PPI0347-05	09/13/06	03:35
D0601338-005	PPI0347-06	09/13/06	04:15
D0601338-006	PPI0347-07	09/13/06	05:27
D0601338-007	PPI0347-08	09/13/06	06:13
D0601338-008	PPI0347-09	09/13/06	07:01
D0601338-009	PPI0347-10	09/13/06	07:11

CASE NARRATIVE

COLUMBIA ANALYTICAL SERVICES, INC.

Client:	Transwest Geochem, Incorporated	**Service Request No.:**	D0601338
Project:	PPC/PPD PPI0347	**Date Received:**	09/14/06
Sample Matrix:	Aqueous		

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of Columbia Analytical Services, Inc. (CAS).This report contains analytical results for samples designated for Tier II data deliverables.

Sample Receipt

9 Aqueous samples were received for analysis at Columbia Analytical Services on 09/14/06.

No discrepancies were noted upon initial sample inspection. The samples were received in good condition and consistent with the accompanying chain of custody form. The samples were stored in a refrigerator at 4 degrees Celsius upon receipt at the laboratory.

Fuel Characterization by EPA Method 8015B

Insufficient sample volume was received to perform a Matrix Spike/Matrix Spike Duplicate (MS/MSD). A Laboratory Control Sample/Duplicate Laboratory Control Sample (LCS/DLCS) was analyzed in order to report precision data.

No anomalies associated with the analysis of these samples were observed.

Approved by: _____ **Date:** 10/2/06

CHAIN OF CUSTODY DOCUMENTATION

TRANSWEST GEOCHEM

CHAIN-OF-CUSTODY

[redacted]

Skip Harden
3725 E. Atlanta Avenue
Suite 2
Phoenix, AZ 85040
TEL: (602) 437-0330
FAX: (602) 437-0660

Work Order: 0609213

Project: PPI0347

Subcontractor:
Columbia Analytical Services
5090 Caterpillar Rd.
Redding, CA 96003
TEL: (530) 244-5227
FAX: (530) 244-4109

13-Sep-06

Client Sample ID	TGI ID	Matrix	Collection Date	Containers	Requested Tests: 8015MOD_W						
PPI0347-02	01A	Water	9/13/2006 1:24:00 AM	1	1						
PPI0347-03	02A	Water	9/13/2006 2:11:00 AM	1	1						
PPI0347-04	03A	Water	9/13/2006 2:57:00 AM	1	1						
PPI0347-05	04A	Water	9/13/2006 3:35:00 AM	1	1						
PPI0347-06	05A	Water	9/13/2006 4:15:00 AM	1	1						
PPI0347-07	06A	Water	9/13/2006 5:27:00 AM	1	1						
PPI0347-08	07A	Water	9/13/2006 6:13:00 AM	1	1						
PPI0347-09	08A	Water	9/13/2006 7:01:00 AM	1	1						
PPI0347-10	09A	Water	9/13/2006 7:11:00 AM	1	1						

low level

~~24h~~

Comments: After analysis, the samples do not need to be returned and can be disposed per your standard laboratory practices. Please provide a QC report, including Method Blank data.

Sample Receipt		
Temperature:	Ambient / Cold	Ice:
Received Intact:		Absent / Present
Custody Seals:		Wet / Blue
Total No. of Containers:		° C.

		Date/Time			Date/Time
Relinquished by:	Leslie May - TGI	9/13/06 1600	**Received by:**	UPS	
Relinquished by:			**Received by:**		
Relinquished by:			**Received by:**	[illegible]	9.14.06 9:30

11

Columbia Analytical Services inc.
An Employee-Owned Company

5090 Caterpillar Road
Redding, CA 96003
Phone: (530) 244-5262
Fax #: (530) 244-4109

COOLER RECEIPT FORM

Project/Client: _____ Batch No.: _____

1. Cooler(s)/Sample(s) received on: _____ Shipped via: UPS

   Shipping Bill # (s): 1Z 52X01 9817 8626 # of Coolers/Packages 5

2. Radiological Screening by: _____ Acceptable Rejected

3. Custody seals on outside of cooler: YES NO N/A

   If yes, where? Front_____ Rear_____ Lt Side_____ Rt Side_____

   Seals intact: YES NO

COOLER/SAMPLE PROCESSING

4. Sample Processing/Tagging by: Tammy Reed

5. Cooler(s)/Sample(s) Temp's: _____ _____ _____ _____ _____

   (or)

   Temp. Blank (if included): 2°C 3°C 3°C 2°C 3°C

6. Type of packing material (circle): Ice Blue Ice Bubble Wrap Bubble Bags Zip Locks Webbing

   Other: _____

7. Custody papers properly filled out (ink, signed, dated, released, etc.)? YES NO

8. Containers arrived in good condition (not broken, leaking, etc.)? YES NO

9. Samples received with adequate holding time remaining to conduct analysis? YES NO

10. Container labels complete (i.e. analysis, preservation, date/time, etc.)? YES NO

11. Container labels and tags agree with custody papers? YES NO

12. Correct types of containers used for the tests indicated? YES NO

    a.) Adequate sample received? If not, note on Exception Report. YES NO

13. Containers supplied by: CAS Other

14. Preserved containers received with the appropriate preservative? YES NO N/A

    pH: _____ (or) See pH log.

15. VOA vials free of air bubbles? YES NO N/A

16. Trip Blank preparation date: _____ CAS Other N/A

17. Volatile Soil samples: Encores or Plugs in Vials

    Freezer or GC/MS Date: _____ Time: _____ N/A

See Exception Report for discrepancies.

Rev. 8/18/2004/ds

Fuel Characterization

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0347/0609213

Service Request: D0601338

Cover Page - Organic Analysis Data Package
Hydrocarbon Scan / Fuel Characterization

Sample Name	Lab Code	Date Collected	Date Received
PPI0347-02	D0601338-001	09/13/2006	09/14/2006
PPI0347-03	D0601338-002	09/13/2006	09/14/2006
PPI0347-04	D0601338-003	09/13/2006	09/14/2006
PPI0347-05	D0601338-004	09/13/2006	09/14/2006
PPI0347-06	D0601338-005	09/13/2006	09/14/2006
PPI0347-07	D0601338-006	09/13/2006	09/14/2006
PPI0347-08	D0601338-007	09/13/2006	09/14/2006
PPI0347-09	D0601338-008	09/13/2006	09/14/2006
PPI0347-10	D0601338-009	09/13/2006	09/14/2006

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the case narrative. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: Wida Ang

Name: WIDA ANG

Date: 10/3/06

Title: Organic Manager

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601338
Project:	PPC/PPD PPI0347/0609213	**Date Collected:**	09/13/2006
Sample Matrix:	Water	**Date Received:**	09/14/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0347-02	**Units:**	ug/L
Lab Code:	D0601338-001	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	51	1	09/27/06	09/28/06	
C23 - C32 HRO	ND	U	51	1	09/27/06	09/28/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	79	40-150	09/28/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601338
Project:	PPC/PPD PPI0347/0609213	**Date Collected:**	09/13/2006
Sample Matrix:	Water	**Date Received:**	09/14/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0347-03	**Units:**	ug/L
Lab Code:	D0601338-002	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	51	1	09/27/06	09/28/06	
C23 - C32 HRO	ND	U	51	1	09/27/06	09/28/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	76	40-150	09/28/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601338
Project:	PPC/PPD PPI0347/0609213	**Date Collected:**	09/13/2006
Sample Matrix:	Water	**Date Received:**	09/14/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0347-04	**Units:**	ug/L
Lab Code:	D0601338-003	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	**52**		51	1	09/27/06	09/28/06	
C23 - C32 HRO	ND	U	51	1	09/27/06	09/28/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	74	40-150	09/28/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601338
Project:	PPC/PPD PPI0347/0609213	**Date Collected:**	09/13/2006
Sample Matrix:	Water	**Date Received:**	09/14/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0347-05	**Units:**	ug/L
Lab Code:	D0601338-004	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	51	1	09/27/06	09/28/06	
C23 - C32 HRO	ND	U	51	1	09/27/06	09/28/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	72	40-150	09/28/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601338
Project:	PPC/PPD PPI0347/0609213	**Date Collected:**	09/13/2006
Sample Matrix:	Water	**Date Received:**	09/14/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0347-06	**Units:**	ug/L
Lab Code:	D0601338-005	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	**160**		51	1	09/27/06	09/28/06	
C23 - C32 HRO	ND	U	51	1	09/27/06	09/28/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	71	40-150	09/28/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601338
Project:	PPC/PPD PPI0347/0609213	**Date Collected:**	09/13/2006
Sample Matrix:	Water	**Date Received:**	09/14/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0347-07	**Units:**	ug/L
Lab Code:	D0601338-006	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	51	1	09/27/06	09/28/06	
C23 - C32 HRO	ND	U	51	1	09/27/06	09/28/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	74	40-150	09/28/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0347/0609213
Sample Matrix: Water

Service Request: D0601338
Date Collected: 09/13/2006
Date Received: 09/14/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name: PPI0347-08
Lab Code: D0601338-007

Units: ug/L
Basis: NA

Extraction Method: EPA 3510C
Analysis Method: 8015B

Level: Low

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	51	1	09/27/06	09/28/06	
C23 - C32 HRO	ND	U	51	1	09/27/06	09/28/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	72	40-150	09/28/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601338
Project:	PPC/PPD PPI0347/0609213	**Date Collected:**	09/13/2006
Sample Matrix:	Water	**Date Received:**	09/14/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0347-09	**Units:**	ug/L
Lab Code:	D0601338-008	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	51	1	09/27/06	09/28/06	
C23 - C32 HRO	ND	U	51	1	09/27/06	09/28/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	76	40-150	09/28/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601338
Project:	PPC/PPD PPI0347/0609213	**Date Collected:**	09/13/2006
Sample Matrix:	Water	**Date Received:**	09/14/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0347-10	**Units:**	ug/L
Lab Code:	D0601338-009	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	51	1	09/27/06	09/28/06	
C23 - C32 HRO	ND	U	51	1	09/27/06	09/28/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	68	40-150	09/28/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601338
Project:	PPC/PPD PPI0347/0609213	**Date Collected:**	NA
Sample Matrix:	Water	**Date Received:**	NA

Hydrocarbon Scan / Fuel Characterization

Sample Name:	Method Blank	**Units:**	ug/L
Lab Code:	LWG0600817-3	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	50	1	09/27/06	09/28/06	
C23 - C32 HRO	ND	U	50	1	09/27/06	09/28/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	74	40-150	09/28/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0347/0609213
Sample Matrix: Water

Service Request: D0601338

Surrogate Recovery Summary
Hydrocarbon Scan / Fuel Characterization

Extraction Method: EPA 3510C
Analysis Method: 8015B

Units: PERCENT
Level: Low

Sample Name	Lab Code	Sur1
PPI0347-02	D0601338-001	79
PPI0347-03	D0601338-002	76
PPI0347-04	D0601338-003	74
PPI0347-05	D0601338-004	72
PPI0347-06	D0601338-005	71
PPI0347-07	D0601338-006	74
PPI0347-08	D0601338-007	72
PPI0347-09	D0601338-008	76
PPI0347-10	D0601338-009	68
Method Blank	LWG0600817-3	74
Lab Control Sample	LWG0600817-1	75
Duplicate Lab Control Sample	LWG0600817-2	72

Surrogate Recovery Control Limits (%)

Sur1 = Octacosane 40-150

Results flagged with an asterisk (*) indicate values outside control criteria.
Results flagged with a pound (#) indicate the control criteria is not applicable.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0347/0609213
Sample Matrix: Water

Service Request: D0601338
Date Extracted: 09/27/2006
Date Analyzed: 09/28/2006

Lab Control Spike/Duplicate Lab Control Spike Summary
Hydrocarbon Scan / Fuel Characterization

Extraction Method: EPA 3510C
Analysis Method: 8015B

Units: ug/L
Basis: NA
Level: Low
Extraction Lot: LWG0600817

	Lab Control Sample LWG0600817-1 Lab Control Spike			Duplicate Lab Control Sample LWG0600817-2 Duplicate Lab Control Spike					
Analyte Name	**Result**	**Expected**	**%Rec**	**Result**	**Expected**	**%Rec**	**%Rec Limits**	**RPD**	**RPD Limit**
C13 - C22 DRO	1590	2500	64	1500	2500	60	50-140	6	30

Results flagged with an asterisk (*) indicate values outside control criteria.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

~~A-02~~ EB
SUB

TRANSWEST GEOCHEM

Sample Receipt Checklist

Client Name: Test America

Date and Time Received: 9.13.2006 1430

Work Order Number: 0609213

Checked by: EB/LM

Checklist completed by: [signature] 9.13.2006
Signature / Date

Logged In by: LM 9.13.2006
Initials / Date

Matrix: Water Carrier Name: Client (TGI) _____

Reviewed by: SLR 9.15.06
Initials / Date

				COMMENTS
Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐	
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☑	
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑	
Chain of custody present?	Yes ☑	No ☐		
Chain of custody signed when relinquished and received?	Yes ☑	No ☐		
Chain of custody agrees with sample labels?	Yes ☑	No ☐		
Samples in proper container/bottle?	Yes ☑	No ☐		
Sample containers intact?	Yes ☑	No ☐		
Sufficient sample volume for indicated test?	Yes ☑	No ☐		
All samples received within holding time?	Yes ☑	No ☐		
Container/Temp Blank temperature in compliance?	Yes ☐	No ☐	Temp: 4.4	Sampled < 2hrs ☐
Water – VOA vials have zero headspace?	Yes ☐	No ☐	N/A ☑	
Water – pH acceptable upon receipt?	Yes ☑	No ☐	N/A ☐	Checked by: EB
Water – Sulfides present in Cyanide samples?	Yes ☐	No ☐	N/A ☑	
Sample considered Drinking Water for metal analysis?	Yes ☐	No ☐	N/A ☑	

Client contacted: _____ Date contacted: _____ Person contacted: _____

Contacted by: _____ Regarding: _____

Corrective Action: _____

TestAmerica
ANALYTICAL TESTING CORPORATION

SUBCONTRACT ORDER - PROJECT # PPI0347 0609213

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPI0347-02 Water Sampled: 09/13/06 01:24		
1 8015B MOD-Low Level-O	09/20/06 01:24	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0347-02D)		
1 L Amber w/H2SO4 (PPI0347-02E)		
Sample ID: PPI0347-03 Water Sampled: 09/13/06 02:11		
2 8015B MOD-Low Level-O	09/20/06 02:11	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0347-03D)		
1 L Amber w/H2SO4 (PPI0347-03E)		
Sample ID: PPI0347-04 Water Sampled: 09/13/06 02:57		
3 8015B MOD-Low Level-O	09/20/06 02:57	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0347-04D)		
1 L Amber w/H2SO4 (PPI0347-04E)		
Sample ID: PPI0347-05 Water Sampled: 09/13/06 03:35		
4 8015B MOD-Low Level-O	09/20/06 03:35	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0347-05D)		
1 L Amber w/H2SO4 (PPI0347-05E)		
Sample ID: PPI0347-06 Water Sampled: 09/13/06 04:15		
5 8015B MOD-Low Level-O	09/20/06 04:15	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0347-06D)		

Released By	Date	Time	Received By	Date	Time
			See p. 2	9/13/06	
Released By	Date	Time	Received By	Date	Time

TestAmerica
ANALYTICAL TESTING CORPORATION

0609~~214~~ 213

SUBCONTRACT ORDER - PROJECT # PPI0347

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPI0347-07 Water Sampled: 09/13/06 05:27		
6 8015B MOD-Low Level-O	09/20/06 05:27	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0347-07D)		
1 L Amber w/H2SO4 (PPI0347-07E)		
Sample ID: PPI0347-08 Water Sampled: 09/13/06 06:13		
7 8015B MOD-Low Level-O	09/20/06 06:13	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0347-08D)		
1 L Amber w/H2SO4 (PPI0347-08E)		
Sample ID: PPI0347-09 Water Sampled: 09/13/06 07:01		
8 8015B MOD-Low Level-O	09/20/06 07:01	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0347-09D)		
1 L Amber w/H2SO4 (PPI0347-09E)		
Sample ID: PPI0347-10 Water Sampled: 09/13/06 07:11		
9 8015B MOD-Low Level-O	09/20/06 07:11	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0347-10D)		
1 L Amber w/H2SO4 (PPI0347-10E)		

SAMPLE INTEGRITY:

All containers intact: ☑ Yes ☐ No
Custody Seals Present: ☐ Yes ☑ No
Sample labels/COC agree: ☑ Yes ☐ No
Samples Preserved Properly: ☑ Yes ☐ No
Samples Received On Ice:: ☑ Yes ☐ No
Samples Received at (temp): 4.4

Released By	Date	Time	Received By	Date	Time
Elizabeth C. Whalen	9/13/06	14:30			
Released By	Date	Time	Received By	Date	Time
[illegible]	9/13/06	14:30			

TestAmerica
ANALYTICAL TESTING CORPORATION

9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

LABORATORY REPORT

Prepared For: CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project: Honeywell-Sky Harbor

Sampled: 09/12/06
Received: 09/13/06
Issued: 10/04/06 14:34

NELAP #01109CA Arizona DHS#AZ0426

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.
This entire report was reviewed and approved for release.

CASE NARRATIVE

LABORATORY ID	CLIENT ID	MATRIX
PPI0349-01	TB-091206B	Water
PPI0349-02	BC-10C-6C2	Water
PPI0349-03	BC-10A-6C2	Water
PPI0349-04	BC-10B-6C2	Water
PPI0349-05	ASE-36A-6C2	Water
PPI0349-06	PL-505-6C2	Water
PPI0349-07	ASE-34B-6C2	Water
PPI0349-08	ASE-34A-6C2	Water
PPI0349-09	ASE-122A-6C2	Water

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe 2625 S. Plaza Drive, Ste. 300 Tempe, AZ 85282 Attention: Jennifer Holland	Project ID: Honeywell-Sky Harbor Report Number: PPI0349	Sampled: 09/12/06 Received: 09/13/06

SAMPLE RECEIPT:	Samples were received intact, at 4°C, on ice and with chain of custody documentation.
HOLDING TIMES:	Not all holding times were met. Results were qualified where the sample analysis did not occur within method specified holding time requirements.
PRESERVATION:	Samples requiring preservation were verified prior to sample analysis.
QA/QC CRITERIA:	All analyses met method criteria, except as noted in the report with data qualifiers.
COMMENTS:	N1: Concentration exceeds the calibration range and therefore result is semi-quantitative. N1a: The LCS/LCSD and MS recovered high and outside of acceptance limits for Vinyl Acetate. All associated samples are non-detect for Vinyl Acetate and therefore should not be impacted.
SUBCONTRACTED:	Refer to the last page for specific subcontract laboratory information included in this report.

Reviewed By:

Ken Baker

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0349-01 (TB-091206B - Water)								**H1**
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2828	20	ND	1	9/28/2006	9/28/2006	
Benzene	EPA 8260B	P6I2828	1.0	ND	1	9/28/2006	9/28/2006	
Bromobenzene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Bromochloromethane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Bromodichloromethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Bromoform	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Bromomethane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
2-Butanone (MEK)	EPA 8260B	P6I2828	10	ND	1	9/28/2006	9/28/2006	
n-Butylbenzene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
sec-Butylbenzene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
tert-Butylbenzene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Carbon Disulfide	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Carbon tetrachloride	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Chlorobenzene	EPA 8260B	P6I2828	1.0	ND	1	9/28/2006	9/28/2006	
Chloroethane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Chloroform	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Chloromethane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
2-Chlorotoluene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
4-Chlorotoluene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Dibromochloromethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Dibromomethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2828	1.0	ND	1	9/28/2006	9/28/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2828	1.0	ND	1	9/28/2006	9/28/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2828	1.0	ND	1	9/28/2006	9/28/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
1,1-Dichloroethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,2-Dichloroethane	EPA 8260B	P6I2828	1.0	ND	1	9/28/2006	9/28/2006	
1,1-Dichloroethene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,2-Dichloropropane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,3-Dichloropropane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
2,2-Dichloropropane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,1-Dichloropropene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Ethylbenzene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Hexachlorobutadiene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
2-Hexanone	EPA 8260B	P6I2828	10	ND	1	9/28/2006	9/28/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0349-01 (TB-091206B - Water) - cont.								**H1**
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Isopropylbenzene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
p-Isopropyltoluene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Methylene chloride	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2828	10	ND	1	9/28/2006	9/28/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Naphthalene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
n-Propylbenzene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Styrene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Tetrachloroethene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Toluene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Trichloroethene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Trichlorofluoromethane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2828	10	ND	1	9/28/2006	9/28/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Vinyl acetate	EPA 8260B	P6I2828	25	ND	1	9/28/2006	9/28/2006	
Vinyl chloride	EPA 8260B	P6I2828	1.7	ND	1	9/28/2006	9/28/2006	
Xylenes, Total	EPA 8260B	P6I2828	3.0	ND	1	9/28/2006	9/28/2006	
Surrogate: Dibromofluoromethane (80-130%)				*117 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0349-02 (BC-10C-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2506	20	ND	1	9/22/2006	9/23/2006	
Benzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
Bromobenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Bromochloromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Bromodichloromethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Bromoform	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Bromomethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
2-Butanone (MEK)	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/23/2006	
n-Butylbenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
sec-Butylbenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
tert-Butylbenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Carbon Disulfide	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Carbon tetrachloride	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Chlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
Chloroethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Chloroform	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Chloromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
2-Chlorotoluene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
4-Chlorotoluene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Dibromochloromethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	V1
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Dibromomethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,1-Dichloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2-Dichloroethane	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
1,1-Dichloroethene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2-Dichloropropane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,3-Dichloropropane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
2,2-Dichloropropane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,1-Dichloropropene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Ethylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Hexachlorobutadiene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
2-Hexanone	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/23/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0349-02 (BC-10C-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Isopropylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
p-Isopropyltoluene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Methylene chloride	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/23/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Naphthalene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
n-Propylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Styrene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	V1
Tetrachloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Toluene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Trichloroethene	EPA 8260B	P6I2506	2.0	**2.1**	1	9/22/2006	9/23/2006	
Trichlorofluoromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/23/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Vinyl acetate	EPA 8260B	P6I2506	25	ND	1	9/22/2006	9/23/2006	
Vinyl chloride	EPA 8260B	P6I2506	1.7	ND	1	9/22/2006	9/23/2006	
Xylenes, Total	EPA 8260B	P6I2506	3.0	ND	1	9/22/2006	9/23/2006	
Surrogate: Dibromofluoromethane (80-130%)				*116 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*95 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0349-03 (BC-10A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2506	20	ND	1	9/22/2006	9/23/2006	
Benzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
Bromobenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Bromochloromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Bromodichloromethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Bromoform	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Bromomethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
2-Butanone (MEK)	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/23/2006	
n-Butylbenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
sec-Butylbenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
tert-Butylbenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Carbon Disulfide	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Carbon tetrachloride	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Chlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
Chloroethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Chloroform	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Chloromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
2-Chlorotoluene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
4-Chlorotoluene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Dibromochloromethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	V1
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Dibromomethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,1-Dichloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2-Dichloroethane	EPA 8260B	P6I2506	1.0	ND	1	9/22/2006	9/23/2006	
1,1-Dichloroethene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2-Dichloropropane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,3-Dichloropropane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
2,2-Dichloropropane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,1-Dichloropropene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Ethylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Hexachlorobutadiene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
2-Hexanone	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/23/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0349-03 (BC-10A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Isopropylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
p-Isopropyltoluene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Methylene chloride	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/23/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
Naphthalene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
n-Propylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Styrene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	V1
Tetrachloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Toluene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Trichloroethene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Trichlorofluoromethane	EPA 8260B	P6I2506	5.0	ND	1	9/22/2006	9/23/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2506	10	ND	1	9/22/2006	9/23/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2506	2.0	ND	1	9/22/2006	9/23/2006	
Vinyl acetate	EPA 8260B	P6I2506	25	ND	1	9/22/2006	9/23/2006	
Vinyl chloride	EPA 8260B	P6I2506	1.7	ND	1	9/22/2006	9/23/2006	
Xylenes, Total	EPA 8260B	P6I2506	3.0	ND	1	9/22/2006	9/23/2006	
Surrogate: Dibromofluoromethane (80-130%)				*119 %*				
Surrogate: Toluene-d8 (80-120%)				*103 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*97 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0349-04 (BC-10B-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2505	20	ND	1	9/23/2006	9/23/2006	
Benzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
Bromobenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Bromochloromethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Bromodichloromethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Bromoform	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Bromomethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
2-Butanone (MEK)	EPA 8260B	P6I2505	10	ND	1	9/23/2006	9/23/2006	
n-Butylbenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
sec-Butylbenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
tert-Butylbenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Carbon Disulfide	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Carbon tetrachloride	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Chlorobenzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
Chloroethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Chloroform	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Chloromethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
2-Chlorotoluene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
4-Chlorotoluene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Dibromochloromethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Dibromomethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,1-Dichloroethane	EPA 8260B	P6I2505	2.0	**2.4**	1	9/23/2006	9/23/2006	
1,2-Dichloroethane	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
1,1-Dichloroethene	EPA 8260B	P6I2505	5.0	**6.5**	1	9/23/2006	9/23/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2505	2.0	**8.8**	1	9/23/2006	9/23/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2-Dichloropropane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,3-Dichloropropane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
2,2-Dichloropropane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,1-Dichloropropene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Ethylbenzene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Hexachlorobutadiene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
2-Hexanone	EPA 8260B	P6I2505	10	ND	1	9/23/2006	9/23/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0349-04 (BC-10B-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Isopropylbenzene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
p-Isopropyltoluene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Methylene chloride	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2505	10	ND	1	9/23/2006	9/23/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Naphthalene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
n-Propylbenzene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Styrene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	V1
Tetrachloroethene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Toluene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Trichloroethene	EPA 8260B	P6I2505	2.0	**22**	1	9/23/2006	9/23/2006	
Trichlorofluoromethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2505	10	ND	1	9/23/2006	9/23/2006	V1
1,2,4-Trimethylbenzene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Vinyl acetate	EPA 8260B	P6I2505	25	ND	1	9/23/2006	9/23/2006	V1, L3
Vinyl chloride	EPA 8260B	P6I2505	1.7	ND	1	9/23/2006	9/23/2006	
Xylenes, Total	EPA 8260B	P6I2505	3.0	ND	1	9/23/2006	9/23/2006	
Surrogate: Dibromofluoromethane (80-130%)				*115 %*				
Surrogate: Toluene-d8 (80-120%)				*97 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*96 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0349-05 (ASE-36A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2505	20	ND	1	9/23/2006	9/23/2006	
Benzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
Bromobenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Bromochloromethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Bromodichloromethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Bromoform	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Bromomethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
2-Butanone (MEK)	EPA 8260B	P6I2505	10	ND	1	9/23/2006	9/23/2006	
n-Butylbenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
sec-Butylbenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
tert-Butylbenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Carbon Disulfide	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Carbon tetrachloride	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Chlorobenzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
Chloroethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Chloroform	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Chloromethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
2-Chlorotoluene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
4-Chlorotoluene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Dibromochloromethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Dibromomethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,1-Dichloroethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2-Dichloroethane	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
1,1-Dichloroethene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2-Dichloropropane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,3-Dichloropropane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
2,2-Dichloropropane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,1-Dichloropropene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Ethylbenzene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Hexachlorobutadiene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
2-Hexanone	EPA 8260B	P6I2505	10	ND	1	9/23/2006	9/23/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0349-05 (ASE-36A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Isopropylbenzene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
p-Isopropyltoluene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Methylene chloride	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2505	10	ND	1	9/23/2006	9/23/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Naphthalene	EPA 8260B	P6I2505	2.0	**5.2**	1	9/23/2006	9/23/2006	
n-Propylbenzene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Styrene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	V1
Tetrachloroethene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Toluene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Trichloroethene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Trichlorofluoromethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2505	10	ND	1	9/23/2006	9/23/2006	V1
1,2,4-Trimethylbenzene	EPA 8260B	P6I2505	2.0	**15**	1	9/23/2006	9/23/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2505	2.0	**3.5**	1	9/23/2006	9/23/2006	
Vinyl acetate	EPA 8260B	P6I2505	25	ND	1	9/23/2006	9/23/2006	V1, L3
Vinyl chloride	EPA 8260B	P6I2505	1.7	ND	1	9/23/2006	9/23/2006	
Xylenes, Total	EPA 8260B	P6I2505	3.0	**3.2**	1	9/23/2006	9/23/2006	
Surrogate: Dibromofluoromethane (80-130%)				*113 %*				
Surrogate: Toluene-d8 (80-120%)				*98 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*93 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0349-06 (PL-505-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2505	20	ND	1	9/23/2006	9/23/2006	
Benzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
Bromobenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Bromochloromethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Bromodichloromethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Bromoform	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Bromomethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
2-Butanone (MEK)	EPA 8260B	P6I2505	10	ND	1	9/23/2006	9/23/2006	
n-Butylbenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
sec-Butylbenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
tert-Butylbenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Carbon Disulfide	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Carbon tetrachloride	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Chlorobenzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
Chloroethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Chloroform	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Chloromethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
2-Chlorotoluene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
4-Chlorotoluene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Dibromochloromethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Dibromomethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,1-Dichloroethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2-Dichloroethane	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
1,1-Dichloroethene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2-Dichloropropane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,3-Dichloropropane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
2,2-Dichloropropane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,1-Dichloropropene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Ethylbenzene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Hexachlorobutadiene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
2-Hexanone	EPA 8260B	P6I2505	10	ND	1	9/23/2006	9/23/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0349-06 (PL-505-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Isopropylbenzene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
p-Isopropyltoluene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Methylene chloride	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2505	10	ND	1	9/23/2006	9/23/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Naphthalene	EPA 8260B	P6I2505	2.0	**5.8**	1	9/23/2006	9/23/2006	
n-Propylbenzene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Styrene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	V1
Tetrachloroethene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Toluene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Trichloroethene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Trichlorofluoromethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2505	10	ND	1	9/23/2006	9/23/2006	V1
1,2,4-Trimethylbenzene	EPA 8260B	P6I2505	2.0	**16**	1	9/23/2006	9/23/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2505	2.0	**3.7**	1	9/23/2006	9/23/2006	
Vinyl acetate	EPA 8260B	P6I2505	25	ND	1	9/23/2006	9/23/2006	V1, L3
Vinyl chloride	EPA 8260B	P6I2505	1.7	ND	1	9/23/2006	9/23/2006	
Xylenes, Total	EPA 8260B	P6I2505	3.0	**3.4**	1	9/23/2006	9/23/2006	
Surrogate: Dibromofluoromethane (80-130%)				*113 %*				
Surrogate: Toluene-d8 (80-120%)				*98 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*94 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0349-07 (ASE-34B-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2505	20	ND	1	9/23/2006	9/23/2006	
Benzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
Bromobenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Bromochloromethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Bromodichloromethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Bromoform	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Bromomethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
2-Butanone (MEK)	EPA 8260B	P6I2505	10	ND	1	9/23/2006	9/23/2006	
n-Butylbenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
sec-Butylbenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
tert-Butylbenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Carbon Disulfide	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Carbon tetrachloride	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Chlorobenzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
Chloroethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Chloroform	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Chloromethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
2-Chlorotoluene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
4-Chlorotoluene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Dibromochloromethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Dibromomethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,1-Dichloroethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2-Dichloroethane	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
1,1-Dichloroethene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2-Dichloropropane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,3-Dichloropropane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
2,2-Dichloropropane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,1-Dichloropropene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Ethylbenzene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Hexachlorobutadiene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
2-Hexanone	EPA 8260B	P6I2505	10	ND	1	9/23/2006	9/23/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0349-07 (ASE-34B-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Isopropylbenzene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
p-Isopropyltoluene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Methylene chloride	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2505	10	ND	1	9/23/2006	9/23/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Naphthalene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
n-Propylbenzene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Styrene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	V1
Tetrachloroethene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Toluene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Trichloroethene	EPA 8260B	P6I2505	2.0	**2.2**	1	9/23/2006	9/23/2006	
Trichlorofluoromethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2505	10	ND	1	9/23/2006	9/23/2006	V1
1,2,4-Trimethylbenzene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Vinyl acetate	EPA 8260B	P6I2505	25	ND	1	9/23/2006	9/23/2006	V1, L3
Vinyl chloride	EPA 8260B	P6I2505	1.7	ND	1	9/23/2006	9/23/2006	
Xylenes, Total	EPA 8260B	P6I2505	3.0	ND	1	9/23/2006	9/23/2006	
Surrogate: Dibromofluoromethane (80-130%)				*113 %*				
Surrogate: Toluene-d8 (80-120%)				*100 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*94 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0349-08 (ASE-34A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2505	20	ND	1	9/23/2006	9/23/2006	
Benzene	EPA 8260B	P6I2505	1.0	**3.3**	1	9/23/2006	9/23/2006	
Bromobenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Bromochloromethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Bromodichloromethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Bromoform	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Bromomethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
2-Butanone (MEK)	EPA 8260B	P6I2505	10	ND	1	9/23/2006	9/23/2006	
n-Butylbenzene	EPA 8260B	P6I2505	5.0	**9.3**	1	9/23/2006	9/23/2006	
sec-Butylbenzene	EPA 8260B	P6I2505	5.0	**7.3**	1	9/23/2006	9/23/2006	
tert-Butylbenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Carbon Disulfide	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Carbon tetrachloride	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Chlorobenzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
Chloroethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Chloroform	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Chloromethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
2-Chlorotoluene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
4-Chlorotoluene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Dibromochloromethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Dibromomethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,1-Dichloroethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2-Dichloroethane	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
1,1-Dichloroethene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2-Dichloropropane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,3-Dichloropropane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
2,2-Dichloropropane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,1-Dichloropropene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Ethylbenzene	EPA 8260B	P6I2505	2.0	**75**	1	9/23/2006	9/23/2006	
Hexachlorobutadiene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
2-Hexanone	EPA 8260B	P6I2505	10	ND	1	9/23/2006	9/23/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0349-08 (ASE-34A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Isopropylbenzene	EPA 8260B	P6I2505	2.0	**25**	1	9/23/2006	9/23/2006	
p-Isopropyltoluene	EPA 8260B	P6I2505	2.0	**7.4**	1	9/23/2006	9/23/2006	
Methylene chloride	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2505	10	ND	1	9/23/2006	9/23/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2505	5.0	**19**	1	9/23/2006	9/23/2006	
Naphthalene	EPA 8260B	P6I2505	2.0	**180**	1	9/23/2006	9/23/2006	
n-Propylbenzene	EPA 8260B	P6I2505	2.0	**31**	1	9/23/2006	9/23/2006	
Styrene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	V1
Tetrachloroethene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Toluene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Trichloroethene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Trichlorofluoromethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2505	10	ND	1	9/23/2006	9/23/2006	V1
1,3,5-Trimethylbenzene	EPA 8260B	P6I2505	2.0	**80**	1	9/23/2006	9/23/2006	
Vinyl acetate	EPA 8260B	P6I2505	25	ND	1	9/23/2006	9/23/2006	V1, L3
Vinyl chloride	EPA 8260B	P6I2505	1.7	ND	1	9/23/2006	9/23/2006	
Xylenes, Total	EPA 8260B	P6I2505	3.0	**130**	1	9/23/2006	9/23/2006	
Surrogate: Dibromofluoromethane (80-130%)				*116 %*				
Surrogate: Toluene-d8 (80-120%)				*99 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*100 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0349-08RE1 (ASE-34A-6C2 - Water) - cont.								
Reporting Units: ug/l								
1,2,4-Trimethylbenzene	EPA 8260B	P6I2518	20	**370**	10	9/25/2006	9/25/2006	
Surrogate: Dibromofluoromethane (80-130%)				*121 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*102 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0349-09 (ASE-122A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2505	20	ND	1	9/23/2006	9/23/2006	
Benzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
Bromobenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Bromochloromethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Bromodichloromethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Bromoform	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Bromomethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
2-Butanone (MEK)	EPA 8260B	P6I2505	10	ND	1	9/23/2006	9/23/2006	
n-Butylbenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
sec-Butylbenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
tert-Butylbenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Carbon Disulfide	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Carbon tetrachloride	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Chlorobenzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
Chloroethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Chloroform	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Chloromethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
2-Chlorotoluene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
4-Chlorotoluene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Dibromochloromethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Dibromomethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,1-Dichloroethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2-Dichloroethane	EPA 8260B	P6I2505	1.0	ND	1	9/23/2006	9/23/2006	
1,1-Dichloroethene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2-Dichloropropane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,3-Dichloropropane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
2,2-Dichloropropane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,1-Dichloropropene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Ethylbenzene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Hexachlorobutadiene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
2-Hexanone	EPA 8260B	P6I2505	10	ND	1	9/23/2006	9/23/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0349-09 (ASE-122A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Isopropylbenzene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
p-Isopropyltoluene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Methylene chloride	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2505	10	ND	1	9/23/2006	9/23/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
Naphthalene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
n-Propylbenzene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Styrene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	V1
Tetrachloroethene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Toluene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Trichloroethene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Trichlorofluoromethane	EPA 8260B	P6I2505	5.0	ND	1	9/23/2006	9/23/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2505	10	ND	1	9/23/2006	9/23/2006	V1
1,2,4-Trimethylbenzene	EPA 8260B	P6I2505	2.0	**3.6**	1	9/23/2006	9/23/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2505	2.0	ND	1	9/23/2006	9/23/2006	
Vinyl acetate	EPA 8260B	P6I2505	25	ND	1	9/23/2006	9/23/2006	V1, L3
Vinyl chloride	EPA 8260B	P6I2505	1.7	ND	1	9/23/2006	9/23/2006	
Xylenes, Total	EPA 8260B	P6I2505	3.0	ND	1	9/23/2006	9/23/2006	
Surrogate: Dibromofluoromethane (80-130%)				*109 %*				
Surrogate: Toluene-d8 (80-120%)				*98 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*93 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0349-09 (ASE-122A-6C2 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6I1522	3.0	ND	1	9/15/2006	9/22/2006	
Acenaphthylene	EPA 8310	P6I1522	3.0	ND	1	9/15/2006	9/22/2006	
Anthracene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Benzo(a)anthracene	EPA 8310	P6I1522	0.050	ND	1	9/15/2006	9/22/2006	
Benzo(a)pyrene	EPA 8310	P6I1522	0.10	ND	1	9/15/2006	9/22/2006	
Benzo(b)fluoranthene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Benzo(g,h,i)perylene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Benzo(k)fluoranthene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Chrysene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Dibenz(a,h)anthracene	EPA 8310	P6I1522	0.50	ND	1	9/15/2006	9/22/2006	
Fluoranthene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Fluorene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Naphthalene	EPA 8310	P6I1522	2.0	ND	1	9/15/2006	9/22/2006	
Phenanthrene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Pyrene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/22/2006	
Surrogate: 2-Methylanthracene (50-115%)				*91 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

TOTAL RECOVERABLE METALS

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0349-03 (BC-10A-6C2 - Water)								
Reporting Units: mg/l								
Chromium	EPA 200.7	P6I1908	0.010	**0.72**	1	9/19/2006	9/19/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2505 Extracted: 09/23/06										
Blank Analyzed: 09/23/2006 (P6I2505-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2505 Extracted: 09/23/06										
Blank Analyzed: 09/23/2006 (P6I2505-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							*V1*
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							*V1*
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							*V1*
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*27.7*		*ug/l*	*25.0*		*111*	*80-130*			
Surrogate: Toluene-d8	*24.3*		*ug/l*	*25.0*		*97*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.6*		*ug/l*	*25.0*		*94*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2505 Extracted: 09/23/06										
LCS Analyzed: 09/23/2006 (P6I2505-BS1)										
Acetone	33.6	20	ug/l	25.0		134	30-150			
Benzene	21.9	1.0	ug/l	25.0		88	80-120			
Bromobenzene	24.0	5.0	ug/l	25.0		96	80-125			
Bromochloromethane	25.6	5.0	ug/l	25.0		102	80-125			
Bromodichloromethane	21.8	2.0	ug/l	25.0		87	80-120			
Bromoform	22.9	5.0	ug/l	25.0		92	70-120			
Bromomethane	24.3	5.0	ug/l	25.0		97	80-135			
2-Butanone (MEK)	29.8	10	ug/l	25.0		119	55-150			
n-Butylbenzene	23.3	5.0	ug/l	25.0		93	80-120			
sec-Butylbenzene	24.2	5.0	ug/l	25.0		97	80-130			
tert-Butylbenzene	23.8	5.0	ug/l	25.0		95	80-130			
Carbon Disulfide	26.9	5.0	ug/l	25.0		108	55-145			
Carbon tetrachloride	22.0	5.0	ug/l	25.0		88	80-120			
Chlorobenzene	23.6	1.0	ug/l	25.0		94	80-120			
Chloroethane	23.4	5.0	ug/l	25.0		94	80-125			
Chloroform	24.3	2.0	ug/l	25.0		97	80-120			
Chloromethane	25.1	5.0	ug/l	25.0		100	70-130			
2-Chlorotoluene	24.3	5.0	ug/l	25.0		97	80-120			
4-Chlorotoluene	24.5	5.0	ug/l	25.0		98	80-120			
Dibromochloromethane	22.4	2.0	ug/l	25.0		90	75-120			
1,2-Dibromo-3-chloropropane	24.0	5.0	ug/l	25.0		96	55-120			
1,2-Dibromoethane (EDB)	24.2	2.0	ug/l	25.0		97	75-125			
Dibromomethane	23.2	2.0	ug/l	25.0		93	80-125			
1,2-Dichlorobenzene	24.1	1.0	ug/l	25.0		96	80-120			
1,3-Dichlorobenzene	23.4	1.0	ug/l	25.0		94	80-125			
1,4-Dichlorobenzene	23.9	1.0	ug/l	25.0		96	80-120			
Dichlorodifluoromethane	20.2	5.0	ug/l	25.0		81	60-140			
1,1-Dichloroethane	24.5	2.0	ug/l	25.0		98	80-120			
1,2-Dichloroethane	26.2	1.0	ug/l	25.0		105	75-125			
1,1-Dichloroethene	23.6	5.0	ug/l	25.0		94	75-120			
cis-1,2-Dichloroethene	24.3	2.0	ug/l	25.0		97	80-125			
trans-1,2-Dichloroethene	24.5	2.0	ug/l	25.0		98	80-120			
1,2-Dichloropropane	23.4	2.0	ug/l	25.0		94	80-120			
1,3-Dichloropropane	24.5	2.0	ug/l	25.0		98	80-120			
2,2-Dichloropropane	23.4	2.0	ug/l	25.0		94	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2505 Extracted: 09/23/06										
LCS Analyzed: 09/23/2006 (P6I2505-BS1)										
1,1-Dichloropropene	22.6	2.0	ug/l	25.0		90	80-120			
cis-1,3-Dichloropropene	22.2	2.0	ug/l	25.0		89	75-120			
trans-1,3-Dichloropropene	22.9	2.0	ug/l	25.0		92	80-120			
Ethylbenzene	22.6	2.0	ug/l	25.0		90	80-125			
Hexachlorobutadiene	22.4	5.0	ug/l	25.0		90	70-130			
2-Hexanone	29.1	10	ug/l	25.0		116	40-150			
Iodomethane	27.3	2.0	ug/l	25.0		109	80-130			
Isopropylbenzene	26.6	2.0	ug/l	25.0		106	80-140			
p-Isopropyltoluene	23.4	2.0	ug/l	25.0		94	80-130			
Methylene chloride	24.3	5.0	ug/l	25.0		97	80-120			
4-Methyl-2-pentanone (MIBK)	28.2	10	ug/l	25.0		113	50-140			
Methyl-tert-butyl Ether (MTBE)	25.8	5.0	ug/l	25.0		103	65-130			
Naphthalene	24.0	2.0	ug/l	25.0		96	70-130			
n-Propylbenzene	25.0	2.0	ug/l	25.0		100	80-135			
Styrene	23.1	2.0	ug/l	25.0		92	80-125			
1,1,1,2-Tetrachloroethane	22.4	5.0	ug/l	25.0		90	80-120			
1,1,2,2-Tetrachloroethane	27.1	2.0	ug/l	25.0		108	65-140			*V1*
Tetrachloroethene	21.4	2.0	ug/l	25.0		86	80-125			
Toluene	22.6	2.0	ug/l	25.0		90	80-125			
1,2,3-Trichlorobenzene	22.6	5.0	ug/l	25.0		90	75-125			
1,2,4-Trichlorobenzene	21.5	5.0	ug/l	25.0		86	80-125			
1,1,1-Trichloroethane	24.5	2.0	ug/l	25.0		98	75-125			
1,1,2-Trichloroethane	23.0	2.0	ug/l	25.0		92	80-125			
Trichloroethene	22.1	2.0	ug/l	25.0		88	80-120			
Trichlorofluoromethane	25.5	5.0	ug/l	25.0		102	75-130			
1,2,3-Trichloropropane	26.9	10	ug/l	25.0		108	65-135			*V1*
1,2,4-Trimethylbenzene	24.3	2.0	ug/l	25.0		97	80-125			
1,3,5-Trimethylbenzene	24.1	2.0	ug/l	25.0		96	80-130			
Vinyl acetate	39.8	25	ug/l	25.0		159	70-140			*V1, L3*
Vinyl chloride	24.7	1.7	ug/l	25.0		99	70-135			
Xylenes, Total	45.8	3.0	ug/l	50.0		92	80-125			
Surrogate: Dibromofluoromethane	*26.8*		*ug/l*	*25.0*		*107*	*80-130*			
Surrogate: Toluene-d8	*24.2*		*ug/l*	*25.0*		*97*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.9*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2505 Extracted: 09/23/06										
LCS Dup Analyzed: 09/23/2006 (P6I2505-BSD1)										
Acetone	31.4	20	ug/l	25.0		126	30-150	7	35	
Benzene	22.8	1.0	ug/l	25.0		91	80-120	4	10	
Bromobenzene	24.4	5.0	ug/l	25.0		98	80-125	2	10	
Bromochloromethane	25.1	5.0	ug/l	25.0		100	80-125	2	15	
Bromodichloromethane	22.3	2.0	ug/l	25.0		89	80-120	2	15	
Bromoform	23.4	5.0	ug/l	25.0		94	70-120	2	20	
Bromomethane	24.8	5.0	ug/l	25.0		99	80-135	2	15	
2-Butanone (MEK)	29.0	10	ug/l	25.0		116	55-150	3	35	
n-Butylbenzene	23.5	5.0	ug/l	25.0		94	80-120	1	10	
sec-Butylbenzene	24.2	5.0	ug/l	25.0		97	80-130	0	10	
tert-Butylbenzene	24.1	5.0	ug/l	25.0		96	80-130	1	10	
Carbon Disulfide	27.0	5.0	ug/l	25.0		108	55-145	0	15	
Carbon tetrachloride	22.8	5.0	ug/l	25.0		91	80-120	4	15	
Chlorobenzene	23.5	1.0	ug/l	25.0		94	80-120	0	10	
Chloroethane	23.2	5.0	ug/l	25.0		93	80-125	1	15	
Chloroform	24.3	2.0	ug/l	25.0		97	80-120	0	10	
Chloromethane	24.0	5.0	ug/l	25.0		96	70-130	4	15	
2-Chlorotoluene	24.9	5.0	ug/l	25.0		100	80-120	2	10	
4-Chlorotoluene	25.0	5.0	ug/l	25.0		100	80-120	2	10	
Dibromochloromethane	22.4	2.0	ug/l	25.0		90	75-120	0	15	
1,2-Dibromo-3-chloropropane	24.1	5.0	ug/l	25.0		96	55-120	0	35	
1,2-Dibromoethane (EDB)	24.3	2.0	ug/l	25.0		97	75-125	0	20	
Dibromomethane	23.8	2.0	ug/l	25.0		95	80-125	3	20	
1,2-Dichlorobenzene	24.0	1.0	ug/l	25.0		96	80-120	0	10	
1,3-Dichlorobenzene	23.8	1.0	ug/l	25.0		95	80-125	2	10	
1,4-Dichlorobenzene	23.9	1.0	ug/l	25.0		96	80-120	0	10	
Dichlorodifluoromethane	18.8	5.0	ug/l	25.0		75	60-140	7	15	
1,1-Dichloroethane	24.1	2.0	ug/l	25.0		96	80-120	2	10	
1,2-Dichloroethane	25.7	1.0	ug/l	25.0		103	75-125	2	20	
1,1-Dichloroethene	22.6	5.0	ug/l	25.0		90	75-120	4	15	
cis-1,2-Dichloroethene	24.1	2.0	ug/l	25.0		96	80-125	1	10	
trans-1,2-Dichloroethene	24.4	2.0	ug/l	25.0		98	80-120	0	10	
1,2-Dichloropropane	23.3	2.0	ug/l	25.0		93	80-120	0	15	
1,3-Dichloropropane	23.8	2.0	ug/l	25.0		95	80-120	3	15	
2,2-Dichloropropane	23.3	2.0	ug/l	25.0		93	70-130	0	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2505 Extracted: 09/23/06										
LCS Dup Analyzed: 09/23/2006 (P6I2505-BSD1)										
1,1-Dichloropropene	23.4	2.0	ug/l	25.0		94	80-120	3	10	
cis-1,3-Dichloropropene	22.5	2.0	ug/l	25.0		90	75-120	1	15	
trans-1,3-Dichloropropene	22.9	2.0	ug/l	25.0		92	80-120	0	20	
Ethylbenzene	22.9	2.0	ug/l	25.0		92	80-125	1	15	
Hexachlorobutadiene	21.2	5.0	ug/l	25.0		85	70-130	6	15	
2-Hexanone	27.8	10	ug/l	25.0		111	40-150	5	35	
Iodomethane	27.2	2.0	ug/l	25.0		109	80-130	0	10	
Isopropylbenzene	26.4	2.0	ug/l	25.0		106	80-140	1	10	
p-Isopropyltoluene	23.7	2.0	ug/l	25.0		95	80-130	1	15	
Methylene chloride	23.5	5.0	ug/l	25.0		94	80-120	3	10	
4-Methyl-2-pentanone (MIBK)	27.6	10	ug/l	25.0		110	50-140	2	35	
Methyl-tert-butyl Ether (MTBE)	25.4	5.0	ug/l	25.0		102	65-130	2	25	
Naphthalene	22.9	2.0	ug/l	25.0		92	70-130	5	20	
n-Propylbenzene	25.6	2.0	ug/l	25.0		102	80-135	2	10	
Styrene	22.6	2.0	ug/l	25.0		90	80-125	2	15	
1,1,1,2-Tetrachloroethane	22.3	5.0	ug/l	25.0		89	80-120	0	15	
1,1,2,2-Tetrachloroethane	26.7	2.0	ug/l	25.0		107	65-140	1	25	*V1*
Tetrachloroethene	22.0	2.0	ug/l	25.0		88	80-125	3	15	
Toluene	22.7	2.0	ug/l	25.0		91	80-125	0	10	
1,2,3-Trichlorobenzene	20.9	5.0	ug/l	25.0		84	75-125	8	15	
1,2,4-Trichlorobenzene	20.7	5.0	ug/l	25.0		83	80-125	4	15	
1,1,1-Trichloroethane	24.2	2.0	ug/l	25.0		97	75-125	1	10	
1,1,2-Trichloroethane	22.6	2.0	ug/l	25.0		90	80-125	2	25	
Trichloroethene	22.6	2.0	ug/l	25.0		90	80-120	2	10	
Trichlorofluoromethane	24.7	5.0	ug/l	25.0		99	75-130	3	10	
1,2,3-Trichloropropane	26.0	10	ug/l	25.0		104	65-135	3	25	*V1*
1,2,4-Trimethylbenzene	24.3	2.0	ug/l	25.0		97	80-125	0	10	
1,3,5-Trimethylbenzene	24.5	2.0	ug/l	25.0		98	80-130	2	10	
Vinyl acetate	37.6	25	ug/l	25.0		150	70-140	6	30	*V1, L3*
Vinyl chloride	24.0	1.7	ug/l	25.0		96	70-135	3	15	
Xylenes, Total	45.6	3.0	ug/l	50.0		91	80-125	0	15	
Surrogate: Dibromofluoromethane	*27.6*		*ug/l*	*25.0*		*110*	*80-130*			
Surrogate: Toluene-d8	*25.3*		*ug/l*	*25.0*		*101*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.1*		*ug/l*	*25.0*		*96*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2505 Extracted: 09/23/06										
Matrix Spike Analyzed: 09/23/2006 (P6I2505-MS1)					**Source: PPI0349-04**					
Acetone	32.1	20	ug/l	25.0	ND	128	15-150			
Benzene	22.8	1.0	ug/l	25.0	ND	91	80-125			
Bromobenzene	24.0	5.0	ug/l	25.0	ND	96	80-125			
Bromochloromethane	25.1	5.0	ug/l	25.0	ND	100	80-130			
Bromodichloromethane	22.8	2.0	ug/l	25.0	ND	91	70-130			
Bromoform	23.3	5.0	ug/l	25.0	ND	93	70-120			
Bromomethane	23.5	5.0	ug/l	25.0	ND	94	80-135			
2-Butanone (MEK)	31.6	10	ug/l	25.0	ND	126	30-150			
n-Butylbenzene	23.4	5.0	ug/l	25.0	ND	94	80-135			
sec-Butylbenzene	24.0	5.0	ug/l	25.0	ND	96	80-130			
tert-Butylbenzene	24.0	5.0	ug/l	25.0	ND	96	80-130			
Carbon Disulfide	26.4	5.0	ug/l	25.0	ND	106	45-150			
Carbon tetrachloride	23.6	5.0	ug/l	25.0	ND	94	65-135			
Chlorobenzene	23.7	1.0	ug/l	25.0	ND	95	80-125			
Chloroethane	22.5	5.0	ug/l	25.0	ND	90	80-125			
Chloroform	24.6	2.0	ug/l	25.0	0.55	96	75-130			
Chloromethane	23.6	5.0	ug/l	25.0	ND	94	65-130			
2-Chlorotoluene	24.2	5.0	ug/l	25.0	ND	97	80-130			
4-Chlorotoluene	24.5	5.0	ug/l	25.0	ND	98	80-135			
Dibromochloromethane	22.6	2.0	ug/l	25.0	ND	90	75-120			
1,2-Dibromo-3-chloropropane	25.6	5.0	ug/l	25.0	ND	102	50-130			
1,2-Dibromoethane (EDB)	25.1	2.0	ug/l	25.0	ND	100	70-130			
Dibromomethane	23.9	2.0	ug/l	25.0	ND	96	75-130			
1,2-Dichlorobenzene	23.9	1.0	ug/l	25.0	ND	96	80-130			
1,3-Dichlorobenzene	23.1	1.0	ug/l	25.0	ND	92	80-130			
1,4-Dichlorobenzene	23.7	1.0	ug/l	25.0	ND	95	80-125			
Dichlorodifluoromethane	19.1	5.0	ug/l	25.0	ND	76	60-140			
1,1-Dichloroethane	26.3	2.0	ug/l	25.0	2.4	96	80-125			
1,2-Dichloroethane	27.3	1.0	ug/l	25.0	ND	109	60-145			
1,1-Dichloroethene	28.0	5.0	ug/l	25.0	6.5	86	75-130			
cis-1,2-Dichloroethene	32.7	2.0	ug/l	25.0	8.8	96	80-125			
trans-1,2-Dichloroethene	24.4	2.0	ug/l	25.0	ND	98	80-120			
1,2-Dichloropropane	23.8	2.0	ug/l	25.0	ND	95	80-125			
1,3-Dichloropropane	24.6	2.0	ug/l	25.0	ND	98	75-130			
2,2-Dichloropropane	21.5	2.0	ug/l	25.0	ND	86	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2505 Extracted: 09/23/06										
Matrix Spike Analyzed: 09/23/2006 (P6I2505-MS1)					**Source: PPI0349-04**					
1,1-Dichloropropene	22.6	2.0	ug/l	25.0	ND	90	80-125			
cis-1,3-Dichloropropene	22.3	2.0	ug/l	25.0	ND	89	75-120			
trans-1,3-Dichloropropene	23.4	2.0	ug/l	25.0	ND	94	75-130			
Ethylbenzene	23.1	2.0	ug/l	25.0	ND	92	80-130			
Hexachlorobutadiene	21.4	5.0	ug/l	25.0	ND	86	65-130			
2-Hexanone	28.4	10	ug/l	25.0	ND	114	40-150			
Iodomethane	26.8	2.0	ug/l	25.0	ND	107	70-140			
Isopropylbenzene	26.1	2.0	ug/l	25.0	ND	104	80-140			
p-Isopropyltoluene	23.9	2.0	ug/l	25.0	ND	96	80-135			
Methylene chloride	23.5	5.0	ug/l	25.0	ND	94	75-125			
4-Methyl-2-pentanone (MIBK)	29.3	10	ug/l	25.0	ND	117	40-140			
Methyl-tert-butyl Ether (MTBE)	25.5	5.0	ug/l	25.0	ND	102	65-135			
Naphthalene	24.4	2.0	ug/l	25.0	ND	98	60-140			
n-Propylbenzene	24.8	2.0	ug/l	25.0	ND	99	80-140			
Styrene	23.4	2.0	ug/l	25.0	ND	94	30-150			
1,1,1,2-Tetrachloroethane	22.3	5.0	ug/l	25.0	ND	89	80-130			
1,1,2,2-Tetrachloroethane	27.8	2.0	ug/l	25.0	ND	111	65-140			*V1*
Tetrachloroethene	21.4	2.0	ug/l	25.0	ND	86	80-130			
Toluene	23.2	2.0	ug/l	25.0	ND	93	80-130			
1,2,3-Trichlorobenzene	22.1	5.0	ug/l	25.0	ND	88	75-140			
1,2,4-Trichlorobenzene	21.1	5.0	ug/l	25.0	ND	84	80-135			
1,1,1-Trichloroethane	24.1	2.0	ug/l	25.0	ND	96	70-135			
1,1,2-Trichloroethane	23.4	2.0	ug/l	25.0	ND	94	70-135			
Trichloroethene	44.1	2.0	ug/l	25.0	22	88	80-125			
Trichlorofluoromethane	24.4	5.0	ug/l	25.0	ND	98	70-140			
1,2,3-Trichloropropane	27.0	10	ug/l	25.0	ND	108	65-135			*V1*
1,2,4-Trimethylbenzene	24.1	2.0	ug/l	25.0	ND	96	75-130			
1,3,5-Trimethylbenzene	24.6	2.0	ug/l	25.0	ND	98	80-135			
Vinyl acetate	38.9	25	ug/l	25.0	ND	156	30-150			*V1, N1a*
Vinyl chloride	22.9	1.7	ug/l	25.0	ND	92	70-135			
Xylenes, Total	45.2	3.0	ug/l	50.0	ND	90	80-125			
Surrogate: Dibromofluoromethane	*28.1*		*ug/l*	*25.0*		*112*	*80-130*			
Surrogate: Toluene-d8	*25.1*		*ug/l*	*25.0*		*100*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.0*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2505 Extracted: 09/23/06										
Matrix Spike Dup Analyzed: 09/23/2006 (P6I2505-MSD1)					**Source: PPI0349-04**					
Acetone	29.4	20	ug/l	25.0	ND	118	15-150	9	35	
Benzene	22.0	1.0	ug/l	25.0	ND	88	80-125	4	10	
Bromobenzene	22.7	5.0	ug/l	25.0	ND	91	80-125	6	15	
Bromochloromethane	24.9	5.0	ug/l	25.0	ND	100	80-130	1	20	
Bromodichloromethane	22.1	2.0	ug/l	25.0	ND	88	70-130	3	15	
Bromoform	21.7	5.0	ug/l	25.0	ND	87	70-120	7	25	
Bromomethane	22.7	5.0	ug/l	25.0	ND	91	80-135	3	20	
2-Butanone (MEK)	27.8	10	ug/l	25.0	ND	111	30-150	13	35	
n-Butylbenzene	22.9	5.0	ug/l	25.0	ND	92	80-135	2	20	
sec-Butylbenzene	23.4	5.0	ug/l	25.0	ND	94	80-130	3	20	
tert-Butylbenzene	23.6	5.0	ug/l	25.0	ND	94	80-130	2	20	
Carbon Disulfide	26.7	5.0	ug/l	25.0	ND	107	45-150	1	15	
Carbon tetrachloride	22.6	5.0	ug/l	25.0	ND	90	65-135	4	15	
Chlorobenzene	22.6	1.0	ug/l	25.0	ND	90	80-125	5	15	
Chloroethane	22.5	5.0	ug/l	25.0	ND	90	80-125	0	20	
Chloroform	24.4	2.0	ug/l	25.0	0.55	95	75-130	1	15	
Chloromethane	23.1	5.0	ug/l	25.0	ND	92	65-130	2	20	
2-Chlorotoluene	23.6	5.0	ug/l	25.0	ND	94	80-130	3	15	
4-Chlorotoluene	23.8	5.0	ug/l	25.0	ND	95	80-135	3	15	
Dibromochloromethane	21.6	2.0	ug/l	25.0	ND	86	75-120	5	20	
1,2-Dibromo-3-chloropropane	21.6	5.0	ug/l	25.0	ND	86	50-130	17	35	
1,2-Dibromoethane (EDB)	23.4	2.0	ug/l	25.0	ND	94	70-130	7	25	
Dibromomethane	23.0	2.0	ug/l	25.0	ND	92	75-130	4	25	
1,2-Dichlorobenzene	22.6	1.0	ug/l	25.0	ND	90	80-130	6	15	
1,3-Dichlorobenzene	22.2	1.0	ug/l	25.0	ND	89	80-130	4	15	
1,4-Dichlorobenzene	22.8	1.0	ug/l	25.0	ND	91	80-125	4	10	
Dichlorodifluoromethane	18.4	5.0	ug/l	25.0	ND	74	60-140	4	45	
1,1-Dichloroethane	26.5	2.0	ug/l	25.0	2.4	96	80-125	1	15	
1,2-Dichloroethane	25.4	1.0	ug/l	25.0	ND	102	60-145	7	20	
1,1-Dichloroethene	27.9	5.0	ug/l	25.0	6.5	86	75-130	0	15	
cis-1,2-Dichloroethene	33.1	2.0	ug/l	25.0	8.8	97	80-125	1	15	
trans-1,2-Dichloroethene	25.0	2.0	ug/l	25.0	ND	100	80-120	2	15	
1,2-Dichloropropane	22.5	2.0	ug/l	25.0	ND	90	80-125	6	15	
1,3-Dichloropropane	23.7	2.0	ug/l	25.0	ND	95	75-130	4	20	
2,2-Dichloropropane	22.3	2.0	ug/l	25.0	ND	89	60-135	4	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2505 Extracted: 09/23/06										
Matrix Spike Dup Analyzed: 09/23/2006 (P6I2505-MSD1)					**Source: PPI0349-04**					
1,1-Dichloropropene	22.5	2.0	ug/l	25.0	ND	90	80-125	0	15	
cis-1,3-Dichloropropene	21.5	2.0	ug/l	25.0	ND	86	75-120	4	15	
trans-1,3-Dichloropropene	21.6	2.0	ug/l	25.0	ND	86	75-130	8	25	
Ethylbenzene	22.4	2.0	ug/l	25.0	ND	90	80-130	3	15	
Hexachlorobutadiene	20.3	5.0	ug/l	25.0	ND	81	65-130	5	15	
2-Hexanone	24.8	10	ug/l	25.0	ND	99	40-150	14	35	
Iodomethane	26.9	2.0	ug/l	25.0	ND	108	70-140	0	15	
Isopropylbenzene	25.4	2.0	ug/l	25.0	ND	102	80-140	3	20	
p-Isopropyltoluene	23.0	2.0	ug/l	25.0	ND	92	80-135	4	20	
Methylene chloride	23.8	5.0	ug/l	25.0	ND	95	75-125	1	15	
4-Methyl-2-pentanone (MIBK)	26.0	10	ug/l	25.0	ND	104	40-140	12	35	
Methyl-tert-butyl Ether (MTBE)	24.6	5.0	ug/l	25.0	ND	98	65-135	4	30	
Naphthalene	21.8	2.0	ug/l	25.0	ND	87	60-140	11	30	
n-Propylbenzene	24.6	2.0	ug/l	25.0	ND	98	80-140	1	20	
Styrene	22.2	2.0	ug/l	25.0	ND	89	30-150	5	25	
1,1,1,2-Tetrachloroethane	21.9	5.0	ug/l	25.0	ND	88	80-130	2	15	
1,1,2,2-Tetrachloroethane	25.5	2.0	ug/l	25.0	ND	102	65-140	9	35	*V1*
Tetrachloroethene	20.3	2.0	ug/l	25.0	ND	81	80-130	5	15	
Toluene	22.0	2.0	ug/l	25.0	ND	88	80-130	5	15	
1,2,3-Trichlorobenzene	20.5	5.0	ug/l	25.0	ND	82	75-140	8	20	
1,2,4-Trichlorobenzene	20.5	5.0	ug/l	25.0	ND	82	80-135	3	15	
1,1,1-Trichloroethane	24.2	2.0	ug/l	25.0	ND	97	70-135	0	15	
1,1,2-Trichloroethane	21.5	2.0	ug/l	25.0	ND	86	70-135	8	25	
Trichloroethene	43.4	2.0	ug/l	25.0	22	86	80-125	2	15	
Trichlorofluoromethane	24.6	5.0	ug/l	25.0	ND	98	70-140	1	15	
1,2,3-Trichloropropane	24.8	10	ug/l	25.0	ND	99	65-135	8	35	*V1*
1,2,4-Trimethylbenzene	23.4	2.0	ug/l	25.0	ND	94	75-130	3	15	
1,3,5-Trimethylbenzene	23.8	2.0	ug/l	25.0	ND	95	80-135	3	15	
Vinyl acetate	36.8	25	ug/l	25.0	ND	147	30-150	6	35	*V1*
Vinyl chloride	23.2	1.7	ug/l	25.0	ND	93	70-135	1	25	
Xylenes, Total	44.5	3.0	ug/l	50.0	ND	89	80-125	2	15	
Surrogate: Dibromofluoromethane	*28.2*		*ug/l*	*25.0*		*113*	*80-130*			
Surrogate: Toluene-d8	*24.7*		*ug/l*	*25.0*		*99*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.8*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2506 Extracted: 09/22/06										
Blank Analyzed: 09/22/2006 (P6I2506-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2506 Extracted: 09/22/06										
Blank Analyzed: 09/22/2006 (P6I2506-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*26.9*		*ug/l*	*25.0*		*108*	*80-130*			
Surrogate: Toluene-d8	*25.4*		*ug/l*	*25.0*		*102*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.1*		*ug/l*	*25.0*		*96*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2506 Extracted: 09/22/06										
LCS Analyzed: 09/22/2006 (P6I2506-BS1)										
Acetone	25.6	20	ug/l	25.0		102	30-150			
Benzene	23.1	1.0	ug/l	25.0		92	80-120			
Bromobenzene	23.6	5.0	ug/l	25.0		94	80-125			
Bromochloromethane	23.9	5.0	ug/l	25.0		96	80-125			
Bromodichloromethane	22.9	2.0	ug/l	25.0		92	80-120			
Bromoform	19.8	5.0	ug/l	25.0		79	70-120			
Bromomethane	23.4	5.0	ug/l	25.0		94	80-135			
2-Butanone (MEK)	22.9	10	ug/l	25.0		92	55-150			
n-Butylbenzene	24.4	5.0	ug/l	25.0		98	80-120			
sec-Butylbenzene	24.9	5.0	ug/l	25.0		100	80-130			
tert-Butylbenzene	24.4	5.0	ug/l	25.0		98	80-130			
Carbon Disulfide	25.2	5.0	ug/l	25.0		101	55-145			
Carbon tetrachloride	23.8	5.0	ug/l	25.0		95	80-120			
Chlorobenzene	23.5	1.0	ug/l	25.0		94	80-120			
Chloroethane	24.6	5.0	ug/l	25.0		98	80-125			
Chloroform	24.3	2.0	ug/l	25.0		97	80-120			
Chloromethane	24.7	5.0	ug/l	25.0		99	70-130			
2-Chlorotoluene	24.2	5.0	ug/l	25.0		97	80-120			
4-Chlorotoluene	24.6	5.0	ug/l	25.0		98	80-120			
Dibromochloromethane	20.4	2.0	ug/l	25.0		82	75-120			
1,2-Dibromo-3-chloropropane	22.4	5.0	ug/l	25.0		90	55-120			
1,2-Dibromoethane (EDB)	22.6	2.0	ug/l	25.0		90	75-125			
Dibromomethane	22.3	2.0	ug/l	25.0		89	80-125			
1,2-Dichlorobenzene	24.6	1.0	ug/l	25.0		98	80-120			
1,3-Dichlorobenzene	23.6	1.0	ug/l	25.0		94	80-125			
1,4-Dichlorobenzene	24.1	1.0	ug/l	25.0		96	80-120			
Dichlorodifluoromethane	18.2	5.0	ug/l	25.0		73	60-140			
1,1-Dichloroethane	24.6	2.0	ug/l	25.0		98	80-120			
1,2-Dichloroethane	24.4	1.0	ug/l	25.0		98	75-125			
1,1-Dichloroethene	23.5	5.0	ug/l	25.0		94	75-120			
cis-1,2-Dichloroethene	23.7	2.0	ug/l	25.0		95	80-125			
trans-1,2-Dichloroethene	24.8	2.0	ug/l	25.0		99	80-120			
1,2-Dichloropropane	24.2	2.0	ug/l	25.0		97	80-120			
1,3-Dichloropropane	23.4	2.0	ug/l	25.0		94	80-120			
2,2-Dichloropropane	24.8	2.0	ug/l	25.0		99	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2506 Extracted: 09/22/06										
LCS Analyzed: 09/22/2006 (P6I2506-BS1)										
1,1-Dichloropropene	23.9	2.0	ug/l	25.0		96	80-120			
cis-1,3-Dichloropropene	23.4	2.0	ug/l	25.0		94	75-120			
trans-1,3-Dichloropropene	22.5	2.0	ug/l	25.0		90	80-120			
Ethylbenzene	23.6	2.0	ug/l	25.0		94	80-125			
Hexachlorobutadiene	25.2	5.0	ug/l	25.0		101	70-130			
2-Hexanone	22.3	10	ug/l	25.0		89	40-150			
Iodomethane	25.8	2.0	ug/l	25.0		103	80-130			
Isopropylbenzene	26.5	2.0	ug/l	25.0		106	80-140			
p-Isopropyltoluene	25.5	2.0	ug/l	25.0		102	80-130			
Methylene chloride	22.8	5.0	ug/l	25.0		91	80-120			
4-Methyl-2-pentanone (MIBK)	22.4	10	ug/l	25.0		90	50-140			
Methyl-tert-butyl Ether (MTBE)	22.8	5.0	ug/l	25.0		91	65-130			
Naphthalene	24.1	2.0	ug/l	25.0		96	70-130			
n-Propylbenzene	25.3	2.0	ug/l	25.0		101	80-135			
Styrene	24.1	2.0	ug/l	25.0		96	80-125			
1,1,1,2-Tetrachloroethane	23.9	5.0	ug/l	25.0		96	80-120			
1,1,2,2-Tetrachloroethane	23.8	2.0	ug/l	25.0		95	65-140			
Tetrachloroethene	22.1	2.0	ug/l	25.0		88	80-125			
Toluene	23.6	2.0	ug/l	25.0		94	80-125			
1,2,3-Trichlorobenzene	26.6	5.0	ug/l	25.0		106	75-125			
1,2,4-Trichlorobenzene	24.8	5.0	ug/l	25.0		99	80-125			
1,1,1-Trichloroethane	23.9	2.0	ug/l	25.0		96	75-125			
1,1,2-Trichloroethane	22.4	2.0	ug/l	25.0		90	80-125			
Trichloroethene	23.4	2.0	ug/l	25.0		94	80-120			
Trichlorofluoromethane	25.8	5.0	ug/l	25.0		103	75-130			
1,2,3-Trichloropropane	23.5	10	ug/l	25.0		94	65-135			
1,2,4-Trimethylbenzene	24.6	2.0	ug/l	25.0		98	80-125			
1,3,5-Trimethylbenzene	24.5	2.0	ug/l	25.0		98	80-130			
Vinyl acetate	32.1	25	ug/l	25.0		128	70-140			
Vinyl chloride	25.0	1.7	ug/l	25.0		100	70-135			
Xylenes, Total	47.1	3.0	ug/l	50.0		94	80-125			
Surrogate: Dibromofluoromethane	*27.2*		*ug/l*	*25.0*		*109*	*80-130*			
Surrogate: Toluene-d8	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.3*		*ug/l*	*25.0*		*105*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2506 Extracted: 09/22/06										
LCS Dup Analyzed: 09/22/2006 (P6I2506-BSD1)										
Acetone	26.9	20	ug/l	25.0		108	30-150	5	35	
Benzene	23.0	1.0	ug/l	25.0		92	80-120	0	10	
Bromobenzene	25.2	5.0	ug/l	25.0		101	80-125	7	10	
Bromochloromethane	23.8	5.0	ug/l	25.0		95	80-125	0	15	
Bromodichloromethane	22.9	2.0	ug/l	25.0		92	80-120	0	15	
Bromoform	21.0	5.0	ug/l	25.0		84	70-120	6	20	
Bromomethane	23.8	5.0	ug/l	25.0		95	80-135	2	15	
2-Butanone (MEK)	23.5	10	ug/l	25.0		94	55-150	3	35	
n-Butylbenzene	23.8	5.0	ug/l	25.0		95	80-120	2	10	
sec-Butylbenzene	24.6	5.0	ug/l	25.0		98	80-130	1	10	
tert-Butylbenzene	24.7	5.0	ug/l	25.0		99	80-130	1	10	
Carbon Disulfide	24.8	5.0	ug/l	25.0		99	55-145	2	15	
Carbon tetrachloride	23.2	5.0	ug/l	25.0		93	80-120	3	15	
Chlorobenzene	22.8	1.0	ug/l	25.0		91	80-120	3	10	
Chloroethane	23.8	5.0	ug/l	25.0		95	80-125	3	15	
Chloroform	23.7	2.0	ug/l	25.0		95	80-120	2	10	
Chloromethane	24.6	5.0	ug/l	25.0		98	70-130	0	15	
2-Chlorotoluene	24.3	5.0	ug/l	25.0		97	80-120	0	10	
4-Chlorotoluene	24.8	5.0	ug/l	25.0		99	80-120	1	10	
Dibromochloromethane	20.2	2.0	ug/l	25.0		81	75-120	1	15	
1,2-Dibromo-3-chloropropane	24.5	5.0	ug/l	25.0		98	55-120	9	35	
1,2-Dibromoethane (EDB)	23.3	2.0	ug/l	25.0		93	75-125	3	20	
Dibromomethane	23.0	2.0	ug/l	25.0		92	80-125	3	20	
1,2-Dichlorobenzene	23.8	1.0	ug/l	25.0		95	80-120	3	10	
1,3-Dichlorobenzene	23.2	1.0	ug/l	25.0		93	80-125	2	10	
1,4-Dichlorobenzene	23.6	1.0	ug/l	25.0		94	80-120	2	10	
Dichlorodifluoromethane	18.9	5.0	ug/l	25.0		76	60-140	4	15	
1,1-Dichloroethane	24.2	2.0	ug/l	25.0		97	80-120	2	10	
1,2-Dichloroethane	25.3	1.0	ug/l	25.0		101	75-125	4	20	
1,1-Dichloroethene	23.3	5.0	ug/l	25.0		93	75-120	1	15	
cis-1,2-Dichloroethene	23.9	2.0	ug/l	25.0		96	80-125	1	10	
trans-1,2-Dichloroethene	24.3	2.0	ug/l	25.0		97	80-120	2	10	
1,2-Dichloropropane	24.6	2.0	ug/l	25.0		98	80-120	2	15	
1,3-Dichloropropane	23.2	2.0	ug/l	25.0		93	80-120	1	15	
2,2-Dichloropropane	24.3	2.0	ug/l	25.0		97	70-130	2	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2506 Extracted: 09/22/06										
LCS Dup Analyzed: 09/22/2006 (P6I2506-BSD1)										
1,1-Dichloropropene	23.9	2.0	ug/l	25.0		96	80-120	0	10	
cis-1,3-Dichloropropene	23.5	2.0	ug/l	25.0		94	75-120	0	15	
trans-1,3-Dichloropropene	23.0	2.0	ug/l	25.0		92	80-120	2	20	
Ethylbenzene	23.4	2.0	ug/l	25.0		94	80-125	1	15	
Hexachlorobutadiene	22.9	5.0	ug/l	25.0		92	70-130	10	15	
2-Hexanone	23.7	10	ug/l	25.0		95	40-150	6	35	
Iodomethane	25.0	2.0	ug/l	25.0		100	80-130	3	10	
Isopropylbenzene	26.3	2.0	ug/l	25.0		105	80-140	1	10	
p-Isopropyltoluene	24.7	2.0	ug/l	25.0		99	80-130	3	15	
Methylene chloride	23.1	5.0	ug/l	25.0		92	80-120	1	10	
4-Methyl-2-pentanone (MIBK)	23.7	10	ug/l	25.0		95	50-140	6	35	
Methyl-tert-butyl Ether (MTBE)	23.3	5.0	ug/l	25.0		93	65-130	2	25	
Naphthalene	23.8	2.0	ug/l	25.0		95	70-130	1	20	
n-Propylbenzene	25.4	2.0	ug/l	25.0		102	80-135	0	10	
Styrene	23.3	2.0	ug/l	25.0		93	80-125	3	15	
1,1,1,2-Tetrachloroethane	23.7	5.0	ug/l	25.0		95	80-120	1	15	
1,1,2,2-Tetrachloroethane	26.1	2.0	ug/l	25.0		104	65-140	9	25	
Tetrachloroethene	21.2	2.0	ug/l	25.0		85	80-125	4	15	
Toluene	22.9	2.0	ug/l	25.0		92	80-125	3	10	
1,2,3-Trichlorobenzene	24.5	5.0	ug/l	25.0		98	75-125	8	15	
1,2,4-Trichlorobenzene	23.4	5.0	ug/l	25.0		94	80-125	6	15	
1,1,1-Trichloroethane	23.6	2.0	ug/l	25.0		94	75-125	1	10	
1,1,2-Trichloroethane	22.8	2.0	ug/l	25.0		91	80-125	2	25	
Trichloroethene	23.2	2.0	ug/l	25.0		93	80-120	1	10	
Trichlorofluoromethane	25.7	5.0	ug/l	25.0		103	75-130	0	10	
1,2,3-Trichloropropane	24.0	10	ug/l	25.0		96	65-135	2	25	
1,2,4-Trimethylbenzene	24.5	2.0	ug/l	25.0		98	80-125	0	10	
1,3,5-Trimethylbenzene	24.8	2.0	ug/l	25.0		99	80-130	1	10	
Vinyl acetate	32.5	25	ug/l	25.0		130	70-140	1	30	
Vinyl chloride	24.8	1.7	ug/l	25.0		99	70-135	1	15	
Xylenes, Total	46.4	3.0	ug/l	50.0		93	80-125	1	15	
Surrogate: Dibromofluoromethane	*27.5*		*ug/l*	*25.0*		*110*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.6*		*ug/l*	*25.0*		*102*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2506 Extracted: 09/22/06										
Matrix Spike Analyzed: 09/22/2006 (P6I2506-MS1)					**Source: PPI0454-01**					
Acetone	54.1	20	ug/l	25.0	31	92	15-150			
Benzene	23.3	1.0	ug/l	25.0	ND	93	80-125			
Bromobenzene	25.2	5.0	ug/l	25.0	ND	101	80-125			
Bromochloromethane	23.3	5.0	ug/l	25.0	ND	93	80-130			
Bromodichloromethane	20.9	2.0	ug/l	25.0	ND	84	70-130			
Bromoform	19.8	5.0	ug/l	25.0	ND	79	70-120			
Bromomethane	20.4	5.0	ug/l	25.0	ND	82	80-135			
2-Butanone (MEK)	28.3	10	ug/l	25.0	ND	113	30-150			
n-Butylbenzene	28.6	5.0	ug/l	25.0	5.7	92	80-135			
sec-Butylbenzene	24.6	5.0	ug/l	25.0	ND	98	80-130			
tert-Butylbenzene	24.2	5.0	ug/l	25.0	ND	97	80-130			
Carbon Disulfide	23.5	5.0	ug/l	25.0	ND	94	45-150			
Carbon tetrachloride	20.5	5.0	ug/l	25.0	ND	82	65-135			
Chlorobenzene	23.3	1.0	ug/l	25.0	ND	93	80-125			
Chloroethane	22.5	5.0	ug/l	25.0	ND	90	80-125			
Chloroform	21.8	2.0	ug/l	25.0	ND	87	75-130			
Chloromethane	20.0	5.0	ug/l	25.0	ND	80	65-130			
2-Chlorotoluene	40.2	5.0	ug/l	25.0	ND	161	80-130			*M1*
4-Chlorotoluene	32.8	5.0	ug/l	25.0	ND	131	80-135			
Dibromochloromethane	18.8	2.0	ug/l	25.0	ND	75	75-120			
1,2-Dibromo-3-chloropropane	20.7	5.0	ug/l	25.0	ND	83	50-130			*V1*
1,2-Dibromoethane (EDB)	21.7	2.0	ug/l	25.0	ND	87	70-130			
Dibromomethane	21.2	2.0	ug/l	25.0	ND	85	75-130			
1,2-Dichlorobenzene	23.6	1.0	ug/l	25.0	ND	94	80-130			
1,3-Dichlorobenzene	23.3	1.0	ug/l	25.0	ND	93	80-130			
1,4-Dichlorobenzene	23.9	1.0	ug/l	25.0	ND	96	80-125			
Dichlorodifluoromethane	14.1	5.0	ug/l	25.0	ND	56	60-140			*M2*
1,1-Dichloroethane	22.0	2.0	ug/l	25.0	ND	88	80-125			
1,2-Dichloroethane	34.6	1.0	ug/l	25.0	13	86	60-145			
1,1-Dichloroethene	32.5	5.0	ug/l	25.0	10	90	75-130			
cis-1,2-Dichloroethene	23.7	2.0	ug/l	25.0	ND	95	80-125			
trans-1,2-Dichloroethene	23.0	2.0	ug/l	25.0	ND	92	80-120			
1,2-Dichloropropane	23.6	2.0	ug/l	25.0	ND	94	80-125			
1,3-Dichloropropane	22.9	2.0	ug/l	25.0	ND	92	75-130			
2,2-Dichloropropane	20.2	2.0	ug/l	25.0	ND	81	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2506 Extracted: 09/22/06										
Matrix Spike Analyzed: 09/22/2006 (P6I2506-MS1)					**Source: PPI0454-01**					
1,1-Dichloropropene	22.2	2.0	ug/l	25.0	ND	89	80-125			
cis-1,3-Dichloropropene	22.6	2.0	ug/l	25.0	ND	90	75-120			
trans-1,3-Dichloropropene	21.2	2.0	ug/l	25.0	ND	85	75-130			
Ethylbenzene	158	2.0	ug/l	25.0	140	72	80-130			*M2*
Hexachlorobutadiene	22.6	5.0	ug/l	25.0	ND	90	65-130			
2-Hexanone	23.6	10	ug/l	25.0	ND	94	40-150			
Iodomethane	25.3	2.0	ug/l	25.0	ND	101	70-140			
Isopropylbenzene	37.2	2.0	ug/l	25.0	11	105	80-140			
p-Isopropyltoluene	25.5	2.0	ug/l	25.0	1.5	96	80-135			
Methylene chloride	21.4	5.0	ug/l	25.0	ND	86	75-125			
4-Methyl-2-pentanone (MIBK)	22.1	10	ug/l	25.0	ND	88	40-140			
Methyl-tert-butyl Ether (MTBE)	20.5	5.0	ug/l	25.0	ND	82	65-135			
Naphthalene	56.6	2.0	ug/l	25.0	28	114	60-140			
n-Propylbenzene	51.0	2.0	ug/l	25.0	27	96	80-140			
Styrene	24.4	2.0	ug/l	25.0	ND	98	30-150			
1,1,1,2-Tetrachloroethane	22.2	5.0	ug/l	25.0	ND	89	80-130			
1,1,2,2-Tetrachloroethane	21.5	2.0	ug/l	25.0	ND	86	65-140			*V1*
Tetrachloroethene	50.7	2.0	ug/l	25.0	28	91	80-130			
Toluene	408	2.0	ug/l	25.0	390	72	80-130			*N1, M3*
1,2,3-Trichlorobenzene	25.7	5.0	ug/l	25.0	ND	103	75-140			
1,2,4-Trichlorobenzene	24.2	5.0	ug/l	25.0	ND	97	80-135			
1,1,1-Trichloroethane	20.3	2.0	ug/l	25.0	ND	81	70-135			
1,1,2-Trichloroethane	22.5	2.0	ug/l	25.0	ND	90	70-135			
Trichloroethene	30.5	2.0	ug/l	25.0	7.6	92	80-125			
Trichlorofluoromethane	20.5	5.0	ug/l	25.0	ND	82	70-140			
1,2,3-Trichloropropane	21.9	10	ug/l	25.0	ND	88	65-135			
1,2,4-Trimethylbenzene	150	2.0	ug/l	25.0	130	80	75-130			
1,3,5-Trimethylbenzene	82.7	2.0	ug/l	25.0	60	91	80-135			
Vinyl acetate	28.5	25	ug/l	25.0	ND	114	30-150			
Vinyl chloride	20.2	1.7	ug/l	25.0	ND	81	70-135			
Xylenes, Total	873	3.0	ug/l	50.0	840	66	80-125			*N1, M3*
Surrogate: Dibromofluoromethane	*24.7*		*ug/l*	*25.0*		*99*	*80-130*			
Surrogate: Toluene-d8	*25.3*		*ug/l*	*25.0*		*101*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.0*		*ug/l*	*25.0*		*96*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2506 Extracted: 09/22/06										
Matrix Spike Dup Analyzed: 09/22/2006 (P6I2506-MSD1)					**Source: PPI0454-01**					
Acetone	55.5	20	ug/l	25.0	31	98	15-150	3	35	
Benzene	23.9	1.0	ug/l	25.0	ND	96	80-125	3	10	
Bromobenzene	25.8	5.0	ug/l	25.0	ND	103	80-125	2	15	
Bromochloromethane	23.1	5.0	ug/l	25.0	ND	92	80-130	1	20	
Bromodichloromethane	21.8	2.0	ug/l	25.0	ND	87	70-130	4	15	
Bromoform	20.7	5.0	ug/l	25.0	ND	83	70-120	4	25	
Bromomethane	20.3	5.0	ug/l	25.0	ND	81	80-135	1	20	
2-Butanone (MEK)	28.4	10	ug/l	25.0	ND	114	30-150	0	35	
n-Butylbenzene	27.3	5.0	ug/l	25.0	5.7	86	80-135	5	20	
sec-Butylbenzene	24.1	5.0	ug/l	25.0	ND	96	80-130	2	20	
tert-Butylbenzene	23.2	5.0	ug/l	25.0	ND	93	80-130	4	20	
Carbon Disulfide	23.6	5.0	ug/l	25.0	ND	94	45-150	0	15	
Carbon tetrachloride	20.1	5.0	ug/l	25.0	ND	80	65-135	2	15	
Chlorobenzene	23.2	1.0	ug/l	25.0	ND	93	80-125	0	15	
Chloroethane	22.1	5.0	ug/l	25.0	ND	88	80-125	2	20	
Chloroform	21.7	2.0	ug/l	25.0	ND	87	75-130	1	15	
Chloromethane	19.9	5.0	ug/l	25.0	ND	80	65-130	1	20	
2-Chlorotoluene	38.9	5.0	ug/l	25.0	ND	156	80-130	3	15	*M1*
4-Chlorotoluene	31.1	5.0	ug/l	25.0	ND	124	80-135	5	15	
Dibromochloromethane	19.0	2.0	ug/l	25.0	ND	76	75-120	1	20	
1,2-Dibromo-3-chloropropane	22.3	5.0	ug/l	25.0	ND	89	50-130	7	35	*V1*
1,2-Dibromoethane (EDB)	22.2	2.0	ug/l	25.0	ND	89	70-130	2	25	
Dibromomethane	21.7	2.0	ug/l	25.0	ND	87	75-130	2	25	
1,2-Dichlorobenzene	23.2	1.0	ug/l	25.0	ND	93	80-130	2	15	
1,3-Dichlorobenzene	22.8	1.0	ug/l	25.0	ND	91	80-130	2	15	
1,4-Dichlorobenzene	23.9	1.0	ug/l	25.0	ND	96	80-125	0	10	
Dichlorodifluoromethane	13.7	5.0	ug/l	25.0	ND	55	60-140	3	45	*M2*
1,1-Dichloroethane	21.9	2.0	ug/l	25.0	ND	88	80-125	1	15	
1,2-Dichloroethane	35.5	1.0	ug/l	25.0	13	90	60-145	3	20	
1,1-Dichloroethene	32.2	5.0	ug/l	25.0	10	89	75-130	1	15	
cis-1,2-Dichloroethene	24.3	2.0	ug/l	25.0	ND	97	80-125	2	15	
trans-1,2-Dichloroethene	23.7	2.0	ug/l	25.0	ND	95	80-120	3	15	
1,2-Dichloropropane	23.5	2.0	ug/l	25.0	ND	94	80-125	0	15	
1,3-Dichloropropane	21.8	2.0	ug/l	25.0	ND	87	75-130	5	20	
2,2-Dichloropropane	20.0	2.0	ug/l	25.0	ND	80	60-135	1	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2506 Extracted: 09/22/06										
Matrix Spike Dup Analyzed: 09/22/2006 (P6I2506-MSD1)					**Source: PPI0454-01**					
1,1-Dichloropropene	22.6	2.0	ug/l	25.0	ND	90	80-125	2	15	
cis-1,3-Dichloropropene	23.1	2.0	ug/l	25.0	ND	92	75-120	2	15	
trans-1,3-Dichloropropene	21.8	2.0	ug/l	25.0	ND	87	75-130	3	25	
Ethylbenzene	151	2.0	ug/l	25.0	140	44	80-130	5	15	*M2*
Hexachlorobutadiene	21.9	5.0	ug/l	25.0	ND	88	65-130	3	15	
2-Hexanone	23.3	10	ug/l	25.0	ND	93	40-150	1	35	
Iodomethane	25.1	2.0	ug/l	25.0	ND	100	70-140	1	15	
Isopropylbenzene	34.8	2.0	ug/l	25.0	11	95	80-140	7	20	
p-Isopropyltoluene	24.6	2.0	ug/l	25.0	1.5	92	80-135	4	20	
Methylene chloride	21.9	5.0	ug/l	25.0	ND	88	75-125	2	15	
4-Methyl-2-pentanone (MIBK)	24.3	10	ug/l	25.0	ND	97	40-140	9	35	
Methyl-tert-butyl Ether (MTBE)	21.6	5.0	ug/l	25.0	ND	86	65-135	5	30	
Naphthalene	58.1	2.0	ug/l	25.0	28	120	60-140	3	30	
n-Propylbenzene	47.8	2.0	ug/l	25.0	27	83	80-140	6	20	
Styrene	24.1	2.0	ug/l	25.0	ND	96	30-150	1	25	
1,1,1,2-Tetrachloroethane	22.8	5.0	ug/l	25.0	ND	91	80-130	3	15	
1,1,2,2-Tetrachloroethane	22.9	2.0	ug/l	25.0	ND	92	65-140	6	35	*V1*
Tetrachloroethene	50.8	2.0	ug/l	25.0	28	91	80-130	0	15	
Toluene	405	2.0	ug/l	25.0	390	60	80-130	1	15	*N1, M3*
1,2,3-Trichlorobenzene	26.7	5.0	ug/l	25.0	ND	107	75-140	4	20	
1,2,4-Trichlorobenzene	24.6	5.0	ug/l	25.0	ND	98	80-135	2	15	
1,1,1-Trichloroethane	20.2	2.0	ug/l	25.0	ND	81	70-135	1	15	
1,1,2-Trichloroethane	22.8	2.0	ug/l	25.0	ND	91	70-135	1	25	
Trichloroethene	30.6	2.0	ug/l	25.0	7.6	92	80-125	0	15	
Trichlorofluoromethane	20.0	5.0	ug/l	25.0	ND	80	70-140	2	15	
1,2,3-Trichloropropane	23.3	10	ug/l	25.0	ND	93	65-135	6	35	
1,2,4-Trimethylbenzene	143	2.0	ug/l	25.0	130	52	75-130	5	15	*M2*
1,3,5-Trimethylbenzene	79.0	2.0	ug/l	25.0	60	76	80-135	5	15	*M2*
Vinyl acetate	29.8	25	ug/l	25.0	ND	119	30-150	4	35	
Vinyl chloride	20.0	1.7	ug/l	25.0	ND	80	70-135	1	25	
Xylenes, Total	842	3.0	ug/l	50.0	840	4	80-125	4	15	*N1, M3*
Surrogate: Dibromofluoromethane	*25.4*		*ug/l*	*25.0*		*102*	*80-130*			
Surrogate: Toluene-d8	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.2*		*ug/l*	*25.0*		*97*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2518 Extracted: 09/25/06										
Blank Analyzed: 09/25/2006 (P6I2518-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2518 Extracted: 09/25/06										
Blank Analyzed: 09/25/2006 (P6I2518-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							*V1*
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*28.2*		*ug/l*	*25.0*		*113*	*80-130*			
Surrogate: Toluene-d8	*24.9*		*ug/l*	*25.0*		*100*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.1*		*ug/l*	*25.0*		*92*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2518 Extracted: 09/25/06										
LCS Analyzed: 09/25/2006 (P6I2518-BS1)										
Acetone	33.0	20	ug/l	25.0		132	30-150			
Benzene	24.8	1.0	ug/l	25.0		99	80-120			
Bromobenzene	26.9	5.0	ug/l	25.0		108	80-125			
Bromochloromethane	27.8	5.0	ug/l	25.0		111	80-125			
Bromodichloromethane	25.0	2.0	ug/l	25.0		100	80-120			
Bromoform	25.5	5.0	ug/l	25.0		102	70-120			
Bromomethane	26.2	5.0	ug/l	25.0		105	80-135			
2-Butanone (MEK)	27.0	10	ug/l	25.0		108	55-150			
n-Butylbenzene	24.9	5.0	ug/l	25.0		100	80-120			
sec-Butylbenzene	26.6	5.0	ug/l	25.0		106	80-130			
tert-Butylbenzene	27.0	5.0	ug/l	25.0		108	80-130			
Carbon Disulfide	25.9	5.0	ug/l	25.0		104	55-145			
Carbon tetrachloride	25.5	5.0	ug/l	25.0		102	80-120			
Chlorobenzene	26.1	1.0	ug/l	25.0		104	80-120			
Chloroethane	24.7	5.0	ug/l	25.0		99	80-125			
Chloroform	27.3	2.0	ug/l	25.0		109	80-120			
Chloromethane	25.9	5.0	ug/l	25.0		104	70-130			
2-Chlorotoluene	27.4	5.0	ug/l	25.0		110	80-120			
4-Chlorotoluene	27.4	5.0	ug/l	25.0		110	80-120			
Dibromochloromethane	25.4	2.0	ug/l	25.0		102	75-120			
1,2-Dibromo-3-chloropropane	24.6	5.0	ug/l	25.0		98	55-120			
1,2-Dibromoethane (EDB)	26.7	2.0	ug/l	25.0		107	75-125			
Dibromomethane	25.8	2.0	ug/l	25.0		103	80-125			
1,2-Dichlorobenzene	24.8	1.0	ug/l	25.0		99	80-120			
1,3-Dichlorobenzene	25.0	1.0	ug/l	25.0		100	80-125			
1,4-Dichlorobenzene	25.7	1.0	ug/l	25.0		103	80-120			
Dichlorodifluoromethane	19.6	5.0	ug/l	25.0		78	60-140			
1,1-Dichloroethane	26.9	2.0	ug/l	25.0		108	80-120			
1,2-Dichloroethane	28.2	1.0	ug/l	25.0		113	75-125			
1,1-Dichloroethene	24.5	5.0	ug/l	25.0		98	75-120			
cis-1,2-Dichloroethene	26.7	2.0	ug/l	25.0		107	80-125			
trans-1,2-Dichloroethene	26.5	2.0	ug/l	25.0		106	80-120			
1,2-Dichloropropane	25.5	2.0	ug/l	25.0		102	80-120			
1,3-Dichloropropane	26.4	2.0	ug/l	25.0		106	80-120			
2,2-Dichloropropane	25.3	2.0	ug/l	25.0		101	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2518 Extracted: 09/25/06										
LCS Analyzed: 09/25/2006 (P6I2518-BS1)										
1,1-Dichloropropene	25.0	2.0	ug/l	25.0		100	80-120			
cis-1,3-Dichloropropene	24.2	2.0	ug/l	25.0		97	75-120			
trans-1,3-Dichloropropene	24.8	2.0	ug/l	25.0		99	80-120			
Ethylbenzene	25.4	2.0	ug/l	25.0		102	80-125			
Hexachlorobutadiene	20.6	5.0	ug/l	25.0		82	70-130			
2-Hexanone	25.5	10	ug/l	25.0		102	40-150			
Iodomethane	26.9	2.0	ug/l	25.0		108	80-130			
Isopropylbenzene	29.6	2.0	ug/l	25.0		118	80-140			
p-Isopropyltoluene	26.1	2.0	ug/l	25.0		104	80-130			
Methylene chloride	26.0	5.0	ug/l	25.0		104	80-120			
4-Methyl-2-pentanone (MIBK)	25.5	10	ug/l	25.0		102	50-140			
Methyl-tert-butyl Ether (MTBE)	26.8	5.0	ug/l	25.0		107	65-130			
Naphthalene	21.5	2.0	ug/l	25.0		86	70-130			
n-Propylbenzene	29.0	2.0	ug/l	25.0		116	80-135			
Styrene	24.8	2.0	ug/l	25.0		99	80-125			
1,1,1,2-Tetrachloroethane	24.8	5.0	ug/l	25.0		99	80-120			
1,1,2,2-Tetrachloroethane	29.6	2.0	ug/l	25.0		118	65-140			
Tetrachloroethene	23.9	2.0	ug/l	25.0		96	80-125			
Toluene	25.5	2.0	ug/l	25.0		102	80-125			
1,2,3-Trichlorobenzene	21.2	5.0	ug/l	25.0		85	75-125			
1,2,4-Trichlorobenzene	20.9	5.0	ug/l	25.0		84	80-125			
1,1,1-Trichloroethane	26.9	2.0	ug/l	25.0		108	75-125			
1,1,2-Trichloroethane	24.4	2.0	ug/l	25.0		98	80-125			
Trichloroethene	25.3	2.0	ug/l	25.0		101	80-120			
Trichlorofluoromethane	28.3	5.0	ug/l	25.0		113	75-130			
1,2,3-Trichloropropane	28.3	10	ug/l	25.0		113	65-135			
1,2,4-Trimethylbenzene	26.8	2.0	ug/l	25.0		107	80-125			
1,3,5-Trimethylbenzene	27.3	2.0	ug/l	25.0		109	80-130			
Vinyl acetate	35.4	25	ug/l	25.0		142	70-140			*V1, L3*
Vinyl chloride	25.6	1.7	ug/l	25.0		102	70-135			
Xylenes, Total	50.8	3.0	ug/l	50.0		102	80-125			
Surrogate: Dibromofluoromethane	*28.0*		*ug/l*	*25.0*		*112*	*80-130*			
Surrogate: Toluene-d8	*24.9*		*ug/l*	*25.0*		*100*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.4*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2518 Extracted: 09/25/06										
LCS Dup Analyzed: 09/25/2006 (P6I2518-BSD1)										
Acetone	28.4	20	ug/l	25.0		114	30-150	15	35	
Benzene	23.1	1.0	ug/l	25.0		92	80-120	7	10	
Bromobenzene	24.6	5.0	ug/l	25.0		98	80-125	9	10	
Bromochloromethane	26.0	5.0	ug/l	25.0		104	80-125	7	15	
Bromodichloromethane	22.7	2.0	ug/l	25.0		91	80-120	10	15	
Bromoform	23.5	5.0	ug/l	25.0		94	70-120	8	20	
Bromomethane	25.7	5.0	ug/l	25.0		103	80-135	2	15	
2-Butanone (MEK)	27.2	10	ug/l	25.0		109	55-150	1	35	
n-Butylbenzene	23.4	5.0	ug/l	25.0		94	80-120	6	10	
sec-Butylbenzene	24.7	5.0	ug/l	25.0		99	80-130	7	10	
tert-Butylbenzene	24.4	5.0	ug/l	25.0		98	80-130	10	10	
Carbon Disulfide	23.7	5.0	ug/l	25.0		95	55-145	9	15	
Carbon tetrachloride	23.6	5.0	ug/l	25.0		94	80-120	8	15	
Chlorobenzene	23.2	1.0	ug/l	25.0		93	80-120	12	10	*R6*
Chloroethane	24.6	5.0	ug/l	25.0		98	80-125	0	15	
Chloroform	25.5	2.0	ug/l	25.0		102	80-120	7	10	
Chloromethane	28.0	5.0	ug/l	25.0		112	70-130	8	15	
2-Chlorotoluene	24.6	5.0	ug/l	25.0		98	80-120	11	10	*R6*
4-Chlorotoluene	25.0	5.0	ug/l	25.0		100	80-120	9	10	
Dibromochloromethane	22.9	2.0	ug/l	25.0		92	75-120	10	15	
1,2-Dibromo-3-chloropropane	23.9	5.0	ug/l	25.0		96	55-120	3	35	
1,2-Dibromoethane (EDB)	24.1	2.0	ug/l	25.0		96	75-125	10	20	
Dibromomethane	24.1	2.0	ug/l	25.0		96	80-125	7	20	
1,2-Dichlorobenzene	23.2	1.0	ug/l	25.0		93	80-120	7	10	
1,3-Dichlorobenzene	23.0	1.0	ug/l	25.0		92	80-125	8	10	
1,4-Dichlorobenzene	23.7	1.0	ug/l	25.0		95	80-120	8	10	
Dichlorodifluoromethane	26.5	5.0	ug/l	25.0		106	60-140	30	15	*R6*
1,1-Dichloroethane	25.2	2.0	ug/l	25.0		101	80-120	7	10	
1,2-Dichloroethane	27.2	1.0	ug/l	25.0		109	75-125	4	20	
1,1-Dichloroethene	24.0	5.0	ug/l	25.0		96	75-120	2	15	
cis-1,2-Dichloroethene	25.1	2.0	ug/l	25.0		100	80-125	6	10	
trans-1,2-Dichloroethene	25.3	2.0	ug/l	25.0		101	80-120	5	10	
1,2-Dichloropropane	23.6	2.0	ug/l	25.0		94	80-120	8	15	
1,3-Dichloropropane	24.1	2.0	ug/l	25.0		96	80-120	9	15	
2,2-Dichloropropane	24.4	2.0	ug/l	25.0		98	70-130	4	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2518 Extracted: 09/25/06										
LCS Dup Analyzed: 09/25/2006 (P6I2518-BSD1)										
1,1-Dichloropropene	23.6	2.0	ug/l	25.0		94	80-120	6	10	
cis-1,3-Dichloropropene	22.8	2.0	ug/l	25.0		91	75-120	6	15	
trans-1,3-Dichloropropene	23.1	2.0	ug/l	25.0		92	80-120	7	20	
Ethylbenzene	23.4	2.0	ug/l	25.0		94	80-125	8	15	
Hexachlorobutadiene	19.4	5.0	ug/l	25.0		78	70-130	6	15	
2-Hexanone	24.1	10	ug/l	25.0		96	40-150	6	35	
Iodomethane	24.2	2.0	ug/l	25.0		97	80-130	11	10	*R6*
Isopropylbenzene	27.0	2.0	ug/l	25.0		108	80-140	9	10	
p-Isopropyltoluene	23.9	2.0	ug/l	25.0		96	80-130	9	15	
Methylene chloride	24.6	5.0	ug/l	25.0		98	80-120	6	10	
4-Methyl-2-pentanone (MIBK)	24.2	10	ug/l	25.0		97	50-140	5	35	
Methyl-tert-butyl Ether (MTBE)	25.9	5.0	ug/l	25.0		104	65-130	3	25	
Naphthalene	21.4	2.0	ug/l	25.0		86	70-130	1	20	
n-Propylbenzene	25.6	2.0	ug/l	25.0		102	80-135	12	10	*R6*
Styrene	23.1	2.0	ug/l	25.0		92	80-125	7	15	
1,1,1,2-Tetrachloroethane	23.0	5.0	ug/l	25.0		92	80-120	8	15	
1,1,2,2-Tetrachloroethane	27.2	2.0	ug/l	25.0		109	65-140	8	25	
Tetrachloroethene	21.7	2.0	ug/l	25.0		87	80-125	10	15	
Toluene	23.2	2.0	ug/l	25.0		93	80-125	9	10	
1,2,3-Trichlorobenzene	19.9	5.0	ug/l	25.0		80	75-125	6	15	
1,2,4-Trichlorobenzene	20.1	5.0	ug/l	25.0		80	80-125	4	15	
1,1,1-Trichloroethane	25.6	2.0	ug/l	25.0		102	75-125	5	10	
1,1,2-Trichloroethane	23.1	2.0	ug/l	25.0		92	80-125	5	25	
Trichloroethene	23.0	2.0	ug/l	25.0		92	80-120	10	10	
Trichlorofluoromethane	27.5	5.0	ug/l	25.0		110	75-130	3	10	
1,2,3-Trichloropropane	26.0	10	ug/l	25.0		104	65-135	8	25	
1,2,4-Trimethylbenzene	24.2	2.0	ug/l	25.0		97	80-125	10	10	
1,3,5-Trimethylbenzene	24.9	2.0	ug/l	25.0		100	80-130	9	10	
Vinyl acetate	34.2	25	ug/l	25.0		137	70-140	3	30	*V1*
Vinyl chloride	26.2	1.7	ug/l	25.0		105	70-135	2	15	
Xylenes, Total	46.3	3.0	ug/l	50.0		93	80-125	9	15	
Surrogate: Dibromofluoromethane	*29.4*		*ug/l*	*25.0*		*118*	*80-130*			
Surrogate: Toluene-d8	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.8*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2518 Extracted: 09/25/06										
Matrix Spike Analyzed: 09/25/2006 (P6I2518-MS1)					**Source: PPI0483-08**					
Acetone	34.4	20	ug/l	25.0	9.5	100	15-150			
Benzene	23.2	1.0	ug/l	25.0	ND	93	80-125			
Bromobenzene	24.6	5.0	ug/l	25.0	ND	98	80-125			
Bromochloromethane	26.7	5.0	ug/l	25.0	ND	107	80-130			
Bromodichloromethane	23.7	2.0	ug/l	25.0	ND	95	70-130			
Bromoform	24.7	5.0	ug/l	25.0	ND	99	70-120			
Bromomethane	26.8	5.0	ug/l	25.0	ND	107	80-135			
2-Butanone (MEK)	29.6	10	ug/l	25.0	ND	118	30-150			
n-Butylbenzene	24.5	5.0	ug/l	25.0	ND	98	80-135			
sec-Butylbenzene	25.8	5.0	ug/l	25.0	ND	103	80-130			
tert-Butylbenzene	26.1	5.0	ug/l	25.0	ND	104	80-130			
Carbon Disulfide	24.4	5.0	ug/l	25.0	ND	98	45-150			
Carbon tetrachloride	23.9	5.0	ug/l	25.0	ND	96	65-135			
Chlorobenzene	23.5	1.0	ug/l	25.0	ND	94	80-125			
Chloroethane	25.8	5.0	ug/l	25.0	ND	103	80-125			
Chloroform	27.8	2.0	ug/l	25.0	1.7	104	75-130			
Chloromethane	28.1	5.0	ug/l	25.0	ND	112	65-130			
2-Chlorotoluene	26.1	5.0	ug/l	25.0	ND	104	80-130			
4-Chlorotoluene	26.3	5.0	ug/l	25.0	ND	105	80-135			
Dibromochloromethane	23.4	2.0	ug/l	25.0	ND	94	75-120			
1,2-Dibromo-3-chloropropane	27.8	5.0	ug/l	25.0	ND	111	50-130			
1,2-Dibromoethane (EDB)	25.6	2.0	ug/l	25.0	ND	102	70-130			
Dibromomethane	25.2	2.0	ug/l	25.0	ND	101	75-130			
1,2-Dichlorobenzene	24.6	1.0	ug/l	25.0	ND	98	80-130			
1,3-Dichlorobenzene	23.7	1.0	ug/l	25.0	ND	95	80-130			
1,4-Dichlorobenzene	24.5	1.0	ug/l	25.0	ND	98	80-125			
Dichlorodifluoromethane	27.5	5.0	ug/l	25.0	ND	110	60-140			
1,1-Dichloroethane	26.4	2.0	ug/l	25.0	ND	106	80-125			
1,2-Dichloroethane	29.5	1.0	ug/l	25.0	ND	118	60-145			
1,1-Dichloroethene	24.6	5.0	ug/l	25.0	ND	98	75-130			
cis-1,2-Dichloroethene	25.8	2.0	ug/l	25.0	ND	103	80-125			
trans-1,2-Dichloroethene	26.1	2.0	ug/l	25.0	ND	104	80-120			
1,2-Dichloropropane	24.3	2.0	ug/l	25.0	ND	97	80-125			
1,3-Dichloropropane	25.2	2.0	ug/l	25.0	ND	101	75-130			
2,2-Dichloropropane	24.4	2.0	ug/l	25.0	ND	98	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2518 Extracted: 09/25/06										
Matrix Spike Analyzed: 09/25/2006 (P6I2518-MS1)					**Source: PPI0483-08**					
1,1-Dichloropropene	23.6	2.0	ug/l	25.0	ND	94	80-125			
cis-1,3-Dichloropropene	23.2	2.0	ug/l	25.0	ND	93	75-120			
trans-1,3-Dichloropropene	24.4	2.0	ug/l	25.0	ND	98	75-130			
Ethylbenzene	23.8	2.0	ug/l	25.0	ND	95	80-130			
Hexachlorobutadiene	20.1	5.0	ug/l	25.0	ND	80	65-130			
2-Hexanone	27.4	10	ug/l	25.0	ND	110	40-150			
Iodomethane	25.0	2.0	ug/l	25.0	ND	100	70-140			
Isopropylbenzene	27.8	2.0	ug/l	25.0	ND	111	80-140			
p-Isopropyltoluene	25.0	2.0	ug/l	25.0	ND	100	80-135			
Methylene chloride	26.2	5.0	ug/l	25.0	ND	105	75-125			
4-Methyl-2-pentanone (MIBK)	28.2	10	ug/l	25.0	ND	113	40-140			
Methyl-tert-butyl Ether (MTBE)	28.5	5.0	ug/l	25.0	ND	114	65-135			
Naphthalene	23.6	2.0	ug/l	25.0	ND	94	60-140			
n-Propylbenzene	27.1	2.0	ug/l	25.0	ND	108	80-140			
Styrene	13.9	2.0	ug/l	25.0	ND	56	30-150			
1,1,1,2-Tetrachloroethane	22.6	5.0	ug/l	25.0	ND	90	80-130			
1,1,2,2-Tetrachloroethane	31.5	2.0	ug/l	25.0	ND	126	65-140			
Tetrachloroethene	29.2	2.0	ug/l	25.0	8.4	83	80-130			
Toluene	23.9	2.0	ug/l	25.0	ND	96	80-130			
1,2,3-Trichlorobenzene	20.4	5.0	ug/l	25.0	ND	82	75-140			
1,2,4-Trichlorobenzene	19.5	5.0	ug/l	25.0	ND	78	80-135			*M2*
1,1,1-Trichloroethane	26.2	2.0	ug/l	25.0	ND	105	70-135			
1,1,2-Trichloroethane	24.9	2.0	ug/l	25.0	ND	100	70-135			
Trichloroethene	23.7	2.0	ug/l	25.0	0.50	93	80-125			
Trichlorofluoromethane	28.0	5.0	ug/l	25.0	ND	112	70-140			
1,2,3-Trichloropropane	30.2	10	ug/l	25.0	ND	121	65-135			
1,2,4-Trimethylbenzene	25.6	2.0	ug/l	25.0	ND	102	75-130			
1,3,5-Trimethylbenzene	26.2	2.0	ug/l	25.0	ND	105	80-135			
Vinyl acetate	28.3	25	ug/l	25.0	ND	113	30-150			*V1*
Vinyl chloride	26.2	1.7	ug/l	25.0	ND	105	70-135			
Xylenes, Total	45.9	3.0	ug/l	50.0	ND	92	80-125			
Surrogate: Dibromofluoromethane	*30.5*		*ug/l*	*25.0*		*122*	*80-130*			
Surrogate: Toluene-d8	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.8*		*ug/l*	*25.0*		*103*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2518 Extracted: 09/25/06										
Matrix Spike Dup Analyzed: 09/25/2006 (P6I2518-MSD1)					**Source: PPI0483-08**					
Acetone	29.7	20	ug/l	25.0	9.5	81	15-150	15	35	
Benzene	24.8	1.0	ug/l	25.0	ND	99	80-125	7	10	
Bromobenzene	25.2	5.0	ug/l	25.0	ND	101	80-125	2	15	
Bromochloromethane	27.2	5.0	ug/l	25.0	ND	109	80-130	2	20	
Bromodichloromethane	24.5	2.0	ug/l	25.0	ND	98	70-130	3	15	
Bromoform	24.1	5.0	ug/l	25.0	ND	96	70-120	2	25	
Bromomethane	27.7	5.0	ug/l	25.0	ND	111	80-135	3	20	
2-Butanone (MEK)	25.3	10	ug/l	25.0	ND	101	30-150	16	35	
n-Butylbenzene	24.8	5.0	ug/l	25.0	ND	99	80-135	1	20	
sec-Butylbenzene	25.9	5.0	ug/l	25.0	ND	104	80-130	0	20	
tert-Butylbenzene	26.3	5.0	ug/l	25.0	ND	105	80-130	1	20	
Carbon Disulfide	24.3	5.0	ug/l	25.0	ND	97	45-150	0	15	
Carbon tetrachloride	25.2	5.0	ug/l	25.0	ND	101	65-135	5	15	
Chlorobenzene	24.7	1.0	ug/l	25.0	ND	99	80-125	5	15	
Chloroethane	26.2	5.0	ug/l	25.0	ND	105	80-125	2	20	
Chloroform	28.5	2.0	ug/l	25.0	1.7	107	75-130	2	15	
Chloromethane	29.2	5.0	ug/l	25.0	ND	117	65-130	4	20	
2-Chlorotoluene	25.8	5.0	ug/l	25.0	ND	103	80-130	1	15	
4-Chlorotoluene	26.3	5.0	ug/l	25.0	ND	105	80-135	0	15	
Dibromochloromethane	23.6	2.0	ug/l	25.0	ND	94	75-120	1	20	
1,2-Dibromo-3-chloropropane	24.0	5.0	ug/l	25.0	ND	96	50-130	15	35	
1,2-Dibromoethane (EDB)	26.0	2.0	ug/l	25.0	ND	104	70-130	2	25	
Dibromomethane	25.6	2.0	ug/l	25.0	ND	102	75-130	2	25	
1,2-Dichlorobenzene	24.8	1.0	ug/l	25.0	ND	99	80-130	1	15	
1,3-Dichlorobenzene	24.0	1.0	ug/l	25.0	ND	96	80-130	1	15	
1,4-Dichlorobenzene	25.0	1.0	ug/l	25.0	ND	100	80-125	2	10	
Dichlorodifluoromethane	29.0	5.0	ug/l	25.0	ND	116	60-140	5	45	
1,1-Dichloroethane	27.3	2.0	ug/l	25.0	ND	109	80-125	3	15	
1,2-Dichloroethane	29.5	1.0	ug/l	25.0	ND	118	60-145	0	20	
1,1-Dichloroethene	25.1	5.0	ug/l	25.0	ND	100	75-130	2	15	
cis-1,2-Dichloroethene	27.1	2.0	ug/l	25.0	ND	108	80-125	5	15	
trans-1,2-Dichloroethene	27.4	2.0	ug/l	25.0	ND	110	80-120	5	15	
1,2-Dichloropropane	25.4	2.0	ug/l	25.0	ND	102	80-125	4	15	
1,3-Dichloropropane	25.6	2.0	ug/l	25.0	ND	102	75-130	2	20	
2,2-Dichloropropane	24.7	2.0	ug/l	25.0	ND	99	60-135	1	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2518 Extracted: 09/25/06										
Matrix Spike Dup Analyzed: 09/25/2006 (P6I2518-MSD1)					**Source: PPI0483-08**					
1,1-Dichloropropene	24.2	2.0	ug/l	25.0	ND	97	80-125	3	15	
cis-1,3-Dichloropropene	24.3	2.0	ug/l	25.0	ND	97	75-120	5	15	
trans-1,3-Dichloropropene	24.7	2.0	ug/l	25.0	ND	99	75-130	1	25	
Ethylbenzene	24.7	2.0	ug/l	25.0	ND	99	80-130	4	15	
Hexachlorobutadiene	23.2	5.0	ug/l	25.0	ND	93	65-130	14	15	
2-Hexanone	23.4	10	ug/l	25.0	ND	94	40-150	16	35	
Iodomethane	24.8	2.0	ug/l	25.0	ND	99	70-140	1	15	
Isopropylbenzene	27.7	2.0	ug/l	25.0	ND	111	80-140	0	20	
p-Isopropyltoluene	25.6	2.0	ug/l	25.0	ND	102	80-135	2	20	
Methylene chloride	27.0	5.0	ug/l	25.0	ND	108	75-125	3	15	
4-Methyl-2-pentanone (MIBK)	24.5	10	ug/l	25.0	ND	98	40-140	14	35	
Methyl-tert-butyl Ether (MTBE)	27.7	5.0	ug/l	25.0	ND	111	65-135	3	30	
Naphthalene	24.2	2.0	ug/l	25.0	ND	97	60-140	3	30	
n-Propylbenzene	26.5	2.0	ug/l	25.0	ND	106	80-140	2	20	
Styrene	14.9	2.0	ug/l	25.0	ND	60	30-150	7	25	
1,1,1,2-Tetrachloroethane	24.2	5.0	ug/l	25.0	ND	97	80-130	7	15	
1,1,2,2-Tetrachloroethane	28.2	2.0	ug/l	25.0	ND	113	65-140	11	35	
Tetrachloroethene	30.7	2.0	ug/l	25.0	8.4	89	80-130	5	15	
Toluene	25.2	2.0	ug/l	25.0	ND	101	80-130	5	15	
1,2,3-Trichlorobenzene	22.7	5.0	ug/l	25.0	ND	91	75-140	11	20	
1,2,4-Trichlorobenzene	22.2	5.0	ug/l	25.0	ND	89	80-135	13	15	
1,1,1-Trichloroethane	27.0	2.0	ug/l	25.0	ND	108	70-135	3	15	
1,1,2-Trichloroethane	24.7	2.0	ug/l	25.0	ND	99	70-135	1	25	
Trichloroethene	25.8	2.0	ug/l	25.0	0.50	101	80-125	8	15	
Trichlorofluoromethane	28.7	5.0	ug/l	25.0	ND	115	70-140	2	15	
1,2,3-Trichloropropane	27.0	10	ug/l	25.0	ND	108	65-135	11	35	
1,2,4-Trimethylbenzene	25.8	2.0	ug/l	25.0	ND	103	75-130	1	15	
1,3,5-Trimethylbenzene	25.9	2.0	ug/l	25.0	ND	104	80-135	1	15	
Vinyl acetate	26.3	25	ug/l	25.0	ND	105	30-150	7	35	*V1*
Vinyl chloride	27.1	1.7	ug/l	25.0	ND	108	70-135	3	25	
Xylenes, Total	48.8	3.0	ug/l	50.0	ND	98	80-125	6	15	
Surrogate: Dibromofluoromethane	*30.3*		*ug/l*	*25.0*		*121*	*80-130*			
Surrogate: Toluene-d8	*27.0*		*ug/l*	*25.0*		*108*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.1*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2828 Extracted: 09/28/06										
Blank Analyzed: 09/28/2006 (P6I2828-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2828 Extracted: 09/28/06										
Blank Analyzed: 09/28/2006 (P6I2828-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*28.1*		*ug/l*	*25.0*		*112*	*80-130*			
Surrogate: Toluene-d8	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.5*		*ug/l*	*25.0*		*94*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2828 Extracted: 09/28/06										
LCS Analyzed: 09/28/2006 (P6I2828-BS1)										
Acetone	20.6	20	ug/l	25.0		82	30-150			
Benzene	22.6	1.0	ug/l	25.0		90	80-120			
Bromobenzene	23.9	5.0	ug/l	25.0		96	80-125			
Bromochloromethane	22.4	5.0	ug/l	25.0		90	80-125			
Bromodichloromethane	21.2	2.0	ug/l	25.0		85	80-120			
Bromoform	19.3	5.0	ug/l	25.0		77	70-120			
Bromomethane	22.6	5.0	ug/l	25.0		90	80-135			
2-Butanone (MEK)	18.6	10	ug/l	25.0		74	55-150			
n-Butylbenzene	22.3	5.0	ug/l	25.0		89	80-120			
sec-Butylbenzene	23.7	5.0	ug/l	25.0		95	80-130			
tert-Butylbenzene	23.7	5.0	ug/l	25.0		95	80-130			
Carbon Disulfide	18.6	5.0	ug/l	25.0		74	55-145			
Carbon tetrachloride	22.1	5.0	ug/l	25.0		88	80-120			
Chlorobenzene	22.5	1.0	ug/l	25.0		90	80-120			
Chloroethane	24.1	5.0	ug/l	25.0		96	80-125			
Chloroform	21.9	2.0	ug/l	25.0		88	80-120			
Chloromethane	23.9	5.0	ug/l	25.0		96	70-130			
2-Chlorotoluene	22.9	5.0	ug/l	25.0		92	80-120			
4-Chlorotoluene	23.2	5.0	ug/l	25.0		93	80-120			
Dibromochloromethane	19.3	2.0	ug/l	25.0		77	75-120			
1,2-Dibromo-3-chloropropane	19.3	5.0	ug/l	25.0		77	55-120			
1,2-Dibromoethane (EDB)	21.3	2.0	ug/l	25.0		85	75-125			
Dibromomethane	21.5	2.0	ug/l	25.0		86	80-125			
1,2-Dichlorobenzene	22.5	1.0	ug/l	25.0		90	80-120			
1,3-Dichlorobenzene	23.0	1.0	ug/l	25.0		92	80-125			
1,4-Dichlorobenzene	23.2	1.0	ug/l	25.0		93	80-120			
Dichlorodifluoromethane	18.2	5.0	ug/l	25.0		73	60-140			
1,1-Dichloroethane	22.8	2.0	ug/l	25.0		91	80-120			
1,2-Dichloroethane	22.4	1.0	ug/l	25.0		90	75-125			
1,1-Dichloroethene	23.3	5.0	ug/l	25.0		93	75-120			
cis-1,2-Dichloroethene	22.9	2.0	ug/l	25.0		92	80-125			
trans-1,2-Dichloroethene	23.4	2.0	ug/l	25.0		94	80-120			
1,2-Dichloropropane	23.3	2.0	ug/l	25.0		93	80-120			
1,3-Dichloropropane	21.4	2.0	ug/l	25.0		86	80-120			
2,2-Dichloropropane	22.3	2.0	ug/l	25.0		89	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2828 Extracted: 09/28/06										
LCS Analyzed: 09/28/2006 (P6I2828-BS1)										
1,1-Dichloropropene	23.0	2.0	ug/l	25.0		92	80-120			
cis-1,3-Dichloropropene	22.2	2.0	ug/l	25.0		89	75-120			
trans-1,3-Dichloropropene	20.4	2.0	ug/l	25.0		82	80-120			
Ethylbenzene	22.5	2.0	ug/l	25.0		90	80-125			
Hexachlorobutadiene	22.8	5.0	ug/l	25.0		91	70-130			
2-Hexanone	18.9	10	ug/l	25.0		76	40-150			
Iodomethane	20.9	2.0	ug/l	25.0		84	80-130			
Isopropylbenzene	25.5	2.0	ug/l	25.0		102	80-140			
p-Isopropyltoluene	23.6	2.0	ug/l	25.0		94	80-130			
Methylene chloride	21.6	5.0	ug/l	25.0		86	80-120			
4-Methyl-2-pentanone (MIBK)	18.4	10	ug/l	25.0		74	50-140			
Methyl-tert-butyl Ether (MTBE)	20.6	5.0	ug/l	25.0		82	65-130			
Naphthalene	20.4	2.0	ug/l	25.0		82	70-130			
n-Propylbenzene	23.9	2.0	ug/l	25.0		96	80-135			
Styrene	22.4	2.0	ug/l	25.0		90	80-125			
1,1,1,2-Tetrachloroethane	22.4	5.0	ug/l	25.0		90	80-120			
1,1,2,2-Tetrachloroethane	24.1	2.0	ug/l	25.0		96	65-140			
Tetrachloroethene	21.2	2.0	ug/l	25.0		85	80-125			
Toluene	22.4	2.0	ug/l	25.0		90	80-125			
1,2,3-Trichlorobenzene	22.7	5.0	ug/l	25.0		91	75-125			
1,2,4-Trichlorobenzene	21.1	5.0	ug/l	25.0		84	80-125			
1,1,1-Trichloroethane	21.7	2.0	ug/l	25.0		87	75-125			
1,1,2-Trichloroethane	21.7	2.0	ug/l	25.0		87	80-125			
Trichloroethene	23.2	2.0	ug/l	25.0		93	80-120			
Trichlorofluoromethane	22.5	5.0	ug/l	25.0		90	75-130			
1,2,3-Trichloropropane	22.1	10	ug/l	25.0		88	65-135			
1,2,4-Trimethylbenzene	23.4	2.0	ug/l	25.0		94	80-125			
1,3,5-Trimethylbenzene	23.9	2.0	ug/l	25.0		96	80-130			
Vinyl acetate	26.0	25	ug/l	25.0		104	70-140			
Vinyl chloride	23.2	1.7	ug/l	25.0		93	70-135			
Xylenes, Total	45.2	3.0	ug/l	50.0		90	80-125			
Surrogate: Dibromofluoromethane	*27.4*		*ug/l*	*25.0*		*110*	*80-130*			
Surrogate: Toluene-d8	*26.7*		*ug/l*	*25.0*		*107*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.5*		*ug/l*	*25.0*		*102*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2828 Extracted: 09/28/06										
LCS Dup Analyzed: 09/28/2006 (P6I2828-BSD1)										
Acetone	22.7	20	ug/l	25.0		91	30-150	10	35	
Benzene	23.2	1.0	ug/l	25.0		93	80-120	3	10	
Bromobenzene	24.4	5.0	ug/l	25.0		98	80-125	2	10	
Bromochloromethane	23.9	5.0	ug/l	25.0		96	80-125	6	15	
Bromodichloromethane	22.6	2.0	ug/l	25.0		90	80-120	6	15	
Bromoform	20.4	5.0	ug/l	25.0		82	70-120	6	20	
Bromomethane	24.0	5.0	ug/l	25.0		96	80-135	6	15	
2-Butanone (MEK)	19.8	10	ug/l	25.0		79	55-150	6	35	
n-Butylbenzene	22.1	5.0	ug/l	25.0		88	80-120	1	10	
sec-Butylbenzene	23.7	5.0	ug/l	25.0		95	80-130	0	10	
tert-Butylbenzene	24.6	5.0	ug/l	25.0		98	80-130	4	10	
Carbon Disulfide	19.5	5.0	ug/l	25.0		78	55-145	5	15	
Carbon tetrachloride	22.5	5.0	ug/l	25.0		90	80-120	2	15	
Chlorobenzene	23.6	1.0	ug/l	25.0		94	80-120	5	10	
Chloroethane	26.1	5.0	ug/l	25.0		104	80-125	8	15	
Chloroform	23.6	2.0	ug/l	25.0		94	80-120	7	10	
Chloromethane	25.3	5.0	ug/l	25.0		101	70-130	6	15	
2-Chlorotoluene	23.1	5.0	ug/l	25.0		92	80-120	1	10	
4-Chlorotoluene	23.6	5.0	ug/l	25.0		94	80-120	2	10	
Dibromochloromethane	20.6	2.0	ug/l	25.0		82	75-120	7	15	
1,2-Dibromo-3-chloropropane	19.9	5.0	ug/l	25.0		80	55-120	3	35	
1,2-Dibromoethane (EDB)	22.8	2.0	ug/l	25.0		91	75-125	7	20	
Dibromomethane	22.3	2.0	ug/l	25.0		89	80-125	4	20	
1,2-Dichlorobenzene	23.8	1.0	ug/l	25.0		95	80-120	6	10	
1,3-Dichlorobenzene	23.0	1.0	ug/l	25.0		92	80-125	0	10	
1,4-Dichlorobenzene	23.8	1.0	ug/l	25.0		95	80-120	3	10	
Dichlorodifluoromethane	20.6	5.0	ug/l	25.0		82	60-140	12	15	
1,1-Dichloroethane	24.7	2.0	ug/l	25.0		99	80-120	8	10	
1,2-Dichloroethane	23.5	1.0	ug/l	25.0		94	75-125	5	20	
1,1-Dichloroethene	23.7	5.0	ug/l	25.0		95	75-120	2	15	
cis-1,2-Dichloroethene	23.8	2.0	ug/l	25.0		95	80-125	4	10	
trans-1,2-Dichloroethene	24.6	2.0	ug/l	25.0		98	80-120	5	10	
1,2-Dichloropropane	24.4	2.0	ug/l	25.0		98	80-120	5	15	
1,3-Dichloropropane	22.5	2.0	ug/l	25.0		90	80-120	5	15	
2,2-Dichloropropane	23.0	2.0	ug/l	25.0		92	70-130	3	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2828 Extracted: 09/28/06										
LCS Dup Analyzed: 09/28/2006 (P6I2828-BSD1)										
1,1-Dichloropropene	23.0	2.0	ug/l	25.0		92	80-120	0	10	
cis-1,3-Dichloropropene	22.7	2.0	ug/l	25.0		91	75-120	2	15	
trans-1,3-Dichloropropene	21.4	2.0	ug/l	25.0		86	80-120	5	20	
Ethylbenzene	24.2	2.0	ug/l	25.0		97	80-125	7	15	
Hexachlorobutadiene	23.2	5.0	ug/l	25.0		93	70-130	2	15	
2-Hexanone	19.0	10	ug/l	25.0		76	40-150	1	35	
Iodomethane	21.3	2.0	ug/l	25.0		85	80-130	2	10	
Isopropylbenzene	26.0	2.0	ug/l	25.0		104	80-140	2	10	
p-Isopropyltoluene	23.5	2.0	ug/l	25.0		94	80-130	0	15	
Methylene chloride	23.4	5.0	ug/l	25.0		94	80-120	8	10	
4-Methyl-2-pentanone (MIBK)	18.5	10	ug/l	25.0		74	50-140	1	35	
Methyl-tert-butyl Ether (MTBE)	23.1	5.0	ug/l	25.0		92	65-130	11	25	
Naphthalene	20.4	2.0	ug/l	25.0		82	70-130	0	20	
n-Propylbenzene	24.2	2.0	ug/l	25.0		97	80-135	1	10	
Styrene	24.2	2.0	ug/l	25.0		97	80-125	8	15	
1,1,1,2-Tetrachloroethane	23.2	5.0	ug/l	25.0		93	80-120	4	15	
1,1,2,2-Tetrachloroethane	23.7	2.0	ug/l	25.0		95	65-140	2	25	
Tetrachloroethene	22.5	2.0	ug/l	25.0		90	80-125	6	15	
Toluene	23.0	2.0	ug/l	25.0		92	80-125	3	10	
1,2,3-Trichlorobenzene	22.8	5.0	ug/l	25.0		91	75-125	0	15	
1,2,4-Trichlorobenzene	21.5	5.0	ug/l	25.0		86	80-125	2	15	
1,1,1-Trichloroethane	23.0	2.0	ug/l	25.0		92	75-125	6	10	
1,1,2-Trichloroethane	22.6	2.0	ug/l	25.0		90	80-125	4	25	
Trichloroethene	23.0	2.0	ug/l	25.0		92	80-120	1	10	
Trichlorofluoromethane	25.0	5.0	ug/l	25.0		100	75-130	11	10	*R6*
1,2,3-Trichloropropane	23.5	10	ug/l	25.0		94	65-135	6	25	
1,2,4-Trimethylbenzene	24.1	2.0	ug/l	25.0		96	80-125	3	10	
1,3,5-Trimethylbenzene	24.5	2.0	ug/l	25.0		98	80-130	2	10	
Vinyl acetate	27.2	25	ug/l	25.0		109	70-140	5	30	
Vinyl chloride	25.6	1.7	ug/l	25.0		102	70-135	10	15	
Xylenes, Total	47.5	3.0	ug/l	50.0		95	80-125	5	15	
Surrogate: Dibromofluoromethane	*27.7*		*ug/l*	*25.0*		*111*	*80-130*			
Surrogate: Toluene-d8	*27.2*		*ug/l*	*25.0*		*109*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.6*		*ug/l*	*25.0*		*106*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2828 Extracted: 09/28/06										
Matrix Spike Analyzed: 09/28/2006 (P6I2828-MS1)					**Source: PPI0553-02**					
Acetone	24.1	20	ug/l	25.0	ND	96	15-150			
Benzene	24.5	1.0	ug/l	25.0	ND	98	80-125			
Bromobenzene	25.4	5.0	ug/l	25.0	ND	102	80-125			
Bromochloromethane	27.4	5.0	ug/l	25.0	ND	110	80-130			
Bromodichloromethane	26.2	2.0	ug/l	25.0	ND	105	70-130			
Bromoform	21.9	5.0	ug/l	25.0	ND	88	70-120			
Bromomethane	26.4	5.0	ug/l	25.0	ND	106	80-135			
2-Butanone (MEK)	22.6	10	ug/l	25.0	ND	90	30-150			
n-Butylbenzene	25.2	5.0	ug/l	25.0	ND	101	80-135			
sec-Butylbenzene	26.4	5.0	ug/l	25.0	ND	106	80-130			
tert-Butylbenzene	27.2	5.0	ug/l	25.0	ND	109	80-130			
Carbon Disulfide	20.1	5.0	ug/l	25.0	ND	80	45-150			
Carbon tetrachloride	26.3	5.0	ug/l	25.0	ND	105	65-135			
Chlorobenzene	25.4	1.0	ug/l	25.0	ND	102	80-125			
Chloroethane	28.8	5.0	ug/l	25.0	ND	115	80-125			
Chloroform	28.6	2.0	ug/l	25.0	ND	114	75-130			
Chloromethane	27.0	5.0	ug/l	25.0	ND	108	65-130			
2-Chlorotoluene	26.2	5.0	ug/l	25.0	ND	105	80-130			
4-Chlorotoluene	26.3	5.0	ug/l	25.0	ND	105	80-135			
Dibromochloromethane	23.0	2.0	ug/l	25.0	ND	92	75-120			
1,2-Dibromo-3-chloropropane	20.9	5.0	ug/l	25.0	ND	84	50-130			
1,2-Dibromoethane (EDB)	24.0	2.0	ug/l	25.0	ND	96	70-130			
Dibromomethane	24.1	2.0	ug/l	25.0	ND	96	75-130			
1,2-Dichlorobenzene	25.7	1.0	ug/l	25.0	ND	103	80-130			
1,3-Dichlorobenzene	25.0	1.0	ug/l	25.0	ND	100	80-130			
1,4-Dichlorobenzene	26.0	1.0	ug/l	25.0	ND	104	80-125			
Dichlorodifluoromethane	23.2	5.0	ug/l	25.0	ND	93	60-140			
1,1-Dichloroethane	32.0	2.0	ug/l	25.0	2.5	118	80-125			
1,2-Dichloroethane	30.4	1.0	ug/l	25.0	ND	122	60-145			
1,1-Dichloroethene	30.0	5.0	ug/l	25.0	2.1	112	75-130			
cis-1,2-Dichloroethene	27.6	2.0	ug/l	25.0	ND	110	80-125			
trans-1,2-Dichloroethene	27.3	2.0	ug/l	25.0	ND	109	80-120			
1,2-Dichloropropane	27.0	2.0	ug/l	25.0	ND	108	80-125			
1,3-Dichloropropane	26.5	2.0	ug/l	25.0	ND	106	75-130			
2,2-Dichloropropane	28.9	2.0	ug/l	25.0	ND	116	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2828 Extracted: 09/28/06										
Matrix Spike Analyzed: 09/28/2006 (P6I2828-MS1)					**Source: PPI0553-02**					
1,1-Dichloropropene	26.2	2.0	ug/l	25.0	ND	105	80-125			
cis-1,3-Dichloropropene	24.7	2.0	ug/l	25.0	ND	99	75-120			
trans-1,3-Dichloropropene	23.9	2.0	ug/l	25.0	ND	96	75-130			
Ethylbenzene	25.8	2.0	ug/l	25.0	ND	103	80-130			
Hexachlorobutadiene	26.0	5.0	ug/l	25.0	ND	104	65-130			
2-Hexanone	20.1	10	ug/l	25.0	ND	80	40-150			
Iodomethane	22.5	2.0	ug/l	25.0	ND	90	70-140			
Isopropylbenzene	28.3	2.0	ug/l	25.0	ND	113	80-140			
p-Isopropyltoluene	27.4	2.0	ug/l	25.0	ND	110	80-135			
Methylene chloride	26.3	5.0	ug/l	25.0	ND	105	75-125			
4-Methyl-2-pentanone (MIBK)	20.7	10	ug/l	25.0	ND	83	40-140			
Methyl-tert-butyl Ether (MTBE)	27.2	5.0	ug/l	25.0	ND	109	65-135			
Naphthalene	24.0	2.0	ug/l	25.0	ND	96	60-140			
n-Propylbenzene	27.0	2.0	ug/l	25.0	ND	108	80-140			
Styrene	23.5	2.0	ug/l	25.0	ND	94	30-150			
1,1,1,2-Tetrachloroethane	26.2	5.0	ug/l	25.0	ND	105	80-130			
1,1,2,2-Tetrachloroethane	26.5	2.0	ug/l	25.0	ND	106	65-140			
Tetrachloroethene	23.3	2.0	ug/l	25.0	0.53	91	80-130			
Toluene	24.5	2.0	ug/l	25.0	ND	98	80-130			
1,2,3-Trichlorobenzene	25.5	5.0	ug/l	25.0	ND	102	75-140			
1,2,4-Trichlorobenzene	24.2	5.0	ug/l	25.0	ND	97	80-135			
1,1,1-Trichloroethane	28.5	2.0	ug/l	25.0	ND	114	70-135			
1,1,2-Trichloroethane	24.7	2.0	ug/l	25.0	ND	99	70-135			
Trichloroethene	26.7	2.0	ug/l	25.0	1.2	102	80-125			
Trichlorofluoromethane	31.2	5.0	ug/l	25.0	ND	125	70-140			
1,2,3-Trichloropropane	26.2	10	ug/l	25.0	ND	105	65-135			
1,2,4-Trimethylbenzene	26.7	2.0	ug/l	25.0	ND	107	75-130			
1,3,5-Trimethylbenzene	27.7	2.0	ug/l	25.0	ND	111	80-135			
Vinyl acetate	30.1	25	ug/l	25.0	ND	120	30-150			
Vinyl chloride	27.9	1.7	ug/l	25.0	ND	112	70-135			
Xylenes, Total	51.5	3.0	ug/l	50.0	ND	103	80-125			
Surrogate: Dibromofluoromethane	*30.3*		*ug/l*	*25.0*		*121*	*80-130*			
Surrogate: Toluene-d8	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.8*		*ug/l*	*25.0*		*107*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2828 Extracted: 09/28/06										
Matrix Spike Dup Analyzed: 09/28/2006 (P6I2828-MSD1)					**Source: PPI0553-02**					
Acetone	25.3	20	ug/l	25.0	ND	101	15-150	5	35	
Benzene	24.0	1.0	ug/l	25.0	ND	96	80-125	2	10	
Bromobenzene	24.5	5.0	ug/l	25.0	ND	98	80-125	4	15	
Bromochloromethane	26.3	5.0	ug/l	25.0	ND	105	80-130	4	20	
Bromodichloromethane	25.3	2.0	ug/l	25.0	ND	101	70-130	3	15	
Bromoform	21.1	5.0	ug/l	25.0	ND	84	70-120	4	25	
Bromomethane	26.8	5.0	ug/l	25.0	ND	107	80-135	2	20	
2-Butanone (MEK)	20.8	10	ug/l	25.0	ND	83	30-150	8	35	
n-Butylbenzene	24.2	5.0	ug/l	25.0	ND	97	80-135	4	20	
sec-Butylbenzene	25.8	5.0	ug/l	25.0	ND	103	80-130	2	20	
tert-Butylbenzene	26.7	5.0	ug/l	25.0	ND	107	80-130	2	20	
Carbon Disulfide	19.7	5.0	ug/l	25.0	ND	79	45-150	2	15	
Carbon tetrachloride	26.2	5.0	ug/l	25.0	ND	105	65-135	0	15	
Chlorobenzene	24.3	1.0	ug/l	25.0	ND	97	80-125	4	15	
Chloroethane	29.7	5.0	ug/l	25.0	ND	119	80-125	3	20	
Chloroform	27.6	2.0	ug/l	25.0	ND	110	75-130	4	15	
Chloromethane	30.2	5.0	ug/l	25.0	ND	121	65-130	11	20	
2-Chlorotoluene	25.2	5.0	ug/l	25.0	ND	101	80-130	4	15	
4-Chlorotoluene	25.8	5.0	ug/l	25.0	ND	103	80-135	2	15	
Dibromochloromethane	21.7	2.0	ug/l	25.0	ND	87	75-120	6	20	
1,2-Dibromo-3-chloropropane	23.8	5.0	ug/l	25.0	ND	95	50-130	13	35	
1,2-Dibromoethane (EDB)	23.5	2.0	ug/l	25.0	ND	94	70-130	2	25	
Dibromomethane	24.4	2.0	ug/l	25.0	ND	98	75-130	1	25	
1,2-Dichlorobenzene	24.4	1.0	ug/l	25.0	ND	98	80-130	5	15	
1,3-Dichlorobenzene	24.2	1.0	ug/l	25.0	ND	97	80-130	3	15	
1,4-Dichlorobenzene	24.5	1.0	ug/l	25.0	ND	98	80-125	6	10	
Dichlorodifluoromethane	25.0	5.0	ug/l	25.0	ND	100	60-140	7	45	
1,1-Dichloroethane	30.8	2.0	ug/l	25.0	2.5	113	80-125	4	15	
1,2-Dichloroethane	29.8	1.0	ug/l	25.0	ND	119	60-145	2	20	
1,1-Dichloroethene	29.1	5.0	ug/l	25.0	2.1	108	75-130	3	15	
cis-1,2-Dichloroethene	26.0	2.0	ug/l	25.0	ND	104	80-125	6	15	
trans-1,2-Dichloroethene	26.0	2.0	ug/l	25.0	ND	104	80-120	5	15	
1,2-Dichloropropane	26.0	2.0	ug/l	25.0	ND	104	80-125	4	15	
1,3-Dichloropropane	25.1	2.0	ug/l	25.0	ND	100	75-130	5	20	
2,2-Dichloropropane	28.7	2.0	ug/l	25.0	ND	115	60-135	1	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2828 Extracted: 09/28/06										
Matrix Spike Dup Analyzed: 09/28/2006 (P6I2828-MSD1)					**Source: PPI0553-02**					
1,1-Dichloropropene	25.3	2.0	ug/l	25.0	ND	101	80-125	3	15	
cis-1,3-Dichloropropene	24.1	2.0	ug/l	25.0	ND	96	75-120	2	15	
trans-1,3-Dichloropropene	23.3	2.0	ug/l	25.0	ND	93	75-130	3	25	
Ethylbenzene	24.1	2.0	ug/l	25.0	ND	96	80-130	7	15	
Hexachlorobutadiene	23.5	5.0	ug/l	25.0	ND	94	65-130	10	15	
2-Hexanone	21.1	10	ug/l	25.0	ND	84	40-150	5	35	
Iodomethane	21.5	2.0	ug/l	25.0	ND	86	70-140	5	15	
Isopropylbenzene	27.7	2.0	ug/l	25.0	ND	111	80-140	2	20	
p-Isopropyltoluene	25.7	2.0	ug/l	25.0	ND	103	80-135	6	20	
Methylene chloride	26.2	5.0	ug/l	25.0	ND	105	75-125	0	15	
4-Methyl-2-pentanone (MIBK)	20.8	10	ug/l	25.0	ND	83	40-140	1	35	
Methyl-tert-butyl Ether (MTBE)	26.3	5.0	ug/l	25.0	ND	105	65-135	3	30	
Naphthalene	22.6	2.0	ug/l	25.0	ND	90	60-140	6	30	
n-Propylbenzene	26.5	2.0	ug/l	25.0	ND	106	80-140	2	20	
Styrene	22.7	2.0	ug/l	25.0	ND	91	30-150	3	25	
1,1,1,2-Tetrachloroethane	25.1	5.0	ug/l	25.0	ND	100	80-130	4	15	
1,1,2,2-Tetrachloroethane	27.1	2.0	ug/l	25.0	ND	108	65-140	2	35	
Tetrachloroethene	22.0	2.0	ug/l	25.0	0.53	86	80-130	6	15	
Toluene	23.2	2.0	ug/l	25.0	ND	93	80-130	5	15	
1,2,3-Trichlorobenzene	24.0	5.0	ug/l	25.0	ND	96	75-140	6	20	
1,2,4-Trichlorobenzene	22.3	5.0	ug/l	25.0	ND	89	80-135	8	15	
1,1,1-Trichloroethane	27.3	2.0	ug/l	25.0	ND	109	70-135	4	15	
1,1,2-Trichloroethane	24.1	2.0	ug/l	25.0	ND	96	70-135	2	25	
Trichloroethene	26.6	2.0	ug/l	25.0	1.2	102	80-125	0	15	
Trichlorofluoromethane	30.6	5.0	ug/l	25.0	ND	122	70-140	2	15	
1,2,3-Trichloropropane	26.4	10	ug/l	25.0	ND	106	65-135	1	35	
1,2,4-Trimethylbenzene	26.5	2.0	ug/l	25.0	ND	106	75-130	1	15	
1,3,5-Trimethylbenzene	26.6	2.0	ug/l	25.0	ND	106	80-135	4	15	
Vinyl acetate	29.8	25	ug/l	25.0	ND	119	30-150	1	35	
Vinyl chloride	30.4	1.7	ug/l	25.0	ND	122	70-135	9	25	
Xylenes, Total	49.2	3.0	ug/l	50.0	ND	98	80-125	5	15	
Surrogate: Dibromofluoromethane	*30.8*		*ug/l*	*25.0*		*123*	*80-130*			
Surrogate: Toluene-d8	*26.9*		*ug/l*	*25.0*		*108*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*27.2*		*ug/l*	*25.0*		*109*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I1522 Extracted: 09/15/06										
Blank Analyzed: 09/22/2006 (P6I1522-BLK1)										
Acenaphthene	ND	3.0	ug/l							
Acenaphthylene	ND	3.0	ug/l							
Anthracene	ND	0.30	ug/l							
Benzo(a)anthracene	ND	0.050	ug/l							
Benzo(a)pyrene	ND	0.10	ug/l							
Benzo(b)fluoranthene	ND	0.30	ug/l							
Benzo(g,h,i)perylene	ND	0.30	ug/l							
Benzo(k)fluoranthene	ND	0.30	ug/l							
Chrysene	ND	0.30	ug/l							
Dibenz(a,h)anthracene	ND	0.50	ug/l							
Fluoranthene	ND	0.30	ug/l							
Fluorene	ND	0.30	ug/l							
Indeno(1,2,3-cd)pyrene	ND	0.30	ug/l							
Naphthalene	ND	2.0	ug/l							
Phenanthrene	ND	0.30	ug/l							
Pyrene	ND	0.30	ug/l							
Surrogate: 2-Methylanthracene	*0.515*		*ug/l*	*0.600*		*86*	*50-115*			
LCS Analyzed: 09/22/2006 (P6I1522-BS1)										**Q8**
Acenaphthene	4.61	3.0	ug/l	6.00		77	55-115			
Acenaphthylene	8.75	3.0	ug/l	12.0		73	55-115			
Anthracene	0.426	0.30	ug/l	0.600		71	55-115			
Benzo(a)anthracene	0.499	0.050	ug/l	0.600		83	70-115			
Benzo(a)pyrene	0.480	0.10	ug/l	0.600		80	75-115			
Benzo(b)fluoranthene	1.01	0.30	ug/l	1.20		84	80-115			
Benzo(g,h,i)perylene	1.05	0.30	ug/l	1.20		87	70-115			
Benzo(k)fluoranthene	0.509	0.30	ug/l	0.600		85	70-115			
Chrysene	0.509	0.30	ug/l	0.600		85	70-115			
Dibenz(a,h)anthracene	0.953	0.50	ug/l	1.20		79	65-115			
Fluoranthene	1.01	0.30	ug/l	1.20		84	60-115			
Fluorene	0.903	0.30	ug/l	1.20		75	55-115			
Indeno(1,2,3-cd)pyrene	0.494	0.30	ug/l	0.600		82	70-115			
Naphthalene	4.16	2.0	ug/l	6.00		69	45-115			
Phenanthrene	0.491	0.30	ug/l	0.600		82	50-115			
Pyrene	0.500	0.30	ug/l	0.600		83	65-115			
Surrogate: 2-Methylanthracene	*0.530*		*ug/l*	*0.600*		*88*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I1522 Extracted: 09/15/06										
LCS Dup Analyzed: 09/22/2006 (P6I1522-BSD1)										
Acenaphthene	4.93	3.0	ug/l	6.00		82	55-115	7	15	
Acenaphthylene	9.31	3.0	ug/l	12.0		78	55-115	6	20	
Anthracene	0.447	0.30	ug/l	0.600		74	55-115	5	20	
Benzo(a)anthracene	0.505	0.050	ug/l	0.600		84	70-115	1	15	
Benzo(a)pyrene	0.491	0.10	ug/l	0.600		82	75-115	2	15	
Benzo(b)fluoranthene	1.01	0.30	ug/l	1.20		84	80-115	0	15	
Benzo(g,h,i)perylene	1.02	0.30	ug/l	1.20		85	70-115	3	15	
Benzo(k)fluoranthene	0.512	0.30	ug/l	0.600		85	70-115	1	15	
Chrysene	0.513	0.30	ug/l	0.600		86	70-115	1	15	
Dibenz(a,h)anthracene	0.911	0.50	ug/l	1.20		76	65-115	5	15	
Fluoranthene	1.04	0.30	ug/l	1.20		87	60-115	3	20	
Fluorene	0.966	0.30	ug/l	1.20		80	55-115	7	20	
Indeno(1,2,3-cd)pyrene	0.495	0.30	ug/l	0.600		82	70-115	0	20	
Naphthalene	4.34	2.0	ug/l	6.00		72	45-115	4	25	
Phenanthrene	0.520	0.30	ug/l	0.600		87	50-115	6	25	
Pyrene	0.512	0.30	ug/l	0.600		85	65-115	2	20	
Surrogate: 2-Methylanthracene	*0.538*		*ug/l*	*0.600*		*90*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

METHOD BLANK/QC DATA

TOTAL RECOVERABLE METALS

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I1908 Extracted: 09/19/06										
Blank Analyzed: 09/20/2006 (P6I1908-BLK1)										
Chromium	ND	0.010	mg/l							
LCS Analyzed: 09/19/2006 (P6I1908-BS1)										
Chromium	0.958	0.010	mg/l	0.999		96	85-115			
LCS Dup Analyzed: 09/19/2006 (P6I1908-BSD1)										
Chromium	0.988	0.010	mg/l	0.999		99	85-115	3	20	
Matrix Spike Analyzed: 09/19/2006 (P6I1908-MS1)					**Source: PPI0359-09**					
Chromium	0.956	0.010	mg/l	0.999	0.0058	95	70-130			
Matrix Spike Dup Analyzed: 09/19/2006 (P6I1908-MSD1)					**Source: PPI0359-09**					
Chromium	0.947	0.010	mg/l	0.999	0.0058	94	70-130	1	20	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor

Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

DATA QUALIFIERS AND DEFINITIONS

H1	Sample analysis performed past holding time.
L3	The associated blank spike recovery was above method acceptance limits.
M1	Matrix spike recovery was high, the method control sample recovery was acceptable.
M2	Matrix spike recovery was low, the method control sample recovery was acceptable.
M3	The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
N1	See case narrative.
Q8	Insufficient sample received to meet method QC requirements. Batch QC satisfies ADEQ policies 0154 and 0155.
R6	LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
V1	CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
ND	Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
RPD	Relative Percent Difference

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor
Report Number: PPI0349

Sampled: 09/12/06
Received: 09/13/06

Certification Summary

TestAmerica - Phoenix, AZ

Method	Matrix	Nelac	Arizona
EPA 200.7	Water		X
EPA 8015B	Water	X	X
EPA 8260B	Water	X	X
EPA 8310	Water	X	X

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

Subcontracted Laboratories

Transwest Geochem *Arizona Cert #AZ0133*

3725 E. Atlanta Ave Ste 1 - Phoenix, AZ 85040-2961

Analysis Performed: 8015B MOD-Low Level

Samples: PPI0349-09

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Jennifer
CH2M HILL
2625 South Plaza
Tempe, AZ 8528
480-377-6287

21 Day ☐
28 Day ☐

Page 1 of 1

Lab Use Only
Project No:
Job No.

	Sample Identification		Sample Date	Sample Time	Sample Type	Matrix	# of Cont.	Preservation Used	Use for MS / MSD	Filtered Sample	Unfiltered Sample	SW6010	SW8260	SW8015	SW8015	Lab Sample Numbers
	Location ID	Field Sample ID														
1	Trip Blank	TB-091206B	Sep 12 2006	0650	BLKWATER	WATER	3	X			X		X			PPI0349-01
2	BC-10C	BC-10C-6C2	Sep 12 2006	0756	GW	WATER	3	X			X		X			-02
3	BC-10A	BC-10A-6C2	Sep 12 2006	0937	GW	WATER	4	X			X	X	X			-03
4	BC-10B	BC-10B-6C2	Sep 12 2006	1029	GW	WATER	3	X			X		X			-04
5	ASE-36A	ASE-36A-6C2	Sep 12 2006	1214	GW	WATER	3	X			X		X			-05
6	FIELDQC	PL-505-6C2	Sep 12 2006	1224	GW	WATER	3	X			X		X			-06
7	~~ASE-35A~~	~~ASE-35A-6C2~~	~~Sep 12 2006~~		GW	WATER	3	X			X		X			-07
8	ASE-34B	ASE-34B-6C2	Sep 12 2006	1114	GW	WATER	3	X			X		X			-08
9	ASE-34A	ASE-34A-6C2	Sep 12 2006	1136	GW	WATER	3	X			X		X			-09
10	ASE-122A	ASE-122A-6C2	12 Sep 06	1201	GW	WTR	7	X			X	X	X	X	X	-10
11																
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																

NA Sampled

Special Instructions: Standard TAT 10 days. The SW8015 is for low level analysis and we need the raw data. Only run Chromium for SW6010.

Relinquished by:	Company:	Date/Time:	Received by:	Company:
	CH2M	09/13/06 1155		
Relinquished by:	Company:	Date/Time:	Received by:	Company:
Relinquished by:	Company:	Date/Time:	Received by:	Company:
				TA Phx

TRANSWEST GEOCHEM

September 26, 2006

Ken Baker
TestAmerica - Phoenix
9830 S. 51st Street
Suite B-120
Phoenix, AZ 85044

Re: PPI0349
Work Order No.: 0609215

Dear Ken,

Attached is the original Report of Analysis from Columbia Analytical Services, Inc. (AZ0604) for the sample received on 9/13/06. The following analysis was performed:

Method EPA 8015B – Gasoline Range Organics

If you have any questions regarding the results, please call me. We appreciate your business and thank you for choosing Transwest Geochem.

Sincerely,

Skip Harden
Project Manager

ADHS License No. AZM133/AZ0133

CONFIDENTIAL AND PRIVILEGED

[illegible] Avenue • Phoenix, Arizona 85040 • (602) 437-0330 • (800) 927-5183 • Fax (602) 437-0660
[illegible] Suite 301 • Tucson, Arizona 85714 • (520) 573-1061 • Fax (520) 573-1063

5090 Caterpillar Road Redding, California 96003 (530) 244-5227 (530) 244-4109 fax

Columbia Analytical Services INC
An Employee - Owned Company

September 21, 2006

Service Request No: D0601337

Skip Harden
Transwest Geochem, Incorporated
3725 East Atlanta Avenue
Suite 2
Phoenix, AZ 85040-2960

RE: PPC/PPD PPI0349/0609215

Dear Skip:

Enclosed are the results of the sample(s) submitted to our laboratory on September 14, 2006. For your reference, these analyses have been assigned our service request number D0601337.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 112. You may also contact me via email at mhovanec@redding.caslab.com.

Respectfully submitted,

Columbia Analytical Services, Inc.

Michael Hovanec
Project Chemist

NELAP Accredited ACIL Seal of Excellence Award 100% Recycled

Current CAS Redding Accreditation Programs

Federal and National Programs

- U.S Air Force, Air Force Center for Environmental Excellence (AFCEE)
  Approved laboratory for Wastewater and Hazardous Waste
- U.S. Army Corps of Engineers – MRD, HTRW Mandatory Center of Expertise
  Validated for Wastewater and Hazardous Waste
- Department of the Navy, Naval Facilities Engineering Service Center (NFESC)
  Approved laboratory for Wastewater and Hazardous Waste

State and Local Programs

- State of Alaska, Department of Environmental Conservation
  Approved Laboratory for Contaminated Sites
  Lab ID UST-001
- State of Arizona, Department of Health Services, Office of Laboratory Licensure
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID AZ0604
- State of California, Department of Health Services, National Environmental Laboratory Accreditation Program **(NELAP)**
  Approved Laboratory for Drinking Water, Wastewater and Hazardous Waste
  Lab ID 01105CA
  - Los Angeles County Sanitation District
    Approved Laboratory for Wastewater
    Lab ID 10243
- State of California, Department of Health Services, Environmental Laboratory Accreditation Program (ELAP)
  Approved Laboratory for Microbiology of Drinking Water and Wastewater
  Lab ID 2635
- State of Florida, Department of Health, Bureau of Laboratories **(NELAP)**
  Approved Environmental Testing Laboratory for Wastewater and Hazardous Waste
  Lab ID E87203
- State of Kansas, Department of Health and Environment **(NELAP)**
  Approved Laboratory for Hazardous Waste
  Lab ID E-10323
- State of Massachusetts, Department of Environmental Protection
  Approved laboratory for Drinking Water and Wastewater
  Lab ID M-CA025
- State of Oklahoma, Department of Environmental Quality
  Approved Laboratory for General Water Quality/Sludge Testing
  Lab ID 9952
- State of Oregon, Environmental Laboratory Accreditation Program **(ORELAP)** .
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID CA200004
- State of Utah, Department of Health, Bureau of Laboratory Improvement **(NELAP)**
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID QUAL1
- State of Washington, Department of Ecology
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID C1234
- State of Wisconsin, Department of Natural Resources
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID 999767340

Arizona Data Qualifiers
Revision 2.0, 11/26/2003

Developed by the Sub-committee of the
Arizona Environmental Laboratory Advisory Committee

Microbiology:
A1 = Too numerous to count.
A2 = Sample incubation period exceeded method requirement.
A3 = Sample incubation period was shorter than method requirement.
A4 = Target organism detected in associated method blank.
A5 = Incubator/water bath temperature was outside method requirements.
A6 = Target organism not detected in associated positive control.
A7 = Micro sample received without adequate headspace.

Method/calibration blank:
B1 = Target analyte detected in method blank at or above the method reporting limit.
B2 = Non-target analyte detected in method blank and sample, producing interference.
B3 = Target analyte detected in calibration blank at or above the method reporting limit.
B4 = Target analyte detected in blank at/above method acceptance criteria.
B5 = Target analyte detected in method blank at or above the method reporting limit, but below trigger level or MCL.
B6 = Target analyte detected in calibration blank at or above the method reporting limit, but below trigger level or MCL.
B7 = Target analyte detected in method blank at or above method reporting limit. Concentration found in the sample was 10 times above the concentration found in the method blank.

Confirmation:
C1 = Confirmatory analysis not performed as required by the method.
C3 = Qualitative confirmation performed.
C4 = Confirmatory analysis was past holding time.
C5 = Confirmatory analysis was past holding time. Original result not confirmed.
C6 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the higher value was reported as there was no obvious chromatographic interference.
C7 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic interference.

Dilution:
D1 = Sample required dilution due to matrix.
D2 = Sample required dilution due to high concentration of target analyte.
D3 = Sample dilution required due to insufficient sample.
D4 = Minimum reporting level (MRL) adjusted to reflect sample amount received and analyzed.

Estimated concentration:
E1 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not possible due to insufficient sample.
E2 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to sample matrix.
E3 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

E4 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL).
E5 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL), but not confirmed by alternate analysis.
E6 = Concentration estimated. Internal standard recoveries did not meet method acceptance criteria.
E7 = Concentration estimated. Internal standard recoveries did not meet laboratory acceptance criteria.
E8 = Analyte reported to MDL per project specification. Target analyte was not detected in the sample.

Hold time:
H1 = Sample analysis performed past holding time.
H2 = Initial analysis within holding time. Reanalysis for the required dilution was past holding time.
H3 = Sample was received and analyzed past holding time.
H4 = Sample was extracted past required extraction holding time, but analyzed within analysis holding time.

BOD:
K1 = The sample dilutions set-up for the BOD analysis did not meet the oxygen depletion criteria of at least 2 mg/L. Any reported result is an estimated value.
K2 = The sample dilutions set up for the BOD analysis did not meet the criteria of a residual dissolved oxygen of at least 1 mg/L. Any reported result is an estimated value.
K4 = The seed depletion was outside the method acceptance limits. The reported result is an estimated value.
K5 = The dilution water D.O. depletion was > 0.2 mg/L.
K6 = Glucose/glutamic acid BOD was below method acceptance criteria.
K7 = A discrepancy between the BOD and COD results has been verified by reanalysis of the sample for COD.
K8 = Glucose/glutamic acid BOD was above method acceptance levels.

Laboratory fortified blank/blank spike:

L1 = The associated blank spike recovery was above laboratory acceptance limits.
L2 = The associated blank spike recovery was below laboratory acceptance limits.
L3 = The associated blank spike recovery was above method acceptance limits.
L4 = The associated blank spike recovery was below method acceptance limits.

Matrix spike:
M1 = Matrix spike recovery was high, the method control sample recovery was acceptable.
M2 = Matrix spike recovery was low, the method control sample recovery was acceptable.
M3 = The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
M4 = The analysis of the spiked sample required a dilution such that the spike concentration was diluted below the reporting limit. The method control sample recovery was acceptable.
M5 = Analyte concentration was determined by the method of standard addition (MSA).

M6 = Matrix spike recovery was high. Data reported per ADEQ policy 0154.000.
M7 = Matrix spike recovery was low. Data reported per ADEQ policy 0154.000.

General:
N1 = See case narrative.
N2 = See corrective action report.
N3 = The analysis meets all method requirements. See case narrative.

Sample quality:
Q1 = Sample integrity was not maintained. See case narrative.
Q2 = Sample received with headspace.
Q3 = Sample received with improper chemical preservation.
Q4 = Sample received and analyzed without chemical preservation.
Q5 = Sample received with inadequate chemical preservation, but preserved by the laboratory.
Q6 = Sample was received above recommended temperature.
Q7 = Sample inadequately dechlorinated.
Q8 = Insufficient sample received to meet method QC requirements. Batch QC requirements satisfies ADEQ policies 0154 and 0155.
Q9 = Insufficient sample received to meet method QC requirements.
Q10 = Sample received in inappropriate sample container.
Q11 = Sample is heterogeneous. Sample homogeneity could not be readily achieved using routine laboratory practices.

Duplicates:
R1 = RPD exceeded the method control limit. See case narrative.
R2 = RPD exceeded the laboratory control limit. See case narrative.
R4 = MS/MSD RPD exceeded the method control limit. Recovery met acceptance criteria.
R5 = MS/MSD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R6 = LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
R7 = LFB/LFBD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R8 = Sample RPD exceeded the method control limit.
R9 = Sample RPD exceeded the laboratory control limit.
R10 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic problems.
R11 = The RPD calculation for MS/MSD does not provide useful information due to the varying sample weights when Encore samplers/methanol field preserved samples are used.

Surrogate:
S1 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits.
S3 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits. No target analytes were detected in the sample.
S4 = Surrogate recovery was above laboratory and method acceptance limits. No target analytes were detected in the sample.
S5 = Surrogate recovery was below laboratory acceptance limits, but within method acceptance limits.
S6 = Surrogate recovery was below laboratory and method acceptance limits. Reextraction and/or reanalysis confirms low recovery caused by matrix effect.

S7 = Surrogate recovery was below laboratory and method acceptance limits. Unable to confirm matrix effect.
S8 = The analysis of the sample required a dilution such that the surrogate recovery calculation does not provide any useful information. The method control sample recovery was acceptable.
S10 = Surrogate recovery was above laboratory and method acceptance limits. See Case narrative.
S11 = Surrogate recovery was high. Data reported per ADEQ policy 0154.000.
S12 = Surrogate recovery was low. Data reported per ADEQ policy 0154.000.

Method/analyte discrepancies:
T1 = Method approved by EPA, but not yet licensed by ADHS.
T2 = Cited ADHS licensed method does not contain this analyte as part of method compound list.
T3 = Method not promulgated either by EPA or ADHS.
T4 = Tentatively identified compound. Concentration is estimated and based on the closest internal standard.

Calibration verification:
V1 = CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
V2 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample. The sample could not be reanalyzed due to insufficient sample.
V3 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample, but the sample was not reanalyzed. See case narrative.
V4 = CCV recovery was below method acceptance limits. The sample could not be reanalyzed due to insufficient sample.
V5 = CCV recovery after a group of samples was above acceptance limits. This target analyte was not detected in the sample. Acceptable per EPA Method 8000B.
V6 = Data reported from one-point calibration criteria per ADEQ policy 0155.000.
V7 = Calibration verification recovery was above the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.
V8 = Calibration verification recovery was below the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.

Calibration:
W1 = The % RSD for this compound was above 20%. The average % RSD for all compounds in the calibration met the 20% criteria as specified in EPA method 8000B.
W2 = The % RSD for this compound was above 15%. The average % RSD for all compounds in the calibration met the 15% criteria as specified in EPA method 8260B/8270C.

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0349/0609215

Service Request: D0601337

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
D0601337-001	PPI0349-09	09/12/06	13:01

CASE NARRATIVE

COLUMBIA ANALYTICAL SERVICES, INC.

Client:	Transwest Geochem, Incorporated	**Service Request No.:**	D0601337
Project:	PPC/PPD PPI0349	**Date Received:**	09/14/06
Sample Matrix:	Aqueous		

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of Columbia Analytical Services, Inc. (CAS).This report contains analytical results for samples designated for Tier II data deliverables.

Sample Receipt

1 Aqueous sample was received for analysis at Columbia Analytical Services on 09/14/06.

No discrepancies were noted upon initial sample inspection. The samples were received in good condition and consistent with the accompanying chain of custody form. The samples were stored in a refrigerator at 4 degrees Celsius upon receipt at the laboratory.

Gasoline Range Organics by EPA Method 8015B

No anomalies associated with the analysis of these samples by the above-mentioned method were observed.

Approved by: _____ **Date:** 9/22/06

CHAIN OF CUSTODY DOCUMENTATION

TRANSWEST GEOCHEM

CHAIN-OF-CUSTODY [redacted]

Skip Harden
3725 E. Atlanta Avenue
Suite 2
Phoenix, AZ 85040
TEL: (602) 437-0330
FAX: (602) 437-0660

Work Order: 0609215

Project: PPI0349

Subcontractor:
Columbia Analytical Services
5090 Caterpillar Rd.
Redding, CA 96003
TEL: (530) 244-5227
FAX: (530) 244-4109

13-Sep-06

Client Sample ID	TGI ID	Matrix	Collection Date	Containers	Requested Tests: 8015MOD_W
PPI0349-09	01A	Water	9/12/2006 1:01:00 PM	1	1

low level

24 hr TAT

Comments: After analysis, the samples do not need to be returned and can be disposed per your standard laboratory practices. Please provide a QC report, including Method Blank data.

Sample Receipt

Temperature:	Ambient / Cold	Ice:
Received Intact:		Absent / Present
Custody Seals:		Wet / Blue
Total No. of Containers:		° C.

		Date/Time			Date/Time
Relinquished by:	Leslie Moy - TGI	9/13/06 1600	**Received by:**	UPS	
Relinquished by:			**Received by:**	[illegible]	9.14.06 9:30
Relinquished by:			**Received by:**		

11

Columbia Analytical Services inc.
An Employee-Owned Company

5090 Caterpillar Road
Redding, CA 96003
Phone: (530) 244-5262
[redacted]

COOLER RECEIPT FORM

Project/Client: TGI Batch No.: [redacted]

1. Cooler(s)/Sample(s) received on: _____ Shipped via: UPS
   Shipping Bill # (s): 1Z 52X01 9817 8626 # of Coolers/Packages 5
2. Radiological Screening by: _____ Acceptable Rejected
3. Custody seals on outside of cooler: YES NO N/A
   If yes, where? Front_____ Rear_____ Lt Side_____ Rt Side_____
   Seals intact: YES NO

COOLER/SAMPLE PROCESSING

4. Sample Processing/Tagging by: Tammy Reed
5. Cooler(s)/Sample(s) Temp's: _____ _____ _____ _____ _____
   (or)
   Temp. Blank (if included): 2°C 3°C 3°C 2°C 3°C
6. Type of packing material (circle): Ice Blue Ice Bubble Wrap Bubble Bags Zip Locks Webbing
   Other: _____
7. Custody papers properly filled out (ink, signed, dated, released, etc.)? YES NO
8. Containers arrived in good condition (not broken, leaking, etc.)? YES NO
9. Samples received with adequate holding time remaining to conduct analysis? YES NO
10. Container labels complete (i.e. analysis, preservation, date/time, etc.)? YES NO
11. Container labels and tags agree with custody papers? YES NO
12. Correct types of containers used for the tests indicated? YES NO
    a.) Adequate sample received? If not, note on Exception Report. YES NO
13. Containers supplied by: CAS Other
14. Preserved containers received with the appropriate preservative? YES NO N/A
    pH: _____ (or) See pH log.
15. VOA vials free of air bubbles? YES NO N/A
16. Trip Blank preparation date: _____ CAS Other N/A
17. Volatile Soil samples: Encores or Plugs in Vials
    Freezer or GC/MS Date: _____ Time: _____ N/A

See Exception Report for discrepancies.

Rev. 8/18/2004/ds

GC TPH DIESEL

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0349/0609215

Service Request: D0601337

Cover Page - Organic Analysis Data Package
Hydrocarbon Scan / Fuel Characterization

Sample Name	Lab Code	Date Collected	Date Received
PPI0349-09	D0601337-001	09/12/2006	09/14/2006

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the case narrative. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: Wida Ang

Name: WIDA ANG

Date: 9/21/06

Title: Organic Manager

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601337
Project:	PPC/PPD PPI0349/0609215	**Date Collected:**	09/12/2006
Sample Matrix:	Water	**Date Received:**	09/14/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0349-09	**Units:**	ug/L
Lab Code:	D0601337-001	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
C13 - C22 DRO	ND	U	51	1	09/14/06	09/18/06	LWG0600773	
C23 - C32 HRO	ND	U	51	1	09/14/06	09/18/06	LWG0600773	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
Octacosane	89	40-150	09/18/06	Acceptable

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601337
Project:	PPC/PPD PPI0349/0609215	**Date Collected:**	NA
Sample Matrix:	Water	**Date Received:**	NA

Hydrocarbon Scan / Fuel Characterization

Sample Name:	Method Blank	**Units:**	ug/L
Lab Code:	LWG0600773-4	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Extraction Lot	Note
C13 - C22 DRO	ND	U	50	1	09/14/06	09/17/06	LWG0600773	
C23 - C32 HRO	ND	U	50	1	09/14/06	09/17/06	LWG0600773	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Note
Octacosane	88	40-150	09/17/06	Acceptable

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0349/0609215
Sample Matrix: Water

Service Request: D0601337

Surrogate Recovery Summary
Hydrocarbon Scan / Fuel Characterization

Extraction Method: EPA 3510C
Analysis Method: 8015B

Units: PERCENT
Level: Low

Sample Name	Lab Code	Sur1
PPI0349-09	D0601337-001	89
Method Blank	LWG0600773-4	88
Batch QC	D0601326-002	88
Batch QCMS	LWG0600773-1	89
Batch QCDMS	LWG0600773-2	91
Lab Control Sample	LWG0600773-3	90

Surrogate Recovery Control Limits (%)

Sur1 = Octacosane 40-150

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601337
Project:	PPC/PPD PPI0349/0609215	**Date Extracted:**	09/14/2006
Sample Matrix:	Water	**Date Analyzed:**	09/17/2006

Matrix Spike/Duplicate Matrix Spike Summary
Hydrocarbon Scan / Fuel Characterization

Sample Name:	Batch QC	**Units:**	ug/L
Lab Code:	D0601326-002	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B	**Extraction Lot:**	LWG0600773

		Batch QCMS LWG0600773-1 Matrix Spike			Batch QCDMS LWG0600773-2 Duplicate Matrix Spike					
Analyte Name	**Sample Result**	**Result**	**Expected**	**%Rec**	**Result**	**Expected**	**%Rec**	**%Rec Limits**	**RPD**	**RPD Limit**
C13 - C22 DRO	68	2060	2690	74	2060	2690	74	50-140	0	40

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601337
Project:	PPC/PPD PPI0349/0609215	**Date Extracted:**	09/14/2006
Sample Matrix:	Water	**Date Analyzed:**	09/17/2006

Lab Control Spike Summary
Hydrocarbon Scan / Fuel Characterization

Extraction Method:	EPA 3510C	**Units:**	ug/L
Analysis Method:	8015B	**Basis:**	NA
		Level:	Low
		Extraction Lot:	LWG0600773

	Lab Control Sample LWG0600773-3 Lab Control Spike			
Analyte Name	**Result**	**Expected**	**%Rec**	**%Rec Limits**
C13 - C22 DRO	1830	2500	73	50-140

Results flagged with an asterisk (*) indicate values outside control criteria.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

~~A-62~~ EB

SUB

TRANSWEST GEOCHEM

Sample Receipt Checklist

Client Name: Test America

Work Order Number: 0609215

Checklist completed by: [signature] 9.13.2006
Signature / Date

Matrix: Water

Carrier Name: Client TGI

Date and Time Received: 9.13.2006 1430

Checked by: EB/LM

Logged In by: LM 9.13.2006
Initials / Date

Reviewed by: SH 9/15/06
Initials / Date

				COMMENTS
Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐	
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☑	
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑	
Chain of custody present?	Yes ☑	No ☐		
Chain of custody signed when relinquished and received?	Yes ☑	No ☐		
Chain of custody agrees with sample labels?	Yes ☑	No ☐		
Samples in proper container/bottle?	Yes ☑	No ☐		
Sample containers intact?	Yes ☑	No ☐		
Sufficient sample volume for indicated test?	Yes ☑	No ☐		
All samples received within holding time?	Yes ☑	No ☐		
Container/Temp Blank temperature in compliance?	Yes ☐	No ☐	Temp: 4.4	Sampled < 2hrs ☐
Water – VOA vials have zero headspace?	Yes ☐	No ☐	N/A ☑	
Water – pH acceptable upon receipt?	Yes ☑	No ☐	N/A ☐	Checked by: EB
Water – Sulfides present in Cyanide samples?	Yes ☐	No ☐	N/A ☑	
Sample considered Drinking Water for metal analysis?	Yes ☐	No ☐	N/A ☑	

Client contacted: _____ Date contacted: _____ Person contacted: _____

Contacted by: _____ Regarding: _____

Corrective Action: _____

TestAmerica
ANALYTICAL TESTING CORPORATION

SUBCONTRACT ORDER - PROJECT # PPI0349

0609215

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPI0349-09 Water Sampled: 09/12/06 13:01		
8015B MOD-Low Level-O	09/19/06 13:01	sub to Transwest, need transfer file for EDD

Containers Supplied:
1 L Amber w/H2SO4 (PPI0349-09D)
1 L Amber w/H2SO4 (PPI0349-09E)

Rush

SAMPLE INTEGRITY:

All containers intact: ☑ Yes ☐ No
Custody Seals Present: ☐ Yes ☑ No
Sample labels/COC agree: ☑ Yes ☐ No
Samples Preserved Properly: ☑ Yes ☐ No
Samples Received On Ice:: ☑ Yes ☐ No
Samples Received at (temp): 4.4

Released By	Date	Time	Received By	Date	Time
Stephen C. Wrobel	9/13/06	14:30			
Released By	Date	Time	Received By	Date	Time
	9/13/06	14:30			

TestAmerica
ANALYTICAL TESTING CORPORATION

9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

LABORATORY REPORT

Prepared For: CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project: Honeywell-Sky Harbor-PO# 2959460

Sampled: 09/13/06
Received: 09/14/06
Issued: 10/04/06 15:02

NELAP #01109CA Arizona DHS#AZ0426

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.
This entire report was reviewed and approved for release.

CASE NARRATIVE

LABORATORY ID	CLIENT ID	MATRIX
PPI0447-01	TB-091306A	Water
PPI0447-02	ASE-20B-6C2	Water
PPI0447-03	ASE-20C-6C2	Water
PPI0447-04	ASE-44B-6C2	Water
PPI0447-05	ASE-66A-6C2	Water
PPI0447-06	ASE-48B-6C2	Water
PPI0447-07	ASE-19C-6C2	Water

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe 2625 S. Plaza Drive, Ste. 300 Tempe, AZ 85282 Attention: Jennifer Holland	Project ID: Honeywell-Sky Harbor-PO# 2959460 Report Number: PPI0447	Sampled: 09/13/06 Received: 09/14/06

SAMPLE RECEIPT:	Samples were received intact, at 4°C and with chain of custody documentation.
HOLDING TIMES:	All samples were analyzed within prescribed holding times and/or in accordance with the TestAmerica Sample Acceptance Policy unless otherwise noted in the report.
PRESERVATION:	Samples requiring preservation were verified prior to sample analysis.
QA/QC CRITERIA:	All analyses met method criteria, except as noted in the report with data qualifiers.
COMMENTS:	N1:There is no MSD data available with this batch due to an autosampler fault. The LCS and LCSD are within acceptance limits for all target analytes. The precision between the LCS and LCSD is within acceptance limits for all analytes except Chloroform and 1,1-Dichloroethane, cis-1,2-Dichloroethene and Methylene chlroide. All associated samples are non-detect for these compounds and therefore should not be impacted. N-1 = The second source continuing calibration verification analyzed immediately following the calibration recovered high and outside of acceptancce limits for Vinyl Acetate. All associated samples are non-detect for Vinyl Acetate and therefore should not be impacted.
SUBCONTRACTED:	Refer to the last page for specific subcontract laboratory information included in this report.

Reviewed By:

Ken Baker

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0447-01 (TB-091306A - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2617	20	ND	1	9/25/2006	9/25/2006	
Benzene	EPA 8260B	P6I2617	1.0	ND	1	9/25/2006	9/25/2006	
Bromobenzene	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
Bromochloromethane	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
Bromodichloromethane	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
Bromoform	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
Bromomethane	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
2-Butanone (MEK)	EPA 8260B	P6I2617	10	ND	1	9/25/2006	9/25/2006	
n-Butylbenzene	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
sec-Butylbenzene	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
tert-Butylbenzene	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
Carbon Disulfide	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
Carbon tetrachloride	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
Chlorobenzene	EPA 8260B	P6I2617	1.0	ND	1	9/25/2006	9/25/2006	
Chloroethane	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
Chloroform	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
Chloromethane	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
2-Chlorotoluene	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
4-Chlorotoluene	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
Dibromochloromethane	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	V1
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
Dibromomethane	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2617	1.0	ND	1	9/25/2006	9/25/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2617	1.0	ND	1	9/25/2006	9/25/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2617	1.0	ND	1	9/25/2006	9/25/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
1,1-Dichloroethane	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dichloroethane	EPA 8260B	P6I2617	1.0	ND	1	9/25/2006	9/25/2006	
1,1-Dichloroethene	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dichloropropane	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
1,3-Dichloropropane	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
2,2-Dichloropropane	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
1,1-Dichloropropene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
Ethylbenzene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
Hexachlorobutadiene	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
2-Hexanone	EPA 8260B	P6I2617	10	ND	1	9/25/2006	9/25/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0447-01 (TB-091306A - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
Isopropylbenzene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
p-Isopropyltoluene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
Methylene chloride	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2617	10	ND	1	9/25/2006	9/25/2006	V1
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
Naphthalene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
n-Propylbenzene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
Styrene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	V1
Tetrachloroethene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
Toluene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
Trichloroethene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
Trichlorofluoromethane	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2617	10	ND	1	9/25/2006	9/25/2006	V1
1,2,4-Trimethylbenzene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
Vinyl acetate	EPA 8260B	P6I2617	25	ND	1	9/25/2006	9/25/2006	V1, N1
Vinyl chloride	EPA 8260B	P6I2617	1.7	ND	1	9/25/2006	9/25/2006	
Xylenes, Total	EPA 8260B	P6I2617	3.0	ND	1	9/25/2006	9/25/2006	
Surrogate: Dibromofluoromethane (80-130%)				*123 %*				
Surrogate: Toluene-d8 (80-120%)				*108 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0447-02 (ASE-20B-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2617	20	ND	1	9/25/2006	9/25/2006	
Benzene	EPA 8260B	P6I2617	1.0	ND	1	9/25/2006	9/25/2006	
Bromobenzene	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
Bromochloromethane	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
Bromodichloromethane	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
Bromoform	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
Bromomethane	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
2-Butanone (MEK)	EPA 8260B	P6I2617	10	ND	1	9/25/2006	9/25/2006	
n-Butylbenzene	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
sec-Butylbenzene	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
tert-Butylbenzene	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
Carbon Disulfide	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
Carbon tetrachloride	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
Chlorobenzene	EPA 8260B	P6I2617	1.0	ND	1	9/25/2006	9/25/2006	
Chloroethane	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
Chloroform	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
Chloromethane	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
2-Chlorotoluene	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
4-Chlorotoluene	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
Dibromochloromethane	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	V1
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
Dibromomethane	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2617	1.0	ND	1	9/25/2006	9/25/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2617	1.0	ND	1	9/25/2006	9/25/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2617	1.0	ND	1	9/25/2006	9/25/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
1,1-Dichloroethane	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dichloroethane	EPA 8260B	P6I2617	1.0	ND	1	9/25/2006	9/25/2006	
1,1-Dichloroethene	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
1,2-Dichloropropane	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
1,3-Dichloropropane	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
2,2-Dichloropropane	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
1,1-Dichloropropene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
Ethylbenzene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
Hexachlorobutadiene	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
2-Hexanone	EPA 8260B	P6I2617	10	ND	1	9/25/2006	9/25/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0447-02 (ASE-20B-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
Isopropylbenzene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
p-Isopropyltoluene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
Methylene chloride	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2617	10	ND	1	9/25/2006	9/25/2006	V1
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
Naphthalene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
n-Propylbenzene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
Styrene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	M2
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	V1
Tetrachloroethene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
Toluene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
Trichloroethene	EPA 8260B	P6I2617	2.0	**2.0**	1	9/25/2006	9/25/2006	
Trichlorofluoromethane	EPA 8260B	P6I2617	5.0	ND	1	9/25/2006	9/25/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2617	10	ND	1	9/25/2006	9/25/2006	V1
1,2,4-Trimethylbenzene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2617	2.0	ND	1	9/25/2006	9/25/2006	
Vinyl acetate	EPA 8260B	P6I2617	25	ND	1	9/25/2006	9/25/2006	V1, M2, N1
Vinyl chloride	EPA 8260B	P6I2617	1.7	ND	1	9/25/2006	9/25/2006	
Xylenes, Total	EPA 8260B	P6I2617	3.0	ND	1	9/25/2006	9/25/2006	
Surrogate: Dibromofluoromethane (80-130%)				*119 %*				
Surrogate: Toluene-d8 (80-120%)				*107 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*99 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0447-03 (ASE-20C-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2629	20	ND	1	9/26/2006	9/26/2006	
Benzene	EPA 8260B	P6I2629	1.0	ND	1	9/26/2006	9/26/2006	
Bromobenzene	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
Bromochloromethane	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
Bromodichloromethane	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
Bromoform	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
Bromomethane	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
2-Butanone (MEK)	EPA 8260B	P6I2629	10	ND	1	9/26/2006	9/26/2006	
n-Butylbenzene	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
sec-Butylbenzene	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
tert-Butylbenzene	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
Carbon Disulfide	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
Carbon tetrachloride	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
Chlorobenzene	EPA 8260B	P6I2629	1.0	ND	1	9/26/2006	9/26/2006	
Chloroethane	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
Chloroform	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
Chloromethane	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
2-Chlorotoluene	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
4-Chlorotoluene	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
Dibromochloromethane	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
Dibromomethane	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2629	1.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2629	1.0	ND	1	9/26/2006	9/26/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2629	1.0	ND	1	9/26/2006	9/26/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloroethane	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichloroethane	EPA 8260B	P6I2629	1.0	ND	1	9/26/2006	9/26/2006	L3
1,1-Dichloroethene	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichloropropane	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichloropropane	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
2,2-Dichloropropane	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloropropene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
Ethylbenzene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
Hexachlorobutadiene	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
2-Hexanone	EPA 8260B	P6I2629	10	ND	1	9/26/2006	9/26/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0447-03 (ASE-20C-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
Isopropylbenzene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
p-Isopropyltoluene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
Methylene chloride	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2629	10	ND	1	9/26/2006	9/26/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
Naphthalene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
n-Propylbenzene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
Styrene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
Tetrachloroethene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
Toluene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
Trichloroethene	EPA 8260B	P6I2629	2.0	**8.2**	1	9/26/2006	9/26/2006	
Trichlorofluoromethane	EPA 8260B	P6I2629	5.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2629	10	ND	1	9/26/2006	9/26/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2629	2.0	ND	1	9/26/2006	9/26/2006	
Vinyl acetate	EPA 8260B	P6I2629	25	ND	1	9/26/2006	9/26/2006	L3
Vinyl chloride	EPA 8260B	P6I2629	1.7	ND	1	9/26/2006	9/26/2006	
Xylenes, Total	EPA 8260B	P6I2629	3.0	ND	1	9/26/2006	9/26/2006	
Surrogate: Dibromofluoromethane (80-130%)				*126 %*				
Surrogate: Toluene-d8 (80-120%)				*103 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*97 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0447-04 (ASE-44B-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2620	20	ND	1	9/26/2006	9/26/2006	
Benzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Bromobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromochloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromodichloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Bromoform	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromomethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Butanone (MEK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
n-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
sec-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
tert-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon Disulfide	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon tetrachloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Chloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chloroform	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Chloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Dibromochloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Dibromomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloroethane	EPA 8260B	P6I2620	2.0	**2.4**	1	9/26/2006	9/26/2006	
1,2-Dichloroethane	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloroethene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
2,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Ethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Hexachlorobutadiene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Hexanone	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0447-04 (ASE-44B-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Isopropylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
p-Isopropyltoluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Methylene chloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Naphthalene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
n-Propylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Styrene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	V1
Tetrachloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Toluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Trichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Trichlorofluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Vinyl acetate	EPA 8260B	P6I2620	25	ND	1	9/26/2006	9/26/2006	
Vinyl chloride	EPA 8260B	P6I2620	1.7	ND	1	9/26/2006	9/26/2006	
Xylenes, Total	EPA 8260B	P6I2620	3.0	ND	1	9/26/2006	9/26/2006	
Surrogate: Dibromofluoromethane (80-130%)				*118 %*				
Surrogate: Toluene-d8 (80-120%)				*107 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*101 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0447-05 (ASE-66A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2620	20	ND	1	9/26/2006	9/26/2006	
Benzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Bromobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromochloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromodichloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Bromoform	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromomethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Butanone (MEK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
n-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
sec-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
tert-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon Disulfide	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon tetrachloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Chloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chloroform	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Chloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Dibromochloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Dibromomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloroethane	EPA 8260B	P6I2620	2.0	**4.6**	1	9/26/2006	9/26/2006	
1,2-Dichloroethane	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloroethene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
2,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Ethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Hexachlorobutadiene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Hexanone	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0447-05 (ASE-66A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Isopropylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
p-Isopropyltoluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Methylene chloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Naphthalene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
n-Propylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Styrene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	V1
Tetrachloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Toluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Trichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Trichlorofluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Vinyl acetate	EPA 8260B	P6I2620	25	ND	1	9/26/2006	9/26/2006	
Vinyl chloride	EPA 8260B	P6I2620	1.7	ND	1	9/26/2006	9/26/2006	
Xylenes, Total	EPA 8260B	P6I2620	3.0	ND	1	9/26/2006	9/26/2006	
Surrogate: Dibromofluoromethane (80-130%)				*119 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0447-06 (ASE-48B-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2620	20	ND	1	9/26/2006	9/26/2006	
Benzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Bromobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromochloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromodichloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Bromoform	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromomethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Butanone (MEK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
n-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
sec-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
tert-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon Disulfide	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon tetrachloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Chloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chloroform	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Chloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Dibromochloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Dibromomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloroethane	EPA 8260B	P6I2620	2.0	**13**	1	9/26/2006	9/26/2006	
1,2-Dichloroethane	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloroethene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
2,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Ethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Hexachlorobutadiene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Hexanone	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0447-06 (ASE-48B-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Isopropylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
p-Isopropyltoluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Methylene chloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Naphthalene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
n-Propylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Styrene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	V1
Tetrachloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Toluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Trichloroethene	EPA 8260B	P6I2620	2.0	**6.3**	1	9/26/2006	9/26/2006	
Trichlorofluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Vinyl acetate	EPA 8260B	P6I2620	25	ND	1	9/26/2006	9/26/2006	
Vinyl chloride	EPA 8260B	P6I2620	1.7	ND	1	9/26/2006	9/26/2006	
Xylenes, Total	EPA 8260B	P6I2620	3.0	ND	1	9/26/2006	9/26/2006	
Surrogate: Dibromofluoromethane (80-130%)				*119 %*				
Surrogate: Toluene-d8 (80-120%)				*105 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0447-07 (ASE-19C-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2620	20	ND	1	9/26/2006	9/26/2006	
Benzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Bromobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromochloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromodichloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Bromoform	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromomethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Butanone (MEK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
n-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
sec-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
tert-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon Disulfide	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon tetrachloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Chloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chloroform	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Chloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Dibromochloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	V1
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Dibromomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichloroethane	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	V1
1,1-Dichloroethene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
2,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Ethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Hexachlorobutadiene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Hexanone	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0447-07 (ASE-19C-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Isopropylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
p-Isopropyltoluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Methylene chloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Naphthalene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
n-Propylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Styrene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Tetrachloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Toluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Trichloroethene	EPA 8260B	P6I2620	2.0	**2.8**	1	9/26/2006	9/26/2006	
Trichlorofluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Vinyl acetate	EPA 8260B	P6I2620	25	ND	1	9/26/2006	9/26/2006	
Vinyl chloride	EPA 8260B	P6I2620	1.7	ND	1	9/26/2006	9/26/2006	
Xylenes, Total	EPA 8260B	P6I2620	3.0	ND	1	9/26/2006	9/26/2006	
Surrogate: Dibromofluoromethane (80-130%)				*128 %*				
Surrogate: Toluene-d8 (80-120%)				*108 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2617 Extracted: 09/25/06										
Blank Analyzed: 09/25/2006 (P6I2617-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							*V1*
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2617 Extracted: 09/25/06										
Blank Analyzed: 09/25/2006 (P6I2617-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							*V1*
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							*V1*
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							*V1*
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							*V1, N1*
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*28.5*		*ug/l*	*25.0*		*114*	*80-130*			
Surrogate: Toluene-d8	*26.0*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.4*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2617 Extracted: 09/25/06										
LCS Analyzed: 09/25/2006 (P6I2617-BS1)										
Acetone	26.7	20	ug/l	25.0		107	30-150			
Benzene	21.7	1.0	ug/l	25.0		87	80-120			
Bromobenzene	23.1	5.0	ug/l	25.0		92	80-125			
Bromochloromethane	23.4	5.0	ug/l	25.0		94	80-125			
Bromodichloromethane	22.4	2.0	ug/l	25.0		90	80-120			
Bromoform	21.0	5.0	ug/l	25.0		84	70-120			
Bromomethane	22.7	5.0	ug/l	25.0		91	80-135			
2-Butanone (MEK)	24.3	10	ug/l	25.0		97	55-150			
n-Butylbenzene	22.0	5.0	ug/l	25.0		88	80-120			
sec-Butylbenzene	22.8	5.0	ug/l	25.0		91	80-130			
tert-Butylbenzene	23.1	5.0	ug/l	25.0		92	80-130			
Carbon Disulfide	24.1	5.0	ug/l	25.0		96	55-145			
Carbon tetrachloride	22.9	5.0	ug/l	25.0		92	80-120			
Chlorobenzene	22.3	1.0	ug/l	25.0		89	80-120			
Chloroethane	24.4	5.0	ug/l	25.0		98	80-125			
Chloroform	22.2	2.0	ug/l	25.0		89	80-120			
Chloromethane	25.9	5.0	ug/l	25.0		104	70-130			
2-Chlorotoluene	22.3	5.0	ug/l	25.0		89	80-120			
4-Chlorotoluene	22.7	5.0	ug/l	25.0		91	80-120			
Dibromochloromethane	20.7	2.0	ug/l	25.0		83	75-120			
1,2-Dibromo-3-chloropropane	24.9	5.0	ug/l	25.0		100	55-120			*V1*
1,2-Dibromoethane (EDB)	23.2	2.0	ug/l	25.0		93	75-125			
Dibromomethane	22.2	2.0	ug/l	25.0		89	80-125			
1,2-Dichlorobenzene	22.6	1.0	ug/l	25.0		90	80-120			
1,3-Dichlorobenzene	21.7	1.0	ug/l	25.0		87	80-125			
1,4-Dichlorobenzene	22.7	1.0	ug/l	25.0		91	80-120			
Dichlorodifluoromethane	24.8	5.0	ug/l	25.0		99	60-140			
1,1-Dichloroethane	23.0	2.0	ug/l	25.0		92	80-120			
1,2-Dichloroethane	24.0	1.0	ug/l	25.0		96	75-125			
1,1-Dichloroethene	23.1	5.0	ug/l	25.0		92	75-120			
cis-1,2-Dichloroethene	21.9	2.0	ug/l	25.0		88	80-125			
trans-1,2-Dichloroethene	23.4	2.0	ug/l	25.0		94	80-120			
1,2-Dichloropropane	22.8	2.0	ug/l	25.0		91	80-120			
1,3-Dichloropropane	22.7	2.0	ug/l	25.0		91	80-120			
2,2-Dichloropropane	22.7	2.0	ug/l	25.0		91	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2617 Extracted: 09/25/06										
LCS Analyzed: 09/25/2006 (P6I2617-BS1)										
1,1-Dichloropropene	22.8	2.0	ug/l	25.0		91	80-120			
cis-1,3-Dichloropropene	22.3	2.0	ug/l	25.0		89	75-120			
trans-1,3-Dichloropropene	22.2	2.0	ug/l	25.0		89	80-120			
Ethylbenzene	22.7	2.0	ug/l	25.0		91	80-125			
Hexachlorobutadiene	23.0	5.0	ug/l	25.0		92	70-130			
2-Hexanone	25.9	10	ug/l	25.0		104	40-150			
Iodomethane	23.7	2.0	ug/l	25.0		95	80-130			
Isopropylbenzene	24.6	2.0	ug/l	25.0		98	80-140			
p-Isopropyltoluene	22.5	2.0	ug/l	25.0		90	80-130			
Methylene chloride	21.1	5.0	ug/l	25.0		84	80-120			
4-Methyl-2-pentanone (MIBK)	24.9	10	ug/l	25.0		100	50-140			*V1*
Methyl-tert-butyl Ether (MTBE)	22.9	5.0	ug/l	25.0		92	65-130			
Naphthalene	24.0	2.0	ug/l	25.0		96	70-130			
n-Propylbenzene	23.6	2.0	ug/l	25.0		94	80-135			
Styrene	22.7	2.0	ug/l	25.0		91	80-125			
1,1,1,2-Tetrachloroethane	22.9	5.0	ug/l	25.0		92	80-120			
1,1,2,2-Tetrachloroethane	25.2	2.0	ug/l	25.0		101	65-140			*V1*
Tetrachloroethene	21.1	2.0	ug/l	25.0		84	80-125			
Toluene	21.7	2.0	ug/l	25.0		87	80-125			
1,2,3-Trichlorobenzene	24.5	5.0	ug/l	25.0		98	75-125			
1,2,4-Trichlorobenzene	22.5	5.0	ug/l	25.0		90	80-125			
1,1,1-Trichloroethane	22.7	2.0	ug/l	25.0		91	75-125			
1,1,2-Trichloroethane	22.7	2.0	ug/l	25.0		91	80-125			
Trichloroethene	22.8	2.0	ug/l	25.0		91	80-120			
Trichlorofluoromethane	25.4	5.0	ug/l	25.0		102	75-130			
1,2,3-Trichloropropane	24.0	10	ug/l	25.0		96	65-135			*V1*
1,2,4-Trimethylbenzene	22.5	2.0	ug/l	25.0		90	80-125			
1,3,5-Trimethylbenzene	23.1	2.0	ug/l	25.0		92	80-130			
Vinyl acetate	32.8	25	ug/l	25.0		131	70-140			*V1, N1*
Vinyl chloride	25.9	1.7	ug/l	25.0		104	70-135			
Xylenes, Total	44.8	3.0	ug/l	50.0		90	80-125			
Surrogate: Dibromofluoromethane	*28.5*		*ug/l*	*25.0*		*114*	*80-130*			
Surrogate: Toluene-d8	*27.4*		*ug/l*	*25.0*		*110*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*27.2*		*ug/l*	*25.0*		*109*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2617 Extracted: 09/25/06										
LCS Dup Analyzed: 09/25/2006 (P6I2617-BSD1)										
Acetone	29.7	20	ug/l	25.0		119	30-150	11	35	
Benzene	23.5	1.0	ug/l	25.0		94	80-120	8	10	
Bromobenzene	24.2	5.0	ug/l	25.0		97	80-125	5	10	
Bromochloromethane	25.8	5.0	ug/l	25.0		103	80-125	10	15	
Bromodichloromethane	24.3	2.0	ug/l	25.0		97	80-120	8	15	
Bromoform	23.8	5.0	ug/l	25.0		95	70-120	12	20	
Bromomethane	25.5	5.0	ug/l	25.0		102	80-135	12	15	
2-Butanone (MEK)	26.2	10	ug/l	25.0		105	55-150	8	35	
n-Butylbenzene	23.6	5.0	ug/l	25.0		94	80-120	7	10	
sec-Butylbenzene	24.8	5.0	ug/l	25.0		99	80-130	8	10	
tert-Butylbenzene	25.3	5.0	ug/l	25.0		101	80-130	9	10	
Carbon Disulfide	24.3	5.0	ug/l	25.0		97	55-145	1	15	
Carbon tetrachloride	24.2	5.0	ug/l	25.0		97	80-120	6	15	
Chlorobenzene	23.6	1.0	ug/l	25.0		94	80-120	6	10	
Chloroethane	26.6	5.0	ug/l	25.0		106	80-125	9	15	
Chloroform	25.1	2.0	ug/l	25.0		100	80-120	12	10	*R6*
Chloromethane	29.2	5.0	ug/l	25.0		117	70-130	12	15	
2-Chlorotoluene	24.4	5.0	ug/l	25.0		98	80-120	9	10	
4-Chlorotoluene	24.3	5.0	ug/l	25.0		97	80-120	7	10	
Dibromochloromethane	22.6	2.0	ug/l	25.0		90	75-120	9	15	
1,2-Dibromo-3-chloropropane	25.0	5.0	ug/l	25.0		100	55-120	0	35	*V1*
1,2-Dibromoethane (EDB)	25.8	2.0	ug/l	25.0		103	75-125	11	20	
Dibromomethane	24.7	2.0	ug/l	25.0		99	80-125	11	20	
1,2-Dichlorobenzene	24.6	1.0	ug/l	25.0		98	80-120	8	10	
1,3-Dichlorobenzene	23.6	1.0	ug/l	25.0		94	80-125	8	10	
1,4-Dichlorobenzene	24.0	1.0	ug/l	25.0		96	80-120	6	10	
Dichlorodifluoromethane	27.3	5.0	ug/l	25.0		109	60-140	10	15	
1,1-Dichloroethane	25.9	2.0	ug/l	25.0		104	80-120	12	10	*R6*
1,2-Dichloroethane	26.6	1.0	ug/l	25.0		106	75-125	10	20	
1,1-Dichloroethene	26.0	5.0	ug/l	25.0		104	75-120	12	15	
cis-1,2-Dichloroethene	25.2	2.0	ug/l	25.0		101	80-125	14	10	*R6*
trans-1,2-Dichloroethene	25.8	2.0	ug/l	25.0		103	80-120	10	10	
1,2-Dichloropropane	24.1	2.0	ug/l	25.0		96	80-120	6	15	
1,3-Dichloropropane	25.3	2.0	ug/l	25.0		101	80-120	11	15	
2,2-Dichloropropane	25.0	2.0	ug/l	25.0		100	70-130	10	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2617 Extracted: 09/25/06										
LCS Dup Analyzed: 09/25/2006 (P6I2617-BSD1)										
1,1-Dichloropropene	24.1	2.0	ug/l	25.0		96	80-120	6	10	
cis-1,3-Dichloropropene	24.8	2.0	ug/l	25.0		99	75-120	11	15	
trans-1,3-Dichloropropene	24.4	2.0	ug/l	25.0		98	80-120	9	20	
Ethylbenzene	24.4	2.0	ug/l	25.0		98	80-125	7	15	
Hexachlorobutadiene	23.6	5.0	ug/l	25.0		94	70-130	3	15	
2-Hexanone	26.6	10	ug/l	25.0		106	40-150	3	35	
Iodomethane	24.6	2.0	ug/l	25.0		98	80-130	4	10	
Isopropylbenzene	26.7	2.0	ug/l	25.0		107	80-140	8	10	
p-Isopropyltoluene	24.1	2.0	ug/l	25.0		96	80-130	7	15	
Methylene chloride	24.2	5.0	ug/l	25.0		97	80-120	14	10	*R6*
4-Methyl-2-pentanone (MIBK)	25.9	10	ug/l	25.0		104	50-140	4	35	*V1*
Methyl-tert-butyl Ether (MTBE)	26.5	5.0	ug/l	25.0		106	65-130	15	25	
Naphthalene	25.6	2.0	ug/l	25.0		102	70-130	6	20	
n-Propylbenzene	25.1	2.0	ug/l	25.0		100	80-135	6	10	
Styrene	24.8	2.0	ug/l	25.0		99	80-125	9	15	
1,1,1,2-Tetrachloroethane	25.0	5.0	ug/l	25.0		100	80-120	9	15	
1,1,2,2-Tetrachloroethane	27.8	2.0	ug/l	25.0		111	65-140	10	25	*V1*
Tetrachloroethene	22.9	2.0	ug/l	25.0		92	80-125	8	15	
Toluene	23.1	2.0	ug/l	25.0		92	80-125	6	10	
1,2,3-Trichlorobenzene	25.5	5.0	ug/l	25.0		102	75-125	4	15	
1,2,4-Trichlorobenzene	22.7	5.0	ug/l	25.0		91	80-125	1	15	
1,1,1-Trichloroethane	25.2	2.0	ug/l	25.0		101	75-125	10	10	
1,1,2-Trichloroethane	25.1	2.0	ug/l	25.0		100	80-125	10	25	
Trichloroethene	24.0	2.0	ug/l	25.0		96	80-120	5	10	
Trichlorofluoromethane	27.8	5.0	ug/l	25.0		111	75-130	9	10	
1,2,3-Trichloropropane	27.0	10	ug/l	25.0		108	65-135	12	25	*V1*
1,2,4-Trimethylbenzene	24.8	2.0	ug/l	25.0		99	80-125	10	10	
1,3,5-Trimethylbenzene	25.0	2.0	ug/l	25.0		100	80-130	8	10	
Vinyl acetate	34.8	25	ug/l	25.0		139	70-140	6	30	*V1, N1*
Vinyl chloride	28.2	1.7	ug/l	25.0		113	70-135	9	15	
Xylenes, Total	48.1	3.0	ug/l	50.0		96	80-125	7	15	
Surrogate: Dibromofluoromethane	*30.0*		*ug/l*	*25.0*		*120*	*80-130*			
Surrogate: Toluene-d8	*27.0*		*ug/l*	*25.0*		*108*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*27.0*		*ug/l*	*25.0*		*108*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2617 Extracted: 09/25/06										
Matrix Spike Analyzed: 09/25/2006 (P6I2617-MS1)					**Source: PPI0447-02**					
Acetone	26.3	20	ug/l	25.0	ND	105	15-150			
Benzene	24.8	1.0	ug/l	25.0	ND	99	80-125			
Bromobenzene	25.7	5.0	ug/l	25.0	ND	103	80-125			
Bromochloromethane	26.7	5.0	ug/l	25.0	ND	107	80-130			
Bromodichloromethane	25.0	2.0	ug/l	25.0	ND	100	70-130			
Bromoform	20.0	5.0	ug/l	25.0	ND	80	70-120			
Bromomethane	26.3	5.0	ug/l	25.0	ND	105	80-135			
2-Butanone (MEK)	20.4	10	ug/l	25.0	ND	82	30-150			
n-Butylbenzene	25.7	5.0	ug/l	25.0	ND	103	80-135			
sec-Butylbenzene	27.2	5.0	ug/l	25.0	ND	109	80-130			
tert-Butylbenzene	27.9	5.0	ug/l	25.0	ND	112	80-130			
Carbon Disulfide	25.6	5.0	ug/l	25.0	ND	102	45-150			
Carbon tetrachloride	26.3	5.0	ug/l	25.0	ND	105	65-135			
Chlorobenzene	24.7	1.0	ug/l	25.0	ND	99	80-125			
Chloroethane	28.7	5.0	ug/l	25.0	ND	115	80-125			
Chloroform	27.8	2.0	ug/l	25.0	ND	111	75-130			
Chloromethane	29.0	5.0	ug/l	25.0	ND	116	65-130			
2-Chlorotoluene	26.2	5.0	ug/l	25.0	ND	105	80-130			
4-Chlorotoluene	26.1	5.0	ug/l	25.0	ND	104	80-135			
Dibromochloromethane	21.8	2.0	ug/l	25.0	ND	87	75-120			
1,2-Dibromo-3-chloropropane	20.2	5.0	ug/l	25.0	ND	81	50-130			*V1*
1,2-Dibromoethane (EDB)	23.0	2.0	ug/l	25.0	ND	92	70-130			
Dibromomethane	23.0	2.0	ug/l	25.0	ND	92	75-130			
1,2-Dichlorobenzene	24.7	1.0	ug/l	25.0	ND	99	80-130			
1,3-Dichlorobenzene	24.5	1.0	ug/l	25.0	ND	98	80-130			
1,4-Dichlorobenzene	25.2	1.0	ug/l	25.0	ND	101	80-125			
Dichlorodifluoromethane	28.8	5.0	ug/l	25.0	ND	115	60-140			
1,1-Dichloroethane	28.3	2.0	ug/l	25.0	ND	113	80-125			
1,2-Dichloroethane	28.6	1.0	ug/l	25.0	ND	114	60-145			
1,1-Dichloroethene	27.0	5.0	ug/l	25.0	ND	108	75-130			
cis-1,2-Dichloroethene	27.1	2.0	ug/l	25.0	ND	108	80-125			
trans-1,2-Dichloroethene	26.3	2.0	ug/l	25.0	ND	105	80-120			
1,2-Dichloropropane	25.8	2.0	ug/l	25.0	ND	103	80-125			
1,3-Dichloropropane	24.0	2.0	ug/l	25.0	ND	96	75-130			
2,2-Dichloropropane	27.7	2.0	ug/l	25.0	ND	111	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2617 Extracted: 09/25/06										
Matrix Spike Analyzed: 09/25/2006 (P6I2617-MS1)					**Source: PPI0447-02**					
1,1-Dichloropropene	26.2	2.0	ug/l	25.0	ND	105	80-125			
cis-1,3-Dichloropropene	24.2	2.0	ug/l	25.0	ND	97	75-120			
trans-1,3-Dichloropropene	23.8	2.0	ug/l	25.0	ND	95	75-130			
Ethylbenzene	24.2	2.0	ug/l	25.0	ND	97	80-130			
Hexachlorobutadiene	24.6	5.0	ug/l	25.0	ND	98	65-130			
2-Hexanone	20.4	10	ug/l	25.0	ND	82	40-150			
Iodomethane	25.7	2.0	ug/l	25.0	ND	103	70-140			
Isopropylbenzene	28.2	2.0	ug/l	25.0	ND	113	80-140			
p-Isopropyltoluene	27.1	2.0	ug/l	25.0	ND	108	80-135			
Methylene chloride	25.6	5.0	ug/l	25.0	ND	102	75-125			
4-Methyl-2-pentanone (MIBK)	20.4	10	ug/l	25.0	ND	82	40-140			*V1*
Methyl-tert-butyl Ether (MTBE)	25.4	5.0	ug/l	25.0	ND	102	65-135			
Naphthalene	21.3	2.0	ug/l	25.0	ND	85	60-140			
n-Propylbenzene	26.9	2.0	ug/l	25.0	ND	108	80-140			
Styrene	1.27	2.0	ug/l	25.0	ND	5	30-150			*M2*
1,1,1,2-Tetrachloroethane	24.8	5.0	ug/l	25.0	ND	99	80-130			
1,1,2,2-Tetrachloroethane	24.8	2.0	ug/l	25.0	ND	99	65-140			*V1*
Tetrachloroethene	23.1	2.0	ug/l	25.0	ND	92	80-130			
Toluene	24.4	2.0	ug/l	25.0	ND	98	80-130			
1,2,3-Trichlorobenzene	24.1	5.0	ug/l	25.0	ND	96	75-140			
1,2,4-Trichlorobenzene	22.6	5.0	ug/l	25.0	ND	90	80-135			
1,1,1-Trichloroethane	27.9	2.0	ug/l	25.0	ND	112	70-135			
1,1,2-Trichloroethane	22.9	2.0	ug/l	25.0	ND	92	70-135			
Trichloroethene	27.4	2.0	ug/l	25.0	2.0	102	80-125			
Trichlorofluoromethane	29.8	5.0	ug/l	25.0	ND	119	70-140			
1,2,3-Trichloropropane	23.6	10	ug/l	25.0	ND	94	65-135			*V1*
1,2,4-Trimethylbenzene	26.8	2.0	ug/l	25.0	ND	107	75-130			
1,3,5-Trimethylbenzene	27.3	2.0	ug/l	25.0	ND	109	80-135			
Vinyl acetate	3.93	25	ug/l	25.0	ND	16	30-150			*V1, M2, N1*
Vinyl chloride	29.2	1.7	ug/l	25.0	ND	117	70-135			
Xylenes, Total	50.3	3.0	ug/l	50.0	ND	101	80-125			
Surrogate: Dibromofluoromethane	*31.2*		*ug/l*	*25.0*		*125*	*80-130*			
Surrogate: Toluene-d8	*26.9*		*ug/l*	*25.0*		*108*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*27.3*		*ug/l*	*25.0*		*109*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2620 Extracted: 09/26/06										
Blank Analyzed: 09/26/2006 (P6I2620-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2620 Extracted: 09/26/06										
Blank Analyzed: 09/26/2006 (P6I2620-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							*V1*
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*26.6*		*ug/l*	*25.0*		*106*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.7*		*ug/l*	*25.0*		*95*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2620 Extracted: 09/26/06										
LCS Analyzed: 09/26/2006 (P6I2620-BS1)										
Acetone	22.5	20	ug/l	25.0		90	30-150			
Benzene	25.0	1.0	ug/l	25.0		100	80-120			
Bromobenzene	27.8	5.0	ug/l	25.0		111	80-125			
Bromochloromethane	26.1	5.0	ug/l	25.0		104	80-125			
Bromodichloromethane	24.1	2.0	ug/l	25.0		96	80-120			
Bromoform	24.5	5.0	ug/l	25.0		98	70-120			
Bromomethane	26.0	5.0	ug/l	25.0		104	80-135			
2-Butanone (MEK)	20.5	10	ug/l	25.0		82	55-150			
n-Butylbenzene	24.0	5.0	ug/l	25.0		96	80-120			
sec-Butylbenzene	25.5	5.0	ug/l	25.0		102	80-130			
tert-Butylbenzene	27.2	5.0	ug/l	25.0		109	80-130			
Carbon Disulfide	22.4	5.0	ug/l	25.0		90	55-145			
Carbon tetrachloride	24.4	5.0	ug/l	25.0		98	80-120			
Chlorobenzene	25.8	1.0	ug/l	25.0		103	80-120			
Chloroethane	26.7	5.0	ug/l	25.0		107	80-125			
Chloroform	24.1	2.0	ug/l	25.0		96	80-120			
Chloromethane	28.3	5.0	ug/l	25.0		113	70-130			
2-Chlorotoluene	25.6	5.0	ug/l	25.0		102	80-120			
4-Chlorotoluene	25.4	5.0	ug/l	25.0		102	80-120			
Dibromochloromethane	22.8	2.0	ug/l	25.0		91	75-120			
1,2-Dibromo-3-chloropropane	25.1	5.0	ug/l	25.0		100	55-120			
1,2-Dibromoethane (EDB)	25.8	2.0	ug/l	25.0		103	75-125			
Dibromomethane	23.4	2.0	ug/l	25.0		94	80-125			
1,2-Dichlorobenzene	25.3	1.0	ug/l	25.0		101	80-120			
1,3-Dichlorobenzene	24.8	1.0	ug/l	25.0		99	80-125			
1,4-Dichlorobenzene	25.7	1.0	ug/l	25.0		103	80-120			
Dichlorodifluoromethane	26.0	5.0	ug/l	25.0		104	60-140			
1,1-Dichloroethane	24.8	2.0	ug/l	25.0		99	80-120			
1,2-Dichloroethane	23.9	1.0	ug/l	25.0		96	75-125			
1,1-Dichloroethene	26.6	5.0	ug/l	25.0		106	75-120			
cis-1,2-Dichloroethene	26.2	2.0	ug/l	25.0		105	80-125			
trans-1,2-Dichloroethene	26.6	2.0	ug/l	25.0		106	80-120			
1,2-Dichloropropane	24.9	2.0	ug/l	25.0		100	80-120			
1,3-Dichloropropane	25.8	2.0	ug/l	25.0		103	80-120			
2,2-Dichloropropane	24.3	2.0	ug/l	25.0		97	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2620 Extracted: 09/26/06										
LCS Analyzed: 09/26/2006 (P6I2620-BS1)										
1,1-Dichloropropene	25.1	2.0	ug/l	25.0		100	80-120			
cis-1,3-Dichloropropene	24.6	2.0	ug/l	25.0		98	75-120			
trans-1,3-Dichloropropene	23.4	2.0	ug/l	25.0		94	80-120			
Ethylbenzene	25.9	2.0	ug/l	25.0		104	80-125			
Hexachlorobutadiene	23.5	5.0	ug/l	25.0		94	70-130			
2-Hexanone	23.1	10	ug/l	25.0		92	40-150			
Iodomethane	23.4	2.0	ug/l	25.0		94	80-130			
Isopropylbenzene	29.1	2.0	ug/l	25.0		116	80-140			
p-Isopropyltoluene	25.4	2.0	ug/l	25.0		102	80-130			
Methylene chloride	24.1	5.0	ug/l	25.0		96	80-120			
4-Methyl-2-pentanone (MIBK)	21.1	10	ug/l	25.0		84	50-140			
Methyl-tert-butyl Ether (MTBE)	24.5	5.0	ug/l	25.0		98	65-130			
Naphthalene	22.8	2.0	ug/l	25.0		91	70-130			
n-Propylbenzene	27.0	2.0	ug/l	25.0		108	80-135			
Styrene	26.2	2.0	ug/l	25.0		105	80-125			
1,1,1,2-Tetrachloroethane	26.8	5.0	ug/l	25.0		107	80-120			
1,1,2,2-Tetrachloroethane	28.2	2.0	ug/l	25.0		113	65-140			*V1*
Tetrachloroethene	25.9	2.0	ug/l	25.0		104	80-125			
Toluene	25.0	2.0	ug/l	25.0		100	80-125			
1,2,3-Trichlorobenzene	23.8	5.0	ug/l	25.0		95	75-125			
1,2,4-Trichlorobenzene	22.2	5.0	ug/l	25.0		89	80-125			
1,1,1-Trichloroethane	24.6	2.0	ug/l	25.0		98	75-125			
1,1,2-Trichloroethane	24.7	2.0	ug/l	25.0		99	80-125			
Trichloroethene	25.8	2.0	ug/l	25.0		103	80-120			
Trichlorofluoromethane	26.6	5.0	ug/l	25.0		106	75-130			
1,2,3-Trichloropropane	26.2	10	ug/l	25.0		105	65-135			
1,2,4-Trimethylbenzene	25.8	2.0	ug/l	25.0		103	80-125			
1,3,5-Trimethylbenzene	27.0	2.0	ug/l	25.0		108	80-130			
Vinyl acetate	27.8	25	ug/l	25.0		111	70-140			
Vinyl chloride	27.1	1.7	ug/l	25.0		108	70-135			
Xylenes, Total	52.0	3.0	ug/l	50.0		104	80-125			
Surrogate: Dibromofluoromethane	*27.1*		*ug/l*	*25.0*		*108*	*80-130*			
Surrogate: Toluene-d8	*26.5*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2620 Extracted: 09/26/06										
LCS Dup Analyzed: 09/26/2006 (P6I2620-BSD1)										
Acetone	23.9	20	ug/l	25.0		96	30-150	6	35	
Benzene	25.8	1.0	ug/l	25.0		103	80-120	3	10	
Bromobenzene	29.2	5.0	ug/l	25.0		117	80-125	5	10	
Bromochloromethane	26.6	5.0	ug/l	25.0		106	80-125	2	15	
Bromodichloromethane	24.4	2.0	ug/l	25.0		98	80-120	1	15	
Bromoform	25.3	5.0	ug/l	25.0		101	70-120	3	20	
Bromomethane	27.1	5.0	ug/l	25.0		108	80-135	4	15	
2-Butanone (MEK)	20.9	10	ug/l	25.0		84	55-150	2	35	
n-Butylbenzene	25.9	5.0	ug/l	25.0		104	80-120	8	10	
sec-Butylbenzene	28.4	5.0	ug/l	25.0		114	80-130	11	10	*R6*
tert-Butylbenzene	29.4	5.0	ug/l	25.0		118	80-130	8	10	
Carbon Disulfide	23.6	5.0	ug/l	25.0		94	55-145	5	15	
Carbon tetrachloride	25.6	5.0	ug/l	25.0		102	80-120	5	15	
Chlorobenzene	26.1	1.0	ug/l	25.0		104	80-120	1	10	
Chloroethane	27.5	5.0	ug/l	25.0		110	80-125	3	15	
Chloroform	24.8	2.0	ug/l	25.0		99	80-120	3	10	
Chloromethane	28.8	5.0	ug/l	25.0		115	70-130	2	15	
2-Chlorotoluene	27.8	5.0	ug/l	25.0		111	80-120	8	10	
4-Chlorotoluene	27.4	5.0	ug/l	25.0		110	80-120	8	10	
Dibromochloromethane	23.2	2.0	ug/l	25.0		93	75-120	2	15	
1,2-Dibromo-3-chloropropane	25.0	5.0	ug/l	25.0		100	55-120	0	35	
1,2-Dibromoethane (EDB)	25.4	2.0	ug/l	25.0		102	75-125	2	20	
Dibromomethane	24.4	2.0	ug/l	25.0		98	80-125	4	20	
1,2-Dichlorobenzene	27.3	1.0	ug/l	25.0		109	80-120	8	10	
1,3-Dichlorobenzene	26.6	1.0	ug/l	25.0		106	80-125	7	10	
1,4-Dichlorobenzene	27.2	1.0	ug/l	25.0		109	80-120	6	10	
Dichlorodifluoromethane	27.2	5.0	ug/l	25.0		109	60-140	5	15	
1,1-Dichloroethane	25.8	2.0	ug/l	25.0		103	80-120	4	10	
1,2-Dichloroethane	25.1	1.0	ug/l	25.0		100	75-125	5	20	
1,1-Dichloroethene	27.6	5.0	ug/l	25.0		110	75-120	4	15	
cis-1,2-Dichloroethene	26.9	2.0	ug/l	25.0		108	80-125	3	10	
trans-1,2-Dichloroethene	26.9	2.0	ug/l	25.0		108	80-120	1	10	
1,2-Dichloropropane	26.1	2.0	ug/l	25.0		104	80-120	5	15	
1,3-Dichloropropane	25.3	2.0	ug/l	25.0		101	80-120	2	15	
2,2-Dichloropropane	26.6	2.0	ug/l	25.0		106	70-130	9	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2620 Extracted: 09/26/06										
LCS Dup Analyzed: 09/26/2006 (P6I2620-BSD1)										
1,1-Dichloropropene	26.8	2.0	ug/l	25.0		107	80-120	7	10	
cis-1,3-Dichloropropene	25.8	2.0	ug/l	25.0		103	75-120	5	15	
trans-1,3-Dichloropropene	24.7	2.0	ug/l	25.0		99	80-120	5	20	
Ethylbenzene	26.3	2.0	ug/l	25.0		105	80-125	2	15	
Hexachlorobutadiene	25.3	5.0	ug/l	25.0		101	70-130	7	15	
2-Hexanone	20.8	10	ug/l	25.0		83	40-150	10	35	
Iodomethane	24.6	2.0	ug/l	25.0		98	80-130	5	10	
Isopropylbenzene	30.6	2.0	ug/l	25.0		122	80-140	5	10	
p-Isopropyltoluene	27.6	2.0	ug/l	25.0		110	80-130	8	15	
Methylene chloride	24.8	5.0	ug/l	25.0		99	80-120	3	10	
4-Methyl-2-pentanone (MIBK)	20.2	10	ug/l	25.0		81	50-140	4	35	
Methyl-tert-butyl Ether (MTBE)	24.6	5.0	ug/l	25.0		98	65-130	0	25	
Naphthalene	23.4	2.0	ug/l	25.0		94	70-130	3	20	
n-Propylbenzene	29.0	2.0	ug/l	25.0		116	80-135	7	10	
Styrene	26.5	2.0	ug/l	25.0		106	80-125	1	15	
1,1,1,2-Tetrachloroethane	26.5	5.0	ug/l	25.0		106	80-120	1	15	
1,1,2,2-Tetrachloroethane	27.8	2.0	ug/l	25.0		111	65-140	1	25	*V1*
Tetrachloroethene	26.7	2.0	ug/l	25.0		107	80-125	3	15	
Toluene	26.2	2.0	ug/l	25.0		105	80-125	5	10	
1,2,3-Trichlorobenzene	25.1	5.0	ug/l	25.0		100	75-125	5	15	
1,2,4-Trichlorobenzene	24.4	5.0	ug/l	25.0		98	80-125	9	15	
1,1,1-Trichloroethane	25.7	2.0	ug/l	25.0		103	75-125	4	10	
1,1,2-Trichloroethane	25.0	2.0	ug/l	25.0		100	80-125	1	25	
Trichloroethene	26.1	2.0	ug/l	25.0		104	80-120	1	10	
Trichlorofluoromethane	28.0	5.0	ug/l	25.0		112	75-130	5	10	
1,2,3-Trichloropropane	27.5	10	ug/l	25.0		110	65-135	5	25	
1,2,4-Trimethylbenzene	27.7	2.0	ug/l	25.0		111	80-125	7	10	
1,3,5-Trimethylbenzene	29.0	2.0	ug/l	25.0		116	80-130	7	10	
Vinyl acetate	27.1	25	ug/l	25.0		108	70-140	3	30	
Vinyl chloride	28.3	1.7	ug/l	25.0		113	70-135	4	15	
Xylenes, Total	53.0	3.0	ug/l	50.0		106	80-125	2	15	
Surrogate: Dibromofluoromethane	*27.1*		*ug/l*	*25.0*		*108*	*80-130*			
Surrogate: Toluene-d8	*26.8*		*ug/l*	*25.0*		*107*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.7*		*ug/l*	*25.0*		*103*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2620 Extracted: 09/26/06										
Matrix Spike Analyzed: 09/26/2006 (P6I2620-MS1)					**Source: PPI0447-04**					
Acetone	22.9	20	ug/l	25.0	ND	92	15-150			
Benzene	25.7	1.0	ug/l	25.0	ND	103	80-125			
Bromobenzene	26.6	5.0	ug/l	25.0	ND	106	80-125			
Bromochloromethane	27.2	5.0	ug/l	25.0	ND	109	80-130			
Bromodichloromethane	26.8	2.0	ug/l	25.0	ND	107	70-130			
Bromoform	23.4	5.0	ug/l	25.0	ND	94	70-120			
Bromomethane	25.0	5.0	ug/l	25.0	ND	100	80-135			
2-Butanone (MEK)	21.8	10	ug/l	25.0	ND	87	30-150			
n-Butylbenzene	25.2	5.0	ug/l	25.0	ND	101	80-135			
sec-Butylbenzene	26.6	5.0	ug/l	25.0	ND	106	80-130			
tert-Butylbenzene	27.2	5.0	ug/l	25.0	ND	109	80-130			
Carbon Disulfide	23.5	5.0	ug/l	25.0	ND	94	45-150			
Carbon tetrachloride	26.4	5.0	ug/l	25.0	ND	106	65-135			
Chlorobenzene	24.7	1.0	ug/l	25.0	ND	99	80-125			
Chloroethane	27.3	5.0	ug/l	25.0	ND	109	80-125			
Chloroform	26.5	2.0	ug/l	25.0	ND	106	75-130			
Chloromethane	25.7	5.0	ug/l	25.0	ND	103	65-130			
2-Chlorotoluene	26.6	5.0	ug/l	25.0	ND	106	80-130			
4-Chlorotoluene	26.5	5.0	ug/l	25.0	ND	106	80-135			
Dibromochloromethane	23.5	2.0	ug/l	25.0	ND	94	75-120			
1,2-Dibromo-3-chloropropane	23.7	5.0	ug/l	25.0	ND	95	50-130			
1,2-Dibromoethane (EDB)	24.3	2.0	ug/l	25.0	ND	97	70-130			
Dibromomethane	24.4	2.0	ug/l	25.0	ND	98	75-130			
1,2-Dichlorobenzene	26.0	1.0	ug/l	25.0	ND	104	80-130			
1,3-Dichlorobenzene	25.4	1.0	ug/l	25.0	ND	102	80-130			
1,4-Dichlorobenzene	25.9	1.0	ug/l	25.0	ND	104	80-125			
Dichlorodifluoromethane	25.4	5.0	ug/l	25.0	ND	102	60-140			
1,1-Dichloroethane	29.4	2.0	ug/l	25.0	2.4	108	80-125			
1,2-Dichloroethane	27.1	1.0	ug/l	25.0	ND	108	60-145			
1,1-Dichloroethene	26.3	5.0	ug/l	25.0	ND	105	75-130			
cis-1,2-Dichloroethene	26.0	2.0	ug/l	25.0	ND	104	80-125			
trans-1,2-Dichloroethene	26.3	2.0	ug/l	25.0	ND	105	80-120			
1,2-Dichloropropane	25.8	2.0	ug/l	25.0	ND	103	80-125			
1,3-Dichloropropane	25.0	2.0	ug/l	25.0	ND	100	75-130			
2,2-Dichloropropane	27.0	2.0	ug/l	25.0	ND	108	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2620 Extracted: 09/26/06										
Matrix Spike Analyzed: 09/26/2006 (P6I2620-MS1)					**Source: PPI0447-04**					
1,1-Dichloropropene	26.5	2.0	ug/l	25.0	ND	106	80-125			
cis-1,3-Dichloropropene	26.4	2.0	ug/l	25.0	ND	106	75-120			
trans-1,3-Dichloropropene	25.2	2.0	ug/l	25.0	ND	101	75-130			
Ethylbenzene	25.9	2.0	ug/l	25.0	ND	104	80-130			
Hexachlorobutadiene	24.8	5.0	ug/l	25.0	ND	99	65-130			
2-Hexanone	20.8	10	ug/l	25.0	ND	83	40-150			
Iodomethane	24.4	2.0	ug/l	25.0	ND	98	70-140			
Isopropylbenzene	28.4	2.0	ug/l	25.0	ND	114	80-140			
p-Isopropyltoluene	26.8	2.0	ug/l	25.0	ND	107	80-135			
Methylene chloride	25.1	5.0	ug/l	25.0	ND	100	75-125			
4-Methyl-2-pentanone (MIBK)	20.8	10	ug/l	25.0	ND	83	40-140			
Methyl-tert-butyl Ether (MTBE)	26.3	5.0	ug/l	25.0	ND	105	65-135			
Naphthalene	23.0	2.0	ug/l	25.0	ND	92	60-140			
n-Propylbenzene	27.1	2.0	ug/l	25.0	ND	108	80-140			
Styrene	21.8	2.0	ug/l	25.0	ND	87	30-150			
1,1,1,2-Tetrachloroethane	26.4	5.0	ug/l	25.0	ND	106	80-130			
1,1,2,2-Tetrachloroethane	27.1	2.0	ug/l	25.0	ND	108	65-140			*V1*
Tetrachloroethene	24.3	2.0	ug/l	25.0	ND	97	80-130			
Toluene	25.6	2.0	ug/l	25.0	ND	102	80-130			
1,2,3-Trichlorobenzene	25.5	5.0	ug/l	25.0	ND	102	75-140			
1,2,4-Trichlorobenzene	24.1	5.0	ug/l	25.0	ND	96	80-135			
1,1,1-Trichloroethane	26.7	2.0	ug/l	25.0	ND	107	70-135			
1,1,2-Trichloroethane	25.1	2.0	ug/l	25.0	ND	100	70-135			
Trichloroethene	27.9	2.0	ug/l	25.0	1.3	106	80-125			
Trichlorofluoromethane	28.3	5.0	ug/l	25.0	ND	113	70-140			
1,2,3-Trichloropropane	25.4	10	ug/l	25.0	ND	102	65-135			
1,2,4-Trimethylbenzene	26.7	2.0	ug/l	25.0	ND	107	75-130			
1,3,5-Trimethylbenzene	27.4	2.0	ug/l	25.0	ND	110	80-135			
Vinyl acetate	27.4	25	ug/l	25.0	ND	110	30-150			
Vinyl chloride	26.4	1.7	ug/l	25.0	ND	106	70-135			
Xylenes, Total	51.2	3.0	ug/l	50.0	ND	102	80-125			
Surrogate: Dibromofluoromethane	*29.4*		*ug/l*	*25.0*		*118*	*80-130*			
Surrogate: Toluene-d8	*26.9*		*ug/l*	*25.0*		*108*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*28.0*		*ug/l*	*25.0*		*112*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2620 Extracted: 09/26/06										
Matrix Spike Dup Analyzed: 09/26/2006 (P6I2620-MSD1)					**Source: PPI0447-04**					
Acetone	24.4	20	ug/l	25.0	ND	98	15-150	6	35	
Benzene	25.1	1.0	ug/l	25.0	ND	100	80-125	2	10	
Bromobenzene	27.7	5.0	ug/l	25.0	ND	111	80-125	4	15	
Bromochloromethane	28.2	5.0	ug/l	25.0	ND	113	80-130	4	20	
Bromodichloromethane	26.7	2.0	ug/l	25.0	ND	107	70-130	0	15	
Bromoform	25.1	5.0	ug/l	25.0	ND	100	70-120	7	25	
Bromomethane	26.6	5.0	ug/l	25.0	ND	106	80-135	6	20	
2-Butanone (MEK)	24.4	10	ug/l	25.0	ND	98	30-150	11	35	
n-Butylbenzene	24.7	5.0	ug/l	25.0	ND	99	80-135	2	20	
sec-Butylbenzene	26.4	5.0	ug/l	25.0	ND	106	80-130	1	20	
tert-Butylbenzene	27.5	5.0	ug/l	25.0	ND	110	80-130	1	20	
Carbon Disulfide	23.7	5.0	ug/l	25.0	ND	95	45-150	1	15	
Carbon tetrachloride	26.2	5.0	ug/l	25.0	ND	105	65-135	1	15	
Chlorobenzene	25.5	1.0	ug/l	25.0	ND	102	80-125	3	15	
Chloroethane	28.0	5.0	ug/l	25.0	ND	112	80-125	3	20	
Chloroform	27.3	2.0	ug/l	25.0	ND	109	75-130	3	15	
Chloromethane	28.3	5.0	ug/l	25.0	ND	113	65-130	10	20	
2-Chlorotoluene	26.2	5.0	ug/l	25.0	ND	105	80-130	2	15	
4-Chlorotoluene	26.9	5.0	ug/l	25.0	ND	108	80-135	1	15	
Dibromochloromethane	24.4	2.0	ug/l	25.0	ND	98	75-120	4	20	
1,2-Dibromo-3-chloropropane	26.7	5.0	ug/l	25.0	ND	107	50-130	12	35	
1,2-Dibromoethane (EDB)	26.8	2.0	ug/l	25.0	ND	107	70-130	10	25	
Dibromomethane	25.2	2.0	ug/l	25.0	ND	101	75-130	3	25	
1,2-Dichlorobenzene	26.1	1.0	ug/l	25.0	ND	104	80-130	0	15	
1,3-Dichlorobenzene	25.3	1.0	ug/l	25.0	ND	101	80-130	0	15	
1,4-Dichlorobenzene	26.5	1.0	ug/l	25.0	ND	106	80-125	2	10	
Dichlorodifluoromethane	26.1	5.0	ug/l	25.0	ND	104	60-140	3	45	
1,1-Dichloroethane	30.2	2.0	ug/l	25.0	2.4	111	80-125	3	15	
1,2-Dichloroethane	29.1	1.0	ug/l	25.0	ND	116	60-145	7	20	
1,1-Dichloroethene	26.7	5.0	ug/l	25.0	ND	107	75-130	2	15	
cis-1,2-Dichloroethene	27.1	2.0	ug/l	25.0	ND	108	80-125	4	15	
trans-1,2-Dichloroethene	26.8	2.0	ug/l	25.0	ND	107	80-120	2	15	
1,2-Dichloropropane	26.4	2.0	ug/l	25.0	ND	106	80-125	2	15	
1,3-Dichloropropane	27.4	2.0	ug/l	25.0	ND	110	75-130	9	20	
2,2-Dichloropropane	27.2	2.0	ug/l	25.0	ND	109	60-135	1	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2620 Extracted: 09/26/06										
Matrix Spike Dup Analyzed: 09/26/2006 (P6I2620-MSD1)					**Source: PPI0447-04**					
1,1-Dichloropropene	25.5	2.0	ug/l	25.0	ND	102	80-125	4	15	
cis-1,3-Dichloropropene	26.2	2.0	ug/l	25.0	ND	105	75-120	1	15	
trans-1,3-Dichloropropene	26.0	2.0	ug/l	25.0	ND	104	75-130	3	25	
Ethylbenzene	25.8	2.0	ug/l	25.0	ND	103	80-130	0	15	
Hexachlorobutadiene	23.4	5.0	ug/l	25.0	ND	94	65-130	6	15	
2-Hexanone	25.3	10	ug/l	25.0	ND	101	40-150	20	35	
Iodomethane	24.7	2.0	ug/l	25.0	ND	99	70-140	1	15	
Isopropylbenzene	29.1	2.0	ug/l	25.0	ND	116	80-140	2	20	
p-Isopropyltoluene	26.4	2.0	ug/l	25.0	ND	106	80-135	2	20	
Methylene chloride	26.2	5.0	ug/l	25.0	ND	105	75-125	4	15	
4-Methyl-2-pentanone (MIBK)	24.4	10	ug/l	25.0	ND	98	40-140	16	35	
Methyl-tert-butyl Ether (MTBE)	28.1	5.0	ug/l	25.0	ND	112	65-135	7	30	
Naphthalene	23.8	2.0	ug/l	25.0	ND	95	60-140	3	30	
n-Propylbenzene	27.3	2.0	ug/l	25.0	ND	109	80-140	1	20	
Styrene	22.3	2.0	ug/l	25.0	ND	89	30-150	2	25	
1,1,1,2-Tetrachloroethane	27.2	5.0	ug/l	25.0	ND	109	80-130	3	15	
1,1,2,2-Tetrachloroethane	29.4	2.0	ug/l	25.0	ND	118	65-140	8	35	*V1*
Tetrachloroethene	24.4	2.0	ug/l	25.0	ND	98	80-130	0	15	
Toluene	25.4	2.0	ug/l	25.0	ND	102	80-130	1	15	
1,2,3-Trichlorobenzene	25.2	5.0	ug/l	25.0	ND	101	75-140	1	20	
1,2,4-Trichlorobenzene	23.5	5.0	ug/l	25.0	ND	94	80-135	3	15	
1,1,1-Trichloroethane	26.9	2.0	ug/l	25.0	ND	108	70-135	1	15	
1,1,2-Trichloroethane	26.6	2.0	ug/l	25.0	ND	106	70-135	6	25	
Trichloroethene	27.5	2.0	ug/l	25.0	1.3	105	80-125	1	15	
Trichlorofluoromethane	28.8	5.0	ug/l	25.0	ND	115	70-140	2	15	
1,2,3-Trichloropropane	27.5	10	ug/l	25.0	ND	110	65-135	8	35	
1,2,4-Trimethylbenzene	26.6	2.0	ug/l	25.0	ND	106	75-130	0	15	
1,3,5-Trimethylbenzene	27.0	2.0	ug/l	25.0	ND	108	80-135	1	15	
Vinyl acetate	30.5	25	ug/l	25.0	ND	122	30-150	11	35	
Vinyl chloride	28.7	1.7	ug/l	25.0	ND	115	70-135	8	25	
Xylenes, Total	52.0	3.0	ug/l	50.0	ND	104	80-125	2	15	
Surrogate: Dibromofluoromethane	*30.0*		*ug/l*	*25.0*		*120*	*80-130*			
Surrogate: Toluene-d8	*27.3*		*ug/l*	*25.0*		*109*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*27.0*		*ug/l*	*25.0*		*108*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2629 Extracted: 09/26/06										
Blank Analyzed: 09/26/2006 (P6I2629-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							*V1*
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							*V1*
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2629 Extracted: 09/26/06										
Blank Analyzed: 09/26/2006 (P6I2629-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							*V1*
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*29.4*		*ug/l*	*25.0*		*118*	*80-130*			
Surrogate: Toluene-d8	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.7*		*ug/l*	*25.0*		*95*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2629 Extracted: 09/26/06										
LCS Analyzed: 09/26/2006 (P6I2629-BS1)										
Acetone	35.3	20	ug/l	25.0		141	30-150			
Benzene	25.6	1.0	ug/l	25.0		102	80-120			
Bromobenzene	28.2	5.0	ug/l	25.0		113	80-125			
Bromochloromethane	29.3	5.0	ug/l	25.0		117	80-125			
Bromodichloromethane	25.6	2.0	ug/l	25.0		102	80-120			
Bromoform	27.8	5.0	ug/l	25.0		111	70-120			
Bromomethane	30.2	5.0	ug/l	25.0		121	80-135			
2-Butanone (MEK)	29.6	10	ug/l	25.0		118	55-150			
n-Butylbenzene	26.6	5.0	ug/l	25.0		106	80-120			
sec-Butylbenzene	28.9	5.0	ug/l	25.0		116	80-130			
tert-Butylbenzene	28.7	5.0	ug/l	25.0		115	80-130			
Carbon Disulfide	25.7	5.0	ug/l	25.0		103	55-145			
Carbon tetrachloride	25.9	5.0	ug/l	25.0		104	80-120			
Chlorobenzene	26.5	1.0	ug/l	25.0		106	80-120			
Chloroethane	29.1	5.0	ug/l	25.0		116	80-125			
Chloroform	29.2	2.0	ug/l	25.0		117	80-120			
Chloromethane	32.0	5.0	ug/l	25.0		128	70-130			*V1*
2-Chlorotoluene	28.9	5.0	ug/l	25.0		116	80-120			
4-Chlorotoluene	29.5	5.0	ug/l	25.0		118	80-120			
Dibromochloromethane	25.8	2.0	ug/l	25.0		103	75-120			
1,2-Dibromo-3-chloropropane	28.2	5.0	ug/l	25.0		113	55-120			
1,2-Dibromoethane (EDB)	27.9	2.0	ug/l	25.0		112	75-125			
Dibromomethane	26.9	2.0	ug/l	25.0		108	80-125			
1,2-Dichlorobenzene	26.8	1.0	ug/l	25.0		107	80-120			
1,3-Dichlorobenzene	26.3	1.0	ug/l	25.0		105	80-125			
1,4-Dichlorobenzene	26.8	1.0	ug/l	25.0		107	80-120			
Dichlorodifluoromethane	30.2	5.0	ug/l	25.0		121	60-140			
1,1-Dichloroethane	29.2	2.0	ug/l	25.0		117	80-120			
1,2-Dichloroethane	31.6	1.0	ug/l	25.0		126	75-125			*V1, L3*
1,1-Dichloroethene	27.1	5.0	ug/l	25.0		108	75-120			
cis-1,2-Dichloroethene	28.6	2.0	ug/l	25.0		114	80-125			
trans-1,2-Dichloroethene	29.4	2.0	ug/l	25.0		118	80-120			
1,2-Dichloropropane	25.8	2.0	ug/l	25.0		103	80-120			
1,3-Dichloropropane	27.2	2.0	ug/l	25.0		109	80-120			
2,2-Dichloropropane	26.3	2.0	ug/l	25.0		105	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2629 Extracted: 09/26/06										
LCS Analyzed: 09/26/2006 (P6I2629-BS1)										
1,1-Dichloropropene	25.6	2.0	ug/l	25.0		102	80-120			
cis-1,3-Dichloropropene	25.0	2.0	ug/l	25.0		100	75-120			
trans-1,3-Dichloropropene	25.6	2.0	ug/l	25.0		102	80-120			
Ethylbenzene	26.1	2.0	ug/l	25.0		104	80-125			
Hexachlorobutadiene	21.5	5.0	ug/l	25.0		86	70-130			
2-Hexanone	27.4	10	ug/l	25.0		110	40-150			
Iodomethane	26.4	2.0	ug/l	25.0		106	80-130			
Isopropylbenzene	31.6	2.0	ug/l	25.0		126	80-140			
p-Isopropyltoluene	27.8	2.0	ug/l	25.0		111	80-130			
Methylene chloride	28.2	5.0	ug/l	25.0		113	80-120			
4-Methyl-2-pentanone (MIBK)	26.2	10	ug/l	25.0		105	50-140			
Methyl-tert-butyl Ether (MTBE)	29.5	5.0	ug/l	25.0		118	65-130			
Naphthalene	23.6	2.0	ug/l	25.0		94	70-130			
n-Propylbenzene	30.2	2.0	ug/l	25.0		121	80-135			
Styrene	25.4	2.0	ug/l	25.0		102	80-125			
1,1,1,2-Tetrachloroethane	25.4	5.0	ug/l	25.0		102	80-120			
1,1,2,2-Tetrachloroethane	32.5	2.0	ug/l	25.0		130	65-140			
Tetrachloroethene	24.6	2.0	ug/l	25.0		98	80-125			
Toluene	25.4	2.0	ug/l	25.0		102	80-125			
1,2,3-Trichlorobenzene	21.6	5.0	ug/l	25.0		86	75-125			
1,2,4-Trichlorobenzene	21.4	5.0	ug/l	25.0		86	80-125			
1,1,1-Trichloroethane	29.1	2.0	ug/l	25.0		116	75-125			
1,1,2-Trichloroethane	25.5	2.0	ug/l	25.0		102	80-125			
Trichloroethene	25.4	2.0	ug/l	25.0		102	80-120			
Trichlorofluoromethane	31.3	5.0	ug/l	25.0		125	75-130			
1,2,3-Trichloropropane	31.6	10	ug/l	25.0		126	65-135			
1,2,4-Trimethylbenzene	28.3	2.0	ug/l	25.0		113	80-125			
1,3,5-Trimethylbenzene	29.2	2.0	ug/l	25.0		117	80-130			
Vinyl acetate	37.2	25	ug/l	25.0		149	70-140			*V1, L3*
Vinyl chloride	30.2	1.7	ug/l	25.0		121	70-135			
Xylenes, Total	51.6	3.0	ug/l	50.0		103	80-125			
Surrogate: Dibromofluoromethane	*30.4*		*ug/l*	*25.0*		*122*	*80-130*			
Surrogate: Toluene-d8	*25.5*		*ug/l*	*25.0*		*102*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.2*		*ug/l*	*25.0*		*101*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2629 Extracted: 09/26/06										
LCS Dup Analyzed: 09/26/2006 (P6I2629-BSD1)										
Acetone	34.5	20	ug/l	25.0		138	30-150	2	35	
Benzene	25.2	1.0	ug/l	25.0		101	80-120	2	10	
Bromobenzene	26.0	5.0	ug/l	25.0		104	80-125	8	10	
Bromochloromethane	28.1	5.0	ug/l	25.0		112	80-125	4	15	
Bromodichloromethane	25.5	2.0	ug/l	25.0		102	80-120	0	15	
Bromoform	26.3	5.0	ug/l	25.0		105	70-120	6	20	
Bromomethane	28.6	5.0	ug/l	25.0		114	80-135	5	15	
2-Butanone (MEK)	29.0	10	ug/l	25.0		116	55-150	2	35	
n-Butylbenzene	26.1	5.0	ug/l	25.0		104	80-120	2	10	
sec-Butylbenzene	27.3	5.0	ug/l	25.0		109	80-130	6	10	
tert-Butylbenzene	27.6	5.0	ug/l	25.0		110	80-130	4	10	
Carbon Disulfide	25.6	5.0	ug/l	25.0		102	55-145	0	15	
Carbon tetrachloride	25.9	5.0	ug/l	25.0		104	80-120	0	15	
Chlorobenzene	25.9	1.0	ug/l	25.0		104	80-120	2	10	
Chloroethane	27.2	5.0	ug/l	25.0		109	80-125	7	15	
Chloroform	28.5	2.0	ug/l	25.0		114	80-120	2	10	
Chloromethane	31.1	5.0	ug/l	25.0		124	70-130	3	15	*V1*
2-Chlorotoluene	27.4	5.0	ug/l	25.0		110	80-120	5	10	
4-Chlorotoluene	27.3	5.0	ug/l	25.0		109	80-120	8	10	
Dibromochloromethane	25.9	2.0	ug/l	25.0		104	75-120	0	15	
1,2-Dibromo-3-chloropropane	27.2	5.0	ug/l	25.0		109	55-120	4	35	
1,2-Dibromoethane (EDB)	27.7	2.0	ug/l	25.0		111	75-125	1	20	
Dibromomethane	26.2	2.0	ug/l	25.0		105	80-125	3	20	
1,2-Dichlorobenzene	25.9	1.0	ug/l	25.0		104	80-120	3	10	
1,3-Dichlorobenzene	25.0	1.0	ug/l	25.0		100	80-125	5	10	
1,4-Dichlorobenzene	26.1	1.0	ug/l	25.0		104	80-120	3	10	
Dichlorodifluoromethane	28.7	5.0	ug/l	25.0		115	60-140	5	15	
1,1-Dichloroethane	28.3	2.0	ug/l	25.0		113	80-120	3	10	
1,2-Dichloroethane	31.0	1.0	ug/l	25.0		124	75-125	2	20	*V1*
1,1-Dichloroethene	26.6	5.0	ug/l	25.0		106	75-120	2	15	
cis-1,2-Dichloroethene	27.8	2.0	ug/l	25.0		111	80-125	3	10	
trans-1,2-Dichloroethene	28.2	2.0	ug/l	25.0		113	80-120	4	10	
1,2-Dichloropropane	26.1	2.0	ug/l	25.0		104	80-120	1	15	
1,3-Dichloropropane	27.1	2.0	ug/l	25.0		108	80-120	0	15	
2,2-Dichloropropane	25.8	2.0	ug/l	25.0		103	70-130	2	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2629 Extracted: 09/26/06										
LCS Dup Analyzed: 09/26/2006 (P6I2629-BSD1)										
1,1-Dichloropropene	25.8	2.0	ug/l	25.0		103	80-120	1	10	
cis-1,3-Dichloropropene	24.6	2.0	ug/l	25.0		98	75-120	2	15	
trans-1,3-Dichloropropene	24.9	2.0	ug/l	25.0		100	80-120	3	20	
Ethylbenzene	25.5	2.0	ug/l	25.0		102	80-125	2	15	
Hexachlorobutadiene	23.0	5.0	ug/l	25.0		92	70-130	7	15	
2-Hexanone	26.6	10	ug/l	25.0		106	40-150	3	35	
Iodomethane	24.8	2.0	ug/l	25.0		99	80-130	6	10	
Isopropylbenzene	29.6	2.0	ug/l	25.0		118	80-140	7	10	
p-Isopropyltoluene	26.3	2.0	ug/l	25.0		105	80-130	6	15	
Methylene chloride	28.2	5.0	ug/l	25.0		113	80-120	0	10	
4-Methyl-2-pentanone (MIBK)	26.7	10	ug/l	25.0		107	50-140	2	35	
Methyl-tert-butyl Ether (MTBE)	29.5	5.0	ug/l	25.0		118	65-130	0	25	
Naphthalene	24.4	2.0	ug/l	25.0		98	70-130	3	20	
n-Propylbenzene	29.0	2.0	ug/l	25.0		116	80-135	4	10	
Styrene	25.0	2.0	ug/l	25.0		100	80-125	2	15	
1,1,1,2-Tetrachloroethane	25.2	5.0	ug/l	25.0		101	80-120	1	15	
1,1,2,2-Tetrachloroethane	30.3	2.0	ug/l	25.0		121	65-140	7	25	
Tetrachloroethene	23.6	2.0	ug/l	25.0		94	80-125	4	15	
Toluene	25.3	2.0	ug/l	25.0		101	80-125	0	10	
1,2,3-Trichlorobenzene	23.0	5.0	ug/l	25.0		92	75-125	6	15	
1,2,4-Trichlorobenzene	22.2	5.0	ug/l	25.0		89	80-125	4	15	
1,1,1-Trichloroethane	28.7	2.0	ug/l	25.0		115	75-125	1	10	
1,1,2-Trichloroethane	25.2	2.0	ug/l	25.0		101	80-125	1	25	
Trichloroethene	25.3	2.0	ug/l	25.0		101	80-120	0	10	
Trichlorofluoromethane	30.0	5.0	ug/l	25.0		120	75-130	4	10	
1,2,3-Trichloropropane	30.2	10	ug/l	25.0		121	65-135	5	25	
1,2,4-Trimethylbenzene	27.4	2.0	ug/l	25.0		110	80-125	3	10	
1,3,5-Trimethylbenzene	27.1	2.0	ug/l	25.0		108	80-130	7	10	
Vinyl acetate	34.8	25	ug/l	25.0		139	70-140	7	30	*V1*
Vinyl chloride	28.5	1.7	ug/l	25.0		114	70-135	6	15	
Xylenes, Total	50.2	3.0	ug/l	50.0		100	80-125	3	15	
Surrogate: Dibromofluoromethane	*30.8*		*ug/l*	*25.0*		*123*	*80-130*			
Surrogate: Toluene-d8	*26.0*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.8*		*ug/l*	*25.0*		*103*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2629 Extracted: 09/26/06										
Matrix Spike Analyzed: 09/26/2006 (P6I2629-MS1)					**Source: PPI0386-03**					
Acetone	30.8	20	ug/l	25.0	ND	123	15-150			
Benzene	24.2	1.0	ug/l	25.0	ND	97	80-125			
Bromobenzene	26.4	5.0	ug/l	25.0	ND	106	80-125			
Bromochloromethane	27.2	5.0	ug/l	25.0	ND	109	80-130			
Bromodichloromethane	24.3	2.0	ug/l	25.0	ND	97	70-130			
Bromoform	25.1	5.0	ug/l	25.0	ND	100	70-120			
Bromomethane	26.5	5.0	ug/l	25.0	ND	106	80-135			
2-Butanone (MEK)	26.6	10	ug/l	25.0	ND	106	30-150			
n-Butylbenzene	24.9	5.0	ug/l	25.0	ND	100	80-135			
sec-Butylbenzene	26.8	5.0	ug/l	25.0	ND	107	80-130			
tert-Butylbenzene	27.3	5.0	ug/l	25.0	ND	109	80-130			
Carbon Disulfide	24.9	5.0	ug/l	25.0	ND	100	45-150			
Carbon tetrachloride	24.0	5.0	ug/l	25.0	ND	96	65-135			
Chlorobenzene	24.6	1.0	ug/l	25.0	ND	98	80-125			
Chloroethane	25.8	5.0	ug/l	25.0	ND	103	80-125			
Chloroform	27.2	2.0	ug/l	25.0	ND	109	75-130			
Chloromethane	28.6	5.0	ug/l	25.0	ND	114	65-130			*V1*
2-Chlorotoluene	27.0	5.0	ug/l	25.0	ND	108	80-130			
4-Chlorotoluene	26.5	5.0	ug/l	25.0	ND	106	80-135			
Dibromochloromethane	24.2	2.0	ug/l	25.0	ND	97	75-120			
1,2-Dibromo-3-chloropropane	25.2	5.0	ug/l	25.0	ND	101	50-130			
1,2-Dibromoethane (EDB)	26.0	2.0	ug/l	25.0	ND	104	70-130			
Dibromomethane	25.4	2.0	ug/l	25.0	ND	102	75-130			
1,2-Dichlorobenzene	25.1	1.0	ug/l	25.0	ND	100	80-130			
1,3-Dichlorobenzene	24.5	1.0	ug/l	25.0	ND	98	80-130			
1,4-Dichlorobenzene	24.6	1.0	ug/l	25.0	ND	98	80-125			
Dichlorodifluoromethane	26.3	5.0	ug/l	25.0	ND	105	60-140			
1,1-Dichloroethane	26.9	2.0	ug/l	25.0	ND	108	80-125			
1,2-Dichloroethane	29.3	1.0	ug/l	25.0	ND	117	60-145			*V1*
1,1-Dichloroethene	25.3	5.0	ug/l	25.0	ND	101	75-130			
cis-1,2-Dichloroethene	26.9	2.0	ug/l	25.0	ND	108	80-125			
trans-1,2-Dichloroethene	27.3	2.0	ug/l	25.0	ND	109	80-120			
1,2-Dichloropropane	25.4	2.0	ug/l	25.0	ND	102	80-125			
1,3-Dichloropropane	26.2	2.0	ug/l	25.0	ND	105	75-130			
2,2-Dichloropropane	23.6	2.0	ug/l	25.0	ND	94	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2629 Extracted: 09/26/06										
Matrix Spike Analyzed: 09/26/2006 (P6I2629-MS1)					**Source: PPI0386-03**					
1,1-Dichloropropene	24.4	2.0	ug/l	25.0	ND	98	80-125			
cis-1,3-Dichloropropene	23.5	2.0	ug/l	25.0	ND	94	75-120			
trans-1,3-Dichloropropene	24.4	2.0	ug/l	25.0	ND	98	75-130			
Ethylbenzene	24.4	2.0	ug/l	25.0	ND	98	80-130			
Hexachlorobutadiene	20.8	5.0	ug/l	25.0	ND	83	65-130			
2-Hexanone	24.5	10	ug/l	25.0	ND	98	40-150			
Iodomethane	25.0	2.0	ug/l	25.0	ND	100	70-140			
Isopropylbenzene	29.3	2.0	ug/l	25.0	ND	117	80-140			
p-Isopropyltoluene	25.9	2.0	ug/l	25.0	ND	104	80-135			
Methylene chloride	26.5	5.0	ug/l	25.0	ND	106	75-125			
4-Methyl-2-pentanone (MIBK)	26.0	10	ug/l	25.0	ND	104	40-140			
Methyl-tert-butyl Ether (MTBE)	27.8	5.0	ug/l	25.0	ND	111	65-135			
Naphthalene	22.4	2.0	ug/l	25.0	ND	90	60-140			
n-Propylbenzene	28.3	2.0	ug/l	25.0	ND	113	80-140			
Styrene	20.8	2.0	ug/l	25.0	ND	83	30-150			
1,1,1,2-Tetrachloroethane	23.8	5.0	ug/l	25.0	ND	95	80-130			
1,1,2,2-Tetrachloroethane	31.0	2.0	ug/l	25.0	ND	124	65-140			
Tetrachloroethene	22.0	2.0	ug/l	25.0	ND	88	80-130			
Toluene	24.2	2.0	ug/l	25.0	ND	97	80-130			
1,2,3-Trichlorobenzene	20.4	5.0	ug/l	25.0	ND	82	75-140			
1,2,4-Trichlorobenzene	19.7	5.0	ug/l	25.0	ND	79	80-135			*M2*
1,1,1-Trichloroethane	26.7	2.0	ug/l	25.0	ND	107	70-135			
1,1,2-Trichloroethane	24.6	2.0	ug/l	25.0	ND	98	70-135			
Trichloroethene	23.7	2.0	ug/l	25.0	ND	95	80-125			
Trichlorofluoromethane	28.1	5.0	ug/l	25.0	ND	112	70-140			
1,2,3-Trichloropropane	30.1	10	ug/l	25.0	ND	120	65-135			
1,2,4-Trimethylbenzene	26.2	2.0	ug/l	25.0	ND	105	75-130			
1,3,5-Trimethylbenzene	27.0	2.0	ug/l	25.0	ND	108	80-135			
Vinyl acetate	33.9	25	ug/l	25.0	ND	136	30-150			*V1*
Vinyl chloride	26.8	1.7	ug/l	25.0	ND	107	70-135			
Xylenes, Total	47.8	3.0	ug/l	50.0	ND	96	80-125			
Surrogate: Dibromofluoromethane	*30.9*		*ug/l*	*25.0*		*124*	*80-130*			
Surrogate: Toluene-d8	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447
Sampled: 09/13/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2629 Extracted: 09/26/06										
Matrix Spike Dup Analyzed: 09/26/2006 (P6I2629-MSD1)					**Source: PPI0386-03**					
Acetone	30.0	20	ug/l	25.0	ND	120	15-150	3	35	
Benzene	24.0	1.0	ug/l	25.0	ND	96	80-125	1	10	
Bromobenzene	24.7	5.0	ug/l	25.0	ND	99	80-125	7	15	
Bromochloromethane	27.2	5.0	ug/l	25.0	ND	109	80-130	0	20	
Bromodichloromethane	24.0	2.0	ug/l	25.0	ND	96	70-130	1	15	
Bromoform	23.5	5.0	ug/l	25.0	ND	94	70-120	7	25	
Bromomethane	26.7	5.0	ug/l	25.0	ND	107	80-135	1	20	
2-Butanone (MEK)	28.3	10	ug/l	25.0	ND	113	30-150	6	35	
n-Butylbenzene	24.9	5.0	ug/l	25.0	ND	100	80-135	0	20	
sec-Butylbenzene	26.8	5.0	ug/l	25.0	ND	107	80-130	0	20	
tert-Butylbenzene	26.6	5.0	ug/l	25.0	ND	106	80-130	3	20	
Carbon Disulfide	25.8	5.0	ug/l	25.0	ND	103	45-150	4	15	
Carbon tetrachloride	24.2	5.0	ug/l	25.0	ND	97	65-135	1	15	
Chlorobenzene	24.8	1.0	ug/l	25.0	ND	99	80-125	1	15	
Chloroethane	26.2	5.0	ug/l	25.0	ND	105	80-125	2	20	
Chloroform	27.6	2.0	ug/l	25.0	ND	110	75-130	1	15	
Chloromethane	28.5	5.0	ug/l	25.0	ND	114	65-130	0	20	*V1*
2-Chlorotoluene	26.4	5.0	ug/l	25.0	ND	106	80-130	2	15	
4-Chlorotoluene	26.5	5.0	ug/l	25.0	ND	106	80-135	0	15	
Dibromochloromethane	23.4	2.0	ug/l	25.0	ND	94	75-120	3	20	
1,2-Dibromo-3-chloropropane	24.6	5.0	ug/l	25.0	ND	98	50-130	2	35	
1,2-Dibromoethane (EDB)	26.0	2.0	ug/l	25.0	ND	104	70-130	0	25	
Dibromomethane	25.1	2.0	ug/l	25.0	ND	100	75-130	1	25	
1,2-Dichlorobenzene	24.9	1.0	ug/l	25.0	ND	100	80-130	1	15	
1,3-Dichlorobenzene	23.8	1.0	ug/l	25.0	ND	95	80-130	3	15	
1,4-Dichlorobenzene	24.2	1.0	ug/l	25.0	ND	97	80-125	2	10	
Dichlorodifluoromethane	26.8	5.0	ug/l	25.0	ND	107	60-140	2	45	
1,1-Dichloroethane	26.9	2.0	ug/l	25.0	ND	108	80-125	0	15	
1,2-Dichloroethane	30.0	1.0	ug/l	25.0	ND	120	60-145	2	20	*V1*
1,1-Dichloroethene	25.9	5.0	ug/l	25.0	ND	104	75-130	2	15	
cis-1,2-Dichloroethene	26.6	2.0	ug/l	25.0	ND	106	80-125	1	15	
trans-1,2-Dichloroethene	26.3	2.0	ug/l	25.0	ND	105	80-120	4	15	
1,2-Dichloropropane	24.9	2.0	ug/l	25.0	ND	100	80-125	2	15	
1,3-Dichloropropane	25.5	2.0	ug/l	25.0	ND	102	75-130	3	20	
2,2-Dichloropropane	23.2	2.0	ug/l	25.0	ND	93	60-135	2	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2629 Extracted: 09/26/06										
Matrix Spike Dup Analyzed: 09/26/2006 (P6I2629-MSD1)					**Source: PPI0386-03**					
1,1-Dichloropropene	24.6	2.0	ug/l	25.0	ND	98	80-125	1	15	
cis-1,3-Dichloropropene	23.3	2.0	ug/l	25.0	ND	93	75-120	1	15	
trans-1,3-Dichloropropene	23.5	2.0	ug/l	25.0	ND	94	75-130	4	25	
Ethylbenzene	24.7	2.0	ug/l	25.0	ND	99	80-130	1	15	
Hexachlorobutadiene	22.0	5.0	ug/l	25.0	ND	88	65-130	6	15	
2-Hexanone	24.9	10	ug/l	25.0	ND	100	40-150	2	35	
Iodomethane	26.1	2.0	ug/l	25.0	ND	104	70-140	4	15	
Isopropylbenzene	28.6	2.0	ug/l	25.0	ND	114	80-140	2	20	
p-Isopropyltoluene	25.1	2.0	ug/l	25.0	ND	100	80-135	3	20	
Methylene chloride	26.8	5.0	ug/l	25.0	ND	107	75-125	1	15	
4-Methyl-2-pentanone (MIBK)	25.1	10	ug/l	25.0	ND	100	40-140	4	35	
Methyl-tert-butyl Ether (MTBE)	27.7	5.0	ug/l	25.0	ND	111	65-135	0	30	
Naphthalene	23.2	2.0	ug/l	25.0	ND	93	60-140	4	30	
n-Propylbenzene	27.3	2.0	ug/l	25.0	ND	109	80-140	4	20	
Styrene	21.2	2.0	ug/l	25.0	ND	85	30-150	2	25	
1,1,1,2-Tetrachloroethane	23.1	5.0	ug/l	25.0	ND	92	80-130	3	15	
1,1,2,2-Tetrachloroethane	29.4	2.0	ug/l	25.0	ND	118	65-140	5	35	
Tetrachloroethene	21.9	2.0	ug/l	25.0	ND	88	80-130	1	15	
Toluene	24.3	2.0	ug/l	25.0	ND	97	80-130	0	15	
1,2,3-Trichlorobenzene	21.9	5.0	ug/l	25.0	ND	88	75-140	7	20	
1,2,4-Trichlorobenzene	20.5	5.0	ug/l	25.0	ND	82	80-135	4	15	
1,1,1-Trichloroethane	26.6	2.0	ug/l	25.0	ND	106	70-135	0	15	
1,1,2-Trichloroethane	24.8	2.0	ug/l	25.0	ND	99	70-135	1	25	
Trichloroethene	24.2	2.0	ug/l	25.0	ND	97	80-125	2	15	
Trichlorofluoromethane	28.4	5.0	ug/l	25.0	ND	114	70-140	1	15	
1,2,3-Trichloropropane	27.8	10	ug/l	25.0	ND	111	65-135	8	35	
1,2,4-Trimethylbenzene	26.0	2.0	ug/l	25.0	ND	104	75-130	1	15	
1,3,5-Trimethylbenzene	26.3	2.0	ug/l	25.0	ND	105	80-135	3	15	
Vinyl acetate	33.8	25	ug/l	25.0	ND	135	30-150	0	35	*V1*
Vinyl chloride	26.8	1.7	ug/l	25.0	ND	107	70-135	0	25	
Xylenes, Total	48.8	3.0	ug/l	50.0	ND	98	80-125	2	15	
Surrogate: Dibromofluoromethane	*30.5*		*ug/l*	*25.0*		*122*	*80-130*			
Surrogate: Toluene-d8	*26.3*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

DATA QUALIFIERS AND DEFINITIONS

L3	The associated blank spike recovery was above method acceptance limits.
M2	Matrix spike recovery was low, the method control sample recovery was acceptable.
N1	See case narrative.
R6	LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
V1	CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
ND	Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
RPD	Relative Percent Difference

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0447

Sampled: 09/13/06
Received: 09/14/06

Certification Summary

TestAmerica - Phoenix, AZ

Method	Matrix	Nelac	Arizona
EPA 8015B	Water	X	X
EPA 8260B	Water	X	X
NA	Water		

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

Subcontracted Laboratories

Transwest Geochem *Arizona Cert #AZ0133*
3725 E. Atlanta Ave Ste 1 - Phoenix, AZ 85040-2961

Analysis Performed: 8015B MOD-Low Level
Samples: PPI0447-05

Analysis Performed: Level III QC Package
Samples: PPI0447-05

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Phone 480-785-0043

COC # 37380 0609136

Page 1 of 1

Lab Use Only

Project No:

Job No.

Client Contact: (name, address)

Jennifer Holland

CH2M HILL

2625 South Plaza Dr STE 300

Tempe, AZ 85282

480-377-6287

Sampler: M Wiese

Project Number: PO #2959466

Site Name: Sky Harbor

Location of Site: Phoenix, AZ

Analysis Turnaround Time:

24 Hour -

7 Day -

14 Day -

21 Day -

28 Day -

	Sample Identification		Sample Date	Sample Time	Sample Type	Matrix	# of Cont.	Preservation Used	Use for MS / MSD	Filtered Sample	Unfiltered Sample	SW8015	SW8260	Lab Sample Numbers
	Location ID	Field Sample ID												
1	Trip Blank	TB-091306A	Sep 13 2006	0619	BLKWATER	WATER	1	X			X		X	PP10447-1
2	ASE-20B	ASE-20B-6C2	Sep 13 2006	0755	GW	WATER	3	X			X		X	2
3	ASE-20C	ASE-20C-6C2	Sep 13 2006	0840	GW	WATER	3	X			X		X	3
4	ASE-44B	ASE-44B-6C2	Sep 13 2006	0928	GW	WATER	3	X			X		X	4
5	ASE-66A	ASE-66A-6C2	Sep 13 2006	1006	GW	WATER	5	X			X	X	X	5
6	ASE-48B	ASE-48B-6C2	Sep 13 2006	1051	GW	WATER	3	X			X		X	6
7	~~ASE-19B~~	~~ASE-19B-6C2~~	~~Sep 13 2006~~		~~GW~~	~~WATER~~	~~3~~	~~X~~			~~X~~		~~X~~	
8	ASE-19C	ASE-19C-6C2	Sep 13 2006	1517	GW	WATER	3	X			X		X	7
~~9~~	~~ASE-49B~~	~~ASE-49B-6C2~~	~~Sep 13 2006~~		~~GW~~	~~WATER~~	~~3~~	~~X~~			~~X~~		~~X~~	
~~10~~	~~FIELDQC~~	~~PL-508-6C2~~	~~Sep 13 2006~~		~~GW~~	~~WATER~~	~~3~~ 5	~~X~~			~~X~~	~~X~~ 2	~~X~~	
11														
12														
13														
14														
15														
16														
17														
18														
19														
20														
21														
22														
23														

Special Instructions: Standard TAT 10 days. The SW8015 is for low level analysis and we need the raw data.

Relinquished by:	Company:	Date/Time:	Received by:	Company:
	HTS	09/14/06 1538		
Relinquished by:	Company:	Date/Time:	Received by:	Company:
Relinquished by:	Company:	Date/Time:	Received by:	Company:
		9/14/06 1538		TEST AMERICA

TestAmerica
ANALYTICAL TESTING CORPORATION

SUBCONTRACT ORDER - PROJECT # PPI0447

SENDING LABORATORY:

TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:

Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPI0447-05 Water Sampled: 09/13/06 10:06		
8015B MOD-Low Level-O	09/20/06 10:06	sub to Transwest, need transfer file for EDD
Level III QC Package-Out	09/08/07 10:06	Transwest/Columbia

Containers Supplied:

1 L Amber w/H2SO4 (PPI0447-05D)
1 L Amber w/H2SO4 (PPI0447-05E)

SAMPLE INTEGRITY:

All containers intact: ☐ Yes ☐ No
Custody Seals Present: ☐ Yes ☐ No
Sample labels/COC agree: ☐ Yes ☐ No
Samples Preserved Properly: ☐ Yes ☐ No
Samples Received On Ice: ☐ Yes ☐ No
Samples Received at (temp): _____

Released By	Date	Time	Received By	Date	Time

Released By	Date	Time	Received By	Date	Time

TRANSWEST GEOCHEM

October 05, 2006

Ken Baker
TestAmerica - Phoenix
9830 S. 51st Street
Suite B-120
Phoenix, AZ 85044

Re: PPI0447
Work Order No.: 0609264

Dear Ken,

Attached is the original Report of Analysis from Columbia Analytical Services, Inc. (AZ0604) for the sample received on 9/15/06. The following analysis was performed:

Method EPA 8015B – Fuel Characterization

If you have any questions regarding the results, please call me. We appreciate your business and thank you for choosing Transwest Geochem.

Sincerely,

Skip Harden
Project Manager

ADHS License No. AZM133/AZ0133

CONFIDENTIAL AND PRIVILEGED

[illegible] Avenue • Phoenix, Arizona 85040 • (602) 437-0330 • (800) 927-5183 • Fax (602) 437-0660
[illegible] Park [illegible] • Suite 301 • Tucson, Arizona 85714 • (520) 573-1061 • Fax (520) 573-1063

5090 Caterpillar Road Redding, California 96003 (530) 244-5227 (530) 244-4109 fax

Columbia Analytical Services INC.
An Employee - Owned Company

October 02, 2006

Service Request No: D0601380

Skip Harden
Transwest Geochem, Incorporated
3725 East Atlanta Avenue
Suite 2
Phoenix, AZ 85040-2960

RE: PPC/PPD PPI0447/0609264

Dear Skip:

Enclosed are the results of the sample(s) submitted to our laboratory on September 19, 2006. For your reference, these analyses have been assigned our service request number D0601380.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 112. You may also contact me via email at mhovanec@redding.caslab.com.

Respectfully submitted,

Columbia Analytical Services, Inc.

Michael Hovanec
Project Chemist

NELAP Accredited ACIL Seal of Excellence Award 100% Recycled

TABLE OF CONTENTS

CAS Service Request: D0601380
CAS Tier Level: III

PAGE	SECTION
1	Cover Page
2	Table of Contents
3	Current CAS Redding Accreditation Programs
4	Arizona Data Qualifiers
8	Sample Identification Cross-Reference
9	Case Narrative
11	Chain of Custody Documentation
14	Fuel Characterization

Current CAS Redding Accreditation Programs

Federal and National Programs

- U.S Air Force, Air Force Center for Environmental Excellence (AFCEE)
  Approved laboratory for Wastewater and Hazardous Waste
- U.S. Army Corps of Engineers – MRD, HTRW Mandatory Center of Expertise
  Validated for Wastewater and Hazardous Waste
- Department of the Navy, Naval Facilities Engineering Service Center (NFESC)
  Approved laboratory for Wastewater and Hazardous Waste

State and Local Programs

- State of Alaska, Department of Environmental Conservation
  Approved Laboratory for Contaminated Sites
  Lab ID UST-001
- State of Arizona, Department of Health Services, Office of Laboratory Licensure
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID AZ0604
- State of California, Department of Health Services, National Environmental Laboratory Accreditation Program **(NELAP)**
  Approved Laboratory for Drinking Water, Wastewater and Hazardous Waste
  Lab ID 01105CA
  - Los Angeles County Sanitation District
    Approved Laboratory for Wastewater
    Lab ID 10243
- State of California, Department of Health Services, Environmental Laboratory Accreditation Program (ELAP)
  Approved Laboratory for Microbiology of Drinking Water and Wastewater
  Lab ID 2635
- State of Florida, Department of Health, Bureau of Laboratories **(NELAP)**
  Approved Environmental Testing Laboratory for Wastewater and Hazardous Waste
  Lab ID E87203
- State of Kansas, Department of Health and Environment **(NELAP)**
  Approved Laboratory for Hazardous Waste
  Lab ID E-10323
- State of Massachusetts, Department of Environmental Protection
  Approved laboratory for Drinking Water and Wastewater
  Lab ID M-CA025
- State of Oklahoma, Department of Environmental Quality
  Approved Laboratory for General Water Quality/Sludge Testing
  Lab ID 9952
- State of Oregon, Environmental Laboratory Accreditation Program **(ORELAP)**
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID CA200004
- State of Utah, Department of Health, Bureau of Laboratory Improvement **(NELAP)**
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID QUAL1
- State of Washington, Department of Ecology
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID C1234
- State of Wisconsin, Department of Natural Resources
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID 999767340

Arizona Data Qualifiers

Revision 2.0, 11/26/2003

Developed by the Sub-committee of the
Arizona Environmental Laboratory Advisory Committee

Microbiology:

A1 = Too numerous to count.
A2 = Sample incubation period exceeded method requirement.
A3 = Sample incubation period was shorter than method requirement.
A4 = Target organism detected in associated method blank.
A5 = Incubator/water bath temperature was outside method requirements.
A6 = Target organism not detected in associated positive control.
A7 = Micro sample received without adequate headspace.

Method/calibration blank:

B1 = Target analyte detected in method blank at or above the method reporting limit.
B2 = Non-target analyte detected in method blank and sample, producing interference.
B3 = Target analyte detected in calibration blank at or above the method reporting limit.
B4 = Target analyte detected in blank at/above method acceptance criteria.
B5 = Target analyte detected in method blank at or above the method reporting limit, but below trigger level or MCL.
B6 = Target analyte detected in calibration blank at or above the method reporting limit, but below trigger level or MCL.
B7 = Target analyte detected in method blank at or above method reporting limit. Concentration found in the sample was 10 times above the concentration found in the method blank.

Confirmation:

C1 = Confirmatory analysis not performed as required by the method.
C3 = Qualitative confirmation performed.
C4 = Confirmatory analysis was past holding time.
C5 = Confirmatory analysis was past holding time. Original result not confirmed.
C6 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the higher value was reported as there was no obvious chromatographic interference.
C7 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic interference.

Dilution:

D1 = Sample required dilution due to matrix.
D2 = Sample required dilution due to high concentration of target analyte.
D3 = Sample dilution required due to insufficient sample.
D4 = Minimum reporting level (MRL) adjusted to reflect sample amount received and analyzed.

Estimated concentration:

E1 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not possible due to insufficient sample.
E2 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to sample matrix.
E3 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

E4 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL).
E5 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL), but not confirmed by alternate analysis.
E6 = Concentration estimated. Internal standard recoveries did not meet method acceptance criteria.
E7 = Concentration estimated. Internal standard recoveries did not meet laboratory acceptance criteria.
E8 = Analyte reported to MDL per project specification. Target analyte was not detected in the sample.

Hold time:
H1 = Sample analysis performed past holding time.
H2 = Initial analysis within holding time. Reanalysis for the required dilution was past holding time.
H3 = Sample was received and analyzed past holding time.
H4 = Sample was extracted past required extraction holding time, but analyzed within analysis holding time.

BOD:
K1 = The sample dilutions set-up for the BOD analysis did not meet the oxygen depletion criteria of at least 2 mg/L. Any reported result is an estimated value.
K2 = The sample dilutions set up for the BOD analysis did not meet the criteria of a residual dissolved oxygen of at least 1 mg/L. Any reported result is an estimated value.
K4 = The seed depletion was outside the method acceptance limits. The reported result is an estimated value.
K5 = The dilution water D.O. depletion was > 0.2 mg/L.
K6 = Glucose/glutamic acid BOD was below method acceptance criteria.
K7 = A discrepancy between the BOD and COD results has been verified by reanalysis of the sample for COD.
K8 = Glucose/glutamic acid BOD was above method acceptance levels.

Laboratory fortified blank/blank spike:

L1 = The associated blank spike recovery was above laboratory acceptance limits.
L2 = The associated blank spike recovery was below laboratory acceptance limits.
L3 = The associated blank spike recovery was above method acceptance limits.
L4 = The associated blank spike recovery was below method acceptance limits.

Matrix spike:
M1 = Matrix spike recovery was high, the method control sample recovery was acceptable.
M2 = Matrix spike recovery was low, the method control sample recovery was acceptable.
M3 = The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
M4 = The analysis of the spiked sample required a dilution such that the spike concentration was diluted below the reporting limit. The method control sample recovery was acceptable.
M5 = Analyte concentration was determined by the method of standard addition (MSA).

M6 = Matrix spike recovery was high. Data reported per ADEQ policy 0154.000.
M7 = Matrix spike recovery was low. Data reported per ADEQ policy 0154.000.

General:
N1 = See case narrative.
N2 = See corrective action report.
N3 = The analysis meets all method requirements. See case narrative.

Sample quality:
Q1 = Sample integrity was not maintained. See case narrative.
Q2 = Sample received with headspace.
Q3 = Sample received with improper chemical preservation.
Q4 = Sample received and analyzed without chemical preservation.
Q5 = Sample received with inadequate chemical preservation, but preserved by the laboratory.
Q6 = Sample was received above recommended temperature.
Q7 = Sample inadequately dechlorinated.
Q8 = Insufficient sample received to meet method QC requirements. Batch QC requirements satisfies ADEQ policies 0154 and 0155.
Q9 = Insufficient sample received to meet method QC requirements.
Q10 = Sample received in inappropriate sample container.
Q11 = Sample is heterogeneous. Sample homogeneity could not be readily achieved using routine laboratory practices.

Duplicates:
R1 = RPD exceeded the method control limit. See case narrative.
R2 = RPD exceeded the laboratory control limit. See case narrative.
R4 = MS/MSD RPD exceeded the method control limit. Recovery met acceptance criteria.
R5 = MS/MSD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R6 = LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
R7 = LFB/LFBD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R8 = Sample RPD exceeded the method control limit.
R9 = Sample RPD exceeded the laboratory control limit.
R10 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic problems.
R11 = The RPD calculation for MS/MSD does not provide useful information due to the varying sample weights when Encore samplers/methanol field preserved samples are used.

Surrogate:
S1 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits.
S3 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits. No target analytes were detected in the sample.
S4 = Surrogate recovery was above laboratory and method acceptance limits. No target analytes were detected in the sample.
S5 = Surrogate recovery was below laboratory acceptance limits, but within method acceptance limits.
S6 = Surrogate recovery was below laboratory and method acceptance limits. Reextraction and/or reanalysis confirms low recovery caused by matrix effect.

S7 = Surrogate recovery was below laboratory and method acceptance limits. Unable to confirm matrix effect.
S8 = The analysis of the sample required a dilution such that the surrogate recovery calculation does not provide any useful information. The method control sample recovery was acceptable.
S10 = Surrogate recovery was above laboratory and method acceptance limits. See Case narrative.
S11 = Surrogate recovery was high. Data reported per ADEQ policy 0154.000.
S12 = Surrogate recovery was low. Data reported per ADEQ policy 0154.000.

Method/analyte discrepancies:
T1 = Method approved by EPA, but not yet licensed by ADHS.
T2 = Cited ADHS licensed method does not contain this analyte as part of method compound list.
T3 = Method not promulgated either by EPA or ADHS.
T4 = Tentatively identified compound. Concentration is estimated and based on the closest internal standard.

Calibration verification:
V1 = CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
V2 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample. The sample could not be reanalyzed due to insufficient sample.
V3 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample, but the sample was not reanalyzed. See case narrative.
V4 = CCV recovery was below method acceptance limits. The sample could not be reanalyzed due to insufficient sample.
V5 = CCV recovery after a group of samples was above acceptance limits. This target analyte was not detected in the sample. Acceptable per EPA Method 8000B.
V6 = Data reported from one-point calibration criteria per ADEQ policy 0155.000.
V7 = Calibration verification recovery was above the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.
V8 = Calibration verification recovery was below the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.

Calibration:
W1 = The % RSD for this compound was above 20%. The average % RSD for all compounds in the calibration met the 20% criteria as specified in EPA method 8000B.
W2 = The % RSD for this compound was above 15%. The average % RSD for all compounds in the calibration met the 15% criteria as specified in EPA method 8260B/8270C.

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0447/0609264

Service Request: D0601380

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
D0601380-001	PPI0447	09/13/06	10:06

CASE NARRATIVE

COLUMBIA ANALYTICAL SERVICES, INC.

Client:	Transwest Geochem, Incorporated	**Service Request No.:**	D0601380
Project:	PPC/PPD PPI0447	**Date Received:**	09/19/06
Sample Matrix:	Aqueous		

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of Columbia Analytical Services, Inc. (CAS).This report contains analytical results for samples designated for Tier III data deliverables.

Sample Receipt

1 Aqueous sample was received for analysis at Columbia Analytical Services on 09/19/06.

No discrepancies were noted upon initial sample inspection. The samples were received in good condition and consistent with the accompanying chain of custody form. The samples were stored in a refrigerator at 4 degrees Celsius upon receipt at the laboratory.

Fuel Characterization by EPA Method 8015B

Insufficient sample volume was received to perform a Matrix Spike/Matrix Spike Duplicate (MS/MSD). A Laboratory Control Sample/Duplicate Laboratory Control Sample (LCS/DLCS) was analyzed in order to report precision data.

No anomalies associated with the analysis of these samples were observed.

Approved by: Michael C Horance **Date:** 10/2/06

CHAIN OF CUSTODY DOCUMENTATION

TRANSWEST GEOCHEM

CHAIN-OF-CUSTODY

[redacted]

Skip Harden
3725 E. Atlanta Avenue
Suite 2
Phoenix, AZ 85040
TEL: (602) 437-0330
FAX: (602) 437-0660

Work Order: 0609264

Project: PPI0447

Subcontractor:
Columbia Analytical Services
5090 Caterpillar Rd.
Redding, CA 96003
TEL: (530) 244-5227
FAX: (530) 244-4109

18-Sep-06

Client Sample ID	TGI ID	Matrix	Collection Date	Containers	Requested Tests						
					8015MOD_W						
PPI0447-05	01A	Water	9/13/2006 10:06:00 AM	1	1						

Low Level

Del Mar Transfer Files needed

Level III QC package required

Comments After analysis, the samples do not need to be returned and can be disposed per your standard laboratory practices. Please provide a QC report, including Method Blank data.

Sample Receipt		
Temperature:	Ambient / Cold	Ice:
Received Intact:		Absent / Present
Custody Seals:		Wet / Blue
Total No. of Containers:		° C.

		Date/Time			Date/Time
Relinquished by:	Leslie May - TGI	9/18/06 1600	Received by:	UPS	
Relinquished by:			Received by:		
Relinquished by:	K Maze	9.19.06 09:45	Received by:		

Columbia Analytical Services inc.
An Employee-Owned Company

5090 Caterpillar Road
Redding, CA 96003
Phone: (530) 244-5262
Fax #: (530) 244-4109

[redacted]

COOLER RECEIPT FORM

Project/Client: _____ Batch No

1. Cooler(s)/Sample(s) received on: 9·19·06 Shipped via: UPS

   Shipping Bill # (s): _____ # of Coolers/Packages 3

2. Radiological Screening by: _____ Acceptable Rejected

3. Custody seals on outside of cooler? YES NO N/A
   If yes, where? Front ✓ Rear ____ Lt Side ____ Rt Side ____

   Seals intact: YES NO

COOLER/SAMPLE PROCESSING

4. Sample Processing/Tagging by: KM

5. Cooler(s)/Sample(s) Temp's: 2.0C ____ ____ ____ ____
   (or)
   Temp. Blank (if included): ✓ ____ ____ ____ ____

6. Type of packing material (circle): Ice Blue Ice Bubble Wrap Bubble Bags Zip Locks Webbing
   Other: _____

7. Custody papers properly filled out (ink, signed, dated, released, etc.)? YES NO

8. Containers arrived in good condition (not broken, leaking, etc.)? YES NO

9. Samples received with adequate holding time remaining to conduct analysis? YES NO

10. Container labels complete (i.e. analysis, preservation, date/time, etc.)? YES NO

11. Container labels and tags agree with custody papers? YES NO

12. Correct types of containers used for the tests indicated? YES NO

    a.) Adequate sample received? If not, note on Exception Report. YES NO

13. Containers supplied by: CAS Other

14. Preserved containers received with the appropriate preservative? YES NO N/A
    pH: <2 H_2SO_4 (or) See pH log.

15. VOA vials free of air bubbles? YES NO N/A

16. Trip Blank preparation date: _____ CAS Other N/A

17. Volatile Soil samples: Encores or Plugs in Vials
    Freezer or GC/MS Date: _____ Time: _____ N/A

See Exception Report for discrepancies.

Rev. 8/18/2004/ds

Fuel Characterization

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0447/0609264

Service Request: D0601380

Cover Page - Organic Analysis Data Package
Hydrocarbon Scan / Fuel Characterization

Sample Name	Lab Code	Date Collected	Date Received
PPI0447	D0601380-001	09/13/2006	09/19/2006

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the case narrative. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: Wida Ang

Name: WIDA ANG

Date: 9/29/06

Title: Organic Manager

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601380
Project:	PPC/PPD PPI0447/0609264	**Date Collected:**	09/13/2006
Sample Matrix:	Water	**Date Received:**	09/19/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0447	**Units:**	ug/L
Lab Code:	D0601380-001	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	51	1	09/27/06	09/28/06	
C23 - C32 HRO	ND	U	51	1	09/27/06	09/28/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	72	40-150	09/28/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601380
Project:	PPC/PPD PPI0447/0609264	**Date Collected:**	NA
Sample Matrix:	Water	**Date Received:**	NA

Hydrocarbon Scan / Fuel Characterization

Sample Name:	Method Blank	**Units:**	ug/L
Lab Code:	LWG0600817-3	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	50	1	09/27/06	09/28/06	
C23 - C32 HRO	ND	U	50	1	09/27/06	09/28/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	74	40-150	09/28/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0447/0609264
Sample Matrix: Water

Service Request: D0601380

Surrogate Recovery Summary
Hydrocarbon Scan / Fuel Characterization

Extraction Method: EPA 3510C
Analysis Method: 8015B

Units: PERCENT
Level: Low

Sample Name	Lab Code	Sur1
PPI0447	D0601380-001	72
Method Blank	LWG0600817-3	74
Lab Control Sample	LWG0600817-1	75
Duplicate Lab Control Sample	LWG0600817-2	72

Surrogate Recovery Control Limits (%)

Sur1 =	Octacosane	40-150

Results flagged with an asterisk (*) indicate values outside control criteria.
Results flagged with a pound (#) indicate the control criteria is not applicable.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601380
Project:	PPC/PPD PPI0447/0609264	**Date Extracted:**	09/27/2006
Sample Matrix:	Water	**Date Analyzed:**	09/28/2006

Lab Control Spike/Duplicate Lab Control Spike Summary
Hydrocarbon Scan / Fuel Characterization

Extraction Method:	EPA 3510C	**Units:**	ug/L
Analysis Method:	8015B	**Basis:**	NA
		Level:	Low
		Extraction Lot:	LWG0600817

	Lab Control Sample LWG0600817-1 Lab Control Spike			Duplicate Lab Control Sample LWG0600817-2 Duplicate Lab Control Spike					
Analyte Name	**Result**	**Expected**	**%Rec**	**Result**	**Expected**	**%Rec**	**%Rec Limits**	**RPD**	**RPD Limit**
C13 - C22 DRO	1590	2500	64	1500	2500	60	50-140	6	30

Results flagged with an asterisk (*) indicate values outside control criteria.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601380
Project:	PPC/PPD PPI0447/0609264	**Date Extracted:**	09/27/2006
Sample Matrix:	Water	**Date Analyzed:**	09/28/2006
		Time Analyzed:	12:18

Method Blank Summary
Hydrocarbon Scan / Fuel Characterization

Sample Name:	Method Blank	**File ID:**	Q:\TARGET\CHEM\GCQ.I\092806\0928004.
Lab Code:	LWG0600817-3	**Instrument ID:**	GCQ
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B	**Extraction Lot:**	LWG0600817

This Method Blank applies to the following analyses:

Sample Name	Lab Code	File ID	Date Analyzed	Time Analyzed
Lab Control Sample	LWG0600817-1	Q:\TARGET\CHEM\GCQ.I\092806\0928005.D	09/28/06	12:57
Duplicate Lab Control Sample	LWG0600817-2	Q:\TARGET\CHEM\GCQ.I\092806\0928006.D	09/28/06	13:37
PPI0447	D0601380-001	Q:\TARGET\CHEM\GCQ.I\092806\0928007.D	09/28/06	14:17

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0447/0509264
Sample Matrix: Water

Service Request: D0601380

Lab Control Sample/Duplicate Lab Control Sample Summary
Hydrocarbon Scan / Fuel Characterization

Sample Name:	Lab Control Sample	**Sample Name:**	Duplicate Lab Control Sample
Lab Code:	LWG0600817-1	**Lab Code:**	LWG0600817-2
File ID:	Q:\TARGET\CHEM\GCQ.I\092806\0928005.D	**File ID:**	Q:\TARGET\CHEM\GCQ.I\092806\0928006.D
Instrument ID:	GCQ	**Instrument ID:**	GCQ
Date Extracted:	09/27/2006	**Date Extracted:**	09/27/2006
Date Analyzed:	09/28/2006	**Date Analyzed:**	09/28/2006
Time Analyzed:	12:57	**Time Analyzed:**	13:37

Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B	**Extraction Lot:**	LWG0600817

These Lab Control Samples apply to the following analyses:

Sample Name	Lab Code	File ID	Date Analyzed	Time Analyzed
Method Blank	LWG0600817-3	Q:\TARGET\CHEM\GCQ.I\092806\0928004.D	09/28/06	12:18
PPI0447	D0601380-001	Q:\TARGET\CHEM\GCQ.I\092806\0928007.D	09/28/06	14:17

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Results

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0447/0609264

Service Request: D0601380
Calibration Date: 09/15/2006

Initial Calibration Summary
Hydrocarbon Scan / Fuel Characterization

Calibration ID: CAL1196
Instrument ID: GCQ

Column: RTX-5

Level ID	File ID	Level ID	File ID
A	C:\HPCHEM\1\DATA\091506\0915004.D	E	C:\HPCHEM\1\DATA\091506\0915008.D
B	C:\HPCHEM\1\DATA\091506\0915005.D	F	C:\HPCHEM\1\DATA\091506\0915009.D
C	C:\HPCHEM\1\DATA\091506\0915006.D	G	C:\HPCHEM\1\DATA\091506\0915010.D
D	C:\HPCHEM\1\DATA\091506\0915007.D	H	C:\HPCHEM\1\DATA\091506\0915011.D

Analyte Name	Level ID	Amt	RF	Level ID	Amt	RF	Level ID	Amt	RF	Level ID	Amt	RF	Level ID	Amt	RF
C13 - C22 DRO	A	5.0	1.02E+5	B	10	1.05E+5	C	50	1.07E+5	D	100	1.03E+5	E	500	97100
	F	1000	94600	G	2500	91400	H	5000	87800						
C23 - C32 HRO	A	5.0	78300	B	10	76600	C	50	74400	D	100	74900	E	500	68100
	F	1000	66900	G	2500	64100	H	5000	62000						
Octacosane	A	2.5	1.47E+5	B	5.0	94000	C	25	99900	D	50	98900	E	75	97700
	F	130	96300	G	150	95300	H	300	96700						

Results flagged with an asterisk (*) indicate values outsi le control criteria.

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI044'/0609264

Service Request: D0601380
Calibration Date: 09/15/2006

Initial Calibration Summary
Hydrocarbon Scan / Fuel Characterization

Calibration ID: CAL1196
Instrument ID: GCQ

Column: RTX-5

Analyte Name	Compound Type	Calibration Evaluation				
		Fit Type	Eval.	Eval. Result	Q	Control Criteria
C13 - C22 DRO	MS	AverageRF	% RSD	6.9		≤ 20
C23 - C32 HRO	TRG	AverageRF	% RSD	8.7		≤ 20
Octacosane	SURR	AverageRF	% RSD	17.3		≤ 20

Results flagged with an asterisk (*) indicate values outsi le control criteria.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Results

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0447/0609264

Service Request: D0601380
Calibration Date: 09/15/2006
Date Analyzed: 09/16/2006

Second Source Calibration Verification
Hydrocarbon Scan / Fuel Characterization

Calibration Type: External Standard
Analysis Method: 8015B

Calibration ID: CAL1196
Units: mg/L

File ID: C:\HPCHEM\1\DATA\091506\0915015.D

Column ID: RTX-5

Analyte Name	Expected	Result	Average RF	SSV RF	%D	%Drift	Criteria	Curve Fit
C13 - C22 DRO	1000	860	98400	84700	-14	NA	± 30 %	AverageRF
C23 - C32 HRO	1000	850	70700	60100	-15	NA	± 30 %	AverageRF

Results flagged with an asterisk (*) indicate values outs de control criteria.

+ SPCC Compound **‡ CCC Compound**

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Results

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0447/0609264

Service Request: D0601380
Date Analyzed: 09/28/2006

Continuing Calibration Verification Summary
Hydrocarbon Scan / Fuel Characterization

Calibration Type: External Standard
Analysis Method: 8015B

Calibration Date: 09/15/2006
Calibration ID: CAL1196
Analysis Lot: LWG0600819
Units: mg/L

File ID: C:\HPCHEM\1\DATA\092806\0928003.D

Column ID: RTX-5

Analyte Name	Expected	Result	Average RF	CCV RF	%D	%Drift	Criteria	Curve Fit
C13 - C22 DRO	1000	980	98400	96800	-2	NA	± 15 %	AverageRF
C23 - C32 HRO	1000	1100	70700	79000	12	NA	± 15 %	AverageRF
Octacosane	130	120	103000	98500	-5	NA	± 25 %	AverageRF

Results flagged with an asterisk (*) indicate values outside control criteria.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Results

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0447/0609264

Service Request: D0601380
Date Analyzed: 09/28/2006

Continuing Calibration Verification Summary
Hydrocarbon Scan / Fuel Characterization

Calibration Type: External Standard
Analysis Method: 8015B

Calibration Date: 09/15/2006
Calibration ID: CAL1196
Analysis Lot: LWG0600819
Units: mg/L

File ID: C:\HPCHEM\1\DATA\092806\0928010.D

Column ID: RTX-5

Analyte Name	Expected	Result	Average RF	CCV RF	%D	%Drift	Criteria	Curve Fit
C13 - C22 DRO	500	490	98400	96900	-2	NA	± 15 %	AverageRF
C23 - C32 HRO	500	560	70700	79000	12	NA	± 15 %	AverageRF
Octacosane	75	73	103000	101000	-2	NA	± 25 %	AverageRF

Results flagged with an asterisk (*) indicate values outside control criteria.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Results

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0447/0609264

Service Request: D0601380
Date Analyzed: 09/28/2006

Continuing Calibration Verification Summary
Hydrocarbon Scan / Fuel Characterization

Calibration Type: External Standard
Analysis Method: 8015B

Calibration Date: 09/15/2006
Calibration ID: CAL1196
Analysis Lot: LWG0600819
Units: mg/L

File ID: C:\HPCHEM\1\DATA\092806\0928018.D

Column ID: RTX-5

Analyte Name	Expected	Result	Average RF	CCV RF	%D	%Drift	Criteria	Curve Fit
C13 - C22 DRO	1000	960	98400	94800	-4	NA	± 15 %	AverageRF
C23 - C32 HRO	1000	1100	70700	75700	7	NA	± 15 %	AverageRF
Octacosane	130	130	103000	107000	3	NA	± 25 %	AverageRF

Results flagged with an asterisk (*) indicate values outside control criteria.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601380
Project:	PPC/PPD PPI0447/0609264	**Date Analyzed:**	09/29/2006

Continuing Calibration Verification Summary
Hydrocarbon Scan / Fuel Characterization

Calibration Type:	External Standard	**Calibration Date:**	09/15/2006
Analysis Method:	8015B	**Calibration ID:**	CAL1196
		Analysis Lot:	LWG0600819
		Units:	mg/L
File ID:	C:\HPCHEM\1\DATA\092806\0928025.D	**Column ID:**	RTX-5

Analyte Name	Expected	Result	Average RF	CCV RF	%D	%Drift	Criteria	Curve Fit
C13 - C22 DRO	500	470	98400	92200	-6	NA	± 15 %	AverageRF
C23 - C32 HRO	500	520	70700	73400	4	NA	± 15 %	AverageRF
Octacosane	75	78	103000	107000	4	NA	± 25 %	AverageRF

Results flagged with an asterisk (*) indicate values outside control criteria.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601380
Project:	PPC/PPD PPI0447/0609264	**Date Analyzed:**	09/29/2006

Continuing Calibration Verification Summary
Hydrocarbon Scan / Fuel Characterization

Calibration Type:	External Standard	**Calibration Date:**	09/15/2006
Analysis Method:	8015B	**Calibration ID:**	CAL1196
		Analysis Lot:	LWG0600819
		Units:	mg/L
File ID:	C:\HPCHEM\1\DATA\092806\0928031.D	**Column ID:**	RTX-5

Analyte Name	Expected	Result	Average RF	CCV RF	%D	%Drift	Criteria	Curve Fit
C13 - C22 DRO	1000	970	98400	95000	-3	NA	± 15 %	AverageRF
C23 - C32 HRO	1000	1100	70700	77300	9	NA	± 15 %	AverageRF
Octacosane	130	120	103000	96600	-6	NA	± 25 %	AverageRF

Results flagged with an asterisk (*) indicate values outside control criteria.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Results

Client: Transwest Geochem, Incorporated **Service Request:** D0601380
Project: PPC/PPD PPI0447/0609264

Analysis Run Log
Hydrocarbon Scan / Fuel Characterization

Analysis Method: 8015B

Analysis Lot: LWG0600819
Instrument ID: GCQ
Column: RTX-5

File ID	Sample Name	Lab Code	Date Analysis Started	Start Time	Q	Date Analysis Finished	Finish Time
\0928003.D	Continuing Calibration Verification	LWG0600819-1	9/28/2006	11:38		9/28/2006	12:09
\0928004.D	Method Blank	LWG0600817-3	9/28/2006	12:18		9/28/2006	12:49
\0928005.D	Lab Control Sample	LWG0600817-1	9/28/2006	12:57		9/28/2006	13:28
\0928006.D	Duplicate Lab Control Sample	LWG0600817-2	9/28/2006	13:37		9/28/2006	14:08
\0928007.D	PPI0447	D0601380-001	9/28/2006	14:17		9/28/2006	14:48
\0928008.D	ZZZZZZ	ZZZZZZ	9/28/2006	14:56		9/28/2006	15:27
\0928009.D	ZZZZZZ	ZZZZZZ	9/28/2006	15:36		9/28/2006	16:07
\0928010.D	Continuing Calibration Verification	LWG0600819-2	9/28/2006	16:16		9/28/2006	16:47
\0928011.D	ZZZZZZ	ZZZZZZ	9/28/2006	16:56		9/28/2006	17:27
\0928012.D	ZZZZZZ	ZZZZZZ	9/28/2006	17:36		9/28/2006	18:07
\0928013.D	ZZZZZZ	ZZZZZZ	9/28/2006	18:16		9/28/2006	18:47
\0928014.D	ZZZZZZ	ZZZZZZ	9/28/2006	18:56		9/28/2006	19:27
\0928015.D	ZZZZZZ	ZZZZZZ	9/28/2006	19:35		9/28/2006	20:06
\0928016.D	ZZZZZZ	ZZZZZZ	9/28/2006	20:15		9/28/2006	20:46
\0928017.D	ZZZZZZ	ZZZZZZ	9/28/2006	20:55		9/28/2006	21:26
\0928018.D	Continuing Calibration Verification	LWG0600819-3	9/28/2006	21:35		9/28/2006	22:06
\0928019.D	ZZZZZZ	ZZZZZZ	9/28/2006	22:14		9/28/2006	22:45
\0928020.D	ZZZZZZ	ZZZZZZ	9/28/2006	22:54		9/28/2006	23:25
\0928021.D	ZZZZZZ	ZZZZZZ	9/28/2006	23:34		9/29/2006	00:05
\0928022.D	ZZZZZZ	ZZZZZZ	9/29/2006	00:13		9/29/2006	00:44
\0928023.D	ZZZZZZ	ZZZZZZ	9/29/2006	00:53		9/29/2006	01:24
\0928024.D	ZZZZZZ	ZZZZZZ	9/29/2006	01:33		9/29/2006	02:04
\0928025.D	Continuing Calibration Verification	LWG0600819-4	9/29/2006	02:12		9/29/2006	02:43
\0928026.D	ZZZZZZ	ZZZZZZ	9/29/2006	02:52		9/29/2006	03:23
\0928027.D	ZZZZZZ	ZZZZZZ	9/29/2006	03:32		9/29/2006	04:03
\0928028.D	ZZZZZZ	ZZZZZZ	9/29/2006	04:11		9/29/2006	04:42
\0928029.D	ZZZZZZ	ZZZZZZ	9/29/2006	04:51		9/29/2006	05:22
\0928030.D	ZZZZZZ	ZZZZZZ	9/29/2006	05:30		9/29/2006	06:01
\0928031.D	Continuing Calibration Verification	LWG0600819-5	9/29/2006	06:10		9/29/2006	06:41

Results flagged with an asterisk (*) indicate the holding time was exceeded for the analysis

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Results

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0447/0609264
Sample Matrix: Water

Service Request: D0601380
Date Extracted: 09/27/2006

Extraction Prep Log
Hydrocarbon Scan / Fuel Characterization

Extraction Method: EPA 3510C
Analysis Method: 8015B

Extraction Lot: LWG0600817
Level: Low

Sample Name	Lab Code	Date Collected	Date Received	Sample Amount	Final Volume	% Solids	Arizon
PPI0447	D0601380-001	09/13/06	09/19/06	0.99L	1ml	NA	
Method Blank	LWG0600817-3	NA	NA	1.00L	1ml	NA	
Lab Control Sample	LWG0600817-1	NA	NA	1.00L	1ml	NA	
Duplicate Lab Control Sample	LWG0600817-2	NA	NA	1.00L	1ml	NA	

Results flagged with an asterisk (*) indicate the holding time was exceeded for the analysis

Sub

TRANSWEST GEOCHEM

Sample Receipt Checklist

Client Name: Test America

Date and Time Received: 9/15/06 1315

Work Order Number: 0609264

Checked by: lm

Checklist completed by: Leslie May 9/15/06
Signature / Date

Logged In by: SH 9/18/06
Initials / Date

Matrix: Water Carrier Name: (Client) TGI _____

Reviewed by: MD 9/19/06
Initials / Date

				COMMENTS
Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐	
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☑	
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑	
Chain of custody present?	Yes ☑	No ☐		
Chain of custody signed when relinquished and received?	Yes ☑	No ☐		
Chain of custody agrees with sample labels?	Yes ☑	No ☐		
Samples in proper container/bottle?	Yes ☑	No ☐		
Sample containers intact?	Yes ☑	No ☐		
Sufficient sample volume for indicated test?	Yes ☑	No ☐		
All samples received within holding time?	Yes ☑	No ☐		
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	Temp: 3.4	Sampled < 2hrs ☐
Water – VOA vials have zero headspace?	Yes ☑	No ☐	N/A ☐	EP
Water – pH acceptable upon receipt?	Yes ☑	No ☐	N/A ☐	Checked by: lm
Water – Sulfides present in Cyanide samples?	Yes ☐	No ☐	N/A ☑	
Sample considered Drinking Water for metal analysis?	Yes ☐	No ☐	N/A ☐	

Client contacted: _____ Date contacted: _____ Person contacted: _____

Contacted by: _____ Regarding: _____

Corrective Action: _____

TestAmerica
ANALYTICAL TESTING CORPORATION

0609264

SUBCONTRACT ORDER - PROJECT # PPI0447

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration		Comments
Sample ID: PPI0447-05 Water Sampled: 09/13/06 10:06			
8015B MOD-Low Level-O	09/20/06 10:06	/	sub to Transwest, need transfer file for EDD PH 2

Containers Supplied:
1 L Amber w/H2SO4 (PPI0447-05D)
1 L Amber w/H2SO4 (PPI0447-05E)

SAMPLE INTEGRITY:

All containers intact: ☑ Yes ☐ No
Custody Seals Present: ☐ Yes ☑ No
Sample labels/COC agree: ☑ Yes ☐ No
Samples Preserved Properly: ☑ Yes ☐ No
Samples Received On Ice:: ☑ Yes ☐ No
Samples Received at (temp): 3.4

Released By	Date	Time	Received By	Date	Time
MDV	9/15/6	1300	[illegible]	9/15/6	1300
[illegible]	9/15/6	1315	Leslie May - TGI	9/15/06	1315

TestAmerica
ANALYTICAL TESTING CORPORATION

Rec'd 9/13 @ 1:00 pm

SUBCONTRACT ORDER - PROJECT # PPI0447

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPI0447-05 Water Sampled: 09/13/06 10:06		
8015B MOD-Low Level-O	09/20/06 10:06	sub to Transwest, need transfer file for EDD
Level III QC Package-Out	09/08/07 10:06	Transwest/Columbia

Containers Supplied:
1 L Amber w/H2SO4 (PPI0447-05D)
1 L Amber w/H2SO4 (PPI0447-05E)

SAMPLE INTEGRITY:

All containers intact: ☐ Yes ☐ No
Custody Seals Present: ☐ Yes ☐ No
Sample labels/COC agree: ☐ Yes ☐ No
Samples Preserved Properly: ☐ Yes ☐ No
Samples Received On Ice: ☐ Yes ☐ No
Samples Received at (temp): _____

Released By	Date	Time	Received By	Date	Time

Released By	Date	Time	Received By	Date	Time

TestAmerica
ANALYTICAL TESTING CORPORATION

9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

LABORATORY REPORT

Prepared For: CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project: Honeywell-Sky Harbor-PO# 2959460

Sampled: 09/14/06
Received: 09/14/06
Issued: 10/25/06 15:25

NELAP #01109CA Arizona DHS#AZ0426

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.
This entire report was reviewed and approved for release.

CASE NARRATIVE

LABORATORY ID	CLIENT ID	MATRIX
PPI0448-01	TB-091406B	Water
PPI0448-02	ASE-126A-6C2	Water
PPI0448-03	ASE-97A-6C2	Water
PPI0448-04	ASE-90A-6C2	Water
PPI0448-05	ASE-105A-6C2	Water
PPI0448-06	ASE-112A-6C2	Water
PPI0448-07	ASE-89A-6C2	Water
PPI0448-08	BC-8C-6C2	Water
PPI0448-09	BC-8B-6C2	Water
PPI0448-10	BC-8A-6C2	Water
PPI0448-11	ASE-84A-6C2	Water
PPI0448-12	ASE-84C-6C2	Water
PPI0448-13	ASE-114A-6C2	Water

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe 2625 S. Plaza Drive, Ste. 300 Tempe, AZ 85282 Attention: Jennifer Holland	Project ID: Honeywell-Sky Harbor-PO# 2959460 Report Number: PPI0448	Sampled: 09/14/06 Received: 09/14/06

SAMPLE RECEIPT:	Samples were received intact, at 3°C and with chain of custody documentation.
HOLDING TIMES:	All samples were analyzed within prescribed holding times and/or in accordance with the TestAmerica Sample Acceptance Policy unless otherwise noted in the report.
PRESERVATION:	Samples requiring preservation were verified prior to sample analysis.
QA/QC CRITERIA:	All analyses met method criteria, except as noted in the report with data qualifiers.
COMMENTS:	N1: Laboratory Control Sample recovery was above the method control limits. Analyte not detected, data not impacted.
SUBCONTRACTED:	Refer to the last page for specific subcontract laboratory information included in this report.

Reviewed By:

Ken Baker

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0448-01 (TB-091406B - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2620	20	ND	1	9/26/2006	9/26/2006	
Benzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Bromobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromochloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromodichloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Bromoform	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromomethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Butanone (MEK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
n-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
sec-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
tert-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon Disulfide	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon tetrachloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Chloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chloroform	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Chloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Dibromochloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	V1
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Dibromomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichloroethane	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	V1
1,1-Dichloroethene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
2,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Ethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Hexachlorobutadiene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Hexanone	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0448-01 (TB-091406B - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Isopropylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
p-Isopropyltoluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Methylene chloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Naphthalene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
n-Propylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Styrene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Tetrachloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Toluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Trichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Trichlorofluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Vinyl acetate	EPA 8260B	P6I2620	25	ND	1	9/26/2006	9/26/2006	
Vinyl chloride	EPA 8260B	P6I2620	1.7	ND	1	9/26/2006	9/26/2006	
Xylenes, Total	EPA 8260B	P6I2620	3.0	ND	1	9/26/2006	9/26/2006	
Surrogate: Dibromofluoromethane (80-130%)				*121 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*101 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0448-02 (ASE-126A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2620	20	ND	1	9/26/2006	9/26/2006	
Benzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Bromobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromochloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromodichloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Bromoform	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromomethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Butanone (MEK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
n-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
sec-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
tert-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon Disulfide	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon tetrachloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Chloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chloroform	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Chloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Dibromochloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	V1
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Dibromomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloroethane	EPA 8260B	P6I2620	2.0	**15**	1	9/26/2006	9/26/2006	
1,2-Dichloroethane	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	V1
1,1-Dichloroethene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
2,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Ethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Hexachlorobutadiene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Hexanone	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0448-02 (ASE-126A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Isopropylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
p-Isopropyltoluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Methylene chloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Naphthalene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
n-Propylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Styrene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Tetrachloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Toluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Trichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Trichlorofluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Vinyl acetate	EPA 8260B	P6I2620	25	ND	1	9/26/2006	9/26/2006	
Vinyl chloride	EPA 8260B	P6I2620	1.7	ND	1	9/26/2006	9/26/2006	
Xylenes, Total	EPA 8260B	P6I2620	3.0	ND	1	9/26/2006	9/26/2006	
Surrogate: Dibromofluoromethane (80-130%)				*129 %*				
Surrogate: Toluene-d8 (80-120%)				*109 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*100 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0448-03 (ASE-97A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2620	20	ND	1	9/26/2006	9/26/2006	
Benzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Bromobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromochloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromodichloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Bromoform	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromomethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Butanone (MEK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
n-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
sec-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
tert-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon Disulfide	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon tetrachloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Chloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chloroform	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Chloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Dibromochloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	V1
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Dibromomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloroethane	EPA 8260B	P6I2620	2.0	**9.1**	1	9/26/2006	9/26/2006	
1,2-Dichloroethane	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	V1
1,1-Dichloroethene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
2,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Ethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Hexachlorobutadiene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Hexanone	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0448-03 (ASE-97A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Isopropylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
p-Isopropyltoluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Methylene chloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Naphthalene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
n-Propylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Styrene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Tetrachloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Toluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Trichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Trichlorofluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Vinyl acetate	EPA 8260B	P6I2620	25	ND	1	9/26/2006	9/26/2006	
Vinyl chloride	EPA 8260B	P6I2620	1.7	ND	1	9/26/2006	9/26/2006	
Xylenes, Total	EPA 8260B	P6I2620	3.0	ND	1	9/26/2006	9/26/2006	
Surrogate: Dibromofluoromethane (80-130%)				*131 %*				*S11*
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*100 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0448-04 (ASE-90A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2620	20	ND	1	9/26/2006	9/26/2006	
Benzene	EPA 8260B	P6I2620	1.0	**7.4**	1	9/26/2006	9/26/2006	
Bromobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromochloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromodichloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Bromoform	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromomethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Butanone (MEK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
n-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
sec-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
tert-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon Disulfide	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon tetrachloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Chloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chloroform	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Chloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Dibromochloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	V1
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Dibromomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloroethane	EPA 8260B	P6I2620	2.0	**28**	1	9/26/2006	9/26/2006	
1,2-Dichloroethane	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	V1
1,1-Dichloroethene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
2,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Ethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Hexachlorobutadiene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Hexanone	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0448-04 (ASE-90A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Isopropylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
p-Isopropyltoluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Methylene chloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2620	5.0	**140**	1	9/26/2006	9/26/2006	
Naphthalene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
n-Propylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Styrene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Tetrachloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Toluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Trichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Trichlorofluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Vinyl acetate	EPA 8260B	P6I2620	25	ND	1	9/26/2006	9/26/2006	
Vinyl chloride	EPA 8260B	P6I2620	1.7	**4.9**	1	9/26/2006	9/26/2006	
Xylenes, Total	EPA 8260B	P6I2620	3.0	ND	1	9/26/2006	9/26/2006	
Surrogate: Dibromofluoromethane (80-130%)				*129 %*				
Surrogate: Toluene-d8 (80-120%)				*107 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*102 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0448-05 (ASE-105A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2620	20	ND	1	9/26/2006	9/26/2006	
Benzene	EPA 8260B	P6I2620	1.0	**96**	1	9/26/2006	9/26/2006	
Bromobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromochloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromodichloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Bromoform	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromomethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Butanone (MEK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
n-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
sec-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
tert-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon Disulfide	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon tetrachloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Chloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chloroform	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Chloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Dibromochloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	V1
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Dibromomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichloroethane	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	V1
1,1-Dichloroethene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
2,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Ethylbenzene	EPA 8260B	P6I2620	2.0	**14**	1	9/26/2006	9/26/2006	
Hexachlorobutadiene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Hexanone	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0448-05 (ASE-105A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Isopropylbenzene	EPA 8260B	P6I2620	2.0	**28**	1	9/26/2006	9/26/2006	
p-Isopropyltoluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Methylene chloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2620	5.0	**55**	1	9/26/2006	9/26/2006	
Naphthalene	EPA 8260B	P6I2620	2.0	**16**	1	9/26/2006	9/26/2006	
n-Propylbenzene	EPA 8260B	P6I2620	2.0	**11**	1	9/26/2006	9/26/2006	
Styrene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Tetrachloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Toluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Trichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Trichlorofluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2620	2.0	**5.0**	1	9/26/2006	9/26/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Vinyl acetate	EPA 8260B	P6I2620	25	ND	1	9/26/2006	9/26/2006	
Vinyl chloride	EPA 8260B	P6I2620	1.7	ND	1	9/26/2006	9/26/2006	
Xylenes, Total	EPA 8260B	P6I2620	3.0	**15**	1	9/26/2006	9/26/2006	
Surrogate: Dibromofluoromethane (80-130%)				*124 %*				
Surrogate: Toluene-d8 (80-120%)				*110 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*102 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0448-06 (ASE-112A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2620	20	ND	1	9/26/2006	9/26/2006	
Benzene	EPA 8260B	P6I2620	1.0	**18**	1	9/26/2006	9/26/2006	
Bromobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromochloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromodichloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Bromoform	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromomethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Butanone (MEK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
n-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
sec-Butylbenzene	EPA 8260B	P6I2620	5.0	**7.0**	1	9/26/2006	9/26/2006	
tert-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon Disulfide	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon tetrachloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Chloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chloroform	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Chloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Dibromochloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	V1
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Dibromomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichloroethane	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	V1
1,1-Dichloroethene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
2,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Ethylbenzene	EPA 8260B	P6I2620	2.0	**5.7**	1	9/26/2006	9/26/2006	
Hexachlorobutadiene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Hexanone	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0448-06 (ASE-112A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Isopropylbenzene	EPA 8260B	P6I2620	2.0	**21**	1	9/26/2006	9/26/2006	
p-Isopropyltoluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Methylene chloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2620	5.0	**14**	1	9/26/2006	9/26/2006	
Naphthalene	EPA 8260B	P6I2620	2.0	**14**	1	9/26/2006	9/26/2006	
n-Propylbenzene	EPA 8260B	P6I2620	2.0	**12**	1	9/26/2006	9/26/2006	
Styrene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Tetrachloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Toluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Trichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Trichlorofluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2620	2.0	**6.9**	1	9/26/2006	9/26/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Vinyl acetate	EPA 8260B	P6I2620	25	ND	1	9/26/2006	9/26/2006	
Vinyl chloride	EPA 8260B	P6I2620	1.7	ND	1	9/26/2006	9/26/2006	
Xylenes, Total	EPA 8260B	P6I2620	3.0	**11**	1	9/26/2006	9/26/2006	
Surrogate: Dibromofluoromethane (80-130%)				*124 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*102 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0448-07 (ASE-89A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2620	20	ND	1	9/26/2006	9/26/2006	
Benzene	EPA 8260B	P6I2620	1.0	**190**	1	9/26/2006	9/26/2006	
Bromobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromochloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromodichloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Bromoform	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromomethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Butanone (MEK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
n-Butylbenzene	EPA 8260B	P6I2620	5.0	**9.2**	1	9/26/2006	9/26/2006	
sec-Butylbenzene	EPA 8260B	P6I2620	5.0	**12**	1	9/26/2006	9/26/2006	
tert-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon Disulfide	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon tetrachloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Chloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chloroform	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Chloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Dibromochloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	V1
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Dibromomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloroethane	EPA 8260B	P6I2620	2.0	**3.5**	1	9/26/2006	9/26/2006	
1,2-Dichloroethane	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	V1
1,1-Dichloroethene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
2,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Ethylbenzene	EPA 8260B	P6I2620	2.0	**8.2**	1	9/26/2006	9/26/2006	
Hexachlorobutadiene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Hexanone	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0448-07 (ASE-89A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Isopropylbenzene	EPA 8260B	P6I2620	2.0	**42**	1	9/26/2006	9/26/2006	
p-Isopropyltoluene	EPA 8260B	P6I2620	2.0	**4.3**	1	9/26/2006	9/26/2006	
Methylene chloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
n-Propylbenzene	EPA 8260B	P6I2620	2.0	**48**	1	9/26/2006	9/26/2006	
Styrene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Tetrachloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Toluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Trichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Trichlorofluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2620	2.0	**16**	1	9/26/2006	9/26/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2620	2.0	**3.6**	1	9/26/2006	9/26/2006	
Vinyl acetate	EPA 8260B	P6I2620	25	ND	1	9/26/2006	9/26/2006	
Vinyl chloride	EPA 8260B	P6I2620	1.7	ND	1	9/26/2006	9/26/2006	
Xylenes, Total	EPA 8260B	P6I2620	3.0	ND	1	9/26/2006	9/26/2006	
Surrogate: Dibromofluoromethane (80-130%)				*112 %*				
Surrogate: Toluene-d8 (80-120%)				*107 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*103 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0448-07RE1 (ASE-89A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2730	50	**1000**	10	9/27/2006	9/27/2006	
Naphthalene	EPA 8260B	P6I2730	20	**250**	10	9/27/2006	9/27/2006	
Surrogate: Dibromofluoromethane (80-130%)				*111 %*				
Surrogate: Toluene-d8 (80-120%)				*103 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*104 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0448-08 (BC-8C-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2620	20	ND	1	9/26/2006	9/26/2006	
Benzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Bromobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromochloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromodichloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Bromoform	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromomethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Butanone (MEK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
n-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
sec-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
tert-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon Disulfide	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon tetrachloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Chloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chloroform	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Chloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Dibromochloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	V1
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Dibromomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichloroethane	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	V1
1,1-Dichloroethene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
2,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Ethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Hexachlorobutadiene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Hexanone	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0448-08 (BC-8C-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Isopropylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
p-Isopropyltoluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Methylene chloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Naphthalene	EPA 8260B	P6I2620	2.0	**4.9**	1	9/26/2006	9/26/2006	
n-Propylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Styrene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Tetrachloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Toluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Trichloroethene	EPA 8260B	P6I2620	2.0	**4.2**	1	9/26/2006	9/26/2006	
Trichlorofluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Vinyl acetate	EPA 8260B	P6I2620	25	ND	1	9/26/2006	9/26/2006	
Vinyl chloride	EPA 8260B	P6I2620	1.7	ND	1	9/26/2006	9/26/2006	
Xylenes, Total	EPA 8260B	P6I2620	3.0	ND	1	9/26/2006	9/26/2006	
Surrogate: Dibromofluoromethane (80-130%)				*106 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*95 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0448-09 (BC-8B-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2620	20	ND	1	9/26/2006	9/26/2006	
Benzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Bromobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromochloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromodichloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Bromoform	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromomethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Butanone (MEK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
n-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
sec-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
tert-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon Disulfide	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon tetrachloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Chloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chloroform	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Chloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Dibromochloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	V1
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Dibromomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloroethane	EPA 8260B	P6I2620	2.0	**24**	1	9/26/2006	9/26/2006	
1,2-Dichloroethane	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	V1
1,1-Dichloroethene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
2,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Ethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Hexachlorobutadiene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Hexanone	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0448-09 (BC-8B-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Isopropylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
p-Isopropyltoluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Methylene chloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2620	5.0	**8.4**	1	9/26/2006	9/26/2006	
Naphthalene	EPA 8260B	P6I2620	2.0	**4.3**	1	9/26/2006	9/26/2006	
n-Propylbenzene	EPA 8260B	P6I2620	2.0	**2.0**	1	9/26/2006	9/26/2006	
Styrene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Tetrachloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Toluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Trichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Trichlorofluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Vinyl acetate	EPA 8260B	P6I2620	25	ND	1	9/26/2006	9/26/2006	
Vinyl chloride	EPA 8260B	P6I2620	1.7	**2.5**	1	9/26/2006	9/26/2006	
Xylenes, Total	EPA 8260B	P6I2620	3.0	ND	1	9/26/2006	9/26/2006	
Surrogate: Dibromofluoromethane (80-130%)				*104 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*94 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0448-10 (BC-8A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2620	20	ND	1	9/26/2006	9/26/2006	
Benzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Bromobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromochloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromodichloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Bromoform	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromomethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Butanone (MEK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
n-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
sec-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
tert-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon Disulfide	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon tetrachloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Chloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chloroform	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Chloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Dibromochloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	V1
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Dibromomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloroethane	EPA 8260B	P6I2620	2.0	**2.2**	1	9/26/2006	9/26/2006	
1,2-Dichloroethane	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	V1
1,1-Dichloroethene	EPA 8260B	P6I2620	5.0	**9.5**	1	9/26/2006	9/26/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
2,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Ethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Hexachlorobutadiene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Hexanone	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0448-10 (BC-8A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Isopropylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
p-Isopropyltoluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Methylene chloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Naphthalene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
n-Propylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Styrene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Tetrachloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Toluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Trichloroethene	EPA 8260B	P6I2620	2.0	**4.3**	1	9/26/2006	9/26/2006	
Trichlorofluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Vinyl acetate	EPA 8260B	P6I2620	25	ND	1	9/26/2006	9/26/2006	
Vinyl chloride	EPA 8260B	P6I2620	1.7	ND	1	9/26/2006	9/26/2006	
Xylenes, Total	EPA 8260B	P6I2620	3.0	ND	1	9/26/2006	9/26/2006	
Surrogate: Dibromofluoromethane (80-130%)				*112 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*97 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0448-11 (ASE-84A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2620	20	ND	1	9/26/2006	9/26/2006	
Benzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Bromobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromochloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromodichloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Bromoform	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Bromomethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Butanone (MEK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
n-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
sec-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
tert-Butylbenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon Disulfide	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Carbon tetrachloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Chloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Chloroform	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Chloromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Chlorotoluene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Dibromochloromethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	V1
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Dibromomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloroethane	EPA 8260B	P6I2620	2.0	**2.0**	1	9/26/2006	9/26/2006	
1,2-Dichloroethane	EPA 8260B	P6I2620	1.0	ND	1	9/26/2006	9/26/2006	V1
1,1-Dichloroethene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	**2.3**	1	9/26/2006	9/26/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
2,2-Dichloropropane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Ethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Hexachlorobutadiene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
2-Hexanone	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0448-11 (ASE-84A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Isopropylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
p-Isopropyltoluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Methylene chloride	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
Naphthalene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
n-Propylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Styrene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Tetrachloroethene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Toluene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Trichloroethene	EPA 8260B	P6I2620	2.0	**7.1**	1	9/26/2006	9/26/2006	
Trichlorofluoromethane	EPA 8260B	P6I2620	5.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2620	10	ND	1	9/26/2006	9/26/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2620	2.0	ND	1	9/26/2006	9/26/2006	
Vinyl acetate	EPA 8260B	P6I2620	25	ND	1	9/26/2006	9/26/2006	
Vinyl chloride	EPA 8260B	P6I2620	1.7	ND	1	9/26/2006	9/26/2006	
Xylenes, Total	EPA 8260B	P6I2620	3.0	ND	1	9/26/2006	9/26/2006	
Surrogate: Dibromofluoromethane (80-130%)				*113 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*94 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0448-12 (ASE-84C-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2725	20	ND	1	9/26/2006	9/26/2006	
Benzene	EPA 8260B	P6I2725	1.0	ND	1	9/26/2006	9/26/2006	
Bromobenzene	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
Bromochloromethane	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
Bromodichloromethane	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
Bromoform	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
Bromomethane	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
2-Butanone (MEK)	EPA 8260B	P6I2725	10	ND	1	9/26/2006	9/26/2006	
n-Butylbenzene	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
sec-Butylbenzene	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
tert-Butylbenzene	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
Carbon Disulfide	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	V1
Carbon tetrachloride	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
Chlorobenzene	EPA 8260B	P6I2725	1.0	ND	1	9/26/2006	9/26/2006	
Chloroethane	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
Chloroform	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
Chloromethane	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
2-Chlorotoluene	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
4-Chlorotoluene	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
Dibromochloromethane	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
Dibromomethane	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2725	1.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2725	1.0	ND	1	9/26/2006	9/26/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2725	1.0	ND	1	9/26/2006	9/26/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloroethane	EPA 8260B	P6I2725	2.0	**5.6**	1	9/26/2006	9/26/2006	
1,2-Dichloroethane	EPA 8260B	P6I2725	1.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloroethene	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2725	2.0	**3.7**	1	9/26/2006	9/26/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichloropropane	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichloropropane	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
2,2-Dichloropropane	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloropropene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
Ethylbenzene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
Hexachlorobutadiene	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
2-Hexanone	EPA 8260B	P6I2725	10	ND	1	9/26/2006	9/26/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0448-12 (ASE-84C-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
Isopropylbenzene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
p-Isopropyltoluene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
Methylene chloride	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2725	10	ND	1	9/26/2006	9/26/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
Naphthalene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
n-Propylbenzene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
Styrene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
Tetrachloroethene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
Toluene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
Trichloroethene	EPA 8260B	P6I2725	2.0	**9.7**	1	9/26/2006	9/26/2006	
Trichlorofluoromethane	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2725	10	ND	1	9/26/2006	9/26/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
Vinyl acetate	EPA 8260B	P6I2725	25	ND	1	9/26/2006	9/26/2006	
Vinyl chloride	EPA 8260B	P6I2725	1.7	ND	1	9/26/2006	9/26/2006	
Xylenes, Total	EPA 8260B	P6I2725	3.0	ND	1	9/26/2006	9/26/2006	
Surrogate: Dibromofluoromethane (80-130%)				*98 %*				
Surrogate: Toluene-d8 (80-120%)				*110 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*101 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0448-13 (ASE-114A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2725	20	ND	1	9/26/2006	9/26/2006	
Benzene	EPA 8260B	P6I2725	1.0	ND	1	9/26/2006	9/26/2006	
Bromobenzene	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
Bromochloromethane	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
Bromodichloromethane	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
Bromoform	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
Bromomethane	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
2-Butanone (MEK)	EPA 8260B	P6I2725	10	ND	1	9/26/2006	9/26/2006	
n-Butylbenzene	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
sec-Butylbenzene	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
tert-Butylbenzene	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
Carbon Disulfide	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	V1
Carbon tetrachloride	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
Chlorobenzene	EPA 8260B	P6I2725	1.0	ND	1	9/26/2006	9/26/2006	
Chloroethane	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
Chloroform	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
Chloromethane	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
2-Chlorotoluene	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
4-Chlorotoluene	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
Dibromochloromethane	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
Dibromomethane	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2725	1.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2725	1.0	ND	1	9/26/2006	9/26/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2725	1.0	ND	1	9/26/2006	9/26/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloroethane	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichloroethane	EPA 8260B	P6I2725	1.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloroethene	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
1,2-Dichloropropane	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
1,3-Dichloropropane	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
2,2-Dichloropropane	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
1,1-Dichloropropene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
Ethylbenzene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
Hexachlorobutadiene	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
2-Hexanone	EPA 8260B	P6I2725	10	ND	1	9/26/2006	9/26/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0448-13 (ASE-114A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
Isopropylbenzene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
p-Isopropyltoluene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
Methylene chloride	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2725	10	ND	1	9/26/2006	9/26/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
Naphthalene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
n-Propylbenzene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
Styrene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
Tetrachloroethene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
Toluene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
Trichloroethene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
Trichlorofluoromethane	EPA 8260B	P6I2725	5.0	ND	1	9/26/2006	9/26/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2725	10	ND	1	9/26/2006	9/26/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2725	2.0	ND	1	9/26/2006	9/26/2006	
Vinyl acetate	EPA 8260B	P6I2725	25	ND	1	9/26/2006	9/26/2006	
Vinyl chloride	EPA 8260B	P6I2725	1.7	ND	1	9/26/2006	9/26/2006	
Xylenes, Total	EPA 8260B	P6I2725	3.0	ND	1	9/26/2006	9/26/2006	
Surrogate: Dibromofluoromethane (80-130%)				*104 %*				
Surrogate: Toluene-d8 (80-120%)				*108 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*100 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0448-02 (ASE-126A-6C2 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6I1522	3.0	ND	1	9/15/2006	9/23/2006	
Acenaphthylene	EPA 8310	P6I1522	3.0	ND	1	9/15/2006	9/23/2006	
Anthracene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/23/2006	
Benzo(a)anthracene	EPA 8310	P6I1522	0.050	ND	1	9/15/2006	9/23/2006	
Benzo(a)pyrene	EPA 8310	P6I1522	0.10	ND	1	9/15/2006	9/23/2006	
Benzo(b)fluoranthene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/23/2006	
Benzo(g,h,i)perylene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/23/2006	
Benzo(k)fluoranthene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/23/2006	
Chrysene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/23/2006	
Dibenz(a,h)anthracene	EPA 8310	P6I1522	0.50	ND	1	9/15/2006	9/23/2006	
Fluoranthene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/23/2006	
Fluorene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/23/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/23/2006	
Naphthalene	EPA 8310	P6I1522	2.0	ND	1	9/15/2006	9/23/2006	
Phenanthrene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/23/2006	
Pyrene	EPA 8310	P6I1522	0.30	ND	1	9/15/2006	9/23/2006	
Surrogate: 2-Methylanthracene (50-115%)				*91 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2620 Extracted: 09/26/06										
Blank Analyzed: 09/26/2006 (P6I2620-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2620 Extracted: 09/26/06										
Blank Analyzed: 09/26/2006 (P6I2620-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							*V1*
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*26.6*		*ug/l*	*25.0*		*106*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.7*		*ug/l*	*25.0*		*95*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2620 Extracted: 09/26/06										
LCS Analyzed: 09/26/2006 (P6I2620-BS1)										
Acetone	22.5	20	ug/l	25.0		90	30-150			
Benzene	25.0	1.0	ug/l	25.0		100	80-120			
Bromobenzene	27.8	5.0	ug/l	25.0		111	80-125			
Bromochloromethane	26.1	5.0	ug/l	25.0		104	80-125			
Bromodichloromethane	24.1	2.0	ug/l	25.0		96	80-120			
Bromoform	24.5	5.0	ug/l	25.0		98	70-120			
Bromomethane	26.0	5.0	ug/l	25.0		104	80-135			
2-Butanone (MEK)	20.5	10	ug/l	25.0		82	55-150			
n-Butylbenzene	24.0	5.0	ug/l	25.0		96	80-120			
sec-Butylbenzene	25.5	5.0	ug/l	25.0		102	80-130			
tert-Butylbenzene	27.2	5.0	ug/l	25.0		109	80-130			
Carbon Disulfide	22.4	5.0	ug/l	25.0		90	55-145			
Carbon tetrachloride	24.4	5.0	ug/l	25.0		98	80-120			
Chlorobenzene	25.8	1.0	ug/l	25.0		103	80-120			
Chloroethane	26.7	5.0	ug/l	25.0		107	80-125			
Chloroform	24.1	2.0	ug/l	25.0		96	80-120			
Chloromethane	28.3	5.0	ug/l	25.0		113	70-130			
2-Chlorotoluene	25.6	5.0	ug/l	25.0		102	80-120			
4-Chlorotoluene	25.4	5.0	ug/l	25.0		102	80-120			
Dibromochloromethane	22.8	2.0	ug/l	25.0		91	75-120			
1,2-Dibromo-3-chloropropane	25.1	5.0	ug/l	25.0		100	55-120			
1,2-Dibromoethane (EDB)	25.8	2.0	ug/l	25.0		103	75-125			
Dibromomethane	23.4	2.0	ug/l	25.0		94	80-125			
1,2-Dichlorobenzene	25.3	1.0	ug/l	25.0		101	80-120			
1,3-Dichlorobenzene	24.8	1.0	ug/l	25.0		99	80-125			
1,4-Dichlorobenzene	25.7	1.0	ug/l	25.0		103	80-120			
Dichlorodifluoromethane	26.0	5.0	ug/l	25.0		104	60-140			
1,1-Dichloroethane	24.8	2.0	ug/l	25.0		99	80-120			
1,2-Dichloroethane	23.9	1.0	ug/l	25.0		96	75-125			
1,1-Dichloroethene	26.6	5.0	ug/l	25.0		106	75-120			
cis-1,2-Dichloroethene	26.2	2.0	ug/l	25.0		105	80-125			
trans-1,2-Dichloroethene	26.6	2.0	ug/l	25.0		106	80-120			
1,2-Dichloropropane	24.9	2.0	ug/l	25.0		100	80-120			
1,3-Dichloropropane	25.8	2.0	ug/l	25.0		103	80-120			
2,2-Dichloropropane	24.3	2.0	ug/l	25.0		97	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448
Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2620 Extracted: 09/26/06										
LCS Analyzed: 09/26/2006 (P6I2620-BS1)										
1,1-Dichloropropene	25.1	2.0	ug/l	25.0		100	80-120			
cis-1,3-Dichloropropene	24.6	2.0	ug/l	25.0		98	75-120			
trans-1,3-Dichloropropene	23.4	2.0	ug/l	25.0		94	80-120			
Ethylbenzene	25.9	2.0	ug/l	25.0		104	80-125			
Hexachlorobutadiene	23.5	5.0	ug/l	25.0		94	70-130			
2-Hexanone	23.1	10	ug/l	25.0		92	40-150			
Iodomethane	23.4	2.0	ug/l	25.0		94	80-130			
Isopropylbenzene	29.1	2.0	ug/l	25.0		116	80-140			
p-Isopropyltoluene	25.4	2.0	ug/l	25.0		102	80-130			
Methylene chloride	24.1	5.0	ug/l	25.0		96	80-120			
4-Methyl-2-pentanone (MIBK)	21.1	10	ug/l	25.0		84	50-140			
Methyl-tert-butyl Ether (MTBE)	24.5	5.0	ug/l	25.0		98	65-130			
Naphthalene	22.8	2.0	ug/l	25.0		91	70-130			
n-Propylbenzene	27.0	2.0	ug/l	25.0		108	80-135			
Styrene	26.2	2.0	ug/l	25.0		105	80-125			
1,1,1,2-Tetrachloroethane	26.8	5.0	ug/l	25.0		107	80-120			
1,1,2,2-Tetrachloroethane	28.2	2.0	ug/l	25.0		113	65-140			*V1*
Tetrachloroethene	25.9	2.0	ug/l	25.0		104	80-125			
Toluene	25.0	2.0	ug/l	25.0		100	80-125			
1,2,3-Trichlorobenzene	23.8	5.0	ug/l	25.0		95	75-125			
1,2,4-Trichlorobenzene	22.2	5.0	ug/l	25.0		89	80-125			
1,1,1-Trichloroethane	24.6	2.0	ug/l	25.0		98	75-125			
1,1,2-Trichloroethane	24.7	2.0	ug/l	25.0		99	80-125			
Trichloroethene	25.8	2.0	ug/l	25.0		103	80-120			
Trichlorofluoromethane	26.6	5.0	ug/l	25.0		106	75-130			
1,2,3-Trichloropropane	26.2	10	ug/l	25.0		105	65-135			
1,2,4-Trimethylbenzene	25.8	2.0	ug/l	25.0		103	80-125			
1,3,5-Trimethylbenzene	27.0	2.0	ug/l	25.0		108	80-130			
Vinyl acetate	27.8	25	ug/l	25.0		111	70-140			
Vinyl chloride	27.1	1.7	ug/l	25.0		108	70-135			
Xylenes, Total	52.0	3.0	ug/l	50.0		104	80-125			
Surrogate: Dibromofluoromethane	*27.1*		*ug/l*	*25.0*		*108*	*80-130*			
Surrogate: Toluene-d8	*26.5*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2620 Extracted: 09/26/06										
LCS Dup Analyzed: 09/26/2006 (P6I2620-BSD1)										
Acetone	23.9	20	ug/l	25.0		96	30-150	6	35	
Benzene	25.8	1.0	ug/l	25.0		103	80-120	3	10	
Bromobenzene	29.2	5.0	ug/l	25.0		117	80-125	5	10	
Bromochloromethane	26.6	5.0	ug/l	25.0		106	80-125	2	15	
Bromodichloromethane	24.4	2.0	ug/l	25.0		98	80-120	1	15	
Bromoform	25.3	5.0	ug/l	25.0		101	70-120	3	20	
Bromomethane	27.1	5.0	ug/l	25.0		108	80-135	4	15	
2-Butanone (MEK)	20.9	10	ug/l	25.0		84	55-150	2	35	
n-Butylbenzene	25.9	5.0	ug/l	25.0		104	80-120	8	10	
sec-Butylbenzene	28.4	5.0	ug/l	25.0		114	80-130	11	10	*R6*
tert-Butylbenzene	29.4	5.0	ug/l	25.0		118	80-130	8	10	
Carbon Disulfide	23.6	5.0	ug/l	25.0		94	55-145	5	15	
Carbon tetrachloride	25.6	5.0	ug/l	25.0		102	80-120	5	15	
Chlorobenzene	26.1	1.0	ug/l	25.0		104	80-120	1	10	
Chloroethane	27.5	5.0	ug/l	25.0		110	80-125	3	15	
Chloroform	24.8	2.0	ug/l	25.0		99	80-120	3	10	
Chloromethane	28.8	5.0	ug/l	25.0		115	70-130	2	15	
2-Chlorotoluene	27.8	5.0	ug/l	25.0		111	80-120	8	10	
4-Chlorotoluene	27.4	5.0	ug/l	25.0		110	80-120	8	10	
Dibromochloromethane	23.2	2.0	ug/l	25.0		93	75-120	2	15	
1,2-Dibromo-3-chloropropane	25.0	5.0	ug/l	25.0		100	55-120	0	35	
1,2-Dibromoethane (EDB)	25.4	2.0	ug/l	25.0		102	75-125	2	20	
Dibromomethane	24.4	2.0	ug/l	25.0		98	80-125	4	20	
1,2-Dichlorobenzene	27.3	1.0	ug/l	25.0		109	80-120	8	10	
1,3-Dichlorobenzene	26.6	1.0	ug/l	25.0		106	80-125	7	10	
1,4-Dichlorobenzene	27.2	1.0	ug/l	25.0		109	80-120	6	10	
Dichlorodifluoromethane	27.2	5.0	ug/l	25.0		109	60-140	5	15	
1,1-Dichloroethane	25.8	2.0	ug/l	25.0		103	80-120	4	10	
1,2-Dichloroethane	25.1	1.0	ug/l	25.0		100	75-125	5	20	
1,1-Dichloroethene	27.6	5.0	ug/l	25.0		110	75-120	4	15	
cis-1,2-Dichloroethene	26.9	2.0	ug/l	25.0		108	80-125	3	10	
trans-1,2-Dichloroethene	26.9	2.0	ug/l	25.0		108	80-120	1	10	
1,2-Dichloropropane	26.1	2.0	ug/l	25.0		104	80-120	5	15	
1,3-Dichloropropane	25.3	2.0	ug/l	25.0		101	80-120	2	15	
2,2-Dichloropropane	26.6	2.0	ug/l	25.0		106	70-130	9	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448
Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2620 Extracted: 09/26/06										
LCS Dup Analyzed: 09/26/2006 (P6I2620-BSD1)										
1,1-Dichloropropene	26.8	2.0	ug/l	25.0		107	80-120	7	10	
cis-1,3-Dichloropropene	25.8	2.0	ug/l	25.0		103	75-120	5	15	
trans-1,3-Dichloropropene	24.7	2.0	ug/l	25.0		99	80-120	5	20	
Ethylbenzene	26.3	2.0	ug/l	25.0		105	80-125	2	15	
Hexachlorobutadiene	25.3	5.0	ug/l	25.0		101	70-130	7	15	
2-Hexanone	20.8	10	ug/l	25.0		83	40-150	10	35	
Iodomethane	24.6	2.0	ug/l	25.0		98	80-130	5	10	
Isopropylbenzene	30.6	2.0	ug/l	25.0		122	80-140	5	10	
p-Isopropyltoluene	27.6	2.0	ug/l	25.0		110	80-130	8	15	
Methylene chloride	24.8	5.0	ug/l	25.0		99	80-120	3	10	
4-Methyl-2-pentanone (MIBK)	20.2	10	ug/l	25.0		81	50-140	4	35	
Methyl-tert-butyl Ether (MTBE)	24.6	5.0	ug/l	25.0		98	65-130	0	25	
Naphthalene	23.4	2.0	ug/l	25.0		94	70-130	3	20	
n-Propylbenzene	29.0	2.0	ug/l	25.0		116	80-135	7	10	
Styrene	26.5	2.0	ug/l	25.0		106	80-125	1	15	
1,1,1,2-Tetrachloroethane	26.5	5.0	ug/l	25.0		106	80-120	1	15	
1,1,2,2-Tetrachloroethane	27.8	2.0	ug/l	25.0		111	65-140	1	25	*V1*
Tetrachloroethene	26.7	2.0	ug/l	25.0		107	80-125	3	15	
Toluene	26.2	2.0	ug/l	25.0		105	80-125	5	10	
1,2,3-Trichlorobenzene	25.1	5.0	ug/l	25.0		100	75-125	5	15	
1,2,4-Trichlorobenzene	24.4	5.0	ug/l	25.0		98	80-125	9	15	
1,1,1-Trichloroethane	25.7	2.0	ug/l	25.0		103	75-125	4	10	
1,1,2-Trichloroethane	25.0	2.0	ug/l	25.0		100	80-125	1	25	
Trichloroethene	26.1	2.0	ug/l	25.0		104	80-120	1	10	
Trichlorofluoromethane	28.0	5.0	ug/l	25.0		112	75-130	5	10	
1,2,3-Trichloropropane	27.5	10	ug/l	25.0		110	65-135	5	25	
1,2,4-Trimethylbenzene	27.7	2.0	ug/l	25.0		111	80-125	7	10	
1,3,5-Trimethylbenzene	29.0	2.0	ug/l	25.0		116	80-130	7	10	
Vinyl acetate	27.1	25	ug/l	25.0		108	70-140	3	30	
Vinyl chloride	28.3	1.7	ug/l	25.0		113	70-135	4	15	
Xylenes, Total	53.0	3.0	ug/l	50.0		106	80-125	2	15	
Surrogate: Dibromofluoromethane	*27.1*		*ug/l*	*25.0*		*108*	*80-130*			
Surrogate: Toluene-d8	*26.8*		*ug/l*	*25.0*		*107*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.7*		*ug/l*	*25.0*		*103*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2620 Extracted: 09/26/06										
Matrix Spike Analyzed: 09/26/2006 (P6I2620-MS1)					**Source: PPI0447-04**					
Acetone	22.9	20	ug/l	25.0	ND	92	15-150			
Benzene	25.7	1.0	ug/l	25.0	ND	103	80-125			
Bromobenzene	26.6	5.0	ug/l	25.0	ND	106	80-125			
Bromochloromethane	27.2	5.0	ug/l	25.0	ND	109	80-130			
Bromodichloromethane	26.8	2.0	ug/l	25.0	ND	107	70-130			
Bromoform	23.4	5.0	ug/l	25.0	ND	94	70-120			
Bromomethane	25.0	5.0	ug/l	25.0	ND	100	80-135			
2-Butanone (MEK)	21.8	10	ug/l	25.0	ND	87	30-150			
n-Butylbenzene	25.2	5.0	ug/l	25.0	ND	101	80-135			
sec-Butylbenzene	26.6	5.0	ug/l	25.0	ND	106	80-130			
tert-Butylbenzene	27.2	5.0	ug/l	25.0	ND	109	80-130			
Carbon Disulfide	23.5	5.0	ug/l	25.0	ND	94	45-150			
Carbon tetrachloride	26.4	5.0	ug/l	25.0	ND	106	65-135			
Chlorobenzene	24.7	1.0	ug/l	25.0	ND	99	80-125			
Chloroethane	27.3	5.0	ug/l	25.0	ND	109	80-125			
Chloroform	26.5	2.0	ug/l	25.0	ND	106	75-130			
Chloromethane	25.7	5.0	ug/l	25.0	ND	103	65-130			
2-Chlorotoluene	26.6	5.0	ug/l	25.0	ND	106	80-130			
4-Chlorotoluene	26.5	5.0	ug/l	25.0	ND	106	80-135			
Dibromochloromethane	23.5	2.0	ug/l	25.0	ND	94	75-120			
1,2-Dibromo-3-chloropropane	23.7	5.0	ug/l	25.0	ND	95	50-130			
1,2-Dibromoethane (EDB)	24.3	2.0	ug/l	25.0	ND	97	70-130			
Dibromomethane	24.4	2.0	ug/l	25.0	ND	98	75-130			
1,2-Dichlorobenzene	26.0	1.0	ug/l	25.0	ND	104	80-130			
1,3-Dichlorobenzene	25.4	1.0	ug/l	25.0	ND	102	80-130			
1,4-Dichlorobenzene	25.9	1.0	ug/l	25.0	ND	104	80-125			
Dichlorodifluoromethane	25.4	5.0	ug/l	25.0	ND	102	60-140			
1,1-Dichloroethane	29.4	2.0	ug/l	25.0	2.4	108	80-125			
1,2-Dichloroethane	27.1	1.0	ug/l	25.0	ND	108	60-145			
1,1-Dichloroethene	26.3	5.0	ug/l	25.0	ND	105	75-130			
cis-1,2-Dichloroethene	26.0	2.0	ug/l	25.0	ND	104	80-125			
trans-1,2-Dichloroethene	26.3	2.0	ug/l	25.0	ND	105	80-120			
1,2-Dichloropropane	25.8	2.0	ug/l	25.0	ND	103	80-125			
1,3-Dichloropropane	25.0	2.0	ug/l	25.0	ND	100	75-130			
2,2-Dichloropropane	27.0	2.0	ug/l	25.0	ND	108	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2620 Extracted: 09/26/06										
Matrix Spike Analyzed: 09/26/2006 (P6I2620-MS1)					**Source: PPI0447-04**					
1,1-Dichloropropene	26.5	2.0	ug/l	25.0	ND	106	80-125			
cis-1,3-Dichloropropene	26.4	2.0	ug/l	25.0	ND	106	75-120			
trans-1,3-Dichloropropene	25.2	2.0	ug/l	25.0	ND	101	75-130			
Ethylbenzene	25.9	2.0	ug/l	25.0	ND	104	80-130			
Hexachlorobutadiene	24.8	5.0	ug/l	25.0	ND	99	65-130			
2-Hexanone	20.8	10	ug/l	25.0	ND	83	40-150			
Iodomethane	24.4	2.0	ug/l	25.0	ND	98	70-140			
Isopropylbenzene	28.4	2.0	ug/l	25.0	ND	114	80-140			
p-Isopropyltoluene	26.8	2.0	ug/l	25.0	ND	107	80-135			
Methylene chloride	25.1	5.0	ug/l	25.0	ND	100	75-125			
4-Methyl-2-pentanone (MIBK)	20.8	10	ug/l	25.0	ND	83	40-140			
Methyl-tert-butyl Ether (MTBE)	26.3	5.0	ug/l	25.0	ND	105	65-135			
Naphthalene	23.0	2.0	ug/l	25.0	ND	92	60-140			
n-Propylbenzene	27.1	2.0	ug/l	25.0	ND	108	80-140			
Styrene	21.8	2.0	ug/l	25.0	ND	87	30-150			
1,1,1,2-Tetrachloroethane	26.4	5.0	ug/l	25.0	ND	106	80-130			
1,1,2,2-Tetrachloroethane	27.1	2.0	ug/l	25.0	ND	108	65-140			*V1*
Tetrachloroethene	24.3	2.0	ug/l	25.0	ND	97	80-130			
Toluene	25.6	2.0	ug/l	25.0	ND	102	80-130			
1,2,3-Trichlorobenzene	25.5	5.0	ug/l	25.0	ND	102	75-140			
1,2,4-Trichlorobenzene	24.1	5.0	ug/l	25.0	ND	96	80-135			
1,1,1-Trichloroethane	26.7	2.0	ug/l	25.0	ND	107	70-135			
1,1,2-Trichloroethane	25.1	2.0	ug/l	25.0	ND	100	70-135			
Trichloroethene	27.9	2.0	ug/l	25.0	1.3	106	80-125			
Trichlorofluoromethane	28.3	5.0	ug/l	25.0	ND	113	70-140			
1,2,3-Trichloropropane	25.4	10	ug/l	25.0	ND	102	65-135			
1,2,4-Trimethylbenzene	26.7	2.0	ug/l	25.0	ND	107	75-130			
1,3,5-Trimethylbenzene	27.4	2.0	ug/l	25.0	ND	110	80-135			
Vinyl acetate	27.4	25	ug/l	25.0	ND	110	30-150			
Vinyl chloride	26.4	1.7	ug/l	25.0	ND	106	70-135			
Xylenes, Total	51.2	3.0	ug/l	50.0	ND	102	80-125			
Surrogate: Dibromofluoromethane	*29.4*		*ug/l*	*25.0*		*118*	*80-130*			
Surrogate: Toluene-d8	*26.9*		*ug/l*	*25.0*		*108*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*28.0*		*ug/l*	*25.0*		*112*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2620 Extracted: 09/26/06										
Matrix Spike Dup Analyzed: 09/26/2006 (P6I2620-MSD1)					**Source: PPI0447-04**					
Acetone	24.4	20	ug/l	25.0	ND	98	15-150	6	35	
Benzene	25.1	1.0	ug/l	25.0	ND	100	80-125	2	10	
Bromobenzene	27.7	5.0	ug/l	25.0	ND	111	80-125	4	15	
Bromochloromethane	28.2	5.0	ug/l	25.0	ND	113	80-130	4	20	
Bromodichloromethane	26.7	2.0	ug/l	25.0	ND	107	70-130	0	15	
Bromoform	25.1	5.0	ug/l	25.0	ND	100	70-120	7	25	
Bromomethane	26.6	5.0	ug/l	25.0	ND	106	80-135	6	20	
2-Butanone (MEK)	24.4	10	ug/l	25.0	ND	98	30-150	11	35	
n-Butylbenzene	24.7	5.0	ug/l	25.0	ND	99	80-135	2	20	
sec-Butylbenzene	26.4	5.0	ug/l	25.0	ND	106	80-130	1	20	
tert-Butylbenzene	27.5	5.0	ug/l	25.0	ND	110	80-130	1	20	
Carbon Disulfide	23.7	5.0	ug/l	25.0	ND	95	45-150	1	15	
Carbon tetrachloride	26.2	5.0	ug/l	25.0	ND	105	65-135	1	15	
Chlorobenzene	25.5	1.0	ug/l	25.0	ND	102	80-125	3	15	
Chloroethane	28.0	5.0	ug/l	25.0	ND	112	80-125	3	20	
Chloroform	27.3	2.0	ug/l	25.0	ND	109	75-130	3	15	
Chloromethane	28.3	5.0	ug/l	25.0	ND	113	65-130	10	20	
2-Chlorotoluene	26.2	5.0	ug/l	25.0	ND	105	80-130	2	15	
4-Chlorotoluene	26.9	5.0	ug/l	25.0	ND	108	80-135	1	15	
Dibromochloromethane	24.4	2.0	ug/l	25.0	ND	98	75-120	4	20	
1,2-Dibromo-3-chloropropane	26.7	5.0	ug/l	25.0	ND	107	50-130	12	35	
1,2-Dibromoethane (EDB)	26.8	2.0	ug/l	25.0	ND	107	70-130	10	25	
Dibromomethane	25.2	2.0	ug/l	25.0	ND	101	75-130	3	25	
1,2-Dichlorobenzene	26.1	1.0	ug/l	25.0	ND	104	80-130	0	15	
1,3-Dichlorobenzene	25.3	1.0	ug/l	25.0	ND	101	80-130	0	15	
1,4-Dichlorobenzene	26.5	1.0	ug/l	25.0	ND	106	80-125	2	10	
Dichlorodifluoromethane	26.1	5.0	ug/l	25.0	ND	104	60-140	3	45	
1,1-Dichloroethane	30.2	2.0	ug/l	25.0	2.4	111	80-125	3	15	
1,2-Dichloroethane	29.1	1.0	ug/l	25.0	ND	116	60-145	7	20	
1,1-Dichloroethene	26.7	5.0	ug/l	25.0	ND	107	75-130	2	15	
cis-1,2-Dichloroethene	27.1	2.0	ug/l	25.0	ND	108	80-125	4	15	
trans-1,2-Dichloroethene	26.8	2.0	ug/l	25.0	ND	107	80-120	2	15	
1,2-Dichloropropane	26.4	2.0	ug/l	25.0	ND	106	80-125	2	15	
1,3-Dichloropropane	27.4	2.0	ug/l	25.0	ND	110	75-130	9	20	
2,2-Dichloropropane	27.2	2.0	ug/l	25.0	ND	109	60-135	1	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2620 Extracted: 09/26/06										
Matrix Spike Dup Analyzed: 09/26/2006 (P6I2620-MSD1)					**Source: PPI0447-04**					
1,1-Dichloropropene	25.5	2.0	ug/l	25.0	ND	102	80-125	4	15	
cis-1,3-Dichloropropene	26.2	2.0	ug/l	25.0	ND	105	75-120	1	15	
trans-1,3-Dichloropropene	26.0	2.0	ug/l	25.0	ND	104	75-130	3	25	
Ethylbenzene	25.8	2.0	ug/l	25.0	ND	103	80-130	0	15	
Hexachlorobutadiene	23.4	5.0	ug/l	25.0	ND	94	65-130	6	15	
2-Hexanone	25.3	10	ug/l	25.0	ND	101	40-150	20	35	
Iodomethane	24.7	2.0	ug/l	25.0	ND	99	70-140	1	15	
Isopropylbenzene	29.1	2.0	ug/l	25.0	ND	116	80-140	2	20	
p-Isopropyltoluene	26.4	2.0	ug/l	25.0	ND	106	80-135	2	20	
Methylene chloride	26.2	5.0	ug/l	25.0	ND	105	75-125	4	15	
4-Methyl-2-pentanone (MIBK)	24.4	10	ug/l	25.0	ND	98	40-140	16	35	
Methyl-tert-butyl Ether (MTBE)	28.1	5.0	ug/l	25.0	ND	112	65-135	7	30	
Naphthalene	23.8	2.0	ug/l	25.0	ND	95	60-140	3	30	
n-Propylbenzene	27.3	2.0	ug/l	25.0	ND	109	80-140	1	20	
Styrene	22.3	2.0	ug/l	25.0	ND	89	30-150	2	25	
1,1,1,2-Tetrachloroethane	27.2	5.0	ug/l	25.0	ND	109	80-130	3	15	
1,1,2,2-Tetrachloroethane	29.4	2.0	ug/l	25.0	ND	118	65-140	8	35	*V1*
Tetrachloroethene	24.4	2.0	ug/l	25.0	ND	98	80-130	0	15	
Toluene	25.4	2.0	ug/l	25.0	ND	102	80-130	1	15	
1,2,3-Trichlorobenzene	25.2	5.0	ug/l	25.0	ND	101	75-140	1	20	
1,2,4-Trichlorobenzene	23.5	5.0	ug/l	25.0	ND	94	80-135	3	15	
1,1,1-Trichloroethane	26.9	2.0	ug/l	25.0	ND	108	70-135	1	15	
1,1,2-Trichloroethane	26.6	2.0	ug/l	25.0	ND	106	70-135	6	25	
Trichloroethene	27.5	2.0	ug/l	25.0	1.3	105	80-125	1	15	
Trichlorofluoromethane	28.8	5.0	ug/l	25.0	ND	115	70-140	2	15	
1,2,3-Trichloropropane	27.5	10	ug/l	25.0	ND	110	65-135	8	35	
1,2,4-Trimethylbenzene	26.6	2.0	ug/l	25.0	ND	106	75-130	0	15	
1,3,5-Trimethylbenzene	27.0	2.0	ug/l	25.0	ND	108	80-135	1	15	
Vinyl acetate	30.5	25	ug/l	25.0	ND	122	30-150	11	35	
Vinyl chloride	28.7	1.7	ug/l	25.0	ND	115	70-135	8	25	
Xylenes, Total	52.0	3.0	ug/l	50.0	ND	104	80-125	2	15	
Surrogate: Dibromofluoromethane	*30.0*		*ug/l*	*25.0*		*120*	*80-130*			
Surrogate: Toluene-d8	*27.3*		*ug/l*	*25.0*		*109*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*27.0*		*ug/l*	*25.0*		*108*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2725 Extracted: 09/26/06										
Blank Analyzed: 09/26/2006 (P6I2725-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							*V1*
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2725 Extracted: 09/26/06										
Blank Analyzed: 09/26/2006 (P6I2725-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*25.4*		*ug/l*	*25.0*		*102*	*80-130*			
Surrogate: Toluene-d8	*26.9*		*ug/l*	*25.0*		*108*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2725 Extracted: 09/26/06										
LCS Analyzed: 09/26/2006 (P6I2725-BS1)										
Acetone	21.2	20	ug/l	25.0		85	30-150			
Benzene	27.0	1.0	ug/l	25.0		108	80-120			
Bromobenzene	25.6	5.0	ug/l	25.0		102	80-125			
Bromochloromethane	25.8	5.0	ug/l	25.0		103	80-125			
Bromodichloromethane	25.4	2.0	ug/l	25.0		102	80-120			
Bromoform	23.0	5.0	ug/l	25.0		92	70-120			
Bromomethane	24.8	5.0	ug/l	25.0		99	80-135			
2-Butanone (MEK)	23.1	10	ug/l	25.0		92	55-150			
n-Butylbenzene	27.5	5.0	ug/l	25.0		110	80-120			
sec-Butylbenzene	26.4	5.0	ug/l	25.0		106	80-130			
tert-Butylbenzene	25.9	5.0	ug/l	25.0		104	80-130			
Carbon Disulfide	24.6	5.0	ug/l	25.0		98	55-145			*V1*
Carbon tetrachloride	24.8	5.0	ug/l	25.0		99	80-120			
Chlorobenzene	26.8	1.0	ug/l	25.0		107	80-120			
Chloroethane	28.1	5.0	ug/l	25.0		112	80-125			
Chloroform	25.2	2.0	ug/l	25.0		101	80-120			
Chloromethane	27.5	5.0	ug/l	25.0		110	70-130			
2-Chlorotoluene	26.2	5.0	ug/l	25.0		105	80-120			
4-Chlorotoluene	26.2	5.0	ug/l	25.0		105	80-120			
Dibromochloromethane	25.1	2.0	ug/l	25.0		100	75-120			
1,2-Dibromo-3-chloropropane	23.5	5.0	ug/l	25.0		94	55-120			
1,2-Dibromoethane (EDB)	26.2	2.0	ug/l	25.0		105	75-125			
Dibromomethane	25.8	2.0	ug/l	25.0		103	80-125			
1,2-Dichlorobenzene	26.2	1.0	ug/l	25.0		105	80-120			
1,3-Dichlorobenzene	25.9	1.0	ug/l	25.0		104	80-125			
1,4-Dichlorobenzene	27.1	1.0	ug/l	25.0		108	80-120			
Dichlorodifluoromethane	24.9	5.0	ug/l	25.0		100	60-140			
1,1-Dichloroethane	25.6	2.0	ug/l	25.0		102	80-120			
1,2-Dichloroethane	25.1	1.0	ug/l	25.0		100	75-125			
1,1-Dichloroethene	27.9	5.0	ug/l	25.0		112	75-120			
cis-1,2-Dichloroethene	25.7	2.0	ug/l	25.0		103	80-125			
trans-1,2-Dichloroethene	26.1	2.0	ug/l	25.0		104	80-120			
1,2-Dichloropropane	27.7	2.0	ug/l	25.0		111	80-120			
1,3-Dichloropropane	27.6	2.0	ug/l	25.0		110	80-120			
2,2-Dichloropropane	25.6	2.0	ug/l	25.0		102	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2725 Extracted: 09/26/06										
LCS Analyzed: 09/26/2006 (P6I2725-BS1)										
1,1-Dichloropropene	26.9	2.0	ug/l	25.0		108	80-120			
cis-1,3-Dichloropropene	26.5	2.0	ug/l	25.0		106	75-120			
trans-1,3-Dichloropropene	25.9	2.0	ug/l	25.0		104	80-120			
Ethylbenzene	27.4	2.0	ug/l	25.0		110	80-125			
Hexachlorobutadiene	26.5	5.0	ug/l	25.0		106	70-130			
2-Hexanone	23.8	10	ug/l	25.0		95	40-150			
Iodomethane	24.1	2.0	ug/l	25.0		96	80-130			
Isopropylbenzene	27.3	2.0	ug/l	25.0		109	80-140			
p-Isopropyltoluene	26.6	2.0	ug/l	25.0		106	80-130			
Methylene chloride	26.9	5.0	ug/l	25.0		108	80-120			
4-Methyl-2-pentanone (MIBK)	22.2	10	ug/l	25.0		89	50-140			
Methyl-tert-butyl Ether (MTBE)	27.5	5.0	ug/l	25.0		110	65-130			
Naphthalene	25.7	2.0	ug/l	25.0		103	70-130			
n-Propylbenzene	27.3	2.0	ug/l	25.0		109	80-135			
Styrene	27.4	2.0	ug/l	25.0		110	80-125			
1,1,1,2-Tetrachloroethane	26.0	5.0	ug/l	25.0		104	80-120			
1,1,2,2-Tetrachloroethane	27.6	2.0	ug/l	25.0		110	65-140			
Tetrachloroethene	26.4	2.0	ug/l	25.0		106	80-125			
Toluene	26.4	2.0	ug/l	25.0		106	80-125			
1,2,3-Trichlorobenzene	27.4	5.0	ug/l	25.0		110	75-125			
1,2,4-Trichlorobenzene	27.7	5.0	ug/l	25.0		111	80-125			
1,1,1-Trichloroethane	24.8	2.0	ug/l	25.0		99	75-125			
1,1,2-Trichloroethane	25.1	2.0	ug/l	25.0		100	80-125			
Trichloroethene	26.2	2.0	ug/l	25.0		105	80-120			
Trichlorofluoromethane	25.8	5.0	ug/l	25.0		103	75-130			
1,2,3-Trichloropropane	25.7	10	ug/l	25.0		103	65-135			
1,2,4-Trimethylbenzene	26.4	2.0	ug/l	25.0		106	80-125			
1,3,5-Trimethylbenzene	26.0	2.0	ug/l	25.0		104	80-130			
Vinyl acetate	30.3	25	ug/l	25.0		121	70-140			
Vinyl chloride	22.3	1.7	ug/l	25.0		89	70-135			
Xylenes, Total	53.9	3.0	ug/l	50.0		108	80-125			
Surrogate: Dibromofluoromethane	*25.7*		*ug/l*	*25.0*		*103*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2725 Extracted: 09/26/06										
LCS Dup Analyzed: 09/26/2006 (P6I2725-BSD1)										
Acetone	22.3	20	ug/l	25.0		89	30-150	5	35	
Benzene	27.3	1.0	ug/l	25.0		109	80-120	1	10	
Bromobenzene	25.5	5.0	ug/l	25.0		102	80-125	0	10	
Bromochloromethane	25.9	5.0	ug/l	25.0		104	80-125	0	15	
Bromodichloromethane	26.1	2.0	ug/l	25.0		104	80-120	3	15	
Bromoform	23.2	5.0	ug/l	25.0		93	70-120	1	20	
Bromomethane	26.2	5.0	ug/l	25.0		105	80-135	5	15	
2-Butanone (MEK)	24.1	10	ug/l	25.0		96	55-150	4	35	
n-Butylbenzene	27.0	5.0	ug/l	25.0		108	80-120	2	10	
sec-Butylbenzene	25.8	5.0	ug/l	25.0		103	80-130	2	10	
tert-Butylbenzene	25.2	5.0	ug/l	25.0		101	80-130	3	10	
Carbon Disulfide	25.8	5.0	ug/l	25.0		103	55-145	5	15	*V1*
Carbon tetrachloride	24.9	5.0	ug/l	25.0		100	80-120	0	15	
Chlorobenzene	26.7	1.0	ug/l	25.0		107	80-120	0	10	
Chloroethane	29.4	5.0	ug/l	25.0		118	80-125	5	15	
Chloroform	25.0	2.0	ug/l	25.0		100	80-120	1	10	
Chloromethane	29.7	5.0	ug/l	25.0		119	70-130	8	15	
2-Chlorotoluene	25.2	5.0	ug/l	25.0		101	80-120	4	10	
4-Chlorotoluene	25.7	5.0	ug/l	25.0		103	80-120	2	10	
Dibromochloromethane	25.8	2.0	ug/l	25.0		103	75-120	3	15	
1,2-Dibromo-3-chloropropane	24.5	5.0	ug/l	25.0		98	55-120	4	35	
1,2-Dibromoethane (EDB)	27.2	2.0	ug/l	25.0		109	75-125	4	20	
Dibromomethane	26.4	2.0	ug/l	25.0		106	80-125	2	20	
1,2-Dichlorobenzene	26.0	1.0	ug/l	25.0		104	80-120	1	10	
1,3-Dichlorobenzene	25.8	1.0	ug/l	25.0		103	80-125	0	10	
1,4-Dichlorobenzene	26.8	1.0	ug/l	25.0		107	80-120	1	10	
Dichlorodifluoromethane	24.9	5.0	ug/l	25.0		100	60-140	0	15	
1,1-Dichloroethane	25.9	2.0	ug/l	25.0		104	80-120	1	10	
1,2-Dichloroethane	25.6	1.0	ug/l	25.0		102	75-125	2	20	
1,1-Dichloroethene	28.4	5.0	ug/l	25.0		114	75-120	2	15	
cis-1,2-Dichloroethene	25.3	2.0	ug/l	25.0		101	80-125	2	10	
trans-1,2-Dichloroethene	26.0	2.0	ug/l	25.0		104	80-120	0	10	
1,2-Dichloropropane	28.3	2.0	ug/l	25.0		113	80-120	2	15	
1,3-Dichloropropane	28.7	2.0	ug/l	25.0		115	80-120	4	15	
2,2-Dichloropropane	25.6	2.0	ug/l	25.0		102	70-130	0	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2725 Extracted: 09/26/06										
LCS Dup Analyzed: 09/26/2006 (P6I2725-BSD1)										
1,1-Dichloropropene	27.3	2.0	ug/l	25.0		109	80-120	1	10	
cis-1,3-Dichloropropene	27.1	2.0	ug/l	25.0		108	75-120	2	15	
trans-1,3-Dichloropropene	27.3	2.0	ug/l	25.0		109	80-120	5	20	
Ethylbenzene	27.9	2.0	ug/l	25.0		112	80-125	2	15	
Hexachlorobutadiene	26.8	5.0	ug/l	25.0		107	70-130	1	15	
2-Hexanone	25.6	10	ug/l	25.0		102	40-150	7	35	
Iodomethane	23.7	2.0	ug/l	25.0		95	80-130	2	10	
Isopropylbenzene	27.4	2.0	ug/l	25.0		110	80-140	0	10	
p-Isopropyltoluene	26.3	2.0	ug/l	25.0		105	80-130	1	15	
Methylene chloride	27.2	5.0	ug/l	25.0		109	80-120	1	10	
4-Methyl-2-pentanone (MIBK)	24.6	10	ug/l	25.0		98	50-140	10	35	
Methyl-tert-butyl Ether (MTBE)	28.0	5.0	ug/l	25.0		112	65-130	2	25	
Naphthalene	26.4	2.0	ug/l	25.0		106	70-130	3	20	
n-Propylbenzene	26.8	2.0	ug/l	25.0		107	80-135	2	10	
Styrene	27.0	2.0	ug/l	25.0		108	80-125	1	15	
1,1,1,2-Tetrachloroethane	26.0	5.0	ug/l	25.0		104	80-120	0	15	
1,1,2,2-Tetrachloroethane	28.1	2.0	ug/l	25.0		112	65-140	2	25	
Tetrachloroethene	26.7	2.0	ug/l	25.0		107	80-125	1	15	
Toluene	27.2	2.0	ug/l	25.0		109	80-125	3	10	
1,2,3-Trichlorobenzene	27.7	5.0	ug/l	25.0		111	75-125	1	15	
1,2,4-Trichlorobenzene	27.7	5.0	ug/l	25.0		111	80-125	0	15	
1,1,1-Trichloroethane	24.5	2.0	ug/l	25.0		98	75-125	1	10	
1,1,2-Trichloroethane	26.9	2.0	ug/l	25.0		108	80-125	7	25	
Trichloroethene	26.7	2.0	ug/l	25.0		107	80-120	2	10	
Trichlorofluoromethane	26.2	5.0	ug/l	25.0		105	75-130	2	10	
1,2,3-Trichloropropane	26.4	10	ug/l	25.0		106	65-135	3	25	
1,2,4-Trimethylbenzene	25.9	2.0	ug/l	25.0		104	80-125	2	10	
1,3,5-Trimethylbenzene	25.5	2.0	ug/l	25.0		102	80-130	2	10	
Vinyl acetate	31.1	25	ug/l	25.0		124	70-140	3	30	
Vinyl chloride	18.2	1.7	ug/l	25.0		73	70-135	20	15	*R6*
Xylenes, Total	53.8	3.0	ug/l	50.0		108	80-125	0	15	
Surrogate: Dibromofluoromethane	*25.8*		*ug/l*	*25.0*		*103*	*80-130*			
Surrogate: Toluene-d8	*26.8*		*ug/l*	*25.0*		*107*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.1*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2725 Extracted: 09/26/06										
Matrix Spike Analyzed: 09/26/2006 (P6I2725-MS1)					**Source: PPI0483-01**					
Acetone	21.9	20	ug/l	25.0	ND	88	15-150			
Benzene	26.3	1.0	ug/l	25.0	ND	105	80-125			
Bromobenzene	23.9	5.0	ug/l	25.0	ND	96	80-125			
Bromochloromethane	23.2	5.0	ug/l	25.0	ND	93	80-130			
Bromodichloromethane	23.8	2.0	ug/l	25.0	ND	95	70-130			
Bromoform	19.4	5.0	ug/l	25.0	ND	78	70-120			
Bromomethane	25.5	5.0	ug/l	25.0	ND	102	80-135			
2-Butanone (MEK)	19.7	10	ug/l	25.0	ND	79	30-150			
n-Butylbenzene	27.2	5.0	ug/l	25.0	ND	109	80-135			
sec-Butylbenzene	26.2	5.0	ug/l	25.0	ND	105	80-130			
tert-Butylbenzene	25.0	5.0	ug/l	25.0	ND	100	80-130			
Carbon Disulfide	26.0	5.0	ug/l	25.0	ND	104	45-150			*V1*
Carbon tetrachloride	23.8	5.0	ug/l	25.0	ND	95	65-135			
Chlorobenzene	25.1	1.0	ug/l	25.0	ND	100	80-125			
Chloroethane	28.0	5.0	ug/l	25.0	ND	112	80-125			
Chloroform	25.9	2.0	ug/l	25.0	1.5	98	75-130			
Chloromethane	27.0	5.0	ug/l	25.0	ND	108	65-130			
2-Chlorotoluene	25.2	5.0	ug/l	25.0	ND	101	80-130			
4-Chlorotoluene	25.5	5.0	ug/l	25.0	ND	102	80-135			
Dibromochloromethane	21.9	2.0	ug/l	25.0	ND	88	75-120			
1,2-Dibromo-3-chloropropane	18.7	5.0	ug/l	25.0	ND	75	50-130			
1,2-Dibromoethane (EDB)	23.2	2.0	ug/l	25.0	ND	93	70-130			
Dibromomethane	22.9	2.0	ug/l	25.0	ND	92	75-130			
1,2-Dichlorobenzene	24.1	1.0	ug/l	25.0	ND	96	80-130			
1,3-Dichlorobenzene	24.6	1.0	ug/l	25.0	ND	98	80-130			
1,4-Dichlorobenzene	25.3	1.0	ug/l	25.0	ND	101	80-125			
Dichlorodifluoromethane	24.4	5.0	ug/l	25.0	ND	98	60-140			
1,1-Dichloroethane	25.7	2.0	ug/l	25.0	0.46	101	80-125			
1,2-Dichloroethane	23.0	1.0	ug/l	25.0	ND	92	60-145			
1,1-Dichloroethene	27.2	5.0	ug/l	25.0	ND	109	75-130			
cis-1,2-Dichloroethene	24.7	2.0	ug/l	25.0	ND	99	80-125			
trans-1,2-Dichloroethene	25.6	2.0	ug/l	25.0	ND	102	80-120			
1,2-Dichloropropane	26.5	2.0	ug/l	25.0	ND	106	80-125			
1,3-Dichloropropane	24.9	2.0	ug/l	25.0	ND	100	75-130			
2,2-Dichloropropane	24.8	2.0	ug/l	25.0	ND	99	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2725 Extracted: 09/26/06										
Matrix Spike Analyzed: 09/26/2006 (P6I2725-MS1)					**Source: PPI0483-01**					
1,1-Dichloropropene	26.2	2.0	ug/l	25.0	ND	105	80-125			
cis-1,3-Dichloropropene	24.7	2.0	ug/l	25.0	ND	99	75-120			
trans-1,3-Dichloropropene	23.7	2.0	ug/l	25.0	ND	95	75-130			
Ethylbenzene	26.6	2.0	ug/l	25.0	ND	106	80-130			
Hexachlorobutadiene	26.5	5.0	ug/l	25.0	ND	106	65-130			
2-Hexanone	19.6	10	ug/l	25.0	ND	78	40-150			
Iodomethane	22.8	2.0	ug/l	25.0	ND	91	70-140			
Isopropylbenzene	27.6	2.0	ug/l	25.0	ND	110	80-140			
p-Isopropyltoluene	26.2	2.0	ug/l	25.0	ND	105	80-135			
Methylene chloride	26.1	5.0	ug/l	25.0	ND	104	75-125			
4-Methyl-2-pentanone (MIBK)	19.2	10	ug/l	25.0	ND	77	40-140			
Methyl-tert-butyl Ether (MTBE)	23.3	5.0	ug/l	25.0	ND	93	65-135			
Naphthalene	22.1	2.0	ug/l	25.0	ND	88	60-140			
n-Propylbenzene	27.0	2.0	ug/l	25.0	ND	108	80-140			
Styrene	24.7	2.0	ug/l	25.0	ND	99	30-150			
1,1,1,2-Tetrachloroethane	23.6	5.0	ug/l	25.0	ND	94	80-130			
1,1,2,2-Tetrachloroethane	24.1	2.0	ug/l	25.0	ND	96	65-140			
Tetrachloroethene	47.7	2.0	ug/l	25.0	22	103	80-130			
Toluene	25.9	2.0	ug/l	25.0	ND	104	80-130			
1,2,3-Trichlorobenzene	25.1	5.0	ug/l	25.0	ND	100	75-140			
1,2,4-Trichlorobenzene	25.7	5.0	ug/l	25.0	ND	103	80-135			
1,1,1-Trichloroethane	24.1	2.0	ug/l	25.0	ND	96	70-135			
1,1,2-Trichloroethane	22.7	2.0	ug/l	25.0	ND	91	70-135			
Trichloroethene	26.9	2.0	ug/l	25.0	1.1	103	80-125			
Trichlorofluoromethane	25.6	5.0	ug/l	25.0	ND	102	70-140			
1,2,3-Trichloropropane	22.3	10	ug/l	25.0	ND	89	65-135			
1,2,4-Trimethylbenzene	25.5	2.0	ug/l	25.0	ND	102	75-130			
1,3,5-Trimethylbenzene	25.2	2.0	ug/l	25.0	ND	101	80-135			
Vinyl acetate	26.9	25	ug/l	25.0	ND	108	30-150			
Vinyl chloride	20.9	1.7	ug/l	25.0	ND	84	70-135			
Xylenes, Total	50.8	3.0	ug/l	50.0	ND	102	80-125			
Surrogate: Dibromofluoromethane	*25.8*		*ug/l*	*25.0*		*103*	*80-130*			
Surrogate: Toluene-d8	*26.9*		*ug/l*	*25.0*		*108*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.1*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2725 Extracted: 09/26/06										
Matrix Spike Dup Analyzed: 09/26/2006 (P6I2725-MSD1)					**Source: PPI0483-01**					
Acetone	23.0	20	ug/l	25.0	ND	92	15-150	5	35	
Benzene	26.0	1.0	ug/l	25.0	ND	104	80-125	1	10	
Bromobenzene	24.3	5.0	ug/l	25.0	ND	97	80-125	2	15	
Bromochloromethane	23.8	5.0	ug/l	25.0	ND	95	80-130	3	20	
Bromodichloromethane	24.3	2.0	ug/l	25.0	ND	97	70-130	2	15	
Bromoform	20.7	5.0	ug/l	25.0	ND	83	70-120	6	25	
Bromomethane	25.4	5.0	ug/l	25.0	ND	102	80-135	0	20	
2-Butanone (MEK)	22.3	10	ug/l	25.0	ND	89	30-150	12	35	
n-Butylbenzene	26.3	5.0	ug/l	25.0	ND	105	80-135	3	20	
sec-Butylbenzene	25.4	5.0	ug/l	25.0	ND	102	80-130	3	20	
tert-Butylbenzene	24.6	5.0	ug/l	25.0	ND	98	80-130	2	20	
Carbon Disulfide	36.4	5.0	ug/l	25.0	ND	146	45-150	33	15	*V1, R4*
Carbon tetrachloride	23.8	5.0	ug/l	25.0	ND	95	65-135	0	15	
Chlorobenzene	24.9	1.0	ug/l	25.0	ND	100	80-125	1	15	
Chloroethane	28.8	5.0	ug/l	25.0	ND	115	80-125	3	20	
Chloroform	26.0	2.0	ug/l	25.0	1.5	98	75-130	0	15	
Chloromethane	28.8	5.0	ug/l	25.0	ND	115	65-130	6	20	
2-Chlorotoluene	24.6	5.0	ug/l	25.0	ND	98	80-130	2	15	
4-Chlorotoluene	25.2	5.0	ug/l	25.0	ND	101	80-135	1	15	
Dibromochloromethane	23.0	2.0	ug/l	25.0	ND	92	75-120	5	20	
1,2-Dibromo-3-chloropropane	20.9	5.0	ug/l	25.0	ND	84	50-130	11	35	
1,2-Dibromoethane (EDB)	24.3	2.0	ug/l	25.0	ND	97	70-130	5	25	
Dibromomethane	23.8	2.0	ug/l	25.0	ND	95	75-130	4	25	
1,2-Dichlorobenzene	24.0	1.0	ug/l	25.0	ND	96	80-130	0	15	
1,3-Dichlorobenzene	24.3	1.0	ug/l	25.0	ND	97	80-130	1	15	
1,4-Dichlorobenzene	25.4	1.0	ug/l	25.0	ND	102	80-125	0	10	
Dichlorodifluoromethane	25.2	5.0	ug/l	25.0	ND	101	60-140	3	45	
1,1-Dichloroethane	25.8	2.0	ug/l	25.0	0.46	101	80-125	0	15	
1,2-Dichloroethane	24.1	1.0	ug/l	25.0	ND	96	60-145	5	20	
1,1-Dichloroethene	27.3	5.0	ug/l	25.0	ND	109	75-130	0	15	
cis-1,2-Dichloroethene	24.8	2.0	ug/l	25.0	ND	99	80-125	0	15	
trans-1,2-Dichloroethene	25.4	2.0	ug/l	25.0	ND	102	80-120	1	15	
1,2-Dichloropropane	26.5	2.0	ug/l	25.0	ND	106	80-125	0	15	
1,3-Dichloropropane	26.2	2.0	ug/l	25.0	ND	105	75-130	5	20	
2,2-Dichloropropane	24.5	2.0	ug/l	25.0	ND	98	60-135	1	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448
Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2725 Extracted: 09/26/06										
Matrix Spike Dup Analyzed: 09/26/2006 (P6I2725-MSD1)					**Source: PPI0483-01**					
1,1-Dichloropropene	25.9	2.0	ug/l	25.0	ND	104	80-125	1	15	
cis-1,3-Dichloropropene	25.0	2.0	ug/l	25.0	ND	100	75-120	1	15	
trans-1,3-Dichloropropene	24.7	2.0	ug/l	25.0	ND	99	75-130	4	25	
Ethylbenzene	26.2	2.0	ug/l	25.0	ND	105	80-130	2	15	
Hexachlorobutadiene	25.4	5.0	ug/l	25.0	ND	102	65-130	4	15	
2-Hexanone	22.0	10	ug/l	25.0	ND	88	40-150	12	35	
Iodomethane	23.8	2.0	ug/l	25.0	ND	95	70-140	4	15	
Isopropylbenzene	26.5	2.0	ug/l	25.0	ND	106	80-140	4	20	
p-Isopropyltoluene	25.4	2.0	ug/l	25.0	ND	102	80-135	3	20	
Methylene chloride	26.9	5.0	ug/l	25.0	ND	108	75-125	3	15	
4-Methyl-2-pentanone (MIBK)	21.6	10	ug/l	25.0	ND	86	40-140	12	35	
Methyl-tert-butyl Ether (MTBE)	25.2	5.0	ug/l	25.0	ND	101	65-135	8	30	
Naphthalene	23.2	2.0	ug/l	25.0	ND	93	60-140	5	30	
n-Propylbenzene	26.4	2.0	ug/l	25.0	ND	106	80-140	2	20	
Styrene	24.8	2.0	ug/l	25.0	ND	99	30-150	0	25	
1,1,1,2-Tetrachloroethane	24.0	5.0	ug/l	25.0	ND	96	80-130	2	15	
1,1,2,2-Tetrachloroethane	25.5	2.0	ug/l	25.0	ND	102	65-140	6	35	
Tetrachloroethene	46.1	2.0	ug/l	25.0	22	96	80-130	3	15	
Toluene	25.7	2.0	ug/l	25.0	ND	103	80-130	1	15	
1,2,3-Trichlorobenzene	25.3	5.0	ug/l	25.0	ND	101	75-140	1	20	
1,2,4-Trichlorobenzene	25.5	5.0	ug/l	25.0	ND	102	80-135	1	15	
1,1,1-Trichloroethane	23.9	2.0	ug/l	25.0	ND	96	70-135	1	15	
1,1,2-Trichloroethane	24.1	2.0	ug/l	25.0	ND	96	70-135	6	25	
Trichloroethene	26.2	2.0	ug/l	25.0	1.1	100	80-125	3	15	
Trichlorofluoromethane	25.8	5.0	ug/l	25.0	ND	103	70-140	1	15	
1,2,3-Trichloropropane	23.8	10	ug/l	25.0	ND	95	65-135	7	35	
1,2,4-Trimethylbenzene	25.3	2.0	ug/l	25.0	ND	101	75-130	1	15	
1,3,5-Trimethylbenzene	24.8	2.0	ug/l	25.0	ND	99	80-135	2	15	
Vinyl acetate	29.0	25	ug/l	25.0	ND	116	30-150	8	35	
Vinyl chloride	26.9	1.7	ug/l	25.0	ND	108	70-135	25	25	
Xylenes, Total	50.4	3.0	ug/l	50.0	ND	101	80-125	1	15	
Surrogate: Dibromofluoromethane	*25.9*		*ug/l*	*25.0*		*104*	*80-130*			
Surrogate: Toluene-d8	*26.9*		*ug/l*	*25.0*		*108*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.1*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2730 Extracted: 09/27/06										
Blank Analyzed: 09/27/2006 (P6I2730-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							*V1*
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448
Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2730 Extracted: 09/27/06										
Blank Analyzed: 09/27/2006 (P6I2730-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							*N1*
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*30.2*		*ug/l*	*25.0*		*121*	*80-130*			
Surrogate: Toluene-d8	*26.3*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2730 Extracted: 09/27/06										
LCS Analyzed: 09/27/2006 (P6I2730-BS1)										
Acetone	26.3	20	ug/l	25.0		105	30-150			
Benzene	22.9	1.0	ug/l	25.0		92	80-120			
Bromobenzene	23.6	5.0	ug/l	25.0		94	80-125			
Bromochloromethane	25.1	5.0	ug/l	25.0		100	80-125			
Bromodichloromethane	24.3	2.0	ug/l	25.0		97	80-120			
Bromoform	21.2	5.0	ug/l	25.0		85	70-120			
Bromomethane	25.2	5.0	ug/l	25.0		101	80-135			
2-Butanone (MEK)	21.7	10	ug/l	25.0		87	55-150			
n-Butylbenzene	22.6	5.0	ug/l	25.0		90	80-120			
sec-Butylbenzene	23.7	5.0	ug/l	25.0		95	80-130			
tert-Butylbenzene	24.5	5.0	ug/l	25.0		98	80-130			
Carbon Disulfide	23.1	5.0	ug/l	25.0		92	55-145			
Carbon tetrachloride	24.0	5.0	ug/l	25.0		96	80-120			
Chlorobenzene	22.5	1.0	ug/l	25.0		90	80-120			
Chloroethane	27.3	5.0	ug/l	25.0		109	80-125			
Chloroform	25.0	2.0	ug/l	25.0		100	80-120			
Chloromethane	28.4	5.0	ug/l	25.0		114	70-130			
2-Chlorotoluene	23.4	5.0	ug/l	25.0		94	80-120			
4-Chlorotoluene	23.6	5.0	ug/l	25.0		94	80-120			
Dibromochloromethane	21.3	2.0	ug/l	25.0		85	75-120			
1,2-Dibromo-3-chloropropane	25.2	5.0	ug/l	25.0		101	55-120			
1,2-Dibromoethane (EDB)	23.1	2.0	ug/l	25.0		92	75-125			
Dibromomethane	23.4	2.0	ug/l	25.0		94	80-125			
1,2-Dichlorobenzene	23.7	1.0	ug/l	25.0		95	80-120			
1,3-Dichlorobenzene	22.7	1.0	ug/l	25.0		91	80-125			
1,4-Dichlorobenzene	23.9	1.0	ug/l	25.0		96	80-120			
Dichlorodifluoromethane	25.2	5.0	ug/l	25.0		101	60-140			
1,1-Dichloroethane	25.5	2.0	ug/l	25.0		102	80-120			
1,2-Dichloroethane	26.9	1.0	ug/l	25.0		108	75-125			*V1*
1,1-Dichloroethene	25.0	5.0	ug/l	25.0		100	75-120			
cis-1,2-Dichloroethene	24.1	2.0	ug/l	25.0		96	80-125			
trans-1,2-Dichloroethene	23.7	2.0	ug/l	25.0		95	80-120			
1,2-Dichloropropane	24.8	2.0	ug/l	25.0		99	80-120			
1,3-Dichloropropane	23.0	2.0	ug/l	25.0		92	80-120			
2,2-Dichloropropane	24.6	2.0	ug/l	25.0		98	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2730 Extracted: 09/27/06										
LCS Analyzed: 09/27/2006 (P6I2730-BS1)										
1,1-Dichloropropene	23.7	2.0	ug/l	25.0		95	80-120			
cis-1,3-Dichloropropene	23.6	2.0	ug/l	25.0		94	75-120			
trans-1,3-Dichloropropene	23.3	2.0	ug/l	25.0		93	80-120			
Ethylbenzene	22.9	2.0	ug/l	25.0		92	80-125			
Hexachlorobutadiene	24.1	5.0	ug/l	25.0		96	70-130			
2-Hexanone	22.2	10	ug/l	25.0		89	40-150			
Iodomethane	23.7	2.0	ug/l	25.0		95	80-130			
Isopropylbenzene	25.6	2.0	ug/l	25.0		102	80-140			
p-Isopropyltoluene	24.5	2.0	ug/l	25.0		98	80-130			
Methylene chloride	23.9	5.0	ug/l	25.0		96	80-120			
4-Methyl-2-pentanone (MIBK)	22.8	10	ug/l	25.0		91	50-140			
Methyl-tert-butyl Ether (MTBE)	25.7	5.0	ug/l	25.0		103	65-130			
Naphthalene	23.5	2.0	ug/l	25.0		94	70-130			
n-Propylbenzene	24.2	2.0	ug/l	25.0		97	80-135			
Styrene	22.3	2.0	ug/l	25.0		89	80-125			
1,1,1,2-Tetrachloroethane	23.3	5.0	ug/l	25.0		93	80-120			
1,1,2,2-Tetrachloroethane	25.3	2.0	ug/l	25.0		101	65-140			
Tetrachloroethene	20.4	2.0	ug/l	25.0		82	80-125			
Toluene	22.2	2.0	ug/l	25.0		89	80-125			
1,2,3-Trichlorobenzene	25.7	5.0	ug/l	25.0		103	75-125			
1,2,4-Trichlorobenzene	23.8	5.0	ug/l	25.0		95	80-125			
1,1,1-Trichloroethane	24.7	2.0	ug/l	25.0		99	75-125			
1,1,2-Trichloroethane	23.5	2.0	ug/l	25.0		94	80-125			
Trichloroethene	23.2	2.0	ug/l	25.0		93	80-120			
Trichlorofluoromethane	27.7	5.0	ug/l	25.0		111	75-130			
1,2,3-Trichloropropane	24.9	10	ug/l	25.0		100	65-135			
1,2,4-Trimethylbenzene	24.2	2.0	ug/l	25.0		97	80-125			
1,3,5-Trimethylbenzene	24.4	2.0	ug/l	25.0		98	80-130			
Vinyl acetate	31.6	25	ug/l	25.0		126	70-140			*N1*
Vinyl chloride	28.1	1.7	ug/l	25.0		112	70-135			
Xylenes, Total	45.6	3.0	ug/l	50.0		91	80-125			
Surrogate: Dibromofluoromethane	*29.8*		*ug/l*	*25.0*		*119*	*80-130*			
Surrogate: Toluene-d8	*26.6*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.4*		*ug/l*	*25.0*		*106*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2730 Extracted: 09/27/06										
LCS Dup Analyzed: 09/27/2006 (P6I2730-BSD1)										
Acetone	30.6	20	ug/l	25.0		122	30-150	15	35	
Benzene	23.6	1.0	ug/l	25.0		94	80-120	3	10	
Bromobenzene	25.4	5.0	ug/l	25.0		102	80-125	7	10	
Bromochloromethane	27.6	5.0	ug/l	25.0		110	80-125	9	15	
Bromodichloromethane	25.6	2.0	ug/l	25.0		102	80-120	5	15	
Bromoform	24.8	5.0	ug/l	25.0		99	70-120	16	20	
Bromomethane	27.2	5.0	ug/l	25.0		109	80-135	8	15	
2-Butanone (MEK)	25.4	10	ug/l	25.0		102	55-150	16	35	
n-Butylbenzene	23.0	5.0	ug/l	25.0		92	80-120	2	10	
sec-Butylbenzene	23.9	5.0	ug/l	25.0		96	80-130	1	10	
tert-Butylbenzene	24.6	5.0	ug/l	25.0		98	80-130	0	10	
Carbon Disulfide	23.5	5.0	ug/l	25.0		94	55-145	2	15	
Carbon tetrachloride	24.4	5.0	ug/l	25.0		98	80-120	2	15	
Chlorobenzene	23.9	1.0	ug/l	25.0		96	80-120	6	10	
Chloroethane	28.9	5.0	ug/l	25.0		116	80-125	6	15	
Chloroform	25.5	2.0	ug/l	25.0		102	80-120	2	10	
Chloromethane	29.1	5.0	ug/l	25.0		116	70-130	2	15	
2-Chlorotoluene	23.6	5.0	ug/l	25.0		94	80-120	1	10	
4-Chlorotoluene	24.1	5.0	ug/l	25.0		96	80-120	2	10	
Dibromochloromethane	23.1	2.0	ug/l	25.0		92	75-120	8	15	
1,2-Dibromo-3-chloropropane	29.8	5.0	ug/l	25.0		119	55-120	17	35	
1,2-Dibromoethane (EDB)	26.8	2.0	ug/l	25.0		107	75-125	15	20	
Dibromomethane	25.2	2.0	ug/l	25.0		101	80-125	7	20	
1,2-Dichlorobenzene	25.0	1.0	ug/l	25.0		100	80-120	5	10	
1,3-Dichlorobenzene	23.9	1.0	ug/l	25.0		96	80-125	5	10	
1,4-Dichlorobenzene	24.1	1.0	ug/l	25.0		96	80-120	1	10	
Dichlorodifluoromethane	25.0	5.0	ug/l	25.0		100	60-140	1	15	
1,1-Dichloroethane	26.2	2.0	ug/l	25.0		105	80-120	3	10	
1,2-Dichloroethane	28.7	1.0	ug/l	25.0		115	75-125	6	20	*V1*
1,1-Dichloroethene	25.6	5.0	ug/l	25.0		102	75-120	2	15	
cis-1,2-Dichloroethene	24.8	2.0	ug/l	25.0		99	80-125	3	10	
trans-1,2-Dichloroethene	25.2	2.0	ug/l	25.0		101	80-120	6	10	
1,2-Dichloropropane	25.5	2.0	ug/l	25.0		102	80-120	3	15	
1,3-Dichloropropane	26.3	2.0	ug/l	25.0		105	80-120	13	15	
2,2-Dichloropropane	25.0	2.0	ug/l	25.0		100	70-130	2	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2730 Extracted: 09/27/06										
LCS Dup Analyzed: 09/27/2006 (P6I2730-BSD1)										
1,1-Dichloropropene	24.2	2.0	ug/l	25.0		97	80-120	2	10	
cis-1,3-Dichloropropene	25.6	2.0	ug/l	25.0		102	75-120	8	15	
trans-1,3-Dichloropropene	25.4	2.0	ug/l	25.0		102	80-120	9	20	
Ethylbenzene	23.2	2.0	ug/l	25.0		93	80-125	1	15	
Hexachlorobutadiene	23.4	5.0	ug/l	25.0		94	70-130	3	15	
2-Hexanone	28.1	10	ug/l	25.0		112	40-150	23	35	
Iodomethane	23.7	2.0	ug/l	25.0		95	80-130	0	10	
Isopropylbenzene	24.9	2.0	ug/l	25.0		100	80-140	3	10	
p-Isopropyltoluene	23.9	2.0	ug/l	25.0		96	80-130	2	15	
Methylene chloride	25.6	5.0	ug/l	25.0		102	80-120	7	10	
4-Methyl-2-pentanone (MIBK)	27.1	10	ug/l	25.0		108	50-140	17	35	
Methyl-tert-butyl Ether (MTBE)	28.0	5.0	ug/l	25.0		112	65-130	9	25	
Naphthalene	26.4	2.0	ug/l	25.0		106	70-130	12	20	
n-Propylbenzene	23.8	2.0	ug/l	25.0		95	80-135	2	10	
Styrene	25.2	2.0	ug/l	25.0		101	80-125	12	15	
1,1,1,2-Tetrachloroethane	24.6	5.0	ug/l	25.0		98	80-120	5	15	
1,1,2,2-Tetrachloroethane	30.0	2.0	ug/l	25.0		120	65-140	17	25	
Tetrachloroethene	21.8	2.0	ug/l	25.0		87	80-125	7	15	
Toluene	23.5	2.0	ug/l	25.0		94	80-125	6	10	
1,2,3-Trichlorobenzene	26.7	5.0	ug/l	25.0		107	75-125	4	15	
1,2,4-Trichlorobenzene	24.5	5.0	ug/l	25.0		98	80-125	3	15	
1,1,1-Trichloroethane	25.2	2.0	ug/l	25.0		101	75-125	2	10	
1,1,2-Trichloroethane	26.8	2.0	ug/l	25.0		107	80-125	13	25	
Trichloroethene	24.2	2.0	ug/l	25.0		97	80-120	4	10	
Trichlorofluoromethane	28.0	5.0	ug/l	25.0		112	75-130	1	10	
1,2,3-Trichloropropane	28.2	10	ug/l	25.0		113	65-135	12	25	
1,2,4-Trimethylbenzene	24.1	2.0	ug/l	25.0		96	80-125	0	10	
1,3,5-Trimethylbenzene	24.8	2.0	ug/l	25.0		99	80-130	2	10	
Vinyl acetate	36.1	25	ug/l	25.0		144	70-140	13	30	*L3, N1*
Vinyl chloride	27.4	1.7	ug/l	25.0		110	70-135	3	15	
Xylenes, Total	47.4	3.0	ug/l	50.0		95	80-125	4	15	
Surrogate: Dibromofluoromethane	*29.9*		*ug/l*	*25.0*		*120*	*80-130*			
Surrogate: Toluene-d8	*26.4*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*27.4*		*ug/l*	*25.0*		*110*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2730 Extracted: 09/27/06										
Matrix Spike Analyzed: 09/27/2006 (P6I2730-MS1)					**Source: PPI0500-03**					
Acetone	137	20	ug/l	25.0	ND	548	15-150			*M1*
Benzene	30.0	1.0	ug/l	25.0	6.2	95	80-125			
Bromobenzene	24.2	5.0	ug/l	25.0	ND	97	80-125			
Bromochloromethane	24.8	5.0	ug/l	25.0	ND	99	80-130			
Bromodichloromethane	25.5	2.0	ug/l	25.0	0.69	99	70-130			
Bromoform	18.3	5.0	ug/l	25.0	ND	73	70-120			
Bromomethane	24.8	5.0	ug/l	25.0	ND	99	80-135			
2-Butanone (MEK)	19.3	10	ug/l	25.0	ND	77	30-150			
n-Butylbenzene	24.2	5.0	ug/l	25.0	ND	97	80-135			
sec-Butylbenzene	25.0	5.0	ug/l	25.0	ND	100	80-130			
tert-Butylbenzene	26.2	5.0	ug/l	25.0	ND	105	80-130			
Carbon Disulfide	24.2	5.0	ug/l	25.0	ND	97	45-150			
Carbon tetrachloride	24.3	5.0	ug/l	25.0	ND	97	65-135			
Chlorobenzene	23.4	1.0	ug/l	25.0	ND	94	80-125			
Chloroethane	27.6	5.0	ug/l	25.0	ND	110	80-125			
Chloroform	27.1	2.0	ug/l	25.0	0.90	105	75-130			
Chloromethane	26.4	5.0	ug/l	25.0	ND	106	65-130			
2-Chlorotoluene	24.4	5.0	ug/l	25.0	ND	98	80-130			
4-Chlorotoluene	24.7	5.0	ug/l	25.0	ND	99	80-135			
Dibromochloromethane	20.6	2.0	ug/l	25.0	0.70	80	75-120			
1,2-Dibromo-3-chloropropane	20.2	5.0	ug/l	25.0	ND	81	50-130			
1,2-Dibromoethane (EDB)	21.5	2.0	ug/l	25.0	ND	86	70-130			
Dibromomethane	22.0	2.0	ug/l	25.0	ND	88	75-130			
1,2-Dichlorobenzene	24.2	1.0	ug/l	25.0	ND	97	80-130			
1,3-Dichlorobenzene	23.4	1.0	ug/l	25.0	ND	94	80-130			
1,4-Dichlorobenzene	24.0	1.0	ug/l	25.0	ND	96	80-125			
Dichlorodifluoromethane	24.7	5.0	ug/l	25.0	ND	99	60-140			
1,1-Dichloroethane	28.1	2.0	ug/l	25.0	ND	112	80-125			
1,2-Dichloroethane	28.2	1.0	ug/l	25.0	ND	113	60-145			*V1*
1,1-Dichloroethene	25.5	5.0	ug/l	25.0	ND	102	75-130			
cis-1,2-Dichloroethene	59.7	2.0	ug/l	25.0	33	107	80-125			
trans-1,2-Dichloroethene	27.1	2.0	ug/l	25.0	1.0	104	80-120			
1,2-Dichloropropane	24.8	2.0	ug/l	25.0	ND	99	80-125			
1,3-Dichloropropane	23.8	2.0	ug/l	25.0	ND	95	75-130			
2,2-Dichloropropane	27.4	2.0	ug/l	25.0	ND	110	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2730 Extracted: 09/27/06										
Matrix Spike Analyzed: 09/27/2006 (P6I2730-MS1)					**Source: PPI0500-03**					
1,1-Dichloropropene	24.6	2.0	ug/l	25.0	ND	98	80-125			
cis-1,3-Dichloropropene	23.0	2.0	ug/l	25.0	ND	92	75-120			
trans-1,3-Dichloropropene	22.3	2.0	ug/l	25.0	ND	89	75-130			
Ethylbenzene	26.1	2.0	ug/l	25.0	1.7	98	80-130			
Hexachlorobutadiene	24.6	5.0	ug/l	25.0	ND	98	65-130			
2-Hexanone	18.9	10	ug/l	25.0	ND	76	40-150			
Iodomethane	24.3	2.0	ug/l	25.0	ND	97	70-140			
Isopropylbenzene	26.6	2.0	ug/l	25.0	ND	106	80-140			
p-Isopropyltoluene	25.0	2.0	ug/l	25.0	ND	100	80-135			
Methylene chloride	25.2	5.0	ug/l	25.0	ND	101	75-125			
4-Methyl-2-pentanone (MIBK)	19.4	10	ug/l	25.0	ND	78	40-140			
Methyl-tert-butyl Ether (MTBE)	24.6	5.0	ug/l	25.0	ND	98	65-135			
Naphthalene	20.5	2.0	ug/l	25.0	ND	82	60-140			
n-Propylbenzene	25.7	2.0	ug/l	25.0	ND	103	80-140			
Styrene	23.4	2.0	ug/l	25.0	ND	94	30-150			
1,1,1,2-Tetrachloroethane	24.4	5.0	ug/l	25.0	ND	98	80-130			
1,1,2,2-Tetrachloroethane	24.2	2.0	ug/l	25.0	ND	97	65-140			
Tetrachloroethene	71.6	2.0	ug/l	25.0	50	86	80-130			
Toluene	34.3	2.0	ug/l	25.0	11	93	80-130			
1,2,3-Trichlorobenzene	22.7	5.0	ug/l	25.0	ND	91	75-140			
1,2,4-Trichlorobenzene	22.3	5.0	ug/l	25.0	ND	89	80-135			
1,1,1-Trichloroethane	26.5	2.0	ug/l	25.0	ND	106	70-135			
1,1,2-Trichloroethane	21.7	2.0	ug/l	25.0	ND	87	70-135			
Trichloroethene	54.4	2.0	ug/l	25.0	30	98	80-125			
Trichlorofluoromethane	28.2	5.0	ug/l	25.0	ND	113	70-140			
1,2,3-Trichloropropane	23.2	10	ug/l	25.0	ND	93	65-135			
1,2,4-Trimethylbenzene	27.0	2.0	ug/l	25.0	1.4	102	75-130			
1,3,5-Trimethylbenzene	25.9	2.0	ug/l	25.0	ND	104	80-135			
Vinyl acetate	38.5	25	ug/l	25.0	ND	154	30-150			*N1*
Vinyl chloride	27.7	1.7	ug/l	25.0	ND	111	70-135			
Xylenes, Total	57.9	3.0	ug/l	50.0	7.9	100	80-125			
Surrogate: Dibromofluoromethane	*30.6*		*ug/l*	*25.0*		*122*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.0*		*ug/l*	*25.0*		*104*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2730 Extracted: 09/27/06										
Matrix Spike Dup Analyzed: 09/27/2006 (P6I2730-MSD1)					**Source: PPI0500-03**					
Acetone	159	20	ug/l	25.0	ND	636	15-150	15	35	*M1*
Benzene	28.7	1.0	ug/l	25.0	6.2	90	80-125	4	10	
Bromobenzene	24.4	5.0	ug/l	25.0	ND	98	80-125	1	15	
Bromochloromethane	25.9	5.0	ug/l	25.0	ND	104	80-130	4	20	
Bromodichloromethane	25.2	2.0	ug/l	25.0	0.69	98	70-130	1	15	
Bromoform	20.7	5.0	ug/l	25.0	ND	83	70-120	12	25	
Bromomethane	23.8	5.0	ug/l	25.0	ND	95	80-135	4	20	
2-Butanone (MEK)	24.9	10	ug/l	25.0	ND	100	30-150	25	35	
n-Butylbenzene	23.4	5.0	ug/l	25.0	ND	94	80-135	3	20	
sec-Butylbenzene	24.4	5.0	ug/l	25.0	ND	98	80-130	2	20	
tert-Butylbenzene	25.2	5.0	ug/l	25.0	ND	101	80-130	4	20	
Carbon Disulfide	22.8	5.0	ug/l	25.0	ND	91	45-150	6	15	
Carbon tetrachloride	23.5	5.0	ug/l	25.0	ND	94	65-135	3	15	
Chlorobenzene	23.7	1.0	ug/l	25.0	ND	95	80-125	1	15	
Chloroethane	26.2	5.0	ug/l	25.0	ND	105	80-125	5	20	
Chloroform	26.3	2.0	ug/l	25.0	0.90	102	75-130	3	15	
Chloromethane	25.0	5.0	ug/l	25.0	ND	100	65-130	5	20	
2-Chlorotoluene	24.2	5.0	ug/l	25.0	ND	97	80-130	1	15	
4-Chlorotoluene	24.6	5.0	ug/l	25.0	ND	98	80-135	0	15	
Dibromochloromethane	21.6	2.0	ug/l	25.0	0.70	84	75-120	5	20	
1,2-Dibromo-3-chloropropane	24.2	5.0	ug/l	25.0	ND	97	50-130	18	35	
1,2-Dibromoethane (EDB)	23.6	2.0	ug/l	25.0	ND	94	70-130	9	25	
Dibromomethane	23.3	2.0	ug/l	25.0	ND	93	75-130	6	25	
1,2-Dichlorobenzene	24.1	1.0	ug/l	25.0	ND	96	80-130	0	15	
1,3-Dichlorobenzene	22.6	1.0	ug/l	25.0	ND	90	80-130	3	15	
1,4-Dichlorobenzene	23.6	1.0	ug/l	25.0	ND	94	80-125	2	10	
Dichlorodifluoromethane	21.6	5.0	ug/l	25.0	ND	86	60-140	13	45	
1,1-Dichloroethane	26.2	2.0	ug/l	25.0	ND	105	80-125	7	15	
1,2-Dichloroethane	28.5	1.0	ug/l	25.0	ND	114	60-145	1	20	
1,1-Dichloroethene	24.5	5.0	ug/l	25.0	ND	98	75-130	4	15	
cis-1,2-Dichloroethene	59.3	2.0	ug/l	25.0	33	105	80-125	1	15	
trans-1,2-Dichloroethene	26.5	2.0	ug/l	25.0	1.0	102	80-120	2	15	
1,2-Dichloropropane	24.9	2.0	ug/l	25.0	ND	100	80-125	0	15	
1,3-Dichloropropane	25.0	2.0	ug/l	25.0	ND	100	75-130	5	20	
2,2-Dichloropropane	25.4	2.0	ug/l	25.0	ND	102	60-135	8	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2730 Extracted: 09/27/06										
Matrix Spike Dup Analyzed: 09/27/2006 (P6I2730-MSD1)					**Source: PPI0500-03**					
1,1-Dichloropropene	23.4	2.0	ug/l	25.0	ND	94	80-125	5	15	
cis-1,3-Dichloropropene	24.0	2.0	ug/l	25.0	ND	96	75-120	4	15	
trans-1,3-Dichloropropene	23.1	2.0	ug/l	25.0	ND	92	75-130	4	25	
Ethylbenzene	26.1	2.0	ug/l	25.0	1.7	98	80-130	0	15	
Hexachlorobutadiene	23.9	5.0	ug/l	25.0	ND	96	65-130	3	15	
2-Hexanone	22.3	10	ug/l	25.0	ND	89	40-150	17	35	
Iodomethane	23.3	2.0	ug/l	25.0	ND	93	70-140	4	15	
Isopropylbenzene	25.7	2.0	ug/l	25.0	ND	103	80-140	3	20	
p-Isopropyltoluene	24.7	2.0	ug/l	25.0	ND	99	80-135	1	20	
Methylene chloride	25.1	5.0	ug/l	25.0	ND	100	75-125	0	15	
4-Methyl-2-pentanone (MIBK)	23.3	10	ug/l	25.0	ND	93	40-140	18	35	
Methyl-tert-butyl Ether (MTBE)	26.1	5.0	ug/l	25.0	ND	104	65-135	6	30	
Naphthalene	24.9	2.0	ug/l	25.0	ND	100	60-140	19	30	
n-Propylbenzene	24.7	2.0	ug/l	25.0	ND	99	80-140	4	20	
Styrene	24.0	2.0	ug/l	25.0	ND	96	30-150	3	25	
1,1,1,2-Tetrachloroethane	24.3	5.0	ug/l	25.0	ND	97	80-130	0	15	
1,1,2,2-Tetrachloroethane	27.0	2.0	ug/l	25.0	ND	108	65-140	11	35	
Tetrachloroethene	76.6	2.0	ug/l	25.0	50	106	80-130	7	15	
Toluene	33.3	2.0	ug/l	25.0	11	89	80-130	3	15	
1,2,3-Trichlorobenzene	25.2	5.0	ug/l	25.0	ND	101	75-140	10	20	
1,2,4-Trichlorobenzene	23.2	5.0	ug/l	25.0	ND	93	80-135	4	15	
1,1,1-Trichloroethane	25.2	2.0	ug/l	25.0	ND	101	70-135	5	15	
1,1,2-Trichloroethane	23.4	2.0	ug/l	25.0	ND	94	70-135	8	25	
Trichloroethene	55.4	2.0	ug/l	25.0	30	102	80-125	2	15	
Trichlorofluoromethane	26.9	5.0	ug/l	25.0	ND	108	70-140	5	15	
1,2,3-Trichloropropane	25.8	10	ug/l	25.0	ND	103	65-135	11	35	
1,2,4-Trimethylbenzene	26.0	2.0	ug/l	25.0	1.4	98	75-130	4	15	
1,3,5-Trimethylbenzene	25.2	2.0	ug/l	25.0	ND	101	80-135	3	15	
Vinyl acetate	41.0	25	ug/l	25.0	ND	164	30-150	6	35	*N1*
Vinyl chloride	25.2	1.7	ug/l	25.0	ND	101	70-135	9	25	
Xylenes, Total	55.7	3.0	ug/l	50.0	7.9	96	80-125	4	15	
Surrogate: Dibromofluoromethane	*30.5*		*ug/l*	*25.0*		*122*	*80-130*			
Surrogate: Toluene-d8	*26.4*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.7*		*ug/l*	*25.0*		*107*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448
Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I1522 Extracted: 09/15/06										
Blank Analyzed: 09/22/2006 (P6I1522-BLK1)										
Acenaphthene	ND	3.0	ug/l							
Acenaphthylene	ND	3.0	ug/l							
Anthracene	ND	0.30	ug/l							
Benzo(a)anthracene	ND	0.050	ug/l							
Benzo(a)pyrene	ND	0.10	ug/l							
Benzo(b)fluoranthene	ND	0.30	ug/l							
Benzo(g,h,i)perylene	ND	0.30	ug/l							
Benzo(k)fluoranthene	ND	0.30	ug/l							
Chrysene	ND	0.30	ug/l							
Dibenz(a,h)anthracene	ND	0.50	ug/l							
Fluoranthene	ND	0.30	ug/l							
Fluorene	ND	0.30	ug/l							
Indeno(1,2,3-cd)pyrene	ND	0.30	ug/l							
Naphthalene	ND	2.0	ug/l							
Phenanthrene	ND	0.30	ug/l							
Pyrene	ND	0.30	ug/l							
Surrogate: 2-Methylanthracene	*0.515*		*ug/l*	*0.600*		*86*	*50-115*			
LCS Analyzed: 09/22/2006 (P6I1522-BS1)										**Q8**
Acenaphthene	4.61	3.0	ug/l	6.00		77	55-115			
Acenaphthylene	8.75	3.0	ug/l	12.0		73	55-115			
Anthracene	0.426	0.30	ug/l	0.600		71	55-115			
Benzo(a)anthracene	0.499	0.050	ug/l	0.600		83	70-115			
Benzo(a)pyrene	0.480	0.10	ug/l	0.600		80	75-115			
Benzo(b)fluoranthene	1.01	0.30	ug/l	1.20		84	80-115			
Benzo(g,h,i)perylene	1.05	0.30	ug/l	1.20		87	70-115			
Benzo(k)fluoranthene	0.509	0.30	ug/l	0.600		85	70-115			
Chrysene	0.509	0.30	ug/l	0.600		85	70-115			
Dibenz(a,h)anthracene	0.953	0.50	ug/l	1.20		79	65-115			
Fluoranthene	1.01	0.30	ug/l	1.20		84	60-115			
Fluorene	0.903	0.30	ug/l	1.20		75	55-115			
Indeno(1,2,3-cd)pyrene	0.494	0.30	ug/l	0.600		82	70-115			
Naphthalene	4.16	2.0	ug/l	6.00		69	45-115			
Phenanthrene	0.491	0.30	ug/l	0.600		82	50-115			
Pyrene	0.500	0.30	ug/l	0.600		83	65-115			
Surrogate: 2-Methylanthracene	*0.530*		*ug/l*	*0.600*		*88*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I1522 Extracted: 09/15/06										
LCS Dup Analyzed: 09/22/2006 (P6I1522-BSD1)										
Acenaphthene	4.93	3.0	ug/l	6.00		82	55-115	7	15	
Acenaphthylene	9.31	3.0	ug/l	12.0		78	55-115	6	20	
Anthracene	0.447	0.30	ug/l	0.600		74	55-115	5	20	
Benzo(a)anthracene	0.505	0.050	ug/l	0.600		84	70-115	1	15	
Benzo(a)pyrene	0.491	0.10	ug/l	0.600		82	75-115	2	15	
Benzo(b)fluoranthene	1.01	0.30	ug/l	1.20		84	80-115	0	15	
Benzo(g,h,i)perylene	1.02	0.30	ug/l	1.20		85	70-115	3	15	
Benzo(k)fluoranthene	0.512	0.30	ug/l	0.600		85	70-115	1	15	
Chrysene	0.513	0.30	ug/l	0.600		86	70-115	1	15	
Dibenz(a,h)anthracene	0.911	0.50	ug/l	1.20		76	65-115	5	15	
Fluoranthene	1.04	0.30	ug/l	1.20		87	60-115	3	20	
Fluorene	0.966	0.30	ug/l	1.20		80	55-115	7	20	
Indeno(1,2,3-cd)pyrene	0.495	0.30	ug/l	0.600		82	70-115	0	20	
Naphthalene	4.34	2.0	ug/l	6.00		72	45-115	4	25	
Phenanthrene	0.520	0.30	ug/l	0.600		87	50-115	6	25	
Pyrene	0.512	0.30	ug/l	0.600		85	65-115	2	20	
Surrogate: 2-Methylanthracene	*0.538*		*ug/l*	*0.600*		*90*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

DATA QUALIFIERS AND DEFINITIONS

L3	The associated blank spike recovery was above method acceptance limits.
M1	Matrix spike recovery was high, the method control sample recovery was acceptable.
N1	See case narrative.
Q8	Insufficient sample received to meet method QC requirements. Batch QC satisfies ADEQ policies 0154 and 0155.
R4	MS/MSD RPD exceeded the method control limit. Recovery met acceptance criteria.
R6	LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
S11	Surrogate recovery was high. Data reported per ADEQ policy 0154.000.
V1	CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
ND	Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
RPD	Relative Percent Difference

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0448

Sampled: 09/14/06
Received: 09/14/06

Certification Summary

TestAmerica - Phoenix, AZ

Method	Matrix	Nelac	Arizona
EPA 8015B	Water	X	X
EPA 8260B	Water	X	X
EPA 8310	Water	X	X

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

Subcontracted Laboratories

Transwest Geochem *Arizona Cert #AZ0133*
3725 E. Atlanta Ave Ste 1 - Phoenix, AZ 85040-2961
Analysis Performed: 8015B MOD-Low Level
Samples: PPI0448-02, PPI0448-03, PPI0448-04, PPI0448-05, PPI0448-06, PPI0448-07, PPI0448-09, PPI0448-13

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

4830 South [illegible]
Phoenix, AZ 85043
Phone 480-785-0043

COC # 37380 0609148

Lab Use Only
Project No:
Job No.

Client Contact: (name [illegible] address [illegible])
Jennifer Holland
CH2M HILL
2625 South Plaza Dr STE 300
Tempe, AZ 85282
480-377-6287

Sampler: M Wiese
Project Number: [illegible] #2959460
Analysis Turnaround Time
24 Hour -
7 Day -
14 Day -
21 Day -
28 Day -

Site Name: Sky Harbor
Location of Site: Phoenix, AZ

	Sample Identification		Sample Date	Sample Time	Sample Type	Matrix	# of Cont.	Preservation Used	Use for MS / MSD	Filtered Sample	Unfiltered Sample	SW8015	SW8260	SW8310											Lab Sample Numbers
	Location ID	Field Sample ID																							
1	Trip Blank	TB-091406B	Sep 14 2006	0053	BLKWATER	WATER	1	X			X		X				PPI-5448								1
2	ASE-126A	ASE-126A-6C2	Sep 14 2006	0402	GW	WATER	7	X			X	X	X	X											2
3	ASE-97A	ASE-97A-6C2	Sep 14 2006	0321	GW	WATER	5	X			X	X	X												3
4	ASE-90A	ASE-90A-6C2	Sep 14 2006	0248	GW	WATER	5	X			X	X	X												4
5	ASE-105A	ASE-105A-6C2	Sep 14 2006	0213	GW	WATER	5	X			X	X	X												5
6	ASE-112A	ASE-112A-6C2	Sep 14 2006	0136	GW	WATER	5	X			X	X	X												6
7	ASE-89A	ASE-89A-6C2	Sep 14 2006	0539	GW	WATER	7 8	X	X		X	X	X												7
8	BC-8C	BC-8C-6C2	Sep 14 2006	0649	GW	WATER	3	X			X		X												8
9	BC-8B	BC-8B-6C2	Sep 14 2006	0657	GW	WATER	5	X			X	X	X												9
10	BC-8A	BC-8A-6C2	Sep 14 2006	0728	GW	WATER	3	X			X		X												10
11	~~BC-18~~	~~BC-18-6C2~~	~~Sep 14 2006~~		~~GW~~	~~WATER~~	~~5~~	~~X~~			~~X~~	~~X~~	~~X~~				Not Sampled								
12	ASE-84A	ASE-84A-6C2	Sep 14 2006	0816	GW	WATER	3	X			X		X												11
13	ASE-84C	ASE-84C-6C2	Sep 14 2006	0903	GW	WATER	3	X			X		X												12
14																									
15	ASE-114A	ASE-114A-6C2	14Sep06	0106	GW	WTR	5	X			X	X	X												13
16																									
17																									
18																									
19																									
20																									
21																									
22																									
23																									

Special Instructions: Standard TAT 10 days. The SW8015 is for low level analysis and we need the raw data.

Relinquished by:	Company:	Date/Time:	Received by:	Company:
[signature]	HA	09/14/06 1552		
Relinquished by:	Company:	Date/Time:	Received by:	Company:
Relinquished by:	Company:	Date/Time:	Received by:	Company:
		9/14/06 1552	[signature]	TEST AMERICA

3 1 °C

TRANSWEST GEOCHEM

October 09, 2006

Ken Baker
TestAmerica - Phoenix
9830 S. 51st Street
Suite B-120
Phoenix, AZ 85044

Re: PPI0448
Work Order No.: 0609265

Dear Ken,

Attached is the original Report of Analysis from Columbia Analytical Services, Inc. (AZ0604) for the samples received on 9/15/06. The following analysis was performed:

Method EPA 8015B – Fuel Characterization

If you have any questions regarding the results, please call me. We appreciate your business and thank you for choosing Transwest Geochem.

Sincerely,

Skip Harden
Project Manager

ADHS License No. AZM133/AZ0133

CONFIDENTIAL AND PRIVILEGED

[illegible] • Phoenix, Arizona 85043 • (602) 437-0330 • (800) 927-5183 • Fax (602) 437-0660
[illegible] • Tucson, Arizona 85714 • (520) 573-1061 • Fax (520) 573-1063

100% Recycled

5090 Caterpillar Road Redding, California 96003 (530) 244-5227 (530) 244-4109 fax

Columbia Analytical Services INC
An Employee - Owned Company

October 03, 2006 Service Request No: D0601385

Skip Harden
Transwest Geochem, Incorporated
3725 East Atlanta Avenue
Suite 2
Phoenix, AZ 85040-2960

RE: PPC/PPD PPI0448/0609265

Dear Skip:

Enclosed are the results of the sample(s) submitted to our laboratory on September 19, 2006. For your reference, these analyses have been assigned our service request number D0601385.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 112. You may also contact me via email at mhovanec@redding.caslab.com.

Respectfully submitted,

Columbia Analytical Services, Inc.

Michael Hovanec
Project Chemist

NELAP Accredited ACIL Seal of Excellence Award 100% Recycled

Current CAS Redding Accreditation Programs

Federal and National Programs

- U.S Air Force, Air Force Center for Environmental Excellence (AFCEE)
  Approved laboratory for Wastewater and Hazardous Waste
- U.S. Army Corps of Engineers – MRD, HTRW Mandatory Center of Expertise
  Validated for Wastewater and Hazardous Waste
- Department of the Navy, Naval Facilities Engineering Service Center (NFESC)
  Approved laboratory for Wastewater and Hazardous Waste

State and Local Programs

- State of Alaska, Department of Environmental Conservation
  Approved Laboratory for Contaminated Sites
  Lab ID UST-001
- State of Arizona, Department of Health Services, Office of Laboratory Licensure
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID AZ0604
- State of California, Department of Health Services, National Environmental Laboratory Accreditation Program **(NELAP)**
  Approved Laboratory for Drinking Water, Wastewater and Hazardous Waste
  Lab ID 01105CA
  - Los Angeles County Sanitation District
    Approved Laboratory for Wastewater
    Lab ID 10243
- State of California, Department of Health Services, Environmental Laboratory Accreditation Program (ELAP)
  Approved Laboratory for Microbiology of Drinking Water and Wastewater
  Lab ID 2635
- State of Florida, Department of Health, Bureau of Laboratories **(NELAP)**
  Approved Environmental Testing Laboratory for Wastewater and Hazardous Waste
  Lab ID E87203
- State of Kansas, Department of Health and Environment **(NELAP)**
  Approved Laboratory for Hazardous Waste
  Lab ID E-10323
- State of Massachusetts, Department of Environmental Protection
  Approved laboratory for Drinking Water and Wastewater
  Lab ID M-CA025
- State of Oklahoma, Department of Environmental Quality
  Approved Laboratory for General Water Quality/Sludge Testing
  Lab ID 9952
- State of Oregon, Environmental Laboratory Accreditation Program **(ORELAP)**
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID CA200004
- State of Utah, Department of Health, Bureau of Laboratory Improvement **(NELAP)**
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID QUAL1
- State of Washington, Department of Ecology
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID C1234
- State of Wisconsin, Department of Natural Resources
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID 999767340

Arizona Data Qualifiers
Revision 2.0, 11/26/2003

Developed by the Sub-committee of the
Arizona Environmental Laboratory Advisory Committee

Microbiology:
A1 = Too numerous to count.
A2 = Sample incubation period exceeded method requirement.
A3 = Sample incubation period was shorter than method requirement.
A4 = Target organism detected in associated method blank.
A5 = Incubator/water bath temperature was outside method requirements.
A6 = Target organism not detected in associated positive control.
A7 = Micro sample received without adequate headspace.

Method/calibration blank:
B1 = Target analyte detected in method blank at or above the method reporting limit.
B2 = Non-target analyte detected in method blank and sample, producing interference.
B3 = Target analyte detected in calibration blank at or above the method reporting limit.
B4 = Target analyte detected in blank at/above method acceptance criteria.
B5 = Target analyte detected in method blank at or above the method reporting limit, but below trigger level or MCL.
B6 = Target analyte detected in calibration blank at or above the method reporting limit, but below trigger level or MCL.
B7 = Target analyte detected in method blank at or above method reporting limit. Concentration found in the sample was 10 times above the concentration found in the method blank.

Confirmation:
C1 = Confirmatory analysis not performed as required by the method.
C3 = Qualitative confirmation performed.
C4 = Confirmatory analysis was past holding time.
C5 = Confirmatory analysis was past holding time. Original result not confirmed.
C6 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the higher value was reported as there was no obvious chromatographic interference.
C7 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic interference.

Dilution:
D1 = Sample required dilution due to matrix.
D2 = Sample required dilution due to high concentration of target analyte.
D3 = Sample dilution required due to insufficient sample.
D4 = Minimum reporting level (MRL) adjusted to reflect sample amount received and analyzed.

Estimated concentration:
E1 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not possible due to insufficient sample.
E2 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to sample matrix.
E3 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

E4 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL).
E5 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL), but not confirmed by alternate analysis.
E6 = Concentration estimated. Internal standard recoveries did not meet method acceptance criteria.
E7 = Concentration estimated. Internal standard recoveries did not meet laboratory acceptance criteria.
E8 = Analyte reported to MDL per project specification. Target analyte was not detected in the sample.

Hold time:
H1 = Sample analysis performed past holding time.
H2 = Initial analysis within holding time. Reanalysis for the required dilution was past holding time.
H3 = Sample was received and analyzed past holding time.
H4 = Sample was extracted past required extraction holding time, but analyzed within analysis holding time.

BOD:
K1 = The sample dilutions set-up for the BOD analysis did not meet the oxygen depletion criteria of at least 2 mg/L. Any reported result is an estimated value.
K2 = The sample dilutions set up for the BOD analysis did not meet the criteria of a residual dissolved oxygen of at least 1 mg/L. Any reported result is an estimated value.
K4 = The seed depletion was outside the method acceptance limits. The reported result is an estimated value.
K5 = The dilution water D.O. depletion was > 0.2 mg/L.
K6 = Glucose/glutamic acid BOD was below method acceptance criteria.
K7 = A discrepancy between the BOD and COD results has been verified by reanalysis of the sample for COD.
K8 = Glucose/glutamic acid BOD was above method acceptance levels.

Laboratory fortified blank/blank spike:

L1 = The associated blank spike recovery was above laboratory acceptance limits.
L2 = The associated blank spike recovery was below laboratory acceptance limits.
L3 = The associated blank spike recovery was above method acceptance limits.
L4 = The associated blank spike recovery was below method acceptance limits.

Matrix spike:
M1 = Matrix spike recovery was high, the method control sample recovery was acceptable.
M2 = Matrix spike recovery was low, the method control sample recovery was acceptable.
M3 = The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
M4 = The analysis of the spiked sample required a dilution such that the spike concentration was diluted below the reporting limit. The method control sample recovery was acceptable.
M5 = Analyte concentration was determined by the method of standard addition (MSA).

M6 = Matrix spike recovery was high. Data reported per ADEQ policy 0154.000.
M7 = Matrix spike recovery was low. Data reported per ADEQ policy 0154.000.

General:
N1 = See case narrative.
N2 = See corrective action report.
N3 = The analysis meets all method requirements. See case narrative.

Sample quality:
Q1 = Sample integrity was not maintained. See case narrative.
Q2 = Sample received with headspace.
Q3 = Sample received with improper chemical preservation.
Q4 = Sample received and analyzed without chemical preservation.
Q5 = Sample received with inadequate chemical preservation, but preserved by the laboratory.
Q6 = Sample was received above recommended temperature.
Q7 = Sample inadequately dechlorinated.
Q8 = Insufficient sample received to meet method QC requirements. Batch QC requirements satisfies ADEQ policies 0154 and 0155.
Q9 = Insufficient sample received to meet method QC requirements.
Q10 = Sample received in inappropriate sample container.
Q11 = Sample is heterogeneous. Sample homogeneity could not be readily achieved using routine laboratory practices.

Duplicates:
R1 = RPD exceeded the method control limit. See case narrative.
R2 = RPD exceeded the laboratory control limit. See case narrative.
R4 = MS/MSD RPD exceeded the method control limit. Recovery met acceptance criteria.
R5 = MS/MSD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R6 = LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
R7 = LFB/LFBD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R8 = Sample RPD exceeded the method control limit.
R9 = Sample RPD exceeded the laboratory control limit.
R10 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic problems.
R11 = The RPD calculation for MS/MSD does not provide useful information due to the varying sample weights when Encore samplers/methanol field preserved samples are used.

Surrogate:
S1 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits.
S3 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits. No target analytes were detected in the sample.
S4 = Surrogate recovery was above laboratory and method acceptance limits. No target analytes were detected in the sample.
S5 = Surrogate recovery was below laboratory acceptance limits, but within method acceptance limits.
S6 = Surrogate recovery was below laboratory and method acceptance limits. Reextraction and/or reanalysis confirms low recovery caused by matrix effect.

S7 = Surrogate recovery was below laboratory and method acceptance limits. Unable to confirm matrix effect.
S8 = The analysis of the sample required a dilution such that the surrogate recovery calculation does not provide any useful information. The method control sample recovery was acceptable.
S10 = Surrogate recovery was above laboratory and method acceptance limits. See Case narrative.
S11 = Surrogate recovery was high. Data reported per ADEQ policy 0154.000.
S12 = Surrogate recovery was low. Data reported per ADEQ policy 0154.000.

Method/analyte discrepancies:
T1 = Method approved by EPA, but not yet licensed by ADHS.
T2 = Cited ADHS licensed method does not contain this analyte as part of method compound list.
T3 = Method not promulgated either by EPA or ADHS.
T4 = Tentatively identified compound. Concentration is estimated and based on the closest internal standard.

Calibration verification:
V1 = CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
V2 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample. The sample could not be reanalyzed due to insufficient sample.
V3 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample, but the sample was not reanalyzed. See case narrative.
V4 = CCV recovery was below method acceptance limits. The sample could not be reanalyzed due to insufficient sample.
V5 = CCV recovery after a group of samples was above acceptance limits. This target analyte was not detected in the sample. Acceptable per EPA Method 8000B.
V6 = Data reported from one-point calibration criteria per ADEQ policy 0155.000.
V7 = Calibration verification recovery was above the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.
V8 = Calibration verification recovery was below the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.

Calibration:
W1 = The % RSD for this compound was above 20%. The average % RSD for all compounds in the calibration met the 20% criteria as specified in EPA method 8000B.
W2 = The % RSD for this compound was above 15%. The average % RSD for all compounds in the calibration met the 15% criteria as specified in EPA method 8260B/8270C.

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0448/0609265

Service Request: D0601385

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
D0601385-001	PPI0448-02	09/14/06	04:02
D0601385-002	PPI0448-03	09/14/06	03:21
D0601385-003	PPI0448-04	09/14/06	02:48
D0601385-004	PPI0448-05	09/14/06	02:13
D0601385-005	PPI0448-06	09/14/06	01:36
D0601385-006	PPI0448-07	09/14/06	05:39
D0601385-007	PPI0448-09	09/14/06	06:17
D0601385-008	PPI0448-13	09/14/06	01:06

CASE NARRATIVE

COLUMBIA ANALYTICAL SERVICES, INC.

Client:	Transwest Geochem, Incorporated	**Service Request No.:**	D0601385
Project:	PPC/PPD PPI0448	**Date Received:**	09/19/06
Sample Matrix:	Aqueous		

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of Columbia Analytical Services, Inc. (CAS).This report contains analytical results for samples designated for Tier II data deliverables.

Sample Receipt

8 Aqueous samples were received for analysis at Columbia Analytical Services on 09/19/06.

No discrepancies were noted upon initial sample inspection. The samples were received in good condition and consistent with the accompanying chain of custody form. The samples were stored in a refrigerator at 4 degrees Celsius upon receipt at the laboratory.

Fuel Characterization by EPA Method 8015B

Insufficient sample volume was received to perform a Matrix Spike/Matrix Spike Duplicate (MS/MSD). A Laboratory Control Sample/Duplicate Laboratory Control Sample (LCS/DLCS) was analyzed in order to report precision data.

No anomalies associated with the analysis of these samples were observed.

Approved by: _____ **Date:** 10/3/06

CHAIN OF CUSTODY DOCUMENTATION

TRANSWEST GEOCHEM

CHAIN-OF-CUSTODY [redacted]

Skip Harden
3725 E. Atlanta Avenue
Suite 2
Phoenix, AZ 85040
TEL: (602) 437-0330
FAX: (602) 437-0660

Work Order: 0609265

Project: PPI0448

Subcontractor:
Columbia Analytical Services
5090 Caterpillar Rd.
Redding, CA 96003
TEL: (530) 244-5227
FAX: (530) 244-4109

18-Sep-06

Client Sample ID	TGI ID	Matrix	Collection Date	Containers	Requested Tests: 8015MOD_W						
PPI0448-02	01A	Water	9/14/2006 4:02:00 AM	1	1						
PPI0448-03	02A	Water	9/14/2006 3:21:00 AM	1	1						
PPI0448-04	03A	Water	9/14/2006 2:48:00 AM	1	1						
PPI0448-05	04A	Water	9/14/2006 ~~2:48:00 AM~~ 2:13 AM	1	1						
PPI0448-06	05A	Water	9/14/2006 1:36:00 AM	1	1						
PPI0448-07	06A	Water	9/14/2006 5:39:00 AM	1	1						
PPI0448-09	07A	Water	9/14/2006 6:17:00 AM	1	1						
PPI0448-13	08A	Water	9/14/2006 1:06:00 AM	1	1						

Low Level

Need Transfer Files needed

Comments After analysis, the samples do not need to be returned and can be disposed per your standard laboratory practices. Please provide a QC report, including Method Blank data.

Sample Receipt		
Temperature:	Ambient / Cold	Ice:
Received Intact:		Absent / Present
Custody Seals:		Wet / Blue
Total No. of Containers:		° C.

		Date/Time			Date/Time
Relinquished by:	Leslie May - TGI	9/18/06 1540	Received by:	UPS	
Relinquished by:			Received by:		
Relinquished by:			Received by:		

Columbia Analytical Services inc.
An Employee-Owned Company

5090 Caterpillar Road
Redding, CA 96003
Phone: (530) 244-5262
[redacted]

COOLER RECEIPT FORM

Project/Client: _____ Batch No.: _____

1. Cooler(s)/Sample(s) received on: 9·19·06 Shipped via: UPS

   Shipping Bill # (s): _____ # of Coolers/Packages 3

2. Radiological Screening by: _____ Acceptable Rejected

3. Custody seals on outside of cooler? YES NO N/A
   If yes, where? Front ✓ Rear ____ Lt Side ____ Rt Side ____

   Seals intact: YES NO

COOLER/SAMPLE PROCESSING

4. Sample Processing/Tagging by: KM

5. Cooler(s)/Sample(s) Temp's: 2.0C ____ ____ ____ ____
   (or)
   Temp. Blank (if included): ✓ ____ ____ ____ ____

6. Type of packing material (circle): Ice Blue Ice Bubble Wrap Bubble Bags Zip Locks Webbing

   Other: _____

7. Custody papers properly filled out (ink, signed, dated, released, etc.)? YES NO

8. Containers arrived in good condition (not broken, leaking, etc.)? YES NO

9. Samples received with adequate holding time remaining to conduct analysis? YES NO

10. Container labels complete (i.e. analysis, preservation, date/time, etc.)? YES NO

11. Container labels and tags agree with custody papers? YES NO

12. Correct types of containers used for the tests indicated? YES NO

    a.) Adequate sample received? If not, note on Exception Report. YES NO

13. Containers supplied by: CAS Other

14. Preserved containers received with the appropriate preservative? YES NO N/A

    pH: _____ (or) See pH log.

15. VOA vials free of air bubbles? YES NO N/A

16. Trip Blank preparation date: _____ CAS Other N/A

17. Volatile Soil samples: Encores or Plugs in Vials

    Freezer or GC/MS Date: _____ Time: _____ N/A

See Exception Report for discrepancies.

Rev. 8/18/2004/ds

Columbia Analytical Services inc.

An Employee-Owned Company

pH Log

5090 Caterpillar Road
Redding, CA 96003
Phone: 530-244-5227
Fax: 530-244-4109

Reference No.: [redacted] By: KM Date: 9.19.06

Project/Client: [redacted]

Tests: >					
Sample No:	HNO3 pH<2	H2SO4 pH<2	ZnAc2/NaOH pH>9	NaOH pH>12	HCL pH<2
-001		<2			
-002					
-003					
-004					
-005					
-006					
-007					
-008		<2			
-009					
-010					
-011					
-012					
-013					
-014					
-015					
-016					
-017					
-018					
-019					
-020					

Adjustments by Lab: Shown below by sample number and quantity of preservative in the appropriate column.

Sample No:	HNO3 pH<2 Lot#	H2SO4 pH<2 Lot#	ZnAc2/NaOH pH>9 Lot#	NaOH pH>12 Lot#	HCL pH<2 Lot#
	mL	mL	mL	mL	mL
	mL	mL	mL	mL	mL
	mL	mL	mL	mL	mL
	mL	mL	mL	mL	mL

Fuel Characterization

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0448/0609265

Service Request: D0601385

Cover Page - Organic Analysis Data Package
Hydrocarbon Scan / Fuel Characterization

Sample Name	Lab Code	Date Collected	Date Received
PPI0448-02	D0601385-001	09/14/2006	09/19/2006
PPI0448-03	D0601385-002	09/14/2006	09/19/2006
PPI0448-04	D0601385-003	09/14/2006	09/19/2006
PPI0448-05	D0601385-004	09/14/2006	09/19/2006
PPI0448-06	D0601385-005	09/14/2006	09/19/2006
PPI0448-07	D0601385-006	09/14/2006	09/19/2006
PPI0448-09	D0601385-007	09/14/2006	09/19/2006
PPI0448-13	D0601385-008	09/14/2006	09/19/2006

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the case narrative. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: Wlda Ang

Name: WLDA ANG

Date: 10/3/06

Title: Organic Manager

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601385
Project:	PPC/PPD PPI0448/0609265	**Date Collected:**	09/14/2006
Sample Matrix:	Water	**Date Received:**	09/19/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0448-02	**Units:**	ug/L
Lab Code:	D0601385-001	**Basis:**	NA
Extraction Method:	EPA 3510	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	51	1	09/28/06	09/29/06	
C23 - C32 HRO	ND	U	51	1	09/28/06	09/29/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	81	40-150	09/29/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601385
Project:	PPC/PPD PPI0448/0609265	**Date Collected:**	09/14/2006
Sample Matrix:	Water	**Date Received:**	09/19/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0448-03	**Units:**	ug/L
Lab Code:	D0601385-002	**Basis:**	NA
Extraction Method:	EPA 3510	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	**73**		51	1	09/28/06	09/29/06	
C23 - C32 HRO	ND	U	51	1	09/28/06	09/29/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	72	40-150	09/29/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601385
Project:	PPC/PPD PPI0448/0609265	**Date Collected:**	09/14/2006
Sample Matrix:	Water	**Date Received:**	09/19/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0448-04	**Units:**	ug/L
Lab Code:	D0601385-003	**Basis:**	NA
Extraction Method:	EPA 3510	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	**93**		51	1	09/28/06	09/29/06	
C23 - C32 HRO	ND	U	51	1	09/28/06	09/29/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	81	40-150	09/29/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601385
Project:	PPC/PPD PPI0448/0609265	**Date Collected:**	09/14/2006
Sample Matrix:	Water	**Date Received:**	09/19/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0448-05	**Units:**	ug/L
Lab Code:	D0601385-004	**Basis:**	NA
Extraction Method:	EPA 3510	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	**130**		51	1	09/28/06	09/29/06	
C23 - C32 HRO	ND	U	51	1	09/28/06	09/29/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	81	40-150	09/29/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601385
Project:	PPC/PPD PPI0448/0609265	**Date Collected:**	09/14/2006
Sample Matrix:	Water	**Date Received:**	09/19/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0448-06	**Units:**	ug/L
Lab Code:	D0601385-005	**Basis:**	NA
Extraction Method:	EPA 3510	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	**290**		51	1	09/28/06	09/29/06	
C23 - C32 HRO	ND	U	51	1	09/28/06	09/29/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	71	40-150	09/29/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601385
Project:	PPC/PPD PPI0448/0609265	**Date Collected:**	09/14/2006
Sample Matrix:	Water	**Date Received:**	09/19/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0448-07	**Units:**	ug/L
Lab Code:	D0601385-006	**Basis:**	NA
Extraction Method:	EPA 3510	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	**1000**		51	1	09/28/06	09/29/06	
C23 - C32 HRO	ND	U	51	1	09/28/06	09/29/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	72	40-150	09/29/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601385
Project:	PPC/PPD PPI0448/0609265	**Date Collected:**	09/14/2006
Sample Matrix:	Water	**Date Received:**	09/19/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0448-09	**Units:**	ug/L
Lab Code:	D0601385-007	**Basis:**	NA
Extraction Method:	EPA 3510	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	**71**		51	1	09/28/06	09/29/06	
C23 - C32 HRO	ND	U	51	1	09/28/06	09/29/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	85	40-150	09/29/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601385
Project:	PPC/PPD PPI0448/0609265	**Date Collected:**	09/14/2006
Sample Matrix:	Water	**Date Received:**	09/19/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0448-13	**Units:**	ug/L
Lab Code:	D0601385-008	**Basis:**	NA
Extraction Method:	EPA 3510	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	51	1	09/28/06	09/29/06	
C23 - C32 HRO	ND	U	51	1	09/28/06	09/29/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	76	40-150	09/29/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0448/0609265
Sample Matrix: Water

Service Request: D0601385
Date Collected: NA
Date Received: NA

Hydrocarbon Scan / Fuel Characterization

Sample Name: Method Blank
Lab Code: LWG0600818-3

Units: ug/L
Basis: NA

Extraction Method: EPA 3510
Analysis Method: 8015B

Level: Low

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	50	1	09/28/06	09/28/06	
C23 - C32 HRO	ND	U	50	1	09/28/06	09/28/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	79	40-150	09/28/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0448/0609265
Sample Matrix: Water

Service Request: D0601385

Surrogate Recovery Summary
Hydrocarbon Scan / Fuel Characterization

Extraction Method: EPA 3510
Analysis Method: 8015B

Units: PERCENT
Level: Low

Sample Name	Lab Code	Sur1
PPI0448-02	D0601385-001	81
PPI0448-03	D0601385-002	72
PPI0448-04	D0601385-003	81
PPI0448-05	D0601385-004	81
PPI0448-06	D0601385-005	71
PPI0448-07	D0601385-006	72
PPI0448-09	D0601385-007	85
PPI0448-13	D0601385-008	76
Method Blank	LWG0600818-3	79
Lab Control Sample	LWG0600818-1	70
Duplicate Lab Control Sample	LWG0600818-2	71

Surrogate Recovery Control Limits (%)

Sur1 = Octacosane 40-150

Results flagged with an asterisk (*) indicate values outside control criteria.
Results flagged with a pound (#) indicate the control criteria is not applicable.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0448/0609265
Sample Matrix: Water

Service Request: D0601385
Date Extracted: 09/28/2006
Date Analyzed: 09/28/2006

Lab Control Spike/Duplicate Lab Control Spike Summary
Hydrocarbon Scan / Fuel Characterization

Extraction Method: EPA 3510
Analysis Method: 8015B

Units: ug/L
Basis: NA
Level: Low
Extraction Lot: LWG0600818

	Lab Control Sample LWG0600818-1 Lab Control Spike			Duplicate Lab Control Sample LWG0600818-2 Duplicate Lab Control Spike					
Analyte Name	**Result**	**Expected**	**%Rec**	**Result**	**Expected**	**%Rec**	**%Rec Limits**	**RPD**	**RPD Limit**
C13 - C22 DRO	1440	2500	58	1490	2500	60	50-140	3	30

Results flagged with an asterisk (*) indicate values outside control criteria.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Sub

TRANSWEST GEOCHEM

Sample Receipt Checklist

Client Name: Test America

Date and Time Received: 9/15/06 1315

Work Order Number: 0609265

Checked by: lm

Checklist completed by: Leslie May 9/15/06
Signature / Date

Logged In by: SHG/18kc
Initials / Date

Matrix: Water

Carrier Name: (Client) TGI _____

Reviewed by: MD 9-19-06
Initials / Date

				COMMENTS
Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐	
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☑	
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑	
Chain of custody present?	Yes ☑	No ☐		
Chain of custody signed when relinquished and received?	Yes ☑	No ☐		
Chain of custody agrees with sample labels?	Yes ☑	No ☐		
Samples in proper container/bottle?	Yes ☑	No ☐		
Sample containers intact?	Yes ☑	No ☐		
Sufficient sample volume for indicated test?	Yes ☑	No ☐		
All samples received within holding time?	Yes ☑	No ☐		
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	Temp: 3.4	Sampled < 2hrs ☐
Water – VOA vials have zero headspace?	Yes ☐	No ☐	N/A ☑	
Water – pH acceptable upon receipt?	Yes ☑	No ☐	N/A ☐	Checked by: EP
Water – Sulfides present in Cyanide samples?	Yes ☐	No ☐	N/A ☑	
Sample considered Drinking Water for metal analysis?	Yes ☐	No ☐	N/A ☐	

Client contacted: _____ Date contacted: _____ Person contacted: _____

Contacted by: _____ Regarding: _____

Corrective Action: _____

TestAmerica
ANALYTICAL TESTING CORPORATION

0609265

SUBCONTRACT ORDER - PROJECT # PPI0448

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration		Comments	
Sample ID: PPI0448-02 Water Sampled: 09/14/06 04:02				
8015B MOD-Low Level-O	09/21/06 04:02	1	sub to Transwest, need transfer file for EDD	pH
Containers Supplied:				
1 L Amber w/H2SO4 (PPI0448-02D)				
1 L Amber w/H2SO4 (PPI0448-02E)				2
Sample ID: PPI0448-03 Water Sampled: 09/14/06 03:21				
8015B MOD-Low Level-O	09/21/06 03:21	2	sub to Transwest, need transfer file for EDD	
Containers Supplied:				
1 L Amber w/H2SO4 (PPI0448-03D)				
1 L Amber w/H2SO4 (PPI0448-03E)				2
Sample ID: PPI0448-04 Water Sampled: 09/14/06 02:48				
8015B MOD-Low Level-O	09/21/06 02:48	3	sub to Transwest, need transfer file for EDD	
Containers Supplied:				
1 L Amber w/H2SO4 (PPI0448-04D)				
1 L Amber w/H2SO4 (PPI0448-04E)				2
Sample ID: PPI0448-05 Water Sampled: 09/14/06 02:13				
8015B MOD-Low Level-O	09/21/06 02:13	4	sub to Transwest, need transfer file for EDD	
Containers Supplied:				
1 L Amber w/H2SO4 (PPI0448-05D)				
1 L Amber w/H2SO4 (PPI0448-05E)				2
Sample ID: PPI0448-06 Water Sampled: 09/14/06 01:36				
8015B MOD-Low Level-O	09/21/06 01:36	5	sub to Transwest, need transfer file for EDD	
Containers Supplied:				
1 L Amber w/H2SO4 (PPI0448-06D)				
1 L Amber w/H2SO4 (PPI0448-06E)				2

2

Released By	Date	Time	Received By	Date	Time

Released By	Date	Time	Received By	Date	Time

TestAmerica
ANALYTICAL TESTING CORPORATION

0609265

SUBCONTRACT ORDER - PROJECT # PPI0448

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPI0448-07 Water Sampled: 09/14/06 05:39		pH
8015B MOD-Low Level-O	09/21/06 05:39	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0448-07D)	6	
1 L Amber w/H2SO4 (PPI0448-07E)		2
Sample ID: PPI0448-09 Water Sampled: 09/14/06 06:17		
8015B MOD-Low Level-O	09/21/06 06:17	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0448-09D)	7	
1 L Amber w/H2SO4 (PPI0448-09E)		2
Sample ID: PPI0448-13 Water Sampled: 09/14/06 01:06		
8015B MOD-Low Level-O	09/21/06 01:06	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0448-13D)	8	
1 L Amber w/H2SO4 (PPI0448-13E)		2

SAMPLE INTEGRITY:

All containers intact: ☑ Yes ☐ No
Custody Seals Present: ☐ Yes ☑ No
Sample labels/COC agree: ☑ Yes ☐ No
Samples Preserved Properly: ☑ Yes ☐ No
Samples Received On Ice:: ☑ Yes ☐ No
Samples Received at (temp): 3-4

Released By	Date	Time	Received By	Date	Time
[signature]	9-15-6	1300	[signature]	9/15/6	1300
[signature]		1315	Leslie May-TGI	9/15/06	1315

TestAmerica
ANALYTICAL TESTING CORPORATION

9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

LABORATORY REPORT

Prepared For: CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project: Honeywell-Sky Harbor-PO# 2959460

Sampled: 09/15/06
Received: 09/16/06
Issued: 10/06/06 12:23

NELAP #01109CA Arizona DHS#AZ0426

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain(s) of Custody, 4 pages, are included and are an integral part of this report.
This entire report was reviewed and approved for release.

CASE NARRATIVE

LABORATORY ID	CLIENT ID	MATRIX
PPI0521-01	TB-091506B	Water
PPI0521-02	ASE-98A-6C2	Water
PPI0521-03	ASE-99A-6C2	Water
PPI0521-04	PL-509-6C2	Water
PPI0521-05	ASE-110A-6C2	Water
PPI0521-06	ASE-123A-6C2	Water
PPI0521-07	ASE-109A-6C2	Water
PPI0521-08	ASE-102A-6C2	Water
PPI0521-09	ASE-100A-6C2	Water
PPI0521-10	ASE-101A-6C2	Water

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe 2625 S. Plaza Drive, Ste. 300 Tempe, AZ 85282 Attention: Jennifer Holland	Project ID: Honeywell-Sky Harbor-PO# 2959460 Report Number: PPI0521	Sampled: 09/15/06 Received: 09/16/06

SAMPLE RECEIPT:	Samples were received intact, at 4°C, on ice and with chain of custody documentation.
HOLDING TIMES:	All samples were analyzed within prescribed holding times and/or in accordance with the TestAmerica Sample Acceptance Policy unless otherwise noted in the report.
PRESERVATION:	Samples requiring preservation were verified prior to sample analysis.
QA/QC CRITERIA:	All analyses met method criteria, except as noted in the report with data qualifiers.
COMMENTS:	N1: Concentration exceeds the calibration range and therefore result is semi-quantitative. N1a: The LCSD, MS and MSD recovered high and outside of acceptance limits for Acetone and Vinyl Acetate. All associated samples are non-detect for these compounds and there for should not be impacted. The second source continuing calibration verification analyzed immediately following the calibration recovered high and outside of acceptance limits for Vinyl Acetate. All associated samples are non-detect for Vinyl Acetate and therefore should not be impacted.
SUBCONTRACTED:	Refer to the last page for specific subcontract laboratory information included in this report.

Reviewed By:

Ken Baker

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0521-01 (TB-091506B - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2923	20	ND	1	9/29/2006	9/29/2006	
Benzene	EPA 8260B	P6I2923	1.0	ND	1	9/29/2006	9/29/2006	
Bromobenzene	EPA 8260B	P6I2923	5.0	ND	1	9/29/2006	9/29/2006	
Bromochloromethane	EPA 8260B	P6I2923	5.0	ND	1	9/29/2006	9/29/2006	
Bromodichloromethane	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	
Bromoform	EPA 8260B	P6I2923	5.0	ND	1	9/29/2006	9/29/2006	
Bromomethane	EPA 8260B	P6I2923	5.0	ND	1	9/29/2006	9/29/2006	
2-Butanone (MEK)	EPA 8260B	P6I2923	10	ND	1	9/29/2006	9/29/2006	
n-Butylbenzene	EPA 8260B	P6I2923	5.0	ND	1	9/29/2006	9/29/2006	
sec-Butylbenzene	EPA 8260B	P6I2923	5.0	ND	1	9/29/2006	9/29/2006	
tert-Butylbenzene	EPA 8260B	P6I2923	5.0	ND	1	9/29/2006	9/29/2006	
Carbon Disulfide	EPA 8260B	P6I2923	5.0	ND	1	9/29/2006	9/29/2006	
Carbon tetrachloride	EPA 8260B	P6I2923	5.0	ND	1	9/29/2006	9/29/2006	
Chlorobenzene	EPA 8260B	P6I2923	1.0	ND	1	9/29/2006	9/29/2006	
Chloroethane	EPA 8260B	P6I2923	5.0	ND	1	9/29/2006	9/29/2006	
Chloroform	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	
Chloromethane	EPA 8260B	P6I2923	5.0	ND	1	9/29/2006	9/29/2006	
2-Chlorotoluene	EPA 8260B	P6I2923	5.0	ND	1	9/29/2006	9/29/2006	
4-Chlorotoluene	EPA 8260B	P6I2923	5.0	ND	1	9/29/2006	9/29/2006	
Dibromochloromethane	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2923	5.0	ND	1	9/29/2006	9/29/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	
Dibromomethane	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2923	1.0	ND	1	9/29/2006	9/29/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2923	1.0	ND	1	9/29/2006	9/29/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2923	1.0	ND	1	9/29/2006	9/29/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2923	5.0	ND	1	9/29/2006	9/29/2006	
1,1-Dichloroethane	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	
1,2-Dichloroethane	EPA 8260B	P6I2923	1.0	ND	1	9/29/2006	9/29/2006	V1, L3
1,1-Dichloroethene	EPA 8260B	P6I2923	5.0	ND	1	9/29/2006	9/29/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	
1,2-Dichloropropane	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	
1,3-Dichloropropane	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	
2,2-Dichloropropane	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	
1,1-Dichloropropene	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	
Ethylbenzene	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	
Hexachlorobutadiene	EPA 8260B	P6I2923	5.0	ND	1	9/29/2006	9/29/2006	
2-Hexanone	EPA 8260B	P6I2923	10	ND	1	9/29/2006	9/29/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0521-01 (TB-091506B - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	
Isopropylbenzene	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	
p-Isopropyltoluene	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	
Methylene chloride	EPA 8260B	P6I2923	5.0	ND	1	9/29/2006	9/29/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2923	10	ND	1	9/29/2006	9/29/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2923	5.0	ND	1	9/29/2006	9/29/2006	
Naphthalene	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	
n-Propylbenzene	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	
Styrene	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2923	5.0	ND	1	9/29/2006	9/29/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	V1
Tetrachloroethene	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	
Toluene	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2923	5.0	ND	1	9/29/2006	9/29/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2923	5.0	ND	1	9/29/2006	9/29/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	
Trichloroethene	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	
Trichlorofluoromethane	EPA 8260B	P6I2923	5.0	ND	1	9/29/2006	9/29/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2923	10	ND	1	9/29/2006	9/29/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2923	2.0	ND	1	9/29/2006	9/29/2006	
Vinyl acetate	EPA 8260B	P6I2923	25	ND	1	9/29/2006	9/29/2006	L3, N1a
Vinyl chloride	EPA 8260B	P6I2923	1.7	ND	1	9/29/2006	9/29/2006	
Xylenes, Total	EPA 8260B	P6I2923	3.0	ND	1	9/29/2006	9/29/2006	
Surrogate: Dibromofluoromethane (80-130%)				*102 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*88 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0521-02 (ASE-98A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2730	20	ND	1	9/27/2006	9/27/2006	
Benzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
Bromobenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Bromochloromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Bromodichloromethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Bromoform	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Bromomethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
2-Butanone (MEK)	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	
n-Butylbenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
sec-Butylbenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
tert-Butylbenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Carbon Disulfide	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Carbon tetrachloride	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Chlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
Chloroethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Chloroform	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Chloromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
2-Chlorotoluene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
4-Chlorotoluene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Dibromochloromethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Dibromomethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,1-Dichloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dichloroethane	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
1,1-Dichloroethene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dichloropropane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,3-Dichloropropane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
2,2-Dichloropropane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,1-Dichloropropene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Ethylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Hexachlorobutadiene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
2-Hexanone	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0521-02 (ASE-98A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Isopropylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
p-Isopropyltoluene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Methylene chloride	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Naphthalene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
n-Propylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Styrene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Tetrachloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Toluene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Trichloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Trichlorofluoromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Vinyl acetate	EPA 8260B	P6I2730	25	ND	1	9/27/2006	9/27/2006	L3, N1a
Vinyl chloride	EPA 8260B	P6I2730	1.7	ND	1	9/27/2006	9/27/2006	
Xylenes, Total	EPA 8260B	P6I2730	3.0	ND	1	9/27/2006	9/27/2006	
Surrogate: Dibromofluoromethane (80-130%)				*95 %*				
Surrogate: Toluene-d8 (80-120%)				*100 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*91 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0521-03 (ASE-99A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2730	20	ND	1	9/27/2006	9/27/2006	
Benzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
Bromobenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Bromochloromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Bromodichloromethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Bromoform	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Bromomethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
2-Butanone (MEK)	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	
n-Butylbenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
sec-Butylbenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
tert-Butylbenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Carbon Disulfide	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Carbon tetrachloride	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Chlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
Chloroethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Chloroform	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Chloromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
2-Chlorotoluene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
4-Chlorotoluene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Dibromochloromethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Dibromomethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,1-Dichloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dichloroethane	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
1,1-Dichloroethene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dichloropropane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,3-Dichloropropane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
2,2-Dichloropropane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,1-Dichloropropene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Ethylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Hexachlorobutadiene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
2-Hexanone	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0521-03 (ASE-99A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Isopropylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
p-Isopropyltoluene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Methylene chloride	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Naphthalene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
n-Propylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Styrene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Tetrachloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Toluene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Trichloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Trichlorofluoromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Vinyl acetate	EPA 8260B	P6I2730	25	ND	1	9/27/2006	9/27/2006	L3, N1a
Vinyl chloride	EPA 8260B	P6I2730	1.7	ND	1	9/27/2006	9/27/2006	
Xylenes, Total	EPA 8260B	P6I2730	3.0	ND	1	9/27/2006	9/27/2006	
Surrogate: Dibromofluoromethane (80-130%)				*105 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*93 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0521-04 (PL-509-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2730	20	ND	1	9/27/2006	9/27/2006	
Benzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
Bromobenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Bromochloromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Bromodichloromethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Bromoform	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Bromomethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
2-Butanone (MEK)	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	
n-Butylbenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
sec-Butylbenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
tert-Butylbenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Carbon Disulfide	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Carbon tetrachloride	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Chlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
Chloroethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Chloroform	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Chloromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
2-Chlorotoluene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
4-Chlorotoluene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Dibromochloromethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Dibromomethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,1-Dichloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dichloroethane	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
1,1-Dichloroethene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dichloropropane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,3-Dichloropropane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
2,2-Dichloropropane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,1-Dichloropropene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Ethylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Hexachlorobutadiene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
2-Hexanone	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0521-04 (PL-509-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Isopropylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
p-Isopropyltoluene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Methylene chloride	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Naphthalene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
n-Propylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Styrene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Tetrachloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Toluene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Trichloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Trichlorofluoromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Vinyl acetate	EPA 8260B	P6I2730	25	ND	1	9/27/2006	9/27/2006	L3, N1a
Vinyl chloride	EPA 8260B	P6I2730	1.7	ND	1	9/27/2006	9/27/2006	
Xylenes, Total	EPA 8260B	P6I2730	3.0	ND	1	9/27/2006	9/27/2006	
Surrogate: Dibromofluoromethane (80-130%)				*109 %*				
Surrogate: Toluene-d8 (80-120%)				*101 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*92 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0521-05 (ASE-110A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2730	20	ND	1	9/27/2006	9/27/2006	
Benzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
Bromobenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Bromochloromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Bromodichloromethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Bromoform	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Bromomethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
2-Butanone (MEK)	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	
n-Butylbenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
sec-Butylbenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
tert-Butylbenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Carbon Disulfide	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Carbon tetrachloride	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Chlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
Chloroethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Chloroform	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Chloromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
2-Chlorotoluene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
4-Chlorotoluene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Dibromochloromethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Dibromomethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,1-Dichloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dichloroethane	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
1,1-Dichloroethene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dichloropropane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,3-Dichloropropane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
2,2-Dichloropropane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,1-Dichloropropene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Ethylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Hexachlorobutadiene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
2-Hexanone	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0521-05 (ASE-110A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Isopropylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
p-Isopropyltoluene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Methylene chloride	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Naphthalene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
n-Propylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Styrene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Tetrachloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Toluene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Trichloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Trichlorofluoromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Vinyl acetate	EPA 8260B	P6I2730	25	ND	1	9/27/2006	9/27/2006	L3, N1a
Vinyl chloride	EPA 8260B	P6I2730	1.7	ND	1	9/27/2006	9/27/2006	
Xylenes, Total	EPA 8260B	P6I2730	3.0	ND	1	9/27/2006	9/27/2006	
Surrogate: Dibromofluoromethane (80-130%)				*113 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0521-06 (ASE-123A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2730	20	ND	1	9/27/2006	9/27/2006	
Benzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
Bromobenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Bromochloromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Bromodichloromethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Bromoform	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Bromomethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
2-Butanone (MEK)	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	
n-Butylbenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
sec-Butylbenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
tert-Butylbenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Carbon Disulfide	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Carbon tetrachloride	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Chlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
Chloroethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Chloroform	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Chloromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
2-Chlorotoluene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
4-Chlorotoluene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Dibromochloromethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Dibromomethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,1-Dichloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dichloroethane	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
1,1-Dichloroethene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dichloropropane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,3-Dichloropropane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
2,2-Dichloropropane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,1-Dichloropropene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Ethylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Hexachlorobutadiene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
2-Hexanone	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0521-06 (ASE-123A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Isopropylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
p-Isopropyltoluene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Methylene chloride	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Naphthalene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
n-Propylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Styrene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Tetrachloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Toluene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Trichloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Trichlorofluoromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Vinyl acetate	EPA 8260B	P6I2730	25	ND	1	9/27/2006	9/27/2006	L3, N1a
Vinyl chloride	EPA 8260B	P6I2730	1.7	ND	1	9/27/2006	9/27/2006	
Xylenes, Total	EPA 8260B	P6I2730	3.0	ND	1	9/27/2006	9/27/2006	
Surrogate: Dibromofluoromethane (80-130%)				*120 %*				
Surrogate: Toluene-d8 (80-120%)				*105 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*101 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0521-07 (ASE-109A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2730	20	ND	1	9/27/2006	9/27/2006	
Benzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
Bromobenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Bromochloromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Bromodichloromethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Bromoform	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Bromomethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
2-Butanone (MEK)	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	
n-Butylbenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
sec-Butylbenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
tert-Butylbenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Carbon Disulfide	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Carbon tetrachloride	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Chlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
Chloroethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Chloroform	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Chloromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
2-Chlorotoluene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
4-Chlorotoluene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Dibromochloromethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Dibromomethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,1-Dichloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dichloroethane	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
1,1-Dichloroethene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dichloropropane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,3-Dichloropropane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
2,2-Dichloropropane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,1-Dichloropropene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Ethylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Hexachlorobutadiene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
2-Hexanone	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0521-07 (ASE-109A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Isopropylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
p-Isopropyltoluene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Methylene chloride	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Naphthalene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
n-Propylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Styrene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Tetrachloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Toluene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Trichloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Trichlorofluoromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Vinyl acetate	EPA 8260B	P6I2730	25	ND	1	9/27/2006	9/27/2006	L3, N1a
Vinyl chloride	EPA 8260B	P6I2730	1.7	ND	1	9/27/2006	9/27/2006	
Xylenes, Total	EPA 8260B	P6I2730	3.0	ND	1	9/27/2006	9/27/2006	
Surrogate: Dibromofluoromethane (80-130%)				*120 %*				
Surrogate: Toluene-d8 (80-120%)				*108 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*96 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0521-08 (ASE-102A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2730	20	ND	1	9/27/2006	9/27/2006	
Benzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
Bromobenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Bromochloromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Bromodichloromethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Bromoform	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Bromomethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
2-Butanone (MEK)	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	
n-Butylbenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
sec-Butylbenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
tert-Butylbenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Carbon Disulfide	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Carbon tetrachloride	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Chlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
Chloroethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Chloroform	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Chloromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
2-Chlorotoluene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
4-Chlorotoluene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Dibromochloromethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Dibromomethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,1-Dichloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dichloroethane	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
1,1-Dichloroethene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dichloropropane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,3-Dichloropropane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
2,2-Dichloropropane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,1-Dichloropropene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Ethylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Hexachlorobutadiene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
2-Hexanone	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0521-08 (ASE-102A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Isopropylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
p-Isopropyltoluene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Methylene chloride	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Naphthalene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
n-Propylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Styrene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Tetrachloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Toluene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Trichloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Trichlorofluoromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Vinyl acetate	EPA 8260B	P6I2730	25	ND	1	9/27/2006	9/27/2006	L3, N1a
Vinyl chloride	EPA 8260B	P6I2730	1.7	ND	1	9/27/2006	9/27/2006	
Xylenes, Total	EPA 8260B	P6I2730	3.0	ND	1	9/27/2006	9/27/2006	
Surrogate: Dibromofluoromethane (80-130%)				*123 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0521-09 (ASE-100A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2730	20	ND	1	9/27/2006	9/27/2006	
Benzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
Bromobenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Bromochloromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Bromodichloromethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Bromoform	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Bromomethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
2-Butanone (MEK)	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	
n-Butylbenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
sec-Butylbenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
tert-Butylbenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Carbon Disulfide	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Carbon tetrachloride	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Chlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
Chloroethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Chloroform	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Chloromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
2-Chlorotoluene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
4-Chlorotoluene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Dibromochloromethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Dibromomethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,1-Dichloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dichloroethane	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/27/2006	
1,1-Dichloroethene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2-Dichloropropane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,3-Dichloropropane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
2,2-Dichloropropane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,1-Dichloropropene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Ethylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Hexachlorobutadiene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
2-Hexanone	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0521-09 (ASE-100A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Isopropylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
p-Isopropyltoluene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Methylene chloride	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
Naphthalene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
n-Propylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Styrene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Tetrachloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Toluene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Trichloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Trichlorofluoromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/27/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/27/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/27/2006	
Vinyl acetate	EPA 8260B	P6I2730	25	ND	1	9/27/2006	9/27/2006	L3, N1a
Vinyl chloride	EPA 8260B	P6I2730	1.7	ND	1	9/27/2006	9/27/2006	
Xylenes, Total	EPA 8260B	P6I2730	3.0	ND	1	9/27/2006	9/27/2006	
Surrogate: Dibromofluoromethane (80-130%)				*121 %*				
Surrogate: Toluene-d8 (80-120%)				*101 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*96 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0521-10 (ASE-101A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2730	20	ND	1	9/27/2006	9/28/2006	
Benzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/28/2006	
Bromobenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/28/2006	
Bromochloromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/28/2006	
Bromodichloromethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/28/2006	
Bromoform	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/28/2006	
Bromomethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/28/2006	
2-Butanone (MEK)	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/28/2006	
n-Butylbenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/28/2006	
sec-Butylbenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/28/2006	
tert-Butylbenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/28/2006	
Carbon Disulfide	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/28/2006	
Carbon tetrachloride	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/28/2006	
Chlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/28/2006	
Chloroethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/28/2006	
Chloroform	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/28/2006	
Chloromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/28/2006	
2-Chlorotoluene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/28/2006	
4-Chlorotoluene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/28/2006	
Dibromochloromethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/28/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/28/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/28/2006	
Dibromomethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/28/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/28/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/28/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/28/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/28/2006	
1,1-Dichloroethane	EPA 8260B	P6I2730	2.0	**2.0**	1	9/27/2006	9/28/2006	
1,2-Dichloroethane	EPA 8260B	P6I2730	1.0	ND	1	9/27/2006	9/28/2006	
1,1-Dichloroethene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/28/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/28/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/28/2006	
1,2-Dichloropropane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/28/2006	
1,3-Dichloropropane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/28/2006	
2,2-Dichloropropane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/28/2006	
1,1-Dichloropropene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/28/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/28/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/28/2006	
Ethylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/28/2006	
Hexachlorobutadiene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/28/2006	
2-Hexanone	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/28/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0521-10 (ASE-101A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/28/2006	
Isopropylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/28/2006	
p-Isopropyltoluene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/28/2006	
Methylene chloride	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/28/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/28/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2730	5.0	**7.5**	1	9/27/2006	9/28/2006	
Naphthalene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/28/2006	
n-Propylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/28/2006	
Styrene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/28/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/28/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/28/2006	
Tetrachloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/28/2006	
Toluene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/28/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/28/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/28/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/28/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/28/2006	
Trichloroethene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/28/2006	
Trichlorofluoromethane	EPA 8260B	P6I2730	5.0	ND	1	9/27/2006	9/28/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2730	10	ND	1	9/27/2006	9/28/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/28/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2730	2.0	ND	1	9/27/2006	9/28/2006	
Vinyl acetate	EPA 8260B	P6I2730	25	ND	1	9/27/2006	9/28/2006	L3, N1a
Vinyl chloride	EPA 8260B	P6I2730	1.7	ND	1	9/27/2006	9/28/2006	
Xylenes, Total	EPA 8260B	P6I2730	3.0	ND	1	9/27/2006	9/28/2006	
Surrogate: Dibromofluoromethane (80-130%)				*123 %*				
Surrogate: Toluene-d8 (80-120%)				*105 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*99 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0521-06 (ASE-123A-6C2 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6I2121	3.0	ND	1.01	9/22/2006	10/1/2006	
Acenaphthylene	EPA 8310	P6I2121	3.0	ND	1.01	9/22/2006	10/1/2006	
Anthracene	EPA 8310	P6I2121	0.30	ND	1.01	9/22/2006	10/1/2006	
Benzo(a)anthracene	EPA 8310	P6I2121	0.050	ND	1.01	9/22/2006	10/1/2006	
Benzo(a)pyrene	EPA 8310	P6I2121	0.10	ND	1.01	9/22/2006	10/1/2006	
Benzo(b)fluoranthene	EPA 8310	P6I2121	0.30	ND	1.01	9/22/2006	10/1/2006	
Benzo(g,h,i)perylene	EPA 8310	P6I2121	0.30	ND	1.01	9/22/2006	10/1/2006	
Benzo(k)fluoranthene	EPA 8310	P6I2121	0.30	ND	1.01	9/22/2006	10/1/2006	
Chrysene	EPA 8310	P6I2121	0.30	ND	1.01	9/22/2006	10/1/2006	
Dibenz(a,h)anthracene	EPA 8310	P6I2121	0.50	ND	1.01	9/22/2006	10/1/2006	
Fluoranthene	EPA 8310	P6I2121	0.30	ND	1.01	9/22/2006	10/1/2006	
Fluorene	EPA 8310	P6I2121	0.30	ND	1.01	9/22/2006	10/1/2006	
Indeno(1,2,3-cd)pyrene	EPA 8310	P6I2121	0.30	ND	1.01	9/22/2006	10/1/2006	
Naphthalene	EPA 8310	P6I2121	2.0	ND	1.01	9/22/2006	10/1/2006	
Phenanthrene	EPA 8310	P6I2121	0.30	ND	1.01	9/22/2006	10/1/2006	
Pyrene	EPA 8310	P6I2121	0.30	ND	1.01	9/22/2006	10/1/2006	
Surrogate: 2-Methylanthracene (50-115%)				*87 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2730 Extracted: 09/27/06										
Blank Analyzed: 09/27/2006 (P6I2730-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							*V1*
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2730 Extracted: 09/27/06										
Blank Analyzed: 09/27/2006 (P6I2730-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							*N1a*
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*30.2*		*ug/l*	*25.0*		*121*	*80-130*			
Surrogate: Toluene-d8	*26.3*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2730 Extracted: 09/27/06										
LCS Analyzed: 09/27/2006 (P6I2730-BS1)										
Acetone	26.3	20	ug/l	25.0		105	30-150			
Benzene	22.9	1.0	ug/l	25.0		92	80-120			
Bromobenzene	23.6	5.0	ug/l	25.0		94	80-125			
Bromochloromethane	25.1	5.0	ug/l	25.0		100	80-125			
Bromodichloromethane	24.3	2.0	ug/l	25.0		97	80-120			
Bromoform	21.2	5.0	ug/l	25.0		85	70-120			
Bromomethane	25.2	5.0	ug/l	25.0		101	80-135			
2-Butanone (MEK)	21.7	10	ug/l	25.0		87	55-150			
n-Butylbenzene	22.6	5.0	ug/l	25.0		90	80-120			
sec-Butylbenzene	23.7	5.0	ug/l	25.0		95	80-130			
tert-Butylbenzene	24.5	5.0	ug/l	25.0		98	80-130			
Carbon Disulfide	23.1	5.0	ug/l	25.0		92	55-145			
Carbon tetrachloride	24.0	5.0	ug/l	25.0		96	80-120			
Chlorobenzene	22.5	1.0	ug/l	25.0		90	80-120			
Chloroethane	27.3	5.0	ug/l	25.0		109	80-125			
Chloroform	25.0	2.0	ug/l	25.0		100	80-120			
Chloromethane	28.4	5.0	ug/l	25.0		114	70-130			
2-Chlorotoluene	23.4	5.0	ug/l	25.0		94	80-120			
4-Chlorotoluene	23.6	5.0	ug/l	25.0		94	80-120			
Dibromochloromethane	21.3	2.0	ug/l	25.0		85	75-120			
1,2-Dibromo-3-chloropropane	25.2	5.0	ug/l	25.0		101	55-120			
1,2-Dibromoethane (EDB)	23.1	2.0	ug/l	25.0		92	75-125			
Dibromomethane	23.4	2.0	ug/l	25.0		94	80-125			
1,2-Dichlorobenzene	23.7	1.0	ug/l	25.0		95	80-120			
1,3-Dichlorobenzene	22.7	1.0	ug/l	25.0		91	80-125			
1,4-Dichlorobenzene	23.9	1.0	ug/l	25.0		96	80-120			
Dichlorodifluoromethane	25.2	5.0	ug/l	25.0		101	60-140			
1,1-Dichloroethane	25.5	2.0	ug/l	25.0		102	80-120			
1,2-Dichloroethane	26.9	1.0	ug/l	25.0		108	75-125			*V1*
1,1-Dichloroethene	25.0	5.0	ug/l	25.0		100	75-120			
cis-1,2-Dichloroethene	24.1	2.0	ug/l	25.0		96	80-125			
trans-1,2-Dichloroethene	23.7	2.0	ug/l	25.0		95	80-120			
1,2-Dichloropropane	24.8	2.0	ug/l	25.0		99	80-120			
1,3-Dichloropropane	23.0	2.0	ug/l	25.0		92	80-120			
2,2-Dichloropropane	24.6	2.0	ug/l	25.0		98	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2730 Extracted: 09/27/06										
LCS Analyzed: 09/27/2006 (P6I2730-BS1)										
1,1-Dichloropropene	23.7	2.0	ug/l	25.0		95	80-120			
cis-1,3-Dichloropropene	23.6	2.0	ug/l	25.0		94	75-120			
trans-1,3-Dichloropropene	23.3	2.0	ug/l	25.0		93	80-120			
Ethylbenzene	22.9	2.0	ug/l	25.0		92	80-125			
Hexachlorobutadiene	24.1	5.0	ug/l	25.0		96	70-130			
2-Hexanone	22.2	10	ug/l	25.0		89	40-150			
Iodomethane	23.7	2.0	ug/l	25.0		95	80-130			
Isopropylbenzene	25.6	2.0	ug/l	25.0		102	80-140			
p-Isopropyltoluene	24.5	2.0	ug/l	25.0		98	80-130			
Methylene chloride	23.9	5.0	ug/l	25.0		96	80-120			
4-Methyl-2-pentanone (MIBK)	22.8	10	ug/l	25.0		91	50-140			
Methyl-tert-butyl Ether (MTBE)	25.7	5.0	ug/l	25.0		103	65-130			
Naphthalene	23.5	2.0	ug/l	25.0		94	70-130			
n-Propylbenzene	24.2	2.0	ug/l	25.0		97	80-135			
Styrene	22.3	2.0	ug/l	25.0		89	80-125			
1,1,1,2-Tetrachloroethane	23.3	5.0	ug/l	25.0		93	80-120			
1,1,2,2-Tetrachloroethane	25.3	2.0	ug/l	25.0		101	65-140			
Tetrachloroethene	20.4	2.0	ug/l	25.0		82	80-125			
Toluene	22.2	2.0	ug/l	25.0		89	80-125			
1,2,3-Trichlorobenzene	25.7	5.0	ug/l	25.0		103	75-125			
1,2,4-Trichlorobenzene	23.8	5.0	ug/l	25.0		95	80-125			
1,1,1-Trichloroethane	24.7	2.0	ug/l	25.0		99	75-125			
1,1,2-Trichloroethane	23.5	2.0	ug/l	25.0		94	80-125			
Trichloroethene	23.2	2.0	ug/l	25.0		93	80-120			
Trichlorofluoromethane	27.7	5.0	ug/l	25.0		111	75-130			
1,2,3-Trichloropropane	24.9	10	ug/l	25.0		100	65-135			
1,2,4-Trimethylbenzene	24.2	2.0	ug/l	25.0		97	80-125			
1,3,5-Trimethylbenzene	24.4	2.0	ug/l	25.0		98	80-130			
Vinyl acetate	31.6	25	ug/l	25.0		126	70-140			*N1a*
Vinyl chloride	28.1	1.7	ug/l	25.0		112	70-135			
Xylenes, Total	45.6	3.0	ug/l	50.0		91	80-125			
Surrogate: Dibromofluoromethane	*29.8*		*ug/l*	*25.0*		*119*	*80-130*			
Surrogate: Toluene-d8	*26.6*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.4*		*ug/l*	*25.0*		*106*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2730 Extracted: 09/27/06										
LCS Dup Analyzed: 09/27/2006 (P6I2730-BSD1)										
Acetone	30.6	20	ug/l	25.0		122	30-150	15	35	
Benzene	23.6	1.0	ug/l	25.0		94	80-120	3	10	
Bromobenzene	25.4	5.0	ug/l	25.0		102	80-125	7	10	
Bromochloromethane	27.6	5.0	ug/l	25.0		110	80-125	9	15	
Bromodichloromethane	25.6	2.0	ug/l	25.0		102	80-120	5	15	
Bromoform	24.8	5.0	ug/l	25.0		99	70-120	16	20	
Bromomethane	27.2	5.0	ug/l	25.0		109	80-135	8	15	
2-Butanone (MEK)	25.4	10	ug/l	25.0		102	55-150	16	35	
n-Butylbenzene	23.0	5.0	ug/l	25.0		92	80-120	2	10	
sec-Butylbenzene	23.9	5.0	ug/l	25.0		96	80-130	1	10	
tert-Butylbenzene	24.6	5.0	ug/l	25.0		98	80-130	0	10	
Carbon Disulfide	23.5	5.0	ug/l	25.0		94	55-145	2	15	
Carbon tetrachloride	24.4	5.0	ug/l	25.0		98	80-120	2	15	
Chlorobenzene	23.9	1.0	ug/l	25.0		96	80-120	6	10	
Chloroethane	28.9	5.0	ug/l	25.0		116	80-125	6	15	
Chloroform	25.5	2.0	ug/l	25.0		102	80-120	2	10	
Chloromethane	29.1	5.0	ug/l	25.0		116	70-130	2	15	
2-Chlorotoluene	23.6	5.0	ug/l	25.0		94	80-120	1	10	
4-Chlorotoluene	24.1	5.0	ug/l	25.0		96	80-120	2	10	
Dibromochloromethane	23.1	2.0	ug/l	25.0		92	75-120	8	15	
1,2-Dibromo-3-chloropropane	29.8	5.0	ug/l	25.0		119	55-120	17	35	
1,2-Dibromoethane (EDB)	26.8	2.0	ug/l	25.0		107	75-125	15	20	
Dibromomethane	25.2	2.0	ug/l	25.0		101	80-125	7	20	
1,2-Dichlorobenzene	25.0	1.0	ug/l	25.0		100	80-120	5	10	
1,3-Dichlorobenzene	23.9	1.0	ug/l	25.0		96	80-125	5	10	
1,4-Dichlorobenzene	24.1	1.0	ug/l	25.0		96	80-120	1	10	
Dichlorodifluoromethane	25.0	5.0	ug/l	25.0		100	60-140	1	15	
1,1-Dichloroethane	26.2	2.0	ug/l	25.0		105	80-120	3	10	
1,2-Dichloroethane	28.7	1.0	ug/l	25.0		115	75-125	6	20	*V1*
1,1-Dichloroethene	25.6	5.0	ug/l	25.0		102	75-120	2	15	
cis-1,2-Dichloroethene	24.8	2.0	ug/l	25.0		99	80-125	3	10	
trans-1,2-Dichloroethene	25.2	2.0	ug/l	25.0		101	80-120	6	10	
1,2-Dichloropropane	25.5	2.0	ug/l	25.0		102	80-120	3	15	
1,3-Dichloropropane	26.3	2.0	ug/l	25.0		105	80-120	13	15	
2,2-Dichloropropane	25.0	2.0	ug/l	25.0		100	70-130	2	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2730 Extracted: 09/27/06										
LCS Dup Analyzed: 09/27/2006 (P6I2730-BSD1)										
1,1-Dichloropropene	24.2	2.0	ug/l	25.0		97	80-120	2	10	
cis-1,3-Dichloropropene	25.6	2.0	ug/l	25.0		102	75-120	8	15	
trans-1,3-Dichloropropene	25.4	2.0	ug/l	25.0		102	80-120	9	20	
Ethylbenzene	23.2	2.0	ug/l	25.0		93	80-125	1	15	
Hexachlorobutadiene	23.4	5.0	ug/l	25.0		94	70-130	3	15	
2-Hexanone	28.1	10	ug/l	25.0		112	40-150	23	35	
Iodomethane	23.7	2.0	ug/l	25.0		95	80-130	0	10	
Isopropylbenzene	24.9	2.0	ug/l	25.0		100	80-140	3	10	
p-Isopropyltoluene	23.9	2.0	ug/l	25.0		96	80-130	2	15	
Methylene chloride	25.6	5.0	ug/l	25.0		102	80-120	7	10	
4-Methyl-2-pentanone (MIBK)	27.1	10	ug/l	25.0		108	50-140	17	35	
Methyl-tert-butyl Ether (MTBE)	28.0	5.0	ug/l	25.0		112	65-130	9	25	
Naphthalene	26.4	2.0	ug/l	25.0		106	70-130	12	20	
n-Propylbenzene	23.8	2.0	ug/l	25.0		95	80-135	2	10	
Styrene	25.2	2.0	ug/l	25.0		101	80-125	12	15	
1,1,1,2-Tetrachloroethane	24.6	5.0	ug/l	25.0		98	80-120	5	15	
1,1,2,2-Tetrachloroethane	30.0	2.0	ug/l	25.0		120	65-140	17	25	
Tetrachloroethene	21.8	2.0	ug/l	25.0		87	80-125	7	15	
Toluene	23.5	2.0	ug/l	25.0		94	80-125	6	10	
1,2,3-Trichlorobenzene	26.7	5.0	ug/l	25.0		107	75-125	4	15	
1,2,4-Trichlorobenzene	24.5	5.0	ug/l	25.0		98	80-125	3	15	
1,1,1-Trichloroethane	25.2	2.0	ug/l	25.0		101	75-125	2	10	
1,1,2-Trichloroethane	26.8	2.0	ug/l	25.0		107	80-125	13	25	
Trichloroethene	24.2	2.0	ug/l	25.0		97	80-120	4	10	
Trichlorofluoromethane	28.0	5.0	ug/l	25.0		112	75-130	1	10	
1,2,3-Trichloropropane	28.2	10	ug/l	25.0		113	65-135	12	25	
1,2,4-Trimethylbenzene	24.1	2.0	ug/l	25.0		96	80-125	0	10	
1,3,5-Trimethylbenzene	24.8	2.0	ug/l	25.0		99	80-130	2	10	
Vinyl acetate	36.1	25	ug/l	25.0		144	70-140	13	30	*L3, N1a*
Vinyl chloride	27.4	1.7	ug/l	25.0		110	70-135	3	15	
Xylenes, Total	47.4	3.0	ug/l	50.0		95	80-125	4	15	
Surrogate: Dibromofluoromethane	*29.9*		*ug/l*	*25.0*		*120*	*80-130*			
Surrogate: Toluene-d8	*26.4*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*27.4*		*ug/l*	*25.0*		*110*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2730 Extracted: 09/27/06										
Matrix Spike Analyzed: 09/27/2006 (P6I2730-MS1)					**Source: PPI0500-03**					
Acetone	137	20	ug/l	25.0	ND	548	15-150			*M1*
Benzene	30.0	1.0	ug/l	25.0	6.2	95	80-125			
Bromobenzene	24.2	5.0	ug/l	25.0	ND	97	80-125			
Bromochloromethane	24.8	5.0	ug/l	25.0	ND	99	80-130			
Bromodichloromethane	25.5	2.0	ug/l	25.0	0.69	99	70-130			
Bromoform	18.3	5.0	ug/l	25.0	ND	73	70-120			
Bromomethane	24.8	5.0	ug/l	25.0	ND	99	80-135			
2-Butanone (MEK)	19.3	10	ug/l	25.0	ND	77	30-150			
n-Butylbenzene	24.2	5.0	ug/l	25.0	ND	97	80-135			
sec-Butylbenzene	25.0	5.0	ug/l	25.0	ND	100	80-130			
tert-Butylbenzene	26.2	5.0	ug/l	25.0	ND	105	80-130			
Carbon Disulfide	24.2	5.0	ug/l	25.0	ND	97	45-150			
Carbon tetrachloride	24.3	5.0	ug/l	25.0	ND	97	65-135			
Chlorobenzene	23.4	1.0	ug/l	25.0	ND	94	80-125			
Chloroethane	27.6	5.0	ug/l	25.0	ND	110	80-125			
Chloroform	27.1	2.0	ug/l	25.0	0.90	105	75-130			
Chloromethane	26.4	5.0	ug/l	25.0	ND	106	65-130			
2-Chlorotoluene	24.4	5.0	ug/l	25.0	ND	98	80-130			
4-Chlorotoluene	24.7	5.0	ug/l	25.0	ND	99	80-135			
Dibromochloromethane	20.6	2.0	ug/l	25.0	0.70	80	75-120			
1,2-Dibromo-3-chloropropane	20.2	5.0	ug/l	25.0	ND	81	50-130			
1,2-Dibromoethane (EDB)	21.5	2.0	ug/l	25.0	ND	86	70-130			
Dibromomethane	22.0	2.0	ug/l	25.0	ND	88	75-130			
1,2-Dichlorobenzene	24.2	1.0	ug/l	25.0	ND	97	80-130			
1,3-Dichlorobenzene	23.4	1.0	ug/l	25.0	ND	94	80-130			
1,4-Dichlorobenzene	24.0	1.0	ug/l	25.0	ND	96	80-125			
Dichlorodifluoromethane	24.7	5.0	ug/l	25.0	ND	99	60-140			
1,1-Dichloroethane	28.1	2.0	ug/l	25.0	ND	112	80-125			
1,2-Dichloroethane	28.2	1.0	ug/l	25.0	ND	113	60-145			*V1*
1,1-Dichloroethene	25.5	5.0	ug/l	25.0	ND	102	75-130			
cis-1,2-Dichloroethene	59.7	2.0	ug/l	25.0	33	107	80-125			
trans-1,2-Dichloroethene	27.1	2.0	ug/l	25.0	1.0	104	80-120			
1,2-Dichloropropane	24.8	2.0	ug/l	25.0	ND	99	80-125			
1,3-Dichloropropane	23.8	2.0	ug/l	25.0	ND	95	75-130			
2,2-Dichloropropane	27.4	2.0	ug/l	25.0	ND	110	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2730 Extracted: 09/27/06										
Matrix Spike Analyzed: 09/27/2006 (P6I2730-MS1)					**Source: PPI0500-03**					
1,1-Dichloropropene	24.6	2.0	ug/l	25.0	ND	98	80-125			
cis-1,3-Dichloropropene	23.0	2.0	ug/l	25.0	ND	92	75-120			
trans-1,3-Dichloropropene	22.3	2.0	ug/l	25.0	ND	89	75-130			
Ethylbenzene	26.1	2.0	ug/l	25.0	1.7	98	80-130			
Hexachlorobutadiene	24.6	5.0	ug/l	25.0	ND	98	65-130			
2-Hexanone	18.9	10	ug/l	25.0	ND	76	40-150			
Iodomethane	24.3	2.0	ug/l	25.0	ND	97	70-140			
Isopropylbenzene	26.6	2.0	ug/l	25.0	ND	106	80-140			
p-Isopropyltoluene	25.0	2.0	ug/l	25.0	ND	100	80-135			
Methylene chloride	25.2	5.0	ug/l	25.0	ND	101	75-125			
4-Methyl-2-pentanone (MIBK)	19.4	10	ug/l	25.0	ND	78	40-140			
Methyl-tert-butyl Ether (MTBE)	24.6	5.0	ug/l	25.0	ND	98	65-135			
Naphthalene	20.5	2.0	ug/l	25.0	ND	82	60-140			
n-Propylbenzene	25.7	2.0	ug/l	25.0	ND	103	80-140			
Styrene	23.4	2.0	ug/l	25.0	ND	94	30-150			
1,1,1,2-Tetrachloroethane	24.4	5.0	ug/l	25.0	ND	98	80-130			
1,1,2,2-Tetrachloroethane	24.2	2.0	ug/l	25.0	ND	97	65-140			
Tetrachloroethene	71.6	2.0	ug/l	25.0	50	86	80-130			
Toluene	34.3	2.0	ug/l	25.0	11	93	80-130			
1,2,3-Trichlorobenzene	22.7	5.0	ug/l	25.0	ND	91	75-140			
1,2,4-Trichlorobenzene	22.3	5.0	ug/l	25.0	ND	89	80-135			
1,1,1-Trichloroethane	26.5	2.0	ug/l	25.0	ND	106	70-135			
1,1,2-Trichloroethane	21.7	2.0	ug/l	25.0	ND	87	70-135			
Trichloroethene	54.4	2.0	ug/l	25.0	30	98	80-125			
Trichlorofluoromethane	28.2	5.0	ug/l	25.0	ND	113	70-140			
1,2,3-Trichloropropane	23.2	10	ug/l	25.0	ND	93	65-135			
1,2,4-Trimethylbenzene	27.0	2.0	ug/l	25.0	1.4	102	75-130			
1,3,5-Trimethylbenzene	25.9	2.0	ug/l	25.0	ND	104	80-135			
Vinyl acetate	38.5	25	ug/l	25.0	ND	154	30-150			*N1a*
Vinyl chloride	27.7	1.7	ug/l	25.0	ND	111	70-135			
Xylenes, Total	57.9	3.0	ug/l	50.0	7.9	100	80-125			
Surrogate: Dibromofluoromethane	*30.6*		*ug/l*	*25.0*		*122*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.0*		*ug/l*	*25.0*		*104*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2730 Extracted: 09/27/06										
Matrix Spike Dup Analyzed: 09/27/2006 (P6I2730-MSD1)					**Source: PPI0500-03**					
Acetone	159	20	ug/l	25.0	ND	636	15-150	15	35	*M1*
Benzene	28.7	1.0	ug/l	25.0	6.2	90	80-125	4	10	
Bromobenzene	24.4	5.0	ug/l	25.0	ND	98	80-125	1	15	
Bromochloromethane	25.9	5.0	ug/l	25.0	ND	104	80-130	4	20	
Bromodichloromethane	25.2	2.0	ug/l	25.0	0.69	98	70-130	1	15	
Bromoform	20.7	5.0	ug/l	25.0	ND	83	70-120	12	25	
Bromomethane	23.8	5.0	ug/l	25.0	ND	95	80-135	4	20	
2-Butanone (MEK)	24.9	10	ug/l	25.0	ND	100	30-150	25	35	
n-Butylbenzene	23.4	5.0	ug/l	25.0	ND	94	80-135	3	20	
sec-Butylbenzene	24.4	5.0	ug/l	25.0	ND	98	80-130	2	20	
tert-Butylbenzene	25.2	5.0	ug/l	25.0	ND	101	80-130	4	20	
Carbon Disulfide	22.8	5.0	ug/l	25.0	ND	91	45-150	6	15	
Carbon tetrachloride	23.5	5.0	ug/l	25.0	ND	94	65-135	3	15	
Chlorobenzene	23.7	1.0	ug/l	25.0	ND	95	80-125	1	15	
Chloroethane	26.2	5.0	ug/l	25.0	ND	105	80-125	5	20	
Chloroform	26.3	2.0	ug/l	25.0	0.90	102	75-130	3	15	
Chloromethane	25.0	5.0	ug/l	25.0	ND	100	65-130	5	20	
2-Chlorotoluene	24.2	5.0	ug/l	25.0	ND	97	80-130	1	15	
4-Chlorotoluene	24.6	5.0	ug/l	25.0	ND	98	80-135	0	15	
Dibromochloromethane	21.6	2.0	ug/l	25.0	0.70	84	75-120	5	20	
1,2-Dibromo-3-chloropropane	24.2	5.0	ug/l	25.0	ND	97	50-130	18	35	
1,2-Dibromoethane (EDB)	23.6	2.0	ug/l	25.0	ND	94	70-130	9	25	
Dibromomethane	23.3	2.0	ug/l	25.0	ND	93	75-130	6	25	
1,2-Dichlorobenzene	24.1	1.0	ug/l	25.0	ND	96	80-130	0	15	
1,3-Dichlorobenzene	22.6	1.0	ug/l	25.0	ND	90	80-130	3	15	
1,4-Dichlorobenzene	23.6	1.0	ug/l	25.0	ND	94	80-125	2	10	
Dichlorodifluoromethane	21.6	5.0	ug/l	25.0	ND	86	60-140	13	45	
1,1-Dichloroethane	26.2	2.0	ug/l	25.0	ND	105	80-125	7	15	
1,2-Dichloroethane	28.5	1.0	ug/l	25.0	ND	114	60-145	1	20	
1,1-Dichloroethene	24.5	5.0	ug/l	25.0	ND	98	75-130	4	15	
cis-1,2-Dichloroethene	59.3	2.0	ug/l	25.0	33	105	80-125	1	15	
trans-1,2-Dichloroethene	26.5	2.0	ug/l	25.0	1.0	102	80-120	2	15	
1,2-Dichloropropane	24.9	2.0	ug/l	25.0	ND	100	80-125	0	15	
1,3-Dichloropropane	25.0	2.0	ug/l	25.0	ND	100	75-130	5	20	
2,2-Dichloropropane	25.4	2.0	ug/l	25.0	ND	102	60-135	8	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2730 Extracted: 09/27/06										
Matrix Spike Dup Analyzed: 09/27/2006 (P6I2730-MSD1)					**Source: PPI0500-03**					
1,1-Dichloropropene	23.4	2.0	ug/l	25.0	ND	94	80-125	5	15	
cis-1,3-Dichloropropene	24.0	2.0	ug/l	25.0	ND	96	75-120	4	15	
trans-1,3-Dichloropropene	23.1	2.0	ug/l	25.0	ND	92	75-130	4	25	
Ethylbenzene	26.1	2.0	ug/l	25.0	1.7	98	80-130	0	15	
Hexachlorobutadiene	23.9	5.0	ug/l	25.0	ND	96	65-130	3	15	
2-Hexanone	22.3	10	ug/l	25.0	ND	89	40-150	17	35	
Iodomethane	23.3	2.0	ug/l	25.0	ND	93	70-140	4	15	
Isopropylbenzene	25.7	2.0	ug/l	25.0	ND	103	80-140	3	20	
p-Isopropyltoluene	24.7	2.0	ug/l	25.0	ND	99	80-135	1	20	
Methylene chloride	25.1	5.0	ug/l	25.0	ND	100	75-125	0	15	
4-Methyl-2-pentanone (MIBK)	23.3	10	ug/l	25.0	ND	93	40-140	18	35	
Methyl-tert-butyl Ether (MTBE)	26.1	5.0	ug/l	25.0	ND	104	65-135	6	30	
Naphthalene	24.9	2.0	ug/l	25.0	ND	100	60-140	19	30	
n-Propylbenzene	24.7	2.0	ug/l	25.0	ND	99	80-140	4	20	
Styrene	24.0	2.0	ug/l	25.0	ND	96	30-150	3	25	
1,1,1,2-Tetrachloroethane	24.3	5.0	ug/l	25.0	ND	97	80-130	0	15	
1,1,2,2-Tetrachloroethane	27.0	2.0	ug/l	25.0	ND	108	65-140	11	35	
Tetrachloroethene	76.6	2.0	ug/l	25.0	50	106	80-130	7	15	
Toluene	33.3	2.0	ug/l	25.0	11	89	80-130	3	15	
1,2,3-Trichlorobenzene	25.2	5.0	ug/l	25.0	ND	101	75-140	10	20	
1,2,4-Trichlorobenzene	23.2	5.0	ug/l	25.0	ND	93	80-135	4	15	
1,1,1-Trichloroethane	25.2	2.0	ug/l	25.0	ND	101	70-135	5	15	
1,1,2-Trichloroethane	23.4	2.0	ug/l	25.0	ND	94	70-135	8	25	
Trichloroethene	55.4	2.0	ug/l	25.0	30	102	80-125	2	15	
Trichlorofluoromethane	26.9	5.0	ug/l	25.0	ND	108	70-140	5	15	
1,2,3-Trichloropropane	25.8	10	ug/l	25.0	ND	103	65-135	11	35	
1,2,4-Trimethylbenzene	26.0	2.0	ug/l	25.0	1.4	98	75-130	4	15	
1,3,5-Trimethylbenzene	25.2	2.0	ug/l	25.0	ND	101	80-135	3	15	
Vinyl acetate	41.0	25	ug/l	25.0	ND	164	30-150	6	35	*N1a*
Vinyl chloride	25.2	1.7	ug/l	25.0	ND	101	70-135	9	25	
Xylenes, Total	55.7	3.0	ug/l	50.0	7.9	96	80-125	4	15	
Surrogate: Dibromofluoromethane	*30.5*		*ug/l*	*25.0*		*122*	*80-130*			
Surrogate: Toluene-d8	*26.4*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.7*		*ug/l*	*25.0*		*107*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2923 Extracted: 09/29/06										
Blank Analyzed: 09/29/2006 (P6I2923-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							*V1*
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2923 Extracted: 09/29/06										
Blank Analyzed: 09/29/2006 (P6I2923-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							*V1*
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							*N1a*
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*30.5*		*ug/l*	*25.0*		*122*	*80-130*			
Surrogate: Toluene-d8	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.4*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2923 Extracted: 09/29/06										
LCS Analyzed: 09/29/2006 (P6I2923-BS1)										
Acetone	35.7	20	ug/l	25.0		143	30-150			
Benzene	24.8	1.0	ug/l	25.0		99	80-120			
Bromobenzene	26.6	5.0	ug/l	25.0		106	80-125			
Bromochloromethane	29.7	5.0	ug/l	25.0		119	80-125			
Bromodichloromethane	26.3	2.0	ug/l	25.0		105	80-120			
Bromoform	24.8	5.0	ug/l	25.0		99	70-120			
Bromomethane	28.6	5.0	ug/l	25.0		114	80-135			
2-Butanone (MEK)	31.6	10	ug/l	25.0		126	55-150			
n-Butylbenzene	24.3	5.0	ug/l	25.0		97	80-120			
sec-Butylbenzene	25.4	5.0	ug/l	25.0		102	80-130			
tert-Butylbenzene	26.1	5.0	ug/l	25.0		104	80-130			
Carbon Disulfide	26.3	5.0	ug/l	25.0		105	55-145			
Carbon tetrachloride	25.0	5.0	ug/l	25.0		100	80-120			
Chlorobenzene	24.4	1.0	ug/l	25.0		98	80-120			
Chloroethane	30.0	5.0	ug/l	25.0		120	80-125			
Chloroform	28.6	2.0	ug/l	25.0		114	80-120			
Chloromethane	31.9	5.0	ug/l	25.0		128	70-130			
2-Chlorotoluene	25.5	5.0	ug/l	25.0		102	80-120			
4-Chlorotoluene	26.3	5.0	ug/l	25.0		105	80-120			
Dibromochloromethane	23.1	2.0	ug/l	25.0		92	75-120			
1,2-Dibromo-3-chloropropane	29.7	5.0	ug/l	25.0		119	55-120			
1,2-Dibromoethane (EDB)	26.3	2.0	ug/l	25.0		105	75-125			
Dibromomethane	26.2	2.0	ug/l	25.0		105	80-125			
1,2-Dichlorobenzene	26.4	1.0	ug/l	25.0		106	80-120			
1,3-Dichlorobenzene	25.0	1.0	ug/l	25.0		100	80-125			
1,4-Dichlorobenzene	25.9	1.0	ug/l	25.0		104	80-120			
Dichlorodifluoromethane	29.4	5.0	ug/l	25.0		118	60-140			
1,1-Dichloroethane	29.0	2.0	ug/l	25.0		116	80-120			
1,2-Dichloroethane	32.6	1.0	ug/l	25.0		130	75-125			*V1, L3*
1,1-Dichloroethene	27.9	5.0	ug/l	25.0		112	75-120			
cis-1,2-Dichloroethene	27.0	2.0	ug/l	25.0		108	80-125			
trans-1,2-Dichloroethene	26.8	2.0	ug/l	25.0		107	80-120			
1,2-Dichloropropane	27.3	2.0	ug/l	25.0		109	80-120			
1,3-Dichloropropane	26.6	2.0	ug/l	25.0		106	80-120			
2,2-Dichloropropane	27.5	2.0	ug/l	25.0		110	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2923 Extracted: 09/29/06										
LCS Analyzed: 09/29/2006 (P6I2923-BS1)										
1,1-Dichloropropene	25.3	2.0	ug/l	25.0		101	80-120			
cis-1,3-Dichloropropene	26.4	2.0	ug/l	25.0		106	75-120			
trans-1,3-Dichloropropene	26.5	2.0	ug/l	25.0		106	80-120			
Ethylbenzene	24.2	2.0	ug/l	25.0		97	80-125			
Hexachlorobutadiene	23.2	5.0	ug/l	25.0		93	70-130			
2-Hexanone	28.1	10	ug/l	25.0		112	40-150			
Iodomethane	27.6	2.0	ug/l	25.0		110	80-130			
Isopropylbenzene	26.9	2.0	ug/l	25.0		108	80-140			
p-Isopropyltoluene	25.2	2.0	ug/l	25.0		101	80-130			
Methylene chloride	28.5	5.0	ug/l	25.0		114	80-120			
4-Methyl-2-pentanone (MIBK)	29.6	10	ug/l	25.0		118	50-140			
Methyl-tert-butyl Ether (MTBE)	30.9	5.0	ug/l	25.0		124	65-130			
Naphthalene	26.0	2.0	ug/l	25.0		104	70-130			
n-Propylbenzene	25.8	2.0	ug/l	25.0		103	80-135			
Styrene	25.1	2.0	ug/l	25.0		100	80-125			
1,1,1,2-Tetrachloroethane	25.6	5.0	ug/l	25.0		102	80-120			
1,1,2,2-Tetrachloroethane	31.5	2.0	ug/l	25.0		126	65-140			*V1*
Tetrachloroethene	21.5	2.0	ug/l	25.0		86	80-125			
Toluene	24.8	2.0	ug/l	25.0		99	80-125			
1,2,3-Trichlorobenzene	26.4	5.0	ug/l	25.0		106	75-125			
1,2,4-Trichlorobenzene	23.5	5.0	ug/l	25.0		94	80-125			
1,1,1-Trichloroethane	27.4	2.0	ug/l	25.0		110	75-125			
1,1,2-Trichloroethane	26.6	2.0	ug/l	25.0		106	80-125			
Trichloroethene	25.1	2.0	ug/l	25.0		100	80-120			
Trichlorofluoromethane	30.7	5.0	ug/l	25.0		123	75-130			
1,2,3-Trichloropropane	30.4	10	ug/l	25.0		122	65-135			
1,2,4-Trimethylbenzene	26.2	2.0	ug/l	25.0		105	80-125			
1,3,5-Trimethylbenzene	26.6	2.0	ug/l	25.0		106	80-130			
Vinyl acetate	41.9	25	ug/l	25.0		168	70-140			*L3, N1a*
Vinyl chloride	31.1	1.7	ug/l	25.0		124	70-135			
Xylenes, Total	48.5	3.0	ug/l	50.0		97	80-125			
Surrogate: Dibromofluoromethane	*31.8*		*ug/l*	*25.0*		*127*	*80-130*			
Surrogate: Toluene-d8	*26.7*		*ug/l*	*25.0*		*107*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.7*		*ug/l*	*25.0*		*107*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2923 Extracted: 09/29/06										
LCS Dup Analyzed: 09/29/2006 (P6I2923-BSD1)										
Acetone	30.5	20	ug/l	25.0		122	30-150	16	35	
Benzene	24.6	1.0	ug/l	25.0		98	80-120	1	10	
Bromobenzene	26.3	5.0	ug/l	25.0		105	80-125	1	10	
Bromochloromethane	27.4	5.0	ug/l	25.0		110	80-125	8	15	
Bromodichloromethane	25.8	2.0	ug/l	25.0		103	80-120	2	15	
Bromoform	23.2	5.0	ug/l	25.0		93	70-120	7	20	
Bromomethane	27.7	5.0	ug/l	25.0		111	80-135	3	15	
2-Butanone (MEK)	23.2	10	ug/l	25.0		93	55-150	31	35	
n-Butylbenzene	24.8	5.0	ug/l	25.0		99	80-120	2	10	
sec-Butylbenzene	25.8	5.0	ug/l	25.0		103	80-130	2	10	
tert-Butylbenzene	27.3	5.0	ug/l	25.0		109	80-130	4	10	
Carbon Disulfide	25.9	5.0	ug/l	25.0		104	55-145	2	15	
Carbon tetrachloride	25.7	5.0	ug/l	25.0		103	80-120	3	15	
Chlorobenzene	25.1	1.0	ug/l	25.0		100	80-120	3	10	
Chloroethane	29.2	5.0	ug/l	25.0		117	80-125	3	15	
Chloroform	27.4	2.0	ug/l	25.0		110	80-120	4	10	
Chloromethane	31.3	5.0	ug/l	25.0		125	70-130	2	15	
2-Chlorotoluene	26.3	5.0	ug/l	25.0		105	80-120	3	10	
4-Chlorotoluene	26.1	5.0	ug/l	25.0		104	80-120	1	10	
Dibromochloromethane	22.4	2.0	ug/l	25.0		90	75-120	3	15	
1,2-Dibromo-3-chloropropane	24.3	5.0	ug/l	25.0		97	55-120	20	35	
1,2-Dibromoethane (EDB)	25.0	2.0	ug/l	25.0		100	75-125	5	20	
Dibromomethane	24.5	2.0	ug/l	25.0		98	80-125	7	20	
1,2-Dichlorobenzene	25.8	1.0	ug/l	25.0		103	80-120	2	10	
1,3-Dichlorobenzene	25.1	1.0	ug/l	25.0		100	80-125	0	10	
1,4-Dichlorobenzene	25.9	1.0	ug/l	25.0		104	80-120	0	10	
Dichlorodifluoromethane	28.3	5.0	ug/l	25.0		113	60-140	4	15	
1,1-Dichloroethane	28.4	2.0	ug/l	25.0		114	80-120	2	10	
1,2-Dichloroethane	29.0	1.0	ug/l	25.0		116	75-125	12	20	*V1*
1,1-Dichloroethene	26.8	5.0	ug/l	25.0		107	75-120	4	15	
cis-1,2-Dichloroethene	26.6	2.0	ug/l	25.0		106	80-125	1	10	
trans-1,2-Dichloroethene	26.6	2.0	ug/l	25.0		106	80-120	1	10	
1,2-Dichloropropane	26.7	2.0	ug/l	25.0		107	80-120	2	15	
1,3-Dichloropropane	25.8	2.0	ug/l	25.0		103	80-120	3	15	
2,2-Dichloropropane	27.7	2.0	ug/l	25.0		111	70-130	1	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2923 Extracted: 09/29/06										
LCS Dup Analyzed: 09/29/2006 (P6I2923-BSD1)										
1,1-Dichloropropene	26.6	2.0	ug/l	25.0		106	80-120	5	10	
cis-1,3-Dichloropropene	25.8	2.0	ug/l	25.0		103	75-120	2	15	
trans-1,3-Dichloropropene	24.3	2.0	ug/l	25.0		97	80-120	9	20	
Ethylbenzene	24.6	2.0	ug/l	25.0		98	80-125	2	15	
Hexachlorobutadiene	23.8	5.0	ug/l	25.0		95	70-130	3	15	
2-Hexanone	23.9	10	ug/l	25.0		96	40-150	16	35	
Iodomethane	26.2	2.0	ug/l	25.0		105	80-130	5	10	
Isopropylbenzene	28.4	2.0	ug/l	25.0		114	80-140	5	10	
p-Isopropyltoluene	26.1	2.0	ug/l	25.0		104	80-130	4	15	
Methylene chloride	26.6	5.0	ug/l	25.0		106	80-120	7	10	
4-Methyl-2-pentanone (MIBK)	23.8	10	ug/l	25.0		95	50-140	22	35	
Methyl-tert-butyl Ether (MTBE)	26.8	5.0	ug/l	25.0		107	65-130	14	25	
Naphthalene	22.7	2.0	ug/l	25.0		91	70-130	14	20	
n-Propylbenzene	26.5	2.0	ug/l	25.0		106	80-135	3	10	
Styrene	25.0	2.0	ug/l	25.0		100	80-125	0	15	
1,1,1,2-Tetrachloroethane	25.4	5.0	ug/l	25.0		102	80-120	1	15	
1,1,2,2-Tetrachloroethane	28.4	2.0	ug/l	25.0		114	65-140	10	25	*V1*
Tetrachloroethene	23.2	2.0	ug/l	25.0		93	80-125	8	15	
Toluene	24.6	2.0	ug/l	25.0		98	80-125	1	10	
1,2,3-Trichlorobenzene	24.8	5.0	ug/l	25.0		99	75-125	6	15	
1,2,4-Trichlorobenzene	22.7	5.0	ug/l	25.0		91	80-125	3	15	
1,1,1-Trichloroethane	27.2	2.0	ug/l	25.0		109	75-125	1	10	
1,1,2-Trichloroethane	25.0	2.0	ug/l	25.0		100	80-125	6	25	
Trichloroethene	25.7	2.0	ug/l	25.0		103	80-120	2	10	
Trichlorofluoromethane	29.9	5.0	ug/l	25.0		120	75-130	3	10	
1,2,3-Trichloropropane	27.3	10	ug/l	25.0		109	65-135	11	25	
1,2,4-Trimethylbenzene	26.9	2.0	ug/l	25.0		108	80-125	3	10	
1,3,5-Trimethylbenzene	27.4	2.0	ug/l	25.0		110	80-130	3	10	
Vinyl acetate	34.8	25	ug/l	25.0		139	70-140	19	30	*N1a*
Vinyl chloride	30.1	1.7	ug/l	25.0		120	70-135	3	15	
Xylenes, Total	50.2	3.0	ug/l	50.0		100	80-125	3	15	
Surrogate: Dibromofluoromethane	*30.8*		*ug/l*	*25.0*		*123*	*80-130*			
Surrogate: Toluene-d8	*27.0*		*ug/l*	*25.0*		*108*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*27.7*		*ug/l*	*25.0*		*111*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2923 Extracted: 09/29/06										
Matrix Spike Analyzed: 09/29/2006 (P6I2923-MS1)					**Source: PPI0463-11**					
Acetone	253	200	ug/l	250	ND	101	15-150			
Benzene	251	10	ug/l	250	ND	100	80-125			
Bromobenzene	268	50	ug/l	250	ND	107	80-125			
Bromochloromethane	274	50	ug/l	250	ND	110	80-130			
Bromodichloromethane	265	20	ug/l	250	ND	106	70-130			
Bromoform	222	50	ug/l	250	ND	89	70-120			
Bromomethane	288	50	ug/l	250	ND	115	80-135			
2-Butanone (MEK)	236	100	ug/l	250	ND	94	30-150			
n-Butylbenzene	255	50	ug/l	250	ND	102	80-135			
sec-Butylbenzene	274	50	ug/l	250	ND	110	80-130			
tert-Butylbenzene	285	50	ug/l	250	ND	114	80-130			
Carbon Disulfide	278	50	ug/l	250	ND	111	45-150			
Carbon tetrachloride	269	50	ug/l	250	ND	108	65-135			
Chlorobenzene	251	10	ug/l	250	ND	100	80-125			
Chloroethane	314	50	ug/l	250	ND	126	80-125			*M1*
Chloroform	288	20	ug/l	250	ND	115	75-130			
Chloromethane	316	50	ug/l	250	ND	126	65-130			*V1*
2-Chlorotoluene	272	50	ug/l	250	ND	109	80-130			
4-Chlorotoluene	271	50	ug/l	250	ND	108	80-135			
Dibromochloromethane	229	20	ug/l	250	ND	92	75-120			
1,2-Dibromo-3-chloropropane	240	50	ug/l	250	ND	96	50-130			
1,2-Dibromoethane (EDB)	248	20	ug/l	250	ND	99	70-130			
Dibromomethane	244	20	ug/l	250	ND	98	75-130			
1,2-Dichlorobenzene	258	10	ug/l	250	ND	103	80-130			
1,3-Dichlorobenzene	250	10	ug/l	250	ND	100	80-130			
1,4-Dichlorobenzene	263	10	ug/l	250	ND	105	80-125			
Dichlorodifluoromethane	293	50	ug/l	250	ND	117	60-140			
1,1-Dichloroethane	300	20	ug/l	250	ND	120	80-125			*V1*
1,2-Dichloroethane	310	10	ug/l	250	ND	124	60-145			*V1*
1,1-Dichloroethene	287	50	ug/l	250	ND	115	75-130			
cis-1,2-Dichloroethene	272	20	ug/l	250	ND	109	80-125			
trans-1,2-Dichloroethene	276	20	ug/l	250	ND	110	80-120			
1,2-Dichloropropane	266	20	ug/l	250	ND	106	80-125			
1,3-Dichloropropane	262	20	ug/l	250	ND	105	75-130			
2,2-Dichloropropane	297	20	ug/l	250	ND	119	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2923 Extracted: 09/29/06										
Matrix Spike Analyzed: 09/29/2006 (P6I2923-MS1)					**Source: PPI0463-11**					
1,1-Dichloropropene	264	20	ug/l	250	ND	106	80-125			
cis-1,3-Dichloropropene	247	20	ug/l	250	ND	99	75-120			
trans-1,3-Dichloropropene	247	20	ug/l	250	ND	99	75-130			
Ethylbenzene	258	20	ug/l	250	ND	103	80-130			
Hexachlorobutadiene	252	50	ug/l	250	ND	101	65-130			
2-Hexanone	214	100	ug/l	250	ND	86	40-150			
Iodomethane	269	20	ug/l	250	ND	108	70-140			
Isopropylbenzene	291	20	ug/l	250	ND	116	80-140			
p-Isopropyltoluene	275	20	ug/l	250	ND	110	80-135			
Methylene chloride	275	50	ug/l	250	ND	110	75-125			
4-Methyl-2-pentanone (MIBK)	214	100	ug/l	250	ND	86	40-140			
Methyl-tert-butyl Ether (MTBE)	3760	50	ug/l	250	2900	344	65-135			*N1, M3*
Naphthalene	231	20	ug/l	250	ND	92	60-140			
n-Propylbenzene	275	20	ug/l	250	ND	110	80-140			
Styrene	252	20	ug/l	250	ND	101	30-150			
1,1,1,2-Tetrachloroethane	266	50	ug/l	250	ND	106	80-130			
1,1,2,2-Tetrachloroethane	278	20	ug/l	250	ND	111	65-140			
Tetrachloroethene	228	20	ug/l	250	ND	91	80-130			
Toluene	245	20	ug/l	250	ND	98	80-130			
1,2,3-Trichlorobenzene	258	50	ug/l	250	ND	103	75-140			
1,2,4-Trichlorobenzene	225	50	ug/l	250	ND	90	80-135			
1,1,1-Trichloroethane	284	20	ug/l	250	ND	114	70-135			
1,1,2-Trichloroethane	242	20	ug/l	250	ND	97	70-135			
Trichloroethene	255	20	ug/l	250	ND	102	80-125			
Trichlorofluoromethane	329	50	ug/l	250	ND	132	70-140			
1,2,3-Trichloropropane	274	100	ug/l	250	ND	110	65-135			
1,2,4-Trimethylbenzene	279	20	ug/l	250	ND	112	75-130			
1,3,5-Trimethylbenzene	281	20	ug/l	250	ND	112	80-135			
Vinyl acetate	352	250	ug/l	250	ND	141	30-150			*N1a*
Vinyl chloride	317	17	ug/l	250	ND	127	70-135			
Xylenes, Total	519	30	ug/l	500	ND	104	80-125			
Surrogate: Dibromofluoromethane	*31.6*		*ug/l*	*25.0*		*126*	*80-130*			
Surrogate: Toluene-d8	*27.1*		*ug/l*	*25.0*		*108*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*27.7*		*ug/l*	*25.0*		*111*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2923 Extracted: 09/29/06										
Matrix Spike Dup Analyzed: 09/29/2006 (P6I2923-MSD1)					**Source: PPI0463-11**					
Acetone	245	200	ug/l	250	ND	98	15-150	3	35	
Benzene	256	10	ug/l	250	ND	102	80-125	2	10	
Bromobenzene	264	50	ug/l	250	ND	106	80-125	2	15	
Bromochloromethane	273	50	ug/l	250	ND	109	80-130	0	20	
Bromodichloromethane	252	20	ug/l	250	ND	101	70-130	5	15	
Bromoform	214	50	ug/l	250	ND	86	70-120	4	25	
Bromomethane	298	50	ug/l	250	ND	119	80-135	3	20	
2-Butanone (MEK)	212	100	ug/l	250	ND	85	30-150	11	35	
n-Butylbenzene	255	50	ug/l	250	ND	102	80-135	0	20	
sec-Butylbenzene	284	50	ug/l	250	ND	114	80-130	4	20	
tert-Butylbenzene	293	50	ug/l	250	ND	117	80-130	3	20	
Carbon Disulfide	288	50	ug/l	250	ND	115	45-150	4	15	
Carbon tetrachloride	274	50	ug/l	250	ND	110	65-135	2	15	
Chlorobenzene	246	10	ug/l	250	ND	98	80-125	2	15	
Chloroethane	335	50	ug/l	250	ND	134	80-125	6	20	*M1*
Chloroform	292	20	ug/l	250	ND	117	75-130	1	15	
Chloromethane	348	50	ug/l	250	ND	139	65-130	10	20	*V1, M1*
2-Chlorotoluene	282	50	ug/l	250	ND	113	80-130	4	15	
4-Chlorotoluene	275	50	ug/l	250	ND	110	80-135	1	15	
Dibromochloromethane	208	20	ug/l	250	ND	83	75-120	10	20	
1,2-Dibromo-3-chloropropane	227	50	ug/l	250	ND	91	50-130	6	35	
1,2-Dibromoethane (EDB)	217	20	ug/l	250	ND	87	70-130	13	25	
Dibromomethane	231	20	ug/l	250	ND	92	75-130	5	25	
1,2-Dichlorobenzene	252	10	ug/l	250	ND	101	80-130	2	15	
1,3-Dichlorobenzene	256	10	ug/l	250	ND	102	80-130	2	15	
1,4-Dichlorobenzene	260	10	ug/l	250	ND	104	80-125	1	10	
Dichlorodifluoromethane	310	50	ug/l	250	ND	124	60-140	6	45	
1,1-Dichloroethane	303	20	ug/l	250	ND	121	80-125	1	15	*V1*
1,2-Dichloroethane	300	10	ug/l	250	ND	120	60-145	3	20	*V1*
1,1-Dichloroethene	301	50	ug/l	250	ND	120	75-130	5	15	
cis-1,2-Dichloroethene	276	20	ug/l	250	ND	110	80-125	1	15	
trans-1,2-Dichloroethene	281	20	ug/l	250	ND	112	80-120	2	15	
1,2-Dichloropropane	268	20	ug/l	250	ND	107	80-125	1	15	
1,3-Dichloropropane	240	20	ug/l	250	ND	96	75-130	9	20	
2,2-Dichloropropane	295	20	ug/l	250	ND	118	60-135	1	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2923 Extracted: 09/29/06										
Matrix Spike Dup Analyzed: 09/29/2006 (P6I2923-MSD1)					**Source: PPI0463-11**					
1,1-Dichloropropene	271	20	ug/l	250	ND	108	80-125	3	15	
cis-1,3-Dichloropropene	250	20	ug/l	250	ND	100	75-120	1	15	
trans-1,3-Dichloropropene	236	20	ug/l	250	ND	94	75-130	5	25	
Ethylbenzene	252	20	ug/l	250	ND	101	80-130	2	15	
Hexachlorobutadiene	263	50	ug/l	250	ND	105	65-130	4	15	
2-Hexanone	169	100	ug/l	250	ND	68	40-150	23	35	
Iodomethane	283	20	ug/l	250	ND	113	70-140	5	15	
Isopropylbenzene	304	20	ug/l	250	ND	122	80-140	4	20	
p-Isopropyltoluene	282	20	ug/l	250	ND	113	80-135	3	20	
Methylene chloride	283	50	ug/l	250	ND	113	75-125	3	15	
4-Methyl-2-pentanone (MIBK)	186	100	ug/l	250	ND	74	40-140	14	35	
Methyl-tert-butyl Ether (MTBE)	3510	50	ug/l	250	2900	244	65-135	7	30	*N1, M3*
Naphthalene	209	20	ug/l	250	ND	84	60-140	10	30	
n-Propylbenzene	288	20	ug/l	250	ND	115	80-140	5	20	
Styrene	248	20	ug/l	250	ND	99	30-150	2	25	
1,1,1,2-Tetrachloroethane	261	50	ug/l	250	ND	104	80-130	2	15	
1,1,2,2-Tetrachloroethane	256	20	ug/l	250	ND	102	65-140	8	35	
Tetrachloroethene	225	20	ug/l	250	ND	90	80-130	1	15	
Toluene	244	20	ug/l	250	ND	98	80-130	0	15	
1,2,3-Trichlorobenzene	234	50	ug/l	250	ND	94	75-140	10	20	
1,2,4-Trichlorobenzene	226	50	ug/l	250	ND	90	80-135	0	15	
1,1,1-Trichloroethane	299	20	ug/l	250	ND	120	70-135	5	15	
1,1,2-Trichloroethane	221	20	ug/l	250	ND	88	70-135	9	25	
Trichloroethene	254	20	ug/l	250	ND	102	80-125	0	15	
Trichlorofluoromethane	339	50	ug/l	250	ND	136	70-140	3	15	
1,2,3-Trichloropropane	245	100	ug/l	250	ND	98	65-135	11	35	
1,2,4-Trimethylbenzene	278	20	ug/l	250	ND	111	75-130	0	15	
1,3,5-Trimethylbenzene	285	20	ug/l	250	ND	114	80-135	1	15	
Vinyl acetate	327	250	ug/l	250	ND	131	30-150	7	35	*N1a*
Vinyl chloride	337	17	ug/l	250	ND	135	70-135	6	25	
Xylenes, Total	508	30	ug/l	500	ND	102	80-125	2	15	
Surrogate: Dibromofluoromethane	*32.1*		*ug/l*	*25.0*		*128*	*80-130*			
Surrogate: Toluene-d8	*27.4*		*ug/l*	*25.0*		*110*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.6*		*ug/l*	*25.0*		*106*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2121 Extracted: 09/22/06										
Blank Analyzed: 10/01/2006 (P6I2121-BLK1)										
Acenaphthene	ND	3.0	ug/l							
Acenaphthylene	ND	3.0	ug/l							
Anthracene	ND	0.30	ug/l							
Benzo(a)anthracene	ND	0.050	ug/l							
Benzo(a)pyrene	ND	0.10	ug/l							
Benzo(b)fluoranthene	ND	0.30	ug/l							
Benzo(g,h,i)perylene	ND	0.30	ug/l							
Benzo(k)fluoranthene	ND	0.30	ug/l							
Chrysene	ND	0.30	ug/l							
Dibenz(a,h)anthracene	ND	0.50	ug/l							
Fluoranthene	ND	0.30	ug/l							
Fluorene	ND	0.30	ug/l							
Indeno(1,2,3-cd)pyrene	ND	0.30	ug/l							
Naphthalene	ND	2.0	ug/l							
Phenanthrene	ND	0.30	ug/l							
Pyrene	ND	0.30	ug/l							
Surrogate: 2-Methylanthracene	*0.473*		*ug/l*	*0.600*		*79*	*50-115*			
LCS Analyzed: 10/01/2006 (P6I2121-BS1)										
Acenaphthene	4.81	3.0	ug/l	6.00		80	55-115			
Acenaphthylene	9.61	3.0	ug/l	12.0		80	55-115			
Anthracene	0.444	0.30	ug/l	0.600		74	55-115			
Benzo(a)anthracene	0.503	0.050	ug/l	0.600		84	70-115			
Benzo(a)pyrene	0.486	0.10	ug/l	0.600		81	75-115			
Benzo(b)fluoranthene	1.04	0.30	ug/l	1.20		87	80-115			
Benzo(g,h,i)perylene	1.05	0.30	ug/l	1.20		87	70-115			
Benzo(k)fluoranthene	0.523	0.30	ug/l	0.600		87	70-115			
Chrysene	0.517	0.30	ug/l	0.600		86	70-115			
Dibenz(a,h)anthracene	0.962	0.50	ug/l	1.20		80	65-115			
Fluoranthene	1.03	0.30	ug/l	1.20		86	60-115			
Fluorene	0.970	0.30	ug/l	1.20		81	55-115			
Indeno(1,2,3-cd)pyrene	0.512	0.30	ug/l	0.600		85	70-115			
Naphthalene	4.47	2.0	ug/l	6.00		74	45-115			
Phenanthrene	0.486	0.30	ug/l	0.600		81	50-115			
Pyrene	0.528	0.30	ug/l	0.600		88	65-115			
Surrogate: 2-Methylanthracene	*0.536*		*ug/l*	*0.600*		*89*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2121 Extracted: 09/22/06										
LCS Dup Analyzed: 10/01/2006 (P6I2121-BSD1)										
Acenaphthene	4.56	3.0	ug/l	6.00		76	55-115	5	15	
Acenaphthylene	9.00	3.0	ug/l	12.0		75	55-115	7	20	
Anthracene	0.422	0.30	ug/l	0.600		70	55-115	5	20	
Benzo(a)anthracene	0.485	0.050	ug/l	0.600		81	70-115	4	15	
Benzo(a)pyrene	0.458	0.10	ug/l	0.600		76	75-115	6	15	
Benzo(b)fluoranthene	1.04	0.30	ug/l	1.20		87	80-115	0	15	
Benzo(g,h,i)perylene	1.03	0.30	ug/l	1.20		86	70-115	2	15	
Benzo(k)fluoranthene	0.518	0.30	ug/l	0.600		86	70-115	1	15	
Chrysene	0.510	0.30	ug/l	0.600		85	70-115	1	15	
Dibenz(a,h)anthracene	0.956	0.50	ug/l	1.20		80	65-115	1	15	
Fluoranthene	0.978	0.30	ug/l	1.20		81	60-115	5	20	
Fluorene	0.921	0.30	ug/l	1.20		77	55-115	5	20	
Indeno(1,2,3-cd)pyrene	0.509	0.30	ug/l	0.600		85	70-115	1	20	
Naphthalene	4.21	2.0	ug/l	6.00		70	45-115	6	25	
Phenanthrene	0.462	0.30	ug/l	0.600		77	50-115	5	25	
Pyrene	0.505	0.30	ug/l	0.600		84	65-115	4	20	
Surrogate: 2-Methylanthracene	*0.499*		*ug/l*	*0.600*		*83*	*50-115*			
Matrix Spike Analyzed: 10/01/2006 (P6I2121-MS1)					**Source: PPI0546-05**					
Acenaphthene	3.97	3.0	ug/l	6.00	ND	66	55-115			
Acenaphthylene	7.94	3.0	ug/l	12.0	ND	66	55-115			
Anthracene	0.391	0.30	ug/l	0.600	ND	65	65-115			
Benzo(a)anthracene	0.463	0.050	ug/l	0.600	ND	77	70-120			
Benzo(a)pyrene	0.447	0.10	ug/l	0.600	ND	74	60-125			
Benzo(b)fluoranthene	0.960	0.30	ug/l	1.20	ND	80	70-125			
Benzo(g,h,i)perylene	0.880	0.30	ug/l	1.20	ND	73	55-120			
Benzo(k)fluoranthene	0.477	0.30	ug/l	0.600	ND	80	60-125			
Chrysene	0.471	0.30	ug/l	0.600	ND	78	70-120			
Dibenz(a,h)anthracene	0.803	0.50	ug/l	1.20	ND	67	40-120			
Fluoranthene	0.902	0.30	ug/l	1.20	ND	75	60-115			
Fluorene	0.808	0.30	ug/l	1.20	ND	67	55-115			
Indeno(1,2,3-cd)pyrene	0.469	0.30	ug/l	0.600	ND	78	55-125			
Naphthalene	3.80	2.0	ug/l	6.00	ND	63	55-115			
Phenanthrene	0.412	0.30	ug/l	0.600	ND	69	60-115			
Pyrene	0.526	0.30	ug/l	0.600	0.069	76	65-115			
Surrogate: 2-Methylanthracene	*0.482*		*ug/l*	*0.600*		*80*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2121 Extracted: 09/22/06										
Matrix Spike Dup Analyzed: 10/01/2006 (P6I2121-MSD1)					**Source: PPI0546-05**					
Acenaphthene	4.07	3.0	ug/l	6.00	ND	68	55-115	2	25	
Acenaphthylene	8.28	3.0	ug/l	12.0	ND	69	55-115	4	25	
Anthracene	0.404	0.30	ug/l	0.600	ND	67	65-115	3	25	
Benzo(a)anthracene	0.480	0.050	ug/l	0.600	ND	80	70-120	4	25	
Benzo(a)pyrene	0.470	0.10	ug/l	0.600	ND	78	60-125	5	25	
Benzo(b)fluoranthene	1.00	0.30	ug/l	1.20	ND	83	70-125	4	25	
Benzo(g,h,i)perylene	0.996	0.30	ug/l	1.20	ND	83	55-120	12	25	
Benzo(k)fluoranthene	0.504	0.30	ug/l	0.600	ND	84	60-125	6	20	
Chrysene	0.492	0.30	ug/l	0.600	ND	82	70-120	4	25	
Dibenz(a,h)anthracene	0.919	0.50	ug/l	1.20	ND	77	40-120	13	35	
Fluoranthene	0.945	0.30	ug/l	1.20	ND	79	60-115	5	25	
Fluorene	0.835	0.30	ug/l	1.20	ND	70	55-115	3	30	
Indeno(1,2,3-cd)pyrene	0.497	0.30	ug/l	0.600	ND	83	55-125	6	25	
Naphthalene	3.79	2.0	ug/l	6.00	ND	63	55-115	0	35	
Phenanthrene	0.425	0.30	ug/l	0.600	ND	71	60-115	3	30	
Pyrene	0.552	0.30	ug/l	0.600	0.069	80	65-115	5	25	
Surrogate: 2-Methylanthracene	*0.503*		*ug/l*	*0.600*		*84*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe	Project ID: Honeywell-Sky Harbor-PO# 2959460	
2625 S. Plaza Drive, Ste. 300		Sampled: 09/15/06
Tempe, AZ 85282	Report Number: PPI0521	Received: 09/16/06
Attention: Jennifer Holland		

DATA QUALIFIERS AND DEFINITIONS

L3	The associated blank spike recovery was above method acceptance limits.
M1	Matrix spike recovery was high, the method control sample recovery was acceptable.
M3	The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
N1	See case narrative.
V1	CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
ND	Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
RPD	Relative Percent Difference

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0521

Sampled: 09/15/06
Received: 09/16/06

Certification Summary

TestAmerica - Phoenix, AZ

Method	Matrix	Nelac	Arizona
EPA 8015B	Water	X	X
EPA 8260B	Water	X	X
EPA 8310	Water	X	X
NA	Water		

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

Subcontracted Laboratories

Transwest Geochem *Arizona Cert #AZ0133*

3725 E. Atlanta Ave Ste 1 - Phoenix, AZ 85040-2961

Analysis Performed: 8015B MOD-Low Level
Samples: PPI0521-02, PPI0521-03, PPI0521-04, PPI0521-05, PPI0521-06, PPI0521-07, PPI0521-08, PPI0521-09, PPI0521-10

Analysis Performed: Level III QC Package
Samples: PPI0521-02, PPI0521-03, PPI0521-04, PPI0521-05, PPI0521-06, PPI0521-07, PPI0521-08, PPI0521-09, PPI0521-10

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

9830 South 51st St
Phoenix, AZ 85044
Phone 480-785-0043

COC # : 37380 060915B

Lab Use Only
Project No:
Job No.

Client Contact (name and address)
Jennifer Holland
CH2M HILL
2625 South Plaza Dr STE 300
Tempe, AZ 85282
480-377-6287

Sampler: M Wiese
Project Number: PO #0909280
Analysis Turnaround Time
24 Hour -
7 Day -
14 Day -
21 Day -
28 Day -

Site Name: Sky Harbor
Location of Site: Phoenix AZ

PI0524

	Sample Identification		Sample Date	Sample Time	Sample Type	Matrix	# of Cont.	Preservation Used	Use for MS / MSD	Filtered Sample	Unfiltered Sample	SW8015	SW8260	SW8310			72 hr TAT								Lab Sample Numbers
	Location ID	Field Sample ID																							
1	Trip Blank	TB-091506B	Sep 15 2006	0615	BLKWATER	WATER	1	X			X		X												
2	ASE-98A	ASE-98A-6C2	Sep 15 2006	0815	GW	WATER	5	X			X	X	X				X								
3	ASE-99A	ASE-99A-6C2	Sep 15 2006	0725	GW	WATER	5	X			X	X	X				X								
4	FIELDQC	PL-509-6C2	Sep 15 2006	0825	GW	WATER	5	X			X	X	X				X								
5	ASE-110A	ASE-110A-6C2	Sep 15 2006	0906	GW	WATER	7	X	X		X	X	X				X								
6	ASE-123A	ASE-123A-6C2	Sep 15 2006	0956	GW	WATER	7	X			X	X	X	X											
7	ASE-109A	ASE-109A-6C2	Sep 15 2006	1226	GW	WATER	5	X			X	X	X												
8	ASE-102A	ASE-102A-6C2	Sep 15 2006	1315	GW	WATER	5	X			X	X	X												
9	ASE-100A	ASE-100A-6C2	Sep 15 2006	1528	GW	WATER	5	X			X	X	X				X								
10	ASE-101A	ASE-101A-6C2	Sep 15 2006	1429	GW	WATER	5	X			X	X	X												
11	~~ASE-103A~~	~~ASE-103A-6C2~~	~~Sep 15 2006~~		~~GW~~	~~WATER~~	~~5~~	~~X~~			~~X~~	~~X~~	~~X~~												
12																									
13																									
14																									
15																									
16																									
17																									
18																									
19																									
20																									
21																									
22																									
23																									

Not Sampled

Special Instructions: Standard TAT 10 days. The SW8015 is for low level analysis and we need the raw data. For SW8015 on Sample IDs: ASE-98A-6C2, PL-509-6C2, ASE-99A-6C2, ASE-110A-6C2, ASE-100A-6C2 we need 72 hr TAT.

Relinquished by:	Company:	Date/Time:	Received by:	Company:
	HTA	09/16/06 1047		TTA-Phx 4.4°C
Relinquished by:	Company:	Date/Time:	Received by:	Company:
Relinquished by:	Company:	Date/Time:	Received by:	Company:

TestAmerica
ANALYTICAL TESTING CORPORATION

SUBCONTRACT ORDER - PROJECT # PPI0521

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPI0521-02 Water Sampled: 09/15/06 08:15		
8015B MOD-Low Level-O	09/22/06 08:15	sub to Transwest, need transfer file for EDD
Level III QC Package-Out	09/10/07 08:15	Transwest/Columbia
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0521-02D)		
1 L Amber w/H2SO4 (PPI0521-02E)		
Sample ID: PPI0521-03 Water Sampled: 09/15/06 07:25		
8015B MOD-Low Level-O	09/22/06 07:25	sub to Transwest, need transfer file for EDD
Level III QC Package-Out	09/10/07 07:25	Transwest/Columbia
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0521-03D)		
1 L Amber w/H2SO4 (PPI0521-03E)		
Sample ID: PPI0521-04 Water Sampled: 09/15/06 08:25		
8015B MOD-Low Level-O	09/22/06 08:25	sub to Transwest, need transfer file for EDD
Level III QC Package-Out	09/10/07 08:25	Transwest/Columbia
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0521-04D)		
1 L Amber w/H2SO4 (PPI0521-04E)		
Sample ID: PPI0521-05 Water Sampled: 09/15/06 09:06		
8015B MOD-Low Level-O	09/22/06 09:06	sub to Transwest, need transfer file for EDD
Level III QC Package-Out	09/10/07 09:06	Transwest/Columbia
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0521-05D)		
1 L Amber w/H2SO4 (PPI0521-05E)		

Released By	Date	Time	Received By	Date	Time

Released By	Date	Time	Received By	Date	Time

TestAmerica
ANALYTICAL TESTING CORPORATION

SUBCONTRACT ORDER - PROJECT # PPI0521

SENDING LABORATORY:	RECEIVING LABORATORY:
TestAmerica - Phoenix, AZ 9830 South 51st Street, Suite B-120 Phoenix, AZ 85044 Phone: (480) 785-0043 Fax: (480) 785-0851 Project Manager: Ken Baker	Transwest Geochem 3725 E. Atlanta Ave. Suite 2 Phoenix, AZ 85040 Phone :(602) 437-0330 Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPI0521-06 Water Sampled: 09/15/06 09:56		
8015B MOD-Low Level-O	09/22/06 09:56	sub to Transwest, need transfer file for EDD
Level III QC Package-Out	09/10/07 09:56	Transwest/Columbia
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0521-06D)		
1 L Amber w/H2SO4 (PPI0521-06E)		
Sample ID: PPI0521-07 Water Sampled: 09/15/06 12:26		
8015B MOD-Low Level-O	09/22/06 12:26	sub to Transwest, need transfer file for EDD
Level III QC Package-Out	09/10/07 12:26	Transwest/Columbia
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0521-07D)		
1 L Amber w/H2SO4 (PPI0521-07E)		
Sample ID: PPI0521-08 Water Sampled: 09/15/06 13:15		
8015B MOD-Low Level-O	09/22/06 13:15	sub to Transwest, need transfer file for EDD
Level III QC Package-Out	09/10/07 13:15	Transwest/Columbia
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0521-08D)		
1 L Amber w/H2SO4 (PPI0521-08E)		
Sample ID: PPI0521-09 Water Sampled: 09/15/06 15:28		
8015B MOD-Low Level-O	09/22/06 15:28	sub to Transwest, need transfer file for EDD
Level III QC Package-Out	09/10/07 15:28	Transwest/Columbia
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0521-09D)		
1 L Amber w/H2SO4 (PPI0521-09E)		

Released By	Date	Time	Received By	Date	Time

Released By	Date	Time	Received By	Date	Time

TestAmerica
ANALYTICAL TESTING CORPORATION

SUBCONTRACT ORDER - PROJECT # PPI0521

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPI0521-10 Water Sampled: 09/15/06 14:29		
8015B MOD-Low Level-O	09/22/06 14:29	sub to Transwest, need transfer file for EDD
Level III QC Package-Out	09/10/07 14:29	Transwest/Columbia

Containers Supplied:
1 L Amber w/H2SO4 (PPI0521-10D)
1 L Amber w/H2SO4 (PPI0521-10E)

SAMPLE INTEGRITY:

All containers intact: ☐ Yes ☐ No
Custody Seals Present: ☐ Yes ☐ No
Sample labels/COC agree: ☐ Yes ☐ No
Samples Preserved Properly: ☐ Yes ☐ No
Samples Received On Ice: ☐ Yes ☐ No
Samples Received at (temp): _____

Released By	Date	Time	Received By	Date	Time

Released By	Date	Time	Received By	Date	Time

TRANSWEST GEOCHEM

October 09, 2006

Ken Baker
TestAmerica - Phoenix
9830 S. 51st Street
Suite B-120
Phoenix, AZ 85044

Re: PPI0521
Work Order No.: 0609284

Dear Ken,

Attached is the original Report of Analysis from Columbia Analytical Services, Inc. (AZ0604) for the samples received on 9/18/06. The following analysis was performed:

Method EPA 8015B – Fuel Characterization

If you have any questions regarding the results, please call me. We appreciate your business and thank you for choosing Transwest Geochem.

Sincerely,

Skip Harden
Project Manager

ADHS License No. AZM133/AZ0133

CONFIDENTIAL AND PRIVILEGED

[illegible] • (602) 437-0330 • (800) 927-5183 • Fax (602) 437-0660
[illegible] • Suite 401 • Tucson, Arizona 85714 • (520) 573-1061 • Fax (520) 573-1063

5090 Caterpillar Road Redding, California 96003 (530) 244-5227 (530) 244-4109 fax

Columbia Analytical Services INC
An Employee - Owned Company

October 04, 2006

Service Request No: D0601383

Skip Harden
Transwest Geochem, Incorporated
3725 East Atlanta Avenue
Suite 2
Phoenix, AZ 85040-2960

RE: PPC/PPD PPI0521/0609284

Dear Skip:

Enclosed are the results of the sample(s) submitted to our laboratory on September 19, 2006. For your reference, these analyses have been assigned our service request number D0601383.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 112. You may also contact me via email at mhovanec@redding.caslab.com.

Respectfully submitted,

Columbia Analytical Services, Inc.

Michael Hovanec
Project Chemist

NELAP Accredited ACIL Seal of Excellence Award 100% Recycled

TABLE OF CONTENTS

CAS Service Request: D0601383
CAS Tier Level: III

PAGE	SECTION
1	Cover Page
2	Table of Contents
3	Current CAS Redding Accreditation Programs
4	Arizona Data Qualifiers
8	Sample Identification Cross-Reference
9	Case Narrative
11	Chain of Custody Documentation
15	GENERAL CHEMISTRY

Current CAS Redding Accreditation Programs

Federal and National Programs

- U.S Air Force, Air Force Center for Environmental Excellence (AFCEE)
  Approved laboratory for Wastewater and Hazardous Waste
- U.S. Army Corps of Engineers – MRD, HTRW Mandatory Center of Expertise
  Validated for Wastewater and Hazardous Waste
- Department of the Navy, Naval Facilities Engineering Service Center (NFESC)
  Approved laboratory for Wastewater and Hazardous Waste

State and Local Programs

- State of Alaska, Department of Environmental Conservation
  Approved Laboratory for Contaminated Sites
  Lab ID UST-001
- State of Arizona, Department of Health Services, Office of Laboratory Licensure
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID AZ0604
- State of California, Department of Health Services, National Environmental Laboratory Accreditation Program **(NELAP)**
  Approved Laboratory for Drinking Water, Wastewater and Hazardous Waste
  Lab ID 01105CA
  - Los Angeles County Sanitation District
    Approved Laboratory for Wastewater
    Lab ID 10243
- State of California, Department of Health Services, Environmental Laboratory Accreditation Program (ELAP)
  Approved Laboratory for Microbiology of Drinking Water and Wastewater
  Lab ID 2635
- State of Florida, Department of Health, Bureau of Laboratories **(NELAP)**
  Approved Environmental Testing Laboratory for Wastewater and Hazardous Waste
  Lab ID E87203
- State of Kansas, Department of Health and Environment **(NELAP)**
  Approved Laboratory for Hazardous Waste
  Lab ID E-10323
- State of Massachusetts, Department of Environmental Protection
  Approved laboratory for Drinking Water and Wastewater
  Lab ID M-CA025
- State of Oklahoma, Department of Environmental Quality
  Approved Laboratory for General Water Quality/Sludge Testing
  Lab ID 9952
- State of Oregon, Environmental Laboratory Accreditation Program **(ORELAP)**
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID CA200004
- State of Utah, Department of Health, Bureau of Laboratory Improvement **(NELAP)**
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID QUAL1
- State of Washington, Department of Ecology
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID C1234
- State of Wisconsin, Department of Natural Resources
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID 999767340

Arizona Data Qualifiers
Revision 2.0, 11/26/2003

Developed by the Sub-committee of the
Arizona Environmental Laboratory Advisory Committee

Microbiology:
A1 = Too numerous to count.
A2 = Sample incubation period exceeded method requirement.
A3 = Sample incubation period was shorter than method requirement.
A4 = Target organism detected in associated method blank.
A5 = Incubator/water bath temperature was outside method requirements.
A6 = Target organism not detected in associated positive control.
A7 = Micro sample received without adequate headspace.

Method/calibration blank:
B1 = Target analyte detected in method blank at or above the method reporting limit.
B2 = Non-target analyte detected in method blank and sample, producing interference.
B3 = Target analyte detected in calibration blank at or above the method reporting limit.
B4 = Target analyte detected in blank at/above method acceptance criteria.
B5 = Target analyte detected in method blank at or above the method reporting limit, but below trigger level or MCL.
B6 = Target analyte detected in calibration blank at or above the method reporting limit, but below trigger level or MCL.
B7 = Target analyte detected in method blank at or above method reporting limit. Concentration found in the sample was 10 times above the concentration found in the method blank.

Confirmation:
C1 = Confirmatory analysis not performed as required by the method.
C3 = Qualitative confirmation performed.
C4 = Confirmatory analysis was past holding time.
C5 = Confirmatory analysis was past holding time. Original result not confirmed.
C6 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the higher value was reported as there was no obvious chromatographic interference.
C7 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic interference.

Dilution:
D1 = Sample required dilution due to matrix.
D2 = Sample required dilution due to high concentration of target analyte.
D3 = Sample dilution required due to insufficient sample.
D4 = Minimum reporting level (MRL) adjusted to reflect sample amount received and analyzed.

Estimated concentration:
E1 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not possible due to insufficient sample.
E2 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to sample matrix.
E3 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

E4 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL).
E5 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL), but not confirmed by alternate analysis.
E6 = Concentration estimated. Internal standard recoveries did not meet method acceptance criteria.
E7 = Concentration estimated. Internal standard recoveries did not meet laboratory acceptance criteria.
E8 = Analyte reported to MDL per project specification. Target analyte was not detected in the sample.

Hold time:
H1 = Sample analysis performed past holding time.
H2 = Initial analysis within holding time. Reanalysis for the required dilution was past holding time.
H3 = Sample was received and analyzed past holding time.
H4 = Sample was extracted past required extraction holding time, but analyzed within analysis holding time.

BOD:
K1 = The sample dilutions set-up for the BOD analysis did not meet the oxygen depletion criteria of at least 2 mg/L. Any reported result is an estimated value.
K2 = The sample dilutions set up for the BOD analysis did not meet the criteria of a residual dissolved oxygen of at least 1 mg/L. Any reported result is an estimated value.
K4 = The seed depletion was outside the method acceptance limits. The reported result is an estimated value.
K5 = The dilution water D.O. depletion was > 0.2 mg/L.
K6 = Glucose/glutamic acid BOD was below method acceptance criteria.
K7 = A discrepancy between the BOD and COD results has been verified by reanalysis of the sample for COD.
K8 = Glucose/glutamic acid BOD was above method acceptance levels.

Laboratory fortified blank/blank spike:

L1 = The associated blank spike recovery was above laboratory acceptance limits.
L2 = The associated blank spike recovery was below laboratory acceptance limits.
L3 = The associated blank spike recovery was above method acceptance limits.
L4 = The associated blank spike recovery was below method acceptance limits.

Matrix spike:
M1 = Matrix spike recovery was high, the method control sample recovery was acceptable.
M2 = Matrix spike recovery was low, the method control sample recovery was acceptable.
M3 = The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
M4 = The analysis of the spiked sample required a dilution such that the spike concentration was diluted below the reporting limit. The method control sample recovery was acceptable.
M5 = Analyte concentration was determined by the method of standard addition (MSA).

M6 = Matrix spike recovery was high. Data reported per ADEQ policy 0154.000.
M7 = Matrix spike recovery was low. Data reported per ADEQ policy 0154.000.

General:
N1 = See case narrative.
N2 = See corrective action report.
N3 = The analysis meets all method requirements. See case narrative.

Sample quality:
Q1 = Sample integrity was not maintained. See case narrative.
Q2 = Sample received with headspace.
Q3 = Sample received with improper chemical preservation.
Q4 = Sample received and analyzed without chemical preservation.
Q5 = Sample received with inadequate chemical preservation, but preserved by the laboratory.
Q6 = Sample was received above recommended temperature.
Q7 = Sample inadequately dechlorinated.
Q8 = Insufficient sample received to meet method QC requirements. Batch QC requirements satisfies ADEQ policies 0154 and 0155.
Q9 = Insufficient sample received to meet method QC requirements.
Q10 = Sample received in inappropriate sample container.
Q11 = Sample is heterogeneous. Sample homogeneity could not be readily achieved using routine laboratory practices.

Duplicates:
R1 = RPD exceeded the method control limit. See case narrative.
R2 = RPD exceeded the laboratory control limit. See case narrative.
R4 = MS/MSD RPD exceeded the method control limit. Recovery met acceptance criteria.
R5 = MS/MSD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R6 = LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
R7 = LFB/LFBD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R8 = Sample RPD exceeded the method control limit.
R9 = Sample RPD exceeded the laboratory control limit.
R10 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic problems.
R11 = The RPD calculation for MS/MSD does not provide useful information due to the varying sample weights when Encore samplers/methanol field preserved samples are used.

Surrogate:
S1 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits.
S3 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits. No target analytes were detected in the sample.
S4 = Surrogate recovery was above laboratory and method acceptance limits. No target analytes were detected in the sample.
S5 = Surrogate recovery was below laboratory acceptance limits, but within method acceptance limits.
S6 = Surrogate recovery was below laboratory and method acceptance limits. Reextraction and/or reanalysis confirms low recovery caused by matrix effect.

S7 = Surrogate recovery was below laboratory and method acceptance limits. Unable to confirm matrix effect.
S8 = The analysis of the sample required a dilution such that the surrogate recovery calculation does not provide any useful information. The method control sample recovery was acceptable.
S10 = Surrogate recovery was above laboratory and method acceptance limits. See Case narrative.
S11 = Surrogate recovery was high. Data reported per ADEQ policy 0154.000.
S12 = Surrogate recovery was low. Data reported per ADEQ policy 0154.000.

Method/analyte discrepancies:
T1 = Method approved by EPA, but not yet licensed by ADHS.
T2 = Cited ADHS licensed method does not contain this analyte as part of method compound list.
T3 = Method not promulgated either by EPA or ADHS.
T4 = Tentatively identified compound. Concentration is estimated and based on the closest internal standard.

Calibration verification:
V1 = CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
V2 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample. The sample could not be reanalyzed due to insufficient sample.
V3 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample, but the sample was not reanalyzed. See case narrative.
V4 = CCV recovery was below method acceptance limits. The sample could not be reanalyzed due to insufficient sample.
V5 = CCV recovery after a group of samples was above acceptance limits. This target analyte was not detected in the sample. Acceptable per EPA Method 8000B.
V6 = Data reported from one-point calibration criteria per ADEQ policy 0155.000.
V7 = Calibration verification recovery was above the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.
V8 = Calibration verification recovery was below the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.

Calibration:
W1 = The % RSD for this compound was above 20%. The average % RSD for all compounds in the calibration met the 20% criteria as specified in EPA method 8000B.
W2 = The % RSD for this compound was above 15%. The average % RSD for all compounds in the calibration met the 15% criteria as specified in EPA method 8260B/8270C.

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
D0601383-001	PPI0521-02	09/15/06	08:15
D0601383-002	PPI0521-03	09/15/06	07:25
D0601383-003	PPI0521-04	09/15/06	08:25
D0601383-004	PPI0521-05	09/15/06	09:06
D0601383-005	PPI0521-06	09/15/06	09:56
D0601383-006	PPI0521-07	09/15/06	12:26
D0601383-007	PPI0521-08	09/15/06	13:15
D0601383-008	PPI0521-09	09/15/06	15:28
D0601383-009	PPI0521-10	09/15/06	14:29

CASE NARRATIVE

COLUMBIA ANALYTICAL SERVICES, INC.

Client:	Transwest Geochem, Incorporated	**Service Request No.:**	D0601383
Project:	PPC/PPD PPI0521	**Date Received:**	09/19/06
Sample Matrix:	Aqueous		

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of Columbia Analytical Services, Inc. (CAS).This report contains analytical results for samples designated for Tier III data deliverables.

Sample Receipt

9 Aqueous samples were received for analysis at Columbia Analytical Services on 09/19/06.

No discrepancies were noted upon initial sample inspection. The samples were received in good condition and consistent with the accompanying chain of custody form. The samples were stored in a refrigerator at 4 degrees Celsius upon receipt at the laboratory.

Fuel Characterization by EPA Method 8015B

No anomalies associated with the analysis of these samples were observed.

Approved by: _____ **Date:** 10/4/06

CHAIN OF CUSTODY DOCUMENTATION

TRANSWEST GEOCHEM

CHAIN-OF-CUSTODY [redacted]

Skip Harden
3725 E. Atlanta Avenue
Suite 2
Phoenix, AZ 85040

TEL: (602) 437-0330
FAX: (602) 437-0660

Work Order: 0609284

Project: PPI0521

Subcontractor:
Columbia Analytical Services
5090 Caterpillar Rd.
Redding, CA 96003

TEL: (530) 244-5227
FAX: (530) 244-4109

18-Sep-06

Client Sample ID	TGI ID	Matrix	Collection Date	Containers	Requested Tests: 8015MOD_W						
PPI0521-02	01A	Water	9/15/2006 8:15:00 AM	1	1						
PPI0521-03	02A	Water	9/15/2006 7:25:00 AM	1	1						
PPI0521-04	03A	Water	9/15/2006 8:25:00 AM	1	1						
PPI0521-05	04A	Water	9/15/2006 9:06:00 AM	1	1						
PPI0521-06	05A	Water	9/15/2006 9:56:00 AM	1	1						
PPI0521-07	06A	Water	9/15/2006 12:26:00 PM	1	1						
PPI0521-08	07A	Water	9/15/2006 1:15:00 PM	1	1						
PPI0521-09	08A	Water	9/15/2006 3:28:00 PM	1	1						
PPI0521-10	09A	Water	9/15/2006 2:29:00 PM	1	1						

low level reporting limits required
EDD's required

Level III QC package required

Comments: After analysis, the samples do not need to be returned and can be disposed per your standard laboratory practices. Please provide a QC report, including Method Blank data.

Sample Receipt		
Temperature:	Ambient / Cold	Ice:
Received Intact:		Absent / Present
Custody Seals:		Wet / Blue
Total No. of Containers:		° C.

		Date/Time			Date/Time
Relinquished by:	Leslie May - TGI	9/18/06 1600	**Received by:**	UPS	
Relinquished by:			**Received by:**	[signature]	9.19.06 0945
Relinquished by:			**Received by:**		

Columbia Analytical Services inc.
An Employee-Owned Company

5090 Caterpillar Road
Redding, CA 96003
Phone: (530) 244-5262
[redacted]

COOLER RECEIPT FORM

Project/Client: _____ Batch No.: [redacted]

1. Cooler(s)/Sample(s) received on: 9·19·06 Shipped via: UPS

   Shipping Bill # (s): _____ # of Coolers/Packages 3

2. Radiological Screening by: _____ Acceptable Rejected

3. Custody seals on outside of cooler? YES NO N/A
   If yes, where? Front ✓ Rear ____ Lt Side ____ Rt Side ____

   Seals intact: YES NO

COOLER/SAMPLE PROCESSING

4. Sample Processing/Tagging by: KM

5. Cooler(s)/Sample(s) Temp's: 2.0C ____ ____ ____ ____
   (or)
   Temp. Blank (if included): ✓ ____ ____ ____ ____

6. Type of packing material (circle): Ice Blue Ice Bubble Wrap Bubble Bags Zip Locks Webbing
   Other: _____

7. Custody papers properly filled out (ink, signed, dated, released, etc.)? YES NO
8. Containers arrived in good condition (not broken, leaking, etc.)? YES NO
9. Samples received with adequate holding time remaining to conduct analysis? YES NO
10. Container labels complete (i.e. analysis, preservation, date/time, etc.)? YES NO
11. Container labels and tags agree with custody papers? YES NO
12. Correct types of containers used for the tests indicated? YES NO
    a.) Adequate sample received? If not, note on Exception Report. YES NO
13. Containers supplied by: CAS Other
14. Preserved containers received with the appropriate preservative? YES NO N/A
    pH: _____ (or) See pH log.
15. VOA vials free of air bubbles? YES NO N/A
16. Trip Blank preparation date: _____ CAS Other N/A
17. Volatile Soil samples: Encores or Plugs in Vials
    Freezer or GC/MS Date: _____ Time: _____ N/A

See Exception Report for discrepancies.

Rev. 8/18/2004/ds

Columbia Analytical Services inc.

An Employee-O[redacted]

pH Log

5090 Caterpillar Road
Redding, CA 96003
Phone: 530-244-5227
Fax: 530-244-4109

Reference No.: [redacted]	By: KM	Date: 9-14-06	
Project/Client:			

Tests: >					
Sample No:	HNO3 pH<2	H2SO4 pH<2	ZnAc2/NaOH pH>9	NaOH pH>12	HCL pH<2
-001		<2			
-002		<2			
-003		<2			
-004		<2			
-005		<2			
-006		<2			
-007		<2			
-008		<2			
-009		<2			
-010					
-011					
-012					
-013					
-014					
-015					
-016					
-017					
-018					
-019					
-020					

Adjustments by Lab: Shown below by sample number and quantity of preservative in the appropriate column.

Sample No:	HNO3 pH<2 Lot#	H2SO4 pH<2 Lot#	ZnAc2/NaOH pH>9 Lot#	NaOH pH>12 Lot#	HCL pH<2 Lot#
	mL	mL	mL	mL	mL
	mL	mL	mL	mL	mL
	mL	mL	mL	mL	mL
	mL	mL	mL	mL	mL

Fuel Characterization

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0521/0609284

Service Request: D0601383

Cover Page - Organic Analysis Data Package
Hydrocarbon Scan / Fuel Characterization

Sample Name	Lab Code	Date Collected	Date Received
PPI0521-02	D0601383-001	09/15/2006	09/19/2006
PPI0521-03	D0601383-002	09/15/2006	09/19/2006
PPI0521-04	D0601383-003	09/15/2006	09/19/2006
PPI0521-05	D0601383-004	09/15/2006	09/19/2006
PPI0521-06	D0601383-005	09/15/2006	09/19/2006
PPI0521-07	D0601383-006	09/15/2006	09/19/2006
PPI0521-08	D0601383-007	09/15/2006	09/19/2006
PPI0521-09	D0601383-008	09/15/2006	09/19/2006
PPI0521-10	D0601383-009	09/15/2006	09/19/2006
PPI0521-02MS	DWG0600828-1	09/15/2006	09/19/2006
PPI0521-02DMS	DWG0600828-2	09/15/2006	09/19/2006

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the case narrative. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: Wida Ang

Name: WIDA ANG

Date: 10/3/06

Title: Organic Manager

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601383
Project:	PPC/PPD PPI0521/0609284	**Date Collected:**	09/15/2006
Sample Matrix:	Water	**Date Received:**	09/19/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0521-02	**Units:**	ug/L
Lab Code:	D0601383-001	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	51	1	09/28/06	09/29/06	
C23 - C32 HRO	ND	U	51	1	09/28/06	09/29/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	80	40-150	09/29/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601383
Project:	PPC/PPD PPI0521/0609284	**Date Collected:**	09/15/2006
Sample Matrix:	Water	**Date Received:**	09/19/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0521-03	**Units:**	ug/L
Lab Code:	D0601383-002	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	51	1	09/28/06	09/29/06	
C23 - C32 HRO	ND	U	51	1	09/28/06	09/29/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	82	40-150	09/29/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601383
Project:	PPC/PPD PPI0521/0609284	**Date Collected:**	09/15/2006
Sample Matrix:	Water	**Date Received:**	09/19/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0521-04	**Units:**	ug/L
Lab Code:	D0601383-003	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	51	1	09/28/06	09/29/06	
C23 - C32 HRO	ND	U	51	1	09/28/06	09/29/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	78	40-150	09/29/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601383
Project:	PPC/PPD PPI0521/0609284	**Date Collected:**	09/15/2006
Sample Matrix:	Water	**Date Received:**	09/19/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0521-05	**Units:**	ug/L
Lab Code:	D0601383-004	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	51	1	09/28/06	09/29/06	
C23 - C32 HRO	ND	U	51	1	09/28/06	09/29/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	76	40-150	09/29/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601383
Project:	PPC/PPD PPI0521/0609284	**Date Collected:**	09/15/2006
Sample Matrix:	Water	**Date Received:**	09/19/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0521-06	**Units:**	ug/L
Lab Code:	D0601383-005	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	51	1	09/28/06	09/29/06	
C23 - C32 HRO	**52**		51	1	09/28/06	09/29/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	78	40-150	09/29/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601383
Project:	PPC/PPD PPI0521/0609284	**Date Collected:**	09/15/2006
Sample Matrix:	Water	**Date Received:**	09/19/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0521-07	**Units:**	ug/L
Lab Code:	D0601383-006	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	51	1	09/28/06	09/29/06	
C23 - C32 HRO	ND	U	51	1	09/28/06	09/29/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	81	40-150	09/29/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601383
Project:	PPC/PPD PPI0521/0609284	**Date Collected:**	09/15/2006
Sample Matrix:	Water	**Date Received:**	09/19/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0521-08	**Units:**	ug/L
Lab Code:	D0601383-007	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	51	1	09/28/06	09/29/06	
C23 - C32 HRO	ND	U	51	1	09/28/06	09/29/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	69	40-150	09/29/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601383
Project:	PPC/PPD PPI0521/0609284	**Date Collected:**	09/15/2006
Sample Matrix:	Water	**Date Received:**	09/19/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0521-09	**Units:**	ug/L
Lab Code:	D0601383-008	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	51	1	09/28/06	09/29/06	
C23 - C32 HRO	ND	U	51	1	09/28/06	09/29/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	70	40-150	09/29/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601383
Project:	PPC/PPD PPI0521/0609284	**Date Collected:**	09/15/2006
Sample Matrix:	Water	**Date Received:**	09/19/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0521-10	**Units:**	ug/L
Lab Code:	D0601383-009	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	**99**		51	1	09/28/06	09/29/06	
C23 - C32 HRO	ND	U	51	1	09/28/06	09/29/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	80	40-150	09/29/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601383
Project:	PPC/PPD PPI0521/0609284	**Date Collected:**	NA
Sample Matrix:	Water	**Date Received:**	NA

Hydrocarbon Scan / Fuel Characterization

Sample Name:	Method Blank	**Units:**	ug/L
Lab Code:	DWG0600828-5	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	50	1	09/28/06	09/29/06	
C23 - C32 HRO	ND	U	50	1	09/28/06	09/29/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	81	40-150	09/29/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0521/0609284
Sample Matrix: Water

Service Request: D0601383

Surrogate Recovery Summary
Hydrocarbon Scan / Fuel Characterization

Extraction Method: EPA 3510C
Analysis Method: 8015B

Units: PERCENT
Level: Low

Sample Name	Lab Code	Sur1
PPI0521-02	D0601383-001	80
PPI0521-03	D0601383-002	82
PPI0521-04	D0601383-003	78
PPI0521-05	D0601383-004	76
PPI0521-06	D0601383-005	78
PPI0521-07	D0601383-006	81
PPI0521-08	D0601383-007	69
PPI0521-09	D0601383-008	70
PPI0521-10	D0601383-009	80
Method Blank	DWG0600828-5	81
PPI0521-02MS	DWG0600828-1	78
PPI0521-02DMS	DWG0600828-2	69
Lab Control Sample	DWG0600828-3	72
Duplicate Lab Control Sample	DWG0600828-4	74

Surrogate Recovery Control Limits (%)

Sur1 = Octacosane 40-150

Results flagged with an asterisk (*) indicate values outside control criteria.
Results flagged with a pound (#) indicate the control criteria is not applicable.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601383
Project:	PPC/PPD PPI0521/0609284	**Date Extracted:**	09/28/2006
Sample Matrix:	Water	**Date Analyzed:**	09/29/2006

Matrix Spike/Duplicate Matrix Spike Summary
Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0521-02	**Units:**	ug/L
Lab Code:	D0601383-001	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B	**Extraction Lot:**	DWG0600828

		PPI0521-02MS DWG0600828-1 Matrix Spike			PPI0521-02DMS DWG0600828-2 Duplicate Matrix Spike					
Analyte Name	**Sample Result**	**Result**	**Expected**	**%Rec**	**Result**	**Expected**	**%Rec**	**%Rec Limits**	**RPD**	**RPD Limit**
C13 - C22 DRO	ND	1660	2530	66	1470	2530	58	50-140	12	40

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601383
Project:	PPC/PPD PPI0521/0609284	**Date Extracted:**	09/28/2006
Sample Matrix:	Water	**Date Analyzed:**	09/29/2006

Lab Control Spike/Duplicate Lab Control Spike Summary
Hydrocarbon Scan / Fuel Characterization

Extraction Method:	EPA 3510C	**Units:**	ug/L
Analysis Method:	8015B	**Basis:**	NA
		Level:	Low
		Extraction Lot:	DWG0600828

	Lab Control Sample DWG0600828-3 Lab Control Spike			Duplicate Lab Control Sample DWG0600828-4 Duplicate Lab Control Spike					
Analyte Name	**Result**	**Expected**	**%Rec**	**Result**	**Expected**	**%Rec**	**%Rec Limits**	**RPD**	**RPD Limit**
C13 - C22 DRO	1490	2500	60	1550	2500	62	50-140	4	30

Results flagged with an asterisk (*) indicate values outside control criteria.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601383
Project:	PPC/PPD PPI0521/0609284	**Date Extracted:**	09/28/2006
Sample Matrix:	Water	**Date Analyzed:**	09/29/2006
		Time Analyzed:	12:26

Method Blank Summary
Hydrocarbon Scan / Fuel Characterization

Sample Name:	Method Blank	**File ID:**	Q:\TARGET\CHEM\GCQ.I\092906\0929004.
Lab Code:	DWG0600828-5	**Instrument ID:**	GCQ
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B	**Extraction Lot:**	DWG0600828

This Method Blank applies to the following analyses:

Sample Name	Lab Code	File ID	Date Analyzed	Time Analyzed
Lab Control Sample	DWG0600828-3	Q:\TARGET\CHEM\GCQ.I\092906\0929005.D	09/29/06	13:05
Duplicate Lab Control Sample	DWG0600828-4	Q:\TARGET\CHEM\GCQ.I\092906\0929006.D	09/29/06	13:45
PPI0521-02	D0601383-001	Q:\TARGET\CHEM\GCQ.I\092906\0929007.D	09/29/06	14:25
PPI0521-02MS	DWG0600828-1	Q:\TARGET\CHEM\GCQ.I\092906\0929008.D	09/29/06	15:05
PPI0521-02DMS	DWG0600828-2	Q:\TARGET\CHEM\GCQ.I\092906\0929009.D	09/29/06	15:44
PPI0521-03	D0601383-002	Q:\TARGET\CHEM\GCQ.I\092906\0929010.D	09/29/06	16:24
PPI0521-04	D0601383-003	Q:\TARGET\CHEM\GCQ.I\092906\0929011.D	09/29/06	17:04
PPI0521-05	D0601383-004	Q:\TARGET\CHEM\GCQ.I\092906\0929013.D	09/29/06	18:24
PPI0521-06	D0601383-005	Q:\TARGET\CHEM\GCQ.I\092906\0929014.D	09/29/06	19:03
PPI0521-07	D0601383-006	Q:\TARGET\CHEM\GCQ.I\092906\0929015.D	09/29/06	19:43
PPI0521-08	D0601383-007	Q:\TARGET\CHEM\GCQ.I\092906\0929016.D	09/29/06	20:23
PPI0521-09	D0601383-008	Q:\TARGET\CHEM\GCQ.I\092906\0929017.D	09/29/06	21:03
PPI0521-10	D0601383-009	Q:\TARGET\CHEM\GCQ.I\092906\0929018.D	09/29/06	21:42

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0521/0609284
Sample Matrix: Water

Service Request: D0601383

Lab Control Sample/Duplicate Lab Control Sample Summary
Hydrocarbon Scan / Fuel Characterization

Sample Name:	Lab Control Sample	**Sample Name:**	Duplicate Lab Control Sample
Lab Code:	DWG0600828-3	**Lab Code:**	DWG0600828-4
File ID:	Q:\TARGET\CHEM\GCQ.I\092906\0929005.D	**File ID:**	Q:\TARGET\CHEM\GCQ.I\092906\0929006.D
Instrument ID:	GCQ	**Instrument ID:**	GCQ
Date Extracted:	09/28/2006	**Date Extracted:**	09/28/2006
Date Analyzed:	09/29/2006	**Date Analyzed:**	09/29/2006
Time Analyzed:	13:05	**Time Analyzed:**	13:45

Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B	**Extraction Lot:**	DWG0600828

These Lab Control Samples apply to the following analyses:

Sample Name	Lab Code	File ID	Date Analyzed	Time Analyzed
Method Blank	DWG0600828-5	Q:\TARGET\CHEM\GCQ.I\092906\0929004.D	09/29/06	12:26
PPI0521-02	D0601383-001	Q:\TARGET\CHEM\GCQ.I\092906\0929007.D	09/29/06	14:25
PPI0521-02MS	DWG0600828-1	Q:\TARGET\CHEM\GCQ.I\092906\0929008.D	09/29/06	15:05
PPI0521-02DMS	DWG0600828-2	Q:\TARGET\CHEM\GCQ.I\092906\0929009.D	09/29/06	15:44
PPI0521-03	D0601383-002	Q:\TARGET\CHEM\GCQ.I\092906\0929010.D	09/29/06	16:24
PPI0521-04	D0601383-003	Q:\TARGET\CHEM\GCQ.I\092906\0929011.D	09/29/06	17:04
PPI0521-05	D0601383-004	Q:\TARGET\CHEM\GCQ.I\092906\0929013.D	09/29/06	18:24
PPI0521-06	D0601383-005	Q:\TARGET\CHEM\GCQ.I\092906\0929014.D	09/29/06	19:03
PPI0521-07	D0601383-006	Q:\TARGET\CHEM\GCQ.I\092906\0929015.D	09/29/06	19:43
PPI0521-08	D0601383-007	Q:\TARGET\CHEM\GCQ.I\092906\0929016.D	09/29/06	20:23
PPI0521-09	D0601383-008	Q:\TARGET\CHEM\GCQ.I\092906\0929017.D	09/29/06	21:03
PPI0521-10	D0601383-009	Q:\TARGET\CHEM\GCQ.I\092906\0929018.D	09/29/06	21:42

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Results

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0521/0609284

Service Request: D0601383
Calibration Date: 09/15/2006

Initial Calibration Summary
Hydrocarbon Scan / Fuel Characterization

Calibration ID: CAL1196
Instrument ID: GCQ

Column: RTX-5

Level ID	File ID	Level ID	File ID
A	C:\HPCHEM\1\DATA\091506\0915004.D	E	C:\HPCHEM\1\DATA\091506\0915008.D
B	C:\HPCHEM\1\DATA\091506\0915005.D	F	C:\HPCHEM\1\DATA\091506\0915009.D
C	C:\HPCHEM\1\DATA\091506\0915006.D	G	C:\HPCHEM\1\DATA\091506\0915010.D
D	C:\HPCHEM\1\DATA\091506\0915007.D	H	C:\HPCHEM\1\DATA\091506\0915011.D

Analyte Name	Level ID	Amt	RF	Level ID	Amt	RF	Level ID	Amt	RF	Level ID	Amt	RF	Level ID	Amt	RF
C13 - C22 DRO	A	5.0	1.02E+5	B	10	1.05E+5	C	50	1.07E+5	D	100	1.03E+5	E	500	97100
	F	1000	94600	G	2500	91400	H	5000	87800						
C23 - C32 HRO	A	5.0	78300	B	10	76600	C	50	74400	D	100	74900	E	500	68100
	F	1000	66900	G	2500	64100	H	5000	62000						
Octacosane	A	2.5	1.47E+5	B	5.0	94000	C	25	99900	D	50	98900	E	75	97700
	F	130	96300	G	150	95300	H	300	96700						

Results flagged with an asterisk (*) indicate values outside control criteria.

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0521/0609284

Service Request: D0601383
Calibration Date: 09/15/2006

Initial Calibration Summary
Hydrocarbon Scan / Fuel Characterization

Calibration ID: CAL1196
Instrument ID: GCQ

Column: RTX-5

Analyte Name	Compound Type	Calibration Evaluation				
		Fit Type	Eval.	Eval. Result	Q	Control Criteria
C13 - C22 DRO	MS	AverageRF	% RSD	6.9		≤ 20
C23 - C32 HRO	TRG	AverageRF	% RSD	8.7		≤ 20
Octacosane	SURR	AverageRF	% RSD	17.3		≤ 20

Results flagged with an asterisk (*) indicate values outside control criteria.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Results

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0521/0609284

Service Request: D0601383
Calibration Date: 09/15/2006
Date Analyzed: 09/16/2006

Second Source Calibration Verification
Hydrocarbon Scan / Fuel Characterization

Calibration Type: External Standard
Analysis Method: 8015B

Calibration ID: CAL1196
Units: mg/L

File ID: C:\HPCHEM\1\DATA\091506\0915015.D

Column ID: RTX-5

Analyte Name	Expected	Result	Average RF	SSV RF	%D	%Drift	Criteria	Curve Fit
C13 - C22 DRO	1000	860	98400	84700	-14	NA	± 30 %	AverageRF
C23 - C32 HRO	1000	850	70700	60100	-15	NA	± 30 %	AverageRF

Results flagged with an asterisk (*) indicate values outside control criteria.

+ SPCC Compound **‡ CCC Compound**

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Results

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0521/0609284

Service Request: D0601383
Date Analyzed: 09/29/2006

Continuing Calibration Verification Summary
Hydrocarbon Scan / Fuel Characterization

Calibration Type: External Standard
Analysis Method: 8015B

Calibration Date: 09/15/2006
Calibration ID: CAL1196
Analysis Lot: DWG0600827
Units: mg/L

File ID: C:\HPCHEM\1\DATA\092906\0929003.D

Column ID: RTX-5

Analyte Name	Expected	Result	Average RF	CCV RF	%D	%Drift	Criteria	Curve Fit
C13 - C22 DRO	1000	980	98400	96700	-2	NA	± 15 %	AverageRF
C23 - C32 HRO	1000	1100	70700	77600	10	NA	± 15 %	AverageRF
Octacosane	130	130	103000	109000	5	NA	± 25 %	AverageRF

Results flagged with an asterisk (*) indicate values outside control criteria.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Results

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0521/0609284

Service Request: D0601383
Date Analyzed: 09/29/2006

Continuing Calibration Verification Summary
Hydrocarbon Scan / Fuel Characterization

Calibration Type: External Standard
Analysis Method: 8015B

Calibration Date: 09/15/2006
Calibration ID: CAL1196
Analysis Lot: DWG0600827
Units: mg/L

File ID: C:\HPCHEM\1\DATA\092906\0929012.D

Column ID: RTX-5

Analyte Name	Expected	Result	Average RF	CCV RF	%D	%Drift	Criteria	Curve Fit
C13 - C22 DRO	500	480	98400	94100	-4	NA	± 15 %	AverageRF
C23 - C32 HRO	500	540	70700	76700	9	NA	± 15 %	AverageRF
Octacosane	75	72	103000	98600	-4	NA	± 25 %	AverageRF

Results flagged with an asterisk (*) indicate values outside control criteria.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Results

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0521/0609284

Service Request: D0601383
Date Analyzed: 09/29/2006

Continuing Calibration Verification Summary
Hydrocarbon Scan / Fuel Characterization

Calibration Type: External Standard
Analysis Method: 8015B

Calibration Date: 09/15/2006
Calibration ID: CAL1196
Analysis Lot: DWG0600827
Units: mg/L

File ID: C:\HPCHEM\1\DATA\092906\0929020.D

Column ID: RTX-5

Analyte Name	Expected	Result	Average RF	CCV RF	%D	%Drift	Criteria	Curve Fit
C13 - C22 DRO	1000	980	98400	96600	-2	NA	± 15 %	AverageRF
C23 - C32 HRO	1000	1100	70700	76600	8	NA	± 15 %	AverageRF
Octacosane	130	140	103000	116000	12	NA	± 25 %	AverageRF

Results flagged with an asterisk (*) indicate values outside control criteria.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Results

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0521/0609284
Sample Matrix: Water

Service Request: D0601383
Date Extracted: 09/28/2006

Extraction Prep Log
Hydrocarbon Scan / Fuel Characterization

Extraction Method: EPA 3510C
Analysis Method: 8015B

Extraction Lot: DWG0600828
Level: Low

Sample Name	Lab Code	Date Collected	Date Received	Sample Amount	Final Volume	% Solids	Arizon
PPI0521-02	D0601383-001	09/15/06	09/19/06	0.99L	1ml	NA	
PPI0521-03	D0601383-002	09/15/06	09/19/06	0.99L	1ml	NA	
PPI0521-04	D0601383-003	09/15/06	09/19/06	0.99L	1ml	NA	
PPI0521-05	D0601383-004	09/15/06	09/19/06	0.99L	1ml	NA	
PPI0521-06	D0601383-005	09/15/06	09/19/06	0.99L	1ml	NA	
PPI0521-07	D0601383-006	09/15/06	09/19/06	0.99L	1ml	NA	
PPI0521-08	D0601383-007	09/15/06	09/19/06	0.99L	1ml	NA	
PPI0521-09	D0601383-008	09/15/06	09/19/06	0.99L	1ml	NA	
PPI0521-10	D0601383-009	09/15/06	09/19/06	0.99L	1ml	NA	
Method Blank	DWG0600828-5	NA	NA	1.0L	1ml	NA	
PPI0521-02MS	DWG0600828-1	09/15/06	09/19/06	0.99L	1ml	NA	
PPI0521-02DMS	DWG0600828-2	09/15/06	09/19/06	0.99L	1ml	NA	
Lab Control Sample	DWG0600828-3	NA	NA	1.0L	1ml	NA	
Duplicate Lab Control Sample	DWG0600828-4	NA	NA	1.0L	1ml	NA	

Results flagged with an asterisk (*) indicate the holding time was exceeded for the analysis

Sub

TRANSWEST GEOCHEM

Sample Receipt Checklist

Client Name: Test America

Date and Time Received: 9/18/06 0758

Work Order Number: 0609284

Checked by: lm

Checklist completed by: Leslie May 9/18/06
Signature / Date

Logged In by: lm 9/18/06
Initials / Date

Matrix: water

Carrier Name: (Client) TGI _____

Reviewed by: SH 9/19/06
Initials / Date

				COMMENTS
Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐	
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☑	
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑	
Chain of custody present?	Yes ☑	No ☐		
Chain of custody signed when relinquished and received?	Yes ☑	No ☐		
Chain of custody agrees with sample labels?	Yes ☑	No ☐		
Samples in proper container/bottle?	Yes ☑	No ☐		
Sample containers intact?	Yes ☑	No ☐		
Sufficient sample volume for indicated test?	Yes ☑	No ☐		
All samples received within holding time?	Yes ☑	No ☐		
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	Temp: 4.6	Sampled < 2hrs ☐
Water – VOA vials have zero headspace?	Yes ☐	No ☐	N/A ☑	
Water – pH acceptable upon receipt?	Yes ☑	No ☐	N/A ☐	Checked by: lm
Water – Sulfides present in Cyanide samples?	Yes ☐	No ☐	N/A ☑	
Sample considered Drinking Water for metal analysis?	Yes ☐	No ☐	N/A ☑	

Client contacted: _____ Date contacted: _____ Person contacted: _____

Contacted by: _____ Regarding: _____

Corrective Action: _____

TestAmerica
ANALYTICAL TESTING CORPORATION

0609284

SUBCONTRACT ORDER - PROJECT # PPI0521

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration		Comments	pH
Sample ID: PPI0521-02 Water Sampled: 09/15/06 08:15				
8015B MOD-Low Level-O	09/22/06 08:15		sub to Transwest, need transfer file for EDD	
Containers Supplied:				
1 L Amber w/H2SO4 (PPI0521-02D)		1		2
1 L Amber w/H2SO4 (PPI0521-02E)				
Sample ID: PPI0521-03 Water Sampled: 09/15/06 07:25				
8015B MOD-Low Level-O	09/22/06 07:25		sub to Transwest, need transfer file for EDD	
Containers Supplied:				
1 L Amber w/H2SO4 (PPI0521-03D)		2		2
1 L Amber w/H2SO4 (PPI0521-03E)				
Sample ID: PPI0521-04 Water Sampled: 09/15/06 08:25				
8015B MOD-Low Level-O	09/22/06 08:25		sub to Transwest, need transfer file for EDD	
Containers Supplied:				
1 L Amber w/H2SO4 (PPI0521-04D)		3		2
1 L Amber w/H2SO4 (PPI0521-04E)				
Sample ID: PPI0521-05 Water Sampled: 09/15/06 09:06				
8015B MOD-Low Level-O	09/22/06 09:06		sub to Transwest, need transfer file for EDD	
Containers Supplied:				
1 L Amber w/H2SO4 (PPI0521-05D)		4		2
1 L Amber w/H2SO4 (PPI0521-05E)				
Sample ID: PPI0521-06 Water Sampled: 09/15/06 09:56				
8015B MOD-Low Level-O	09/22/06 09:56		sub to Transwest, need transfer file for EDD	
Containers Supplied:				
1 L Amber w/H2SO4 (PPI0521-06D)		5		2
1 L Amber w/H2SO4 (PPI0521-06E)				

Released By	Date	Time	Received By	Date	Time
	9/18/06	~~9:10~~ 7:10		9-18-06	~~9:10~~ 7:10
	9-18-06	7:58	Leslie May-TGI	9/18/06	0758

TestAmerica
ANALYTICAL TESTING CORPORATION

0609284

SUBCONTRACT ORDER - PROJECT # PPI0521

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments	pH
Sample ID: PPI0521-07 Water Sampled: 09/15/06 12:26			
8015B MOD-Low Level-O	09/22/06 12:26	sub to Transwest, need transfer file for EDD	
Containers Supplied:			
1 L Amber w/H2SO4 (PPI0521-07D)		6	
1 L Amber w/H2SO4 (PPI0521-07E)			2
Sample ID: PPI0521-08 Water Sampled: 09/15/06 13:15			
8015B MOD-Low Level-O	09/22/06 13:15	sub to Transwest, need transfer file for EDD	
Containers Supplied:			
1 L Amber w/H2SO4 (PPI0521-08D)		7	
1 L Amber w/H2SO4 (PPI0521-08E)			2
Sample ID: PPI0521-09 Water Sampled: 09/15/06 15:28			
8015B MOD-Low Level-O	09/22/06 15:28	sub to Transwest, need transfer file for EDD	
Containers Supplied:			
1 L Amber w/H2SO4 (PPI0521-09D)		8	
1 L Amber w/H2SO4 (PPI0521-09E)			2
Sample ID: PPI0521-10 Water Sampled: 09/15/06 14:29			
8015B MOD-Low Level-O	09/22/06 14:29	sub to Transwest, need transfer file for EDD	
Containers Supplied:			
1 L Amber w/H2SO4 (PPI0521-10D)		9	
1 L Amber w/H2SO4 (PPI0521-10E)			2

SAMPLE INTEGRITY:

All containers intact: ☑ Yes ☐ No
Custody Seals Present: ☐ Yes ☑ No
Sample labels/COC agree: ☑ Yes ☐ No
Samples Preserved Properly: ☑ Yes ☐ No
Samples Received On Ice:: ☑ Yes ☐ No
Samples Received at (temp): 4.6

Released By	Date	Time	Received By	Date	Time
[signature]	9/18/06	7:10	[signature]	9-18-06	7:10
[signature]	9-18-06	7:58	Leslie May - TGI	9-18-06	0758

Revised
9/18/06 Am SH

TestAmerica
ANALYTICAL TESTING CORPORATION

SUBCONTRACT ORDER - PROJECT # PPI0521

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPI0521-02 Water Sampled: 09/15/06 08:15		
8015B MOD-Low Level-O	09/22/06 08:15	sub to Transwest, need transfer file for EDD Transwest/Columbia
Level III QC Package-Out	09/10/07 08:15	
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0521-02D)		
1 L Amber w/H2SO4 (PPI0521-02E)		
Sample ID: PPI0521-03 Water Sampled: 09/15/06 07:25		
8015B MOD-Low Level-O	09/22/06 07:25	sub to Transwest, need transfer file for EDD Transwest/Columbia
Level III QC Package-Out	09/10/07 07:25	
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0521-03D)		
1 L Amber w/H2SO4 (PPI0521-03E)		
Sample ID: PPI0521-04 Water Sampled: 09/15/06 08:25		
8015B MOD-Low Level-O	09/22/06 08:25	sub to Transwest, need transfer file for EDD Transwest/Columbia
Level III QC Package-Out	09/10/07 08:25	
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0521-04D)		
1 L Amber w/H2SO4 (PPI0521-04E)		
Sample ID: PPI0521-05 Water Sampled: 09/15/06 09:06		
8015B MOD-Low Level-O	09/22/06 09:06	sub to Transwest, need transfer file for EDD Transwest/Columbia
Level III QC Package-Out	09/10/07 09:06	
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0521-05D)		
1 L Amber w/H2SO4 (PPI0521-05E)		

Released By	Date	Time	Received By	Date	Time

Released By	Date	Time	Received By	Date	Time

TestAmerica
ANALYTICAL TESTING CORPORATION

SUBCONTRACT ORDER - PROJECT # PPI0521

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPI0521-06 Water Sampled: 09/15/06 09:56		
8015B MOD-Low Level-O	09/22/06 09:56	sub to Transwest, need transfer file for EDD Transwest/Columbia
Level III QC Package-Out	09/10/07 09:56	
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0521-06D)		
1 L Amber w/H2SO4 (PPI0521-06E)		
Sample ID: PPI0521-07 Water Sampled: 09/15/06 12:26		
8015B MOD-Low Level-O	09/22/06 12:26	sub to Transwest, need transfer file for EDD Transwest/Columbia
Level III QC Package-Out	09/10/07 12:26	
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0521-07D)		
1 L Amber w/H2SO4 (PPI0521-07E)		
Sample ID: PPI0521-08 Water Sampled: 09/15/06 13:15		
8015B MOD-Low Level-O	09/22/06 13:15	sub to Transwest, need transfer file for EDD Transwest/Columbia
Level III QC Package-Out	09/10/07 13:15	
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0521-08D)		
1 L Amber w/H2SO4 (PPI0521-08E)		
Sample ID: PPI0521-09 Water Sampled: 09/15/06 15:28		
8015B MOD-Low Level-O	09/22/06 15:28	sub to Transwest, need transfer file for EDD Transwest/Columbia
Level III QC Package-Out	09/10/07 15:28	
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0521-09D)		
1 L Amber w/H2SO4 (PPI0521-09E)		

Released By	Date	Time	Received By	Date	Time

Released By	Date	Time	Received By	Date	Time

TestAmerica
ANALYTICAL TESTING CORPORATION

SUBCONTRACT ORDER - PROJECT # PPI0521

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPI0521-10 Water Sampled: 09/15/06 14:29		
8015B MOD-Low Level-O	09/22/06 14:29	sub to Transwest, need transfer file for EDD Transwest/Columbia
Level III QC Package-Out	09/10/07 14:29	

Containers Supplied:
1 L Amber w/H2SO4 (PPI0521-10D)
1 L Amber w/H2SO4 (PPI0521-10E)

SAMPLE INTEGRITY:

All containers intact: ☐ Yes ☐ No
Custody Seals Present: ☐ Yes ☐ No
Sample labels/COC agree: ☐ Yes ☐ No
Samples Preserved Properly: ☐ Yes ☐ No
Samples Received On Ice: ☐ Yes ☐ No
Samples Received at (temp): _____

Released By	Date	Time	Received By	Date	Time

Released By	Date	Time	Received By	Date	Time

TestAmerica
ANALYTICAL TESTING CORPORATION

9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

LABORATORY REPORT

Prepared For: CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project: Honeywell-Sky Harbor-PO# 2959460

Sampled: 09/18/06
Received: 09/19/06
Issued: 10/11/06 15:48

NELAP #01109CA Arizona DHS#AZ0426

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.
This entire report was reviewed and approved for release.

CASE NARRATIVE

LABORATORY ID	CLIENT ID	MATRIX
PPI0553-01	TB-091806B	Water
PPI0553-02	PL-202C-6C2	Water
PPI0553-03	PL-202N-6C2	Water
PPI0553-04	ASE-23B-6C2	Water
PPI0553-05	ASE-87A-6C2	Water
PPI0553-06	PL-511-6C2	Water
PPI0553-07	PL-201A-6C2	Water
PPI0553-08	PL-513-6C2	Water
PPI0553-09	BC-06-6C2	Water

SAMPLE RECEIPT: Samples were received intact, at 2°C, on ice and with chain of custody documentation.

HOLDING TIMES: All samples were analyzed within prescribed holding times and/or in accordance with the TestAmerica Sample Acceptance Policy unless otherwise noted in the report.

PRESERVATION: Samples requiring preservation were verified prior to sample analysis.

QA/QC CRITERIA: All analyses met method criteria, except as noted in the report with data qualifiers.

COMMENTS: No significant observations were made.

SUBCONTRACTED: Refer to the last page for specific subcontract laboratory information included in this report.

Reviewed By:

Ken Baker

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0553-01 (TB-091806B - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2828	20	ND	1	9/28/2006	9/28/2006	
Benzene	EPA 8260B	P6I2828	1.0	ND	1	9/28/2006	9/28/2006	
Bromobenzene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Bromochloromethane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Bromodichloromethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Bromoform	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Bromomethane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
2-Butanone (MEK)	EPA 8260B	P6I2828	10	ND	1	9/28/2006	9/28/2006	
n-Butylbenzene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
sec-Butylbenzene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
tert-Butylbenzene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Carbon Disulfide	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Carbon tetrachloride	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Chlorobenzene	EPA 8260B	P6I2828	1.0	ND	1	9/28/2006	9/28/2006	
Chloroethane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Chloroform	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Chloromethane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
2-Chlorotoluene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
4-Chlorotoluene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Dibromochloromethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Dibromomethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2828	1.0	ND	1	9/28/2006	9/28/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2828	1.0	ND	1	9/28/2006	9/28/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2828	1.0	ND	1	9/28/2006	9/28/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
1,1-Dichloroethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,2-Dichloroethane	EPA 8260B	P6I2828	1.0	ND	1	9/28/2006	9/28/2006	
1,1-Dichloroethene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,2-Dichloropropane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,3-Dichloropropane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
2,2-Dichloropropane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,1-Dichloropropene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Ethylbenzene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Hexachlorobutadiene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
2-Hexanone	EPA 8260B	P6I2828	10	ND	1	9/28/2006	9/28/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0553-01 (TB-091806B - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Isopropylbenzene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
p-Isopropyltoluene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Methylene chloride	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2828	10	ND	1	9/28/2006	9/28/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Naphthalene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
n-Propylbenzene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Styrene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Tetrachloroethene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Toluene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Trichloroethene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Trichlorofluoromethane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2828	10	ND	1	9/28/2006	9/28/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Vinyl acetate	EPA 8260B	P6I2828	25	ND	1	9/28/2006	9/28/2006	
Vinyl chloride	EPA 8260B	P6I2828	1.7	ND	1	9/28/2006	9/28/2006	
Xylenes, Total	EPA 8260B	P6I2828	3.0	ND	1	9/28/2006	9/28/2006	
Surrogate: Dibromofluoromethane (80-130%)				*120 %*				
Surrogate: Toluene-d8 (80-120%)				*103 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*100 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0553-02 (PL-202C-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2828	20	ND	1	9/28/2006	9/28/2006	
Benzene	EPA 8260B	P6I2828	1.0	ND	1	9/28/2006	9/28/2006	
Bromobenzene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Bromochloromethane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Bromodichloromethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Bromoform	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Bromomethane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
2-Butanone (MEK)	EPA 8260B	P6I2828	10	ND	1	9/28/2006	9/28/2006	
n-Butylbenzene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
sec-Butylbenzene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
tert-Butylbenzene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Carbon Disulfide	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Carbon tetrachloride	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Chlorobenzene	EPA 8260B	P6I2828	1.0	ND	1	9/28/2006	9/28/2006	
Chloroethane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Chloroform	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Chloromethane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
2-Chlorotoluene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
4-Chlorotoluene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Dibromochloromethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Dibromomethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2828	1.0	ND	1	9/28/2006	9/28/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2828	1.0	ND	1	9/28/2006	9/28/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2828	1.0	ND	1	9/28/2006	9/28/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
1,1-Dichloroethane	EPA 8260B	P6I2828	2.0	**2.5**	1	9/28/2006	9/28/2006	
1,2-Dichloroethane	EPA 8260B	P6I2828	1.0	ND	1	9/28/2006	9/28/2006	
1,1-Dichloroethene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,2-Dichloropropane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,3-Dichloropropane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
2,2-Dichloropropane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,1-Dichloropropene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Ethylbenzene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Hexachlorobutadiene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
2-Hexanone	EPA 8260B	P6I2828	10	ND	1	9/28/2006	9/28/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0553-02 (PL-202C-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Isopropylbenzene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
p-Isopropyltoluene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Methylene chloride	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2828	10	ND	1	9/28/2006	9/28/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Naphthalene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
n-Propylbenzene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Styrene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Tetrachloroethene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Toluene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Trichloroethene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Trichlorofluoromethane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2828	10	ND	1	9/28/2006	9/28/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Vinyl acetate	EPA 8260B	P6I2828	25	ND	1	9/28/2006	9/28/2006	
Vinyl chloride	EPA 8260B	P6I2828	1.7	ND	1	9/28/2006	9/28/2006	
Xylenes, Total	EPA 8260B	P6I2828	3.0	ND	1	9/28/2006	9/28/2006	
Surrogate: Dibromofluoromethane (80-130%)				*127 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*99 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0553-03 (PL-202N-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0101	20	ND	1	10/1/2006	10/1/2006	
Benzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
Bromobenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Bromochloromethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Bromodichloromethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Bromoform	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Bromomethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
2-Butanone (MEK)	EPA 8260B	P6J0101	10	ND	1	10/1/2006	10/1/2006	
n-Butylbenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
sec-Butylbenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
tert-Butylbenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Carbon Disulfide	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Carbon tetrachloride	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Chlorobenzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
Chloroethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Chloroform	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Chloromethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
2-Chlorotoluene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
4-Chlorotoluene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Dibromochloromethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Dibromomethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,1-Dichloroethane	EPA 8260B	P6J0101	2.0	**2.7**	1	10/1/2006	10/1/2006	
1,2-Dichloroethane	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
1,1-Dichloroethene	EPA 8260B	P6J0101	5.0	**26**	1	10/1/2006	10/1/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0101	2.0	**25**	1	10/1/2006	10/1/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,2-Dichloropropane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,3-Dichloropropane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
2,2-Dichloropropane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,1-Dichloropropene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Ethylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Hexachlorobutadiene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
2-Hexanone	EPA 8260B	P6J0101	10	ND	1	10/1/2006	10/1/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0553-03 (PL-202N-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Isopropylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
p-Isopropyltoluene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Methylene chloride	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0101	10	ND	1	10/1/2006	10/1/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Naphthalene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
n-Propylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Styrene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Tetrachloroethene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Toluene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Trichloroethene	EPA 8260B	P6J0101	2.0	**150**	1	10/1/2006	10/1/2006	
Trichlorofluoromethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0101	10	ND	1	10/1/2006	10/1/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Vinyl acetate	EPA 8260B	P6J0101	25	ND	1	10/1/2006	10/1/2006	
Vinyl chloride	EPA 8260B	P6J0101	1.7	ND	1	10/1/2006	10/1/2006	
Xylenes, Total	EPA 8260B	P6J0101	3.0	ND	1	10/1/2006	10/1/2006	
Surrogate: Dibromofluoromethane (80-130%)				*106 %*				
Surrogate: Toluene-d8 (80-120%)				*97 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*94 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0553-04 (ASE-23B-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0101	20	ND	1	10/1/2006	10/1/2006	
Benzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
Bromobenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Bromochloromethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Bromodichloromethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Bromoform	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Bromomethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
2-Butanone (MEK)	EPA 8260B	P6J0101	10	ND	1	10/1/2006	10/1/2006	
n-Butylbenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
sec-Butylbenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
tert-Butylbenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Carbon Disulfide	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Carbon tetrachloride	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Chlorobenzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
Chloroethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Chloroform	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Chloromethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
2-Chlorotoluene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
4-Chlorotoluene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Dibromochloromethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Dibromomethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,1-Dichloroethane	EPA 8260B	P6J0101	2.0	**5.0**	1	10/1/2006	10/1/2006	
1,2-Dichloroethane	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
1,1-Dichloroethene	EPA 8260B	P6J0101	5.0	**10**	1	10/1/2006	10/1/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0101	2.0	**34**	1	10/1/2006	10/1/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,2-Dichloropropane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,3-Dichloropropane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
2,2-Dichloropropane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,1-Dichloropropene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Ethylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Hexachlorobutadiene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
2-Hexanone	EPA 8260B	P6J0101	10	ND	1	10/1/2006	10/1/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0553-04 (ASE-23B-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Isopropylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
p-Isopropyltoluene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Methylene chloride	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0101	10	ND	1	10/1/2006	10/1/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Naphthalene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
n-Propylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Styrene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Tetrachloroethene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Toluene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Trichloroethene	EPA 8260B	P6J0101	2.0	**84**	1	10/1/2006	10/1/2006	
Trichlorofluoromethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0101	10	ND	1	10/1/2006	10/1/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Vinyl acetate	EPA 8260B	P6J0101	25	ND	1	10/1/2006	10/1/2006	
Vinyl chloride	EPA 8260B	P6J0101	1.7	ND	1	10/1/2006	10/1/2006	
Xylenes, Total	EPA 8260B	P6J0101	3.0	ND	1	10/1/2006	10/1/2006	
Surrogate: Dibromofluoromethane (80-130%)				*103 %*				
Surrogate: Toluene-d8 (80-120%)				*97 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*94 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0553-05 (ASE-87A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0101	20	ND	1	10/1/2006	10/1/2006	
Benzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
Bromobenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Bromochloromethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Bromodichloromethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Bromoform	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Bromomethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
2-Butanone (MEK)	EPA 8260B	P6J0101	10	ND	1	10/1/2006	10/1/2006	
n-Butylbenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
sec-Butylbenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
tert-Butylbenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Carbon Disulfide	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Carbon tetrachloride	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Chlorobenzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
Chloroethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Chloroform	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Chloromethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
2-Chlorotoluene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
4-Chlorotoluene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Dibromochloromethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Dibromomethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,1-Dichloroethane	EPA 8260B	P6J0101	2.0	**3.7**	1	10/1/2006	10/1/2006	
1,2-Dichloroethane	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
1,1-Dichloroethene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,2-Dichloropropane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,3-Dichloropropane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
2,2-Dichloropropane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,1-Dichloropropene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Ethylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Hexachlorobutadiene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
2-Hexanone	EPA 8260B	P6J0101	10	ND	1	10/1/2006	10/1/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0553-05 (ASE-87A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Isopropylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
p-Isopropyltoluene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Methylene chloride	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0101	10	ND	1	10/1/2006	10/1/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Naphthalene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
n-Propylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Styrene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Tetrachloroethene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Toluene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Trichloroethene	EPA 8260B	P6J0101	2.0	**5.6**	1	10/1/2006	10/1/2006	
Trichlorofluoromethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0101	10	ND	1	10/1/2006	10/1/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Vinyl acetate	EPA 8260B	P6J0101	25	ND	1	10/1/2006	10/1/2006	
Vinyl chloride	EPA 8260B	P6J0101	1.7	ND	1	10/1/2006	10/1/2006	
Xylenes, Total	EPA 8260B	P6J0101	3.0	ND	1	10/1/2006	10/1/2006	
Surrogate: Dibromofluoromethane (80-130%)				*105 %*				
Surrogate: Toluene-d8 (80-120%)				*98 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*97 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0553-06 (PL-511-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6I2828	20	ND	1	9/28/2006	9/28/2006	
Benzene	EPA 8260B	P6I2828	1.0	ND	1	9/28/2006	9/28/2006	
Bromobenzene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Bromochloromethane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Bromodichloromethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Bromoform	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Bromomethane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
2-Butanone (MEK)	EPA 8260B	P6I2828	10	ND	1	9/28/2006	9/28/2006	
n-Butylbenzene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
sec-Butylbenzene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
tert-Butylbenzene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Carbon Disulfide	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Carbon tetrachloride	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Chlorobenzene	EPA 8260B	P6I2828	1.0	ND	1	9/28/2006	9/28/2006	
Chloroethane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Chloroform	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Chloromethane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
2-Chlorotoluene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
4-Chlorotoluene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Dibromochloromethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Dibromomethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,2-Dichlorobenzene	EPA 8260B	P6I2828	1.0	ND	1	9/28/2006	9/28/2006	
1,3-Dichlorobenzene	EPA 8260B	P6I2828	1.0	ND	1	9/28/2006	9/28/2006	
1,4-Dichlorobenzene	EPA 8260B	P6I2828	1.0	ND	1	9/28/2006	9/28/2006	
Dichlorodifluoromethane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
1,1-Dichloroethane	EPA 8260B	P6I2828	2.0	**5.0**	1	9/28/2006	9/28/2006	
1,2-Dichloroethane	EPA 8260B	P6I2828	1.0	ND	1	9/28/2006	9/28/2006	
1,1-Dichloroethene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6I2828	2.0	**2.0**	1	9/28/2006	9/28/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,2-Dichloropropane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,3-Dichloropropane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
2,2-Dichloropropane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,1-Dichloropropene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Ethylbenzene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Hexachlorobutadiene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
2-Hexanone	EPA 8260B	P6I2828	10	ND	1	9/28/2006	9/28/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0553-06 (PL-511-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Isopropylbenzene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
p-Isopropyltoluene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Methylene chloride	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6I2828	10	ND	1	9/28/2006	9/28/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
Naphthalene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
n-Propylbenzene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Styrene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Tetrachloroethene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Toluene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
1,1,1-Trichloroethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,1,2-Trichloroethane	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Trichloroethene	EPA 8260B	P6I2828	2.0	**6.5**	1	9/28/2006	9/28/2006	
Trichlorofluoromethane	EPA 8260B	P6I2828	5.0	ND	1	9/28/2006	9/28/2006	
1,2,3-Trichloropropane	EPA 8260B	P6I2828	10	ND	1	9/28/2006	9/28/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6I2828	2.0	ND	1	9/28/2006	9/28/2006	
Vinyl acetate	EPA 8260B	P6I2828	25	ND	1	9/28/2006	9/28/2006	
Vinyl chloride	EPA 8260B	P6I2828	1.7	ND	1	9/28/2006	9/28/2006	
Xylenes, Total	EPA 8260B	P6I2828	3.0	ND	1	9/28/2006	9/28/2006	
Surrogate: Dibromofluoromethane (80-130%)				*124 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*100 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0553-07 (PL-201A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0101	20	ND	1	10/1/2006	10/1/2006	
Benzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
Bromobenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Bromochloromethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Bromodichloromethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Bromoform	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Bromomethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
2-Butanone (MEK)	EPA 8260B	P6J0101	10	ND	1	10/1/2006	10/1/2006	
n-Butylbenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
sec-Butylbenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
tert-Butylbenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Carbon Disulfide	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Carbon tetrachloride	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Chlorobenzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
Chloroethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Chloroform	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Chloromethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
2-Chlorotoluene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
4-Chlorotoluene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Dibromochloromethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Dibromomethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,1-Dichloroethane	EPA 8260B	P6J0101	2.0	**10**	1	10/1/2006	10/1/2006	
1,2-Dichloroethane	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
1,1-Dichloroethene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,2-Dichloropropane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,3-Dichloropropane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
2,2-Dichloropropane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,1-Dichloropropene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Ethylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Hexachlorobutadiene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
2-Hexanone	EPA 8260B	P6J0101	10	ND	1	10/1/2006	10/1/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0553-07 (PL-201A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Isopropylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
p-Isopropyltoluene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Methylene chloride	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0101	10	ND	1	10/1/2006	10/1/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Naphthalene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
n-Propylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Styrene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Tetrachloroethene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Toluene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Trichloroethene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Trichlorofluoromethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0101	10	ND	1	10/1/2006	10/1/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Vinyl acetate	EPA 8260B	P6J0101	25	ND	1	10/1/2006	10/1/2006	
Vinyl chloride	EPA 8260B	P6J0101	1.7	ND	1	10/1/2006	10/1/2006	
Xylenes, Total	EPA 8260B	P6J0101	3.0	ND	1	10/1/2006	10/1/2006	
Surrogate: Dibromofluoromethane (80-130%)				*105 %*				
Surrogate: Toluene-d8 (80-120%)				*99 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*96 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0553-08 (PL-513-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0101	20	ND	1	10/1/2006	10/1/2006	
Benzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
Bromobenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Bromochloromethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Bromodichloromethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Bromoform	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Bromomethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
2-Butanone (MEK)	EPA 8260B	P6J0101	10	ND	1	10/1/2006	10/1/2006	
n-Butylbenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
sec-Butylbenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
tert-Butylbenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Carbon Disulfide	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Carbon tetrachloride	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Chlorobenzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
Chloroethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Chloroform	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Chloromethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
2-Chlorotoluene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
4-Chlorotoluene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Dibromochloromethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Dibromomethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,1-Dichloroethane	EPA 8260B	P6J0101	2.0	**10**	1	10/1/2006	10/1/2006	
1,2-Dichloroethane	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
1,1-Dichloroethene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,2-Dichloropropane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,3-Dichloropropane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
2,2-Dichloropropane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,1-Dichloropropene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Ethylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Hexachlorobutadiene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
2-Hexanone	EPA 8260B	P6J0101	10	ND	1	10/1/2006	10/1/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0553-08 (PL-513-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Isopropylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
p-Isopropyltoluene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Methylene chloride	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0101	10	ND	1	10/1/2006	10/1/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Naphthalene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
n-Propylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Styrene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Tetrachloroethene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Toluene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Trichloroethene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Trichlorofluoromethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0101	10	ND	1	10/1/2006	10/1/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Vinyl acetate	EPA 8260B	P6J0101	25	ND	1	10/1/2006	10/1/2006	
Vinyl chloride	EPA 8260B	P6J0101	1.7	ND	1	10/1/2006	10/1/2006	
Xylenes, Total	EPA 8260B	P6J0101	3.0	ND	1	10/1/2006	10/1/2006	
Surrogate: Dibromofluoromethane (80-130%)				*102 %*				
Surrogate: Toluene-d8 (80-120%)				*97 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*94 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0553-09 (BC-06-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0101	20	ND	1	10/1/2006	10/1/2006	
Benzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
Bromobenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Bromochloromethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Bromodichloromethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Bromoform	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Bromomethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
2-Butanone (MEK)	EPA 8260B	P6J0101	10	ND	1	10/1/2006	10/1/2006	
n-Butylbenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
sec-Butylbenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
tert-Butylbenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Carbon Disulfide	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Carbon tetrachloride	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Chlorobenzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
Chloroethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Chloroform	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Chloromethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
2-Chlorotoluene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
4-Chlorotoluene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Dibromochloromethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Dibromomethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,1-Dichloroethane	EPA 8260B	P6J0101	2.0	**3.8**	1	10/1/2006	10/1/2006	
1,2-Dichloroethane	EPA 8260B	P6J0101	1.0	ND	1	10/1/2006	10/1/2006	
1,1-Dichloroethene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,2-Dichloropropane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,3-Dichloropropane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
2,2-Dichloropropane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,1-Dichloropropene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Ethylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Hexachlorobutadiene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
2-Hexanone	EPA 8260B	P6J0101	10	ND	1	10/1/2006	10/1/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0553-09 (BC-06-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Isopropylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
p-Isopropyltoluene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Methylene chloride	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0101	10	ND	1	10/1/2006	10/1/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
Naphthalene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
n-Propylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Styrene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Tetrachloroethene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Toluene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Trichloroethene	EPA 8260B	P6J0101	2.0	**5.0**	1	10/1/2006	10/1/2006	
Trichlorofluoromethane	EPA 8260B	P6J0101	5.0	ND	1	10/1/2006	10/1/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0101	10	ND	1	10/1/2006	10/1/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0101	2.0	ND	1	10/1/2006	10/1/2006	
Vinyl acetate	EPA 8260B	P6J0101	25	ND	1	10/1/2006	10/1/2006	
Vinyl chloride	EPA 8260B	P6J0101	1.7	ND	1	10/1/2006	10/1/2006	
Xylenes, Total	EPA 8260B	P6J0101	3.0	ND	1	10/1/2006	10/1/2006	
Surrogate: Dibromofluoromethane (80-130%)				*104 %*				
Surrogate: Toluene-d8 (80-120%)				*97 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*95 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

TOTAL RECOVERABLE METALS

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0553-03 (PL-202N-6C2 - Water)								
Reporting Units: mg/l								
Nickel	EPA 200.7	P6I2201	0.050	**0.11**	1	9/22/2006	9/22/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2828 Extracted: 09/28/06										
Blank Analyzed: 09/28/2006 (P6I2828-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2828 Extracted: 09/28/06										
Blank Analyzed: 09/28/2006 (P6I2828-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*28.1*		*ug/l*	*25.0*		*112*	*80-130*			
Surrogate: Toluene-d8	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.5*		*ug/l*	*25.0*		*94*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2828 Extracted: 09/28/06										
LCS Analyzed: 09/28/2006 (P6I2828-BS1)										
Acetone	20.6	20	ug/l	25.0		82	30-150			
Benzene	22.6	1.0	ug/l	25.0		90	80-120			
Bromobenzene	23.9	5.0	ug/l	25.0		96	80-125			
Bromochloromethane	22.4	5.0	ug/l	25.0		90	80-125			
Bromodichloromethane	21.2	2.0	ug/l	25.0		85	80-120			
Bromoform	19.3	5.0	ug/l	25.0		77	70-120			
Bromomethane	22.6	5.0	ug/l	25.0		90	80-135			
2-Butanone (MEK)	18.6	10	ug/l	25.0		74	55-150			
n-Butylbenzene	22.3	5.0	ug/l	25.0		89	80-120			
sec-Butylbenzene	23.7	5.0	ug/l	25.0		95	80-130			
tert-Butylbenzene	23.7	5.0	ug/l	25.0		95	80-130			
Carbon Disulfide	18.6	5.0	ug/l	25.0		74	55-145			
Carbon tetrachloride	22.1	5.0	ug/l	25.0		88	80-120			
Chlorobenzene	22.5	1.0	ug/l	25.0		90	80-120			
Chloroethane	24.1	5.0	ug/l	25.0		96	80-125			
Chloroform	21.9	2.0	ug/l	25.0		88	80-120			
Chloromethane	23.9	5.0	ug/l	25.0		96	70-130			
2-Chlorotoluene	22.9	5.0	ug/l	25.0		92	80-120			
4-Chlorotoluene	23.2	5.0	ug/l	25.0		93	80-120			
Dibromochloromethane	19.3	2.0	ug/l	25.0		77	75-120			
1,2-Dibromo-3-chloropropane	19.3	5.0	ug/l	25.0		77	55-120			
1,2-Dibromoethane (EDB)	21.3	2.0	ug/l	25.0		85	75-125			
Dibromomethane	21.5	2.0	ug/l	25.0		86	80-125			
1,2-Dichlorobenzene	22.5	1.0	ug/l	25.0		90	80-120			
1,3-Dichlorobenzene	23.0	1.0	ug/l	25.0		92	80-125			
1,4-Dichlorobenzene	23.2	1.0	ug/l	25.0		93	80-120			
Dichlorodifluoromethane	18.2	5.0	ug/l	25.0		73	60-140			
1,1-Dichloroethane	22.8	2.0	ug/l	25.0		91	80-120			
1,2-Dichloroethane	22.4	1.0	ug/l	25.0		90	75-125			
1,1-Dichloroethene	23.3	5.0	ug/l	25.0		93	75-120			
cis-1,2-Dichloroethene	22.9	2.0	ug/l	25.0		92	80-125			
trans-1,2-Dichloroethene	23.4	2.0	ug/l	25.0		94	80-120			
1,2-Dichloropropane	23.3	2.0	ug/l	25.0		93	80-120			
1,3-Dichloropropane	21.4	2.0	ug/l	25.0		86	80-120			
2,2-Dichloropropane	22.3	2.0	ug/l	25.0		89	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2828 Extracted: 09/28/06										
LCS Analyzed: 09/28/2006 (P6I2828-BS1)										
1,1-Dichloropropene	23.0	2.0	ug/l	25.0		92	80-120			
cis-1,3-Dichloropropene	22.2	2.0	ug/l	25.0		89	75-120			
trans-1,3-Dichloropropene	20.4	2.0	ug/l	25.0		82	80-120			
Ethylbenzene	22.5	2.0	ug/l	25.0		90	80-125			
Hexachlorobutadiene	22.8	5.0	ug/l	25.0		91	70-130			
2-Hexanone	18.9	10	ug/l	25.0		76	40-150			
Iodomethane	20.9	2.0	ug/l	25.0		84	80-130			
Isopropylbenzene	25.5	2.0	ug/l	25.0		102	80-140			
p-Isopropyltoluene	23.6	2.0	ug/l	25.0		94	80-130			
Methylene chloride	21.6	5.0	ug/l	25.0		86	80-120			
4-Methyl-2-pentanone (MIBK)	18.4	10	ug/l	25.0		74	50-140			
Methyl-tert-butyl Ether (MTBE)	20.6	5.0	ug/l	25.0		82	65-130			
Naphthalene	20.4	2.0	ug/l	25.0		82	70-130			
n-Propylbenzene	23.9	2.0	ug/l	25.0		96	80-135			
Styrene	22.4	2.0	ug/l	25.0		90	80-125			
1,1,1,2-Tetrachloroethane	22.4	5.0	ug/l	25.0		90	80-120			
1,1,2,2-Tetrachloroethane	24.1	2.0	ug/l	25.0		96	65-140			
Tetrachloroethene	21.2	2.0	ug/l	25.0		85	80-125			
Toluene	22.4	2.0	ug/l	25.0		90	80-125			
1,2,3-Trichlorobenzene	22.7	5.0	ug/l	25.0		91	75-125			
1,2,4-Trichlorobenzene	21.1	5.0	ug/l	25.0		84	80-125			
1,1,1-Trichloroethane	21.7	2.0	ug/l	25.0		87	75-125			
1,1,2-Trichloroethane	21.7	2.0	ug/l	25.0		87	80-125			
Trichloroethene	23.2	2.0	ug/l	25.0		93	80-120			
Trichlorofluoromethane	22.5	5.0	ug/l	25.0		90	75-130			
1,2,3-Trichloropropane	22.1	10	ug/l	25.0		88	65-135			
1,2,4-Trimethylbenzene	23.4	2.0	ug/l	25.0		94	80-125			
1,3,5-Trimethylbenzene	23.9	2.0	ug/l	25.0		96	80-130			
Vinyl acetate	26.0	25	ug/l	25.0		104	70-140			
Vinyl chloride	23.2	1.7	ug/l	25.0		93	70-135			
Xylenes, Total	45.2	3.0	ug/l	50.0		90	80-125			
Surrogate: Dibromofluoromethane	*27.4*		*ug/l*	*25.0*		*110*	*80-130*			
Surrogate: Toluene-d8	*26.7*		*ug/l*	*25.0*		*107*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.5*		*ug/l*	*25.0*		*102*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2828 Extracted: 09/28/06										
LCS Dup Analyzed: 09/28/2006 (P6I2828-BSD1)										
Acetone	22.7	20	ug/l	25.0		91	30-150	10	35	
Benzene	23.2	1.0	ug/l	25.0		93	80-120	3	10	
Bromobenzene	24.4	5.0	ug/l	25.0		98	80-125	2	10	
Bromochloromethane	23.9	5.0	ug/l	25.0		96	80-125	6	15	
Bromodichloromethane	22.6	2.0	ug/l	25.0		90	80-120	6	15	
Bromoform	20.4	5.0	ug/l	25.0		82	70-120	6	20	
Bromomethane	24.0	5.0	ug/l	25.0		96	80-135	6	15	
2-Butanone (MEK)	19.8	10	ug/l	25.0		79	55-150	6	35	
n-Butylbenzene	22.1	5.0	ug/l	25.0		88	80-120	1	10	
sec-Butylbenzene	23.7	5.0	ug/l	25.0		95	80-130	0	10	
tert-Butylbenzene	24.6	5.0	ug/l	25.0		98	80-130	4	10	
Carbon Disulfide	19.5	5.0	ug/l	25.0		78	55-145	5	15	
Carbon tetrachloride	22.5	5.0	ug/l	25.0		90	80-120	2	15	
Chlorobenzene	23.6	1.0	ug/l	25.0		94	80-120	5	10	
Chloroethane	26.1	5.0	ug/l	25.0		104	80-125	8	15	
Chloroform	23.6	2.0	ug/l	25.0		94	80-120	7	10	
Chloromethane	25.3	5.0	ug/l	25.0		101	70-130	6	15	
2-Chlorotoluene	23.1	5.0	ug/l	25.0		92	80-120	1	10	
4-Chlorotoluene	23.6	5.0	ug/l	25.0		94	80-120	2	10	
Dibromochloromethane	20.6	2.0	ug/l	25.0		82	75-120	7	15	
1,2-Dibromo-3-chloropropane	19.9	5.0	ug/l	25.0		80	55-120	3	35	
1,2-Dibromoethane (EDB)	22.8	2.0	ug/l	25.0		91	75-125	7	20	
Dibromomethane	22.3	2.0	ug/l	25.0		89	80-125	4	20	
1,2-Dichlorobenzene	23.8	1.0	ug/l	25.0		95	80-120	6	10	
1,3-Dichlorobenzene	23.0	1.0	ug/l	25.0		92	80-125	0	10	
1,4-Dichlorobenzene	23.8	1.0	ug/l	25.0		95	80-120	3	10	
Dichlorodifluoromethane	20.6	5.0	ug/l	25.0		82	60-140	12	15	
1,1-Dichloroethane	24.7	2.0	ug/l	25.0		99	80-120	8	10	
1,2-Dichloroethane	23.5	1.0	ug/l	25.0		94	75-125	5	20	
1,1-Dichloroethene	23.7	5.0	ug/l	25.0		95	75-120	2	15	
cis-1,2-Dichloroethene	23.8	2.0	ug/l	25.0		95	80-125	4	10	
trans-1,2-Dichloroethene	24.6	2.0	ug/l	25.0		98	80-120	5	10	
1,2-Dichloropropane	24.4	2.0	ug/l	25.0		98	80-120	5	15	
1,3-Dichloropropane	22.5	2.0	ug/l	25.0		90	80-120	5	15	
2,2-Dichloropropane	23.0	2.0	ug/l	25.0		92	70-130	3	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2828 Extracted: 09/28/06										
LCS Dup Analyzed: 09/28/2006 (P6I2828-BSD1)										
1,1-Dichloropropene	23.0	2.0	ug/l	25.0		92	80-120	0	10	
cis-1,3-Dichloropropene	22.7	2.0	ug/l	25.0		91	75-120	2	15	
trans-1,3-Dichloropropene	21.4	2.0	ug/l	25.0		86	80-120	5	20	
Ethylbenzene	24.2	2.0	ug/l	25.0		97	80-125	7	15	
Hexachlorobutadiene	23.2	5.0	ug/l	25.0		93	70-130	2	15	
2-Hexanone	19.0	10	ug/l	25.0		76	40-150	1	35	
Iodomethane	21.3	2.0	ug/l	25.0		85	80-130	2	10	
Isopropylbenzene	26.0	2.0	ug/l	25.0		104	80-140	2	10	
p-Isopropyltoluene	23.5	2.0	ug/l	25.0		94	80-130	0	15	
Methylene chloride	23.4	5.0	ug/l	25.0		94	80-120	8	10	
4-Methyl-2-pentanone (MIBK)	18.5	10	ug/l	25.0		74	50-140	1	35	
Methyl-tert-butyl Ether (MTBE)	23.1	5.0	ug/l	25.0		92	65-130	11	25	
Naphthalene	20.4	2.0	ug/l	25.0		82	70-130	0	20	
n-Propylbenzene	24.2	2.0	ug/l	25.0		97	80-135	1	10	
Styrene	24.2	2.0	ug/l	25.0		97	80-125	8	15	
1,1,1,2-Tetrachloroethane	23.2	5.0	ug/l	25.0		93	80-120	4	15	
1,1,2,2-Tetrachloroethane	23.7	2.0	ug/l	25.0		95	65-140	2	25	
Tetrachloroethene	22.5	2.0	ug/l	25.0		90	80-125	6	15	
Toluene	23.0	2.0	ug/l	25.0		92	80-125	3	10	
1,2,3-Trichlorobenzene	22.8	5.0	ug/l	25.0		91	75-125	0	15	
1,2,4-Trichlorobenzene	21.5	5.0	ug/l	25.0		86	80-125	2	15	
1,1,1-Trichloroethane	23.0	2.0	ug/l	25.0		92	75-125	6	10	
1,1,2-Trichloroethane	22.6	2.0	ug/l	25.0		90	80-125	4	25	
Trichloroethene	23.0	2.0	ug/l	25.0		92	80-120	1	10	
Trichlorofluoromethane	25.0	5.0	ug/l	25.0		100	75-130	11	10	*R6*
1,2,3-Trichloropropane	23.5	10	ug/l	25.0		94	65-135	6	25	
1,2,4-Trimethylbenzene	24.1	2.0	ug/l	25.0		96	80-125	3	10	
1,3,5-Trimethylbenzene	24.5	2.0	ug/l	25.0		98	80-130	2	10	
Vinyl acetate	27.2	25	ug/l	25.0		109	70-140	5	30	
Vinyl chloride	25.6	1.7	ug/l	25.0		102	70-135	10	15	
Xylenes, Total	47.5	3.0	ug/l	50.0		95	80-125	5	15	
Surrogate: Dibromofluoromethane	*27.7*		*ug/l*	*25.0*		*111*	*80-130*			
Surrogate: Toluene-d8	*27.2*		*ug/l*	*25.0*		*109*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.6*		*ug/l*	*25.0*		*106*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2828 Extracted: 09/28/06										
Matrix Spike Analyzed: 09/28/2006 (P6I2828-MS1)					**Source: PPI0553-02**					
Acetone	24.1	20	ug/l	25.0	ND	96	15-150			
Benzene	24.5	1.0	ug/l	25.0	ND	98	80-125			
Bromobenzene	25.4	5.0	ug/l	25.0	ND	102	80-125			
Bromochloromethane	27.4	5.0	ug/l	25.0	ND	110	80-130			
Bromodichloromethane	26.2	2.0	ug/l	25.0	ND	105	70-130			
Bromoform	21.9	5.0	ug/l	25.0	ND	88	70-120			
Bromomethane	26.4	5.0	ug/l	25.0	ND	106	80-135			
2-Butanone (MEK)	22.6	10	ug/l	25.0	ND	90	30-150			
n-Butylbenzene	25.2	5.0	ug/l	25.0	ND	101	80-135			
sec-Butylbenzene	26.4	5.0	ug/l	25.0	ND	106	80-130			
tert-Butylbenzene	27.2	5.0	ug/l	25.0	ND	109	80-130			
Carbon Disulfide	20.1	5.0	ug/l	25.0	ND	80	45-150			
Carbon tetrachloride	26.3	5.0	ug/l	25.0	ND	105	65-135			
Chlorobenzene	25.4	1.0	ug/l	25.0	ND	102	80-125			
Chloroethane	28.8	5.0	ug/l	25.0	ND	115	80-125			
Chloroform	28.6	2.0	ug/l	25.0	ND	114	75-130			
Chloromethane	27.0	5.0	ug/l	25.0	ND	108	65-130			
2-Chlorotoluene	26.2	5.0	ug/l	25.0	ND	105	80-130			
4-Chlorotoluene	26.3	5.0	ug/l	25.0	ND	105	80-135			
Dibromochloromethane	23.0	2.0	ug/l	25.0	ND	92	75-120			
1,2-Dibromo-3-chloropropane	20.9	5.0	ug/l	25.0	ND	84	50-130			
1,2-Dibromoethane (EDB)	24.0	2.0	ug/l	25.0	ND	96	70-130			
Dibromomethane	24.1	2.0	ug/l	25.0	ND	96	75-130			
1,2-Dichlorobenzene	25.7	1.0	ug/l	25.0	ND	103	80-130			
1,3-Dichlorobenzene	25.0	1.0	ug/l	25.0	ND	100	80-130			
1,4-Dichlorobenzene	26.0	1.0	ug/l	25.0	ND	104	80-125			
Dichlorodifluoromethane	23.2	5.0	ug/l	25.0	ND	93	60-140			
1,1-Dichloroethane	32.0	2.0	ug/l	25.0	2.5	118	80-125			
1,2-Dichloroethane	30.4	1.0	ug/l	25.0	ND	122	60-145			
1,1-Dichloroethene	30.0	5.0	ug/l	25.0	2.1	112	75-130			
cis-1,2-Dichloroethene	27.6	2.0	ug/l	25.0	ND	110	80-125			
trans-1,2-Dichloroethene	27.3	2.0	ug/l	25.0	ND	109	80-120			
1,2-Dichloropropane	27.0	2.0	ug/l	25.0	ND	108	80-125			
1,3-Dichloropropane	26.5	2.0	ug/l	25.0	ND	106	75-130			
2,2-Dichloropropane	28.9	2.0	ug/l	25.0	ND	116	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2828 Extracted: 09/28/06										
Matrix Spike Analyzed: 09/28/2006 (P6I2828-MS1)					**Source: PPI0553-02**					
1,1-Dichloropropene	26.2	2.0	ug/l	25.0	ND	105	80-125			
cis-1,3-Dichloropropene	24.7	2.0	ug/l	25.0	ND	99	75-120			
trans-1,3-Dichloropropene	23.9	2.0	ug/l	25.0	ND	96	75-130			
Ethylbenzene	25.8	2.0	ug/l	25.0	ND	103	80-130			
Hexachlorobutadiene	26.0	5.0	ug/l	25.0	ND	104	65-130			
2-Hexanone	20.1	10	ug/l	25.0	ND	80	40-150			
Iodomethane	22.5	2.0	ug/l	25.0	ND	90	70-140			
Isopropylbenzene	28.3	2.0	ug/l	25.0	ND	113	80-140			
p-Isopropyltoluene	27.4	2.0	ug/l	25.0	ND	110	80-135			
Methylene chloride	26.3	5.0	ug/l	25.0	ND	105	75-125			
4-Methyl-2-pentanone (MIBK)	20.7	10	ug/l	25.0	ND	83	40-140			
Methyl-tert-butyl Ether (MTBE)	27.2	5.0	ug/l	25.0	ND	109	65-135			
Naphthalene	24.0	2.0	ug/l	25.0	ND	96	60-140			
n-Propylbenzene	27.0	2.0	ug/l	25.0	ND	108	80-140			
Styrene	23.5	2.0	ug/l	25.0	ND	94	30-150			
1,1,1,2-Tetrachloroethane	26.2	5.0	ug/l	25.0	ND	105	80-130			
1,1,2,2-Tetrachloroethane	26.5	2.0	ug/l	25.0	ND	106	65-140			
Tetrachloroethene	23.3	2.0	ug/l	25.0	0.53	91	80-130			
Toluene	24.5	2.0	ug/l	25.0	ND	98	80-130			
1,2,3-Trichlorobenzene	25.5	5.0	ug/l	25.0	ND	102	75-140			
1,2,4-Trichlorobenzene	24.2	5.0	ug/l	25.0	ND	97	80-135			
1,1,1-Trichloroethane	28.5	2.0	ug/l	25.0	ND	114	70-135			
1,1,2-Trichloroethane	24.7	2.0	ug/l	25.0	ND	99	70-135			
Trichloroethene	26.7	2.0	ug/l	25.0	1.2	102	80-125			
Trichlorofluoromethane	31.2	5.0	ug/l	25.0	ND	125	70-140			
1,2,3-Trichloropropane	26.2	10	ug/l	25.0	ND	105	65-135			
1,2,4-Trimethylbenzene	26.7	2.0	ug/l	25.0	ND	107	75-130			
1,3,5-Trimethylbenzene	27.7	2.0	ug/l	25.0	ND	111	80-135			
Vinyl acetate	30.1	25	ug/l	25.0	ND	120	30-150			
Vinyl chloride	27.9	1.7	ug/l	25.0	ND	112	70-135			
Xylenes, Total	51.5	3.0	ug/l	50.0	ND	103	80-125			
Surrogate: Dibromofluoromethane	*30.3*		*ug/l*	*25.0*		*121*	*80-130*			
Surrogate: Toluene-d8	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.8*		*ug/l*	*25.0*		*107*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2828 Extracted: 09/28/06										
Matrix Spike Dup Analyzed: 09/28/2006 (P6I2828-MSD1)					**Source: PPI0553-02**					
Acetone	25.3	20	ug/l	25.0	ND	101	15-150	5	35	
Benzene	24.0	1.0	ug/l	25.0	ND	96	80-125	2	10	
Bromobenzene	24.5	5.0	ug/l	25.0	ND	98	80-125	4	15	
Bromochloromethane	26.3	5.0	ug/l	25.0	ND	105	80-130	4	20	
Bromodichloromethane	25.3	2.0	ug/l	25.0	ND	101	70-130	3	15	
Bromoform	21.1	5.0	ug/l	25.0	ND	84	70-120	4	25	
Bromomethane	26.8	5.0	ug/l	25.0	ND	107	80-135	2	20	
2-Butanone (MEK)	20.8	10	ug/l	25.0	ND	83	30-150	8	35	
n-Butylbenzene	24.2	5.0	ug/l	25.0	ND	97	80-135	4	20	
sec-Butylbenzene	25.8	5.0	ug/l	25.0	ND	103	80-130	2	20	
tert-Butylbenzene	26.7	5.0	ug/l	25.0	ND	107	80-130	2	20	
Carbon Disulfide	19.7	5.0	ug/l	25.0	ND	79	45-150	2	15	
Carbon tetrachloride	26.2	5.0	ug/l	25.0	ND	105	65-135	0	15	
Chlorobenzene	24.3	1.0	ug/l	25.0	ND	97	80-125	4	15	
Chloroethane	29.7	5.0	ug/l	25.0	ND	119	80-125	3	20	
Chloroform	27.6	2.0	ug/l	25.0	ND	110	75-130	4	15	
Chloromethane	30.2	5.0	ug/l	25.0	ND	121	65-130	11	20	
2-Chlorotoluene	25.2	5.0	ug/l	25.0	ND	101	80-130	4	15	
4-Chlorotoluene	25.8	5.0	ug/l	25.0	ND	103	80-135	2	15	
Dibromochloromethane	21.7	2.0	ug/l	25.0	ND	87	75-120	6	20	
1,2-Dibromo-3-chloropropane	23.8	5.0	ug/l	25.0	ND	95	50-130	13	35	
1,2-Dibromoethane (EDB)	23.5	2.0	ug/l	25.0	ND	94	70-130	2	25	
Dibromomethane	24.4	2.0	ug/l	25.0	ND	98	75-130	1	25	
1,2-Dichlorobenzene	24.4	1.0	ug/l	25.0	ND	98	80-130	5	15	
1,3-Dichlorobenzene	24.2	1.0	ug/l	25.0	ND	97	80-130	3	15	
1,4-Dichlorobenzene	24.5	1.0	ug/l	25.0	ND	98	80-125	6	10	
Dichlorodifluoromethane	25.0	5.0	ug/l	25.0	ND	100	60-140	7	45	
1,1-Dichloroethane	30.8	2.0	ug/l	25.0	2.5	113	80-125	4	15	
1,2-Dichloroethane	29.8	1.0	ug/l	25.0	ND	119	60-145	2	20	
1,1-Dichloroethene	29.1	5.0	ug/l	25.0	2.1	108	75-130	3	15	
cis-1,2-Dichloroethene	26.0	2.0	ug/l	25.0	ND	104	80-125	6	15	
trans-1,2-Dichloroethene	26.0	2.0	ug/l	25.0	ND	104	80-120	5	15	
1,2-Dichloropropane	26.0	2.0	ug/l	25.0	ND	104	80-125	4	15	
1,3-Dichloropropane	25.1	2.0	ug/l	25.0	ND	100	75-130	5	20	
2,2-Dichloropropane	28.7	2.0	ug/l	25.0	ND	115	60-135	1	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2828 Extracted: 09/28/06										
Matrix Spike Dup Analyzed: 09/28/2006 (P6I2828-MSD1)					**Source: PPI0553-02**					
1,1-Dichloropropene	25.3	2.0	ug/l	25.0	ND	101	80-125	3	15	
cis-1,3-Dichloropropene	24.1	2.0	ug/l	25.0	ND	96	75-120	2	15	
trans-1,3-Dichloropropene	23.3	2.0	ug/l	25.0	ND	93	75-130	3	25	
Ethylbenzene	24.1	2.0	ug/l	25.0	ND	96	80-130	7	15	
Hexachlorobutadiene	23.5	5.0	ug/l	25.0	ND	94	65-130	10	15	
2-Hexanone	21.1	10	ug/l	25.0	ND	84	40-150	5	35	
Iodomethane	21.5	2.0	ug/l	25.0	ND	86	70-140	5	15	
Isopropylbenzene	27.7	2.0	ug/l	25.0	ND	111	80-140	2	20	
p-Isopropyltoluene	25.7	2.0	ug/l	25.0	ND	103	80-135	6	20	
Methylene chloride	26.2	5.0	ug/l	25.0	ND	105	75-125	0	15	
4-Methyl-2-pentanone (MIBK)	20.8	10	ug/l	25.0	ND	83	40-140	1	35	
Methyl-tert-butyl Ether (MTBE)	26.3	5.0	ug/l	25.0	ND	105	65-135	3	30	
Naphthalene	22.6	2.0	ug/l	25.0	ND	90	60-140	6	30	
n-Propylbenzene	26.5	2.0	ug/l	25.0	ND	106	80-140	2	20	
Styrene	22.7	2.0	ug/l	25.0	ND	91	30-150	3	25	
1,1,1,2-Tetrachloroethane	25.1	5.0	ug/l	25.0	ND	100	80-130	4	15	
1,1,2,2-Tetrachloroethane	27.1	2.0	ug/l	25.0	ND	108	65-140	2	35	
Tetrachloroethene	22.0	2.0	ug/l	25.0	0.53	86	80-130	6	15	
Toluene	23.2	2.0	ug/l	25.0	ND	93	80-130	5	15	
1,2,3-Trichlorobenzene	24.0	5.0	ug/l	25.0	ND	96	75-140	6	20	
1,2,4-Trichlorobenzene	22.3	5.0	ug/l	25.0	ND	89	80-135	8	15	
1,1,1-Trichloroethane	27.3	2.0	ug/l	25.0	ND	109	70-135	4	15	
1,1,2-Trichloroethane	24.1	2.0	ug/l	25.0	ND	96	70-135	2	25	
Trichloroethene	26.6	2.0	ug/l	25.0	1.2	102	80-125	0	15	
Trichlorofluoromethane	30.6	5.0	ug/l	25.0	ND	122	70-140	2	15	
1,2,3-Trichloropropane	26.4	10	ug/l	25.0	ND	106	65-135	1	35	
1,2,4-Trimethylbenzene	26.5	2.0	ug/l	25.0	ND	106	75-130	1	15	
1,3,5-Trimethylbenzene	26.6	2.0	ug/l	25.0	ND	106	80-135	4	15	
Vinyl acetate	29.8	25	ug/l	25.0	ND	119	30-150	1	35	
Vinyl chloride	30.4	1.7	ug/l	25.0	ND	122	70-135	9	25	
Xylenes, Total	49.2	3.0	ug/l	50.0	ND	98	80-125	5	15	
Surrogate: Dibromofluoromethane	*30.8*		*ug/l*	*25.0*		*123*	*80-130*			
Surrogate: Toluene-d8	*26.9*		*ug/l*	*25.0*		*108*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*27.2*		*ug/l*	*25.0*		*109*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0101 Extracted: 10/01/06										
Blank Analyzed: 10/01/2006 (P6J0101-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0101 Extracted: 10/01/06										
Blank Analyzed: 10/01/2006 (P6J0101-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*24.4*		*ug/l*	*25.0*		*98*	*80-130*			
Surrogate: Toluene-d8	*23.8*		*ug/l*	*25.0*		*95*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.4*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0101 Extracted: 10/01/06										
LCS Analyzed: 10/01/2006 (P6J0101-BS1)										
Acetone	25.1	20	ug/l	25.0		100	30-150			
Benzene	22.3	1.0	ug/l	25.0		89	80-120			
Bromobenzene	23.1	5.0	ug/l	25.0		92	80-125			
Bromochloromethane	22.8	5.0	ug/l	25.0		91	80-125			
Bromodichloromethane	22.7	2.0	ug/l	25.0		91	80-120			
Bromoform	23.0	5.0	ug/l	25.0		92	70-120			
Bromomethane	23.8	5.0	ug/l	25.0		95	80-135			
2-Butanone (MEK)	26.8	10	ug/l	25.0		107	55-150			
n-Butylbenzene	22.9	5.0	ug/l	25.0		92	80-120			
sec-Butylbenzene	22.8	5.0	ug/l	25.0		91	80-130			
tert-Butylbenzene	22.5	5.0	ug/l	25.0		90	80-130			
Carbon Disulfide	23.4	5.0	ug/l	25.0		94	55-145			
Carbon tetrachloride	22.0	5.0	ug/l	25.0		88	80-120			
Chlorobenzene	23.1	1.0	ug/l	25.0		92	80-120			
Chloroethane	24.1	5.0	ug/l	25.0		96	80-125			
Chloroform	22.7	2.0	ug/l	25.0		91	80-120			
Chloromethane	24.6	5.0	ug/l	25.0		98	70-130			
2-Chlorotoluene	22.6	5.0	ug/l	25.0		90	80-120			
4-Chlorotoluene	22.6	5.0	ug/l	25.0		90	80-120			
Dibromochloromethane	23.6	2.0	ug/l	25.0		94	75-120			
1,2-Dibromo-3-chloropropane	22.4	5.0	ug/l	25.0		90	55-120			
1,2-Dibromoethane (EDB)	24.1	2.0	ug/l	25.0		96	75-125			
Dibromomethane	22.3	2.0	ug/l	25.0		89	80-125			
1,2-Dichlorobenzene	22.3	1.0	ug/l	25.0		89	80-120			
1,3-Dichlorobenzene	22.2	1.0	ug/l	25.0		89	80-125			
1,4-Dichlorobenzene	22.8	1.0	ug/l	25.0		91	80-120			
Dichlorodifluoromethane	22.2	5.0	ug/l	25.0		89	60-140			
1,1-Dichloroethane	23.1	2.0	ug/l	25.0		92	80-120			
1,2-Dichloroethane	24.1	1.0	ug/l	25.0		96	75-125			
1,1-Dichloroethene	22.9	5.0	ug/l	25.0		92	75-120			
cis-1,2-Dichloroethene	22.0	2.0	ug/l	25.0		88	80-125			
trans-1,2-Dichloroethene	22.6	2.0	ug/l	25.0		90	80-120			
1,2-Dichloropropane	22.7	2.0	ug/l	25.0		91	80-120			
1,3-Dichloropropane	23.8	2.0	ug/l	25.0		95	80-120			
2,2-Dichloropropane	23.2	2.0	ug/l	25.0		93	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0101 Extracted: 10/01/06										
LCS Analyzed: 10/01/2006 (P6J0101-BS1)										
1,1-Dichloropropene	23.2	2.0	ug/l	25.0		93	80-120			
cis-1,3-Dichloropropene	23.9	2.0	ug/l	25.0		96	75-120			
trans-1,3-Dichloropropene	24.4	2.0	ug/l	25.0		98	80-120			
Ethylbenzene	23.7	2.0	ug/l	25.0		95	80-125			
Hexachlorobutadiene	20.6	5.0	ug/l	25.0		82	70-130			
2-Hexanone	28.3	10	ug/l	25.0		113	40-150			
Iodomethane	23.6	2.0	ug/l	25.0		94	80-130			
Isopropylbenzene	24.2	2.0	ug/l	25.0		97	80-140			
p-Isopropyltoluene	23.2	2.0	ug/l	25.0		93	80-130			
Methylene chloride	22.9	5.0	ug/l	25.0		92	80-120			
4-Methyl-2-pentanone (MIBK)	25.2	10	ug/l	25.0		101	50-140			
Methyl-tert-butyl Ether (MTBE)	24.6	5.0	ug/l	25.0		98	65-130			
Naphthalene	20.9	2.0	ug/l	25.0		84	70-130			
n-Propylbenzene	23.6	2.0	ug/l	25.0		94	80-135			
Styrene	24.7	2.0	ug/l	25.0		99	80-125			
1,1,1,2-Tetrachloroethane	23.5	5.0	ug/l	25.0		94	80-120			
1,1,2,2-Tetrachloroethane	23.9	2.0	ug/l	25.0		96	65-140			
Tetrachloroethene	22.4	2.0	ug/l	25.0		90	80-125			
Toluene	23.2	2.0	ug/l	25.0		93	80-125			
1,2,3-Trichlorobenzene	23.9	5.0	ug/l	25.0		96	75-125			
1,2,4-Trichlorobenzene	23.0	5.0	ug/l	25.0		92	80-125			
1,1,1-Trichloroethane	22.7	2.0	ug/l	25.0		91	75-125			
1,1,2-Trichloroethane	23.0	2.0	ug/l	25.0		92	80-125			
Trichloroethene	22.4	2.0	ug/l	25.0		90	80-120			
Trichlorofluoromethane	25.0	5.0	ug/l	25.0		100	75-130			
1,2,3-Trichloropropane	23.3	10	ug/l	25.0		93	65-135			
1,2,4-Trimethylbenzene	23.2	2.0	ug/l	25.0		93	80-125			
1,3,5-Trimethylbenzene	23.0	2.0	ug/l	25.0		92	80-130			
Vinyl acetate	33.8	25	ug/l	25.0		135	70-140			
Vinyl chloride	24.2	1.7	ug/l	25.0		97	70-135			
Xylenes, Total	46.0	3.0	ug/l	50.0		92	80-125			
Surrogate: Dibromofluoromethane	*24.9*		*ug/l*	*25.0*		*100*	*80-130*			
Surrogate: Toluene-d8	*24.3*		*ug/l*	*25.0*		*97*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.0*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0101 Extracted: 10/01/06										
LCS Dup Analyzed: 10/01/2006 (P6J0101-BSD1)										
Acetone	21.2	20	ug/l	25.0		85	30-150	17	35	
Benzene	24.2	1.0	ug/l	25.0		97	80-120	8	10	
Bromobenzene	25.3	5.0	ug/l	25.0		101	80-125	9	10	
Bromochloromethane	23.4	5.0	ug/l	25.0		94	80-125	3	15	
Bromodichloromethane	24.4	2.0	ug/l	25.0		98	80-120	7	15	
Bromoform	23.7	5.0	ug/l	25.0		95	70-120	3	20	
Bromomethane	24.4	5.0	ug/l	25.0		98	80-135	2	15	
2-Butanone (MEK)	20.3	10	ug/l	25.0		81	55-150	28	35	
n-Butylbenzene	25.1	5.0	ug/l	25.0		100	80-120	9	10	
sec-Butylbenzene	25.1	5.0	ug/l	25.0		100	80-130	10	10	
tert-Butylbenzene	24.4	5.0	ug/l	25.0		98	80-130	8	10	
Carbon Disulfide	24.1	5.0	ug/l	25.0		96	55-145	3	15	
Carbon tetrachloride	23.9	5.0	ug/l	25.0		96	80-120	8	15	
Chlorobenzene	24.4	1.0	ug/l	25.0		98	80-120	5	10	
Chloroethane	24.6	5.0	ug/l	25.0		98	80-125	2	15	
Chloroform	23.7	2.0	ug/l	25.0		95	80-120	4	10	
Chloromethane	25.5	5.0	ug/l	25.0		102	70-130	4	15	
2-Chlorotoluene	24.4	5.0	ug/l	25.0		98	80-120	8	10	
4-Chlorotoluene	25.0	5.0	ug/l	25.0		100	80-120	10	10	
Dibromochloromethane	24.0	2.0	ug/l	25.0		96	75-120	2	15	
1,2-Dibromo-3-chloropropane	22.1	5.0	ug/l	25.0		88	55-120	1	35	
1,2-Dibromoethane (EDB)	23.8	2.0	ug/l	25.0		95	75-125	1	20	
Dibromomethane	23.1	2.0	ug/l	25.0		92	80-125	4	20	
1,2-Dichlorobenzene	24.3	1.0	ug/l	25.0		97	80-120	9	10	
1,3-Dichlorobenzene	24.3	1.0	ug/l	25.0		97	80-125	9	10	
1,4-Dichlorobenzene	24.9	1.0	ug/l	25.0		100	80-120	9	10	
Dichlorodifluoromethane	22.8	5.0	ug/l	25.0		91	60-140	3	15	
1,1-Dichloroethane	23.8	2.0	ug/l	25.0		95	80-120	3	10	
1,2-Dichloroethane	23.8	1.0	ug/l	25.0		95	75-125	1	20	
1,1-Dichloroethene	23.9	5.0	ug/l	25.0		96	75-120	4	15	
cis-1,2-Dichloroethene	22.7	2.0	ug/l	25.0		91	80-125	3	10	
trans-1,2-Dichloroethene	23.8	2.0	ug/l	25.0		95	80-120	5	10	
1,2-Dichloropropane	24.5	2.0	ug/l	25.0		98	80-120	8	15	
1,3-Dichloropropane	24.1	2.0	ug/l	25.0		96	80-120	1	15	
2,2-Dichloropropane	24.2	2.0	ug/l	25.0		97	70-130	4	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0101 Extracted: 10/01/06										
LCS Dup Analyzed: 10/01/2006 (P6J0101-BSD1)										
1,1-Dichloropropene	25.0	2.0	ug/l	25.0		100	80-120	7	10	
cis-1,3-Dichloropropene	25.1	2.0	ug/l	25.0		100	75-120	5	15	
trans-1,3-Dichloropropene	25.2	2.0	ug/l	25.0		101	80-120	3	20	
Ethylbenzene	25.3	2.0	ug/l	25.0		101	80-125	7	15	
Hexachlorobutadiene	23.6	5.0	ug/l	25.0		94	70-130	14	15	
2-Hexanone	24.5	10	ug/l	25.0		98	40-150	14	35	
Iodomethane	23.9	2.0	ug/l	25.0		96	80-130	1	10	
Isopropylbenzene	26.6	2.0	ug/l	25.0		106	80-140	9	10	
p-Isopropyltoluene	25.4	2.0	ug/l	25.0		102	80-130	9	15	
Methylene chloride	23.4	5.0	ug/l	25.0		94	80-120	2	10	
4-Methyl-2-pentanone (MIBK)	22.4	10	ug/l	25.0		90	50-140	12	35	
Methyl-tert-butyl Ether (MTBE)	23.5	5.0	ug/l	25.0		94	65-130	5	25	
Naphthalene	21.7	2.0	ug/l	25.0		87	70-130	4	20	
n-Propylbenzene	25.8	2.0	ug/l	25.0		103	80-135	9	10	
Styrene	25.9	2.0	ug/l	25.0		104	80-125	5	15	
1,1,1,2-Tetrachloroethane	24.5	5.0	ug/l	25.0		98	80-120	4	15	
1,1,2,2-Tetrachloroethane	23.7	2.0	ug/l	25.0		95	65-140	1	25	
Tetrachloroethene	24.4	2.0	ug/l	25.0		98	80-125	9	15	
Toluene	24.7	2.0	ug/l	25.0		99	80-125	6	10	
1,2,3-Trichlorobenzene	24.5	5.0	ug/l	25.0		98	75-125	2	15	
1,2,4-Trichlorobenzene	24.8	5.0	ug/l	25.0		99	80-125	8	15	
1,1,1-Trichloroethane	24.4	2.0	ug/l	25.0		98	75-125	7	10	
1,1,2-Trichloroethane	23.0	2.0	ug/l	25.0		92	80-125	0	25	
Trichloroethene	24.8	2.0	ug/l	25.0		99	80-120	10	10	
Trichlorofluoromethane	25.5	5.0	ug/l	25.0		102	75-130	2	10	
1,2,3-Trichloropropane	22.9	10	ug/l	25.0		92	65-135	2	25	
1,2,4-Trimethylbenzene	25.2	2.0	ug/l	25.0		101	80-125	8	10	
1,3,5-Trimethylbenzene	24.9	2.0	ug/l	25.0		100	80-130	8	10	
Vinyl acetate	30.2	25	ug/l	25.0		121	70-140	11	30	
Vinyl chloride	25.0	1.7	ug/l	25.0		100	70-135	3	15	
Xylenes, Total	49.1	3.0	ug/l	50.0		98	80-125	7	15	
Surrogate: Dibromofluoromethane	*24.0*		*ug/l*	*25.0*		*96*	*80-130*			
Surrogate: Toluene-d8	*24.8*		*ug/l*	*25.0*		*99*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.8*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0101 Extracted: 10/01/06										
Matrix Spike Analyzed: 10/01/2006 (P6J0101-MS1)					**Source: PPI0554-05**					
Acetone	26.8	20	ug/l	25.0	ND	107	15-150			
Benzene	24.9	1.0	ug/l	25.0	ND	100	80-125			
Bromobenzene	24.9	5.0	ug/l	25.0	ND	100	80-125			
Bromochloromethane	25.3	5.0	ug/l	25.0	ND	101	80-130			
Bromodichloromethane	24.9	2.0	ug/l	25.0	ND	100	70-130			
Bromoform	23.2	5.0	ug/l	25.0	ND	93	70-120			
Bromomethane	25.2	5.0	ug/l	25.0	ND	101	80-135			
2-Butanone (MEK)	24.3	10	ug/l	25.0	ND	97	30-150			
n-Butylbenzene	24.8	5.0	ug/l	25.0	ND	99	80-135			
sec-Butylbenzene	24.9	5.0	ug/l	25.0	ND	100	80-130			
tert-Butylbenzene	24.8	5.0	ug/l	25.0	ND	99	80-130			
Carbon Disulfide	24.3	5.0	ug/l	25.0	ND	97	45-150			
Carbon tetrachloride	23.9	5.0	ug/l	25.0	ND	96	65-135			
Chlorobenzene	24.8	1.0	ug/l	25.0	ND	99	80-125			
Chloroethane	25.4	5.0	ug/l	25.0	ND	102	80-125			
Chloroform	25.4	2.0	ug/l	25.0	ND	102	75-130			
Chloromethane	25.7	5.0	ug/l	25.0	ND	103	65-130			
2-Chlorotoluene	23.8	5.0	ug/l	25.0	ND	95	80-130			
4-Chlorotoluene	24.3	5.0	ug/l	25.0	ND	97	80-135			
Dibromochloromethane	24.6	2.0	ug/l	25.0	ND	98	75-120			
1,2-Dibromo-3-chloropropane	21.2	5.0	ug/l	25.0	ND	85	50-130			
1,2-Dibromoethane (EDB)	25.0	2.0	ug/l	25.0	ND	100	70-130			
Dibromomethane	24.2	2.0	ug/l	25.0	ND	97	75-130			
1,2-Dichlorobenzene	24.3	1.0	ug/l	25.0	ND	97	80-130			
1,3-Dichlorobenzene	24.1	1.0	ug/l	25.0	ND	96	80-130			
1,4-Dichlorobenzene	24.1	1.0	ug/l	25.0	ND	96	80-125			
Dichlorodifluoromethane	23.0	5.0	ug/l	25.0	ND	92	60-140			
1,1-Dichloroethane	25.2	2.0	ug/l	25.0	ND	101	80-125			
1,2-Dichloroethane	26.0	1.0	ug/l	25.0	ND	104	60-145			
1,1-Dichloroethene	24.7	5.0	ug/l	25.0	ND	99	75-130			
cis-1,2-Dichloroethene	24.4	2.0	ug/l	25.0	ND	98	80-125			
trans-1,2-Dichloroethene	25.0	2.0	ug/l	25.0	ND	100	80-120			
1,2-Dichloropropane	25.4	2.0	ug/l	25.0	ND	102	80-125			
1,3-Dichloropropane	25.5	2.0	ug/l	25.0	ND	102	75-130			
2,2-Dichloropropane	22.6	2.0	ug/l	25.0	ND	90	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0101 Extracted: 10/01/06										
Matrix Spike Analyzed: 10/01/2006 (P6J0101-MS1)					**Source: PPI0554-05**					
1,1-Dichloropropene	25.4	2.0	ug/l	25.0	ND	102	80-125			
cis-1,3-Dichloropropene	24.8	2.0	ug/l	25.0	ND	99	75-120			
trans-1,3-Dichloropropene	25.0	2.0	ug/l	25.0	ND	100	75-130			
Ethylbenzene	25.4	2.0	ug/l	25.0	ND	102	80-130			
Hexachlorobutadiene	23.4	5.0	ug/l	25.0	ND	94	65-130			
2-Hexanone	25.1	10	ug/l	25.0	ND	100	40-150			
Iodomethane	24.3	2.0	ug/l	25.0	ND	97	70-140			
Isopropylbenzene	26.8	2.0	ug/l	25.0	ND	107	80-140			
p-Isopropyltoluene	25.1	2.0	ug/l	25.0	ND	100	80-135			
Methylene chloride	24.9	5.0	ug/l	25.0	ND	100	75-125			
4-Methyl-2-pentanone (MIBK)	23.6	10	ug/l	25.0	ND	94	40-140			
Methyl-tert-butyl Ether (MTBE)	25.3	5.0	ug/l	25.0	ND	101	65-135			
Naphthalene	21.7	2.0	ug/l	25.0	ND	87	60-140			
n-Propylbenzene	25.7	2.0	ug/l	25.0	ND	103	80-140			
Styrene	25.4	2.0	ug/l	25.0	ND	102	30-150			
1,1,1,2-Tetrachloroethane	25.0	5.0	ug/l	25.0	ND	100	80-130			
1,1,2,2-Tetrachloroethane	25.5	2.0	ug/l	25.0	ND	102	65-140			
Tetrachloroethene	24.0	2.0	ug/l	25.0	ND	96	80-130			
Toluene	25.3	2.0	ug/l	25.0	ND	101	80-130			
1,2,3-Trichlorobenzene	24.5	5.0	ug/l	25.0	ND	98	75-140			
1,2,4-Trichlorobenzene	24.2	5.0	ug/l	25.0	ND	97	80-135			
1,1,1-Trichloroethane	25.0	2.0	ug/l	25.0	ND	100	70-135			
1,1,2-Trichloroethane	24.3	2.0	ug/l	25.0	ND	97	70-135			
Trichloroethene	25.1	2.0	ug/l	25.0	0.64	98	80-125			
Trichlorofluoromethane	25.7	5.0	ug/l	25.0	ND	103	70-140			
1,2,3-Trichloropropane	24.4	10	ug/l	25.0	ND	98	65-135			
1,2,4-Trimethylbenzene	24.7	2.0	ug/l	25.0	ND	99	75-130			
1,3,5-Trimethylbenzene	24.8	2.0	ug/l	25.0	ND	99	80-135			
Vinyl acetate	30.4	25	ug/l	25.0	ND	122	30-150			
Vinyl chloride	25.2	1.7	ug/l	25.0	ND	101	70-135			
Xylenes, Total	49.7	3.0	ug/l	50.0	ND	99	80-125			
Surrogate: Dibromofluoromethane	*25.3*		*ug/l*	*25.0*		*101*	*80-130*			
Surrogate: Toluene-d8	*24.8*		*ug/l*	*25.0*		*99*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.0*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0101 Extracted: 10/01/06										
Matrix Spike Dup Analyzed: 10/01/2006 (P6J0101-MSD1)					**Source: PPI0554-05**					
Acetone	23.6	20	ug/l	25.0	ND	94	15-150	13	35	
Benzene	25.4	1.0	ug/l	25.0	ND	102	80-125	2	10	
Bromobenzene	25.2	5.0	ug/l	25.0	ND	101	80-125	1	15	
Bromochloromethane	25.1	5.0	ug/l	25.0	ND	100	80-130	1	20	
Bromodichloromethane	25.5	2.0	ug/l	25.0	ND	102	70-130	2	15	
Bromoform	23.6	5.0	ug/l	25.0	ND	94	70-120	2	25	
Bromomethane	25.0	5.0	ug/l	25.0	ND	100	80-135	1	20	
2-Butanone (MEK)	24.2	10	ug/l	25.0	ND	97	30-150	0	35	
n-Butylbenzene	25.4	5.0	ug/l	25.0	ND	102	80-135	2	20	
sec-Butylbenzene	25.2	5.0	ug/l	25.0	ND	101	80-130	1	20	
tert-Butylbenzene	24.8	5.0	ug/l	25.0	ND	99	80-130	0	20	
Carbon Disulfide	23.9	5.0	ug/l	25.0	ND	96	45-150	2	15	
Carbon tetrachloride	24.6	5.0	ug/l	25.0	ND	98	65-135	3	15	
Chlorobenzene	25.2	1.0	ug/l	25.0	ND	101	80-125	2	15	
Chloroethane	25.3	5.0	ug/l	25.0	ND	101	80-125	0	20	
Chloroform	24.9	2.0	ug/l	25.0	ND	100	75-130	2	15	
Chloromethane	26.1	5.0	ug/l	25.0	ND	104	65-130	2	20	
2-Chlorotoluene	24.1	5.0	ug/l	25.0	ND	96	80-130	1	15	
4-Chlorotoluene	24.5	5.0	ug/l	25.0	ND	98	80-135	1	15	
Dibromochloromethane	24.8	2.0	ug/l	25.0	ND	99	75-120	1	20	
1,2-Dibromo-3-chloropropane	22.0	5.0	ug/l	25.0	ND	88	50-130	4	35	
1,2-Dibromoethane (EDB)	25.6	2.0	ug/l	25.0	ND	102	70-130	2	25	
Dibromomethane	25.5	2.0	ug/l	25.0	ND	102	75-130	5	25	
1,2-Dichlorobenzene	24.2	1.0	ug/l	25.0	ND	97	80-130	0	15	
1,3-Dichlorobenzene	24.3	1.0	ug/l	25.0	ND	97	80-130	1	15	
1,4-Dichlorobenzene	24.5	1.0	ug/l	25.0	ND	98	80-125	2	10	
Dichlorodifluoromethane	22.8	5.0	ug/l	25.0	ND	91	60-140	1	45	
1,1-Dichloroethane	25.0	2.0	ug/l	25.0	ND	100	80-125	1	15	
1,2-Dichloroethane	25.8	1.0	ug/l	25.0	ND	103	60-145	1	20	
1,1-Dichloroethene	24.8	5.0	ug/l	25.0	ND	99	75-130	0	15	
cis-1,2-Dichloroethene	23.9	2.0	ug/l	25.0	ND	96	80-125	2	15	
trans-1,2-Dichloroethene	25.2	2.0	ug/l	25.0	ND	101	80-120	1	15	
1,2-Dichloropropane	25.8	2.0	ug/l	25.0	ND	103	80-125	2	15	
1,3-Dichloropropane	25.6	2.0	ug/l	25.0	ND	102	75-130	0	20	
2,2-Dichloropropane	22.2	2.0	ug/l	25.0	ND	89	60-135	2	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0101 Extracted: 10/01/06										
Matrix Spike Dup Analyzed: 10/01/2006 (P6J0101-MSD1)					**Source: PPI0554-05**					
1,1-Dichloropropene	25.7	2.0	ug/l	25.0	ND	103	80-125	1	15	
cis-1,3-Dichloropropene	25.1	2.0	ug/l	25.0	ND	100	75-120	1	15	
trans-1,3-Dichloropropene	25.6	2.0	ug/l	25.0	ND	102	75-130	2	25	
Ethylbenzene	25.8	2.0	ug/l	25.0	ND	103	80-130	2	15	
Hexachlorobutadiene	24.7	5.0	ug/l	25.0	ND	99	65-130	5	15	
2-Hexanone	24.9	10	ug/l	25.0	ND	100	40-150	1	35	
Iodomethane	23.9	2.0	ug/l	25.0	ND	96	70-140	2	15	
Isopropylbenzene	26.4	2.0	ug/l	25.0	ND	106	80-140	2	20	
p-Isopropyltoluene	25.4	2.0	ug/l	25.0	ND	102	80-135	1	20	
Methylene chloride	24.2	5.0	ug/l	25.0	ND	97	75-125	3	15	
4-Methyl-2-pentanone (MIBK)	23.9	10	ug/l	25.0	ND	96	40-140	1	35	
Methyl-tert-butyl Ether (MTBE)	25.0	5.0	ug/l	25.0	ND	100	65-135	1	30	
Naphthalene	22.5	2.0	ug/l	25.0	ND	90	60-140	4	30	
n-Propylbenzene	25.9	2.0	ug/l	25.0	ND	104	80-140	1	20	
Styrene	26.3	2.0	ug/l	25.0	ND	105	30-150	3	25	
1,1,1,2-Tetrachloroethane	25.2	5.0	ug/l	25.0	ND	101	80-130	1	15	
1,1,2,2-Tetrachloroethane	25.2	2.0	ug/l	25.0	ND	101	65-140	1	35	
Tetrachloroethene	24.8	2.0	ug/l	25.0	ND	99	80-130	3	15	
Toluene	25.7	2.0	ug/l	25.0	ND	103	80-130	2	15	
1,2,3-Trichlorobenzene	25.7	5.0	ug/l	25.0	ND	103	75-140	5	20	
1,2,4-Trichlorobenzene	24.9	5.0	ug/l	25.0	ND	100	80-135	3	15	
1,1,1-Trichloroethane	24.6	2.0	ug/l	25.0	ND	98	70-135	2	15	
1,1,2-Trichloroethane	24.8	2.0	ug/l	25.0	ND	99	70-135	2	25	
Trichloroethene	25.7	2.0	ug/l	25.0	0.64	100	80-125	2	15	
Trichlorofluoromethane	26.0	5.0	ug/l	25.0	ND	104	70-140	1	15	
1,2,3-Trichloropropane	24.5	10	ug/l	25.0	ND	98	65-135	0	35	
1,2,4-Trimethylbenzene	25.2	2.0	ug/l	25.0	ND	101	75-130	2	15	
1,3,5-Trimethylbenzene	24.9	2.0	ug/l	25.0	ND	100	80-135	0	15	
Vinyl acetate	29.5	25	ug/l	25.0	ND	118	30-150	3	35	
Vinyl chloride	25.8	1.7	ug/l	25.0	ND	103	70-135	2	25	
Xylenes, Total	51.1	3.0	ug/l	50.0	ND	102	80-125	3	15	
Surrogate: Dibromofluoromethane	*24.7*		*ug/l*	*25.0*		*99*	*80-130*			
Surrogate: Toluene-d8	*25.1*		*ug/l*	*25.0*		*100*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.6*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

METHOD BLANK/QC DATA

TOTAL RECOVERABLE METALS

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2201 Extracted: 09/22/06										
Blank Analyzed: 09/22/2006 (P6I2201-BLK1)										
Nickel	ND	0.050	mg/l							
LCS Analyzed: 09/22/2006 (P6I2201-BS1)										
Nickel	0.979	0.050	mg/l	0.999		98	85-115			
LCS Dup Analyzed: 09/22/2006 (P6I2201-BSD1)										
Nickel	1.00	0.050	mg/l	0.999		100	85-115	2	20	
Matrix Spike Analyzed: 09/22/2006 (P6I2201-MS1)					**Source: PPI0546-05**					
Nickel	0.972	0.050	mg/l	0.999	0.0027	97	70-130			
Matrix Spike Dup Analyzed: 09/22/2006 (P6I2201-MSD1)					**Source: PPI0546-05**					
Nickel	0.968	0.050	mg/l	0.999	0.0027	97	70-130	0	20	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe	Project ID: Honeywell-Sky Harbor-PO# 2959460	
2625 S. Plaza Drive, Ste. 300		Sampled: 09/18/06
Tempe, AZ 85282	Report Number: PPI0553	Received: 09/19/06
Attention: Jennifer Holland		

DATA QUALIFIERS AND DEFINITIONS

R6	LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
ND	Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
RPD	Relative Percent Difference

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0553

Sampled: 09/18/06
Received: 09/19/06

Certification Summary

TestAmerica - Phoenix, AZ

Method	Matrix	Nelac	Arizona
EPA 200.7	Water		X
EPA 8015B	Water	X	X
EPA 8260B	Water	X	X

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

Subcontracted Laboratories

Transwest Geochem *Arizona Cert #AZ0133*
3725 E. Atlanta Ave Ste 1 - Phoenix, AZ 85040-2961
Analysis Performed: 8015B MOD-Low Level
Samples: PPI0553-07, PPI0553-08

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

CH2M HILL
2625 South Plac
Tempe, AZ 8528
480-377-6287

21 Day ☐
28 Day ☐

Lab Use Only
Project No:
Job No.

	Location ID	Field Sample ID	Sample Date	Sample Time	Sample Type	Matrix	# of Cont.	Preservation Used	Use for MS / MSD	Filtered Sample	Unfiltered Sample	SW6010	SW8260	SW8015	Lab Sample Numbers
1	Trip Blank	TB-091806B	Sep 18 2006	0644	BLKWATER	WATER	1	X			X		X		OPI0553-1
2	PL-202C	PL-202C-6C2	Sep 18 2006	0736	GW	WATER	3	X			X		X		2
3	~~PL-202S~~	~~PL-202S-6C2~~	~~Sep 18 2006~~		~~GW~~	~~WATER~~	~~3~~	~~X~~			~~X~~		~~X~~		~~not sampled~~
4	PL-202N	PL-202N-6C2	Sep 18 2006	1031	GW	WATER	4	X			X	X	X		3
5	~~ASE-23B~~	~~ASE-23B-6C2~~	~~Sep 18 2006~~	0947	GW	WATER	3	X			X		X		4
6	~~ASE-27A~~	~~ASE-27A-6C2~~	~~Sep 18 2006~~		~~GW~~	~~WATER~~	~~3~~	~~X~~			~~X~~		~~X~~		~~not sampled~~
7	ASE-87A	ASE-87A-6C2	Sep 18 2006	1115	GW	WATER	3	X			X		X		5
8	FIELDQC	PL-511-6C2	Sep 18 2006	1125	GW	WATER	3	X			X		X		6
9	PL-201A	PL-201A-6C2	9-18-06	1241	GW	WATER	5	X			X		X	X	7
10	FIELDQC	PL-513-6C2	9-18-06	1251	GW	WATER	5	X			X		X	X	8
11	BC-06	BC-06-6C2	9-18-06	1318	GW	WATER	3	X			X		X		9
12															
13															
14															
15															
16															
17															
18															
19															
20															
21															
22															
23															

Dry
WTP

Special Instructions: Standard TAT 10 days.

Relinquished by:	Company:	Date/Time:	Received by:	Company:
	HA	09/19/06 0946	9/19	CL
Relinquished by:	Company:	Date/Time:	Received by:	Company:
Relinquished by: 9/19/06	Company:	Date/Time: 9-19-06	Received by:	Company: TCA

TRANSWEST GEOCHEM

October 10, 2006

Ken Baker
TestAmerica - Phoenix
9830 S. 51st Street
Suite B-120
Phoenix, AZ 85044

Re: PPI0553
Work Order No.: 0609336

Dear Ken,

Attached is the original Report of Analysis from Columbia Analytical Services, Inc. (AZ0604) for the samples received on 9/19/06. The following analysis was performed:

Method EPA 8015B – Diesel Range Organics

If you have any questions regarding the results, please call me. We appreciate your business and thank you for choosing Transwest Geochem.

Sincerely,

Skip Harden
Project Manager

ADHS License No. AZM133/AZ0133

CONFIDENTIAL AND PRIVILEGED

[illegible] • Phoenix, Arizona 85040 • (602) 437-0330 • (800) 927-5183 • Fax (602) 437-0660
[illegible] • Tucson, Arizona 85714 • (520) 573-1061 • Fax (520) 573-1063

5090 Caterpillar Road Redding, California 96003 (530) 244-5227 (530) 244-4109 fax

Columbia Analytical Services INC.
An Employee - Owned Company

October 05, 2006

Service Request No: D0601391

Skip Harden
Transwest Geochem, Incorporated
3725 East Atlanta Avenue
Suite 2
Phoenix, AZ 85040-2960

RE: PPC/PPD PPI0553/0609336

Dear Skip:

Enclosed are the results of the sample(s) submitted to our laboratory on September 20, 2006. For your reference, these analyses have been assigned our service request number D0601391.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 112. You may also contact me via email at mhovanec@redding.caslab.com.

Respectfully submitted,

Columbia Analytical Services, Inc.

Michael Hovanec
Project Chemist

NELAP Accredited ACIL Seal of Excellence Award 100% Recycled

Current CAS Redding Accreditation Programs

Federal and National Programs

- U.S Air Force, Air Force Center for Environmental Excellence (AFCEE)
  Approved laboratory for Wastewater and Hazardous Waste
- U.S. Army Corps of Engineers – MRD, HTRW Mandatory Center of Expertise
  Validated for Wastewater and Hazardous Waste
- Department of the Navy, Naval Facilities Engineering Service Center (NFESC)
  Approved laboratory for Wastewater and Hazardous Waste

State and Local Programs

- State of Alaska, Department of Environmental Conservation
  Approved Laboratory for Contaminated Sites
  Lab ID UST-001
- State of Arizona, Department of Health Services, Office of Laboratory Licensure
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID AZ0604
- State of California, Department of Health Services, National Environmental Laboratory Accreditation Program **(NELAP)**
  Approved Laboratory for Drinking Water, Wastewater and Hazardous Waste
  Lab ID 01105CA
  - Los Angeles County Sanitation District
    Approved Laboratory for Wastewater
    Lab ID 10243
- State of California, Department of Health Services, Environmental Laboratory Accreditation Program (ELAP)
  Approved Laboratory for Microbiology of Drinking Water and Wastewater
  Lab ID 2635
- State of Florida, Department of Health, Bureau of Laboratories **(NELAP)**
  Approved Environmental Testing Laboratory for Wastewater and Hazardous Waste
  Lab ID E87203
- State of Kansas, Department of Health and Environment **(NELAP)**
  Approved Laboratory for Hazardous Waste
  Lab ID E-10323
- State of Massachusetts, Department of Environmental Protection
  Approved laboratory for Drinking Water and Wastewater
  Lab ID M-CA025
- State of Oklahoma, Department of Environmental Quality
  Approved Laboratory for General Water Quality/Sludge Testing
  Lab ID 9952
- State of Oregon, Environmental Laboratory Accreditation Program **(ORELAP)**
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID CA200004
- State of Utah, Department of Health, Bureau of Laboratory Improvement **(NELAP)**
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID QUAL1
- State of Washington, Department of Ecology
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID C1234
- State of Wisconsin, Department of Natural Resources
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID 999767340

Arizona Data Qualifiers
Revision 2.0, 11/26/2003

Developed by the Sub-committee of the
Arizona Environmental Laboratory Advisory Committee

Microbiology:
A1 = Too numerous to count.
A2 = Sample incubation period exceeded method requirement.
A3 = Sample incubation period was shorter than method requirement.
A4 = Target organism detected in associated method blank.
A5 = Incubator/water bath temperature was outside method requirements.
A6 = Target organism not detected in associated positive control.
A7 = Micro sample received without adequate headspace.

Method/calibration blank:
B1 = Target analyte detected in method blank at or above the method reporting limit.
B2 = Non-target analyte detected in method blank and sample, producing interference.
B3 = Target analyte detected in calibration blank at or above the method reporting limit.
B4 = Target analyte detected in blank at/above method acceptance criteria.
B5 = Target analyte detected in method blank at or above the method reporting limit, but below trigger level or MCL.
B6 = Target analyte detected in calibration blank at or above the method reporting limit, but below trigger level or MCL.
B7 = Target analyte detected in method blank at or above method reporting limit. Concentration found in the sample was 10 times above the concentration found in the method blank.

Confirmation:
C1 = Confirmatory analysis not performed as required by the method.
C3 = Qualitative confirmation performed.
C4 = Confirmatory analysis was past holding time.
C5 = Confirmatory analysis was past holding time. Original result not confirmed.
C6 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the higher value was reported as there was no obvious chromatographic interference.
C7 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic interference.

Dilution:
D1 = Sample required dilution due to matrix.
D2 = Sample required dilution due to high concentration of target analyte.
D3 = Sample dilution required due to insufficient sample.
D4 = Minimum reporting level (MRL) adjusted to reflect sample amount received and analyzed.

Estimated concentration:
E1 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not possible due to insufficient sample.
E2 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to sample matrix.
E3 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

E4 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL).
E5 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL), but not confirmed by alternate analysis.
E6 = Concentration estimated. Internal standard recoveries did not meet method acceptance criteria.
E7 = Concentration estimated. Internal standard recoveries did not meet laboratory acceptance criteria.
E8 = Analyte reported to MDL per project specification. Target analyte was not detected in the sample.

Hold time:
H1 = Sample analysis performed past holding time.
H2 = Initial analysis within holding time. Reanalysis for the required dilution was past holding time.
H3 = Sample was received and analyzed past holding time.
H4 = Sample was extracted past required extraction holding time, but analyzed within analysis holding time.

BOD:
K1 = The sample dilutions set-up for the BOD analysis did not meet the oxygen depletion criteria of at least 2 mg/L. Any reported result is an estimated value.
K2 = The sample dilutions set up for the BOD analysis did not meet the criteria of a residual dissolved oxygen of at least 1 mg/L. Any reported result is an estimated value.
K4 = The seed depletion was outside the method acceptance limits. The reported result is an estimated value.
K5 = The dilution water D.O. depletion was > 0.2 mg/L.
K6 = Glucose/glutamic acid BOD was below method acceptance criteria.
K7 = A discrepancy between the BOD and COD results has been verified by reanalysis of the sample for COD.
K8 = Glucose/glutamic acid BOD was above method acceptance levels.

Laboratory fortified blank/blank spike:

L1 = The associated blank spike recovery was above laboratory acceptance limits.
L2 = The associated blank spike recovery was below laboratory acceptance limits.
L3 = The associated blank spike recovery was above method acceptance limits.
L4 = The associated blank spike recovery was below method acceptance limits.

Matrix spike:
M1 = Matrix spike recovery was high, the method control sample recovery was acceptable.
M2 = Matrix spike recovery was low, the method control sample recovery was acceptable.
M3 = The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
M4 = The analysis of the spiked sample required a dilution such that the spike concentration was diluted below the reporting limit. The method control sample recovery was acceptable.
M5 = Analyte concentration was determined by the method of standard addition (MSA).

M6 = Matrix spike recovery was high. Data reported per ADEQ policy 0154.000.
M7 = Matrix spike recovery was low. Data reported per ADEQ policy 0154.000.

General:
N1 = See case narrative.
N2 = See corrective action report.
N3 = The analysis meets all method requirements. See case narrative.

Sample quality:
Q1 = Sample integrity was not maintained. See case narrative.
Q2 = Sample received with headspace.
Q3 = Sample received with improper chemical preservation.
Q4 = Sample received and analyzed without chemical preservation.
Q5 = Sample received with inadequate chemical preservation, but preserved by the laboratory.
Q6 = Sample was received above recommended temperature.
Q7 = Sample inadequately dechlorinated.
Q8 = Insufficient sample received to meet method QC requirements. Batch QC requirements satisfies ADEQ policies 0154 and 0155.
Q9 = Insufficient sample received to meet method QC requirements.
Q10 = Sample received in inappropriate sample container.
Q11 = Sample is heterogeneous. Sample homogeneity could not be readily achieved using routine laboratory practices.

Duplicates:
R1 = RPD exceeded the method control limit. See case narrative.
R2 = RPD exceeded the laboratory control limit. See case narrative.
R4 = MS/MSD RPD exceeded the method control limit. Recovery met acceptance criteria.
R5 = MS/MSD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R6 = LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
R7 = LFB/LFBD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R8 = Sample RPD exceeded the method control limit.
R9 = Sample RPD exceeded the laboratory control limit.
R10 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic problems.
R11 = The RPD calculation for MS/MSD does not provide useful information due to the varying sample weights when Encore samplers/methanol field preserved samples are used.

Surrogate:
S1 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits.
S3 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits. No target analytes were detected in the sample.
S4 = Surrogate recovery was above laboratory and method acceptance limits. No target analytes were detected in the sample.
S5 = Surrogate recovery was below laboratory acceptance limits, but within method acceptance limits.
S6 = Surrogate recovery was below laboratory and method acceptance limits. Reextraction and/or reanalysis confirms low recovery caused by matrix effect.

S7 = Surrogate recovery was below laboratory and method acceptance limits. Unable to confirm matrix effect.
S8 = The analysis of the sample required a dilution such that the surrogate recovery calculation does not provide any useful information. The method control sample recovery was acceptable.
S10 = Surrogate recovery was above laboratory and method acceptance limits. See Case narrative.
S11 = Surrogate recovery was high. Data reported per ADEQ policy 0154.000.
S12 = Surrogate recovery was low. Data reported per ADEQ policy 0154.000.

Method/analyte discrepancies:
T1 = Method approved by EPA, but not yet licensed by ADHS.
T2 = Cited ADHS licensed method does not contain this analyte as part of method compound list.
T3 = Method not promulgated either by EPA or ADHS.
T4 = Tentatively identified compound. Concentration is estimated and based on the closest internal standard.

Calibration verification:
V1 = CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
V2 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample. The sample could not be reanalyzed due to insufficient sample.
V3 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample, but the sample was not reanalyzed. See case narrative.
V4 = CCV recovery was below method acceptance limits. The sample could not be reanalyzed due to insufficient sample.
V5 = CCV recovery after a group of samples was above acceptance limits. This target analyte was not detected in the sample. Acceptable per EPA Method 8000B.
V6 = Data reported from one-point calibration criteria per ADEQ policy 0155.000.
V7 = Calibration verification recovery was above the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.
V8 = Calibration verification recovery was below the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.

Calibration:
W1 = The % RSD for this compound was above 20%. The average % RSD for all compounds in the calibration met the 20% criteria as specified in EPA method 8000B.
W2 = The % RSD for this compound was above 15%. The average % RSD for all compounds in the calibration met the 15% criteria as specified in EPA method 8260B/8270C.

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0553/0609336

Service Request: D0601391

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
D0601391-001	PPI0553-07	09/18/06	12:41
D0601391-002	PPI0553-08	09/18/06	12:51

CASE NARRATIVE

COLUMBIA ANALYTICAL SERVICES, INC.

Client:	Transwest Geochem, Incoporated	**Service Request No.:**	D0601391
Project:	PPC/PPD PPI0553	**Date Received:**	09/20/06
Sample Matrix:	Aqueous		

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of Columbia Analytical Services, Inc. (CAS).This report contains analytical results for samples designated for Tier II data deliverables.

Sample Receipt

2 Aqueous samples were received for analysis at Columbia Analytical Services on 09/20/06.

No discrepancies were noted upon initial sample inspection. The samples were received in good condition and consistent with the accompanying chain of custody form. The samples were stored in a refrigerator at 4 degrees Celsius upon receipt at the laboratory.

Diesel Range Organics by EPA Method 8015B

No anomalies associated with the analysis of these samples by the above-mentioned method were observed.

Matrix Spike Recovery Exceptions:

Insufficient sample volume was received to perform a Matrix Spike/Matrix Spike Duplicate (MS/MSD). A Laboratory Control Sample/Duplicate Laboratory Control Sample (LCS/DLCS) was analyzed in order to report precision data.

Approved by: Michael Horan **Date:** 10/5/06

CHAIN OF CUSTODY DOCUMENTATION

TRANSWEST GEOCHEM

CHAIN-OF-CUSTODY

[redacted]

Skip Harden
3725 E. Atlanta Avenue
Suite 2
Phoenix, AZ 85040

TEL: (602) 437-0330
FAX: (602) 437-0660

Work Order: 0609336

Project: PPI0553

Subcontractor:
Columbia Analytical Services
5090 Caterpillar Rd.
Redding, CA 96003

TEL: (530) 244-5227
FAX: (530) 244-4109

19-Sep-06

Client Sample ID	TGI ID	Matrix	Collection Date	Containers	Requested Tests: 8015_ML_W						
PPI0553-07	01A	Water	9/18/2006 12:41:00 PM	2	1						
PPI0553-08	02A	Water	9/18/2006 12:51:00 PM	2	1						

*Low Level requirements needed.
- need transfer files

Comments: After analysis, the samples do not need to be returned and can be disposed per your standard laboratory practices. Please provide a QC report, including Method Blank data.

Sample Receipt		
Temperature:	Ambient / Cold	Ice:
Received Intact:		Absent / Present
Custody Seals:		Wet / Blue
Total No. of Containers:		° C.

		Date/Time			Date/Time
Relinquished by:	Leslie May - TGI	9/19/06 1600	Received by:	UPS	
Relinquished by:			Received by:	[illegible]	9/20/06 1200
Relinquished by:			Received by:		

Columbia Analytical Services inc.
An Employee-Owned Company

5090 Caterpillar Road
Redding, CA 96003
Phone: (530) 244-5262
[redacted]

COOLER RECEIPT FORM

Project/Client: _____ Batch No.: [redacted]

1. Cooler(s)/Sample(s) received on: 9/20/06 Shipped via: UPS
   Shipping Bill # (s): 01 9812 4675 # of Coolers/Packages 1
2. Radiological Screening by: _____ Acceptable Rejected
3. Custody seals on outside of cooler: YES NO N/A
   If yes, where? Front ✓ Rear_____ Lt Side_____ Rt Side_____
   Seals intact: YES NO

COOLER/SAMPLE PROCESSING

4. Sample Processing/Tagging by: _____
5. Cooler(s)/Sample(s) Temp's: _____ _____ _____ _____ _____
   (or)
   Temp. Blank (if included): 1.0c _____ _____ _____ _____
6. Type of packing material (circle): Ice Blue Ice Bubble Wrap Bubble Bags Zip Locks Webbing
   Other: _____
7. Custody papers properly filled out (ink, signed, dated, released, etc.)? YES NO
8. Containers arrived in good condition (not broken, leaking, etc.)? YES NO
9. Samples received with adequate holding time remaining to conduct analysis? YES NO
10. Container labels complete (i.e. analysis, preservation, date/time, etc.)? YES NO
11. Container labels and tags agree with custody papers? YES NO
12. Correct types of containers used for the tests indicated? YES NO
    a.) Adequate sample received? If not, note on Exception Report. YES NO
13. Containers supplied by: CAS Other
14. Preserved containers received with the appropriate preservative? YES NO N/A
    pH: <2 H_2SO_4 (or) See pH log.
15. VOA vials free of air bubbles? YES NO N/A
16. Trip Blank preparation date: _____ CAS Other N/A
17. Volatile Soil samples: Encores or Plugs in Vials
    Freezer or GC/MS Date:_____ Time:_____ N/A

See Exception Report for discrepancies.

Rev. 8/18/2004/ds

Columbia Analytical Services INC.
An Employee - Owned Company

5090 Caterpillar Road
Redding, CA 96003
530-244-5227
FAX 530-244-4109

BATCH: [redacted]
CLIENT:
PROJECT:

SAMPLE RECEIPT EXCEPTION REPORT

Issue Type Legend	
1) Holding Time	
2) Temperature	
3) COC/Label	
4) Container	
5) Other	

SMO Technician / Date: KM 9.20.06
Project Chemist / Date: WH 9/21/06
Client Contact(s): Skip

Item #	Issue Type	DESCRIPTION
1	3, 4	COC states that we received 2 containers per sample. We received 1 container per sample.

Corrective Actions Taken

1	Notified client by email. WH

GC TPH DIESEL

ORGANIC ANALYSES DATA PACKAGE

Analytical Method: CA LUFT

AAB #: D0601391

Lab Name: Columbia Analytical Services/Redding

Base/Command: ARIZONA DELIVERABLES (RL)

Project: PPC/PPD PPI0553

Field Sample ID	Lab Sample ID
PPI0553-07	D0601391-001
PPI0553-08	D0601391-002

Comments:

I certify this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: Wida Ang

Name: WIDA ANG

Date: 10/4/06

Title: Organic Manager

RDD-061004:CC:BS-1314PST-SR:D0601391-D0601391-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0601391

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPI0553-07 Lab Sample ID: D0601391-001 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 09/20/06 Date Extracted: 09/29/06 Date Analyzed: 10/02/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**62**	1		
C23 - C32 HRO		50	ND	1		V8

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	105	58-111	
Triacontane - SS	105	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0601391

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPI0553-08 Lab Sample ID: D0601391-002 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 09/20/06 Date Extracted: 09/29/06 Date Analyzed: 10/02/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**60**	1		
C23 - C32 HRO		50	ND	1		V8

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	100	58-111	
Triacontane - SS	100	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 6
BLANKS

Analytical Method: CA LUFT AAB #: D0601391

Lab Name: Columbia Analytical Services/Redding

Concentration Units (ug/L or mg/kg): UG/L Method Blank ID: DWB10929

Lab Sample ID: DWB10929

Initial Calibration ID: 05/20/06GCF

Analyte		Method Blank	RL	Q
C13 - C22 DRO		ND	50	
C23 - C32 HRO		ND	50	V8

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	92	58-111	
Triacontane - SS	93	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 7
LABORATORY CONTROL SAMPLE

Analytical Method: CA LUFT AAB #: D0601391

Lab Name: Columbia Analytical Services/Redding

LCS ID: DWB10929LCS Concentration Units (ug/L or mg/kg): UG/L

Date Extracted: 09/29/06 Date Analyzed: 10/02/06

Initial Calibration ID: 05/20/06GCF

Analyte	Expected	Found	%R	Control Limits	Q
C13 - C22 DRO	2500	2140	85	64-106	

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	95	58-111	
Triacontane - SS	95	54-109	

Comments:

RDD-061004:CC:BS-1314PST-SR:D0601391-D0601391-D

ORGANIC ANALYSES DATA SHEET 7
LABORATORY CONTROL SAMPLE

Analytical Method: CA LUFT AAB #: D0601391

Lab Name: Columbia Analytical Services/Redding

LCS ID: DWB10929LCSD Concentration Units (ug/L or mg/kg): UG/L

Date Extracted: 09/29/06 Date Analyzed: 10/02/06

Initial Calibration ID: 05/20/06GCF

Analyte	Expected	Found	%R	Control Limits	Q
C13 - C22 DRO	2500	2270	91	64-106	

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	98	58-111	
Triacontane - SS	99	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 7
LABORATORY CONTROL SAMPLE/LABORATORY CONTROL SAMPLE DUPLICATE

Analytical Method: CA LUFT AAB #: D0601391

Lab Name: Columbia Analytical Services/Redding

Concentration Units (ug/L or mg/kg): UG/L %Solids: _____

Parent Field Sample ID: DWB10929 BS ID: DWB10929LCS BSD ID: DWB10929LCSD

Analyte	Parent Sample Result	Spike Added	Spiked Sample Result	%R	Duplicat Spike Sample Result	%R	%RPD	Control Limits %RPD	Control Limits %R	Q
C13 - C22 DRO		2500	2140	85	2270	91	6	30	64-106	

Comments:

ORGANIC ANALYSES DATA SHEET 10
INSTRUMENT ANALYSIS SEQUENCE LOG

Analytical Method: CA LUFT AAB #: D0601391

Lab Name: Columbia Analytical Services/Redding

Instrument ID #: GCF RTX-5

Field Sample ID/Std ID/ Blank ID/QC Sample ID	Laboratory File ID	Date Analysis Started	Time Analysis Started	Date Analysis Completed	Time Analysis Completed
DSTD6	F0520002	05/20/06	1838	05/20/06	1908
DSTD1	F0520003	05/20/06	1923	05/20/06	1953
DSTD2	F0520004	05/20/06	2008	05/20/06	2038
DSTD3	F0520005	05/20/06	2054	05/20/06	2124
DSTD4	F0520006	05/20/06	2139	05/20/06	2209
DSTD5	F0520007	05/20/06	2225	05/20/06	2255
QC ALT	F0520009	05/20/06	2356	05/21/06	0026
DSTD3	F1002005	10/02/06	1515	10/02/06	1545
DWB10929	F1002006	10/02/06	1559	10/02/06	1629
DWB10929LCS	F1002007	10/02/06	1643	10/02/06	1713
DWB10929LCSD	F1002008	10/02/06	1728	10/02/06	1758
PPI0553-07	F1002009	10/02/06	1812	10/02/06	1842
PPI0553-08	F1002010	10/02/06	1856	10/02/06	1926
DSTD4	F1002017	10/03/06	0006	10/03/06	0036

Comments:

ORGANIC ANALYSES DATA SHEET APPENDIX A
SURROGATE RESULTS

Analytical Method: CA LUFT AAB #: D0601391

Lab Name: Columbia Analytical Services/Redding

Matrix: Water

Field/QC Sample ID	S1	S2	S3	S4	S5	S6	S7	S8	Q
DWB10929	92	93							
DWB10929LCS	95	95							
DWB10929LCSD	98	99							
PPI0553-07	105	105							
PPI0553-08	100	100							

S1: Octacosane - SS 58-111
S2: Triacontane - SS 54-109

Comments:

SHB
-Redding

TRANSWEST GEOCHEM

Sample Receipt Checklist

Client Name: Test America

Date and Time Received: 9.19.2006 1330

Work Order Number: Ar09356

Checked by: [illegible]

Checklist completed by: [illegible] 9.19.2 [illegible]
Signature / Date

Logged In by: [illegible] 9.19.2006
Initials / Date

Matrix: Carrier Name: Client TGI _____

Reviewed by: SA 9/20/06
Initials / Date

				COMMENTS
Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐	
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☑	
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑	
Chain of custody present?	Yes ☑	No ☐		
Chain of custody signed when relinquished and received?	Yes ☑	No ☐		
Chain of custody agrees with sample labels?	Yes ☑	No ☐		
Samples in proper container/bottle?	Yes ☑	No ☐		
Sample containers intact?	Yes ☑	No ☐		
Sufficient sample volume for indicated test?	Yes ☑	No ☐		
All samples received within holding time?	Yes ☑	No ☐		
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	Temp: 4.6	Sampled < 2hrs ☐
Water – VOA vials have zero headspace?	Yes ☐	No ☐	N/A ☑	
Water – pH acceptable upon receipt?	Yes ☑	No ☐	N/A ☐	Checked by: [illegible]
Water – Sulfides present in Cyanide samples?	Yes ☐	No ☐	N/A ☑	
Sample considered Drinking Water for metal analysis?	Yes ☐	No ☐	N/A ☑	

Client contacted: _____ Date contacted: _____ Person contacted: _____

Contacted by: _____ Regarding: _____

Corrective Action: _____

TestAmerica
ANALYTICAL TESTING CORPORATION

#0609336

SUBCONTRACT ORDER - PROJECT # PPI0553

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPI0553-07 Water Sampled: 09/18/06 12:41		
8015B MOD-Low Level-O	09/25/06 12:41	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0553-07D)		
1 L Amber w/H2SO4 (PPI0553-07E)		
Sample ID: PPI0553-08 Water Sampled: 09/18/06 12:51		
8015B MOD-Low Level-O	09/25/06 12:51	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0553-08D)		
1 L Amber w/H2SO4 (PPI0553-08E)		

PA

L2

L2

SAMPLE INTEGRITY:

All containers intact: ☑ Yes ☐ No
Custody Seals Present: ☐ Yes ☑ No
Sample labels/COC agree: ☑ Yes ☐ No
Samples Preserved Properly: ☑ Yes ☐ No
Samples Received On Ice:: ☑ Yes ☐ No
Samples Received at (temp): 4.6

Released By	Date	Time	Received By	Date	Time
MDV	9/19/6	1315	[illegible]	9/19/6	1315
[illegible]	9/19/6	1330	[illegible]	9.19.2006	1330

TestAmerica
ANALYTICAL TESTING CORPORATION

9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

LABORATORY REPORT

Prepared For: CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project: Honeywell-Sky Harbor-PO# 2959460

Sampled: 09/19/06
Received: 09/20/06
Issued: 10/09/06 10:30

NELAP #01109CA Arizona DHS#AZ0426

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.
This entire report was reviewed and approved for release.

CASE NARRATIVE

LABORATORY ID	CLIENT ID	MATRIX
PPI0606-01	Trip Blank	Water
PPI0606-02	ASE-24C-6C2	Water
PPI0606-03	ASE-58A-6C2	Water
PPI0606-04	ASE-46B-6C2	Water
PPI0606-05	ASE-46A-6C2	Water
PPI0606-06	ASE-25C-6C2	Water
PPI0606-07	ASE-27A-6C2	Water
PPI0606-08	ASE-103A-6C2	Water

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe 2625 S. Plaza Drive, Ste. 300 Tempe, AZ 85282 Attention: Jennifer Holland	Project ID: Honeywell-Sky Harbor-PO# 2959460 Report Number: PPI0606	Sampled: 09/19/06 Received: 09/20/06

SAMPLE RECEIPT:	Samples were received intact, at 2°C, on ice and with chain of custody documentation.
HOLDING TIMES:	All samples were analyzed within prescribed holding times and/or in accordance with the TestAmerica Sample Acceptance Policy unless otherwise noted in the report.
PRESERVATION:	Samples requiring preservation were verified prior to sample analysis.
QA/QC CRITERIA:	All analyses met method criteria, except as noted in the report with data qualifiers.
COMMENTS:	No significant observations were made.
SUBCONTRACTED:	Refer to the last page for specific subcontract laboratory information included in this report.

Reviewed By:

Ken Baker

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0606-01 (Trip Blank - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0216	20	ND	1	10/2/2006	10/2/2006	
Benzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
Bromobenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Bromochloromethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Bromodichloromethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Bromoform	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Bromomethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
2-Butanone (MEK)	EPA 8260B	P6J0216	10	ND	1	10/2/2006	10/2/2006	
n-Butylbenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
sec-Butylbenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
tert-Butylbenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Carbon Disulfide	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Carbon tetrachloride	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Chlorobenzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
Chloroethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Chloroform	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Chloromethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
2-Chlorotoluene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
4-Chlorotoluene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Dibromochloromethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Dibromomethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,1-Dichloroethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2-Dichloroethane	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
1,1-Dichloroethene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2-Dichloropropane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,3-Dichloropropane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
2,2-Dichloropropane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,1-Dichloropropene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Ethylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Hexachlorobutadiene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
2-Hexanone	EPA 8260B	P6J0216	10	ND	1	10/2/2006	10/2/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0606-01 (Trip Blank - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Isopropylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
p-Isopropyltoluene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Methylene chloride	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0216	10	ND	1	10/2/2006	10/2/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Naphthalene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
n-Propylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Styrene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Toluene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Trichloroethene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Trichlorofluoromethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0216	10	ND	1	10/2/2006	10/2/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Vinyl acetate	EPA 8260B	P6J0216	25	ND	1	10/2/2006	10/2/2006	
Vinyl chloride	EPA 8260B	P6J0216	1.7	ND	1	10/2/2006	10/2/2006	
Xylenes, Total	EPA 8260B	P6J0216	3.0	ND	1	10/2/2006	10/2/2006	
Surrogate: Dibromofluoromethane (80-130%)				*100 %*				
Surrogate: Toluene-d8 (80-120%)				*95 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*88 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0606-01RE1 (Trip Blank - Water) - cont.								
Reporting Units: ug/l								
Tetrachloroethene	EPA 8260B	P6J0319	2.0	ND	1	10/3/2006	10/3/2006	
Surrogate: Dibromofluoromethane (80-130%)				*98 %*				
Surrogate: Toluene-d8 (80-120%)				*109 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*119 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0606-02 (ASE-24C-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0216	20	ND	1	10/2/2006	10/2/2006	
Benzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
Bromobenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Bromochloromethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Bromodichloromethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Bromoform	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Bromomethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
2-Butanone (MEK)	EPA 8260B	P6J0216	10	ND	1	10/2/2006	10/2/2006	
n-Butylbenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
sec-Butylbenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
tert-Butylbenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Carbon Disulfide	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Carbon tetrachloride	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Chlorobenzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
Chloroethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Chloroform	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Chloromethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
2-Chlorotoluene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
4-Chlorotoluene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Dibromochloromethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Dibromomethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,1-Dichloroethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2-Dichloroethane	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
1,1-Dichloroethene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2-Dichloropropane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,3-Dichloropropane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
2,2-Dichloropropane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,1-Dichloropropene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Ethylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Hexachlorobutadiene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
2-Hexanone	EPA 8260B	P6J0216	10	ND	1	10/2/2006	10/2/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0606-02 (ASE-24C-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Isopropylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
p-Isopropyltoluene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Methylene chloride	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0216	10	ND	1	10/2/2006	10/2/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Naphthalene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
n-Propylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Styrene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Toluene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Trichloroethene	EPA 8260B	P6J0216	2.0	**22**	1	10/2/2006	10/2/2006	
Trichlorofluoromethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0216	10	ND	1	10/2/2006	10/2/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Vinyl acetate	EPA 8260B	P6J0216	25	ND	1	10/2/2006	10/2/2006	
Vinyl chloride	EPA 8260B	P6J0216	1.7	ND	1	10/2/2006	10/2/2006	
Xylenes, Total	EPA 8260B	P6J0216	3.0	ND	1	10/2/2006	10/2/2006	
Surrogate: Dibromofluoromethane (80-130%)				*102 %*				
Surrogate: Toluene-d8 (80-120%)				*97 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*92 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0606-02RE1 (ASE-24C-6C2 - Water) - cont.								
Reporting Units: ug/l								
Tetrachloroethene	EPA 8260B	P6J0319	2.0	ND	1	10/3/2006	10/3/2006	
Surrogate: Dibromofluoromethane (80-130%)				*102 %*				
Surrogate: Toluene-d8 (80-120%)				*108 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*114 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0606-03 (ASE-58A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0216	20	ND	1	10/2/2006	10/2/2006	
Benzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
Bromobenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Bromochloromethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Bromodichloromethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Bromoform	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Bromomethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
2-Butanone (MEK)	EPA 8260B	P6J0216	10	ND	1	10/2/2006	10/2/2006	
n-Butylbenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
sec-Butylbenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
tert-Butylbenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Carbon Disulfide	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Carbon tetrachloride	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Chlorobenzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
Chloroethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Chloroform	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Chloromethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
2-Chlorotoluene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
4-Chlorotoluene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Dibromochloromethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Dibromomethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,1-Dichloroethane	EPA 8260B	P6J0216	2.0	**12**	1	10/2/2006	10/2/2006	
1,2-Dichloroethane	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
1,1-Dichloroethene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2-Dichloropropane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,3-Dichloropropane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
2,2-Dichloropropane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,1-Dichloropropene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Ethylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Hexachlorobutadiene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
2-Hexanone	EPA 8260B	P6J0216	10	ND	1	10/2/2006	10/2/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0606-03 (ASE-58A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Isopropylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
p-Isopropyltoluene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Methylene chloride	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0216	10	ND	1	10/2/2006	10/2/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Naphthalene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
n-Propylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Styrene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Toluene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Trichloroethene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Trichlorofluoromethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0216	10	ND	1	10/2/2006	10/2/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Vinyl acetate	EPA 8260B	P6J0216	25	ND	1	10/2/2006	10/2/2006	
Vinyl chloride	EPA 8260B	P6J0216	1.7	**4.1**	1	10/2/2006	10/2/2006	
Xylenes, Total	EPA 8260B	P6J0216	3.0	ND	1	10/2/2006	10/2/2006	
Surrogate: Dibromofluoromethane (80-130%)				*100 %*				
Surrogate: Toluene-d8 (80-120%)				*98 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*92 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0606-03RE1 (ASE-58A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Tetrachloroethene	EPA 8260B	P6J0319	2.0	ND	1	10/3/2006	10/3/2006	
Surrogate: Dibromofluoromethane (80-130%)				*103 %*				
Surrogate: Toluene-d8 (80-120%)				*109 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*116 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0606-04 (ASE-46B-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0216	20	ND	1	10/2/2006	10/2/2006	
Benzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
Bromobenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Bromochloromethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Bromodichloromethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Bromoform	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Bromomethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
2-Butanone (MEK)	EPA 8260B	P6J0216	10	ND	1	10/2/2006	10/2/2006	
n-Butylbenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
sec-Butylbenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
tert-Butylbenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Carbon Disulfide	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Carbon tetrachloride	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Chlorobenzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
Chloroethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Chloroform	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Chloromethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
2-Chlorotoluene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
4-Chlorotoluene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Dibromochloromethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Dibromomethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,1-Dichloroethane	EPA 8260B	P6J0216	2.0	**4.7**	1	10/2/2006	10/2/2006	
1,2-Dichloroethane	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
1,1-Dichloroethene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0216	2.0	**2.4**	1	10/2/2006	10/2/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2-Dichloropropane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,3-Dichloropropane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
2,2-Dichloropropane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,1-Dichloropropene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Ethylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Hexachlorobutadiene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
2-Hexanone	EPA 8260B	P6J0216	10	ND	1	10/2/2006	10/2/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0606-04 (ASE-46B-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Isopropylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
p-Isopropyltoluene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Methylene chloride	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0216	10	ND	1	10/2/2006	10/2/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Naphthalene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
n-Propylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Styrene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Toluene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Trichloroethene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Trichlorofluoromethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0216	10	ND	1	10/2/2006	10/2/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Vinyl acetate	EPA 8260B	P6J0216	25	ND	1	10/2/2006	10/2/2006	
Vinyl chloride	EPA 8260B	P6J0216	1.7	ND	1	10/2/2006	10/2/2006	
Xylenes, Total	EPA 8260B	P6J0216	3.0	ND	1	10/2/2006	10/2/2006	
Surrogate: Dibromofluoromethane (80-130%)				*103 %*				
Surrogate: Toluene-d8 (80-120%)				*94 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*91 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0606-04RE1 (ASE-46B-6C2 - Water) - cont.								
Reporting Units: ug/l								
Tetrachloroethene	EPA 8260B	P6J0319	2.0	ND	1	10/3/2006	10/3/2006	
Surrogate: Dibromofluoromethane (80-130%)				*104 %*				
Surrogate: Toluene-d8 (80-120%)				*108 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*112 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0606-05 (ASE-46A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0216	20	ND	1	10/2/2006	10/2/2006	
Benzene	EPA 8260B	P6J0216	1.0	**1.9**	1	10/2/2006	10/2/2006	
Bromobenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Bromochloromethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Bromodichloromethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Bromoform	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Bromomethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
2-Butanone (MEK)	EPA 8260B	P6J0216	10	ND	1	10/2/2006	10/2/2006	
n-Butylbenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
sec-Butylbenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
tert-Butylbenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Carbon Disulfide	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Carbon tetrachloride	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Chlorobenzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
Chloroethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Chloroform	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Chloromethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
2-Chlorotoluene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
4-Chlorotoluene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Dibromochloromethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Dibromomethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,1-Dichloroethane	EPA 8260B	P6J0216	2.0	**30**	1	10/2/2006	10/2/2006	
1,2-Dichloroethane	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
1,1-Dichloroethene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2-Dichloropropane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,3-Dichloropropane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
2,2-Dichloropropane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,1-Dichloropropene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Ethylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Hexachlorobutadiene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
2-Hexanone	EPA 8260B	P6J0216	10	ND	1	10/2/2006	10/2/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0606-05 (ASE-46A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Isopropylbenzene	EPA 8260B	P6J0216	2.0	**2.0**	1	10/2/2006	10/2/2006	
p-Isopropyltoluene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Methylene chloride	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0216	10	ND	1	10/2/2006	10/2/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Naphthalene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
n-Propylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Styrene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Toluene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Trichloroethene	EPA 8260B	P6J0216	2.0	**2.0**	1	10/2/2006	10/2/2006	
Trichlorofluoromethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0216	10	ND	1	10/2/2006	10/2/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Vinyl acetate	EPA 8260B	P6J0216	25	ND	1	10/2/2006	10/2/2006	
Vinyl chloride	EPA 8260B	P6J0216	1.7	**4.2**	1	10/2/2006	10/2/2006	
Xylenes, Total	EPA 8260B	P6J0216	3.0	ND	1	10/2/2006	10/2/2006	
Surrogate: Dibromofluoromethane (80-130%)				*102 %*				
Surrogate: Toluene-d8 (80-120%)				*96 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*91 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0606-05RE1 (ASE-46A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Tetrachloroethene	EPA 8260B	P6J0319	2.0	ND	1	10/3/2006	10/3/2006	
Surrogate: Dibromofluoromethane (80-130%)				*103 %*				
Surrogate: Toluene-d8 (80-120%)				*112 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*117 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0606-06 (ASE-25C-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0216	20	ND	1	10/2/2006	10/2/2006	
Benzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
Bromobenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Bromochloromethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Bromodichloromethane	EPA 8260B	P6J0216	2.0	**3.0**	1	10/2/2006	10/2/2006	
Bromoform	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Bromomethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
2-Butanone (MEK)	EPA 8260B	P6J0216	10	ND	1	10/2/2006	10/2/2006	
n-Butylbenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
sec-Butylbenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
tert-Butylbenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Carbon Disulfide	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Carbon tetrachloride	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Chlorobenzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
Chloroethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Chloroform	EPA 8260B	P6J0216	2.0	**4.1**	1	10/2/2006	10/2/2006	
Chloromethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
2-Chlorotoluene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
4-Chlorotoluene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Dibromochloromethane	EPA 8260B	P6J0216	2.0	**2.1**	1	10/2/2006	10/2/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Dibromomethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,1-Dichloroethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2-Dichloroethane	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
1,1-Dichloroethene	EPA 8260B	P6J0216	5.0	**9.6**	1	10/2/2006	10/2/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0216	2.0	**3.2**	1	10/2/2006	10/2/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2-Dichloropropane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,3-Dichloropropane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
2,2-Dichloropropane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,1-Dichloropropene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Ethylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Hexachlorobutadiene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
2-Hexanone	EPA 8260B	P6J0216	10	ND	1	10/2/2006	10/2/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0606-06 (ASE-25C-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Isopropylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
p-Isopropyltoluene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Methylene chloride	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0216	10	ND	1	10/2/2006	10/2/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Naphthalene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
n-Propylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Styrene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Toluene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Trichloroethene	EPA 8260B	P6J0216	2.0	**21**	1	10/2/2006	10/2/2006	
Trichlorofluoromethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0216	10	ND	1	10/2/2006	10/2/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Vinyl acetate	EPA 8260B	P6J0216	25	ND	1	10/2/2006	10/2/2006	
Vinyl chloride	EPA 8260B	P6J0216	1.7	ND	1	10/2/2006	10/2/2006	
Xylenes, Total	EPA 8260B	P6J0216	3.0	ND	1	10/2/2006	10/2/2006	
Surrogate: Dibromofluoromethane (80-130%)				*101 %*				
Surrogate: Toluene-d8 (80-120%)				*95 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*92 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0606-06RE1 (ASE-25C-6C2 - Water) - cont.								
Reporting Units: ug/l								
Tetrachloroethene	EPA 8260B	P6J0319	2.0	ND	1	10/3/2006	10/3/2006	
Surrogate: Dibromofluoromethane (80-130%)				*106 %*				
Surrogate: Toluene-d8 (80-120%)				*112 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*115 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0606-07 (ASE-27A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0216	20	ND	1	10/2/2006	10/2/2006	
Benzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
Bromobenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Bromochloromethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Bromodichloromethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Bromoform	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Bromomethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
2-Butanone (MEK)	EPA 8260B	P6J0216	10	ND	1	10/2/2006	10/2/2006	
n-Butylbenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
sec-Butylbenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
tert-Butylbenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Carbon Disulfide	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Carbon tetrachloride	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Chlorobenzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
Chloroethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Chloroform	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Chloromethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
2-Chlorotoluene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
4-Chlorotoluene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Dibromochloromethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Dibromomethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,1-Dichloroethane	EPA 8260B	P6J0216	2.0	**5.1**	1	10/2/2006	10/2/2006	
1,2-Dichloroethane	EPA 8260B	P6J0216	1.0	ND	1	10/2/2006	10/2/2006	
1,1-Dichloroethene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0216	2.0	**3.6**	1	10/2/2006	10/2/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2-Dichloropropane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,3-Dichloropropane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
2,2-Dichloropropane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,1-Dichloropropene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Ethylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Hexachlorobutadiene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
2-Hexanone	EPA 8260B	P6J0216	10	ND	1	10/2/2006	10/2/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0606-07 (ASE-27A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Isopropylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
p-Isopropyltoluene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Methylene chloride	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0216	10	ND	1	10/2/2006	10/2/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
Naphthalene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
n-Propylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Styrene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Toluene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Trichloroethene	EPA 8260B	P6J0216	2.0	**7.5**	1	10/2/2006	10/2/2006	
Trichlorofluoromethane	EPA 8260B	P6J0216	5.0	ND	1	10/2/2006	10/2/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0216	10	ND	1	10/2/2006	10/2/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0216	2.0	ND	1	10/2/2006	10/2/2006	
Vinyl acetate	EPA 8260B	P6J0216	25	ND	1	10/2/2006	10/2/2006	
Vinyl chloride	EPA 8260B	P6J0216	1.7	ND	1	10/2/2006	10/2/2006	
Xylenes, Total	EPA 8260B	P6J0216	3.0	ND	1	10/2/2006	10/2/2006	
Surrogate: Dibromofluoromethane (80-130%)				*103 %*				
Surrogate: Toluene-d8 (80-120%)				*96 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*91 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0606-07RE1 (ASE-27A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Tetrachloroethene	EPA 8260B	P6J0319	2.0	ND	1	10/3/2006	10/3/2006	
Surrogate: Dibromofluoromethane (80-130%)				*106 %*				
Surrogate: Toluene-d8 (80-120%)				*107 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*115 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0606-08 (ASE-103A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0318	20	ND	1	10/3/2006	10/3/2006	
Benzene	EPA 8260B	P6J0318	1.0	ND	1	10/3/2006	10/3/2006	
Bromobenzene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Bromochloromethane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Bromodichloromethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Bromoform	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Bromomethane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
2-Butanone (MEK)	EPA 8260B	P6J0318	10	ND	1	10/3/2006	10/3/2006	
n-Butylbenzene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
sec-Butylbenzene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
tert-Butylbenzene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Carbon Disulfide	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Carbon tetrachloride	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Chlorobenzene	EPA 8260B	P6J0318	1.0	ND	1	10/3/2006	10/3/2006	
Chloroethane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Chloroform	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Chloromethane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
2-Chlorotoluene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
4-Chlorotoluene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Dibromochloromethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Dibromomethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0318	1.0	ND	1	10/3/2006	10/3/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0318	1.0	ND	1	10/3/2006	10/3/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0318	1.0	ND	1	10/3/2006	10/3/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloroethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichloroethane	EPA 8260B	P6J0318	1.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloroethene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichloropropane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,3-Dichloropropane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
2,2-Dichloropropane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloropropene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Ethylbenzene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Hexachlorobutadiene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
2-Hexanone	EPA 8260B	P6J0318	10	ND	1	10/3/2006	10/3/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0606-08 (ASE-103A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Isopropylbenzene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
p-Isopropyltoluene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Methylene chloride	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0318	10	ND	1	10/3/2006	10/3/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Naphthalene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
n-Propylbenzene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Styrene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Tetrachloroethene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Toluene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Trichloroethene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Trichlorofluoromethane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0318	10	ND	1	10/3/2006	10/3/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Vinyl acetate	EPA 8260B	P6J0318	25	ND	1	10/3/2006	10/3/2006	
Vinyl chloride	EPA 8260B	P6J0318	1.7	ND	1	10/3/2006	10/3/2006	
Xylenes, Total	EPA 8260B	P6J0318	3.0	ND	1	10/3/2006	10/3/2006	
Surrogate: Dibromofluoromethane (80-130%)				*96 %*				
Surrogate: Toluene-d8 (80-120%)				*96 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*90 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0216 Extracted: 10/02/06										
Blank Analyzed: 10/02/2006 (P6J0216-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0216 Extracted: 10/02/06										
Blank Analyzed: 10/02/2006 (P6J0216-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*24.1*		*ug/l*	*25.0*		*96*	*80-130*			
Surrogate: Toluene-d8	*23.7*		*ug/l*	*25.0*		*95*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*22.9*		*ug/l*	*25.0*		*92*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0216 Extracted: 10/02/06										
LCS Analyzed: 10/02/2006 (P6J0216-BS1)										
Acetone	21.6	20	ug/l	25.0		86	30-150			
Benzene	21.5	1.0	ug/l	25.0		86	80-120			
Bromobenzene	21.9	5.0	ug/l	25.0		88	80-125			
Bromochloromethane	21.5	5.0	ug/l	25.0		86	80-125			
Bromodichloromethane	21.7	2.0	ug/l	25.0		87	80-120			
Bromoform	20.4	5.0	ug/l	25.0		82	70-120			
Bromomethane	21.5	5.0	ug/l	25.0		86	80-135			
2-Butanone (MEK)	21.4	10	ug/l	25.0		86	55-150			
n-Butylbenzene	21.8	5.0	ug/l	25.0		87	80-120			
sec-Butylbenzene	21.3	5.0	ug/l	25.0		85	80-130			
tert-Butylbenzene	21.4	5.0	ug/l	25.0		86	80-130			
Carbon Disulfide	21.3	5.0	ug/l	25.0		85	55-145			
Carbon tetrachloride	20.8	5.0	ug/l	25.0		83	80-120			
Chlorobenzene	21.2	1.0	ug/l	25.0		85	80-120			
Chloroethane	21.6	5.0	ug/l	25.0		86	80-125			
Chloroform	21.3	2.0	ug/l	25.0		85	80-120			
Chloromethane	22.9	5.0	ug/l	25.0		92	70-130			
2-Chlorotoluene	21.0	5.0	ug/l	25.0		84	80-120			
4-Chlorotoluene	21.4	5.0	ug/l	25.0		86	80-120			
Dibromochloromethane	21.6	2.0	ug/l	25.0		86	75-120			
1,2-Dibromo-3-chloropropane	19.2	5.0	ug/l	25.0		77	55-120			
1,2-Dibromoethane (EDB)	21.6	2.0	ug/l	25.0		86	75-125			
Dibromomethane	21.2	2.0	ug/l	25.0		85	80-125			
1,2-Dichlorobenzene	21.5	1.0	ug/l	25.0		86	80-120			
1,3-Dichlorobenzene	21.3	1.0	ug/l	25.0		85	80-125			
1,4-Dichlorobenzene	21.8	1.0	ug/l	25.0		87	80-120			
Dichlorodifluoromethane	20.4	5.0	ug/l	25.0		82	60-140			
1,1-Dichloroethane	21.4	2.0	ug/l	25.0		86	80-120			
1,2-Dichloroethane	21.8	1.0	ug/l	25.0		87	75-125			
1,1-Dichloroethene	21.2	5.0	ug/l	25.0		85	75-120			
cis-1,2-Dichloroethene	20.5	2.0	ug/l	25.0		82	80-125			
trans-1,2-Dichloroethene	21.3	2.0	ug/l	25.0		85	80-120			
1,2-Dichloropropane	22.0	2.0	ug/l	25.0		88	80-120			
1,3-Dichloropropane	21.6	2.0	ug/l	25.0		86	80-120			
2,2-Dichloropropane	21.2	2.0	ug/l	25.0		85	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0216 Extracted: 10/02/06										
LCS Analyzed: 10/02/2006 (P6J0216-BS1)										
1,1-Dichloropropene	22.0	2.0	ug/l	25.0		88	80-120			
cis-1,3-Dichloropropene	22.3	2.0	ug/l	25.0		89	75-120			
trans-1,3-Dichloropropene	22.3	2.0	ug/l	25.0		89	80-120			
Ethylbenzene	21.9	2.0	ug/l	25.0		88	80-125			
Hexachlorobutadiene	20.6	5.0	ug/l	25.0		82	70-130			
2-Hexanone	22.8	10	ug/l	25.0		91	40-150			
Iodomethane	21.0	2.0	ug/l	25.0		84	80-130			
Isopropylbenzene	23.1	2.0	ug/l	25.0		92	80-140			
p-Isopropyltoluene	21.9	2.0	ug/l	25.0		88	80-130			
Methylene chloride	21.2	5.0	ug/l	25.0		85	80-120			
4-Methyl-2-pentanone (MIBK)	20.5	10	ug/l	25.0		82	50-140			
Methyl-tert-butyl Ether (MTBE)	21.6	5.0	ug/l	25.0		86	65-130			
Naphthalene	19.5	2.0	ug/l	25.0		78	70-130			
n-Propylbenzene	22.5	2.0	ug/l	25.0		90	80-135			
Styrene	22.3	2.0	ug/l	25.0		89	80-125			
1,1,1,2-Tetrachloroethane	21.5	5.0	ug/l	25.0		86	80-120			
1,1,2,2-Tetrachloroethane	21.7	2.0	ug/l	25.0		87	65-140			
Toluene	21.7	2.0	ug/l	25.0		87	80-125			
1,2,3-Trichlorobenzene	22.7	5.0	ug/l	25.0		91	75-125			
1,2,4-Trichlorobenzene	22.2	5.0	ug/l	25.0		89	80-125			
1,1,1-Trichloroethane	21.2	2.0	ug/l	25.0		85	75-125			
1,1,2-Trichloroethane	20.7	2.0	ug/l	25.0		83	80-125			
Trichloroethene	21.0	2.0	ug/l	25.0		84	80-120			
Trichlorofluoromethane	22.6	5.0	ug/l	25.0		90	75-130			
1,2,3-Trichloropropane	20.5	10	ug/l	25.0		82	65-135			
1,2,4-Trimethylbenzene	21.9	2.0	ug/l	25.0		88	80-125			
1,3,5-Trimethylbenzene	21.9	2.0	ug/l	25.0		88	80-130			
Vinyl acetate	27.8	25	ug/l	25.0		111	70-140			
Vinyl chloride	22.2	1.7	ug/l	25.0		89	70-135			
Xylenes, Total	42.9	3.0	ug/l	50.0		86	80-125			
Surrogate: Dibromofluoromethane	*24.3*		*ug/l*	*25.0*		*97*	*80-130*			
Surrogate: Toluene-d8	*24.1*		*ug/l*	*25.0*		*96*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.4*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0216 Extracted: 10/02/06										
LCS Dup Analyzed: 10/02/2006 (P6J0216-BSD1)										
Acetone	23.3	20	ug/l	25.0		93	30-150	8	35	
Benzene	20.9	1.0	ug/l	25.0		84	80-120	3	10	
Bromobenzene	21.2	5.0	ug/l	25.0		85	80-125	3	10	
Bromochloromethane	20.9	5.0	ug/l	25.0		84	80-125	3	15	
Bromodichloromethane	21.1	2.0	ug/l	25.0		84	80-120	3	15	
Bromoform	19.9	5.0	ug/l	25.0		80	70-120	2	20	
Bromomethane	21.4	5.0	ug/l	25.0		86	80-135	1	15	
2-Butanone (MEK)	20.2	10	ug/l	25.0		81	55-150	6	35	
n-Butylbenzene	21.5	5.0	ug/l	25.0		86	80-120	1	10	
sec-Butylbenzene	20.9	5.0	ug/l	25.0		84	80-130	2	10	
tert-Butylbenzene	21.0	5.0	ug/l	25.0		84	80-130	2	10	
Carbon Disulfide	20.8	5.0	ug/l	25.0		83	55-145	2	15	
Carbon tetrachloride	20.2	5.0	ug/l	25.0		81	80-120	3	15	
Chlorobenzene	20.9	1.0	ug/l	25.0		84	80-120	1	10	
Chloroethane	21.9	5.0	ug/l	25.0		88	80-125	1	15	
Chloroform	21.2	2.0	ug/l	25.0		85	80-120	1	10	
Chloromethane	22.4	5.0	ug/l	25.0		90	70-130	2	15	
2-Chlorotoluene	20.3	5.0	ug/l	25.0		81	80-120	3	10	
4-Chlorotoluene	20.8	5.0	ug/l	25.0		83	80-120	3	10	
Dibromochloromethane	20.2	2.0	ug/l	25.0		81	75-120	7	15	
1,2-Dibromo-3-chloropropane	18.9	5.0	ug/l	25.0		76	55-120	2	35	
1,2-Dibromoethane (EDB)	21.1	2.0	ug/l	25.0		84	75-125	2	20	
Dibromomethane	20.2	2.0	ug/l	25.0		81	80-125	5	20	
1,2-Dichlorobenzene	20.7	1.0	ug/l	25.0		83	80-120	4	10	
1,3-Dichlorobenzene	20.7	1.0	ug/l	25.0		83	80-125	3	10	
1,4-Dichlorobenzene	21.2	1.0	ug/l	25.0		85	80-120	3	10	
Dichlorodifluoromethane	20.0	5.0	ug/l	25.0		80	60-140	2	15	
1,1-Dichloroethane	21.2	2.0	ug/l	25.0		85	80-120	1	10	
1,2-Dichloroethane	21.4	1.0	ug/l	25.0		86	75-125	2	20	
1,1-Dichloroethene	20.8	5.0	ug/l	25.0		83	75-120	2	15	
cis-1,2-Dichloroethene	20.3	2.0	ug/l	25.0		81	80-125	1	10	
trans-1,2-Dichloroethene	20.8	2.0	ug/l	25.0		83	80-120	2	10	
1,2-Dichloropropane	21.0	2.0	ug/l	25.0		84	80-120	5	15	
1,3-Dichloropropane	21.5	2.0	ug/l	25.0		86	80-120	1	15	
2,2-Dichloropropane	20.8	2.0	ug/l	25.0		83	70-130	2	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0216 Extracted: 10/02/06										
LCS Dup Analyzed: 10/02/2006 (P6J0216-BSD1)										
1,1-Dichloropropene	21.0	2.0	ug/l	25.0		84	80-120	5	10	
cis-1,3-Dichloropropene	21.5	2.0	ug/l	25.0		86	75-120	4	15	
trans-1,3-Dichloropropene	21.4	2.0	ug/l	25.0		86	80-120	4	20	
Ethylbenzene	21.4	2.0	ug/l	25.0		86	80-125	2	15	
Hexachlorobutadiene	20.1	5.0	ug/l	25.0		80	70-130	2	15	
2-Hexanone	21.7	10	ug/l	25.0		87	40-150	5	35	
Iodomethane	20.4	2.0	ug/l	25.0		82	80-130	3	10	
Isopropylbenzene	22.3	2.0	ug/l	25.0		89	80-140	4	10	
p-Isopropyltoluene	21.2	2.0	ug/l	25.0		85	80-130	3	15	
Methylene chloride	20.6	5.0	ug/l	25.0		82	80-120	3	10	
4-Methyl-2-pentanone (MIBK)	20.3	10	ug/l	25.0		81	50-140	1	35	
Methyl-tert-butyl Ether (MTBE)	21.4	5.0	ug/l	25.0		86	65-130	1	25	
Naphthalene	18.8	2.0	ug/l	25.0		75	70-130	4	20	
n-Propylbenzene	21.7	2.0	ug/l	25.0		87	80-135	4	10	
Styrene	21.9	2.0	ug/l	25.0		88	80-125	2	15	
1,1,1,2-Tetrachloroethane	21.3	5.0	ug/l	25.0		85	80-120	1	15	
1,1,2,2-Tetrachloroethane	21.4	2.0	ug/l	25.0		86	65-140	1	25	
Toluene	21.5	2.0	ug/l	25.0		86	80-125	1	10	
1,2,3-Trichlorobenzene	21.9	5.0	ug/l	25.0		88	75-125	4	15	
1,2,4-Trichlorobenzene	21.1	5.0	ug/l	25.0		84	80-125	5	15	
1,1,1-Trichloroethane	20.9	2.0	ug/l	25.0		84	75-125	1	10	
1,1,2-Trichloroethane	20.6	2.0	ug/l	25.0		82	80-125	1	25	
Trichloroethene	20.8	2.0	ug/l	25.0		83	80-120	1	10	
Trichlorofluoromethane	22.2	5.0	ug/l	25.0		89	75-130	2	10	
1,2,3-Trichloropropane	20.3	10	ug/l	25.0		81	65-135	1	25	
1,2,4-Trimethylbenzene	21.0	2.0	ug/l	25.0		84	80-125	4	10	
1,3,5-Trimethylbenzene	21.1	2.0	ug/l	25.0		84	80-130	4	10	
Vinyl acetate	28.2	25	ug/l	25.0		113	70-140	1	30	
Vinyl chloride	22.0	1.7	ug/l	25.0		88	70-135	1	15	
Xylenes, Total	42.5	3.0	ug/l	50.0		85	80-125	1	15	
Surrogate: Dibromofluoromethane	*24.3*		*ug/l*	*25.0*		*97*	*80-130*			
Surrogate: Toluene-d8	*24.0*		*ug/l*	*25.0*		*96*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.6*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0216 Extracted: 10/02/06										
Matrix Spike Analyzed: 10/02/2006 (P6J0216-MS1)					**Source: PPI0606-03**					
Acetone	25.3	20	ug/l	25.0	ND	101	15-150			
Benzene	22.7	1.0	ug/l	25.0	0.64	88	80-125			
Bromobenzene	22.2	5.0	ug/l	25.0	ND	89	80-125			
Bromochloromethane	21.7	5.0	ug/l	25.0	ND	87	80-130			
Bromodichloromethane	22.2	2.0	ug/l	25.0	ND	89	70-130			
Bromoform	20.7	5.0	ug/l	25.0	ND	83	70-120			
Bromomethane	22.6	5.0	ug/l	25.0	ND	90	80-135			
2-Butanone (MEK)	22.3	10	ug/l	25.0	ND	89	30-150			
n-Butylbenzene	22.5	5.0	ug/l	25.0	ND	90	80-135			
sec-Butylbenzene	23.2	5.0	ug/l	25.0	0.46	91	80-130			
tert-Butylbenzene	22.3	5.0	ug/l	25.0	ND	89	80-130			
Carbon Disulfide	21.8	5.0	ug/l	25.0	ND	87	45-150			
Carbon tetrachloride	21.0	5.0	ug/l	25.0	ND	84	65-135			
Chlorobenzene	21.6	1.0	ug/l	25.0	ND	86	80-125			
Chloroethane	22.8	5.0	ug/l	25.0	ND	91	80-125			
Chloroform	23.0	2.0	ug/l	25.0	0.68	89	75-130			
Chloromethane	23.0	5.0	ug/l	25.0	ND	92	65-130			
2-Chlorotoluene	21.8	5.0	ug/l	25.0	ND	87	80-130			
4-Chlorotoluene	22.2	5.0	ug/l	25.0	ND	89	80-135			
Dibromochloromethane	21.5	2.0	ug/l	25.0	ND	86	75-120			
1,2-Dibromo-3-chloropropane	19.5	5.0	ug/l	25.0	ND	78	50-130			
1,2-Dibromoethane (EDB)	22.3	2.0	ug/l	25.0	ND	89	70-130			
Dibromomethane	21.7	2.0	ug/l	25.0	ND	87	75-130			
1,2-Dichlorobenzene	22.0	1.0	ug/l	25.0	ND	88	80-130			
1,3-Dichlorobenzene	21.5	1.0	ug/l	25.0	ND	86	80-130			
1,4-Dichlorobenzene	22.1	1.0	ug/l	25.0	ND	88	80-125			
Dichlorodifluoromethane	20.9	5.0	ug/l	25.0	ND	84	60-140			
1,1-Dichloroethane	33.9	2.0	ug/l	25.0	12	88	80-125			
1,2-Dichloroethane	23.2	1.0	ug/l	25.0	ND	93	60-145			
1,1-Dichloroethene	22.1	5.0	ug/l	25.0	ND	88	75-130			
cis-1,2-Dichloroethene	22.0	2.0	ug/l	25.0	0.59	86	80-125			
trans-1,2-Dichloroethene	21.8	2.0	ug/l	25.0	ND	87	80-120			
1,2-Dichloropropane	22.2	2.0	ug/l	25.0	ND	89	80-125			
1,3-Dichloropropane	22.6	2.0	ug/l	25.0	ND	90	75-130			
2,2-Dichloropropane	20.7	2.0	ug/l	25.0	ND	83	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0216 Extracted: 10/02/06										
Matrix Spike Analyzed: 10/02/2006 (P6J0216-MS1)					**Source: PPI0606-03**					
1,1-Dichloropropene	22.6	2.0	ug/l	25.0	ND	90	80-125			
cis-1,3-Dichloropropene	22.4	2.0	ug/l	25.0	ND	90	75-120			
trans-1,3-Dichloropropene	22.3	2.0	ug/l	25.0	ND	89	75-130			
Ethylbenzene	22.5	2.0	ug/l	25.0	ND	90	80-130			
Hexachlorobutadiene	21.5	5.0	ug/l	25.0	ND	86	65-130			
2-Hexanone	22.9	10	ug/l	25.0	ND	92	40-150			
Iodomethane	21.9	2.0	ug/l	25.0	ND	88	70-140			
Isopropylbenzene	24.2	2.0	ug/l	25.0	0.56	95	80-140			
p-Isopropyltoluene	22.5	2.0	ug/l	25.0	ND	90	80-135			
Methylene chloride	22.5	5.0	ug/l	25.0	ND	90	75-125			
4-Methyl-2-pentanone (MIBK)	21.7	10	ug/l	25.0	ND	87	40-140			
Methyl-tert-butyl Ether (MTBE)	26.5	5.0	ug/l	25.0	3.7	91	65-135			
Naphthalene	20.3	2.0	ug/l	25.0	ND	81	60-140			
n-Propylbenzene	23.5	2.0	ug/l	25.0	ND	94	80-140			
Styrene	22.6	2.0	ug/l	25.0	ND	90	30-150			
1,1,1,2-Tetrachloroethane	22.3	5.0	ug/l	25.0	ND	89	80-130			
1,1,2,2-Tetrachloroethane	23.4	2.0	ug/l	25.0	ND	94	65-140			
Toluene	22.3	2.0	ug/l	25.0	ND	89	80-130			
1,2,3-Trichlorobenzene	22.5	5.0	ug/l	25.0	ND	90	75-140			
1,2,4-Trichlorobenzene	21.7	5.0	ug/l	25.0	ND	87	80-135			
1,1,1-Trichloroethane	21.8	2.0	ug/l	25.0	ND	87	70-135			
1,1,2-Trichloroethane	22.0	2.0	ug/l	25.0	ND	88	70-135			
Trichloroethene	22.1	2.0	ug/l	25.0	0.52	86	80-125			
Trichlorofluoromethane	23.4	5.0	ug/l	25.0	ND	94	70-140			
1,2,3-Trichloropropane	22.4	10	ug/l	25.0	ND	90	65-135			
1,2,4-Trimethylbenzene	22.2	2.0	ug/l	25.0	ND	89	75-130			
1,3,5-Trimethylbenzene	22.5	2.0	ug/l	25.0	ND	90	80-135			
Vinyl acetate	30.0	25	ug/l	25.0	ND	120	30-150			
Vinyl chloride	26.8	1.7	ug/l	25.0	4.1	91	70-135			
Xylenes, Total	43.2	3.0	ug/l	50.0	ND	86	80-125			
Surrogate: Dibromofluoromethane	*25.0*		*ug/l*	*25.0*		*100*	*80-130*			
Surrogate: Toluene-d8	*24.3*		*ug/l*	*25.0*		*97*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.3*		*ug/l*	*25.0*		*97*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0216 Extracted: 10/02/06										
Matrix Spike Dup Analyzed: 10/02/2006 (P6J0216-MSD1)					**Source: PPI0606-03**					
Acetone	24.1	20	ug/l	25.0	ND	96	15-150	5	35	
Benzene	21.8	1.0	ug/l	25.0	0.64	85	80-125	4	10	
Bromobenzene	20.6	5.0	ug/l	25.0	ND	82	80-125	7	15	
Bromochloromethane	21.3	5.0	ug/l	25.0	ND	85	80-130	2	20	
Bromodichloromethane	21.0	2.0	ug/l	25.0	ND	84	70-130	6	15	
Bromoform	19.8	5.0	ug/l	25.0	ND	79	70-120	4	25	
Bromomethane	21.9	5.0	ug/l	25.0	ND	88	80-135	3	20	
2-Butanone (MEK)	21.1	10	ug/l	25.0	ND	84	30-150	6	35	
n-Butylbenzene	21.9	5.0	ug/l	25.0	ND	88	80-135	3	20	
sec-Butylbenzene	22.1	5.0	ug/l	25.0	0.46	87	80-130	5	20	
tert-Butylbenzene	21.7	5.0	ug/l	25.0	ND	87	80-130	3	20	
Carbon Disulfide	21.9	5.0	ug/l	25.0	ND	88	45-150	1	15	
Carbon tetrachloride	20.4	5.0	ug/l	25.0	ND	82	65-135	3	15	
Chlorobenzene	21.4	1.0	ug/l	25.0	ND	86	80-125	1	15	
Chloroethane	22.1	5.0	ug/l	25.0	ND	88	80-125	3	20	
Chloroform	22.3	2.0	ug/l	25.0	0.68	86	75-130	3	15	
Chloromethane	22.2	5.0	ug/l	25.0	ND	89	65-130	4	20	
2-Chlorotoluene	20.9	5.0	ug/l	25.0	ND	84	80-130	4	15	
4-Chlorotoluene	21.4	5.0	ug/l	25.0	ND	86	80-135	4	15	
Dibromochloromethane	20.7	2.0	ug/l	25.0	ND	83	75-120	4	20	
1,2-Dibromo-3-chloropropane	20.1	5.0	ug/l	25.0	ND	80	50-130	3	35	
1,2-Dibromoethane (EDB)	21.1	2.0	ug/l	25.0	ND	84	70-130	6	25	
Dibromomethane	20.5	2.0	ug/l	25.0	ND	82	75-130	6	25	
1,2-Dichlorobenzene	21.1	1.0	ug/l	25.0	ND	84	80-130	4	15	
1,3-Dichlorobenzene	20.9	1.0	ug/l	25.0	ND	84	80-130	3	15	
1,4-Dichlorobenzene	21.1	1.0	ug/l	25.0	ND	84	80-125	5	10	
Dichlorodifluoromethane	19.7	5.0	ug/l	25.0	ND	79	60-140	6	45	
1,1-Dichloroethane	33.1	2.0	ug/l	25.0	12	84	80-125	2	15	
1,2-Dichloroethane	22.0	1.0	ug/l	25.0	ND	88	60-145	5	20	
1,1-Dichloroethene	21.3	5.0	ug/l	25.0	ND	85	75-130	4	15	
cis-1,2-Dichloroethene	21.2	2.0	ug/l	25.0	0.59	82	80-125	4	15	
trans-1,2-Dichloroethene	21.1	2.0	ug/l	25.0	ND	84	80-120	3	15	
1,2-Dichloropropane	21.3	2.0	ug/l	25.0	ND	85	80-125	4	15	
1,3-Dichloropropane	21.4	2.0	ug/l	25.0	ND	86	75-130	5	20	
2,2-Dichloropropane	20.1	2.0	ug/l	25.0	ND	80	60-135	3	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0216 Extracted: 10/02/06										
Matrix Spike Dup Analyzed: 10/02/2006 (P6J0216-MSD1)					**Source: PPI0606-03**					
1,1-Dichloropropene	21.4	2.0	ug/l	25.0	ND	86	80-125	5	15	
cis-1,3-Dichloropropene	21.1	2.0	ug/l	25.0	ND	84	75-120	6	15	
trans-1,3-Dichloropropene	21.5	2.0	ug/l	25.0	ND	86	75-130	4	25	
Ethylbenzene	21.8	2.0	ug/l	25.0	ND	87	80-130	3	15	
Hexachlorobutadiene	20.5	5.0	ug/l	25.0	ND	82	65-130	5	15	
2-Hexanone	22.8	10	ug/l	25.0	ND	91	40-150	0	35	
Iodomethane	21.6	2.0	ug/l	25.0	ND	86	70-140	1	15	
Isopropylbenzene	23.3	2.0	ug/l	25.0	0.56	91	80-140	4	20	
p-Isopropyltoluene	21.7	2.0	ug/l	25.0	ND	87	80-135	4	20	
Methylene chloride	21.5	5.0	ug/l	25.0	ND	86	75-125	5	15	
4-Methyl-2-pentanone (MIBK)	20.8	10	ug/l	25.0	ND	83	40-140	4	35	
Methyl-tert-butyl Ether (MTBE)	25.3	5.0	ug/l	25.0	3.7	86	65-135	5	30	
Naphthalene	19.8	2.0	ug/l	25.0	ND	79	60-140	2	30	
n-Propylbenzene	22.2	2.0	ug/l	25.0	ND	89	80-140	6	20	
Styrene	22.0	2.0	ug/l	25.0	ND	88	30-150	3	25	
1,1,1,2-Tetrachloroethane	21.2	5.0	ug/l	25.0	ND	85	80-130	5	15	
1,1,2,2-Tetrachloroethane	21.7	2.0	ug/l	25.0	ND	87	65-140	8	35	
Toluene	21.3	2.0	ug/l	25.0	ND	85	80-130	5	15	
1,2,3-Trichlorobenzene	22.5	5.0	ug/l	25.0	ND	90	75-140	0	20	
1,2,4-Trichlorobenzene	21.6	5.0	ug/l	25.0	ND	86	80-135	1	15	
1,1,1-Trichloroethane	21.0	2.0	ug/l	25.0	ND	84	70-135	4	15	
1,1,2-Trichloroethane	20.6	2.0	ug/l	25.0	ND	82	70-135	7	25	
Trichloroethene	21.3	2.0	ug/l	25.0	0.52	83	80-125	4	15	
Trichlorofluoromethane	22.6	5.0	ug/l	25.0	ND	90	70-140	3	15	
1,2,3-Trichloropropane	20.7	10	ug/l	25.0	ND	83	65-135	8	35	
1,2,4-Trimethylbenzene	21.4	2.0	ug/l	25.0	ND	86	75-130	4	15	
1,3,5-Trimethylbenzene	21.6	2.0	ug/l	25.0	ND	86	80-135	4	15	
Vinyl acetate	29.0	25	ug/l	25.0	ND	116	30-150	3	35	
Vinyl chloride	25.8	1.7	ug/l	25.0	4.1	87	70-135	4	25	
Xylenes, Total	42.4	3.0	ug/l	50.0	ND	85	80-125	2	15	
Surrogate: Dibromofluoromethane	*24.7*		*ug/l*	*25.0*		*99*	*80-130*			
Surrogate: Toluene-d8	*24.2*		*ug/l*	*25.0*		*97*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.6*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0318 Extracted: 10/03/06										
Blank Analyzed: 10/03/2006 (P6J0318-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0318 Extracted: 10/03/06										
Blank Analyzed: 10/03/2006 (P6J0318-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*24.7*		*ug/l*	*25.0*		*99*	*80-130*			
Surrogate: Toluene-d8	*23.9*		*ug/l*	*25.0*		*96*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*22.6*		*ug/l*	*25.0*		*90*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0318 Extracted: 10/03/06										
LCS Analyzed: 10/03/2006 (P6J0318-BS1)										
Acetone	22.2	20	ug/l	25.0		89	30-150			
Benzene	21.5	1.0	ug/l	25.0		86	80-120			
Bromobenzene	21.7	5.0	ug/l	25.0		87	80-125			
Bromochloromethane	21.0	5.0	ug/l	25.0		84	80-125			
Bromodichloromethane	21.6	2.0	ug/l	25.0		86	80-120			
Bromoform	20.1	5.0	ug/l	25.0		80	70-120			
Bromomethane	21.5	5.0	ug/l	25.0		86	80-135			
2-Butanone (MEK)	23.0	10	ug/l	25.0		92	55-150			
n-Butylbenzene	21.3	5.0	ug/l	25.0		85	80-120			
sec-Butylbenzene	21.2	5.0	ug/l	25.0		85	80-130			
tert-Butylbenzene	21.1	5.0	ug/l	25.0		84	80-130			
Carbon Disulfide	21.1	5.0	ug/l	25.0		84	55-145			
Carbon tetrachloride	20.7	5.0	ug/l	25.0		83	80-120			
Chlorobenzene	21.3	1.0	ug/l	25.0		85	80-120			
Chloroethane	21.4	5.0	ug/l	25.0		86	80-125			
Chloroform	21.4	2.0	ug/l	25.0		86	80-120			
Chloromethane	21.9	5.0	ug/l	25.0		88	70-130			
2-Chlorotoluene	20.8	5.0	ug/l	25.0		83	80-120			
4-Chlorotoluene	21.3	5.0	ug/l	25.0		85	80-120			
Dibromochloromethane	21.7	2.0	ug/l	25.0		87	75-120			
1,2-Dibromo-3-chloropropane	19.5	5.0	ug/l	25.0		78	55-120			
1,2-Dibromoethane (EDB)	21.6	2.0	ug/l	25.0		86	75-125			
Dibromomethane	21.4	2.0	ug/l	25.0		86	80-125			
1,2-Dichlorobenzene	21.2	1.0	ug/l	25.0		85	80-120			
1,3-Dichlorobenzene	21.0	1.0	ug/l	25.0		84	80-125			
1,4-Dichlorobenzene	21.4	1.0	ug/l	25.0		86	80-120			
Dichlorodifluoromethane	18.7	5.0	ug/l	25.0		75	60-140			
1,1-Dichloroethane	21.4	2.0	ug/l	25.0		86	80-120			
1,2-Dichloroethane	22.5	1.0	ug/l	25.0		90	75-125			
1,1-Dichloroethene	21.0	5.0	ug/l	25.0		84	75-120			
cis-1,2-Dichloroethene	20.2	2.0	ug/l	25.0		81	80-125			
trans-1,2-Dichloroethene	21.2	2.0	ug/l	25.0		85	80-120			
1,2-Dichloropropane	22.1	2.0	ug/l	25.0		88	80-120			
1,3-Dichloropropane	22.0	2.0	ug/l	25.0		88	80-120			
2,2-Dichloropropane	20.8	2.0	ug/l	25.0		83	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0318 Extracted: 10/03/06										
LCS Analyzed: 10/03/2006 (P6J0318-BS1)										
1,1-Dichloropropene	21.7	2.0	ug/l	25.0		87	80-120			
cis-1,3-Dichloropropene	22.4	2.0	ug/l	25.0		90	75-120			
trans-1,3-Dichloropropene	22.7	2.0	ug/l	25.0		91	80-120			
Ethylbenzene	21.6	2.0	ug/l	25.0		86	80-125			
Hexachlorobutadiene	19.5	5.0	ug/l	25.0		78	70-130			
2-Hexanone	24.0	10	ug/l	25.0		96	40-150			
Iodomethane	21.0	2.0	ug/l	25.0		84	80-130			
Isopropylbenzene	22.4	2.0	ug/l	25.0		90	80-140			
p-Isopropyltoluene	21.2	2.0	ug/l	25.0		85	80-130			
Methylene chloride	21.3	5.0	ug/l	25.0		85	80-120			
4-Methyl-2-pentanone (MIBK)	21.3	10	ug/l	25.0		85	50-140			
Methyl-tert-butyl Ether (MTBE)	22.3	5.0	ug/l	25.0		89	65-130			
Naphthalene	19.3	2.0	ug/l	25.0		77	70-130			
n-Propylbenzene	22.0	2.0	ug/l	25.0		88	80-135			
Styrene	22.1	2.0	ug/l	25.0		88	80-125			
1,1,1,2-Tetrachloroethane	22.1	5.0	ug/l	25.0		88	80-120			
1,1,2,2-Tetrachloroethane	22.0	2.0	ug/l	25.0		88	65-140			
Tetrachloroethene	20.4	2.0	ug/l	25.0		82	80-125			
Toluene	22.2	2.0	ug/l	25.0		89	80-125			
1,2,3-Trichlorobenzene	23.0	5.0	ug/l	25.0		92	75-125			
1,2,4-Trichlorobenzene	21.9	5.0	ug/l	25.0		88	80-125			
1,1,1-Trichloroethane	20.9	2.0	ug/l	25.0		84	75-125			
1,1,2-Trichloroethane	21.8	2.0	ug/l	25.0		87	80-125			
Trichloroethene	21.3	2.0	ug/l	25.0		85	80-120			
Trichlorofluoromethane	22.4	5.0	ug/l	25.0		90	75-130			
1,2,3-Trichloropropane	21.6	10	ug/l	25.0		86	65-135			
1,2,4-Trimethylbenzene	21.4	2.0	ug/l	25.0		86	80-125			
1,3,5-Trimethylbenzene	21.2	2.0	ug/l	25.0		85	80-130			
Vinyl acetate	29.9	25	ug/l	25.0		120	70-140			
Vinyl chloride	21.8	1.7	ug/l	25.0		87	70-135			
Xylenes, Total	43.0	3.0	ug/l	50.0		86	80-125			
Surrogate: Dibromofluoromethane	*24.3*		*ug/l*	*25.0*		*97*	*80-130*			
Surrogate: Toluene-d8	*24.2*		*ug/l*	*25.0*		*97*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.8*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0318 Extracted: 10/03/06										
LCS Dup Analyzed: 10/03/2006 (P6J0318-BSD1)										
Acetone	25.4	20	ug/l	25.0		102	30-150	13	35	
Benzene	21.4	1.0	ug/l	25.0		86	80-120	1	10	
Bromobenzene	22.1	5.0	ug/l	25.0		88	80-125	2	10	
Bromochloromethane	22.1	5.0	ug/l	25.0		88	80-125	5	15	
Bromodichloromethane	21.4	2.0	ug/l	25.0		86	80-120	1	15	
Bromoform	20.8	5.0	ug/l	25.0		83	70-120	3	20	
Bromomethane	21.6	5.0	ug/l	25.0		86	80-135	1	15	
2-Butanone (MEK)	22.3	10	ug/l	25.0		89	55-150	3	35	
n-Butylbenzene	21.4	5.0	ug/l	25.0		86	80-120	1	10	
sec-Butylbenzene	21.3	5.0	ug/l	25.0		85	80-130	1	10	
tert-Butylbenzene	21.3	5.0	ug/l	25.0		85	80-130	1	10	
Carbon Disulfide	22.0	5.0	ug/l	25.0		88	55-145	4	15	
Carbon tetrachloride	20.8	5.0	ug/l	25.0		83	80-120	1	15	
Chlorobenzene	21.0	1.0	ug/l	25.0		84	80-120	1	10	
Chloroethane	22.3	5.0	ug/l	25.0		89	80-125	4	15	
Chloroform	21.4	2.0	ug/l	25.0		86	80-120	0	10	
Chloromethane	22.0	5.0	ug/l	25.0		88	70-130	1	15	
2-Chlorotoluene	21.1	5.0	ug/l	25.0		84	80-120	1	10	
4-Chlorotoluene	21.7	5.0	ug/l	25.0		87	80-120	2	10	
Dibromochloromethane	21.2	2.0	ug/l	25.0		85	75-120	2	15	
1,2-Dibromo-3-chloropropane	19.7	5.0	ug/l	25.0		79	55-120	1	35	
1,2-Dibromoethane (EDB)	21.4	2.0	ug/l	25.0		86	75-125	1	20	
Dibromomethane	21.5	2.0	ug/l	25.0		86	80-125	1	20	
1,2-Dichlorobenzene	21.8	1.0	ug/l	25.0		87	80-120	3	10	
1,3-Dichlorobenzene	21.3	1.0	ug/l	25.0		85	80-125	1	10	
1,4-Dichlorobenzene	21.9	1.0	ug/l	25.0		88	80-120	2	10	
Dichlorodifluoromethane	18.8	5.0	ug/l	25.0		75	60-140	1	15	
1,1-Dichloroethane	21.1	2.0	ug/l	25.0		84	80-120	1	10	
1,2-Dichloroethane	22.3	1.0	ug/l	25.0		89	75-125	1	20	
1,1-Dichloroethene	21.0	5.0	ug/l	25.0		84	75-120	0	15	
cis-1,2-Dichloroethene	20.5	2.0	ug/l	25.0		82	80-125	1	10	
trans-1,2-Dichloroethene	20.9	2.0	ug/l	25.0		84	80-120	1	10	
1,2-Dichloropropane	22.1	2.0	ug/l	25.0		88	80-120	0	15	
1,3-Dichloropropane	21.9	2.0	ug/l	25.0		88	80-120	1	15	
2,2-Dichloropropane	21.1	2.0	ug/l	25.0		84	70-130	1	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0318 Extracted: 10/03/06										
LCS Dup Analyzed: 10/03/2006 (P6J0318-BSD1)										
1,1-Dichloropropene	22.0	2.0	ug/l	25.0		88	80-120	1	10	
cis-1,3-Dichloropropene	22.3	2.0	ug/l	25.0		89	75-120	0	15	
trans-1,3-Dichloropropene	22.4	2.0	ug/l	25.0		90	80-120	1	20	
Ethylbenzene	21.5	2.0	ug/l	25.0		86	80-125	1	15	
Hexachlorobutadiene	19.5	5.0	ug/l	25.0		78	70-130	0	15	
2-Hexanone	24.2	10	ug/l	25.0		97	40-150	1	35	
Iodomethane	22.0	2.0	ug/l	25.0		88	80-130	5	10	
Isopropylbenzene	23.2	2.0	ug/l	25.0		93	80-140	4	10	
p-Isopropyltoluene	21.2	2.0	ug/l	25.0		85	80-130	0	15	
Methylene chloride	21.3	5.0	ug/l	25.0		85	80-120	0	10	
4-Methyl-2-pentanone (MIBK)	22.6	10	ug/l	25.0		90	50-140	6	35	
Methyl-tert-butyl Ether (MTBE)	21.8	5.0	ug/l	25.0		87	65-130	2	25	
Naphthalene	19.9	2.0	ug/l	25.0		80	70-130	3	20	
n-Propylbenzene	22.2	2.0	ug/l	25.0		89	80-135	1	10	
Styrene	22.0	2.0	ug/l	25.0		88	80-125	1	15	
1,1,1,2-Tetrachloroethane	21.2	5.0	ug/l	25.0		85	80-120	4	15	
1,1,2,2-Tetrachloroethane	23.1	2.0	ug/l	25.0		92	65-140	5	25	
Tetrachloroethene	20.4	2.0	ug/l	25.0		82	80-125	0	15	
Toluene	21.8	2.0	ug/l	25.0		87	80-125	2	10	
1,2,3-Trichlorobenzene	22.6	5.0	ug/l	25.0		90	75-125	2	15	
1,2,4-Trichlorobenzene	22.1	5.0	ug/l	25.0		88	80-125	1	15	
1,1,1-Trichloroethane	21.2	2.0	ug/l	25.0		85	75-125	1	10	
1,1,2-Trichloroethane	21.6	2.0	ug/l	25.0		86	80-125	1	25	
Trichloroethene	21.3	2.0	ug/l	25.0		85	80-120	0	10	
Trichlorofluoromethane	22.5	5.0	ug/l	25.0		90	75-130	0	10	
1,2,3-Trichloropropane	22.0	10	ug/l	25.0		88	65-135	2	25	
1,2,4-Trimethylbenzene	22.0	2.0	ug/l	25.0		88	80-125	3	10	
1,3,5-Trimethylbenzene	21.8	2.0	ug/l	25.0		87	80-130	3	10	
Vinyl acetate	29.6	25	ug/l	25.0		118	70-140	1	30	
Vinyl chloride	21.8	1.7	ug/l	25.0		87	70-135	0	15	
Xylenes, Total	42.3	3.0	ug/l	50.0		85	80-125	2	15	
Surrogate: Dibromofluoromethane	*24.4*		*ug/l*	*25.0*		*98*	*80-130*			
Surrogate: Toluene-d8	*23.8*		*ug/l*	*25.0*		*95*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.9*		*ug/l*	*25.0*		*96*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0318 Extracted: 10/03/06										
Matrix Spike Analyzed: 10/03/2006 (P6J0318-MS1)					**Source: PPI0664-03**					
Acetone	24.9	20	ug/l	25.0	ND	100	15-150			
Benzene	20.9	1.0	ug/l	25.0	ND	84	80-125			
Bromobenzene	21.5	5.0	ug/l	25.0	ND	86	80-125			
Bromochloromethane	21.7	5.0	ug/l	25.0	ND	87	80-130			
Bromodichloromethane	21.2	2.0	ug/l	25.0	ND	85	70-130			
Bromoform	19.7	5.0	ug/l	25.0	ND	79	70-120			
Bromomethane	21.6	5.0	ug/l	25.0	ND	86	80-135			
2-Butanone (MEK)	24.2	10	ug/l	25.0	ND	97	30-150			
n-Butylbenzene	20.6	5.0	ug/l	25.0	ND	82	80-135			
sec-Butylbenzene	21.1	5.0	ug/l	25.0	ND	84	80-130			
tert-Butylbenzene	21.0	5.0	ug/l	25.0	ND	84	80-130			
Carbon Disulfide	22.5	5.0	ug/l	25.0	ND	90	45-150			
Carbon tetrachloride	19.9	5.0	ug/l	25.0	ND	80	65-135			
Chlorobenzene	21.0	1.0	ug/l	25.0	ND	84	80-125			
Chloroethane	22.2	5.0	ug/l	25.0	ND	89	80-125			
Chloroform	22.4	2.0	ug/l	25.0	0.85	86	75-130			
Chloromethane	21.8	5.0	ug/l	25.0	ND	87	65-130			
2-Chlorotoluene	20.7	5.0	ug/l	25.0	ND	83	80-130			
4-Chlorotoluene	21.1	5.0	ug/l	25.0	ND	84	80-135			
Dibromochloromethane	21.2	2.0	ug/l	25.0	ND	85	75-120			
1,2-Dibromo-3-chloropropane	20.0	5.0	ug/l	25.0	ND	80	50-130			
1,2-Dibromoethane (EDB)	22.2	2.0	ug/l	25.0	ND	89	70-130			
Dibromomethane	21.4	2.0	ug/l	25.0	ND	86	75-130			
1,2-Dichlorobenzene	21.2	1.0	ug/l	25.0	ND	85	80-130			
1,3-Dichlorobenzene	20.7	1.0	ug/l	25.0	ND	83	80-130			
1,4-Dichlorobenzene	21.2	1.0	ug/l	25.0	ND	85	80-125			
Dichlorodifluoromethane	18.9	5.0	ug/l	25.0	ND	76	60-140			
1,1-Dichloroethane	25.6	2.0	ug/l	25.0	3.6	88	80-125			
1,2-Dichloroethane	23.3	1.0	ug/l	25.0	ND	93	60-145			
1,1-Dichloroethene	22.1	5.0	ug/l	25.0	1.4	83	75-130			
cis-1,2-Dichloroethene	22.9	2.0	ug/l	25.0	2.3	82	80-125			
trans-1,2-Dichloroethene	21.6	2.0	ug/l	25.0	ND	86	80-120			
1,2-Dichloropropane	21.8	2.0	ug/l	25.0	ND	87	80-125			
1,3-Dichloropropane	22.2	2.0	ug/l	25.0	ND	89	75-130			
2,2-Dichloropropane	20.6	2.0	ug/l	25.0	ND	82	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0318 Extracted: 10/03/06										
Matrix Spike Analyzed: 10/03/2006 (P6J0318-MS1)					**Source: PPI0664-03**					
1,1-Dichloropropene	21.0	2.0	ug/l	25.0	ND	84	80-125			
cis-1,3-Dichloropropene	21.7	2.0	ug/l	25.0	ND	87	75-120			
trans-1,3-Dichloropropene	22.3	2.0	ug/l	25.0	ND	89	75-130			
Ethylbenzene	21.4	2.0	ug/l	25.0	ND	86	80-130			
Hexachlorobutadiene	19.8	5.0	ug/l	25.0	ND	79	65-130			
2-Hexanone	25.3	10	ug/l	25.0	ND	101	40-150			
Iodomethane	22.2	2.0	ug/l	25.0	ND	89	70-140			
Isopropylbenzene	22.3	2.0	ug/l	25.0	ND	89	80-140			
p-Isopropyltoluene	20.7	2.0	ug/l	25.0	ND	83	80-135			
Methylene chloride	21.7	5.0	ug/l	25.0	ND	87	75-125			
4-Methyl-2-pentanone (MIBK)	23.6	10	ug/l	25.0	ND	94	40-140			
Methyl-tert-butyl Ether (MTBE)	22.4	5.0	ug/l	25.0	ND	90	65-135			
Naphthalene	19.7	2.0	ug/l	25.0	ND	79	60-140			
n-Propylbenzene	21.8	2.0	ug/l	25.0	ND	87	80-140			
Styrene	19.5	2.0	ug/l	25.0	ND	78	30-150			
1,1,1,2-Tetrachloroethane	21.5	5.0	ug/l	25.0	ND	86	80-130			
1,1,2,2-Tetrachloroethane	22.8	2.0	ug/l	25.0	ND	91	65-140			
Tetrachloroethene	20.8	2.0	ug/l	25.0	0.78	80	80-130			
Toluene	21.3	2.0	ug/l	25.0	ND	85	80-130			
1,2,3-Trichlorobenzene	22.4	5.0	ug/l	25.0	ND	90	75-140			
1,2,4-Trichlorobenzene	20.6	5.0	ug/l	25.0	ND	82	80-135			
1,1,1-Trichloroethane	21.3	2.0	ug/l	25.0	ND	85	70-135			
1,1,2-Trichloroethane	21.1	2.0	ug/l	25.0	ND	84	70-135			
Trichloroethene	26.9	2.0	ug/l	25.0	6.9	80	80-125			
Trichlorofluoromethane	22.6	5.0	ug/l	25.0	ND	90	70-140			
1,2,3-Trichloropropane	22.7	10	ug/l	25.0	ND	91	65-135			
1,2,4-Trimethylbenzene	21.4	2.0	ug/l	25.0	ND	86	75-130			
1,3,5-Trimethylbenzene	21.1	2.0	ug/l	25.0	ND	84	80-135			
Vinyl acetate	29.6	25	ug/l	25.0	ND	118	30-150			
Vinyl chloride	21.7	1.7	ug/l	25.0	ND	87	70-135			
Xylenes, Total	41.8	3.0	ug/l	50.0	ND	84	80-125			
Surrogate: Dibromofluoromethane	*25.3*		*ug/l*	*25.0*		*101*	*80-130*			
Surrogate: Toluene-d8	*23.9*		*ug/l*	*25.0*		*96*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.1*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0318 Extracted: 10/03/06										
Matrix Spike Dup Analyzed: 10/03/2006 (P6J0318-MSD1)					**Source: PPI0664-03**					
Acetone	23.8	20	ug/l	25.0	ND	95	15-150	5	35	
Benzene	21.5	1.0	ug/l	25.0	ND	86	80-125	3	10	
Bromobenzene	21.7	5.0	ug/l	25.0	ND	87	80-125	1	15	
Bromochloromethane	21.9	5.0	ug/l	25.0	ND	88	80-130	1	20	
Bromodichloromethane	21.7	2.0	ug/l	25.0	ND	87	70-130	2	15	
Bromoform	19.3	5.0	ug/l	25.0	ND	77	70-120	2	25	
Bromomethane	22.1	5.0	ug/l	25.0	ND	88	80-135	2	20	
2-Butanone (MEK)	22.1	10	ug/l	25.0	ND	88	30-150	9	35	
n-Butylbenzene	22.0	5.0	ug/l	25.0	ND	88	80-135	7	20	
sec-Butylbenzene	22.0	5.0	ug/l	25.0	ND	88	80-130	4	20	
tert-Butylbenzene	21.3	5.0	ug/l	25.0	ND	85	80-130	1	20	
Carbon Disulfide	22.2	5.0	ug/l	25.0	ND	89	45-150	1	15	
Carbon tetrachloride	20.8	5.0	ug/l	25.0	ND	83	65-135	4	15	
Chlorobenzene	21.6	1.0	ug/l	25.0	ND	86	80-125	3	15	
Chloroethane	22.6	5.0	ug/l	25.0	ND	90	80-125	2	20	
Chloroform	22.9	2.0	ug/l	25.0	0.85	88	75-130	2	15	
Chloromethane	22.3	5.0	ug/l	25.0	ND	89	65-130	2	20	
2-Chlorotoluene	21.5	5.0	ug/l	25.0	ND	86	80-130	4	15	
4-Chlorotoluene	21.6	5.0	ug/l	25.0	ND	86	80-135	2	15	
Dibromochloromethane	20.9	2.0	ug/l	25.0	ND	84	75-120	1	20	
1,2-Dibromo-3-chloropropane	18.7	5.0	ug/l	25.0	ND	75	50-130	7	35	
1,2-Dibromoethane (EDB)	21.3	2.0	ug/l	25.0	ND	85	70-130	4	25	
Dibromomethane	20.8	2.0	ug/l	25.0	ND	83	75-130	3	25	
1,2-Dichlorobenzene	21.5	1.0	ug/l	25.0	ND	86	80-130	1	15	
1,3-Dichlorobenzene	21.4	1.0	ug/l	25.0	ND	86	80-130	3	15	
1,4-Dichlorobenzene	21.6	1.0	ug/l	25.0	ND	86	80-125	2	10	
Dichlorodifluoromethane	19.3	5.0	ug/l	25.0	ND	77	60-140	2	45	
1,1-Dichloroethane	25.4	2.0	ug/l	25.0	3.6	87	80-125	1	15	
1,2-Dichloroethane	22.7	1.0	ug/l	25.0	ND	91	60-145	3	20	
1,1-Dichloroethene	22.4	5.0	ug/l	25.0	1.4	84	75-130	1	15	
cis-1,2-Dichloroethene	23.3	2.0	ug/l	25.0	2.3	84	80-125	2	15	
trans-1,2-Dichloroethene	21.8	2.0	ug/l	25.0	ND	87	80-120	1	15	
1,2-Dichloropropane	21.9	2.0	ug/l	25.0	ND	88	80-125	1	15	
1,3-Dichloropropane	22.0	2.0	ug/l	25.0	ND	88	75-130	1	20	
2,2-Dichloropropane	21.0	2.0	ug/l	25.0	ND	84	60-135	2	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0318 Extracted: 10/03/06										
Matrix Spike Dup Analyzed: 10/03/2006 (P6J0318-MSD1)					**Source: PPI0664-03**					
1,1-Dichloropropene	21.8	2.0	ug/l	25.0	ND	87	80-125	4	15	
cis-1,3-Dichloropropene	21.5	2.0	ug/l	25.0	ND	86	75-120	1	15	
trans-1,3-Dichloropropene	21.3	2.0	ug/l	25.0	ND	85	75-130	5	25	
Ethylbenzene	22.1	2.0	ug/l	25.0	ND	88	80-130	3	15	
Hexachlorobutadiene	20.9	5.0	ug/l	25.0	ND	84	65-130	5	15	
2-Hexanone	22.2	10	ug/l	25.0	ND	89	40-150	13	35	
Iodomethane	22.1	2.0	ug/l	25.0	ND	88	70-140	1	15	
Isopropylbenzene	23.1	2.0	ug/l	25.0	ND	92	80-140	4	20	
p-Isopropyltoluene	22.0	2.0	ug/l	25.0	ND	88	80-135	6	20	
Methylene chloride	21.8	5.0	ug/l	25.0	ND	87	75-125	1	15	
4-Methyl-2-pentanone (MIBK)	20.5	10	ug/l	25.0	ND	82	40-140	14	35	
Methyl-tert-butyl Ether (MTBE)	21.4	5.0	ug/l	25.0	ND	86	65-135	5	30	
Naphthalene	19.2	2.0	ug/l	25.0	ND	77	60-140	3	30	
n-Propylbenzene	22.7	2.0	ug/l	25.0	ND	91	80-140	4	20	
Styrene	20.0	2.0	ug/l	25.0	ND	80	30-150	3	25	
1,1,1,2-Tetrachloroethane	21.5	5.0	ug/l	25.0	ND	86	80-130	0	15	
1,1,2,2-Tetrachloroethane	22.1	2.0	ug/l	25.0	ND	88	65-140	3	35	
Tetrachloroethene	21.4	2.0	ug/l	25.0	0.78	82	80-130	3	15	
Toluene	21.8	2.0	ug/l	25.0	ND	87	80-130	2	15	
1,2,3-Trichlorobenzene	22.2	5.0	ug/l	25.0	ND	89	75-140	1	20	
1,2,4-Trichlorobenzene	21.4	5.0	ug/l	25.0	ND	86	80-135	4	15	
1,1,1-Trichloroethane	22.1	2.0	ug/l	25.0	ND	88	70-135	4	15	
1,1,2-Trichloroethane	20.4	2.0	ug/l	25.0	ND	82	70-135	3	25	
Trichloroethene	27.9	2.0	ug/l	25.0	6.9	84	80-125	4	15	
Trichlorofluoromethane	23.0	5.0	ug/l	25.0	ND	92	70-140	2	15	
1,2,3-Trichloropropane	21.4	10	ug/l	25.0	ND	86	65-135	6	35	
1,2,4-Trimethylbenzene	22.0	2.0	ug/l	25.0	ND	88	75-130	3	15	
1,3,5-Trimethylbenzene	21.6	2.0	ug/l	25.0	ND	86	80-135	2	15	
Vinyl acetate	27.7	25	ug/l	25.0	ND	111	30-150	7	35	
Vinyl chloride	22.4	1.7	ug/l	25.0	ND	90	70-135	3	25	
Xylenes, Total	43.4	3.0	ug/l	50.0	ND	87	80-125	4	15	
Surrogate: Dibromofluoromethane	*24.8*		*ug/l*	*25.0*		*99*	*80-130*			
Surrogate: Toluene-d8	*24.0*		*ug/l*	*25.0*		*96*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.4*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0319 Extracted: 10/03/06										
Blank Analyzed: 10/03/2006 (P6J0319-BLK1)										
Tetrachloroethene	ND	2.0	ug/l							
Surrogate: Dibromofluoromethane	*24.1*		*ug/l*	*25.0*		*96*	*80-130*			
Surrogate: Toluene-d8	*27.2*		*ug/l*	*25.0*		*109*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*28.2*		*ug/l*	*25.0*		*113*	*80-120*			
LCS Analyzed: 10/03/2006 (P6J0319-BS1)										
Tetrachloroethene	23.6	2.0	ug/l	25.0		94	80-125			
Surrogate: Dibromofluoromethane	*23.6*		*ug/l*	*25.0*		*94*	*80-130*			
Surrogate: Toluene-d8	*27.3*		*ug/l*	*25.0*		*109*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.7*		*ug/l*	*25.0*		*107*	*80-120*			
LCS Dup Analyzed: 10/03/2006 (P6J0319-BSD1)										
Tetrachloroethene	23.1	2.0	ug/l	25.0		92	80-125	2	15	
Surrogate: Dibromofluoromethane	*25.4*		*ug/l*	*25.0*		*102*	*80-130*			
Surrogate: Toluene-d8	*27.2*		*ug/l*	*25.0*		*109*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*28.0*		*ug/l*	*25.0*		*112*	*80-120*			
Matrix Spike Analyzed: 10/03/2006 (P6J0319-MS1)					**Source: PPI0593-06**					
Tetrachloroethene	211	20	ug/l	250	ND	84	80-130			
Surrogate: Dibromofluoromethane	*25.7*		*ug/l*	*25.0*		*103*	*80-130*			
Surrogate: Toluene-d8	*27.0*		*ug/l*	*25.0*		*108*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*27.5*		*ug/l*	*25.0*		*110*	*80-120*			
Matrix Spike Dup Analyzed: 10/03/2006 (P6J0319-MSD1)					**Source: PPI0593-06**					
Tetrachloroethene	223	20	ug/l	250	ND	89	80-130	6	15	
Surrogate: Dibromofluoromethane	*25.3*		*ug/l*	*25.0*		*101*	*80-130*			
Surrogate: Toluene-d8	*27.5*		*ug/l*	*25.0*		*110*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*27.4*		*ug/l*	*25.0*		*110*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe	Project ID: Honeywell-Sky Harbor-PO# 2959460	
2625 S. Plaza Drive, Ste. 300		Sampled: 09/19/06
Tempe, AZ 85282	Report Number: PPI0606	Received: 09/20/06
Attention: Jennifer Holland		

DATA QUALIFIERS AND DEFINITIONS

ND Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.

RPD Relative Percent Difference

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0606

Sampled: 09/19/06
Received: 09/20/06

Certification Summary

TestAmerica - Phoenix, AZ

Method	Matrix	Nelac	Arizona
EPA 8015B	Water	X	X
EPA 8260B	Water	X	X

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

Subcontracted Laboratories

Transwest Geochem *Arizona Cert #AZ0133*
3725 E. Atlanta Ave Ste 1 - Phoenix, AZ 85040-2961

Analysis Performed: 8015B MOD-Low Level
Samples: PPI0606-03, PPI0606-05, PPI0606-08

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Test America Phoenix (formerly DELMAR)
9830 South 51st St. SuiteB-120
Phoenix, AZ 85044
Phone 480-785-0043

Chain Of Custody / Analysis Request

COC # : 37380_060919B
Page 1 of 1

Lab Use Only
Project No:
Job No.

Client Contact: (name, co., address)
Jennifer Holland
CH2M HILL
2625 South Plaza Dr STE 300
Tempe, AZ 85282
480-377-6287

Sampler: ~~M Wiese~~ Rick Randall
Project Number: PO #2959460
Site Name: Sky Harbor
Location of Site: Phoenix, AZ

Analysis Turnaround Time:
24 Hour - ☐
7 Day - ☐
14 Day - ☐
21 Day - ☐
28 Day - ☐

Normal TAT

	Sample Identification		Sample Date	Sample Time	Sample Type	Matrix	# of Cont.	Preservation Code	Date Sent to Lab	Preservation Code	SW8015	SW8260	Lab Sample Numbers
	Location ID	Field Sample ID											
1	Trip Blank	TB-091906B	Sep 19 2006	0655	BLKWATER	WATER	1	X		X		X	PX10806-01
2	~~PL-201A~~	~~PL-201A-6C2~~	~~Sep 19 2006~~		~~GW~~	~~WATER~~	~~5~~	~~X~~		~~X~~	~~X~~	~~X~~	
3	~~PL-513C~~	~~PL-513-6C2~~	~~Sep 19 2006~~		~~GW~~	~~WATER~~	~~5~~	~~X~~		~~X~~	~~X~~	~~X~~	} previously sample
4	~~BC-6~~	~~BC-6-6C2~~	~~Sep 19 2006~~		~~GW~~	~~WATER~~	~~3~~	~~X~~		~~X~~		~~X~~	
5	~~ASE-24C~~	ASE-24C-6C2	Sep 19 2006	0906	GW	WATER	3	X		X		X	PX20606-02
6	~~ASE-58A~~	ASE-58A-6C2	Sep 19 2006	1054	GW	WATER	5	X		X	X	X	-03
7	~~ASE-46B~~	ASE-46B-6C2	Sep 19 2006	1022	GW	WATER	5	X	X	X		X	-04
8	~~ASE-46A~~	ASE-46A-6C2	Sep 19 2006	0947	GW	WATER	5	X		X	X	X	-05
9	~~ASE-25C~~	ASE-25C-6C2	Sep 19 2006	0819	GW	WATER	3	X		X		X	-06
10	~~ASE-27A~~	ASE 27A - 6C2	9-19-06	0627	GW	WTR	3	X		X		X	-07
11													
12	~~ASE-103A~~	ASE 103A - 6C2	9-19-06	0739	GW	WTR	5	X		X	X	X	-08
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													

Special Instructions: Standard TAT 10 days.

TEMP 2.0°C

Relinquished by:	Company:	Date/Time:	Received by:	Company:
	PHX	09/20/06 1025		9/20/06
Relinquished by:	Company:	Date/Time:	Received by:	Company:
Relinquished by: 9/20/06	Company:	Date/Time: 9-20-06 1025	Received by:	Company: TEST A - PHX

TRANSWEST GEOCHEM

October 10, 2006

Ken Baker
TestAmerica - Phoenix
9830 S. 51st Street
Suite B-120
Phoenix, AZ 85044

Re: PPI0606
Work Order No.: 0609385

Dear Ken,

Attached is the original Report of Analysis from Columbia Analytical Services, Inc. (AZ0604) for the samples received on 9/21/06. The following analysis was performed:

Method EPA 8015B – Diesel Range Organics

If you have any questions regarding the results, please call me. We appreciate your business and thank you for choosing Transwest Geochem.

Sincerely,

Skip Harden
Project Manager

ADHS License No. AZM133/AZ0133

CONFIDENTIAL AND PRIVILEGED

[illegible] • Phoenix, Arizona 85040 • (602) 437-0330 • (800) 927-5183 • Fax (602) 437-0660
[illegible] • Tucson, Arizona 85714 • (520) 573-1061 • Fax (520) 573-1063

5090 Caterpillar Road Redding, California 96003 (530) 244-5227 (530) 244-4109 fax

Columbia Analytical Services INC.
An Employee - Owned Company

October 05, 2006

Service Request No: D0601408

Skip Harden
Transwest Geochem, Incorporated
3725 East Atlanta Avenue
Suite 2
Phoenix, AZ 85040-2960

RE: PPC/PPD PPI0606/0609385

Dear Skip:

Enclosed are the results of the sample(s) submitted to our laboratory on September 22, 2006. For your reference, these analyses have been assigned our service request number D0601408.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 112. You may also contact me via email at mhovanec@redding.caslab.com.

Respectfully submitted,

Columbia Analytical Services, Inc.

Michael Hovanec
Project Chemist

NELAP Accredited ACIL Seal of Excellence Award 100% Recycled

Current CAS Redding Accreditation Programs

Federal and National Programs

- U.S Air Force, Air Force Center for Environmental Excellence (AFCEE)
  Approved laboratory for Wastewater and Hazardous Waste
- U.S. Army Corps of Engineers – MRD, HTRW Mandatory Center of Expertise
  Validated for Wastewater and Hazardous Waste
- Department of the Navy, Naval Facilities Engineering Service Center (NFESC)
  Approved laboratory for Wastewater and Hazardous Waste

State and Local Programs

- State of Alaska, Department of Environmental Conservation
  Approved Laboratory for Contaminated Sites
  Lab ID UST-001
- State of Arizona, Department of Health Services, Office of Laboratory Licensure
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID AZ0604
- State of California, Department of Health Services, National Environmental Laboratory Accreditation Program **(NELAP)**
  Approved Laboratory for Drinking Water, Wastewater and Hazardous Waste
  Lab ID 01105CA
  - Los Angeles County Sanitation District
    Approved Laboratory for Wastewater
    Lab ID 10243
- State of California, Department of Health Services, Environmental Laboratory Accreditation Program (ELAP)
  Approved Laboratory for Microbiology of Drinking Water and Wastewater
  Lab ID 2635
- State of Florida, Department of Health, Bureau of Laboratories **(NELAP)**
  Approved Environmental Testing Laboratory for Wastewater and Hazardous Waste
  Lab ID E87203
- State of Kansas, Department of Health and Environment **(NELAP)**
  Approved Laboratory for Hazardous Waste
  Lab ID E-10323
- State of Massachusetts, Department of Environmental Protection
  Approved laboratory for Drinking Water and Wastewater
  Lab ID M-CA025
- State of Oklahoma, Department of Environmental Quality
  Approved Laboratory for General Water Quality/Sludge Testing
  Lab ID 9952
- State of Oregon, Environmental Laboratory Accreditation Program **(ORELAP)**
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID CA200004
- State of Utah, Department of Health, Bureau of Laboratory Improvement **(NELAP)**
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID QUAL1
- State of Washington, Department of Ecology
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID C1234
- State of Wisconsin, Department of Natural Resources
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID 999767340

Arizona Data Qualifiers
Revision 2.0, 11/26/2003

Developed by the Sub-committee of the
Arizona Environmental Laboratory Advisory Committee

Microbiology:
A1 = Too numerous to count.
A2 = Sample incubation period exceeded method requirement.
A3 = Sample incubation period was shorter than method requirement.
A4 = Target organism detected in associated method blank.
A5 = Incubator/water bath temperature was outside method requirements.
A6 = Target organism not detected in associated positive control.
A7 = Micro sample received without adequate headspace.

Method/calibration blank:
B1 = Target analyte detected in method blank at or above the method reporting limit.
B2 = Non-target analyte detected in method blank and sample, producing interference.
B3 = Target analyte detected in calibration blank at or above the method reporting limit.
B4 = Target analyte detected in blank at/above method acceptance criteria.
B5 = Target analyte detected in method blank at or above the method reporting limit, but below trigger level or MCL.
B6 = Target analyte detected in calibration blank at or above the method reporting limit, but below trigger level or MCL.
B7 = Target analyte detected in method blank at or above method reporting limit. Concentration found in the sample was 10 times above the concentration found in the method blank.

Confirmation:
C1 = Confirmatory analysis not performed as required by the method.
C3 = Qualitative confirmation performed.
C4 = Confirmatory analysis was past holding time.
C5 = Confirmatory analysis was past holding time. Original result not confirmed.
C6 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the higher value was reported as there was no obvious chromatographic interference.
C7 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic interference.

Dilution:
D1 = Sample required dilution due to matrix.
D2 = Sample required dilution due to high concentration of target analyte.
D3 = Sample dilution required due to insufficient sample.
D4 = Minimum reporting level (MRL) adjusted to reflect sample amount received and analyzed.

Estimated concentration:
E1 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not possible due to insufficient sample.
E2 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to sample matrix.
E3 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

E4 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL).
E5 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL), but not confirmed by alternate analysis.
E6 = Concentration estimated. Internal standard recoveries did not meet method acceptance criteria.
E7 = Concentration estimated. Internal standard recoveries did not meet laboratory acceptance criteria.
E8 = Analyte reported to MDL per project specification. Target analyte was not detected in the sample.

Hold time:
H1 = Sample analysis performed past holding time.
H2 = Initial analysis within holding time. Reanalysis for the required dilution was past holding time.
H3 = Sample was received and analyzed past holding time.
H4 = Sample was extracted past required extraction holding time, but analyzed within analysis holding time.

BOD:
K1 = The sample dilutions set-up for the BOD analysis did not meet the oxygen depletion criteria of at least 2 mg/L. Any reported result is an estimated value.
K2 = The sample dilutions set up for the BOD analysis did not meet the criteria of a residual dissolved oxygen of at least 1 mg/L. Any reported result is an estimated value.
K4 = The seed depletion was outside the method acceptance limits. The reported result is an estimated value.
K5 = The dilution water D.O. depletion was > 0.2 mg/L.
K6 = Glucose/glutamic acid BOD was below method acceptance criteria.
K7 = A discrepancy between the BOD and COD results has been verified by reanalysis of the sample for COD.
K8 = Glucose/glutamic acid BOD was above method acceptance levels.

Laboratory fortified blank/blank spike:

L1 = The associated blank spike recovery was above laboratory acceptance limits.
L2 = The associated blank spike recovery was below laboratory acceptance limits.
L3 = The associated blank spike recovery was above method acceptance limits.
L4 = The associated blank spike recovery was below method acceptance limits.

Matrix spike:
M1 = Matrix spike recovery was high, the method control sample recovery was acceptable.
M2 = Matrix spike recovery was low, the method control sample recovery was acceptable.
M3 = The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
M4 = The analysis of the spiked sample required a dilution such that the spike concentration was diluted below the reporting limit. The method control sample recovery was acceptable.
M5 = Analyte concentration was determined by the method of standard addition (MSA).

M6 = Matrix spike recovery was high. Data reported per ADEQ policy 0154.000.
M7 = Matrix spike recovery was low. Data reported per ADEQ policy 0154.000.

General:
N1 = See case narrative.
N2 = See corrective action report.
N3 = The analysis meets all method requirements. See case narrative.

Sample quality:
Q1 = Sample integrity was not maintained. See case narrative.
Q2 = Sample received with headspace.
Q3 = Sample received with improper chemical preservation.
Q4 = Sample received and analyzed without chemical preservation.
Q5 = Sample received with inadequate chemical preservation, but preserved by the laboratory.
Q6 = Sample was received above recommended temperature.
Q7 = Sample inadequately dechlorinated.
Q8 = Insufficient sample received to meet method QC requirements. Batch QC requirements satisfies ADEQ policies 0154 and 0155.
Q9 = Insufficient sample received to meet method QC requirements.
Q10 = Sample received in inappropriate sample container.
Q11 = Sample is heterogeneous. Sample homogeneity could not be readily achieved using routine laboratory practices.

Duplicates:
R1 = RPD exceeded the method control limit. See case narrative.
R2 = RPD exceeded the laboratory control limit. See case narrative.
R4 = MS/MSD RPD exceeded the method control limit. Recovery met acceptance criteria.
R5 = MS/MSD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R6 = LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
R7 = LFB/LFBD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R8 = Sample RPD exceeded the method control limit.
R9 = Sample RPD exceeded the laboratory control limit.
R10 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic problems.
R11 = The RPD calculation for MS/MSD does not provide useful information due to the varying sample weights when Encore samplers/methanol field preserved samples are used.

Surrogate:
S1 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits.
S3 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits. No target analytes were detected in the sample.
S4 = Surrogate recovery was above laboratory and method acceptance limits. No target analytes were detected in the sample.
S5 = Surrogate recovery was below laboratory acceptance limits, but within method acceptance limits.
S6 = Surrogate recovery was below laboratory and method acceptance limits. Reextraction and/or reanalysis confirms low recovery caused by matrix effect.

S7 = Surrogate recovery was below laboratory and method acceptance limits. Unable to confirm matrix effect.
S8 = The analysis of the sample required a dilution such that the surrogate recovery calculation does not provide any useful information. The method control sample recovery was acceptable.
S10 = Surrogate recovery was above laboratory and method acceptance limits. See Case narrative.
S11 = Surrogate recovery was high. Data reported per ADEQ policy 0154.000.
S12 = Surrogate recovery was low. Data reported per ADEQ policy 0154.000.

Method/analyte discrepancies:
T1 = Method approved by EPA, but not yet licensed by ADHS.
T2 = Cited ADHS licensed method does not contain this analyte as part of method compound list.
T3 = Method not promulgated either by EPA or ADHS.
T4 = Tentatively identified compound. Concentration is estimated and based on the closest internal standard.

Calibration verification:
V1 = CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
V2 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample. The sample could not be reanalyzed due to insufficient sample.
V3 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample, but the sample was not reanalyzed. See case narrative.
V4 = CCV recovery was below method acceptance limits. The sample could not be reanalyzed due to insufficient sample.
V5 = CCV recovery after a group of samples was above acceptance limits. This target analyte was not detected in the sample. Acceptable per EPA Method 8000B.
V6 = Data reported from one-point calibration criteria per ADEQ policy 0155.000.
V7 = Calibration verification recovery was above the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.
V8 = Calibration verification recovery was below the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.

Calibration:
W1 = The % RSD for this compound was above 20%. The average % RSD for all compounds in the calibration met the 20% criteria as specified in EPA method 8000B.
W2 = The % RSD for this compound was above 15%. The average % RSD for all compounds in the calibration met the 15% criteria as specified in EPA method 8260B/8270C.

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0606/0609385

Service Request: D0601408

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
D0601408-001	PPI060-03	09/19/06	10:54
D0601408-002	PPI060-05	09/19/06	09:47
D0601408-003	PPI060-08	09/19/06	07:39

CASE NARRATIVE

COLUMBIA ANALYTICAL SERVICES, INC.

Client:	Transwest Geochem, Incorporated	**Service Request No.:**	D0601408
Project:	PPC/PPD PPI0606	**Date Received:**	09/22/06
Sample Matrix:	Aqueous		

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of Columbia Analytical Services, Inc. (CAS).This report contains analytical results for samples designated for Tier II data deliverables.

Sample Receipt

3 Aqueous samples were received for analysis at Columbia Analytical Services on 09/22/06.

No discrepancies were noted upon initial sample inspection. The samples were received in good condition and consistent with the accompanying chain of custody form. The samples were stored in a refrigerator at 4 degrees Celsius upon receipt at the laboratory.

Diesel Range Organics by EPA Method 8015B

No anomalies associated with the analysis of these samples by the above-mentioned method were observed.

Matrix Spike Recovery Exceptions:

Insufficient sample volume was received to perform a Matrix Spike/Matrix Spike Duplicate (MS/MSD). A Laboratory Control Sample/Duplicate Laboratory Control Sample (LCS/DLCS) was analyzed in order to report precision data.

Approved by: _____ **Date:** 10/5/06

CHAIN OF CUSTODY DOCUMENTATION

TRANSWEST GEOCHEM

CHAIN-OF-CUSTODY

[redacted]

Skip Harden
3725 E. Atlanta Avenue
Suite 2
Phoenix, AZ 85040
TEL: (602) 437-0330
FAX: (602) 437-0660

Work Order: 0609385

Project: PPI0606

Subcontractor:
Columbia Analytical Services
5090 Caterpillar Rd.
Redding, CA 96003
TEL: (530) 244-5227
FAX: (530) 244-4109

21-Sep-06

Client Sample ID	TGI ID	Matrix	Collection Date	Containers	Requested Tests: 8015MOD_W						
PPI0606-03	01A	Water	9/19/2006 10:54:00 AM	1	1						
PPI0606-05	02A	Water	9/19/2006 9:47:00 AM	1	1						
PPI0606-08	03A	Water	9/19/2006 7:39:00 AM	1	1						

low level reporting ~~limited~~ limits required

EDD transfer files needed

Comments: After analysis, the samples do not need to be returned and can be disposed per your standard laboratory practices. Please provide a QC report, including Method Blank data.

Sample Receipt		
Temperature:	Ambient / Cold	Ice:
Received Intact:		Absent / Present
Custody Seals:		Wet / Blue
Total No. of Containers:		° C.

		Date/Time			Date/Time
Relinquished by:	Leslie May - TGI	9/21/06 1600	**Received by:**	UPS	
Relinquished by:			**Received by:**	K Maye	9-22-06 945
Relinquished by:			**Received by:**		

11

Columbia Analytical Services inc.
An Employee-Owned Company

5090 Caterpillar Road
Redding, CA 96003
Phone: (530) 244-5262
[redacted]

COOLER RECEIPT FORM

Project/Client: _____ Batch No. [redacted]

1. Cooler(s)/Sample(s) received on: 9·22·06 Shipped via: UPS
   Shipping Bill # (s): 1Z 52X 72X 01 9488 1006 # of Coolers/Packages 1
2. Radiological Screening by: _____ Acceptable Rejected
3. Custody seals on outside of cooler: YES NO N/A
   If yes, where? Front ✓ Rear ____ Lt Side ____ Rt Side ____
   Seals intact: YES NO

COOLER/SAMPLE PROCESSING

4. Sample Processing/Tagging by: _____
5. Cooler(s)/Sample(s) Temp's: ____ ____ ____ ____ ____
   (or)
   Temp. Blank (if included): 2.0°C ____ ____ ____ ____
6. Type of packing material (circle): Ice Blue Ice Bubble Wrap Bubble Bags Zip Locks Webbing
   Other: _____
7. Custody papers properly filled out (ink, signed, dated, released, etc.)? YES NO
8. Containers arrived in good condition (not broken, leaking, etc.)? YES NO
9. Samples received with adequate holding time remaining to conduct analysis? YES NO
10. Container labels complete (i.e. analysis, preservation, date/time, etc.)? YES NO
11. Container labels and tags agree with custody papers? YES NO
12. Correct types of containers used for the tests indicated? YES NO
    a.) Adequate sample received? If not, note on Exception Report. YES NO
13. Containers supplied by: CAS Other KM
14. Preserved containers received with the appropriate preservative? YES NO ~~N/A~~
    pH: <2 H_2SO_4 (or) See pH log.
15. VOA vials free of air bubbles? YES NO N/A
16. Trip Blank preparation date: _____ CAS Other N/A
17. Volatile Soil samples: Encores or Plugs in Vials
    Freezer or GC/MS Date: _____ Time: _____ N/A

See Exception Report for discrepancies.

Rev. 8/18/2004/ds

GC TPH DIESEL

ORGANIC ANALYSES DATA PACKAGE

Analytical Method: CA LUFT

AAB #: D0601408

Lab Name: Columbia Analytical Services/Redding

Base/Command: ARIZONA DELIVERABLES (RL)

Project: PPC/PPD PPI0606

Field Sample ID	Lab Sample ID
PPI060-03	D0601408-001
PPI060-05	D0601408-002
PPI060-08	D0601408-003

Comments:

I certify this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: Wilda Ang

Name: WILDA ANG

Date: 10/4/06

Title: Organic Manager

RDD-061004:CC:BS-1329PST-SR:D0601408-D0601408-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0601408

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPI060-03 Lab Sample ID: D0601408-001 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 09/22/06 Date Extracted: 09/29/06 Date Analyzed: 10/02/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**92**	1		
C23 - C32 HRO		50	ND	1		V8

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	101	58-111	
Triacontane - SS	101	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0601408

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPI060-05 Lab Sample ID: D0601408-002 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 09/22/06 Date Extracted: 09/29/06 Date Analyzed: 10/02/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**120**	1		
C23 - C32 HRO		50	ND	1		V8

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	101	58-111	
Triacontane - SS	102	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0601408

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPI060-08 Lab Sample ID: D0601408-003 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 09/22/06 Date Extracted: 09/29/06 Date Analyzed: 10/02/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	ND	1		
C23 - C32 HRO		50	ND	1		V8

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	99	58-111	
Triacontane - SS	99	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 6
BLANKS

Analytical Method: CA LUFT AAB #: D0601408

Lab Name: Columbia Analytical Services/Redding

Concentration Units (ug/L or mg/kg): UG/L Method Blank ID: DWB10929

Lab Sample ID: DWB10929

Initial Calibration ID: 05/20/06GCF

Analyte		Method Blank	RL	Q
C13 - C22 DRO		ND	50	
C23 - C32 HRO		ND	50	V8

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	92	58-111	
Triacontane - SS	93	54-109	

Comments:

RDD-061004:CC:BS-1329PST-SR:D0601408-D0601408-D

ORGANIC ANALYSES DATA SHEET 7
LABORATORY CONTROL SAMPLE/LABORATORY CONTROL SAMPLE DUPLICATE

Analytical Method: CA LUFT AAB #: D0601408

Lab Name: Columbia Analytical Services/Redding

Concentration Units (ug/L or mg/kg): UG/L %Solids: _____

Parent Field Sample ID: DWB10929 BS ID: DWB10929LCS BSD ID: DWB10929LCSD

Analyte	Parent Sample Result	Spike Added	Spiked Sample Result	%R	Duplicat Spike Sample Result	%R	%RPD	Control Limits %RPD	Control Limits %R	Q
C13 - C22 DRO		2500	2140	85	2270	91	6	30	64-106	

Comments:

ORGANIC ANALYSES DATA SHEET 10
INSTRUMENT ANALYSIS SEQUENCE LOG

Analytical Method: CA LUFT AAB #: D0601408

Lab Name: Columbia Analytical Services/Redding

Instrument ID #: GCF RTX-5

Field Sample ID/Std ID/ Blank ID/QC Sample ID	Laboratory File ID	Date Analysis Started	Time Analysis Started	Date Analysis Completed	Time Analysis Completed
DSTD6	F0520002	05/20/06	1838	05/20/06	1908
DSTD1	F0520003	05/20/06	1923	05/20/06	1953
DSTD2	F0520004	05/20/06	2008	05/20/06	2038
DSTD3	F0520005	05/20/06	2054	05/20/06	2124
DSTD4	F0520006	05/20/06	2139	05/20/06	2209
DSTD5	F0520007	05/20/06	2225	05/20/06	2255
QC ALT	F0520009	05/20/06	2356	05/21/06	0026
DSTD3	F1002005	10/02/06	1515	10/02/06	1545
DWB10929	F1002006	10/02/06	1559	10/02/06	1629
DWB10929LCS	F1002007	10/02/06	1643	10/02/06	1713
DWB10929LCSD	F1002008	10/02/06	1728	10/02/06	1758
PPI060-03	F1002011	10/02/06	1941	10/02/06	2011
PPI060-05	F1002012	10/02/06	2025	10/02/06	2055
PPI060-08	F1002013	10/02/06	2109	10/02/06	2139
DSTD4	F1002017	10/03/06	0006	10/03/06	0036

Comments:

ORGANIC ANALYSES DATA SHEET APPENDIX A
SURROGATE RESULTS

Analytical Method: CA LUFT AAB #: D0601408

Lab Name: Columbia Analytical Services/Redding

Matrix: Water

Field/QC Sample ID	S1	S2	S3	S4	S5	S6	S7	S8	Q
DWB10929	92	93							
DWB10929LCS	95	95							
DWB10929LCSD	98	99							
PPI060-03	101	101							
PPI060-05	101	102							
PPI060-08	99	99							

S1: Octacosane - SS 58-111
S2: Triacontane - SS 54-109

Comments:

Sub

TRANSWEST GEOCHEM

Sample Receipt Checklist

Client Name: Test America

Date and Time Received: 9/21/06 0850

Work Order Number: 0609385

Checked by: lm

Checklist completed by: Leslie May 9/21/06
Signature / Date

Logged In by: lm 9/21/06
Initials / Date

Matrix: Water Carrier Name: (Client) TGI _____

Reviewed by: SM 9/25/06
Initials / Date

				COMMENTS
Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐	
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☑	
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑	
Chain of custody present?	Yes ☑	No ☐		
Chain of custody signed when relinquished and received?	Yes ☑	No ☐		
Chain of custody agrees with sample labels?	Yes ☑	No ☐		
Samples in proper container/bottle?	Yes ☑	No ☐		
Sample containers intact?	Yes ☑	No ☐		
Sufficient sample volume for indicated test?	Yes ☑	No ☐		
All samples received within holding time?	Yes ☑	No ☐		
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	Temp: 2.3	Sampled < 2hrs ☐
Water – VOA vials have zero headspace?	Yes ☐	No ☐	N/A ☑	
Water – pH acceptable upon receipt?	Yes ☑	No ☐	N/A ☐	Checked by: lm
Water – Sulfides present in Cyanide samples?	Yes ☐	No ☐	N/A ☑	
Sample considered Drinking Water for metal analysis?	Yes ☐	No ☐	N/A ☑	

Client contacted: _____ Date contacted: _____ Person contacted: _____

Contacted by: _____ Regarding: _____

Corrective Action: _____

TestAmerica
ANALYTICAL TESTING CORPORATION

SUBCONTRACT ORDER - PROJECT # PPI0606

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660

0609 385

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPI0606-03 Water Sampled: 09/19/06 10:54		
8015B MOD-Low Level-O	09/26/06 10:54	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber (PPI0606-03D)		
1 L Amber (PPI0606-03E)		
Sample ID: PPI0606-05 Water Sampled: 09/19/06 09:47		
8015B MOD-Low Level-O	09/26/06 09:47	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber (PPI0606-05D)		
1 L Amber (PPI0606-05E)		
Sample ID: PPI0606-08 Water Sampled: 09/19/06 07:39		
8015B MOD-Low Level-O	09/26/06 07:39	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber (PPI0606-08D)		
1 L Amber (PPI0606-08E)		

pH
2
2
2

SAMPLE INTEGRITY:

All containers intact: ☑ Yes ☐ No
Custody Seals Present: ☐ Yes ☑ No
Sample labels/COC agree: ☑ Yes ☐ No
Samples Preserved Properly: ☑ Yes ☐ No
Samples Received On Ice:: ☑ Yes ☐ No
Samples Received at (temp): 2.3

Released By	Date	Time	Received By	Date	Time
[signature]	9/20/06	0800	[signature]	9/21/6	0800
[signature]	9/21/6	0845	Leslie May-TCI	9/21/06	0850

TestAmerica
ANALYTICAL TESTING CORPORATION

9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

LABORATORY REPORT

Prepared For: CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project: Honeywell-Sky Harbor-PO# 2959460

Sampled: 09/20/06
Received: 09/21/06
Issued: 10/27/06 11:23

NELAP #01109CA Arizona DHS#AZ0426

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.
This entire report was reviewed and approved for release.

CASE NARRATIVE

LABORATORY ID	CLIENT ID	MATRIX
PPI0665-01	TB-092006A	Water
PPI0665-02	ASE-70A-6C2	Water
PPI0665-03	PZ-1A-6C2	Water
PPI0665-04	PZ-1B-6C2	Water
PPI0665-05	ASE-111A-6C2	Water
PPI0665-06	ASE-115A-6C2	Water
PPI0665-07	ASE-73B-6C2	Water
PPI0665-08	ASE-68A-6C2	Water

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe 2625 S. Plaza Drive, Ste. 300 Tempe, AZ 85282 Attention: Jennifer Holland	Project ID: Honeywell-Sky Harbor-PO# 2959460 Report Number: PPI0665	Sampled: 09/20/06 Received: 09/21/06

SAMPLE RECEIPT:	Samples were received intact, at 4°C, on ice and with chain of custody documentation.
HOLDING TIMES:	Not all holding times were met. Results were qualified where the sample analysis did not occur within method specified holding time requirements. Samples PPI0665-04 and PPI0665-05 were analyzed past hold time. As a result of instrument problems, too many samples expiring and not enough capacity to run them all before expiration. Samples were attempted to be run, but due to a GC commuication error the seqence stopped and never acquired. Therefore these two samples were run past the hold time.
PRESERVATION:	Samples requiring preservation were verified prior to sample analysis.
QA/QC CRITERIA:	All analyses met method criteria, except as noted in the report with data qualifiers.
COMMENTS:	N1: Concentration exceeds the calibration range and therefore result is semi-quantitative. N1a: The MS/MSD recovered high for Vinyl Acetate. Samples were ND therefore data not impacted.
SUBCONTRACTED:	Refer to the last page for specific subcontract laboratory information included in this report.

Reviewed By:

Ken Baker

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0665-01 (TB-092006A - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0318	20	ND	1	10/3/2006	10/3/2006	
Benzene	EPA 8260B	P6J0318	1.0	ND	1	10/3/2006	10/3/2006	
Bromobenzene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Bromochloromethane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Bromodichloromethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Bromoform	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Bromomethane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
2-Butanone (MEK)	EPA 8260B	P6J0318	10	ND	1	10/3/2006	10/3/2006	
n-Butylbenzene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
sec-Butylbenzene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
tert-Butylbenzene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Carbon Disulfide	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Carbon tetrachloride	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Chlorobenzene	EPA 8260B	P6J0318	1.0	ND	1	10/3/2006	10/3/2006	
Chloroethane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Chloroform	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Chloromethane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
2-Chlorotoluene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
4-Chlorotoluene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Dibromochloromethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Dibromomethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0318	1.0	ND	1	10/3/2006	10/3/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0318	1.0	ND	1	10/3/2006	10/3/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0318	1.0	ND	1	10/3/2006	10/3/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloroethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichloroethane	EPA 8260B	P6J0318	1.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloroethene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichloropropane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,3-Dichloropropane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
2,2-Dichloropropane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloropropene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Ethylbenzene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Hexachlorobutadiene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
2-Hexanone	EPA 8260B	P6J0318	10	ND	1	10/3/2006	10/3/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0665-01 (TB-092006A - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Isopropylbenzene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
p-Isopropyltoluene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Methylene chloride	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0318	10	ND	1	10/3/2006	10/3/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Naphthalene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
n-Propylbenzene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Styrene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Tetrachloroethene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Toluene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Trichloroethene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Trichlorofluoromethane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0318	10	ND	1	10/3/2006	10/3/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Vinyl acetate	EPA 8260B	P6J0318	25	ND	1	10/3/2006	10/3/2006	
Vinyl chloride	EPA 8260B	P6J0318	1.7	ND	1	10/3/2006	10/3/2006	
Xylenes, Total	EPA 8260B	P6J0318	3.0	ND	1	10/3/2006	10/3/2006	
Surrogate: Dibromofluoromethane (80-130%)				*101 %*				
Surrogate: Toluene-d8 (80-120%)				*96 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*90 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0665-02 (ASE-70A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0318	20	ND	1	10/3/2006	10/3/2006	
Benzene	EPA 8260B	P6J0318	1.0	ND	1	10/3/2006	10/3/2006	
Bromobenzene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Bromochloromethane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Bromodichloromethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Bromoform	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Bromomethane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
2-Butanone (MEK)	EPA 8260B	P6J0318	10	ND	1	10/3/2006	10/3/2006	
n-Butylbenzene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
sec-Butylbenzene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
tert-Butylbenzene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Carbon Disulfide	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Carbon tetrachloride	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Chlorobenzene	EPA 8260B	P6J0318	1.0	ND	1	10/3/2006	10/3/2006	
Chloroethane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Chloroform	EPA 8260B	P6J0318	2.0	**2.1**	1	10/3/2006	10/3/2006	
Chloromethane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
2-Chlorotoluene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
4-Chlorotoluene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Dibromochloromethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Dibromomethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0318	1.0	ND	1	10/3/2006	10/3/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0318	1.0	ND	1	10/3/2006	10/3/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0318	1.0	ND	1	10/3/2006	10/3/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloroethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichloroethane	EPA 8260B	P6J0318	1.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloroethene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0318	2.0	**12**	1	10/3/2006	10/3/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichloropropane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,3-Dichloropropane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
2,2-Dichloropropane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloropropene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Ethylbenzene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Hexachlorobutadiene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
2-Hexanone	EPA 8260B	P6J0318	10	ND	1	10/3/2006	10/3/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0665-02 (ASE-70A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Isopropylbenzene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
p-Isopropyltoluene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Methylene chloride	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0318	10	ND	1	10/3/2006	10/3/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Naphthalene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
n-Propylbenzene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Styrene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Tetrachloroethene	EPA 8260B	P6J0318	2.0	**2.8**	1	10/3/2006	10/3/2006	
Toluene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Trichloroethene	EPA 8260B	P6J0318	2.0	**27**	1	10/3/2006	10/3/2006	
Trichlorofluoromethane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0318	10	ND	1	10/3/2006	10/3/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Vinyl acetate	EPA 8260B	P6J0318	25	ND	1	10/3/2006	10/3/2006	
Vinyl chloride	EPA 8260B	P6J0318	1.7	ND	1	10/3/2006	10/3/2006	
Xylenes, Total	EPA 8260B	P6J0318	3.0	ND	1	10/3/2006	10/3/2006	
Surrogate: Dibromofluoromethane (80-130%)				*105 %*				
Surrogate: Toluene-d8 (80-120%)				*97 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*92 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0665-03 (PZ-1A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0318	20	ND	1	10/3/2006	10/3/2006	
Benzene	EPA 8260B	P6J0318	1.0	ND	1	10/3/2006	10/3/2006	
Bromobenzene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Bromochloromethane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Bromodichloromethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Bromoform	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Bromomethane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
2-Butanone (MEK)	EPA 8260B	P6J0318	10	ND	1	10/3/2006	10/3/2006	
n-Butylbenzene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
sec-Butylbenzene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
tert-Butylbenzene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Carbon Disulfide	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Carbon tetrachloride	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Chlorobenzene	EPA 8260B	P6J0318	1.0	ND	1	10/3/2006	10/3/2006	
Chloroethane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Chloroform	EPA 8260B	P6J0318	2.0	**4.2**	1	10/3/2006	10/3/2006	
Chloromethane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
2-Chlorotoluene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
4-Chlorotoluene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Dibromochloromethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Dibromomethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0318	1.0	ND	1	10/3/2006	10/3/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0318	1.0	ND	1	10/3/2006	10/3/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0318	1.0	ND	1	10/3/2006	10/3/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloroethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichloroethane	EPA 8260B	P6J0318	1.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloroethene	EPA 8260B	P6J0318	5.0	**10**	1	10/3/2006	10/3/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0318	2.0	**46**	1	10/3/2006	10/3/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichloropropane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,3-Dichloropropane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
2,2-Dichloropropane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloropropene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Ethylbenzene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Hexachlorobutadiene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
2-Hexanone	EPA 8260B	P6J0318	10	ND	1	10/3/2006	10/3/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0665-03 (PZ-1A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Isopropylbenzene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
p-Isopropyltoluene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Methylene chloride	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0318	10	ND	1	10/3/2006	10/3/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
Naphthalene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
n-Propylbenzene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Styrene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Tetrachloroethene	EPA 8260B	P6J0318	2.0	**4.5**	1	10/3/2006	10/3/2006	
Toluene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Trichloroethene	EPA 8260B	P6J0318	2.0	**70**	1	10/3/2006	10/3/2006	
Trichlorofluoromethane	EPA 8260B	P6J0318	5.0	ND	1	10/3/2006	10/3/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0318	10	ND	1	10/3/2006	10/3/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0318	2.0	ND	1	10/3/2006	10/3/2006	
Vinyl acetate	EPA 8260B	P6J0318	25	ND	1	10/3/2006	10/3/2006	
Vinyl chloride	EPA 8260B	P6J0318	1.7	ND	1	10/3/2006	10/3/2006	
Xylenes, Total	EPA 8260B	P6J0318	3.0	ND	1	10/3/2006	10/3/2006	
Surrogate: Dibromofluoromethane (80-130%)				*106 %*				
Surrogate: Toluene-d8 (80-120%)				*94 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*92 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0665-04 (PZ-1B-6C2 - Water)								**H1**
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J2418	20	ND	1	10/24/2006	10/24/2006	
Benzene	EPA 8260B	P6J2418	1.0	ND	1	10/24/2006	10/24/2006	
Bromobenzene	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
Bromochloromethane	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
Bromodichloromethane	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
Bromoform	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
Bromomethane	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
2-Butanone (MEK)	EPA 8260B	P6J2418	10	ND	1	10/24/2006	10/24/2006	
n-Butylbenzene	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
sec-Butylbenzene	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
tert-Butylbenzene	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
Carbon Disulfide	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
Carbon tetrachloride	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
Chlorobenzene	EPA 8260B	P6J2418	1.0	ND	1	10/24/2006	10/24/2006	
Chloroethane	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
Chloroform	EPA 8260B	P6J2418	2.0	**2.8**	1	10/24/2006	10/24/2006	
Chloromethane	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
2-Chlorotoluene	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
4-Chlorotoluene	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
Dibromochloromethane	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
Dibromomethane	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J2418	1.0	ND	1	10/24/2006	10/24/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J2418	1.0	ND	1	10/24/2006	10/24/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J2418	1.0	ND	1	10/24/2006	10/24/2006	
Dichlorodifluoromethane	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
1,1-Dichloroethane	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
1,2-Dichloroethane	EPA 8260B	P6J2418	1.0	ND	1	10/24/2006	10/24/2006	
1,1-Dichloroethene	EPA 8260B	P6J2418	5.0	**39**	1	10/24/2006	10/24/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
1,2-Dichloropropane	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
1,3-Dichloropropane	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
2,2-Dichloropropane	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
1,1-Dichloropropene	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
Ethylbenzene	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
Hexachlorobutadiene	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
2-Hexanone	EPA 8260B	P6J2418	10	ND	1	10/24/2006	10/24/2006	
Iodomethane	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0665-04 (PZ-1B-6C2 - Water) - cont.								**H1**
Reporting Units: ug/l								
Isopropylbenzene	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
p-Isopropyltoluene	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
Methylene chloride	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J2418	10	ND	1	10/24/2006	10/24/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
Naphthalene	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
n-Propylbenzene	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
Styrene	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
Tetrachloroethene	EPA 8260B	P6J2418	2.0	**20**	1	10/24/2006	10/24/2006	
Toluene	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
Trichlorofluoromethane	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J2418	10	ND	1	10/24/2006	10/24/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
Vinyl acetate	EPA 8260B	P6J2418	25	ND	1	10/24/2006	10/24/2006	V1, L3
Vinyl chloride	EPA 8260B	P6J2418	1.7	ND	1	10/24/2006	10/24/2006	
Xylenes, Total	EPA 8260B	P6J2418	3.0	ND	1	10/24/2006	10/24/2006	
Surrogate: Dibromofluoromethane (80-130%)				*103 %*				
Surrogate: Toluene-d8 (80-120%)				*98 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*94 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0665-04RE1 (PZ-1B-6C2 - Water) - cont.								**H1**
Reporting Units: ug/l								
cis-1,2-Dichloroethene	EPA 8260B	P6J2527	40	**190**	20	10/25/2006	10/25/2006	
Trichloroethene	EPA 8260B	P6J2527	40	**440**	20	10/25/2006	10/25/2006	
Surrogate: Dibromofluoromethane (80-130%)				*105 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*99 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0665-05 (ASE-111A-6C2 - Water)								**H1**
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J2418	20	ND	1	10/24/2006	10/24/2006	
Benzene	EPA 8260B	P6J2418	1.0	**140**	1	10/24/2006	10/24/2006	
Bromobenzene	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
Bromochloromethane	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
Bromodichloromethane	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
Bromoform	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
Bromomethane	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
2-Butanone (MEK)	EPA 8260B	P6J2418	10	ND	1	10/24/2006	10/24/2006	
n-Butylbenzene	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
sec-Butylbenzene	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
tert-Butylbenzene	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
Carbon Disulfide	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
Carbon tetrachloride	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
Chlorobenzene	EPA 8260B	P6J2418	1.0	ND	1	10/24/2006	10/24/2006	
Chloroethane	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
Chloroform	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
Chloromethane	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
2-Chlorotoluene	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
4-Chlorotoluene	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
Dibromochloromethane	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
Dibromomethane	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J2418	1.0	ND	1	10/24/2006	10/24/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J2418	1.0	ND	1	10/24/2006	10/24/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J2418	1.0	ND	1	10/24/2006	10/24/2006	
Dichlorodifluoromethane	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
1,1-Dichloroethane	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
1,2-Dichloroethane	EPA 8260B	P6J2418	1.0	ND	1	10/24/2006	10/24/2006	
1,1-Dichloroethene	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
1,2-Dichloropropane	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
1,3-Dichloropropane	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
2,2-Dichloropropane	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
1,1-Dichloropropene	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
Ethylbenzene	EPA 8260B	P6J2418	2.0	**6.3**	1	10/24/2006	10/24/2006	
Hexachlorobutadiene	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
2-Hexanone	EPA 8260B	P6J2418	10	ND	1	10/24/2006	10/24/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0665-05 (ASE-111A-6C2 - Water) - cont.								**H1**
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
Isopropylbenzene	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
p-Isopropyltoluene	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
Methylene chloride	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J2418	10	ND	1	10/24/2006	10/24/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J2418	5.0	**72**	1	10/24/2006	10/24/2006	
Naphthalene	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
n-Propylbenzene	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
Styrene	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
Tetrachloroethene	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
Toluene	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
Trichloroethene	EPA 8260B	P6J2418	2.0	**6.9**	1	10/24/2006	10/24/2006	
Trichlorofluoromethane	EPA 8260B	P6J2418	5.0	ND	1	10/24/2006	10/24/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J2418	10	ND	1	10/24/2006	10/24/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J2418	2.0	**4.4**	1	10/24/2006	10/24/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J2418	2.0	ND	1	10/24/2006	10/24/2006	
Vinyl acetate	EPA 8260B	P6J2418	25	ND	1	10/24/2006	10/24/2006	V1, L3
Vinyl chloride	EPA 8260B	P6J2418	1.7	ND	1	10/24/2006	10/24/2006	
Xylenes, Total	EPA 8260B	P6J2418	3.0	**19**	1	10/24/2006	10/24/2006	
Surrogate: Dibromofluoromethane (80-130%)				*104 %*				
Surrogate: Toluene-d8 (80-120%)				*98 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*95 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0665-06 (ASE-115A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0320	20	ND	1	10/3/2006	10/3/2006	
Bromobenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Bromochloromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Bromodichloromethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Bromoform	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Bromomethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
2-Butanone (MEK)	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	
n-Butylbenzene	EPA 8260B	P6J0320	5.0	**7.2**	1	10/3/2006	10/3/2006	
sec-Butylbenzene	EPA 8260B	P6J0320	5.0	**8.3**	1	10/3/2006	10/3/2006	
tert-Butylbenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Carbon Disulfide	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Carbon tetrachloride	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Chlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
Chloroethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Chloroform	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Chloromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
2-Chlorotoluene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
4-Chlorotoluene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Dibromochloromethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Dibromomethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloroethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichloroethane	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloroethene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichloropropane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,3-Dichloropropane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
2,2-Dichloropropane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloropropene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Hexachlorobutadiene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
2-Hexanone	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	
Iodomethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Isopropylbenzene	EPA 8260B	P6J0320	2.0	**79**	1	10/3/2006	10/3/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0665-06 (ASE-115A-6C2 - Water) - cont.								
Reporting Units: ug/l								
p-Isopropyltoluene	EPA 8260B	P6J0320	2.0	**5.7**	1	10/3/2006	10/3/2006	
Methylene chloride	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	
n-Propylbenzene	EPA 8260B	P6J0320	2.0	**72**	1	10/3/2006	10/3/2006	
Styrene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Tetrachloroethene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Toluene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Trichloroethene	EPA 8260B	P6J0320	2.0	**2.0**	1	10/3/2006	10/3/2006	
Trichlorofluoromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0320	2.0	**180**	1	10/3/2006	10/3/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0320	2.0	**58**	1	10/3/2006	10/3/2006	
Vinyl acetate	EPA 8260B	P6J0320	25	ND	1	10/3/2006	10/3/2006	
Vinyl chloride	EPA 8260B	P6J0320	1.7	ND	1	10/3/2006	10/3/2006	
Xylenes, Total	EPA 8260B	P6J0320	3.0	**160**	1	10/3/2006	10/3/2006	
Surrogate: Dibromofluoromethane (80-130%)				*96 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*100 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0665-06RE1 (ASE-115A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Benzene	EPA 8260B	P6J0425	200	**5600**	200	10/4/2006	10/4/2006	
Ethylbenzene	EPA 8260B	P6J0425	400	**720**	200	10/4/2006	10/4/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0425	1000	**1100**	200	10/4/2006	10/4/2006	
Surrogate: Dibromofluoromethane (80-130%)				*98 %*				
Surrogate: Toluene-d8 (80-120%)				*95 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*93 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0665-07 (ASE-73B-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0320	20	ND	1	10/3/2006	10/3/2006	
Benzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
Bromobenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Bromochloromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Bromodichloromethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Bromoform	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Bromomethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
2-Butanone (MEK)	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	
n-Butylbenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
sec-Butylbenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
tert-Butylbenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Carbon Disulfide	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Carbon tetrachloride	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Chlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
Chloroethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Chloroform	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Chloromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
2-Chlorotoluene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
4-Chlorotoluene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Dibromochloromethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Dibromomethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloroethane	EPA 8260B	P6J0320	2.0	**5.0**	1	10/3/2006	10/3/2006	
1,2-Dichloroethane	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloroethene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0320	2.0	**5.4**	1	10/3/2006	10/3/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichloropropane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,3-Dichloropropane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
2,2-Dichloropropane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloropropene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Ethylbenzene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Hexachlorobutadiene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
2-Hexanone	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0665-07 (ASE-73B-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Isopropylbenzene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
p-Isopropyltoluene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Methylene chloride	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Naphthalene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
n-Propylbenzene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Styrene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Tetrachloroethene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Toluene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Trichloroethene	EPA 8260B	P6J0320	2.0	**15**	1	10/3/2006	10/3/2006	
Trichlorofluoromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Vinyl acetate	EPA 8260B	P6J0320	25	ND	1	10/3/2006	10/3/2006	
Vinyl chloride	EPA 8260B	P6J0320	1.7	ND	1	10/3/2006	10/3/2006	
Xylenes, Total	EPA 8260B	P6J0320	3.0	ND	1	10/3/2006	10/3/2006	
Surrogate: Dibromofluoromethane (80-130%)				*90 %*				
Surrogate: Toluene-d8 (80-120%)				*105 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*100 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0665-08 (ASE-68A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0320	20	ND	1	10/3/2006	10/3/2006	
Benzene	EPA 8260B	P6J0320	1.0	**18**	1	10/3/2006	10/3/2006	
Bromobenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Bromochloromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Bromodichloromethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Bromoform	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Bromomethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
2-Butanone (MEK)	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	
n-Butylbenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
sec-Butylbenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
tert-Butylbenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Carbon Disulfide	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Carbon tetrachloride	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Chlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
Chloroethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Chloroform	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Chloromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
2-Chlorotoluene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
4-Chlorotoluene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Dibromochloromethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Dibromomethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloroethane	EPA 8260B	P6J0320	2.0	**18**	1	10/3/2006	10/3/2006	
1,2-Dichloroethane	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloroethene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0320	2.0	**18**	1	10/3/2006	10/3/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichloropropane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,3-Dichloropropane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
2,2-Dichloropropane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloropropene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Ethylbenzene	EPA 8260B	P6J0320	2.0	**17**	1	10/3/2006	10/3/2006	
Hexachlorobutadiene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
2-Hexanone	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0665-08 (ASE-68A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Isopropylbenzene	EPA 8260B	P6J0320	2.0	**6.4**	1	10/3/2006	10/3/2006	
p-Isopropyltoluene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Methylene chloride	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0320	5.0	**78**	1	10/3/2006	10/3/2006	
Naphthalene	EPA 8260B	P6J0320	2.0	**13**	1	10/3/2006	10/3/2006	
n-Propylbenzene	EPA 8260B	P6J0320	2.0	**7.6**	1	10/3/2006	10/3/2006	
Styrene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Tetrachloroethene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Toluene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Trichloroethene	EPA 8260B	P6J0320	2.0	**5.6**	1	10/3/2006	10/3/2006	
Trichlorofluoromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0320	2.0	**13**	1	10/3/2006	10/3/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0320	2.0	**3.0**	1	10/3/2006	10/3/2006	
Vinyl acetate	EPA 8260B	P6J0320	25	ND	1	10/3/2006	10/3/2006	
Vinyl chloride	EPA 8260B	P6J0320	1.7	**44**	1	10/3/2006	10/3/2006	
Xylenes, Total	EPA 8260B	P6J0320	3.0	**5.5**	1	10/3/2006	10/3/2006	
Surrogate: Dibromofluoromethane (80-130%)				*109 %*				
Surrogate: Toluene-d8 (80-120%)				*108 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*101 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0665-06 (ASE-115A-6C2 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6I2511	3.0	ND	1	9/25/2006	10/8/2006	
Acenaphthylene	EPA 8310	P6I2511	3.0	ND	1	9/25/2006	10/8/2006	
Anthracene	EPA 8310	P6I2511	0.30	ND	1	9/25/2006	10/8/2006	
Benzo(a)anthracene	EPA 8310	P6I2511	0.050	ND	1	9/25/2006	10/8/2006	
Benzo(a)pyrene	EPA 8310	P6I2511	0.10	ND	1	9/25/2006	10/8/2006	
Benzo(b)fluoranthene	EPA 8310	P6I2511	0.30	ND	1	9/25/2006	10/8/2006	
Benzo(g,h,i)perylene	EPA 8310	P6I2511	0.30	ND	1	9/25/2006	10/8/2006	
Benzo(k)fluoranthene	EPA 8310	P6I2511	0.30	ND	1	9/25/2006	10/8/2006	
Chrysene	EPA 8310	P6I2511	0.30	ND	1	9/25/2006	10/8/2006	
Dibenz(a,h)anthracene	EPA 8310	P6I2511	0.50	ND	1	9/25/2006	10/8/2006	
Fluoranthene	EPA 8310	P6I2511	0.30	ND	1	9/25/2006	10/8/2006	
Fluorene	EPA 8310	P6I2511	0.30	**0.84**	1	9/25/2006	10/8/2006	C6
Indeno(1,2,3-cd)pyrene	EPA 8310	P6I2511	0.30	ND	1	9/25/2006	10/8/2006	
Naphthalene	EPA 8310	P6I2511	100	**190**	50	9/25/2006	10/10/2006	
Phenanthrene	EPA 8310	P6I2511	0.30	**2.8**	1	9/25/2006	10/8/2006	C6
Pyrene	EPA 8310	P6I2511	0.30	ND	1	9/25/2006	10/8/2006	
Surrogate: 2-Methylanthracene (50-115%)				*91 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0318 Extracted: 10/03/06										
Blank Analyzed: 10/03/2006 (P6J0318-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0318 Extracted: 10/03/06										
Blank Analyzed: 10/03/2006 (P6J0318-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*24.7*		*ug/l*	*25.0*		*99*	*80-130*			
Surrogate: Toluene-d8	*23.9*		*ug/l*	*25.0*		*96*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*22.6*		*ug/l*	*25.0*		*90*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0318 Extracted: 10/03/06										
LCS Analyzed: 10/03/2006 (P6J0318-BS1)										
Acetone	22.2	20	ug/l	25.0		89	30-150			
Benzene	21.5	1.0	ug/l	25.0		86	80-120			
Bromobenzene	21.7	5.0	ug/l	25.0		87	80-125			
Bromochloromethane	21.0	5.0	ug/l	25.0		84	80-125			
Bromodichloromethane	21.6	2.0	ug/l	25.0		86	80-120			
Bromoform	20.1	5.0	ug/l	25.0		80	70-120			
Bromomethane	21.5	5.0	ug/l	25.0		86	80-135			
2-Butanone (MEK)	23.0	10	ug/l	25.0		92	55-150			
n-Butylbenzene	21.3	5.0	ug/l	25.0		85	80-120			
sec-Butylbenzene	21.2	5.0	ug/l	25.0		85	80-130			
tert-Butylbenzene	21.1	5.0	ug/l	25.0		84	80-130			
Carbon Disulfide	21.1	5.0	ug/l	25.0		84	55-145			
Carbon tetrachloride	20.7	5.0	ug/l	25.0		83	80-120			
Chlorobenzene	21.3	1.0	ug/l	25.0		85	80-120			
Chloroethane	21.4	5.0	ug/l	25.0		86	80-125			
Chloroform	21.4	2.0	ug/l	25.0		86	80-120			
Chloromethane	21.9	5.0	ug/l	25.0		88	70-130			
2-Chlorotoluene	20.8	5.0	ug/l	25.0		83	80-120			
4-Chlorotoluene	21.3	5.0	ug/l	25.0		85	80-120			
Dibromochloromethane	21.7	2.0	ug/l	25.0		87	75-120			
1,2-Dibromo-3-chloropropane	19.5	5.0	ug/l	25.0		78	55-120			
1,2-Dibromoethane (EDB)	21.6	2.0	ug/l	25.0		86	75-125			
Dibromomethane	21.4	2.0	ug/l	25.0		86	80-125			
1,2-Dichlorobenzene	21.2	1.0	ug/l	25.0		85	80-120			
1,3-Dichlorobenzene	21.0	1.0	ug/l	25.0		84	80-125			
1,4-Dichlorobenzene	21.4	1.0	ug/l	25.0		86	80-120			
Dichlorodifluoromethane	18.7	5.0	ug/l	25.0		75	60-140			
1,1-Dichloroethane	21.4	2.0	ug/l	25.0		86	80-120			
1,2-Dichloroethane	22.5	1.0	ug/l	25.0		90	75-125			
1,1-Dichloroethene	21.0	5.0	ug/l	25.0		84	75-120			
cis-1,2-Dichloroethene	20.2	2.0	ug/l	25.0		81	80-125			
trans-1,2-Dichloroethene	21.2	2.0	ug/l	25.0		85	80-120			
1,2-Dichloropropane	22.1	2.0	ug/l	25.0		88	80-120			
1,3-Dichloropropane	22.0	2.0	ug/l	25.0		88	80-120			
2,2-Dichloropropane	20.8	2.0	ug/l	25.0		83	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0318 Extracted: 10/03/06										
LCS Analyzed: 10/03/2006 (P6J0318-BS1)										
1,1-Dichloropropene	21.7	2.0	ug/l	25.0		87	80-120			
cis-1,3-Dichloropropene	22.4	2.0	ug/l	25.0		90	75-120			
trans-1,3-Dichloropropene	22.7	2.0	ug/l	25.0		91	80-120			
Ethylbenzene	21.6	2.0	ug/l	25.0		86	80-125			
Hexachlorobutadiene	19.5	5.0	ug/l	25.0		78	70-130			
2-Hexanone	24.0	10	ug/l	25.0		96	40-150			
Iodomethane	21.0	2.0	ug/l	25.0		84	80-130			
Isopropylbenzene	22.4	2.0	ug/l	25.0		90	80-140			
p-Isopropyltoluene	21.2	2.0	ug/l	25.0		85	80-130			
Methylene chloride	21.3	5.0	ug/l	25.0		85	80-120			
4-Methyl-2-pentanone (MIBK)	21.3	10	ug/l	25.0		85	50-140			
Methyl-tert-butyl Ether (MTBE)	22.3	5.0	ug/l	25.0		89	65-130			
Naphthalene	19.3	2.0	ug/l	25.0		77	70-130			
n-Propylbenzene	22.0	2.0	ug/l	25.0		88	80-135			
Styrene	22.1	2.0	ug/l	25.0		88	80-125			
1,1,1,2-Tetrachloroethane	22.1	5.0	ug/l	25.0		88	80-120			
1,1,2,2-Tetrachloroethane	22.0	2.0	ug/l	25.0		88	65-140			
Tetrachloroethene	20.4	2.0	ug/l	25.0		82	80-125			
Toluene	22.2	2.0	ug/l	25.0		89	80-125			
1,2,3-Trichlorobenzene	23.0	5.0	ug/l	25.0		92	75-125			
1,2,4-Trichlorobenzene	21.9	5.0	ug/l	25.0		88	80-125			
1,1,1-Trichloroethane	20.9	2.0	ug/l	25.0		84	75-125			
1,1,2-Trichloroethane	21.8	2.0	ug/l	25.0		87	80-125			
Trichloroethene	21.3	2.0	ug/l	25.0		85	80-120			
Trichlorofluoromethane	22.4	5.0	ug/l	25.0		90	75-130			
1,2,3-Trichloropropane	21.6	10	ug/l	25.0		86	65-135			
1,2,4-Trimethylbenzene	21.4	2.0	ug/l	25.0		86	80-125			
1,3,5-Trimethylbenzene	21.2	2.0	ug/l	25.0		85	80-130			
Vinyl acetate	29.9	25	ug/l	25.0		120	70-140			
Vinyl chloride	21.8	1.7	ug/l	25.0		87	70-135			
Xylenes, Total	43.0	3.0	ug/l	50.0		86	80-125			
Surrogate: Dibromofluoromethane	*24.3*		*ug/l*	*25.0*		*97*	*80-130*			
Surrogate: Toluene-d8	*24.2*		*ug/l*	*25.0*		*97*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.8*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0318 Extracted: 10/03/06										
LCS Dup Analyzed: 10/03/2006 (P6J0318-BSD1)										
Acetone	25.4	20	ug/l	25.0		102	30-150	13	35	
Benzene	21.4	1.0	ug/l	25.0		86	80-120	1	10	
Bromobenzene	22.1	5.0	ug/l	25.0		88	80-125	2	10	
Bromochloromethane	22.1	5.0	ug/l	25.0		88	80-125	5	15	
Bromodichloromethane	21.4	2.0	ug/l	25.0		86	80-120	1	15	
Bromoform	20.8	5.0	ug/l	25.0		83	70-120	3	20	
Bromomethane	21.6	5.0	ug/l	25.0		86	80-135	1	15	
2-Butanone (MEK)	22.3	10	ug/l	25.0		89	55-150	3	35	
n-Butylbenzene	21.4	5.0	ug/l	25.0		86	80-120	1	10	
sec-Butylbenzene	21.3	5.0	ug/l	25.0		85	80-130	1	10	
tert-Butylbenzene	21.3	5.0	ug/l	25.0		85	80-130	1	10	
Carbon Disulfide	22.0	5.0	ug/l	25.0		88	55-145	4	15	
Carbon tetrachloride	20.8	5.0	ug/l	25.0		83	80-120	1	15	
Chlorobenzene	21.0	1.0	ug/l	25.0		84	80-120	1	10	
Chloroethane	22.3	5.0	ug/l	25.0		89	80-125	4	15	
Chloroform	21.4	2.0	ug/l	25.0		86	80-120	0	10	
Chloromethane	22.0	5.0	ug/l	25.0		88	70-130	1	15	
2-Chlorotoluene	21.1	5.0	ug/l	25.0		84	80-120	1	10	
4-Chlorotoluene	21.7	5.0	ug/l	25.0		87	80-120	2	10	
Dibromochloromethane	21.2	2.0	ug/l	25.0		85	75-120	2	15	
1,2-Dibromo-3-chloropropane	19.7	5.0	ug/l	25.0		79	55-120	1	35	
1,2-Dibromoethane (EDB)	21.4	2.0	ug/l	25.0		86	75-125	1	20	
Dibromomethane	21.5	2.0	ug/l	25.0		86	80-125	1	20	
1,2-Dichlorobenzene	21.8	1.0	ug/l	25.0		87	80-120	3	10	
1,3-Dichlorobenzene	21.3	1.0	ug/l	25.0		85	80-125	1	10	
1,4-Dichlorobenzene	21.9	1.0	ug/l	25.0		88	80-120	2	10	
Dichlorodifluoromethane	18.8	5.0	ug/l	25.0		75	60-140	1	15	
1,1-Dichloroethane	21.1	2.0	ug/l	25.0		84	80-120	1	10	
1,2-Dichloroethane	22.3	1.0	ug/l	25.0		89	75-125	1	20	
1,1-Dichloroethene	21.0	5.0	ug/l	25.0		84	75-120	0	15	
cis-1,2-Dichloroethene	20.5	2.0	ug/l	25.0		82	80-125	1	10	
trans-1,2-Dichloroethene	20.9	2.0	ug/l	25.0		84	80-120	1	10	
1,2-Dichloropropane	22.1	2.0	ug/l	25.0		88	80-120	0	15	
1,3-Dichloropropane	21.9	2.0	ug/l	25.0		88	80-120	1	15	
2,2-Dichloropropane	21.1	2.0	ug/l	25.0		84	70-130	1	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0318 Extracted: 10/03/06										
LCS Dup Analyzed: 10/03/2006 (P6J0318-BSD1)										
1,1-Dichloropropene	22.0	2.0	ug/l	25.0		88	80-120	1	10	
cis-1,3-Dichloropropene	22.3	2.0	ug/l	25.0		89	75-120	0	15	
trans-1,3-Dichloropropene	22.4	2.0	ug/l	25.0		90	80-120	1	20	
Ethylbenzene	21.5	2.0	ug/l	25.0		86	80-125	1	15	
Hexachlorobutadiene	19.5	5.0	ug/l	25.0		78	70-130	0	15	
2-Hexanone	24.2	10	ug/l	25.0		97	40-150	1	35	
Iodomethane	22.0	2.0	ug/l	25.0		88	80-130	5	10	
Isopropylbenzene	23.2	2.0	ug/l	25.0		93	80-140	4	10	
p-Isopropyltoluene	21.2	2.0	ug/l	25.0		85	80-130	0	15	
Methylene chloride	21.3	5.0	ug/l	25.0		85	80-120	0	10	
4-Methyl-2-pentanone (MIBK)	22.6	10	ug/l	25.0		90	50-140	6	35	
Methyl-tert-butyl Ether (MTBE)	21.8	5.0	ug/l	25.0		87	65-130	2	25	
Naphthalene	19.9	2.0	ug/l	25.0		80	70-130	3	20	
n-Propylbenzene	22.2	2.0	ug/l	25.0		89	80-135	1	10	
Styrene	22.0	2.0	ug/l	25.0		88	80-125	1	15	
1,1,1,2-Tetrachloroethane	21.2	5.0	ug/l	25.0		85	80-120	4	15	
1,1,2,2-Tetrachloroethane	23.1	2.0	ug/l	25.0		92	65-140	5	25	
Tetrachloroethene	20.4	2.0	ug/l	25.0		82	80-125	0	15	
Toluene	21.8	2.0	ug/l	25.0		87	80-125	2	10	
1,2,3-Trichlorobenzene	22.6	5.0	ug/l	25.0		90	75-125	2	15	
1,2,4-Trichlorobenzene	22.1	5.0	ug/l	25.0		88	80-125	1	15	
1,1,1-Trichloroethane	21.2	2.0	ug/l	25.0		85	75-125	1	10	
1,1,2-Trichloroethane	21.6	2.0	ug/l	25.0		86	80-125	1	25	
Trichloroethene	21.3	2.0	ug/l	25.0		85	80-120	0	10	
Trichlorofluoromethane	22.5	5.0	ug/l	25.0		90	75-130	0	10	
1,2,3-Trichloropropane	22.0	10	ug/l	25.0		88	65-135	2	25	
1,2,4-Trimethylbenzene	22.0	2.0	ug/l	25.0		88	80-125	3	10	
1,3,5-Trimethylbenzene	21.8	2.0	ug/l	25.0		87	80-130	3	10	
Vinyl acetate	29.6	25	ug/l	25.0		118	70-140	1	30	
Vinyl chloride	21.8	1.7	ug/l	25.0		87	70-135	0	15	
Xylenes, Total	42.3	3.0	ug/l	50.0		85	80-125	2	15	
Surrogate: Dibromofluoromethane	*24.4*		*ug/l*	*25.0*		*98*	*80-130*			
Surrogate: Toluene-d8	*23.8*		*ug/l*	*25.0*		*95*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.9*		*ug/l*	*25.0*		*96*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0318 Extracted: 10/03/06										
Matrix Spike Analyzed: 10/03/2006 (P6J0318-MS1)					**Source: PPI0664-03**					
Acetone	24.9	20	ug/l	25.0	ND	100	15-150			
Benzene	20.9	1.0	ug/l	25.0	ND	84	80-125			
Bromobenzene	21.5	5.0	ug/l	25.0	ND	86	80-125			
Bromochloromethane	21.7	5.0	ug/l	25.0	ND	87	80-130			
Bromodichloromethane	21.2	2.0	ug/l	25.0	ND	85	70-130			
Bromoform	19.7	5.0	ug/l	25.0	ND	79	70-120			
Bromomethane	21.6	5.0	ug/l	25.0	ND	86	80-135			
2-Butanone (MEK)	24.2	10	ug/l	25.0	ND	97	30-150			
n-Butylbenzene	20.6	5.0	ug/l	25.0	ND	82	80-135			
sec-Butylbenzene	21.1	5.0	ug/l	25.0	ND	84	80-130			
tert-Butylbenzene	21.0	5.0	ug/l	25.0	ND	84	80-130			
Carbon Disulfide	22.5	5.0	ug/l	25.0	ND	90	45-150			
Carbon tetrachloride	19.9	5.0	ug/l	25.0	ND	80	65-135			
Chlorobenzene	21.0	1.0	ug/l	25.0	ND	84	80-125			
Chloroethane	22.2	5.0	ug/l	25.0	ND	89	80-125			
Chloroform	22.4	2.0	ug/l	25.0	0.85	86	75-130			
Chloromethane	21.8	5.0	ug/l	25.0	ND	87	65-130			
2-Chlorotoluene	20.7	5.0	ug/l	25.0	ND	83	80-130			
4-Chlorotoluene	21.1	5.0	ug/l	25.0	ND	84	80-135			
Dibromochloromethane	21.2	2.0	ug/l	25.0	ND	85	75-120			
1,2-Dibromo-3-chloropropane	20.0	5.0	ug/l	25.0	ND	80	50-130			
1,2-Dibromoethane (EDB)	22.2	2.0	ug/l	25.0	ND	89	70-130			
Dibromomethane	21.4	2.0	ug/l	25.0	ND	86	75-130			
1,2-Dichlorobenzene	21.2	1.0	ug/l	25.0	ND	85	80-130			
1,3-Dichlorobenzene	20.7	1.0	ug/l	25.0	ND	83	80-130			
1,4-Dichlorobenzene	21.2	1.0	ug/l	25.0	ND	85	80-125			
Dichlorodifluoromethane	18.9	5.0	ug/l	25.0	ND	76	60-140			
1,1-Dichloroethane	25.6	2.0	ug/l	25.0	3.6	88	80-125			
1,2-Dichloroethane	23.3	1.0	ug/l	25.0	ND	93	60-145			
1,1-Dichloroethene	22.1	5.0	ug/l	25.0	1.4	83	75-130			
cis-1,2-Dichloroethene	22.9	2.0	ug/l	25.0	2.3	82	80-125			
trans-1,2-Dichloroethene	21.6	2.0	ug/l	25.0	ND	86	80-120			
1,2-Dichloropropane	21.8	2.0	ug/l	25.0	ND	87	80-125			
1,3-Dichloropropane	22.2	2.0	ug/l	25.0	ND	89	75-130			
2,2-Dichloropropane	20.6	2.0	ug/l	25.0	ND	82	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0318 Extracted: 10/03/06										
Matrix Spike Analyzed: 10/03/2006 (P6J0318-MS1)					**Source: PPI0664-03**					
1,1-Dichloropropene	21.0	2.0	ug/l	25.0	ND	84	80-125			
cis-1,3-Dichloropropene	21.7	2.0	ug/l	25.0	ND	87	75-120			
trans-1,3-Dichloropropene	22.3	2.0	ug/l	25.0	ND	89	75-130			
Ethylbenzene	21.4	2.0	ug/l	25.0	ND	86	80-130			
Hexachlorobutadiene	19.8	5.0	ug/l	25.0	ND	79	65-130			
2-Hexanone	25.3	10	ug/l	25.0	ND	101	40-150			
Iodomethane	22.2	2.0	ug/l	25.0	ND	89	70-140			
Isopropylbenzene	22.3	2.0	ug/l	25.0	ND	89	80-140			
p-Isopropyltoluene	20.7	2.0	ug/l	25.0	ND	83	80-135			
Methylene chloride	21.7	5.0	ug/l	25.0	ND	87	75-125			
4-Methyl-2-pentanone (MIBK)	23.6	10	ug/l	25.0	ND	94	40-140			
Methyl-tert-butyl Ether (MTBE)	22.4	5.0	ug/l	25.0	ND	90	65-135			
Naphthalene	19.7	2.0	ug/l	25.0	ND	79	60-140			
n-Propylbenzene	21.8	2.0	ug/l	25.0	ND	87	80-140			
Styrene	19.5	2.0	ug/l	25.0	ND	78	30-150			
1,1,1,2-Tetrachloroethane	21.5	5.0	ug/l	25.0	ND	86	80-130			
1,1,2,2-Tetrachloroethane	22.8	2.0	ug/l	25.0	ND	91	65-140			
Tetrachloroethene	20.8	2.0	ug/l	25.0	0.78	80	80-130			
Toluene	21.3	2.0	ug/l	25.0	ND	85	80-130			
1,2,3-Trichlorobenzene	22.4	5.0	ug/l	25.0	ND	90	75-140			
1,2,4-Trichlorobenzene	20.6	5.0	ug/l	25.0	ND	82	80-135			
1,1,1-Trichloroethane	21.3	2.0	ug/l	25.0	ND	85	70-135			
1,1,2-Trichloroethane	21.1	2.0	ug/l	25.0	ND	84	70-135			
Trichloroethene	26.9	2.0	ug/l	25.0	6.9	80	80-125			
Trichlorofluoromethane	22.6	5.0	ug/l	25.0	ND	90	70-140			
1,2,3-Trichloropropane	22.7	10	ug/l	25.0	ND	91	65-135			
1,2,4-Trimethylbenzene	21.4	2.0	ug/l	25.0	ND	86	75-130			
1,3,5-Trimethylbenzene	21.1	2.0	ug/l	25.0	ND	84	80-135			
Vinyl acetate	29.6	25	ug/l	25.0	ND	118	30-150			
Vinyl chloride	21.7	1.7	ug/l	25.0	ND	87	70-135			
Xylenes, Total	41.8	3.0	ug/l	50.0	ND	84	80-125			
Surrogate: Dibromofluoromethane	*25.3*		*ug/l*	*25.0*		*101*	*80-130*			
Surrogate: Toluene-d8	*23.9*		*ug/l*	*25.0*		*96*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.1*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0318 Extracted: 10/03/06										
Matrix Spike Dup Analyzed: 10/03/2006 (P6J0318-MSD1)					**Source: PPI0664-03**					
Acetone	23.8	20	ug/l	25.0	ND	95	15-150	5	35	
Benzene	21.5	1.0	ug/l	25.0	ND	86	80-125	3	10	
Bromobenzene	21.7	5.0	ug/l	25.0	ND	87	80-125	1	15	
Bromochloromethane	21.9	5.0	ug/l	25.0	ND	88	80-130	1	20	
Bromodichloromethane	21.7	2.0	ug/l	25.0	ND	87	70-130	2	15	
Bromoform	19.3	5.0	ug/l	25.0	ND	77	70-120	2	25	
Bromomethane	22.1	5.0	ug/l	25.0	ND	88	80-135	2	20	
2-Butanone (MEK)	22.1	10	ug/l	25.0	ND	88	30-150	9	35	
n-Butylbenzene	22.0	5.0	ug/l	25.0	ND	88	80-135	7	20	
sec-Butylbenzene	22.0	5.0	ug/l	25.0	ND	88	80-130	4	20	
tert-Butylbenzene	21.3	5.0	ug/l	25.0	ND	85	80-130	1	20	
Carbon Disulfide	22.2	5.0	ug/l	25.0	ND	89	45-150	1	15	
Carbon tetrachloride	20.8	5.0	ug/l	25.0	ND	83	65-135	4	15	
Chlorobenzene	21.6	1.0	ug/l	25.0	ND	86	80-125	3	15	
Chloroethane	22.6	5.0	ug/l	25.0	ND	90	80-125	2	20	
Chloroform	22.9	2.0	ug/l	25.0	0.85	88	75-130	2	15	
Chloromethane	22.3	5.0	ug/l	25.0	ND	89	65-130	2	20	
2-Chlorotoluene	21.5	5.0	ug/l	25.0	ND	86	80-130	4	15	
4-Chlorotoluene	21.6	5.0	ug/l	25.0	ND	86	80-135	2	15	
Dibromochloromethane	20.9	2.0	ug/l	25.0	ND	84	75-120	1	20	
1,2-Dibromo-3-chloropropane	18.7	5.0	ug/l	25.0	ND	75	50-130	7	35	
1,2-Dibromoethane (EDB)	21.3	2.0	ug/l	25.0	ND	85	70-130	4	25	
Dibromomethane	20.8	2.0	ug/l	25.0	ND	83	75-130	3	25	
1,2-Dichlorobenzene	21.5	1.0	ug/l	25.0	ND	86	80-130	1	15	
1,3-Dichlorobenzene	21.4	1.0	ug/l	25.0	ND	86	80-130	3	15	
1,4-Dichlorobenzene	21.6	1.0	ug/l	25.0	ND	86	80-125	2	10	
Dichlorodifluoromethane	19.3	5.0	ug/l	25.0	ND	77	60-140	2	45	
1,1-Dichloroethane	25.4	2.0	ug/l	25.0	3.6	87	80-125	1	15	
1,2-Dichloroethane	22.7	1.0	ug/l	25.0	ND	91	60-145	3	20	
1,1-Dichloroethene	22.4	5.0	ug/l	25.0	1.4	84	75-130	1	15	
cis-1,2-Dichloroethene	23.3	2.0	ug/l	25.0	2.3	84	80-125	2	15	
trans-1,2-Dichloroethene	21.8	2.0	ug/l	25.0	ND	87	80-120	1	15	
1,2-Dichloropropane	21.9	2.0	ug/l	25.0	ND	88	80-125	1	15	
1,3-Dichloropropane	22.0	2.0	ug/l	25.0	ND	88	75-130	1	20	
2,2-Dichloropropane	21.0	2.0	ug/l	25.0	ND	84	60-135	2	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0318 Extracted: 10/03/06										
Matrix Spike Dup Analyzed: 10/03/2006 (P6J0318-MSD1)					**Source: PPI0664-03**					
1,1-Dichloropropene	21.8	2.0	ug/l	25.0	ND	87	80-125	4	15	
cis-1,3-Dichloropropene	21.5	2.0	ug/l	25.0	ND	86	75-120	1	15	
trans-1,3-Dichloropropene	21.3	2.0	ug/l	25.0	ND	85	75-130	5	25	
Ethylbenzene	22.1	2.0	ug/l	25.0	ND	88	80-130	3	15	
Hexachlorobutadiene	20.9	5.0	ug/l	25.0	ND	84	65-130	5	15	
2-Hexanone	22.2	10	ug/l	25.0	ND	89	40-150	13	35	
Iodomethane	22.1	2.0	ug/l	25.0	ND	88	70-140	1	15	
Isopropylbenzene	23.1	2.0	ug/l	25.0	ND	92	80-140	4	20	
p-Isopropyltoluene	22.0	2.0	ug/l	25.0	ND	88	80-135	6	20	
Methylene chloride	21.8	5.0	ug/l	25.0	ND	87	75-125	1	15	
4-Methyl-2-pentanone (MIBK)	20.5	10	ug/l	25.0	ND	82	40-140	14	35	
Methyl-tert-butyl Ether (MTBE)	21.4	5.0	ug/l	25.0	ND	86	65-135	5	30	
Naphthalene	19.2	2.0	ug/l	25.0	ND	77	60-140	3	30	
n-Propylbenzene	22.7	2.0	ug/l	25.0	ND	91	80-140	4	20	
Styrene	20.0	2.0	ug/l	25.0	ND	80	30-150	3	25	
1,1,1,2-Tetrachloroethane	21.5	5.0	ug/l	25.0	ND	86	80-130	0	15	
1,1,2,2-Tetrachloroethane	22.1	2.0	ug/l	25.0	ND	88	65-140	3	35	
Tetrachloroethene	21.4	2.0	ug/l	25.0	0.78	82	80-130	3	15	
Toluene	21.8	2.0	ug/l	25.0	ND	87	80-130	2	15	
1,2,3-Trichlorobenzene	22.2	5.0	ug/l	25.0	ND	89	75-140	1	20	
1,2,4-Trichlorobenzene	21.4	5.0	ug/l	25.0	ND	86	80-135	4	15	
1,1,1-Trichloroethane	22.1	2.0	ug/l	25.0	ND	88	70-135	4	15	
1,1,2-Trichloroethane	20.4	2.0	ug/l	25.0	ND	82	70-135	3	25	
Trichloroethene	27.9	2.0	ug/l	25.0	6.9	84	80-125	4	15	
Trichlorofluoromethane	23.0	5.0	ug/l	25.0	ND	92	70-140	2	15	
1,2,3-Trichloropropane	21.4	10	ug/l	25.0	ND	86	65-135	6	35	
1,2,4-Trimethylbenzene	22.0	2.0	ug/l	25.0	ND	88	75-130	3	15	
1,3,5-Trimethylbenzene	21.6	2.0	ug/l	25.0	ND	86	80-135	2	15	
Vinyl acetate	27.7	25	ug/l	25.0	ND	111	30-150	7	35	
Vinyl chloride	22.4	1.7	ug/l	25.0	ND	90	70-135	3	25	
Xylenes, Total	43.4	3.0	ug/l	50.0	ND	87	80-125	4	15	
Surrogate: Dibromofluoromethane	*24.8*		*ug/l*	*25.0*		*99*	*80-130*			
Surrogate: Toluene-d8	*24.0*		*ug/l*	*25.0*		*96*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.4*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0320 Extracted: 10/03/06										
Blank Analyzed: 10/03/2006 (P6J0320-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0320 Extracted: 10/03/06										
Blank Analyzed: 10/03/2006 (P6J0320-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*25.1*		*ug/l*	*25.0*		*100*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.6*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0320 Extracted: 10/03/06										
LCS Analyzed: 10/03/2006 (P6J0320-BS1)										
Acetone	22.0	20	ug/l	25.0		88	30-150			
Benzene	23.4	1.0	ug/l	25.0		94	80-120			
Bromobenzene	23.1	5.0	ug/l	25.0		92	80-125			
Bromochloromethane	23.0	5.0	ug/l	25.0		92	80-125			
Bromodichloromethane	23.4	2.0	ug/l	25.0		94	80-120			
Bromoform	24.2	5.0	ug/l	25.0		97	70-120			
Bromomethane	22.8	5.0	ug/l	25.0		91	80-135			
2-Butanone (MEK)	24.4	10	ug/l	25.0		98	55-150			
n-Butylbenzene	23.9	5.0	ug/l	25.0		96	80-120			
sec-Butylbenzene	23.9	5.0	ug/l	25.0		96	80-130			
tert-Butylbenzene	23.9	5.0	ug/l	25.0		96	80-130			
Carbon Disulfide	22.0	5.0	ug/l	25.0		88	55-145			
Carbon tetrachloride	23.2	5.0	ug/l	25.0		93	80-120			
Chlorobenzene	23.5	1.0	ug/l	25.0		94	80-120			
Chloroethane	23.6	5.0	ug/l	25.0		94	80-125			
Chloroform	22.9	2.0	ug/l	25.0		92	80-120			
Chloromethane	23.8	5.0	ug/l	25.0		95	70-130			
2-Chlorotoluene	23.2	5.0	ug/l	25.0		93	80-120			
4-Chlorotoluene	23.5	5.0	ug/l	25.0		94	80-120			
Dibromochloromethane	22.4	2.0	ug/l	25.0		90	75-120			
1,2-Dibromo-3-chloropropane	21.2	5.0	ug/l	25.0		85	55-120			
1,2-Dibromoethane (EDB)	23.2	2.0	ug/l	25.0		93	75-125			
Dibromomethane	21.3	2.0	ug/l	25.0		85	80-125			
1,2-Dichlorobenzene	22.9	1.0	ug/l	25.0		92	80-120			
1,3-Dichlorobenzene	23.0	1.0	ug/l	25.0		92	80-125			
1,4-Dichlorobenzene	23.9	1.0	ug/l	25.0		96	80-120			
Dichlorodifluoromethane	20.9	5.0	ug/l	25.0		84	60-140			
1,1-Dichloroethane	23.4	2.0	ug/l	25.0		94	80-120			
1,2-Dichloroethane	22.8	1.0	ug/l	25.0		91	75-125			
1,1-Dichloroethene	23.1	5.0	ug/l	25.0		92	75-120			
cis-1,2-Dichloroethene	22.9	2.0	ug/l	25.0		92	80-125			
trans-1,2-Dichloroethene	23.5	2.0	ug/l	25.0		94	80-120			
1,2-Dichloropropane	24.1	2.0	ug/l	25.0		96	80-120			
1,3-Dichloropropane	22.8	2.0	ug/l	25.0		91	80-120			
2,2-Dichloropropane	24.2	2.0	ug/l	25.0		97	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0320 Extracted: 10/03/06										
LCS Analyzed: 10/03/2006 (P6J0320-BS1)										
1,1-Dichloropropene	24.0	2.0	ug/l	25.0		96	80-120			
cis-1,3-Dichloropropene	23.4	2.0	ug/l	25.0		94	75-120			
trans-1,3-Dichloropropene	23.9	2.0	ug/l	25.0		96	80-120			
Ethylbenzene	24.0	2.0	ug/l	25.0		96	80-125			
Hexachlorobutadiene	22.9	5.0	ug/l	25.0		92	70-130			
2-Hexanone	22.8	10	ug/l	25.0		91	40-150			
Iodomethane	22.8	2.0	ug/l	25.0		91	80-130			
Isopropylbenzene	24.9	2.0	ug/l	25.0		100	80-140			
p-Isopropyltoluene	24.2	2.0	ug/l	25.0		97	80-130			
Methylene chloride	22.6	5.0	ug/l	25.0		90	80-120			
4-Methyl-2-pentanone (MIBK)	21.0	10	ug/l	25.0		84	50-140			
Methyl-tert-butyl Ether (MTBE)	23.5	5.0	ug/l	25.0		94	65-130			
Naphthalene	21.2	2.0	ug/l	25.0		85	70-130			
n-Propylbenzene	24.3	2.0	ug/l	25.0		97	80-135			
Styrene	25.0	2.0	ug/l	25.0		100	80-125			
1,1,1,2-Tetrachloroethane	24.0	5.0	ug/l	25.0		96	80-120			
1,1,2,2-Tetrachloroethane	23.1	2.0	ug/l	25.0		92	65-140			
Tetrachloroethene	22.5	2.0	ug/l	25.0		90	80-125			
Toluene	23.4	2.0	ug/l	25.0		94	80-125			
1,2,3-Trichlorobenzene	23.4	5.0	ug/l	25.0		94	75-125			
1,2,4-Trichlorobenzene	23.3	5.0	ug/l	25.0		93	80-125			
1,1,1-Trichloroethane	23.2	2.0	ug/l	25.0		93	75-125			
1,1,2-Trichloroethane	21.6	2.0	ug/l	25.0		86	80-125			
Trichloroethene	23.3	2.0	ug/l	25.0		93	80-120			
Trichlorofluoromethane	23.9	5.0	ug/l	25.0		96	75-130			
1,2,3-Trichloropropane	22.4	10	ug/l	25.0		90	65-135			
1,2,4-Trimethylbenzene	23.4	2.0	ug/l	25.0		94	80-125			
1,3,5-Trimethylbenzene	23.7	2.0	ug/l	25.0		95	80-130			
Vinyl acetate	29.5	25	ug/l	25.0		118	70-140			
Vinyl chloride	23.1	1.7	ug/l	25.0		92	70-135			
Xylenes, Total	48.0	3.0	ug/l	50.0		96	80-125			
Surrogate: Dibromofluoromethane	*25.6*		*ug/l*	*25.0*		*102*	*80-130*			
Surrogate: Toluene-d8	*25.6*		*ug/l*	*25.0*		*102*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0320 Extracted: 10/03/06										
LCS Dup Analyzed: 10/03/2006 (P6J0320-BSD1)										
Acetone	22.3	20	ug/l	25.0		89	30-150	1	35	
Benzene	24.0	1.0	ug/l	25.0		96	80-120	3	10	
Bromobenzene	23.4	5.0	ug/l	25.0		94	80-125	1	10	
Bromochloromethane	23.6	5.0	ug/l	25.0		94	80-125	3	15	
Bromodichloromethane	23.8	2.0	ug/l	25.0		95	80-120	2	15	
Bromoform	24.9	5.0	ug/l	25.0		100	70-120	3	20	
Bromomethane	23.6	5.0	ug/l	25.0		94	80-135	3	15	
2-Butanone (MEK)	24.8	10	ug/l	25.0		99	55-150	2	35	
n-Butylbenzene	23.6	5.0	ug/l	25.0		94	80-120	1	10	
sec-Butylbenzene	23.5	5.0	ug/l	25.0		94	80-130	2	10	
tert-Butylbenzene	23.4	5.0	ug/l	25.0		94	80-130	2	10	
Carbon Disulfide	24.4	5.0	ug/l	25.0		98	55-145	10	15	
Carbon tetrachloride	23.2	5.0	ug/l	25.0		93	80-120	0	15	
Chlorobenzene	23.3	1.0	ug/l	25.0		93	80-120	1	10	
Chloroethane	24.5	5.0	ug/l	25.0		98	80-125	4	15	
Chloroform	23.3	2.0	ug/l	25.0		93	80-120	2	10	
Chloromethane	25.1	5.0	ug/l	25.0		100	70-130	5	15	
2-Chlorotoluene	23.1	5.0	ug/l	25.0		92	80-120	0	10	
4-Chlorotoluene	23.1	5.0	ug/l	25.0		92	80-120	2	10	
Dibromochloromethane	23.0	2.0	ug/l	25.0		92	75-120	3	15	
1,2-Dibromo-3-chloropropane	23.5	5.0	ug/l	25.0		94	55-120	10	35	
1,2-Dibromoethane (EDB)	23.3	2.0	ug/l	25.0		93	75-125	0	20	
Dibromomethane	23.0	2.0	ug/l	25.0		92	80-125	8	20	
1,2-Dichlorobenzene	23.2	1.0	ug/l	25.0		93	80-120	1	10	
1,3-Dichlorobenzene	23.2	1.0	ug/l	25.0		93	80-125	1	10	
1,4-Dichlorobenzene	23.9	1.0	ug/l	25.0		96	80-120	0	10	
Dichlorodifluoromethane	21.0	5.0	ug/l	25.0		84	60-140	1	15	
1,1-Dichloroethane	24.0	2.0	ug/l	25.0		96	80-120	3	10	
1,2-Dichloroethane	24.2	1.0	ug/l	25.0		97	75-125	6	20	
1,1-Dichloroethene	23.9	5.0	ug/l	25.0		96	75-120	3	15	
cis-1,2-Dichloroethene	23.3	2.0	ug/l	25.0		93	80-125	2	10	
trans-1,2-Dichloroethene	24.2	2.0	ug/l	25.0		97	80-120	3	10	
1,2-Dichloropropane	24.6	2.0	ug/l	25.0		98	80-120	2	15	
1,3-Dichloropropane	23.2	2.0	ug/l	25.0		93	80-120	2	15	
2,2-Dichloropropane	23.6	2.0	ug/l	25.0		94	70-130	3	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0320 Extracted: 10/03/06										
LCS Dup Analyzed: 10/03/2006 (P6J0320-BSD1)										
1,1-Dichloropropene	24.4	2.0	ug/l	25.0		98	80-120	2	10	
cis-1,3-Dichloropropene	25.2	2.0	ug/l	25.0		101	75-120	7	15	
trans-1,3-Dichloropropene	25.1	2.0	ug/l	25.0		100	80-120	5	20	
Ethylbenzene	23.5	2.0	ug/l	25.0		94	80-125	2	15	
Hexachlorobutadiene	22.8	5.0	ug/l	25.0		91	70-130	0	15	
2-Hexanone	21.6	10	ug/l	25.0		86	40-150	5	35	
Iodomethane	22.3	2.0	ug/l	25.0		89	80-130	2	10	
Isopropylbenzene	25.0	2.0	ug/l	25.0		100	80-140	0	10	
p-Isopropyltoluene	24.0	2.0	ug/l	25.0		96	80-130	1	15	
Methylene chloride	23.3	5.0	ug/l	25.0		93	80-120	3	10	
4-Methyl-2-pentanone (MIBK)	21.5	10	ug/l	25.0		86	50-140	2	35	
Methyl-tert-butyl Ether (MTBE)	24.4	5.0	ug/l	25.0		98	65-130	4	25	
Naphthalene	23.7	2.0	ug/l	25.0		95	70-130	11	20	
n-Propylbenzene	24.0	2.0	ug/l	25.0		96	80-135	1	10	
Styrene	24.2	2.0	ug/l	25.0		97	80-125	3	15	
1,1,1,2-Tetrachloroethane	23.6	5.0	ug/l	25.0		94	80-120	2	15	
1,1,2,2-Tetrachloroethane	24.3	2.0	ug/l	25.0		97	65-140	5	25	
Tetrachloroethene	22.5	2.0	ug/l	25.0		90	80-125	0	15	
Toluene	24.4	2.0	ug/l	25.0		98	80-125	4	10	
1,2,3-Trichlorobenzene	24.1	5.0	ug/l	25.0		96	75-125	3	15	
1,2,4-Trichlorobenzene	23.7	5.0	ug/l	25.0		95	80-125	2	15	
1,1,1-Trichloroethane	23.4	2.0	ug/l	25.0		94	75-125	1	10	
1,1,2-Trichloroethane	23.4	2.0	ug/l	25.0		94	80-125	8	25	
Trichloroethene	24.1	2.0	ug/l	25.0		96	80-120	3	10	
Trichlorofluoromethane	24.0	5.0	ug/l	25.0		96	75-130	0	10	
1,2,3-Trichloropropane	23.8	10	ug/l	25.0		95	65-135	6	25	
1,2,4-Trimethylbenzene	23.4	2.0	ug/l	25.0		94	80-125	0	10	
1,3,5-Trimethylbenzene	23.6	2.0	ug/l	25.0		94	80-130	0	10	
Vinyl acetate	28.7	25	ug/l	25.0		115	70-140	3	30	
Vinyl chloride	25.9	1.7	ug/l	25.0		104	70-135	11	15	
Xylenes, Total	47.1	3.0	ug/l	50.0		94	80-125	2	15	
Surrogate: Dibromofluoromethane	*25.7*		*ug/l*	*25.0*		*103*	*80-130*			
Surrogate: Toluene-d8	*26.4*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.0*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0320 Extracted: 10/03/06										
Matrix Spike Analyzed: 10/03/2006 (P6J0320-MS1)					**Source: PPI0750-04**					
Acetone	33.2	20	ug/l	25.0	ND	133	15-150			
Benzene	28.8	1.0	ug/l	25.0	4.8	96	80-125			
Bromobenzene	23.2	5.0	ug/l	25.0	ND	93	80-125			
Bromochloromethane	22.8	5.0	ug/l	25.0	ND	91	80-130			
Bromodichloromethane	23.3	2.0	ug/l	25.0	ND	93	70-130			
Bromoform	24.4	5.0	ug/l	25.0	ND	98	70-120			
Bromomethane	23.6	5.0	ug/l	25.0	ND	94	80-135			
2-Butanone (MEK)	23.1	10	ug/l	25.0	ND	92	30-150			
n-Butylbenzene	24.2	5.0	ug/l	25.0	0.52	95	80-135			
sec-Butylbenzene	24.3	5.0	ug/l	25.0	0.61	95	80-130			
tert-Butylbenzene	23.5	5.0	ug/l	25.0	ND	94	80-130			
Carbon Disulfide	25.6	5.0	ug/l	25.0	ND	102	45-150			
Carbon tetrachloride	22.2	5.0	ug/l	25.0	ND	89	65-135			
Chlorobenzene	23.7	1.0	ug/l	25.0	ND	95	80-125			
Chloroethane	24.7	5.0	ug/l	25.0	ND	99	80-125			
Chloroform	23.6	2.0	ug/l	25.0	1.1	90	75-130			
Chloromethane	24.6	5.0	ug/l	25.0	ND	98	65-130			
2-Chlorotoluene	23.4	5.0	ug/l	25.0	ND	94	80-130			
4-Chlorotoluene	23.6	5.0	ug/l	25.0	ND	94	80-135			
Dibromochloromethane	22.3	2.0	ug/l	25.0	ND	89	75-120			
1,2-Dibromo-3-chloropropane	21.7	5.0	ug/l	25.0	ND	87	50-130			
1,2-Dibromoethane (EDB)	23.5	2.0	ug/l	25.0	ND	94	70-130			
Dibromomethane	22.0	2.0	ug/l	25.0	ND	88	75-130			
1,2-Dichlorobenzene	22.9	1.0	ug/l	25.0	ND	92	80-130			
1,3-Dichlorobenzene	23.0	1.0	ug/l	25.0	ND	92	80-130			
1,4-Dichlorobenzene	23.8	1.0	ug/l	25.0	ND	95	80-125			
Dichlorodifluoromethane	20.7	5.0	ug/l	25.0	ND	83	60-140			
1,1-Dichloroethane	24.2	2.0	ug/l	25.0	0.64	94	80-125			
1,2-Dichloroethane	22.0	1.0	ug/l	25.0	ND	88	60-145			
1,1-Dichloroethene	25.2	5.0	ug/l	25.0	1.3	96	75-130			
cis-1,2-Dichloroethene	24.4	2.0	ug/l	25.0	1.3	92	80-125			
trans-1,2-Dichloroethene	24.3	2.0	ug/l	25.0	ND	97	80-120			
1,2-Dichloropropane	24.8	2.0	ug/l	25.0	ND	99	80-125			
1,3-Dichloropropane	23.6	2.0	ug/l	25.0	ND	94	75-130			
2,2-Dichloropropane	22.9	2.0	ug/l	25.0	ND	92	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0320 Extracted: 10/03/06										
Matrix Spike Analyzed: 10/03/2006 (P6J0320-MS1)					**Source: PPI0750-04**					
1,1-Dichloropropene	24.3	2.0	ug/l	25.0	ND	97	80-125			
cis-1,3-Dichloropropene	24.5	2.0	ug/l	25.0	ND	98	75-120			
trans-1,3-Dichloropropene	23.2	2.0	ug/l	25.0	ND	93	75-130			
Ethylbenzene	30.4	2.0	ug/l	25.0	6.7	95	80-130			
Hexachlorobutadiene	23.1	5.0	ug/l	25.0	ND	92	65-130			
2-Hexanone	22.2	10	ug/l	25.0	ND	89	40-150			
Iodomethane	23.1	2.0	ug/l	25.0	ND	92	70-140			
Isopropylbenzene	26.7	2.0	ug/l	25.0	1.7	100	80-140			
p-Isopropyltoluene	24.3	2.0	ug/l	25.0	ND	97	80-135			
Methylene chloride	23.5	5.0	ug/l	25.0	ND	94	75-125			
4-Methyl-2-pentanone (MIBK)	21.9	10	ug/l	25.0	ND	88	40-140			
Methyl-tert-butyl Ether (MTBE)	29.2	5.0	ug/l	25.0	6.2	92	65-135			
Naphthalene	30.5	2.0	ug/l	25.0	12	74	60-140			
n-Propylbenzene	26.8	2.0	ug/l	25.0	2.3	98	80-140			
Styrene	24.6	2.0	ug/l	25.0	ND	98	30-150			
1,1,1,2-Tetrachloroethane	23.4	5.0	ug/l	25.0	ND	94	80-130			
1,1,2,2-Tetrachloroethane	24.1	2.0	ug/l	25.0	ND	96	65-140			
Tetrachloroethene	25.4	2.0	ug/l	25.0	1.4	96	80-130			
Toluene	24.3	2.0	ug/l	25.0	ND	97	80-130			
1,2,3-Trichlorobenzene	24.4	5.0	ug/l	25.0	ND	98	75-140			
1,2,4-Trichlorobenzene	23.7	5.0	ug/l	25.0	ND	95	80-135			
1,1,1-Trichloroethane	22.1	2.0	ug/l	25.0	ND	88	70-135			
1,1,2-Trichloroethane	23.1	2.0	ug/l	25.0	ND	92	70-135			
Trichloroethene	37.6	2.0	ug/l	25.0	14	94	80-125			
Trichlorofluoromethane	23.2	5.0	ug/l	25.0	ND	93	70-140			
1,2,3-Trichloropropane	22.7	10	ug/l	25.0	ND	91	65-135			
1,2,4-Trimethylbenzene	27.9	2.0	ug/l	25.0	4.9	92	75-130			
1,3,5-Trimethylbenzene	24.9	2.0	ug/l	25.0	1.2	95	80-135			
Vinyl acetate	30.2	25	ug/l	25.0	ND	121	30-150			
Vinyl chloride	25.4	1.7	ug/l	25.0	ND	102	70-135			
Xylenes, Total	53.0	3.0	ug/l	50.0	4.4	97	80-125			
Surrogate: Dibromofluoromethane	*24.7*		*ug/l*	*25.0*		*99*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.5*		*ug/l*	*25.0*		*102*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0320 Extracted: 10/03/06										
Matrix Spike Dup Analyzed: 10/03/2006 (P6J0320-MSD1)					**Source: PPI0750-04**					
Acetone	31.3	20	ug/l	25.0	ND	125	15-150	6	35	
Benzene	27.0	1.0	ug/l	25.0	4.8	89	80-125	6	10	
Bromobenzene	22.5	5.0	ug/l	25.0	ND	90	80-125	3	15	
Bromochloromethane	21.2	5.0	ug/l	25.0	ND	85	80-130	7	20	
Bromodichloromethane	22.1	2.0	ug/l	25.0	ND	88	70-130	5	15	
Bromoform	22.4	5.0	ug/l	25.0	ND	90	70-120	9	25	
Bromomethane	22.1	5.0	ug/l	25.0	ND	88	80-135	7	20	
2-Butanone (MEK)	22.7	10	ug/l	25.0	ND	91	30-150	2	35	
n-Butylbenzene	23.1	5.0	ug/l	25.0	0.52	90	80-135	5	20	
sec-Butylbenzene	23.3	5.0	ug/l	25.0	0.61	91	80-130	4	20	
tert-Butylbenzene	22.7	5.0	ug/l	25.0	ND	91	80-130	3	20	
Carbon Disulfide	23.9	5.0	ug/l	25.0	ND	96	45-150	7	15	
Carbon tetrachloride	20.3	5.0	ug/l	25.0	ND	81	65-135	9	15	
Chlorobenzene	22.5	1.0	ug/l	25.0	ND	90	80-125	5	15	
Chloroethane	23.0	5.0	ug/l	25.0	ND	92	80-125	7	20	
Chloroform	21.6	2.0	ug/l	25.0	1.1	82	75-130	9	15	
Chloromethane	22.4	5.0	ug/l	25.0	ND	90	65-130	9	20	
2-Chlorotoluene	22.7	5.0	ug/l	25.0	ND	91	80-130	3	15	
4-Chlorotoluene	22.6	5.0	ug/l	25.0	ND	90	80-135	4	15	
Dibromochloromethane	20.7	2.0	ug/l	25.0	ND	83	75-120	7	20	
1,2-Dibromo-3-chloropropane	19.6	5.0	ug/l	25.0	ND	78	50-130	10	35	
1,2-Dibromoethane (EDB)	21.2	2.0	ug/l	25.0	ND	85	70-130	10	25	
Dibromomethane	21.0	2.0	ug/l	25.0	ND	84	75-130	5	25	
1,2-Dichlorobenzene	21.3	1.0	ug/l	25.0	ND	85	80-130	7	15	
1,3-Dichlorobenzene	21.9	1.0	ug/l	25.0	ND	88	80-130	5	15	
1,4-Dichlorobenzene	22.8	1.0	ug/l	25.0	ND	91	80-125	4	10	
Dichlorodifluoromethane	18.2	5.0	ug/l	25.0	ND	73	60-140	13	45	
1,1-Dichloroethane	22.8	2.0	ug/l	25.0	0.64	89	80-125	6	15	
1,2-Dichloroethane	19.9	1.0	ug/l	25.0	ND	80	60-145	10	20	
1,1-Dichloroethene	23.2	5.0	ug/l	25.0	1.3	88	75-130	8	15	
cis-1,2-Dichloroethene	22.8	2.0	ug/l	25.0	1.3	86	80-125	7	15	
trans-1,2-Dichloroethene	22.7	2.0	ug/l	25.0	ND	91	80-120	7	15	
1,2-Dichloropropane	23.3	2.0	ug/l	25.0	ND	93	80-125	6	15	
1,3-Dichloropropane	21.9	2.0	ug/l	25.0	ND	88	75-130	7	20	
2,2-Dichloropropane	20.9	2.0	ug/l	25.0	ND	84	60-135	9	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0320 Extracted: 10/03/06										
Matrix Spike Dup Analyzed: 10/03/2006 (P6J0320-MSD1)					**Source: PPI0750-04**					
1,1-Dichloropropene	22.8	2.0	ug/l	25.0	ND	91	80-125	6	15	
cis-1,3-Dichloropropene	22.8	2.0	ug/l	25.0	ND	91	75-120	7	15	
trans-1,3-Dichloropropene	21.9	2.0	ug/l	25.0	ND	88	75-130	6	25	
Ethylbenzene	28.9	2.0	ug/l	25.0	6.7	89	80-130	5	15	
Hexachlorobutadiene	21.7	5.0	ug/l	25.0	ND	87	65-130	6	15	
2-Hexanone	22.6	10	ug/l	25.0	ND	90	40-150	2	35	
Iodomethane	22.8	2.0	ug/l	25.0	ND	91	70-140	1	15	
Isopropylbenzene	25.6	2.0	ug/l	25.0	1.7	96	80-140	4	20	
p-Isopropyltoluene	23.1	2.0	ug/l	25.0	ND	92	80-135	5	20	
Methylene chloride	22.2	5.0	ug/l	25.0	ND	89	75-125	6	15	
4-Methyl-2-pentanone (MIBK)	21.1	10	ug/l	25.0	ND	84	40-140	4	35	
Methyl-tert-butyl Ether (MTBE)	26.8	5.0	ug/l	25.0	6.2	82	65-135	9	30	
Naphthalene	29.0	2.0	ug/l	25.0	12	68	60-140	5	30	
n-Propylbenzene	25.6	2.0	ug/l	25.0	2.3	93	80-140	5	20	
Styrene	23.6	2.0	ug/l	25.0	ND	94	30-150	4	25	
1,1,1,2-Tetrachloroethane	22.0	5.0	ug/l	25.0	ND	88	80-130	6	15	
1,1,2,2-Tetrachloroethane	23.3	2.0	ug/l	25.0	ND	93	65-140	3	35	
Tetrachloroethene	23.3	2.0	ug/l	25.0	1.4	88	80-130	9	15	
Toluene	23.5	2.0	ug/l	25.0	ND	94	80-130	3	15	
1,2,3-Trichlorobenzene	21.6	5.0	ug/l	25.0	ND	86	75-140	12	20	
1,2,4-Trichlorobenzene	21.8	5.0	ug/l	25.0	ND	87	80-135	8	15	
1,1,1-Trichloroethane	20.4	2.0	ug/l	25.0	ND	82	70-135	8	15	
1,1,2-Trichloroethane	21.9	2.0	ug/l	25.0	ND	88	70-135	5	25	
Trichloroethene	35.7	2.0	ug/l	25.0	14	87	80-125	5	15	
Trichlorofluoromethane	20.9	5.0	ug/l	25.0	ND	84	70-140	10	15	
1,2,3-Trichloropropane	21.6	10	ug/l	25.0	ND	86	65-135	5	35	
1,2,4-Trimethylbenzene	26.8	2.0	ug/l	25.0	4.9	88	75-130	4	15	
1,3,5-Trimethylbenzene	23.8	2.0	ug/l	25.0	1.2	90	80-135	5	15	
Vinyl acetate	29.6	25	ug/l	25.0	ND	118	30-150	2	35	
Vinyl chloride	23.5	1.7	ug/l	25.0	ND	94	70-135	8	25	
Xylenes, Total	50.0	3.0	ug/l	50.0	4.4	91	80-125	6	15	
Surrogate: Dibromofluoromethane	*24.4*		*ug/l*	*25.0*		*98*	*80-130*			
Surrogate: Toluene-d8	*26.7*		*ug/l*	*25.0*		*107*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.7*		*ug/l*	*25.0*		*103*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
Blank Analyzed: 10/04/2006 (P6J0425-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
Blank Analyzed: 10/04/2006 (P6J0425-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*24.8*		*ug/l*	*25.0*		*99*	*80-130*			
Surrogate: Toluene-d8	*23.7*		*ug/l*	*25.0*		*95*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.0*		*ug/l*	*25.0*		*92*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
LCS Analyzed: 10/04/2006 (P6J0425-BS1)										
Acetone	27.6	20	ug/l	25.0		110	30-150			
Benzene	22.3	1.0	ug/l	25.0		89	80-120			
Bromobenzene	22.7	5.0	ug/l	25.0		91	80-125			
Bromochloromethane	22.7	5.0	ug/l	25.0		91	80-125			
Bromodichloromethane	22.8	2.0	ug/l	25.0		91	80-120			
Bromoform	22.1	5.0	ug/l	25.0		88	70-120			
Bromomethane	23.5	5.0	ug/l	25.0		94	80-135			
2-Butanone (MEK)	24.4	10	ug/l	25.0		98	55-150			
n-Butylbenzene	23.4	5.0	ug/l	25.0		94	80-120			
sec-Butylbenzene	23.2	5.0	ug/l	25.0		93	80-130			
tert-Butylbenzene	22.7	5.0	ug/l	25.0		91	80-130			
Carbon Disulfide	22.7	5.0	ug/l	25.0		91	55-145			
Carbon tetrachloride	22.5	5.0	ug/l	25.0		90	80-120			
Chlorobenzene	22.5	1.0	ug/l	25.0		90	80-120			
Chloroethane	23.7	5.0	ug/l	25.0		95	80-125			
Chloroform	22.9	2.0	ug/l	25.0		92	80-120			
Chloromethane	24.1	5.0	ug/l	25.0		96	70-130			
2-Chlorotoluene	22.0	5.0	ug/l	25.0		88	80-120			
4-Chlorotoluene	22.9	5.0	ug/l	25.0		92	80-120			
Dibromochloromethane	22.5	2.0	ug/l	25.0		90	75-120			
1,2-Dibromo-3-chloropropane	22.9	5.0	ug/l	25.0		92	55-120			
1,2-Dibromoethane (EDB)	23.6	2.0	ug/l	25.0		94	75-125			
Dibromomethane	22.5	2.0	ug/l	25.0		90	80-125			
1,2-Dichlorobenzene	22.3	1.0	ug/l	25.0		89	80-120			
1,3-Dichlorobenzene	22.1	1.0	ug/l	25.0		88	80-125			
1,4-Dichlorobenzene	23.0	1.0	ug/l	25.0		92	80-120			
Dichlorodifluoromethane	20.6	5.0	ug/l	25.0		82	60-140			
1,1-Dichloroethane	22.6	2.0	ug/l	25.0		90	80-120			
1,2-Dichloroethane	23.6	1.0	ug/l	25.0		94	75-125			
1,1-Dichloroethene	23.0	5.0	ug/l	25.0		92	75-120			
cis-1,2-Dichloroethene	22.0	2.0	ug/l	25.0		88	80-125			
trans-1,2-Dichloroethene	22.7	2.0	ug/l	25.0		91	80-120			
1,2-Dichloropropane	22.9	2.0	ug/l	25.0		92	80-120			
1,3-Dichloropropane	23.2	2.0	ug/l	25.0		93	80-120			
2,2-Dichloropropane	22.6	2.0	ug/l	25.0		90	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
LCS Analyzed: 10/04/2006 (P6J0425-BS1)										
1,1-Dichloropropene	23.5	2.0	ug/l	25.0		94	80-120			
cis-1,3-Dichloropropene	23.0	2.0	ug/l	25.0		92	75-120			
trans-1,3-Dichloropropene	23.4	2.0	ug/l	25.0		94	80-120			
Ethylbenzene	23.3	2.0	ug/l	25.0		93	80-125			
Hexachlorobutadiene	21.4	5.0	ug/l	25.0		86	70-130			
2-Hexanone	26.0	10	ug/l	25.0		104	40-150			
Iodomethane	22.1	2.0	ug/l	25.0		88	80-130			
Isopropylbenzene	24.6	2.0	ug/l	25.0		98	80-140			
p-Isopropyltoluene	23.3	2.0	ug/l	25.0		93	80-130			
Methylene chloride	23.0	5.0	ug/l	25.0		92	80-120			
4-Methyl-2-pentanone (MIBK)	23.6	10	ug/l	25.0		94	50-140			
Methyl-tert-butyl Ether (MTBE)	23.7	5.0	ug/l	25.0		95	65-130			
Naphthalene	20.8	2.0	ug/l	25.0		83	70-130			
n-Propylbenzene	23.8	2.0	ug/l	25.0		95	80-135			
Styrene	23.4	2.0	ug/l	25.0		94	80-125			
1,1,1,2-Tetrachloroethane	22.6	5.0	ug/l	25.0		90	80-120			
1,1,2,2-Tetrachloroethane	24.1	2.0	ug/l	25.0		96	65-140			
Tetrachloroethene	22.0	2.0	ug/l	25.0		88	80-125			
Toluene	22.8	2.0	ug/l	25.0		91	80-125			
1,2,3-Trichlorobenzene	23.4	5.0	ug/l	25.0		94	75-125			
1,2,4-Trichlorobenzene	22.6	5.0	ug/l	25.0		90	80-125			
1,1,1-Trichloroethane	22.6	2.0	ug/l	25.0		90	75-125			
1,1,2-Trichloroethane	22.9	2.0	ug/l	25.0		92	80-125			
Trichloroethene	22.4	2.0	ug/l	25.0		90	80-120			
Trichlorofluoromethane	24.5	5.0	ug/l	25.0		98	75-130			
1,2,3-Trichloropropane	24.5	10	ug/l	25.0		98	65-135			
1,2,4-Trimethylbenzene	23.0	2.0	ug/l	25.0		92	80-125			
1,3,5-Trimethylbenzene	23.3	2.0	ug/l	25.0		93	80-130			
Vinyl acetate	31.6	25	ug/l	25.0		126	70-140			
Vinyl chloride	24.2	1.7	ug/l	25.0		97	70-135			
Xylenes, Total	45.5	3.0	ug/l	50.0		91	80-125			
Surrogate: Dibromofluoromethane	*24.7*		*ug/l*	*25.0*		*99*	*80-130*			
Surrogate: Toluene-d8	*23.8*		*ug/l*	*25.0*		*95*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.3*		*ug/l*	*25.0*		*97*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
LCS Dup Analyzed: 10/04/2006 (P6J0425-BSD1)										
Acetone	28.8	20	ug/l	25.0		115	30-150	4	35	
Benzene	23.3	1.0	ug/l	25.0		93	80-120	4	10	
Bromobenzene	23.1	5.0	ug/l	25.0		92	80-125	2	10	
Bromochloromethane	23.5	5.0	ug/l	25.0		94	80-125	3	15	
Bromodichloromethane	23.4	2.0	ug/l	25.0		94	80-120	3	15	
Bromoform	22.5	5.0	ug/l	25.0		90	70-120	2	20	
Bromomethane	24.0	5.0	ug/l	25.0		96	80-135	2	15	
2-Butanone (MEK)	26.9	10	ug/l	25.0		108	55-150	10	35	
n-Butylbenzene	23.8	5.0	ug/l	25.0		95	80-120	2	10	
sec-Butylbenzene	23.5	5.0	ug/l	25.0		94	80-130	1	10	
tert-Butylbenzene	22.6	5.0	ug/l	25.0		90	80-130	0	10	
Carbon Disulfide	23.7	5.0	ug/l	25.0		95	55-145	4	15	
Carbon tetrachloride	23.3	5.0	ug/l	25.0		93	80-120	3	15	
Chlorobenzene	23.2	1.0	ug/l	25.0		93	80-120	3	10	
Chloroethane	24.5	5.0	ug/l	25.0		98	80-125	3	15	
Chloroform	23.4	2.0	ug/l	25.0		94	80-120	2	10	
Chloromethane	24.2	5.0	ug/l	25.0		97	70-130	0	15	
2-Chlorotoluene	22.4	5.0	ug/l	25.0		90	80-120	2	10	
4-Chlorotoluene	23.1	5.0	ug/l	25.0		92	80-120	1	10	
Dibromochloromethane	23.2	2.0	ug/l	25.0		93	75-120	3	15	
1,2-Dibromo-3-chloropropane	23.2	5.0	ug/l	25.0		93	55-120	1	35	
1,2-Dibromoethane (EDB)	24.5	2.0	ug/l	25.0		98	75-125	4	20	
Dibromomethane	23.3	2.0	ug/l	25.0		93	80-125	3	20	
1,2-Dichlorobenzene	22.8	1.0	ug/l	25.0		91	80-120	2	10	
1,3-Dichlorobenzene	22.6	1.0	ug/l	25.0		90	80-125	2	10	
1,4-Dichlorobenzene	23.4	1.0	ug/l	25.0		94	80-120	2	10	
Dichlorodifluoromethane	19.9	5.0	ug/l	25.0		80	60-140	3	15	
1,1-Dichloroethane	23.0	2.0	ug/l	25.0		92	80-120	2	10	
1,2-Dichloroethane	24.3	1.0	ug/l	25.0		97	75-125	3	20	
1,1-Dichloroethene	24.2	5.0	ug/l	25.0		97	75-120	5	15	
cis-1,2-Dichloroethene	22.2	2.0	ug/l	25.0		89	80-125	1	10	
trans-1,2-Dichloroethene	23.2	2.0	ug/l	25.0		93	80-120	2	10	
1,2-Dichloropropane	23.4	2.0	ug/l	25.0		94	80-120	2	15	
1,3-Dichloropropane	23.6	2.0	ug/l	25.0		94	80-120	2	15	
2,2-Dichloropropane	21.8	2.0	ug/l	25.0		87	70-130	4	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
LCS Dup Analyzed: 10/04/2006 (P6J0425-BSD1)										
1,1-Dichloropropene	24.2	2.0	ug/l	25.0		97	80-120	3	10	
cis-1,3-Dichloropropene	23.9	2.0	ug/l	25.0		96	75-120	4	15	
trans-1,3-Dichloropropene	24.2	2.0	ug/l	25.0		97	80-120	3	20	
Ethylbenzene	23.9	2.0	ug/l	25.0		96	80-125	3	15	
Hexachlorobutadiene	24.4	5.0	ug/l	25.0		98	70-130	13	15	
2-Hexanone	28.4	10	ug/l	25.0		114	40-150	9	35	
Iodomethane	23.4	2.0	ug/l	25.0		94	80-130	6	10	
Isopropylbenzene	24.6	2.0	ug/l	25.0		98	80-140	0	10	
p-Isopropyltoluene	23.8	2.0	ug/l	25.0		95	80-130	2	15	
Methylene chloride	23.3	5.0	ug/l	25.0		93	80-120	1	10	
4-Methyl-2-pentanone (MIBK)	25.5	10	ug/l	25.0		102	50-140	8	35	
Methyl-tert-butyl Ether (MTBE)	24.0	5.0	ug/l	25.0		96	65-130	1	25	
Naphthalene	22.2	2.0	ug/l	25.0		89	70-130	7	20	
n-Propylbenzene	24.0	2.0	ug/l	25.0		96	80-135	1	10	
Styrene	24.1	2.0	ug/l	25.0		96	80-125	3	15	
1,1,1,2-Tetrachloroethane	23.4	5.0	ug/l	25.0		94	80-120	3	15	
1,1,2,2-Tetrachloroethane	24.4	2.0	ug/l	25.0		98	65-140	1	25	
Tetrachloroethene	23.6	2.0	ug/l	25.0		94	80-125	7	15	
Toluene	23.5	2.0	ug/l	25.0		94	80-125	3	10	
1,2,3-Trichlorobenzene	24.2	5.0	ug/l	25.0		97	75-125	3	15	
1,2,4-Trichlorobenzene	24.1	5.0	ug/l	25.0		96	80-125	6	15	
1,1,1-Trichloroethane	23.2	2.0	ug/l	25.0		93	75-125	3	10	
1,1,2-Trichloroethane	23.3	2.0	ug/l	25.0		93	80-125	2	25	
Trichloroethene	23.3	2.0	ug/l	25.0		93	80-120	4	10	
Trichlorofluoromethane	25.1	5.0	ug/l	25.0		100	75-130	2	10	
1,2,3-Trichloropropane	24.2	10	ug/l	25.0		97	65-135	1	25	
1,2,4-Trimethylbenzene	23.2	2.0	ug/l	25.0		93	80-125	1	10	
1,3,5-Trimethylbenzene	23.2	2.0	ug/l	25.0		93	80-130	0	10	
Vinyl acetate	31.3	25	ug/l	25.0		125	70-140	1	30	
Vinyl chloride	24.8	1.7	ug/l	25.0		99	70-135	2	15	
Xylenes, Total	47.6	3.0	ug/l	50.0		95	80-125	5	15	
Surrogate: Dibromofluoromethane	*24.0*		*ug/l*	*25.0*		*96*	*80-130*			
Surrogate: Toluene-d8	*24.0*		*ug/l*	*25.0*		*96*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.7*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
Matrix Spike Analyzed: 10/04/2006 (P6J0425-MS1)					**Source: PPI0750-07**					
Acetone	602	20	ug/l	25.0	ND	2408	15-150			*N1, M1*
Benzene	344	1.0	ug/l	25.0	390	-184	80-125			*N1, M3*
Bromobenzene	24.3	5.0	ug/l	25.0	ND	97	80-125			
Bromochloromethane	23.4	5.0	ug/l	25.0	ND	94	80-130			
Bromodichloromethane	24.2	2.0	ug/l	25.0	ND	97	70-130			
Bromoform	21.7	5.0	ug/l	25.0	ND	87	70-120			
Bromomethane	23.4	5.0	ug/l	25.0	ND	94	80-135			
2-Butanone (MEK)	23.2	10	ug/l	25.0	ND	93	30-150			
n-Butylbenzene	31.6	5.0	ug/l	25.0	7.4	97	80-135			
sec-Butylbenzene	29.6	5.0	ug/l	25.0	6.9	91	80-130			
tert-Butylbenzene	25.3	5.0	ug/l	25.0	1.9	94	80-130			
Carbon Disulfide	23.6	5.0	ug/l	25.0	ND	94	45-150			
Carbon tetrachloride	23.3	5.0	ug/l	25.0	ND	93	65-135			
Chlorobenzene	24.1	1.0	ug/l	25.0	ND	96	80-125			
Chloroethane	32.0	5.0	ug/l	25.0	9.4	90	80-125			
Chloroform	23.9	2.0	ug/l	25.0	ND	96	75-130			
Chloromethane	24.5	5.0	ug/l	25.0	ND	98	65-130			
2-Chlorotoluene	23.2	5.0	ug/l	25.0	ND	93	80-130			
4-Chlorotoluene	26.6	5.0	ug/l	25.0	ND	106	80-135			
Dibromochloromethane	23.0	2.0	ug/l	25.0	ND	92	75-120			
1,2-Dibromo-3-chloropropane	24.1	5.0	ug/l	25.0	ND	96	50-130			
1,2-Dibromoethane (EDB)	23.7	2.0	ug/l	25.0	ND	95	70-130			
Dibromomethane	22.7	2.0	ug/l	25.0	ND	91	75-130			
1,2-Dichlorobenzene	23.9	1.0	ug/l	25.0	ND	96	80-130			
1,3-Dichlorobenzene	23.6	1.0	ug/l	25.0	ND	94	80-130			
1,4-Dichlorobenzene	24.3	1.0	ug/l	25.0	ND	97	80-125			
Dichlorodifluoromethane	20.4	5.0	ug/l	25.0	ND	82	60-140			
1,1-Dichloroethane	77.4	2.0	ug/l	25.0	64	54	80-125			*M3*
1,2-Dichloroethane	24.8	1.0	ug/l	25.0	ND	99	60-145			
1,1-Dichloroethene	24.1	5.0	ug/l	25.0	ND	96	75-130			
cis-1,2-Dichloroethene	23.3	2.0	ug/l	25.0	0.70	90	80-125			
trans-1,2-Dichloroethene	22.9	2.0	ug/l	25.0	ND	92	80-120			
1,2-Dichloropropane	24.5	2.0	ug/l	25.0	ND	98	80-125			
1,3-Dichloropropane	23.9	2.0	ug/l	25.0	ND	96	75-130			
2,2-Dichloropropane	19.5	2.0	ug/l	25.0	ND	78	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
Matrix Spike Analyzed: 10/04/2006 (P6J0425-MS1)					**Source: PPI0750-07**					
1,1-Dichloropropene	24.4	2.0	ug/l	25.0	ND	98	80-125			
cis-1,3-Dichloropropene	25.0	2.0	ug/l	25.0	ND	100	75-120			
trans-1,3-Dichloropropene	25.5	2.0	ug/l	25.0	ND	102	75-130			
Ethylbenzene	158	2.0	ug/l	25.0	160	-8	80-130			*M3*
Hexachlorobutadiene	24.9	5.0	ug/l	25.0	ND	100	65-130			
2-Hexanone	26.1	10	ug/l	25.0	ND	104	40-150			
Iodomethane	23.4	2.0	ug/l	25.0	ND	94	70-140			
Isopropylbenzene	64.2	2.0	ug/l	25.0	46	73	80-140			*M3*
p-Isopropyltoluene	30.8	2.0	ug/l	25.0	7.0	95	80-135			
Methylene chloride	23.2	5.0	ug/l	25.0	ND	93	75-125			
4-Methyl-2-pentanone (MIBK)	28.0	10	ug/l	25.0	ND	112	40-140			
Methyl-tert-butyl Ether (MTBE)	50.4	5.0	ug/l	25.0	28	90	65-135			
Naphthalene	281	2.0	ug/l	25.0	290	-36	60-140			*N1, M3*
n-Propylbenzene	68.8	2.0	ug/l	25.0	52	67	80-140			*M2*
Styrene	25.3	2.0	ug/l	25.0	ND	101	30-150			
1,1,1,2-Tetrachloroethane	23.9	5.0	ug/l	25.0	ND	96	80-130			
1,1,2,2-Tetrachloroethane	23.0	2.0	ug/l	25.0	ND	92	65-140			
Tetrachloroethene	22.9	2.0	ug/l	25.0	ND	92	80-130			
Toluene	26.4	2.0	ug/l	25.0	2.3	96	80-130			
1,2,3-Trichlorobenzene	28.6	5.0	ug/l	25.0	ND	114	75-140			
1,2,4-Trichlorobenzene	28.2	5.0	ug/l	25.0	ND	113	80-135			
1,1,1-Trichloroethane	23.3	2.0	ug/l	25.0	ND	93	70-135			
1,1,2-Trichloroethane	28.1	2.0	ug/l	25.0	ND	112	70-135			
Trichloroethene	24.0	2.0	ug/l	25.0	0.76	93	80-125			
Trichlorofluoromethane	25.0	5.0	ug/l	25.0	ND	100	70-140			
1,2,3-Trichloropropane	22.3	10	ug/l	25.0	ND	89	65-135			
1,2,4-Trimethylbenzene	114	2.0	ug/l	25.0	110	16	75-130			*M3*
1,3,5-Trimethylbenzene	41.5	2.0	ug/l	25.0	21	82	80-135			
Vinyl acetate	35.3	25	ug/l	25.0	ND	141	30-150			
Vinyl chloride	33.8	1.7	ug/l	25.0	13	83	70-135			
Xylenes, Total	122	3.0	ug/l	50.0	85	74	80-125			*M3*
Surrogate: Dibromofluoromethane	*24.3*		*ug/l*	*25.0*		*97*	*80-130*			
Surrogate: Toluene-d8	*24.5*		*ug/l*	*25.0*		*98*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.6*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
Matrix Spike Dup Analyzed: 10/04/2006 (P6J0425-MSD1)					**Source: PPI0750-07**					
Acetone	697	20	ug/l	25.0	ND	2788	15-150	15	35	*N1, M1*
Benzene	391	1.0	ug/l	25.0	390	4	80-125	13	10	*N1, M3*
Bromobenzene	25.0	5.0	ug/l	25.0	ND	100	80-125	3	15	
Bromochloromethane	24.4	5.0	ug/l	25.0	ND	98	80-130	4	20	
Bromodichloromethane	26.0	2.0	ug/l	25.0	ND	104	70-130	7	15	
Bromoform	23.8	5.0	ug/l	25.0	ND	95	70-120	9	25	
Bromomethane	24.4	5.0	ug/l	25.0	ND	98	80-135	4	20	
2-Butanone (MEK)	28.6	10	ug/l	25.0	ND	114	30-150	21	35	
n-Butylbenzene	32.9	5.0	ug/l	25.0	7.4	102	80-135	4	20	
sec-Butylbenzene	31.4	5.0	ug/l	25.0	6.9	98	80-130	6	20	
tert-Butylbenzene	26.1	5.0	ug/l	25.0	1.9	97	80-130	3	20	
Carbon Disulfide	24.3	5.0	ug/l	25.0	ND	97	45-150	3	15	
Carbon tetrachloride	24.8	5.0	ug/l	25.0	ND	99	65-135	6	15	
Chlorobenzene	25.1	1.0	ug/l	25.0	ND	100	80-125	4	15	
Chloroethane	34.2	5.0	ug/l	25.0	9.4	99	80-125	7	20	
Chloroform	25.4	2.0	ug/l	25.0	ND	102	75-130	6	15	
Chloromethane	25.0	5.0	ug/l	25.0	ND	100	65-130	2	20	
2-Chlorotoluene	24.1	5.0	ug/l	25.0	ND	96	80-130	4	15	
4-Chlorotoluene	28.0	5.0	ug/l	25.0	ND	112	80-135	5	15	
Dibromochloromethane	24.9	2.0	ug/l	25.0	ND	100	75-120	8	20	
1,2-Dibromo-3-chloropropane	28.4	5.0	ug/l	25.0	ND	114	50-130	16	35	
1,2-Dibromoethane (EDB)	26.3	2.0	ug/l	25.0	ND	105	70-130	10	25	
Dibromomethane	25.2	2.0	ug/l	25.0	ND	101	75-130	10	25	
1,2-Dichlorobenzene	25.1	1.0	ug/l	25.0	ND	100	80-130	5	15	
1,3-Dichlorobenzene	24.4	1.0	ug/l	25.0	ND	98	80-130	3	15	
1,4-Dichlorobenzene	25.1	1.0	ug/l	25.0	ND	100	80-125	3	10	
Dichlorodifluoromethane	19.8	5.0	ug/l	25.0	ND	79	60-140	3	45	
1,1-Dichloroethane	84.5	2.0	ug/l	25.0	64	82	80-125	9	15	
1,2-Dichloroethane	26.8	1.0	ug/l	25.0	ND	107	60-145	8	20	
1,1-Dichloroethene	25.2	5.0	ug/l	25.0	ND	101	75-130	4	15	
cis-1,2-Dichloroethene	23.9	2.0	ug/l	25.0	0.70	93	80-125	3	15	
trans-1,2-Dichloroethene	24.2	2.0	ug/l	25.0	ND	97	80-120	6	15	
1,2-Dichloropropane	25.6	2.0	ug/l	25.0	ND	102	80-125	4	15	
1,3-Dichloropropane	25.6	2.0	ug/l	25.0	ND	102	75-130	7	20	
2,2-Dichloropropane	20.0	2.0	ug/l	25.0	ND	80	60-135	3	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
Matrix Spike Dup Analyzed: 10/04/2006 (P6J0425-MSD1)					**Source: PPI0750-07**					
1,1-Dichloropropene	25.5	2.0	ug/l	25.0	ND	102	80-125	4	15	
cis-1,3-Dichloropropene	26.7	2.0	ug/l	25.0	ND	107	75-120	7	15	
trans-1,3-Dichloropropene	28.0	2.0	ug/l	25.0	ND	112	75-130	9	25	
Ethylbenzene	175	2.0	ug/l	25.0	160	60	80-130	10	15	*M3*
Hexachlorobutadiene	26.0	5.0	ug/l	25.0	ND	104	65-130	4	15	
2-Hexanone	32.7	10	ug/l	25.0	ND	131	40-150	22	35	
Iodomethane	24.5	2.0	ug/l	25.0	ND	98	70-140	5	15	
Isopropylbenzene	70.5	2.0	ug/l	25.0	46	98	80-140	9	20	
p-Isopropyltoluene	32.0	2.0	ug/l	25.0	7.0	100	80-135	4	20	
Methylene chloride	24.9	5.0	ug/l	25.0	ND	100	75-125	7	15	
4-Methyl-2-pentanone (MIBK)	35.4	10	ug/l	25.0	ND	142	40-140	23	35	*M1*
Methyl-tert-butyl Ether (MTBE)	58.0	5.0	ug/l	25.0	28	120	65-135	14	30	
Naphthalene	333	2.0	ug/l	25.0	290	172	60-140	17	30	*N1, M3*
n-Propylbenzene	73.6	2.0	ug/l	25.0	52	86	80-140	7	20	
Styrene	26.5	2.0	ug/l	25.0	ND	106	30-150	5	25	
1,1,1,2-Tetrachloroethane	25.2	5.0	ug/l	25.0	ND	101	80-130	5	15	
1,1,2,2-Tetrachloroethane	26.4	2.0	ug/l	25.0	ND	106	65-140	14	35	
Tetrachloroethene	23.5	2.0	ug/l	25.0	ND	94	80-130	3	15	
Toluene	27.7	2.0	ug/l	25.0	2.3	102	80-130	5	15	
1,2,3-Trichlorobenzene	30.5	5.0	ug/l	25.0	ND	122	75-140	6	20	
1,2,4-Trichlorobenzene	28.9	5.0	ug/l	25.0	ND	116	80-135	2	15	
1,1,1-Trichloroethane	24.5	2.0	ug/l	25.0	ND	98	70-135	5	15	
1,1,2-Trichloroethane	32.2	2.0	ug/l	25.0	ND	129	70-135	14	25	
Trichloroethene	25.0	2.0	ug/l	25.0	0.76	97	80-125	4	15	
Trichlorofluoromethane	26.2	5.0	ug/l	25.0	ND	105	70-140	5	15	
1,2,3-Trichloropropane	26.6	10	ug/l	25.0	ND	106	65-135	18	35	
1,2,4-Trimethylbenzene	125	2.0	ug/l	25.0	110	60	75-130	9	15	*M3*
1,3,5-Trimethylbenzene	44.7	2.0	ug/l	25.0	21	95	80-135	7	15	
Vinyl acetate	37.1	25	ug/l	25.0	ND	148	30-150	5	35	
Vinyl chloride	36.1	1.7	ug/l	25.0	13	92	70-135	7	25	
Xylenes, Total	132	3.0	ug/l	50.0	85	94	80-125	8	15	
Surrogate: Dibromofluoromethane	*24.0*		*ug/l*	*25.0*		*96*	*80-130*			
Surrogate: Toluene-d8	*24.6*		*ug/l*	*25.0*		*98*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.4*		*ug/l*	*25.0*		*102*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J2418 Extracted: 10/24/06										
Blank Analyzed: 10/24/2006 (P6J2418-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J2418 Extracted: 10/24/06										
Blank Analyzed: 10/24/2006 (P6J2418-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							*V1*
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*25.0*		*ug/l*	*25.0*		*100*	*80-130*			
Surrogate: Toluene-d8	*24.2*		*ug/l*	*25.0*		*97*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.6*		*ug/l*	*25.0*		*94*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J2418 Extracted: 10/24/06										
LCS Analyzed: 10/24/2006 (P6J2418-BS1)										
Acetone	34.1	20	ug/l	25.0		136	30-150			
Benzene	25.3	1.0	ug/l	25.0		101	80-120			
Bromobenzene	23.1	5.0	ug/l	25.0		92	80-125			
Bromochloromethane	24.4	5.0	ug/l	25.0		98	80-125			
Bromodichloromethane	25.8	2.0	ug/l	25.0		103	80-120			
Bromoform	21.5	5.0	ug/l	25.0		86	70-120			
Bromomethane	24.8	5.0	ug/l	25.0		99	80-135			
2-Butanone (MEK)	27.6	10	ug/l	25.0		110	55-150			
n-Butylbenzene	27.7	5.0	ug/l	25.0		111	80-120			
sec-Butylbenzene	24.4	5.0	ug/l	25.0		98	80-130			
tert-Butylbenzene	23.6	5.0	ug/l	25.0		94	80-130			
Carbon Disulfide	26.1	5.0	ug/l	25.0		104	55-145			
Carbon tetrachloride	24.4	5.0	ug/l	25.0		98	80-120			
Chlorobenzene	24.3	1.0	ug/l	25.0		97	80-120			
Chloroethane	26.8	5.0	ug/l	25.0		107	80-125			
Chloroform	26.8	2.0	ug/l	25.0		107	80-120			
Chloromethane	26.8	5.0	ug/l	25.0		107	70-130			
2-Chlorotoluene	23.9	5.0	ug/l	25.0		96	80-120			
4-Chlorotoluene	25.1	5.0	ug/l	25.0		100	80-120			
Dibromochloromethane	23.9	2.0	ug/l	25.0		96	75-120			
1,2-Dibromo-3-chloropropane	23.4	5.0	ug/l	25.0		94	55-120			
1,2-Dibromoethane (EDB)	24.4	2.0	ug/l	25.0		98	75-125			
Dibromomethane	24.6	2.0	ug/l	25.0		98	80-125			
1,2-Dichlorobenzene	23.6	1.0	ug/l	25.0		94	80-120			
1,3-Dichlorobenzene	23.6	1.0	ug/l	25.0		94	80-125			
1,4-Dichlorobenzene	24.0	1.0	ug/l	25.0		96	80-120			
Dichlorodifluoromethane	21.2	5.0	ug/l	25.0		85	60-140			
1,1-Dichloroethane	27.0	2.0	ug/l	25.0		108	80-120			
1,2-Dichloroethane	28.2	1.0	ug/l	25.0		113	75-125			
1,1-Dichloroethene	24.6	5.0	ug/l	25.0		98	75-120			
cis-1,2-Dichloroethene	25.3	2.0	ug/l	25.0		101	80-125			
trans-1,2-Dichloroethene	25.9	2.0	ug/l	25.0		104	80-120			
1,2-Dichloropropane	26.5	2.0	ug/l	25.0		106	80-120			
1,3-Dichloropropane	25.3	2.0	ug/l	25.0		101	80-120			
2,2-Dichloropropane	29.6	2.0	ug/l	25.0		118	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J2418 Extracted: 10/24/06										
LCS Analyzed: 10/24/2006 (P6J2418-BS1)										
1,1-Dichloropropene	26.3	2.0	ug/l	25.0		105	80-120			
cis-1,3-Dichloropropene	27.1	2.0	ug/l	25.0		108	75-120			
trans-1,3-Dichloropropene	27.1	2.0	ug/l	25.0		108	80-120			
Ethylbenzene	25.7	2.0	ug/l	25.0		103	80-125			
Hexachlorobutadiene	25.2	5.0	ug/l	25.0		101	70-130			
2-Hexanone	30.0	10	ug/l	25.0		120	40-150			
Iodomethane	24.2	2.0	ug/l	25.0		97	80-130			
Isopropylbenzene	25.5	2.0	ug/l	25.0		102	80-140			
p-Isopropyltoluene	25.6	2.0	ug/l	25.0		102	80-130			
Methylene chloride	25.3	5.0	ug/l	25.0		101	80-120			
4-Methyl-2-pentanone (MIBK)	26.7	10	ug/l	25.0		107	50-140			
Methyl-tert-butyl Ether (MTBE)	27.1	5.0	ug/l	25.0		108	65-130			
Naphthalene	25.4	2.0	ug/l	25.0		102	70-130			
n-Propylbenzene	26.1	2.0	ug/l	25.0		104	80-135			
Styrene	25.9	2.0	ug/l	25.0		104	80-125			
1,1,1,2-Tetrachloroethane	23.7	5.0	ug/l	25.0		95	80-120			
1,1,2,2-Tetrachloroethane	24.9	2.0	ug/l	25.0		100	65-140			
Tetrachloroethene	22.4	2.0	ug/l	25.0		90	80-125			
Toluene	25.9	2.0	ug/l	25.0		104	80-125			
1,2,3-Trichlorobenzene	29.4	5.0	ug/l	25.0		118	75-125			
1,2,4-Trichlorobenzene	27.3	5.0	ug/l	25.0		109	80-125			
1,1,1-Trichloroethane	26.5	2.0	ug/l	25.0		106	75-125			
1,1,2-Trichloroethane	24.3	2.0	ug/l	25.0		97	80-125			
Trichloroethene	24.6	2.0	ug/l	25.0		98	80-120			
Trichlorofluoromethane	27.1	5.0	ug/l	25.0		108	75-130			
1,2,3-Trichloropropane	24.1	10	ug/l	25.0		96	65-135			
1,2,4-Trimethylbenzene	24.9	2.0	ug/l	25.0		100	80-125			
1,3,5-Trimethylbenzene	24.6	2.0	ug/l	25.0		98	80-130			
Vinyl acetate	39.0	25	ug/l	25.0		156	70-140			*V1, L3*
Vinyl chloride	27.4	1.7	ug/l	25.0		110	70-135			
Xylenes, Total	49.3	3.0	ug/l	50.0		99	80-125			
Surrogate: Dibromofluoromethane	*24.9*		*ug/l*	*25.0*		*100*	*80-130*			
Surrogate: Toluene-d8	*23.9*		*ug/l*	*25.0*		*96*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.5*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J2418 Extracted: 10/24/06										
LCS Dup Analyzed: 10/24/2006 (P6J2418-BSD1)										
Acetone	33.4	20	ug/l	25.0		134	30-150	2	35	
Benzene	25.0	1.0	ug/l	25.0		100	80-120	1	10	
Bromobenzene	24.1	5.0	ug/l	25.0		96	80-125	4	10	
Bromochloromethane	25.3	5.0	ug/l	25.0		101	80-125	4	15	
Bromodichloromethane	25.7	2.0	ug/l	25.0		103	80-120	0	15	
Bromoform	22.4	5.0	ug/l	25.0		90	70-120	4	20	
Bromomethane	24.4	5.0	ug/l	25.0		98	80-135	2	15	
2-Butanone (MEK)	26.8	10	ug/l	25.0		107	55-150	3	35	
n-Butylbenzene	27.4	5.0	ug/l	25.0		110	80-120	1	10	
sec-Butylbenzene	24.4	5.0	ug/l	25.0		98	80-130	0	10	
tert-Butylbenzene	23.6	5.0	ug/l	25.0		94	80-130	0	10	
Carbon Disulfide	25.1	5.0	ug/l	25.0		100	55-145	4	15	
Carbon tetrachloride	24.6	5.0	ug/l	25.0		98	80-120	1	15	
Chlorobenzene	24.5	1.0	ug/l	25.0		98	80-120	1	10	
Chloroethane	26.1	5.0	ug/l	25.0		104	80-125	3	15	
Chloroform	26.5	2.0	ug/l	25.0		106	80-120	1	10	
Chloromethane	26.4	5.0	ug/l	25.0		106	70-130	2	15	
2-Chlorotoluene	24.0	5.0	ug/l	25.0		96	80-120	0	10	
4-Chlorotoluene	24.9	5.0	ug/l	25.0		100	80-120	1	10	
Dibromochloromethane	24.4	2.0	ug/l	25.0		98	75-120	2	15	
1,2-Dibromo-3-chloropropane	25.0	5.0	ug/l	25.0		100	55-120	7	35	
1,2-Dibromoethane (EDB)	25.1	2.0	ug/l	25.0		100	75-125	3	20	
Dibromomethane	25.1	2.0	ug/l	25.0		100	80-125	2	20	
1,2-Dichlorobenzene	23.8	1.0	ug/l	25.0		95	80-120	1	10	
1,3-Dichlorobenzene	23.6	1.0	ug/l	25.0		94	80-125	0	10	
1,4-Dichlorobenzene	23.8	1.0	ug/l	25.0		95	80-120	1	10	
Dichlorodifluoromethane	21.1	5.0	ug/l	25.0		84	60-140	1	15	
1,1-Dichloroethane	26.7	2.0	ug/l	25.0		107	80-120	1	10	
1,2-Dichloroethane	27.8	1.0	ug/l	25.0		111	75-125	1	20	
1,1-Dichloroethene	24.7	5.0	ug/l	25.0		99	75-120	0	15	
cis-1,2-Dichloroethene	24.5	2.0	ug/l	25.0		98	80-125	3	10	
trans-1,2-Dichloroethene	25.0	2.0	ug/l	25.0		100	80-120	4	10	
1,2-Dichloropropane	26.5	2.0	ug/l	25.0		106	80-120	0	15	
1,3-Dichloropropane	26.2	2.0	ug/l	25.0		105	80-120	3	15	
2,2-Dichloropropane	27.7	2.0	ug/l	25.0		111	70-130	7	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J2418 Extracted: 10/24/06										
LCS Dup Analyzed: 10/24/2006 (P6J2418-BSD1)										
1,1-Dichloropropene	25.9	2.0	ug/l	25.0		104	80-120	2	10	
cis-1,3-Dichloropropene	26.8	2.0	ug/l	25.0		107	75-120	1	15	
trans-1,3-Dichloropropene	27.4	2.0	ug/l	25.0		110	80-120	1	20	
Ethylbenzene	25.5	2.0	ug/l	25.0		102	80-125	1	15	
Hexachlorobutadiene	24.2	5.0	ug/l	25.0		97	70-130	4	15	
2-Hexanone	30.6	10	ug/l	25.0		122	40-150	2	35	
Iodomethane	23.8	2.0	ug/l	25.0		95	80-130	2	10	
Isopropylbenzene	25.4	2.0	ug/l	25.0		102	80-140	0	10	
p-Isopropyltoluene	25.4	2.0	ug/l	25.0		102	80-130	1	15	
Methylene chloride	25.4	5.0	ug/l	25.0		102	80-120	0	10	
4-Methyl-2-pentanone (MIBK)	27.0	10	ug/l	25.0		108	50-140	1	35	
Methyl-tert-butyl Ether (MTBE)	27.2	5.0	ug/l	25.0		109	65-130	0	25	
Naphthalene	26.0	2.0	ug/l	25.0		104	70-130	2	20	
n-Propylbenzene	25.7	2.0	ug/l	25.0		103	80-135	2	10	
Styrene	26.2	2.0	ug/l	25.0		105	80-125	1	15	
1,1,1,2-Tetrachloroethane	24.2	5.0	ug/l	25.0		97	80-120	2	15	
1,1,2,2-Tetrachloroethane	25.4	2.0	ug/l	25.0		102	65-140	2	25	
Tetrachloroethene	22.8	2.0	ug/l	25.0		91	80-125	2	15	
Toluene	25.8	2.0	ug/l	25.0		103	80-125	0	10	
1,2,3-Trichlorobenzene	29.2	5.0	ug/l	25.0		117	75-125	1	15	
1,2,4-Trichlorobenzene	28.1	5.0	ug/l	25.0		112	80-125	3	15	
1,1,1-Trichloroethane	25.7	2.0	ug/l	25.0		103	75-125	3	10	
1,1,2-Trichloroethane	25.1	2.0	ug/l	25.0		100	80-125	3	25	
Trichloroethene	24.2	2.0	ug/l	25.0		97	80-120	2	10	
Trichlorofluoromethane	27.3	5.0	ug/l	25.0		109	75-130	1	10	
1,2,3-Trichloropropane	24.4	10	ug/l	25.0		98	65-135	1	25	
1,2,4-Trimethylbenzene	24.9	2.0	ug/l	25.0		100	80-125	0	10	
1,3,5-Trimethylbenzene	24.4	2.0	ug/l	25.0		98	80-130	1	10	
Vinyl acetate	37.3	25	ug/l	25.0		149	70-140	4	30	*V1, L3*
Vinyl chloride	27.1	1.7	ug/l	25.0		108	70-135	1	15	
Xylenes, Total	49.6	3.0	ug/l	50.0		99	80-125	1	15	
Surrogate: Dibromofluoromethane	*25.2*		*ug/l*	*25.0*		*101*	*80-130*			
Surrogate: Toluene-d8	*24.4*		*ug/l*	*25.0*		*98*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.0*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J2418 Extracted: 10/24/06										
Matrix Spike Analyzed: 10/24/2006 (P6J2418-MS1)					**Source: PPJ0522-04**					
Acetone	39.2	20	ug/l	25.0	11	113	15-150			
Benzene	26.8	1.0	ug/l	25.0	0.81	104	80-125			
Bromobenzene	23.6	5.0	ug/l	25.0	ND	94	80-125			
Bromochloromethane	25.0	5.0	ug/l	25.0	ND	100	80-130			
Bromodichloromethane	26.6	2.0	ug/l	25.0	ND	106	70-130			
Bromoform	22.5	5.0	ug/l	25.0	ND	90	70-120			
Bromomethane	25.6	5.0	ug/l	25.0	ND	102	80-135			
2-Butanone (MEK)	29.9	10	ug/l	25.0	ND	120	30-150			
n-Butylbenzene	28.4	5.0	ug/l	25.0	ND	114	80-135			
sec-Butylbenzene	25.4	5.0	ug/l	25.0	ND	102	80-130			
tert-Butylbenzene	24.3	5.0	ug/l	25.0	ND	97	80-130			
Carbon Disulfide	27.1	5.0	ug/l	25.0	ND	108	45-150			
Carbon tetrachloride	25.5	5.0	ug/l	25.0	ND	102	65-135			
Chlorobenzene	24.1	1.0	ug/l	25.0	ND	96	80-125			
Chloroethane	28.1	5.0	ug/l	25.0	ND	112	80-125			
Chloroform	28.5	2.0	ug/l	25.0	0.98	110	75-130			
Chloromethane	27.4	5.0	ug/l	25.0	ND	110	65-130			
2-Chlorotoluene	24.4	5.0	ug/l	25.0	ND	98	80-130			
4-Chlorotoluene	25.8	5.0	ug/l	25.0	ND	103	80-135			
Dibromochloromethane	24.2	2.0	ug/l	25.0	ND	97	75-120			
1,2-Dibromo-3-chloropropane	25.1	5.0	ug/l	25.0	ND	100	50-130			
1,2-Dibromoethane (EDB)	26.1	2.0	ug/l	25.0	ND	104	70-130			
Dibromomethane	26.4	2.0	ug/l	25.0	ND	106	75-130			
1,2-Dichlorobenzene	24.0	1.0	ug/l	25.0	ND	96	80-130			
1,3-Dichlorobenzene	23.8	1.0	ug/l	25.0	ND	95	80-130			
1,4-Dichlorobenzene	24.8	1.0	ug/l	25.0	ND	99	80-125			
Dichlorodifluoromethane	22.1	5.0	ug/l	25.0	ND	88	60-140			
1,1-Dichloroethane	28.2	2.0	ug/l	25.0	ND	113	80-125			
1,2-Dichloroethane	30.1	1.0	ug/l	25.0	ND	120	60-145			
1,1-Dichloroethene	24.6	5.0	ug/l	25.0	ND	98	75-130			
cis-1,2-Dichloroethene	25.5	2.0	ug/l	25.0	ND	102	80-125			
trans-1,2-Dichloroethene	26.0	2.0	ug/l	25.0	ND	104	80-120			
1,2-Dichloropropane	27.0	2.0	ug/l	25.0	ND	108	80-125			
1,3-Dichloropropane	27.0	2.0	ug/l	25.0	ND	108	75-130			
2,2-Dichloropropane	27.8	2.0	ug/l	25.0	ND	111	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J2418 Extracted: 10/24/06										
Matrix Spike Analyzed: 10/24/2006 (P6J2418-MS1)					**Source: PPJ0522-04**					
1,1-Dichloropropene	26.5	2.0	ug/l	25.0	ND	106	80-125			
cis-1,3-Dichloropropene	26.6	2.0	ug/l	25.0	ND	106	75-120			
trans-1,3-Dichloropropene	27.6	2.0	ug/l	25.0	ND	110	75-130			
Ethylbenzene	26.1	2.0	ug/l	25.0	ND	104	80-130			
Hexachlorobutadiene	25.0	5.0	ug/l	25.0	ND	100	65-130			
2-Hexanone	31.0	10	ug/l	25.0	ND	124	40-150			
Iodomethane	25.0	2.0	ug/l	25.0	ND	100	70-140			
Isopropylbenzene	26.1	2.0	ug/l	25.0	ND	104	80-140			
p-Isopropyltoluene	26.2	2.0	ug/l	25.0	ND	105	80-135			
Methylene chloride	26.3	5.0	ug/l	25.0	ND	105	75-125			
4-Methyl-2-pentanone (MIBK)	28.7	10	ug/l	25.0	ND	115	40-140			
Methyl-tert-butyl Ether (MTBE)	27.5	5.0	ug/l	25.0	ND	110	65-135			
Naphthalene	26.5	2.0	ug/l	25.0	ND	106	60-140			
n-Propylbenzene	27.1	2.0	ug/l	25.0	ND	108	80-140			
Styrene	24.4	2.0	ug/l	25.0	ND	98	30-150			
1,1,1,2-Tetrachloroethane	24.3	5.0	ug/l	25.0	ND	97	80-130			
1,1,2,2-Tetrachloroethane	27.0	2.0	ug/l	25.0	ND	108	65-140			
Tetrachloroethene	22.4	2.0	ug/l	25.0	ND	90	80-130			
Toluene	26.6	2.0	ug/l	25.0	ND	106	80-130			
1,2,3-Trichlorobenzene	28.3	5.0	ug/l	25.0	ND	113	75-140			
1,2,4-Trichlorobenzene	27.4	5.0	ug/l	25.0	ND	110	80-135			
1,1,1-Trichloroethane	26.8	2.0	ug/l	25.0	ND	107	70-135			
1,1,2-Trichloroethane	25.6	2.0	ug/l	25.0	ND	102	70-135			
Trichloroethene	25.4	2.0	ug/l	25.0	ND	102	80-125			
Trichlorofluoromethane	28.1	5.0	ug/l	25.0	ND	112	70-140			
1,2,3-Trichloropropane	26.3	10	ug/l	25.0	ND	105	65-135			
1,2,4-Trimethylbenzene	25.8	2.0	ug/l	25.0	ND	103	75-130			
1,3,5-Trimethylbenzene	25.3	2.0	ug/l	25.0	ND	101	80-135			
Vinyl acetate	39.8	25	ug/l	25.0	ND	159	30-150			*V1, N1a*
Vinyl chloride	27.5	1.7	ug/l	25.0	ND	110	70-135			
Xylenes, Total	49.6	3.0	ug/l	50.0	ND	99	80-125			
Surrogate: Dibromofluoromethane	*25.2*		*ug/l*	*25.0*		*101*	*80-130*			
Surrogate: Toluene-d8	*23.5*		*ug/l*	*25.0*		*94*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.2*		*ug/l*	*25.0*		*97*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J2418 Extracted: 10/24/06										
Matrix Spike Dup Analyzed: 10/24/2006 (P6J2418-MSD1)					**Source: PPJ0522-04**					
Acetone	38.2	20	ug/l	25.0	11	109	15-150	3	35	
Benzene	25.9	1.0	ug/l	25.0	0.81	100	80-125	3	10	
Bromobenzene	22.0	5.0	ug/l	25.0	ND	88	80-125	7	15	
Bromochloromethane	25.8	5.0	ug/l	25.0	ND	103	80-130	3	20	
Bromodichloromethane	26.0	2.0	ug/l	25.0	ND	104	70-130	2	15	
Bromoform	21.7	5.0	ug/l	25.0	ND	87	70-120	4	25	
Bromomethane	24.7	5.0	ug/l	25.0	ND	99	80-135	4	20	
2-Butanone (MEK)	29.2	10	ug/l	25.0	ND	117	30-150	2	35	
n-Butylbenzene	26.7	5.0	ug/l	25.0	ND	107	80-135	6	20	
sec-Butylbenzene	23.9	5.0	ug/l	25.0	ND	96	80-130	6	20	
tert-Butylbenzene	23.3	5.0	ug/l	25.0	ND	93	80-130	4	20	
Carbon Disulfide	25.5	5.0	ug/l	25.0	ND	102	45-150	6	15	
Carbon tetrachloride	24.1	5.0	ug/l	25.0	ND	96	65-135	6	15	
Chlorobenzene	23.6	1.0	ug/l	25.0	ND	94	80-125	2	15	
Chloroethane	27.3	5.0	ug/l	25.0	ND	109	80-125	3	20	
Chloroform	27.3	2.0	ug/l	25.0	0.98	105	75-130	4	15	
Chloromethane	26.2	5.0	ug/l	25.0	ND	105	65-130	4	20	
2-Chlorotoluene	23.4	5.0	ug/l	25.0	ND	94	80-130	4	15	
4-Chlorotoluene	24.0	5.0	ug/l	25.0	ND	96	80-135	7	15	
Dibromochloromethane	23.9	2.0	ug/l	25.0	ND	96	75-120	1	20	
1,2-Dibromo-3-chloropropane	25.7	5.0	ug/l	25.0	ND	103	50-130	2	35	
1,2-Dibromoethane (EDB)	25.0	2.0	ug/l	25.0	ND	100	70-130	4	25	
Dibromomethane	25.0	2.0	ug/l	25.0	ND	100	75-130	5	25	
1,2-Dichlorobenzene	22.8	1.0	ug/l	25.0	ND	91	80-130	5	15	
1,3-Dichlorobenzene	22.7	1.0	ug/l	25.0	ND	91	80-130	5	15	
1,4-Dichlorobenzene	23.0	1.0	ug/l	25.0	ND	92	80-125	8	10	
Dichlorodifluoromethane	20.8	5.0	ug/l	25.0	ND	83	60-140	6	45	
1,1-Dichloroethane	26.7	2.0	ug/l	25.0	ND	107	80-125	5	15	
1,2-Dichloroethane	29.0	1.0	ug/l	25.0	ND	116	60-145	4	20	
1,1-Dichloroethene	24.0	5.0	ug/l	25.0	ND	96	75-130	2	15	
cis-1,2-Dichloroethene	24.8	2.0	ug/l	25.0	ND	99	80-125	3	15	
trans-1,2-Dichloroethene	25.5	2.0	ug/l	25.0	ND	102	80-120	2	15	
1,2-Dichloropropane	26.5	2.0	ug/l	25.0	ND	106	80-125	2	15	
1,3-Dichloropropane	25.7	2.0	ug/l	25.0	ND	103	75-130	5	20	
2,2-Dichloropropane	26.3	2.0	ug/l	25.0	ND	105	60-135	6	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J2418 Extracted: 10/24/06										
Matrix Spike Dup Analyzed: 10/24/2006 (P6J2418-MSD1)					**Source: PPJ0522-04**					
1,1-Dichloropropene	25.2	2.0	ug/l	25.0	ND	101	80-125	5	15	
cis-1,3-Dichloropropene	25.9	2.0	ug/l	25.0	ND	104	75-120	3	15	
trans-1,3-Dichloropropene	26.8	2.0	ug/l	25.0	ND	107	75-130	3	25	
Ethylbenzene	24.7	2.0	ug/l	25.0	ND	99	80-130	6	15	
Hexachlorobutadiene	22.5	5.0	ug/l	25.0	ND	90	65-130	11	15	
2-Hexanone	30.1	10	ug/l	25.0	ND	120	40-150	3	35	
Iodomethane	23.9	2.0	ug/l	25.0	ND	96	70-140	4	15	
Isopropylbenzene	24.7	2.0	ug/l	25.0	ND	99	80-140	6	20	
p-Isopropyltoluene	24.9	2.0	ug/l	25.0	ND	100	80-135	5	20	
Methylene chloride	26.2	5.0	ug/l	25.0	ND	105	75-125	0	15	
4-Methyl-2-pentanone (MIBK)	28.0	10	ug/l	25.0	ND	112	40-140	2	35	
Methyl-tert-butyl Ether (MTBE)	27.2	5.0	ug/l	25.0	ND	109	65-135	1	30	
Naphthalene	25.6	2.0	ug/l	25.0	ND	102	60-140	3	30	
n-Propylbenzene	25.2	2.0	ug/l	25.0	ND	101	80-140	7	20	
Styrene	23.4	2.0	ug/l	25.0	ND	94	30-150	4	25	
1,1,1,2-Tetrachloroethane	24.0	5.0	ug/l	25.0	ND	96	80-130	1	15	
1,1,2,2-Tetrachloroethane	25.3	2.0	ug/l	25.0	ND	101	65-140	7	35	
Tetrachloroethene	21.7	2.0	ug/l	25.0	ND	87	80-130	3	15	
Toluene	25.9	2.0	ug/l	25.0	ND	104	80-130	3	15	
1,2,3-Trichlorobenzene	27.8	5.0	ug/l	25.0	ND	111	75-140	2	20	
1,2,4-Trichlorobenzene	27.0	5.0	ug/l	25.0	ND	108	80-135	1	15	
1,1,1-Trichloroethane	26.2	2.0	ug/l	25.0	ND	105	70-135	2	15	
1,1,2-Trichloroethane	26.1	2.0	ug/l	25.0	ND	104	70-135	2	25	
Trichloroethene	24.1	2.0	ug/l	25.0	ND	96	80-125	5	15	
Trichlorofluoromethane	27.3	5.0	ug/l	25.0	ND	109	70-140	3	15	
1,2,3-Trichloropropane	24.5	10	ug/l	25.0	ND	98	65-135	7	35	
1,2,4-Trimethylbenzene	24.1	2.0	ug/l	25.0	ND	96	75-130	7	15	
1,3,5-Trimethylbenzene	23.6	2.0	ug/l	25.0	ND	94	80-135	7	15	
Vinyl acetate	37.5	25	ug/l	25.0	ND	150	30-150	6	35	*V1*
Vinyl chloride	26.1	1.7	ug/l	25.0	ND	104	70-135	5	25	
Xylenes, Total	48.3	3.0	ug/l	50.0	ND	97	80-125	3	15	
Surrogate: Dibromofluoromethane	*26.0*		*ug/l*	*25.0*		*104*	*80-130*			
Surrogate: Toluene-d8	*24.6*		*ug/l*	*25.0*		*98*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.8*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J2527 Extracted: 10/25/06										
Blank Analyzed: 10/25/2006 (P6J2527-BLK1)										
cis-1,2-Dichloroethene	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Surrogate: Dibromofluoromethane	*28.1*		*ug/l*	*25.0*		*112*	*80-130*			
Surrogate: Toluene-d8	*25.5*		*ug/l*	*25.0*		*102*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.5*		*ug/l*	*25.0*		*98*	*80-120*			
LCS Analyzed: 10/25/2006 (P6J2527-BS1)										
cis-1,2-Dichloroethene	23.5	2.0	ug/l	25.0		94	80-125			
Trichloroethene	23.6	2.0	ug/l	25.0		94	80-120			
Surrogate: Dibromofluoromethane	*25.4*		*ug/l*	*25.0*		*102*	*80-130*			
Surrogate: Toluene-d8	*24.1*		*ug/l*	*25.0*		*96*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.4*		*ug/l*	*25.0*		*98*	*80-120*			
LCS Dup Analyzed: 10/25/2006 (P6J2527-BSD1)										
cis-1,2-Dichloroethene	25.1	2.0	ug/l	25.0		100	80-125	7	10	
Trichloroethene	23.9	2.0	ug/l	25.0		96	80-120	1	10	
Surrogate: Dibromofluoromethane	*28.4*		*ug/l*	*25.0*		*114*	*80-130*			
Surrogate: Toluene-d8	*26.0*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.3*		*ug/l*	*25.0*		*105*	*80-120*			
Matrix Spike Analyzed: 10/25/2006 (P6J2527-MS1)					**Source: PPJ0402-01**					
cis-1,2-Dichloroethene	22.6	2.0	ug/l	25.0	ND	90	80-125			
Trichloroethene	22.5	2.0	ug/l	25.0	ND	90	80-125			
Surrogate: Dibromofluoromethane	*26.9*		*ug/l*	*25.0*		*108*	*80-130*			
Surrogate: Toluene-d8	*25.8*		*ug/l*	*25.0*		*103*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.4*		*ug/l*	*25.0*		*106*	*80-120*			
Matrix Spike Dup Analyzed: 10/25/2006 (P6J2527-MSD1)					**Source: PPJ0402-01**					
cis-1,2-Dichloroethene	24.8	2.0	ug/l	25.0	ND	99	80-125	9	15	
Trichloroethene	24.1	2.0	ug/l	25.0	ND	96	80-125	7	15	
Surrogate: Dibromofluoromethane	*27.4*		*ug/l*	*25.0*		*110*	*80-130*			
Surrogate: Toluene-d8	*25.8*		*ug/l*	*25.0*		*103*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2511 Extracted: 09/25/06										
Blank Analyzed: 10/08/2006 (P6I2511-BLK1)										
Acenaphthene	ND	3.0	ug/l							
Acenaphthylene	ND	3.0	ug/l							
Anthracene	ND	0.30	ug/l							
Benzo(a)anthracene	ND	0.050	ug/l							
Benzo(a)pyrene	ND	0.10	ug/l							
Benzo(b)fluoranthene	ND	0.30	ug/l							
Benzo(g,h,i)perylene	ND	0.30	ug/l							
Benzo(k)fluoranthene	ND	0.30	ug/l							
Chrysene	ND	0.30	ug/l							
Dibenz(a,h)anthracene	ND	0.50	ug/l							
Fluoranthene	ND	0.30	ug/l							
Fluorene	ND	0.30	ug/l							
Indeno(1,2,3-cd)pyrene	ND	0.30	ug/l							
Naphthalene	ND	2.0	ug/l							
Phenanthrene	ND	0.30	ug/l							
Pyrene	ND	0.30	ug/l							
Surrogate: 2-Methylanthracene	*0.606*		*ug/l*	*0.600*		*101*	*50-115*			
LCS Analyzed: 10/08/2006 (P6I2511-BS1)										**Q8**
Acenaphthene	5.12	3.0	ug/l	6.00		85	55-115			
Acenaphthylene	10.4	3.0	ug/l	12.0		87	55-115			
Anthracene	0.500	0.30	ug/l	0.600		83	55-115			
Benzo(a)anthracene	0.541	0.050	ug/l	0.600		90	70-115			
Benzo(a)pyrene	0.525	0.10	ug/l	0.600		87	75-115			
Benzo(b)fluoranthene	1.07	0.30	ug/l	1.20		89	80-115			
Benzo(g,h,i)perylene	1.05	0.30	ug/l	1.20		87	70-115			
Benzo(k)fluoranthene	0.551	0.30	ug/l	0.600		92	70-115			
Chrysene	0.537	0.30	ug/l	0.600		90	70-115			
Dibenz(a,h)anthracene	1.00	0.50	ug/l	1.20		83	65-115			
Fluoranthene	1.10	0.30	ug/l	1.20		92	60-115			
Fluorene	1.03	0.30	ug/l	1.20		86	55-115			
Indeno(1,2,3-cd)pyrene	0.537	0.30	ug/l	0.600		90	70-115			
Naphthalene	4.69	2.0	ug/l	6.00		78	45-115			
Phenanthrene	0.526	0.30	ug/l	0.600		88	50-115			
Pyrene	0.479	0.30	ug/l	0.600		80	65-115			
Surrogate: 2-Methylanthracene	*0.618*		*ug/l*	*0.600*		*103*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2511 Extracted: 09/25/06										
LCS Dup Analyzed: 10/08/2006 (P6I2511-BSD1)										
Acenaphthene	5.12	3.0	ug/l	6.00		85	55-115	0	15	
Acenaphthylene	10.3	3.0	ug/l	12.0		86	55-115	1	20	
Anthracene	0.498	0.30	ug/l	0.600		83	55-115	0	20	
Benzo(a)anthracene	0.544	0.050	ug/l	0.600		91	70-115	1	15	
Benzo(a)pyrene	0.517	0.10	ug/l	0.600		86	75-115	2	15	
Benzo(b)fluoranthene	1.08	0.30	ug/l	1.20		90	80-115	1	15	
Benzo(g,h,i)perylene	1.06	0.30	ug/l	1.20		88	70-115	1	15	
Benzo(k)fluoranthene	0.554	0.30	ug/l	0.600		92	70-115	1	15	
Chrysene	0.561	0.30	ug/l	0.600		93	70-115	4	15	
Dibenz(a,h)anthracene	1.02	0.50	ug/l	1.20		85	65-115	2	15	
Fluoranthene	1.12	0.30	ug/l	1.20		93	60-115	2	20	
Fluorene	1.03	0.30	ug/l	1.20		86	55-115	0	20	
Indeno(1,2,3-cd)pyrene	0.546	0.30	ug/l	0.600		91	70-115	2	20	
Naphthalene	4.67	2.0	ug/l	6.00		78	45-115	0	25	
Phenanthrene	0.528	0.30	ug/l	0.600		88	50-115	0	25	
Pyrene	0.484	0.30	ug/l	0.600		81	65-115	1	20	
Surrogate: 2-Methylanthracene	*0.610*		*ug/l*	*0.600*		*102*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

DATA QUALIFIERS AND DEFINITIONS

C6	Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the higher value was reported as there was no obvious chromatographic interference.
H1	Sample analysis performed past holding time.
L3	The associated blank spike recovery was above method acceptance limits.
M1	Matrix spike recovery was high, the method control sample recovery was acceptable.
M2	Matrix spike recovery was low, the method control sample recovery was acceptable.
M3	The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
N1	See case narrative.
Q8	Insufficient sample received to meet method QC requirements. Batch QC satisfies ADEQ policies 0154 and 0155.
V1	CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
ND	Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
RPD	Relative Percent Difference

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0665

Sampled: 09/20/06
Received: 09/21/06

Certification Summary

TestAmerica - Phoenix, AZ

Method	Matrix	Nelac	Arizona
EPA 8015B	Water	X	X
EPA 8260B	Water	X	X
EPA 8310	Water	X	X

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

Subcontracted Laboratories

Transwest Geochem *Arizona Cert #AZ0133*
3725 E. Atlanta Ave Ste 1 - Phoenix, AZ 85040-2961
Analysis Performed: 8015B MOD-Low Level
Samples: PPI0665-05, PPI0665-06, PPI0665-08

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Jennifer Hanna
CH2M HILL
2625 South Plaza Drive
Tempe AZ 85282
480-377-6287

21 Day - ☐
28 Day - ☐

Lab Use Only
Project No:
Job No.

	Sample Identification		Sample Date	Sample Time	Sample Type	Matrix	# of Cont.	Preservation Used	Use for MS / MSD	Filtered Sample	Unfiltered Sample	SW8015	SW8260	SW8310												Lab Sample Numbers
	Location ID	Field Sample ID																								
1	TRIP BLANK	TB-092006A	Sep 20 2006	0557	BLKWATER	WATER	1	X			X		X													
2	~~ASE-72A~~	~~ASE-72A-6C2~~	~~Sep 20 2006~~		~~GW~~	~~WATER~~	3	~~X~~			~~X~~		X													
3	~~FIELDQC~~	~~PL-512-6C2~~	~~Sep 20 2006~~		~~GW~~	~~WATER~~	3	~~X~~			~~X~~		X													
4	~~ASE-72B~~	~~ASE-72B-6C2~~	~~Sep 20 2006~~		~~GW~~	~~WATER~~	3	~~X~~			~~X~~		X													
5	ASE-70A	ASE-70A-6C2	Sep 20 2006	0821	GW	WATER	3	X			X		X													
6	PZ-1A	PZ-1A-6C2	Sep 20 2006	0907	GW	WATER	3	X			X		X													
7	PZ-1B	PZ-1B-6C2	Sep 20 2006	0933	GW	WATER	3	X			X		X													
8	ASE-111A	ASE-111A-6C2	Sep 20 2006	1049	GW	WATER	5	X			X	X	X													
9	ASE-115A	ASE-115A-6C2	Sep 20 2006	1139	GW	WATER	7	X			X	X	X	X												
10	ASE-73B	ASE-73B-6C2	9-20-06	0744	GW	water	3	X			X		X													
11	ASE-68A	ASE-68A-6C2	9-20-06	1222	GW	water	5	X			X	X	X													
12																										
13																										
14																										
15																										
16																										
17																										
18																										
19																										
20																										
21																										
22																										
23																										

Special Instructions: Standard TAT 10 days.

TEMP 4.4°C

Relinquished by:	Company:	Date/Time:	Received by:	Company:
	HH	09/21/06 0952	9/21/06	
Relinquished by:	Company:	Date/Time:	Received by:	Company:
	CH2M			
Relinquished by: 9/21/06	Company:	Date/Time: 9/21/06 1453	Received by:	Company: TEST-PAX

TRANSWEST GEOCHEM

October 10, 2006

Ken Baker
TestAmerica - Phoenix
9830 S. 51st Street
Suite B-120
Phoenix, AZ 85044

Re: PPI0665
Work Order No.: 0609411

Dear Ken,

Attached is the original Report of Analysis from Columbia Analytical Services, Inc. (AZ0604) for the samples received on 9/22/06. The following analysis was performed:

Method EPA 8015B – Diesel Range Organics

If you have any questions regarding the results, please call me. We appreciate your business and thank you for choosing Transwest Geochem.

Sincerely,

Skip Harden
Project Manager

ADHS License No. AZM133/AZ0133

CONFIDENTIAL AND PRIVILEGED

[illegible] Arizona 85040 • (602) 437-0330 • (800) 927-5183 • Fax (602) 437-0660
[illegible] Tucson, Arizona 85714 • (520) 573-1061 • Fax (520) 573-1063

5090 Caterpillar Road Redding, California 96003 (530) 244-5227 (530) 244-4109 fax

Columbia Analytical Services INC.
An Employee - Owned Company

October 06, 2006

Service Request No: D0601446

Skip Harden
Transwest Geochem, Incorporated
3725 East Atlanta Avenue
Suite 2
Phoenix, AZ 85040-2960

RE: PPC/PPD PPI0665/0609411

Dear Skip:

Enclosed are the results of the sample(s) submitted to our laboratory on September 26, 2006. For your reference, these analyses have been assigned our service request number D0601446.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 112. You may also contact me via email at mhovanec@redding.caslab.com.

Respectfully submitted,

Columbia Analytical Services, Inc.

Michael Hovanec
Project Chemist

NELAP Accredited ACIL Seal of Excellence Award 100% Recycled

Current CAS Redding Accreditation Programs

Federal and National Programs

- U.S Air Force, Air Force Center for Environmental Excellence (AFCEE)
  Approved laboratory for Wastewater and Hazardous Waste
- U.S. Army Corps of Engineers – MRD, HTRW Mandatory Center of Expertise
  Validated for Wastewater and Hazardous Waste
- Department of the Navy, Naval Facilities Engineering Service Center (NFESC)
  Approved laboratory for Wastewater and Hazardous Waste

State and Local Programs

- State of Alaska, Department of Environmental Conservation
  Approved Laboratory for Contaminated Sites
  Lab ID UST-001
- State of Arizona, Department of Health Services, Office of Laboratory Licensure
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID AZ0604
- State of California, Department of Health Services, National Environmental Laboratory Accreditation Program **(NELAP)**
  Approved Laboratory for Drinking Water, Wastewater and Hazardous Waste
  Lab ID 01105CA
  - Los Angeles County Sanitation District
    Approved Laboratory for Wastewater
    Lab ID 10243
- State of California, Department of Health Services, Environmental Laboratory Accreditation Program (ELAP)
  Approved Laboratory for Microbiology of Drinking Water and Wastewater
  Lab ID 2635
- State of Florida, Department of Health, Bureau of Laboratories **(NELAP)**
  Approved Environmental Testing Laboratory for Wastewater and Hazardous Waste
  Lab ID E87203
- State of Kansas, Department of Health and Environment **(NELAP)**
  Approved Laboratory for Hazardous Waste
  Lab ID E-10323
- State of Massachusetts, Department of Environmental Protection
  Approved laboratory for Drinking Water and Wastewater
  Lab ID M-CA025
- State of Oklahoma, Department of Environmental Quality
  Approved Laboratory for General Water Quality/Sludge Testing
  Lab ID 9952
- State of Oregon, Environmental Laboratory Accreditation Program **(ORELAP)**
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID CA200004
- State of Utah, Department of Health, Bureau of Laboratory Improvement **(NELAP)**
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID QUAL1
- State of Washington, Department of Ecology
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID C1234
- State of Wisconsin, Department of Natural Resources
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID 999767340

Arizona Data Qualifiers
Revision 2.0, 11/26/2003

Developed by the Sub-committee of the
Arizona Environmental Laboratory Advisory Committee

Microbiology:
A1 = Too numerous to count.
A2 = Sample incubation period exceeded method requirement.
A3 = Sample incubation period was shorter than method requirement.
A4 = Target organism detected in associated method blank.
A5 = Incubator/water bath temperature was outside method requirements.
A6 = Target organism not detected in associated positive control.
A7 = Micro sample received without adequate headspace.

Method/calibration blank:
B1 = Target analyte detected in method blank at or above the method reporting limit.
B2 = Non-target analyte detected in method blank and sample, producing interference.
B3 = Target analyte detected in calibration blank at or above the method reporting limit.
B4 = Target analyte detected in blank at/above method acceptance criteria.
B5 = Target analyte detected in method blank at or above the method reporting limit, but below trigger level or MCL.
B6 = Target analyte detected in calibration blank at or above the method reporting limit, but below trigger level or MCL.
B7 = Target analyte detected in method blank at or above method reporting limit. Concentration found in the sample was 10 times above the concentration found in the method blank.

Confirmation:
C1 = Confirmatory analysis not performed as required by the method.
C3 = Qualitative confirmation performed.
C4 = Confirmatory analysis was past holding time.
C5 = Confirmatory analysis was past holding time. Original result not confirmed.
C6 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the higher value was reported as there was no obvious chromatographic interference.
C7 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic interference.

Dilution:
D1 = Sample required dilution due to matrix.
D2 = Sample required dilution due to high concentration of target analyte.
D3 = Sample dilution required due to insufficient sample.
D4 = Minimum reporting level (MRL) adjusted to reflect sample amount received and analyzed.

Estimated concentration:
E1 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not possible due to insufficient sample.
E2 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to sample matrix.
E3 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

E4 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL).
E5 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL), but not confirmed by alternate analysis.
E6 = Concentration estimated. Internal standard recoveries did not meet method acceptance criteria.
E7 = Concentration estimated. Internal standard recoveries did not meet laboratory acceptance criteria.
E8 = Analyte reported to MDL per project specification. Target analyte was not detected in the sample.

Hold time:
H1 = Sample analysis performed past holding time.
H2 = Initial analysis within holding time. Reanalysis for the required dilution was past holding time.
H3 = Sample was received and analyzed past holding time.
H4 = Sample was extracted past required extraction holding time, but analyzed within analysis holding time.

BOD:
K1 = The sample dilutions set-up for the BOD analysis did not meet the oxygen depletion criteria of at least 2 mg/L. Any reported result is an estimated value.
K2 = The sample dilutions set up for the BOD analysis did not meet the criteria of a residual dissolved oxygen of at least 1 mg/L. Any reported result is an estimated value.
K4 = The seed depletion was outside the method acceptance limits. The reported result is an estimated value.
K5 = The dilution water D.O. depletion was > 0.2 mg/L.
K6 = Glucose/glutamic acid BOD was below method acceptance criteria.
K7 = A discrepancy between the BOD and COD results has been verified by reanalysis of the sample for COD.
K8 = Glucose/glutamic acid BOD was above method acceptance levels.

Laboratory fortified blank/blank spike:

L1 = The associated blank spike recovery was above laboratory acceptance limits.
L2 = The associated blank spike recovery was below laboratory acceptance limits.
L3 = The associated blank spike recovery was above method acceptance limits.
L4 = The associated blank spike recovery was below method acceptance limits.

Matrix spike:
M1 = Matrix spike recovery was high, the method control sample recovery was acceptable.
M2 = Matrix spike recovery was low, the method control sample recovery was acceptable.
M3 = The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
M4 = The analysis of the spiked sample required a dilution such that the spike concentration was diluted below the reporting limit. The method control sample recovery was acceptable.
M5 = Analyte concentration was determined by the method of standard addition (MSA).

M6 = Matrix spike recovery was high. Data reported per ADEQ policy 0154.000.
M7 = Matrix spike recovery was low. Data reported per ADEQ policy 0154.000.

General:
N1 = See case narrative.
N2 = See corrective action report.
N3 = The analysis meets all method requirements. See case narrative.

Sample quality:
Q1 = Sample integrity was not maintained. See case narrative.
Q2 = Sample received with headspace.
Q3 = Sample received with improper chemical preservation.
Q4 = Sample received and analyzed without chemical preservation.
Q5 = Sample received with inadequate chemical preservation, but preserved by the laboratory.
Q6 = Sample was received above recommended temperature.
Q7 = Sample inadequately dechlorinated.
Q8 = Insufficient sample received to meet method QC requirements. Batch QC requirements satisfies ADEQ policies 0154 and 0155.
Q9 = Insufficient sample received to meet method QC requirements.
Q10 = Sample received in inappropriate sample container.
Q11 = Sample is heterogeneous. Sample homogeneity could not be readily achieved using routine laboratory practices.

Duplicates:
R1 = RPD exceeded the method control limit. See case narrative.
R2 = RPD exceeded the laboratory control limit. See case narrative.
R4 = MS/MSD RPD exceeded the method control limit. Recovery met acceptance criteria.
R5 = MS/MSD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R6 = LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
R7 = LFB/LFBD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R8 = Sample RPD exceeded the method control limit.
R9 = Sample RPD exceeded the laboratory control limit.
R10 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic problems.
R11 = The RPD calculation for MS/MSD does not provide useful information due to the varying sample weights when Encore samplers/methanol field preserved samples are used.

Surrogate:
S1 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits.
S3 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits. No target analytes were detected in the sample.
S4 = Surrogate recovery was above laboratory and method acceptance limits. No target analytes were detected in the sample.
S5 = Surrogate recovery was below laboratory acceptance limits, but within method acceptance limits.
S6 = Surrogate recovery was below laboratory and method acceptance limits. Reextraction and/or reanalysis confirms low recovery caused by matrix effect.

S7 = Surrogate recovery was below laboratory and method acceptance limits. Unable to confirm matrix effect.
S8 = The analysis of the sample required a dilution such that the surrogate recovery calculation does not provide any useful information. The method control sample recovery was acceptable.
S10 = Surrogate recovery was above laboratory and method acceptance limits. See Case narrative.
S11 = Surrogate recovery was high. Data reported per ADEQ policy 0154.000.
S12 = Surrogate recovery was low. Data reported per ADEQ policy 0154.000.

Method/analyte discrepancies:
T1 = Method approved by EPA, but not yet licensed by ADHS.
T2 = Cited ADHS licensed method does not contain this analyte as part of method compound list.
T3 = Method not promulgated either by EPA or ADHS.
T4 = Tentatively identified compound. Concentration is estimated and based on the closest internal standard.

Calibration verification:
V1 = CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
V2 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample. The sample could not be reanalyzed due to insufficient sample.
V3 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample, but the sample was not reanalyzed. See case narrative.
V4 = CCV recovery was below method acceptance limits. The sample could not be reanalyzed due to insufficient sample.
V5 = CCV recovery after a group of samples was above acceptance limits. This target analyte was not detected in the sample. Acceptable per EPA Method 8000B.
V6 = Data reported from one-point calibration criteria per ADEQ policy 0155.000.
V7 = Calibration verification recovery was above the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.
V8 = Calibration verification recovery was below the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.

Calibration:
W1 = The % RSD for this compound was above 20%. The average % RSD for all compounds in the calibration met the 20% criteria as specified in EPA method 8000B.
W2 = The % RSD for this compound was above 15%. The average % RSD for all compounds in the calibration met the 15% criteria as specified in EPA method 8260B/8270C.

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
D0601446-001	PPI0665-05	09/20/06	10:49
D0601446-002	PPI0665-06	09/20/06	11:39
D0601446-003	PPI0665-08	09/20/06	12:22

CASE NARRATIVE

COLUMBIA ANALYTICAL SERVICES, INC.

Client:	Transwest Geochem, Incorporated	**Service Request No.:**	D0601446
Project:	PPC/PPD PPI0665	**Date Received:**	09/26/06
Sample Matrix:	Aqueous		

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of Columbia Analytical Services, Inc. (CAS).This report contains analytical results for samples designated for Tier II data deliverables.

Sample Receipt

3 Aqueous samples were received for analysis at Columbia Analytical Services on 09/26/06.

No discrepancies were noted upon initial sample inspection. The samples were received in good condition and consistent with the accompanying chain of custody form. The samples were stored in a refrigerator at 4 degrees Celsius upon receipt at the laboratory.

Diesel Range Organics by EPA Method 8015B

No anomalies associated with the analysis of these samples by the above-mentioned method were observed.

Matrix Spike Recovery Exceptions:

Insufficient sample volume was received to perform a Matrix Spike/Matrix Spike Duplicate (MS/MSD). A Laboratory Control Sample/Duplicate Laboratory Control Sample (LCS/DLCS) was analyzed in order to report precision data.

Approved by: Michael Hovsepian **Date:** 10/6/06

CHAIN OF CUSTODY DOCUMENTATION

TRANSWEST GEOCHEM

CHAIN-OF-CUSTODY

[redacted]

Skip Harden
3725 E. Atlanta Avenue
Suite 2
Phoenix, AZ 85040
TEL: (602) 437-0330
FAX: (602) 437-0660

Work Order: 0609411

Project: PPI0665

Subcontractor:
Columbia Analytical Services
5090 Caterpillar Rd.
Redding, CA 96003
TEL: (530) 244-5227
FAX: (530) 244-4109

22-Sep-06

Client Sample ID	TGI ID	Matrix	Collection Date	Containers	Requested Tests: 8015MOD_W						
PPI0665-05	01A	Water	9/20/2006 10:49:00 AM	1	1						
PPI0665-06	02A	Water	9/20/2006 11:39:00 AM	1	1						
PPI0665-08	03A	Water	9/20/2006 12:22:00 PM	1	1						

low level reporting limits required

Comments: After analysis, the samples do not need to be returned and can be disposed per your standard laboratory practices. Please provide a QC report, including Method Blank data.

Sample Receipt		
Temperature:	Ambient / Cold	Ice:
Received Intact:		Absent / Present
Custody Seals:		Wet / Blue
Total No. of Containers:		° C.

		Date/Time			Date/Time
Relinquished by:	Leslie Moy- TGI	9/25/06	Received by:	UPS	
Relinquished by:			Received by:	K Maze	9-26-06 930
Relinquished by:			Received by:		

11

Columbia Analytical Services inc.
An Employee-Owned Company

5090 Caterpillar Road
Redding, CA 96003
Phone: (530) 244-5262
Fax #: (530) 244-4109

[redacted]

COOLER RECEIPT FORM

Project/Client: _____ Batch No.: [redacted]

1. Cooler(s)/Sample(s) received on: 9.26.06 Shipped via: UPS
   Shipping Bill # (s): 1Z 52X 72X 01 9453 4033 # of Coolers/Packages 2
2. Radiological Screening by: _____ Acceptable Rejected
3. Custody seals on outside of cooler: YES NO N/A
   If yes, where? Front ✓ Rear ____ Lt Side ____ Rt Side ____
   Seals intact: YES NO

COOLER/SAMPLE PROCESSING

4. Sample Processing/Tagging by: KMC
5. Cooler(s)/Sample(s) Temp's: 4.0c ____ ____ ____ ____
   (or)
   Temp. Blank (if included): ____ ____ ____ ____ ____
6. Type of packing material (circle): Ice Blue Ice Bubble Wrap Bubble Bags Zip Locks Webbing
   Other: _____
7. Custody papers properly filled out (ink, signed, dated, released, etc.)? YES NO
8. Containers arrived in good condition (not broken, leaking, etc.)? YES NO
9. Samples received with adequate holding time remaining to conduct analysis? YES NO
10. Container labels complete (i.e. analysis, preservation, date/time, etc.)? YES NO
11. Container labels and tags agree with custody papers? YES NO
12. Correct types of containers used for the tests indicated? YES NO
    a.) Adequate sample received? If not, note on Exception Report. YES NO
13. Containers supplied by: CAS Other
14. Preserved containers received with the appropriate preservative? YES NO N/A
    pH: <2 H_2SO_4 (or) See pH log.
15. VOA vials free of air bubbles? YES NO N/A
16. Trip Blank preparation date: _____ CAS Other N/A
17. Volatile Soil samples: Encores or Plugs in Vials
    Freezer or GC/MS Date: _____ Time: _____ N/A

See Exception Report for discrepancies.

Rev. 8/18/2004/ds

GC TPH DIESEL

ORGANIC ANALYSES DATA PACKAGE

Analytical Method: CA LUFT

AAB #: D0601446

Lab Name: Columbia Analytical Services/Redding

Base/Command: ARIZONA DELIVERABLES (RL)

Project: PPC/PPD PPI0665

Field Sample ID	Lab Sample ID
PPI0665-05	D0601446-001
PPI0665-06	D0601446-002
PPI0665-08	D0601446-003

Comments:

I certify this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: Wida Ang

Name: WIDA ANG

Date: 10/5/06

Title: Organic Manager

RDD-061004:CC:BS-1607PST-SR:D0601446-D0601446-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0601446

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPI0665-05 Lab Sample ID: D0601446-001 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 09/26/06 Date Extracted: 09/29/06 Date Analyzed: 10/03/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**69**	1		
C23 - C32 HRO		50	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	103	58-111	
Triacontane - SS	103	54-109	

Comments:

RDD-061004:CC:BS-1607PST-SR:D0601446-D0601446-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0601446

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPI0665-06 Lab Sample ID: D0601446-002 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 09/26/06 Date Extracted: 09/29/06 Date Analyzed: 10/03/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**1300**	1		
C23 - C32 HRO		50	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	105	58-111	
Triacontane - SS	106	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0601446

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPI0665-08 Lab Sample ID: D0601446-003 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 09/26/06 Date Extracted: 09/29/06 Date Analyzed: 10/03/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**1300**	1		
C23 - C32 HRO		50	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	102	58-111	
Triacontane - SS	102	54-109	

Comments:

RDD-061004:CC:BS-1607PST-SR:D0601446-D0601446-D

ORGANIC ANALYSES DATA SHEET 6
BLANKS

Analytical Method: CA LUFT AAB #: D0601446

Lab Name: Columbia Analytical Services/Redding

Concentration Units (ug/L or mg/kg): UG/L Method Blank ID: DWB10929

Lab Sample ID: DWB10929

Initial Calibration ID: 05/20/06GCF

Analyte		Method Blank	RL	Q
C13 - C22 DRO		ND	50	
C23 - C32 HRO		ND	50	

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	92	58-111	
Triacontane - SS	93	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 7
LABORATORY CONTROL SAMPLE/LABORATORY CONTROL SAMPLE DUPLICATE

Analytical Method: CA LUFT AAB #: D0601446

Lab Name: Columbia Analytical Services/Redding

Concentration Units (ug/L or mg/kg): UG/L %Solids: _____

Parent Field Sample ID: DWB10929 BS ID: DWB10929LCS BSD ID: DWB10929LCSD

Analyte	Parent Sample Result	Spike Added	Spiked Sample Result	%R	Duplicat Spike Sample Result	%R	%RPD	Control Limits %RPD	Control Limits %R	Q
C13 - C22 DRO		2500	2140	85	2270	91	6	30	64-106	

Comments:

RDD-061004:CC:BS-1607PST-SR:D0601446-D0601446-D

ORGANIC ANALYSES DATA SHEET 10
INSTRUMENT ANALYSIS SEQUENCE LOG

Analytical Method: CA LUFT AAB #: D0601446

Lab Name: Columbia Analytical Services/Redding

Instrument ID #: GCF RTX-5

Field Sample ID/Std ID/ Blank ID/QC Sample ID	Laboratory File ID	Date Analysis Started	Time Analysis Started	Date Analysis Completed	Time Analysis Completed
DSTD6	F0520002	05/20/06	1838	05/20/06	1908
DSTD1	F0520003	05/20/06	1923	05/20/06	1953
DSTD2	F0520004	05/20/06	2008	05/20/06	2038
DSTD3	F0520005	05/20/06	2054	05/20/06	2124
DSTD4	F0520006	05/20/06	2139	05/20/06	2209
DSTD5	F0520007	05/20/06	2225	05/20/06	2255
QC ALT	F0520009	05/20/06	2356	05/21/06	0026
DSTD3	F1002005	10/02/06	1515	10/02/06	1545
DWB10929	F1002006	10/02/06	1559	10/02/06	1629
DWB10929LCS	F1002007	10/02/06	1643	10/02/06	1713
DWB10929LCSD	F1002008	10/02/06	1728	10/02/06	1758
DSTD4	F1002017	10/03/06	0006	10/03/06	0036
PPI0665-05	F1002020	10/03/06	0218	10/03/06	0248
PPI0665-06	F1002021	10/03/06	0302	10/03/06	0332
PPI0665-08	F1002022	10/03/06	0346	10/03/06	0416
DSTD3	F1002029	10/03/06	0855	10/03/06	0925

Comments:

ORGANIC ANALYSES DATA SHEET APPENDIX A
SURROGATE RESULTS

Analytical Method: CA LUFT AAB #: D0601446

Lab Name: Columbia Analytical Services/Redding

Matrix: Water

Field/QC Sample ID	S1	S2	S3	S4	S5	S6	S7	S8	Q
DWB10929	92	93							
DWB10929LCS	95	95							
DWB10929LCSD	98	99							
PPI0665-05	103	103							
PPI0665-06	105	106							
PPI0665-08	102	102							

S1: Octacosane - SS 58-111
S2: Triacontane - SS 54-109

Comments:

TRANSWEST GEOCHEM

A-16

Sample Receipt Checklist

Client Name: Test America

Date and Time Received: 9/22/06 0851

Work Order Number: 0609411

Checked by: lm

Checklist completed by: Leslie May 9/22/06
Signature / Date

Logged In by: lm 9/22/06
Initials / Date

Matrix: Water Carrier Name: (Client) TGI _____

Reviewed by: _____
Initials / Date

				COMMENTS
Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐	
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☑	
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑	
Chain of custody present?	Yes ☑	No ☐		
Chain of custody signed when relinquished and received?	Yes ☑	No ☐		
Chain of custody agrees with sample labels?	Yes ☑	No ☐		
Samples in proper container/bottle?	Yes ☑	No ☐		
Sample containers intact?	Yes ☑	No ☐		
Sufficient sample volume for indicated test?	Yes ☑	No ☐		
All samples received within holding time?	Yes ☑	No ☐		
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	Temp: 5.7	Sampled < 2hrs ☐
Water – VOA vials have zero headspace?	Yes ☐	No ☐	N/A ☑	
Water – pH acceptable upon receipt?	Yes ☑	No ☐	N/A ☐	Checked by: lm
Water – Sulfides present in Cyanide samples?	Yes ☐	No ☐	N/A ☑	
Sample considered Drinking Water for metal analysis?	Yes ☐	No ☐	N/A ☑	

Client contacted: _____ Date contacted: _____ Person contacted: _____

Contacted by: _____ Regarding: _____

Corrective Action: _____

TestAmerica
ANALYTICAL TESTING CORPORATION

SUBCONTRACT ORDER - PROJECT # PPI0665

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660 0609411

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPI0665-05 Water Sampled: 09/20/06 10:49		
8015B MOD-Low Level-O	09/27/06 10:49	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0665-05D)	1	
1 L Amber w/H2SO4 (PPI0665-05E)		
Sample ID: PPI0665-06 Water Sampled: 09/20/06 11:39		
8015B MOD-Low Level-O	09/27/06 11:39	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0665-06D)	2	
1 L Amber w/H2SO4 (PPI0665-06E)		
Sample ID: PPI0665-08 Water Sampled: 09/20/06 12:22		
8015B MOD-Low Level-O	09/27/06 12:22	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0665-08D)	3	
1 L Amber w/H2SO4 (PPI0665-08E)		

SAMPLE INTEGRITY:

All containers intact: ☑ Yes ☐ No
Custody Seals Present: ☐ Yes ☑ No
Sample labels/COC agree: ☑ Yes ☐ No
Samples Preserved Properly: ☑ Yes ☐ No
Samples Received On Ice:: ☑ Yes ☐ No
Samples Received at (temp): 5.7

Released By	Date	Time	Received By	Date	Time
MDV	9-22-06	830	[illegible]	9-22-06	830
[illegible]	9-22-06	851	Leslie May - TGI	9/22/06	0851

TestAmerica
ANALYTICAL TESTING CORPORATION

9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

LABORATORY REPORT

Prepared For: CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project: Honeywell-Sky Harbor-PO# 2959460

Sampled: 09/21/06
Received: 09/22/06
Revised: 10/27/06 13:26

NELAP #01109CA Arizona DHS#AZ0426

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.
This entire report was reviewed and approved for release.

CASE NARRATIVE

LABORATORY ID	CLIENT ID	MATRIX
PPI0750-01	TB-092106A	Water
PPI0750-02	ASE-20A-6C2	Water
PPI0750-03	ASE-51A-6C2	Water
PPI0750-04	ASE-53A-6C2	Water
PPI0750-05	ASE-52A-6C2	Water
PPI0750-06	PL-516-6C2	Water
PPI0750-07	ASE-56A-6C2	Water
PPI0750-08	ASE-57A-6C2	Water
PPI0750-09	PL-101A-6C2	Water
PPI0750-10	ASE-38A-6C2	Water
PPI0750-11	ASE-39A-6C2	Water
PPI0750-12	ASE-116A-6C2	Water
PPI0750-13	PL-520-6C2	Water

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe 2625 S. Plaza Drive, Ste. 300 Tempe, AZ 85282 Attention: Jennifer Holland	Project ID: Honeywell-Sky Harbor-PO# 2959460 Report Number: PPI0750	Sampled: 09/21/06 Received: 09/22/06

SAMPLE RECEIPT:	Samples were received intact, at 4°C, on ice and with chain of custody documentation.
HOLDING TIMES:	Not all holding times were met. Results were qualified where the sample analysis did not occur within method specified holding time requirements.
PRESERVATION:	Samples requiring preservation were verified prior to sample analysis.
QA/QC CRITERIA:	All analyses met method criteria, except as noted in the report with data qualifiers.
COMMENTS:	N1: Concentration exceeds the calibration range and therefore result is semi-quantitative.
SUBCONTRACTED:	Refer to the last page for specific subcontract laboratory information included in this report.
ADDITIONAL INFORMATION:	This revised report contains the Acetone result for PPI0750-07.

Reviewed By:

Ken Baker

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-01 (TB-092106A - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0320	20	ND	1	10/3/2006	10/3/2006	
Benzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
Bromobenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Bromochloromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Bromodichloromethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Bromoform	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Bromomethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
2-Butanone (MEK)	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	
n-Butylbenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
sec-Butylbenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
tert-Butylbenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Carbon Disulfide	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Carbon tetrachloride	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Chlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
Chloroethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Chloroform	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Chloromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
2-Chlorotoluene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
4-Chlorotoluene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Dibromochloromethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Dibromomethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloroethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichloroethane	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloroethene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichloropropane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,3-Dichloropropane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
2,2-Dichloropropane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloropropene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Ethylbenzene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Hexachlorobutadiene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
2-Hexanone	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-01 (TB-092106A - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Isopropylbenzene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
p-Isopropyltoluene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Methylene chloride	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Naphthalene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
n-Propylbenzene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Styrene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Tetrachloroethene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Toluene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Trichloroethene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Trichlorofluoromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Vinyl acetate	EPA 8260B	P6J0320	25	ND	1	10/3/2006	10/3/2006	
Vinyl chloride	EPA 8260B	P6J0320	1.7	ND	1	10/3/2006	10/3/2006	
Xylenes, Total	EPA 8260B	P6J0320	3.0	ND	1	10/3/2006	10/3/2006	
Surrogate: Dibromofluoromethane (80-130%)				*103 %*				
Surrogate: Toluene-d8 (80-120%)				*103 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*99 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-02 (ASE-20A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0320	20	ND	1	10/3/2006	10/3/2006	
Benzene	EPA 8260B	P6J0320	1.0	**9.2**	1	10/3/2006	10/3/2006	
Bromobenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Bromochloromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Bromodichloromethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Bromoform	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Bromomethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
2-Butanone (MEK)	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	
n-Butylbenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
sec-Butylbenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
tert-Butylbenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Carbon Disulfide	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Carbon tetrachloride	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Chlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
Chloroethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Chloroform	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Chloromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
2-Chlorotoluene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
4-Chlorotoluene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Dibromochloromethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Dibromomethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloroethane	EPA 8260B	P6J0320	2.0	**14**	1	10/3/2006	10/3/2006	
1,2-Dichloroethane	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloroethene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichloropropane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,3-Dichloropropane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
2,2-Dichloropropane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloropropene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Ethylbenzene	EPA 8260B	P6J0320	2.0	**26**	1	10/3/2006	10/3/2006	
Hexachlorobutadiene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
2-Hexanone	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-02 (ASE-20A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Isopropylbenzene	EPA 8260B	P6J0320	2.0	**9.6**	1	10/3/2006	10/3/2006	
p-Isopropyltoluene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Methylene chloride	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Naphthalene	EPA 8260B	P6J0320	2.0	**21**	1	10/3/2006	10/3/2006	
n-Propylbenzene	EPA 8260B	P6J0320	2.0	**9.2**	1	10/3/2006	10/3/2006	
Styrene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Tetrachloroethene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Toluene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Trichloroethene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Trichlorofluoromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0320	2.0	**16**	1	10/3/2006	10/3/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0320	2.0	**3.4**	1	10/3/2006	10/3/2006	
Vinyl acetate	EPA 8260B	P6J0320	25	ND	1	10/3/2006	10/3/2006	
Vinyl chloride	EPA 8260B	P6J0320	1.7	**9.8**	1	10/3/2006	10/3/2006	
Xylenes, Total	EPA 8260B	P6J0320	3.0	**5.6**	1	10/3/2006	10/3/2006	
Surrogate: Dibromofluoromethane (80-130%)				*104 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*102 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-03 (ASE-51A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0320	20	ND	1	10/3/2006	10/3/2006	
Benzene	EPA 8260B	P6J0320	1.0	**110**	1	10/3/2006	10/3/2006	
Bromobenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Bromochloromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Bromodichloromethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Bromoform	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Bromomethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
2-Butanone (MEK)	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	
n-Butylbenzene	EPA 8260B	P6J0320	5.0	**8.6**	1	10/3/2006	10/3/2006	
sec-Butylbenzene	EPA 8260B	P6J0320	5.0	**8.4**	1	10/3/2006	10/3/2006	
tert-Butylbenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Carbon Disulfide	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Carbon tetrachloride	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Chlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
Chloroethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Chloroform	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Chloromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
2-Chlorotoluene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
4-Chlorotoluene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Dibromochloromethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Dibromomethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloroethane	EPA 8260B	P6J0320	2.0	**13**	1	10/3/2006	10/3/2006	
1,2-Dichloroethane	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloroethene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichloropropane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,3-Dichloropropane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
2,2-Dichloropropane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloropropene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Ethylbenzene	EPA 8260B	P6J0320	2.0	**120**	1	10/3/2006	10/3/2006	
Hexachlorobutadiene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
2-Hexanone	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-03 (ASE-51A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Isopropylbenzene	EPA 8260B	P6J0320	2.0	**24**	1	10/3/2006	10/3/2006	
p-Isopropyltoluene	EPA 8260B	P6J0320	2.0	**4.5**	1	10/3/2006	10/3/2006	
Methylene chloride	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0320	5.0	**23**	1	10/3/2006	10/3/2006	
Naphthalene	EPA 8260B	P6J0320	2.0	**170**	1	10/3/2006	10/3/2006	
n-Propylbenzene	EPA 8260B	P6J0320	2.0	**27**	1	10/3/2006	10/3/2006	
Styrene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Tetrachloroethene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Toluene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Trichloroethene	EPA 8260B	P6J0320	2.0	**7.9**	1	10/3/2006	10/3/2006	
Trichlorofluoromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0320	2.0	**59**	1	10/3/2006	10/3/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0320	2.0	**14**	1	10/3/2006	10/3/2006	
Vinyl acetate	EPA 8260B	P6J0320	25	ND	1	10/3/2006	10/3/2006	
Vinyl chloride	EPA 8260B	P6J0320	1.7	ND	1	10/3/2006	10/3/2006	
Xylenes, Total	EPA 8260B	P6J0320	3.0	**81**	1	10/3/2006	10/3/2006	
Surrogate: Dibromofluoromethane (80-130%)				*95 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*103 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-04 (ASE-53A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0320	20	ND	1	10/3/2006	10/3/2006	
Benzene	EPA 8260B	P6J0320	1.0	**4.8**	1	10/3/2006	10/3/2006	
Bromobenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Bromochloromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Bromodichloromethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Bromoform	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Bromomethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
2-Butanone (MEK)	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	
n-Butylbenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
sec-Butylbenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
tert-Butylbenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Carbon Disulfide	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Carbon tetrachloride	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Chlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
Chloroethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Chloroform	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Chloromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
2-Chlorotoluene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
4-Chlorotoluene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Dibromochloromethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Dibromomethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloroethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichloroethane	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloroethene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichloropropane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,3-Dichloropropane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
2,2-Dichloropropane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloropropene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Ethylbenzene	EPA 8260B	P6J0320	2.0	**6.7**	1	10/3/2006	10/3/2006	
Hexachlorobutadiene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
2-Hexanone	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-04 (ASE-53A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Isopropylbenzene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
p-Isopropyltoluene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Methylene chloride	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0320	5.0	**6.2**	1	10/3/2006	10/3/2006	
Naphthalene	EPA 8260B	P6J0320	2.0	**12**	1	10/3/2006	10/3/2006	
n-Propylbenzene	EPA 8260B	P6J0320	2.0	**2.3**	1	10/3/2006	10/3/2006	
Styrene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Tetrachloroethene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Toluene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Trichloroethene	EPA 8260B	P6J0320	2.0	**14**	1	10/3/2006	10/3/2006	
Trichlorofluoromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0320	2.0	**4.9**	1	10/3/2006	10/3/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Vinyl acetate	EPA 8260B	P6J0320	25	ND	1	10/3/2006	10/3/2006	
Vinyl chloride	EPA 8260B	P6J0320	1.7	ND	1	10/3/2006	10/3/2006	
Xylenes, Total	EPA 8260B	P6J0320	3.0	**4.4**	1	10/3/2006	10/3/2006	
Surrogate: Dibromofluoromethane (80-130%)				*94 %*				
Surrogate: Toluene-d8 (80-120%)				*105 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-05 (ASE-52A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0320	20	ND	1	10/3/2006	10/3/2006	
Benzene	EPA 8260B	P6J0320	1.0	**270**	1	10/3/2006	10/3/2006	N1
Bromobenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Bromochloromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Bromodichloromethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Bromoform	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Bromomethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
2-Butanone (MEK)	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	
n-Butylbenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
sec-Butylbenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
tert-Butylbenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Carbon Disulfide	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Carbon tetrachloride	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Chlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
Chloroethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Chloroform	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Chloromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
2-Chlorotoluene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
4-Chlorotoluene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
Dibromochloromethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Dibromomethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloroethane	EPA 8260B	P6J0320	2.0	**9.2**	1	10/3/2006	10/3/2006	
1,2-Dichloroethane	EPA 8260B	P6J0320	1.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloroethene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2-Dichloropropane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,3-Dichloropropane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
2,2-Dichloropropane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,1-Dichloropropene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Ethylbenzene	EPA 8260B	P6J0320	2.0	**37**	1	10/3/2006	10/3/2006	
Hexachlorobutadiene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
2-Hexanone	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-05 (ASE-52A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Isopropylbenzene	EPA 8260B	P6J0320	2.0	**7.0**	1	10/3/2006	10/3/2006	
p-Isopropyltoluene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Methylene chloride	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0320	5.0	**19**	1	10/3/2006	10/3/2006	
Naphthalene	EPA 8260B	P6J0320	2.0	**37**	1	10/3/2006	10/3/2006	
n-Propylbenzene	EPA 8260B	P6J0320	2.0	**7.4**	1	10/3/2006	10/3/2006	
Styrene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Tetrachloroethene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Toluene	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0320	2.0	ND	1	10/3/2006	10/3/2006	
Trichloroethene	EPA 8260B	P6J0320	2.0	**23**	1	10/3/2006	10/3/2006	
Trichlorofluoromethane	EPA 8260B	P6J0320	5.0	ND	1	10/3/2006	10/3/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0320	10	ND	1	10/3/2006	10/3/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0320	2.0	**31**	1	10/3/2006	10/3/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0320	2.0	**5.3**	1	10/3/2006	10/3/2006	
Vinyl acetate	EPA 8260B	P6J0320	25	ND	1	10/3/2006	10/3/2006	
Vinyl chloride	EPA 8260B	P6J0320	1.7	ND	1	10/3/2006	10/3/2006	
Xylenes, Total	EPA 8260B	P6J0320	3.0	**57**	1	10/3/2006	10/3/2006	
Surrogate: Dibromofluoromethane (80-130%)				*88 %*				
Surrogate: Toluene-d8 (80-120%)				*103 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*99 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-05RE1 (ASE-52A-6C2 - Water) - cont.								**H2**
Reporting Units: ug/l								
Benzene	EPA 8260B	P6J2021	10	**310**	10	10/20/2006	10/20/2006	
Surrogate: Dibromofluoromethane (80-130%)				*106 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*101 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-06 (PL-516-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0425	20	ND	1	10/4/2006	10/4/2006	
Benzene	EPA 8260B	P6J0425	1.0	**190**	1	10/4/2006	10/4/2006	
Bromobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromochloromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromodichloromethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Bromoform	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromomethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Butanone (MEK)	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
n-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
sec-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
tert-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Carbon Disulfide	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Carbon tetrachloride	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Chlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Chloroethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Chloroform	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Chloromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Chlorotoluene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
4-Chlorotoluene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Dibromochloromethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Dibromomethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethane	EPA 8260B	P6J0425	2.0	**6.4**	1	10/4/2006	10/4/2006	
1,2-Dichloroethane	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
2,2-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Ethylbenzene	EPA 8260B	P6J0425	2.0	**30**	1	10/4/2006	10/4/2006	
Hexachlorobutadiene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Hexanone	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-06 (PL-516-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Isopropylbenzene	EPA 8260B	P6J0425	2.0	**5.6**	1	10/4/2006	10/4/2006	
p-Isopropyltoluene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Methylene chloride	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0425	5.0	**13**	1	10/4/2006	10/4/2006	
Naphthalene	EPA 8260B	P6J0425	2.0	**34**	1	10/4/2006	10/4/2006	
n-Propylbenzene	EPA 8260B	P6J0425	2.0	**5.8**	1	10/4/2006	10/4/2006	
Styrene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Tetrachloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Toluene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Trichloroethene	EPA 8260B	P6J0425	2.0	**22**	1	10/4/2006	10/4/2006	
Trichlorofluoromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0425	2.0	**28**	1	10/4/2006	10/4/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0425	2.0	**4.6**	1	10/4/2006	10/4/2006	
Vinyl acetate	EPA 8260B	P6J0425	25	ND	1	10/4/2006	10/4/2006	
Vinyl chloride	EPA 8260B	P6J0425	1.7	ND	1	10/4/2006	10/4/2006	
Xylenes, Total	EPA 8260B	P6J0425	3.0	**47**	1	10/4/2006	10/4/2006	
Surrogate: Dibromofluoromethane (80-130%)				*98 %*				
Surrogate: Toluene-d8 (80-120%)				*96 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-07 (ASE-56A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0425	20	ND	1	10/4/2006	10/4/2006	M1
Bromobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromochloromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromodichloromethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Bromoform	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromomethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Butanone (MEK)	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
n-Butylbenzene	EPA 8260B	P6J0425	5.0	**7.4**	1	10/4/2006	10/4/2006	
sec-Butylbenzene	EPA 8260B	P6J0425	5.0	**6.9**	1	10/4/2006	10/4/2006	
tert-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Carbon Disulfide	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Carbon tetrachloride	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Chlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Chloroethane	EPA 8260B	P6J0425	5.0	**9.4**	1	10/4/2006	10/4/2006	
Chloroform	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Chloromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Chlorotoluene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
4-Chlorotoluene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Dibromochloromethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Dibromomethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethane	EPA 8260B	P6J0425	2.0	**64**	1	10/4/2006	10/4/2006	M3
1,2-Dichloroethane	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichloropropane	EPA 8260B	P6J0425	20	ND	10	10/4/2006	10/4/2006	
2,2-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Ethylbenzene	EPA 8260B	P6J0425	2.0	**160**	1	10/4/2006	10/4/2006	M3
Hexachlorobutadiene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Hexanone	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
Iodomethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-07 (ASE-56A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Isopropylbenzene	EPA 8260B	P6J0425	2.0	**46**	1	10/4/2006	10/4/2006	M3
p-Isopropyltoluene	EPA 8260B	P6J0425	2.0	**7.0**	1	10/4/2006	10/4/2006	
Methylene chloride	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	M1
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0425	5.0	**28**	1	10/4/2006	10/4/2006	
n-Propylbenzene	EPA 8260B	P6J0425	2.0	**52**	1	10/4/2006	10/4/2006	M2
Styrene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Tetrachloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Toluene	EPA 8260B	P6J0425	2.0	**2.3**	1	10/4/2006	10/4/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Trichloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Trichlorofluoromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0425	2.0	**110**	1	10/4/2006	10/4/2006	M3
1,3,5-Trimethylbenzene	EPA 8260B	P6J0425	2.0	**21**	1	10/4/2006	10/4/2006	
Vinyl acetate	EPA 8260B	P6J0425	25	ND	1	10/4/2006	10/4/2006	
Vinyl chloride	EPA 8260B	P6J0425	1.7	**13**	1	10/4/2006	10/4/2006	
Xylenes, Total	EPA 8260B	P6J0425	3.0	**85**	1	10/4/2006	10/4/2006	M3
Surrogate: Dibromofluoromethane (80-130%)				*96 %*				
Surrogate: Toluene-d8 (80-120%)				*97 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*96 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-07RE1 (ASE-56A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Benzene	EPA 8260B	P6J0425	10	**420**	10	10/4/2006	10/4/2006	
Naphthalene	EPA 8260B	P6J0425	20	**250**	10	10/4/2006	10/4/2006	
Surrogate: Dibromofluoromethane (80-130%)				*97 %*				
Surrogate: Toluene-d8 (80-120%)				*97 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*97 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-08 (ASE-57A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0425	200	ND	10	10/4/2006	10/4/2006	
Benzene	EPA 8260B	P6J0425	10	**600**	10	10/4/2006	10/4/2006	
Bromobenzene	EPA 8260B	P6J0425	50	ND	10	10/4/2006	10/4/2006	
Bromochloromethane	EPA 8260B	P6J0425	50	ND	10	10/4/2006	10/4/2006	
Bromodichloromethane	EPA 8260B	P6J0425	20	ND	10	10/4/2006	10/4/2006	
Bromoform	EPA 8260B	P6J0425	50	ND	10	10/4/2006	10/4/2006	
Bromomethane	EPA 8260B	P6J0425	50	ND	10	10/4/2006	10/4/2006	
2-Butanone (MEK)	EPA 8260B	P6J0425	100	ND	10	10/4/2006	10/4/2006	
n-Butylbenzene	EPA 8260B	P6J0425	50	ND	10	10/4/2006	10/4/2006	
sec-Butylbenzene	EPA 8260B	P6J0425	50	ND	10	10/4/2006	10/4/2006	
tert-Butylbenzene	EPA 8260B	P6J0425	50	ND	10	10/4/2006	10/4/2006	
Carbon Disulfide	EPA 8260B	P6J0425	50	ND	10	10/4/2006	10/4/2006	
Carbon tetrachloride	EPA 8260B	P6J0425	50	ND	10	10/4/2006	10/4/2006	
Chlorobenzene	EPA 8260B	P6J0425	10	ND	10	10/4/2006	10/4/2006	
Chloroethane	EPA 8260B	P6J0425	50	ND	10	10/4/2006	10/4/2006	
Chloroform	EPA 8260B	P6J0425	20	ND	10	10/4/2006	10/4/2006	
Chloromethane	EPA 8260B	P6J0425	50	ND	10	10/4/2006	10/4/2006	
2-Chlorotoluene	EPA 8260B	P6J0425	50	ND	10	10/4/2006	10/4/2006	
4-Chlorotoluene	EPA 8260B	P6J0425	50	ND	10	10/4/2006	10/4/2006	
Dibromochloromethane	EPA 8260B	P6J0425	20	ND	10	10/4/2006	10/4/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0425	50	ND	10	10/4/2006	10/4/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0425	20	ND	10	10/4/2006	10/4/2006	
Dibromomethane	EPA 8260B	P6J0425	20	ND	10	10/4/2006	10/4/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0425	10	ND	10	10/4/2006	10/4/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0425	10	ND	10	10/4/2006	10/4/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0425	10	ND	10	10/4/2006	10/4/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0425	50	ND	10	10/4/2006	10/4/2006	
1,1-Dichloroethane	EPA 8260B	P6J0425	20	**23**	10	10/4/2006	10/4/2006	
1,2-Dichloroethane	EPA 8260B	P6J0425	10	ND	10	10/4/2006	10/4/2006	
1,1-Dichloroethene	EPA 8260B	P6J0425	50	ND	10	10/4/2006	10/4/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0425	20	ND	10	10/4/2006	10/4/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0425	20	ND	10	10/4/2006	10/4/2006	
1,2-Dichloropropane	EPA 8260B	P6J0425	20	ND	10	10/4/2006	10/4/2006	
1,3-Dichloropropane	EPA 8260B	P6J0425	20	ND	10	10/4/2006	10/4/2006	
2,2-Dichloropropane	EPA 8260B	P6J0425	20	ND	10	10/4/2006	10/4/2006	
1,1-Dichloropropene	EPA 8260B	P6J0425	20	ND	10	10/4/2006	10/4/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0425	20	ND	10	10/4/2006	10/4/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0425	20	ND	10	10/4/2006	10/4/2006	
Ethylbenzene	EPA 8260B	P6J0425	20	**91**	10	10/4/2006	10/4/2006	
Hexachlorobutadiene	EPA 8260B	P6J0425	50	ND	10	10/4/2006	10/4/2006	
2-Hexanone	EPA 8260B	P6J0425	100	ND	10	10/4/2006	10/4/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-08 (ASE-57A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0425	20	ND	10	10/4/2006	10/4/2006	
Isopropylbenzene	EPA 8260B	P6J0425	20	**54**	10	10/4/2006	10/4/2006	
p-Isopropyltoluene	EPA 8260B	P6J0425	20	ND	10	10/4/2006	10/4/2006	
Methylene chloride	EPA 8260B	P6J0425	50	ND	10	10/4/2006	10/4/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0425	100	ND	10	10/4/2006	10/4/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0425	50	ND	10	10/4/2006	10/4/2006	
Naphthalene	EPA 8260B	P6J0425	20	**340**	10	10/4/2006	10/4/2006	
n-Propylbenzene	EPA 8260B	P6J0425	20	**56**	10	10/4/2006	10/4/2006	
Styrene	EPA 8260B	P6J0425	20	ND	10	10/4/2006	10/4/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0425	50	ND	10	10/4/2006	10/4/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0425	20	ND	10	10/4/2006	10/4/2006	
Tetrachloroethene	EPA 8260B	P6J0425	20	ND	10	10/4/2006	10/4/2006	
Toluene	EPA 8260B	P6J0425	20	ND	10	10/4/2006	10/4/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0425	50	ND	10	10/4/2006	10/4/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0425	50	ND	10	10/4/2006	10/4/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0425	20	ND	10	10/4/2006	10/4/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0425	20	ND	10	10/4/2006	10/4/2006	
Trichloroethene	EPA 8260B	P6J0425	20	ND	10	10/4/2006	10/4/2006	
Trichlorofluoromethane	EPA 8260B	P6J0425	50	ND	10	10/4/2006	10/4/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0425	100	ND	10	10/4/2006	10/4/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0425	20	**34**	10	10/4/2006	10/4/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0425	20	ND	10	10/4/2006	10/4/2006	
Vinyl acetate	EPA 8260B	P6J0425	250	ND	10	10/4/2006	10/4/2006	
Vinyl chloride	EPA 8260B	P6J0425	17	ND	10	10/4/2006	10/4/2006	
Xylenes, Total	EPA 8260B	P6J0425	30	ND	10	10/4/2006	10/4/2006	
Surrogate: Dibromofluoromethane (80-130%)				*97 %*				
Surrogate: Toluene-d8 (80-120%)				*96 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*96 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-09 (PL-101A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0425	20	ND	1	10/4/2006	10/4/2006	
Benzene	EPA 8260B	P6J0425	1.0	**190**	1	10/4/2006	10/4/2006	
Bromobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromochloromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromodichloromethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Bromoform	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromomethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Butanone (MEK)	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
n-Butylbenzene	EPA 8260B	P6J0425	5.0	**7.1**	1	10/4/2006	10/4/2006	
sec-Butylbenzene	EPA 8260B	P6J0425	5.0	**8.8**	1	10/4/2006	10/4/2006	
tert-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Carbon Disulfide	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Carbon tetrachloride	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Chlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Chloroethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Chloroform	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Chloromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Chlorotoluene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
4-Chlorotoluene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Dibromochloromethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Dibromomethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloroethane	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0425	2.0	**2.5**	1	10/4/2006	10/4/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
2,2-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Hexachlorobutadiene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Hexanone	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
Iodomethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-09 (PL-101A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Isopropylbenzene	EPA 8260B	P6J0425	2.0	**55**	1	10/4/2006	10/4/2006	
p-Isopropyltoluene	EPA 8260B	P6J0425	2.0	**5.5**	1	10/4/2006	10/4/2006	
Methylene chloride	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0425	5.0	**17**	1	10/4/2006	10/4/2006	
Naphthalene	EPA 8260B	P6J0425	2.0	**220**	1	10/4/2006	10/4/2006	N1
n-Propylbenzene	EPA 8260B	P6J0425	2.0	**46**	1	10/4/2006	10/4/2006	
Styrene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Tetrachloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Toluene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Trichloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Trichlorofluoromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0425	2.0	**110**	1	10/4/2006	10/4/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0425	2.0	**3.3**	1	10/4/2006	10/4/2006	
Vinyl acetate	EPA 8260B	P6J0425	25	ND	1	10/4/2006	10/4/2006	
Vinyl chloride	EPA 8260B	P6J0425	1.7	ND	1	10/4/2006	10/4/2006	
Xylenes, Total	EPA 8260B	P6J0425	3.0	**40**	1	10/4/2006	10/4/2006	
Surrogate: Dibromofluoromethane (80-130%)				*97 %*				
Surrogate: Toluene-d8 (80-120%)				*99 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-09RE1 (PL-101A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Ethylbenzene	EPA 8260B	P6J0526	20	**200**	10	10/5/2006	10/5/2006	
Surrogate: Dibromofluoromethane (80-130%)				*98 %*				
Surrogate: Toluene-d8 (80-120%)				*97 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*94 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-09RE2 (PL-101A-6C2 - Water) - cont.								**H2**
Reporting Units: ug/l								
Naphthalene	EPA 8260B	P6J1931	20	**220**	10	10/19/2006	10/19/2006	
Surrogate: Dibromofluoromethane (80-130%)				*105 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*100 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-10 (ASE-38A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0425	20	ND	1	10/4/2006	10/4/2006	
Bromobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromochloromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromodichloromethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Bromoform	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromomethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Butanone (MEK)	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
n-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
sec-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
tert-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Carbon Disulfide	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Carbon tetrachloride	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Chlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Chloroethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Chloroform	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Chloromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Chlorotoluene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
4-Chlorotoluene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Dibromochloromethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Dibromomethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloroethane	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0425	2.0	**2.1**	1	10/4/2006	10/4/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
2,2-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Ethylbenzene	EPA 8260B	P6J0425	2.0	**180**	1	10/4/2006	10/4/2006	
Hexachlorobutadiene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Hexanone	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
Iodomethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-10 (ASE-38A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Isopropylbenzene	EPA 8260B	P6J0425	2.0	**20**	1	10/4/2006	10/4/2006	
p-Isopropyltoluene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Methylene chloride	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0425	5.0	**78**	1	10/4/2006	10/4/2006	
Naphthalene	EPA 8260B	P6J0425	2.0	**57**	1	10/4/2006	10/4/2006	
n-Propylbenzene	EPA 8260B	P6J0425	2.0	**15**	1	10/4/2006	10/4/2006	
Styrene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Tetrachloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Toluene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Trichloroethene	EPA 8260B	P6J0425	2.0	**4.8**	1	10/4/2006	10/4/2006	
Trichlorofluoromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0425	2.0	**32**	1	10/4/2006	10/4/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0425	2.0	**3.6**	1	10/4/2006	10/4/2006	
Vinyl acetate	EPA 8260B	P6J0425	25	ND	1	10/4/2006	10/4/2006	
Vinyl chloride	EPA 8260B	P6J0425	1.7	ND	1	10/4/2006	10/4/2006	
Xylenes, Total	EPA 8260B	P6J0425	3.0	**62**	1	10/4/2006	10/4/2006	
Surrogate: Dibromofluoromethane (80-130%)				*98 %*				
Surrogate: Toluene-d8 (80-120%)				*96 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*96 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-10RE1 (ASE-38A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Benzene	EPA 8260B	P6J0526	50	**650**	50	10/5/2006	10/5/2006	
Surrogate: Dibromofluoromethane (80-130%)				*98 %*				
Surrogate: Toluene-d8 (80-120%)				*96 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*90 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-11 (ASE-39A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0425	20	ND	1	10/4/2006	10/4/2006	
Bromobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromochloromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromodichloromethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Bromoform	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromomethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Butanone (MEK)	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
n-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
sec-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
tert-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Carbon Disulfide	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Carbon tetrachloride	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Chlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Chloroethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Chloroform	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Chloromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Chlorotoluene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
4-Chlorotoluene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Dibromochloromethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Dibromomethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloroethane	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0425	2.0	**8.0**	1	10/4/2006	10/4/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
2,2-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Hexachlorobutadiene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Hexanone	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
Iodomethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Isopropylbenzene	EPA 8260B	P6J0425	2.0	**37**	1	10/4/2006	10/4/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-11 (ASE-39A-6C2 - Water) - cont.								
Reporting Units: ug/l								
p-Isopropyltoluene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Methylene chloride	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
Naphthalene	EPA 8260B	P6J0425	2.0	**42**	1	10/4/2006	10/4/2006	
n-Propylbenzene	EPA 8260B	P6J0425	2.0	**20**	1	10/4/2006	10/4/2006	
Styrene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Tetrachloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Toluene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Trichloroethene	EPA 8260B	P6J0425	2.0	**4.5**	1	10/4/2006	10/4/2006	
Trichlorofluoromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0425	2.0	**26**	1	10/4/2006	10/4/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0425	2.0	**7.8**	1	10/4/2006	10/4/2006	
Vinyl acetate	EPA 8260B	P6J0425	25	ND	1	10/4/2006	10/4/2006	
Vinyl chloride	EPA 8260B	P6J0425	1.7	ND	1	10/4/2006	10/4/2006	
Xylenes, Total	EPA 8260B	P6J0425	3.0	**180**	1	10/4/2006	10/4/2006	
Surrogate: Dibromofluoromethane (80-130%)				*97 %*				
Surrogate: Toluene-d8 (80-120%)				*98 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-11RE1 (ASE-39A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Benzene	EPA 8260B	P6J0526	50	**470**	50	10/5/2006	10/5/2006	
Ethylbenzene	EPA 8260B	P6J0526	100	**190**	50	10/5/2006	10/5/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0526	250	**460**	50	10/5/2006	10/5/2006	
Surrogate: Dibromofluoromethane (80-130%)				*99 %*				
Surrogate: Toluene-d8 (80-120%)				*96 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*93 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-12 (ASE-116A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0425	20	ND	1	10/4/2006	10/4/2006	
Bromobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromochloromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromodichloromethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Bromoform	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromomethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Butanone (MEK)	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
n-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
sec-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
tert-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Carbon Disulfide	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Carbon tetrachloride	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Chlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Chloroethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Chloroform	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Chloromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Chlorotoluene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
4-Chlorotoluene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Dibromochloromethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Dibromomethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloroethane	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0425	2.0	**3.3**	1	10/4/2006	10/4/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
2,2-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Ethylbenzene	EPA 8260B	P6J0425	2.0	**190**	1	10/4/2006	10/4/2006	
Hexachlorobutadiene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Hexanone	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
Iodomethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-12 (ASE-116A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Isopropylbenzene	EPA 8260B	P6J0425	2.0	**24**	1	10/4/2006	10/4/2006	
p-Isopropyltoluene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Methylene chloride	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0425	5.0	**120**	1	10/4/2006	10/4/2006	
Naphthalene	EPA 8260B	P6J0425	2.0	**54**	1	10/4/2006	10/4/2006	
n-Propylbenzene	EPA 8260B	P6J0425	2.0	**17**	1	10/4/2006	10/4/2006	
Styrene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Tetrachloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Toluene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Trichloroethene	EPA 8260B	P6J0425	2.0	**7.9**	1	10/4/2006	10/4/2006	
Trichlorofluoromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0425	2.0	**5.7**	1	10/4/2006	10/4/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Vinyl acetate	EPA 8260B	P6J0425	25	ND	1	10/4/2006	10/4/2006	
Vinyl chloride	EPA 8260B	P6J0425	1.7	ND	1	10/4/2006	10/4/2006	
Xylenes, Total	EPA 8260B	P6J0425	3.0	**7.9**	1	10/4/2006	10/4/2006	
Surrogate: Dibromofluoromethane (80-130%)				*98 %*				
Surrogate: Toluene-d8 (80-120%)				*97 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-12RE1 (ASE-116A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Benzene	EPA 8260B	P6J0526	50	**490**	50	10/5/2006	10/5/2006	
Surrogate: Dibromofluoromethane (80-130%)				*100 %*				
Surrogate: Toluene-d8 (80-120%)				*95 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*93 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-13 (PL-520-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0425	20	ND	1	10/4/2006	10/4/2006	
Benzene	EPA 8260B	P6J0425	1.0	**440**	1	10/4/2006	10/4/2006	N1
Bromobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromochloromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromodichloromethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Bromoform	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromomethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Butanone (MEK)	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
n-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
sec-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
tert-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Carbon Disulfide	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Carbon tetrachloride	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Chlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Chloroethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Chloroform	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Chloromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Chlorotoluene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
4-Chlorotoluene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Dibromochloromethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Dibromomethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloroethane	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0425	2.0	**3.5**	1	10/4/2006	10/4/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
2,2-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Ethylbenzene	EPA 8260B	P6J0425	2.0	**190**	1	10/4/2006	10/4/2006	
Hexachlorobutadiene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Hexanone	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-13 (PL-520-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Isopropylbenzene	EPA 8260B	P6J0425	2.0	**25**	1	10/4/2006	10/4/2006	
p-Isopropyltoluene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Methylene chloride	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0425	5.0	**120**	1	10/4/2006	10/4/2006	
Naphthalene	EPA 8260B	P6J0425	2.0	**54**	1	10/4/2006	10/4/2006	
n-Propylbenzene	EPA 8260B	P6J0425	2.0	**18**	1	10/4/2006	10/4/2006	
Styrene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Tetrachloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Toluene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Trichloroethene	EPA 8260B	P6J0425	2.0	**8.5**	1	10/4/2006	10/4/2006	
Trichlorofluoromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0425	2.0	**6.1**	1	10/4/2006	10/4/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Vinyl acetate	EPA 8260B	P6J0425	25	ND	1	10/4/2006	10/4/2006	
Vinyl chloride	EPA 8260B	P6J0425	1.7	ND	1	10/4/2006	10/4/2006	
Xylenes, Total	EPA 8260B	P6J0425	3.0	**8.5**	1	10/4/2006	10/4/2006	
Surrogate: Dibromofluoromethane (80-130%)				*96 %*				
Surrogate: Toluene-d8 (80-120%)				*96 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*97 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-13RE1 (PL-520-6C2 - Water) - cont.								**H2**
Reporting Units: ug/l								
Benzene	EPA 8260B	P6J2021	10	**560**	10	10/20/2006	10/20/2006	
Surrogate: Dibromofluoromethane (80-130%)				*109 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*104 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0750-12 (ASE-116A-6C2 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6I2511	3.0	ND	1	9/25/2006	10/8/2006	
Acenaphthylene	EPA 8310	P6I2511	3.0	ND	1	9/25/2006	10/8/2006	
Anthracene	EPA 8310	P6I2511	0.30	ND	1	9/25/2006	10/8/2006	
Benzo(a)anthracene	EPA 8310	P6I2511	0.050	ND	1	9/25/2006	10/8/2006	
Benzo(a)pyrene	EPA 8310	P6I2511	0.10	ND	1	9/25/2006	10/8/2006	
Benzo(b)fluoranthene	EPA 8310	P6I2511	0.30	ND	1	9/25/2006	10/8/2006	
Benzo(g,h,i)perylene	EPA 8310	P6I2511	0.30	ND	1	9/25/2006	10/8/2006	
Benzo(k)fluoranthene	EPA 8310	P6I2511	0.30	ND	1	9/25/2006	10/8/2006	
Chrysene	EPA 8310	P6I2511	0.30	ND	1	9/25/2006	10/8/2006	
Dibenz(a,h)anthracene	EPA 8310	P6I2511	0.50	ND	1	9/25/2006	10/8/2006	
Fluoranthene	EPA 8310	P6I2511	0.30	ND	1	9/25/2006	10/8/2006	
Fluorene	EPA 8310	P6I2511	0.30	**0.36**	1	9/25/2006	10/8/2006	C6
Indeno(1,2,3-cd)pyrene	EPA 8310	P6I2511	0.30	ND	1	9/25/2006	10/8/2006	
Naphthalene	EPA 8310	P6I2511	2.0	**40**	1	9/25/2006	10/8/2006	
Phenanthrene	EPA 8310	P6I2511	0.30	**0.57**	1	9/25/2006	10/8/2006	C6
Pyrene	EPA 8310	P6I2511	0.30	ND	1	9/25/2006	10/8/2006	
Surrogate: 2-Methylanthracene (50-115%)				*106 %*				
Sample ID: PPI0750-13 (PL-520-6C2 - Water)								
Reporting Units: ug/l								
Acenaphthene	EPA 8310	P6I2511	3.0	ND	1	9/25/2006	10/8/2006	
Acenaphthylene	EPA 8310	P6I2511	3.0	ND	1	9/25/2006	10/8/2006	
Anthracene	EPA 8310	P6I2511	0.30	ND	1	9/25/2006	10/8/2006	
Benzo(a)anthracene	EPA 8310	P6I2511	0.050	ND	1	9/25/2006	10/8/2006	
Benzo(a)pyrene	EPA 8310	P6I2511	0.10	ND	1	9/25/2006	10/8/2006	
Benzo(b)fluoranthene	EPA 8310	P6I2511	0.30	ND	1	9/25/2006	10/8/2006	
Benzo(g,h,i)perylene	EPA 8310	P6I2511	0.30	ND	1	9/25/2006	10/8/2006	
Benzo(k)fluoranthene	EPA 8310	P6I2511	0.30	ND	1	9/25/2006	10/8/2006	
Chrysene	EPA 8310	P6I2511	0.30	ND	1	9/25/2006	10/8/2006	
Dibenz(a,h)anthracene	EPA 8310	P6I2511	0.50	ND	1	9/25/2006	10/8/2006	
Fluoranthene	EPA 8310	P6I2511	0.30	ND	1	9/25/2006	10/8/2006	
Fluorene	EPA 8310	P6I2511	0.30	**0.33**	1	9/25/2006	10/8/2006	C6
Indeno(1,2,3-cd)pyrene	EPA 8310	P6I2511	0.30	ND	1	9/25/2006	10/8/2006	
Naphthalene	EPA 8310	P6I2511	2.0	**38**	1	9/25/2006	10/8/2006	
Phenanthrene	EPA 8310	P6I2511	0.30	**0.53**	1	9/25/2006	10/8/2006	C6
Pyrene	EPA 8310	P6I2511	0.30	ND	1	9/25/2006	10/8/2006	
Surrogate: 2-Methylanthracene (50-115%)				*104 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0320 Extracted: 10/03/06										
Blank Analyzed: 10/03/2006 (P6J0320-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0320 Extracted: 10/03/06										
Blank Analyzed: 10/03/2006 (P6J0320-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*25.1*		*ug/l*	*25.0*		*100*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.6*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0320 Extracted: 10/03/06										
LCS Analyzed: 10/03/2006 (P6J0320-BS1)										
Acetone	22.0	20	ug/l	25.0		88	30-150			
Benzene	23.4	1.0	ug/l	25.0		94	80-120			
Bromobenzene	23.1	5.0	ug/l	25.0		92	80-125			
Bromochloromethane	23.0	5.0	ug/l	25.0		92	80-125			
Bromodichloromethane	23.4	2.0	ug/l	25.0		94	80-120			
Bromoform	24.2	5.0	ug/l	25.0		97	70-120			
Bromomethane	22.8	5.0	ug/l	25.0		91	80-135			
2-Butanone (MEK)	24.4	10	ug/l	25.0		98	55-150			
n-Butylbenzene	23.9	5.0	ug/l	25.0		96	80-120			
sec-Butylbenzene	23.9	5.0	ug/l	25.0		96	80-130			
tert-Butylbenzene	23.9	5.0	ug/l	25.0		96	80-130			
Carbon Disulfide	22.0	5.0	ug/l	25.0		88	55-145			
Carbon tetrachloride	23.2	5.0	ug/l	25.0		93	80-120			
Chlorobenzene	23.5	1.0	ug/l	25.0		94	80-120			
Chloroethane	23.6	5.0	ug/l	25.0		94	80-125			
Chloroform	22.9	2.0	ug/l	25.0		92	80-120			
Chloromethane	23.8	5.0	ug/l	25.0		95	70-130			
2-Chlorotoluene	23.2	5.0	ug/l	25.0		93	80-120			
4-Chlorotoluene	23.5	5.0	ug/l	25.0		94	80-120			
Dibromochloromethane	22.4	2.0	ug/l	25.0		90	75-120			
1,2-Dibromo-3-chloropropane	21.2	5.0	ug/l	25.0		85	55-120			
1,2-Dibromoethane (EDB)	23.2	2.0	ug/l	25.0		93	75-125			
Dibromomethane	21.3	2.0	ug/l	25.0		85	80-125			
1,2-Dichlorobenzene	22.9	1.0	ug/l	25.0		92	80-120			
1,3-Dichlorobenzene	23.0	1.0	ug/l	25.0		92	80-125			
1,4-Dichlorobenzene	23.9	1.0	ug/l	25.0		96	80-120			
Dichlorodifluoromethane	20.9	5.0	ug/l	25.0		84	60-140			
1,1-Dichloroethane	23.4	2.0	ug/l	25.0		94	80-120			
1,2-Dichloroethane	22.8	1.0	ug/l	25.0		91	75-125			
1,1-Dichloroethene	23.1	5.0	ug/l	25.0		92	75-120			
cis-1,2-Dichloroethene	22.9	2.0	ug/l	25.0		92	80-125			
trans-1,2-Dichloroethene	23.5	2.0	ug/l	25.0		94	80-120			
1,2-Dichloropropane	24.1	2.0	ug/l	25.0		96	80-120			
1,3-Dichloropropane	22.8	2.0	ug/l	25.0		91	80-120			
2,2-Dichloropropane	24.2	2.0	ug/l	25.0		97	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0320 Extracted: 10/03/06										
LCS Analyzed: 10/03/2006 (P6J0320-BS1)										
1,1-Dichloropropene	24.0	2.0	ug/l	25.0		96	80-120			
cis-1,3-Dichloropropene	23.4	2.0	ug/l	25.0		94	75-120			
trans-1,3-Dichloropropene	23.9	2.0	ug/l	25.0		96	80-120			
Ethylbenzene	24.0	2.0	ug/l	25.0		96	80-125			
Hexachlorobutadiene	22.9	5.0	ug/l	25.0		92	70-130			
2-Hexanone	22.8	10	ug/l	25.0		91	40-150			
Iodomethane	22.8	2.0	ug/l	25.0		91	80-130			
Isopropylbenzene	24.9	2.0	ug/l	25.0		100	80-140			
p-Isopropyltoluene	24.2	2.0	ug/l	25.0		97	80-130			
Methylene chloride	22.6	5.0	ug/l	25.0		90	80-120			
4-Methyl-2-pentanone (MIBK)	21.0	10	ug/l	25.0		84	50-140			
Methyl-tert-butyl Ether (MTBE)	23.5	5.0	ug/l	25.0		94	65-130			
Naphthalene	21.2	2.0	ug/l	25.0		85	70-130			
n-Propylbenzene	24.3	2.0	ug/l	25.0		97	80-135			
Styrene	25.0	2.0	ug/l	25.0		100	80-125			
1,1,1,2-Tetrachloroethane	24.0	5.0	ug/l	25.0		96	80-120			
1,1,2,2-Tetrachloroethane	23.1	2.0	ug/l	25.0		92	65-140			
Tetrachloroethene	22.5	2.0	ug/l	25.0		90	80-125			
Toluene	23.4	2.0	ug/l	25.0		94	80-125			
1,2,3-Trichlorobenzene	23.4	5.0	ug/l	25.0		94	75-125			
1,2,4-Trichlorobenzene	23.3	5.0	ug/l	25.0		93	80-125			
1,1,1-Trichloroethane	23.2	2.0	ug/l	25.0		93	75-125			
1,1,2-Trichloroethane	21.6	2.0	ug/l	25.0		86	80-125			
Trichloroethene	23.3	2.0	ug/l	25.0		93	80-120			
Trichlorofluoromethane	23.9	5.0	ug/l	25.0		96	75-130			
1,2,3-Trichloropropane	22.4	10	ug/l	25.0		90	65-135			
1,2,4-Trimethylbenzene	23.4	2.0	ug/l	25.0		94	80-125			
1,3,5-Trimethylbenzene	23.7	2.0	ug/l	25.0		95	80-130			
Vinyl acetate	29.5	25	ug/l	25.0		118	70-140			
Vinyl chloride	23.1	1.7	ug/l	25.0		92	70-135			
Xylenes, Total	48.0	3.0	ug/l	50.0		96	80-125			
Surrogate: Dibromofluoromethane	*25.6*		*ug/l*	*25.0*		*102*	*80-130*			
Surrogate: Toluene-d8	*25.6*		*ug/l*	*25.0*		*102*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0320 Extracted: 10/03/06										
LCS Dup Analyzed: 10/03/2006 (P6J0320-BSD1)										
Acetone	22.3	20	ug/l	25.0		89	30-150	1	35	
Benzene	24.0	1.0	ug/l	25.0		96	80-120	3	10	
Bromobenzene	23.4	5.0	ug/l	25.0		94	80-125	1	10	
Bromochloromethane	23.6	5.0	ug/l	25.0		94	80-125	3	15	
Bromodichloromethane	23.8	2.0	ug/l	25.0		95	80-120	2	15	
Bromoform	24.9	5.0	ug/l	25.0		100	70-120	3	20	
Bromomethane	23.6	5.0	ug/l	25.0		94	80-135	3	15	
2-Butanone (MEK)	24.8	10	ug/l	25.0		99	55-150	2	35	
n-Butylbenzene	23.6	5.0	ug/l	25.0		94	80-120	1	10	
sec-Butylbenzene	23.5	5.0	ug/l	25.0		94	80-130	2	10	
tert-Butylbenzene	23.4	5.0	ug/l	25.0		94	80-130	2	10	
Carbon Disulfide	24.4	5.0	ug/l	25.0		98	55-145	10	15	
Carbon tetrachloride	23.2	5.0	ug/l	25.0		93	80-120	0	15	
Chlorobenzene	23.3	1.0	ug/l	25.0		93	80-120	1	10	
Chloroethane	24.5	5.0	ug/l	25.0		98	80-125	4	15	
Chloroform	23.3	2.0	ug/l	25.0		93	80-120	2	10	
Chloromethane	25.1	5.0	ug/l	25.0		100	70-130	5	15	
2-Chlorotoluene	23.1	5.0	ug/l	25.0		92	80-120	0	10	
4-Chlorotoluene	23.1	5.0	ug/l	25.0		92	80-120	2	10	
Dibromochloromethane	23.0	2.0	ug/l	25.0		92	75-120	3	15	
1,2-Dibromo-3-chloropropane	23.5	5.0	ug/l	25.0		94	55-120	10	35	
1,2-Dibromoethane (EDB)	23.3	2.0	ug/l	25.0		93	75-125	0	20	
Dibromomethane	23.0	2.0	ug/l	25.0		92	80-125	8	20	
1,2-Dichlorobenzene	23.2	1.0	ug/l	25.0		93	80-120	1	10	
1,3-Dichlorobenzene	23.2	1.0	ug/l	25.0		93	80-125	1	10	
1,4-Dichlorobenzene	23.9	1.0	ug/l	25.0		96	80-120	0	10	
Dichlorodifluoromethane	21.0	5.0	ug/l	25.0		84	60-140	1	15	
1,1-Dichloroethane	24.0	2.0	ug/l	25.0		96	80-120	3	10	
1,2-Dichloroethane	24.2	1.0	ug/l	25.0		97	75-125	6	20	
1,1-Dichloroethene	23.9	5.0	ug/l	25.0		96	75-120	3	15	
cis-1,2-Dichloroethene	23.3	2.0	ug/l	25.0		93	80-125	2	10	
trans-1,2-Dichloroethene	24.2	2.0	ug/l	25.0		97	80-120	3	10	
1,2-Dichloropropane	24.6	2.0	ug/l	25.0		98	80-120	2	15	
1,3-Dichloropropane	23.2	2.0	ug/l	25.0		93	80-120	2	15	
2,2-Dichloropropane	23.6	2.0	ug/l	25.0		94	70-130	3	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0320 Extracted: 10/03/06										
LCS Dup Analyzed: 10/03/2006 (P6J0320-BSD1)										
1,1-Dichloropropene	24.4	2.0	ug/l	25.0		98	80-120	2	10	
cis-1,3-Dichloropropene	25.2	2.0	ug/l	25.0		101	75-120	7	15	
trans-1,3-Dichloropropene	25.1	2.0	ug/l	25.0		100	80-120	5	20	
Ethylbenzene	23.5	2.0	ug/l	25.0		94	80-125	2	15	
Hexachlorobutadiene	22.8	5.0	ug/l	25.0		91	70-130	0	15	
2-Hexanone	21.6	10	ug/l	25.0		86	40-150	5	35	
Iodomethane	22.3	2.0	ug/l	25.0		89	80-130	2	10	
Isopropylbenzene	25.0	2.0	ug/l	25.0		100	80-140	0	10	
p-Isopropyltoluene	24.0	2.0	ug/l	25.0		96	80-130	1	15	
Methylene chloride	23.3	5.0	ug/l	25.0		93	80-120	3	10	
4-Methyl-2-pentanone (MIBK)	21.5	10	ug/l	25.0		86	50-140	2	35	
Methyl-tert-butyl Ether (MTBE)	24.4	5.0	ug/l	25.0		98	65-130	4	25	
Naphthalene	23.7	2.0	ug/l	25.0		95	70-130	11	20	
n-Propylbenzene	24.0	2.0	ug/l	25.0		96	80-135	1	10	
Styrene	24.2	2.0	ug/l	25.0		97	80-125	3	15	
1,1,1,2-Tetrachloroethane	23.6	5.0	ug/l	25.0		94	80-120	2	15	
1,1,2,2-Tetrachloroethane	24.3	2.0	ug/l	25.0		97	65-140	5	25	
Tetrachloroethene	22.5	2.0	ug/l	25.0		90	80-125	0	15	
Toluene	24.4	2.0	ug/l	25.0		98	80-125	4	10	
1,2,3-Trichlorobenzene	24.1	5.0	ug/l	25.0		96	75-125	3	15	
1,2,4-Trichlorobenzene	23.7	5.0	ug/l	25.0		95	80-125	2	15	
1,1,1-Trichloroethane	23.4	2.0	ug/l	25.0		94	75-125	1	10	
1,1,2-Trichloroethane	23.4	2.0	ug/l	25.0		94	80-125	8	25	
Trichloroethene	24.1	2.0	ug/l	25.0		96	80-120	3	10	
Trichlorofluoromethane	24.0	5.0	ug/l	25.0		96	75-130	0	10	
1,2,3-Trichloropropane	23.8	10	ug/l	25.0		95	65-135	6	25	
1,2,4-Trimethylbenzene	23.4	2.0	ug/l	25.0		94	80-125	0	10	
1,3,5-Trimethylbenzene	23.6	2.0	ug/l	25.0		94	80-130	0	10	
Vinyl acetate	28.7	25	ug/l	25.0		115	70-140	3	30	
Vinyl chloride	25.9	1.7	ug/l	25.0		104	70-135	11	15	
Xylenes, Total	47.1	3.0	ug/l	50.0		94	80-125	2	15	
Surrogate: Dibromofluoromethane	*25.7*		*ug/l*	*25.0*		*103*	*80-130*			
Surrogate: Toluene-d8	*26.4*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.0*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0320 Extracted: 10/03/06										
Matrix Spike Analyzed: 10/03/2006 (P6J0320-MS1)					**Source: PPI0750-04**					
Acetone	33.2	20	ug/l	25.0	ND	133	15-150			
Benzene	28.8	1.0	ug/l	25.0	4.8	96	80-125			
Bromobenzene	23.2	5.0	ug/l	25.0	ND	93	80-125			
Bromochloromethane	22.8	5.0	ug/l	25.0	ND	91	80-130			
Bromodichloromethane	23.3	2.0	ug/l	25.0	ND	93	70-130			
Bromoform	24.4	5.0	ug/l	25.0	ND	98	70-120			
Bromomethane	23.6	5.0	ug/l	25.0	ND	94	80-135			
2-Butanone (MEK)	23.1	10	ug/l	25.0	ND	92	30-150			
n-Butylbenzene	24.2	5.0	ug/l	25.0	0.52	95	80-135			
sec-Butylbenzene	24.3	5.0	ug/l	25.0	0.61	95	80-130			
tert-Butylbenzene	23.5	5.0	ug/l	25.0	ND	94	80-130			
Carbon Disulfide	25.6	5.0	ug/l	25.0	ND	102	45-150			
Carbon tetrachloride	22.2	5.0	ug/l	25.0	ND	89	65-135			
Chlorobenzene	23.7	1.0	ug/l	25.0	ND	95	80-125			
Chloroethane	24.7	5.0	ug/l	25.0	ND	99	80-125			
Chloroform	23.6	2.0	ug/l	25.0	1.1	90	75-130			
Chloromethane	24.6	5.0	ug/l	25.0	ND	98	65-130			
2-Chlorotoluene	23.4	5.0	ug/l	25.0	ND	94	80-130			
4-Chlorotoluene	23.6	5.0	ug/l	25.0	ND	94	80-135			
Dibromochloromethane	22.3	2.0	ug/l	25.0	ND	89	75-120			
1,2-Dibromo-3-chloropropane	21.7	5.0	ug/l	25.0	ND	87	50-130			
1,2-Dibromoethane (EDB)	23.5	2.0	ug/l	25.0	ND	94	70-130			
Dibromomethane	22.0	2.0	ug/l	25.0	ND	88	75-130			
1,2-Dichlorobenzene	22.9	1.0	ug/l	25.0	ND	92	80-130			
1,3-Dichlorobenzene	23.0	1.0	ug/l	25.0	ND	92	80-130			
1,4-Dichlorobenzene	23.8	1.0	ug/l	25.0	ND	95	80-125			
Dichlorodifluoromethane	20.7	5.0	ug/l	25.0	ND	83	60-140			
1,1-Dichloroethane	24.2	2.0	ug/l	25.0	0.64	94	80-125			
1,2-Dichloroethane	22.0	1.0	ug/l	25.0	ND	88	60-145			
1,1-Dichloroethene	25.2	5.0	ug/l	25.0	1.3	96	75-130			
cis-1,2-Dichloroethene	24.4	2.0	ug/l	25.0	1.3	92	80-125			
trans-1,2-Dichloroethene	24.3	2.0	ug/l	25.0	ND	97	80-120			
1,2-Dichloropropane	24.8	2.0	ug/l	25.0	ND	99	80-125			
1,3-Dichloropropane	23.6	2.0	ug/l	25.0	ND	94	75-130			
2,2-Dichloropropane	22.9	2.0	ug/l	25.0	ND	92	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0320 Extracted: 10/03/06										
Matrix Spike Analyzed: 10/03/2006 (P6J0320-MS1)					**Source: PPI0750-04**					
1,1-Dichloropropene	24.3	2.0	ug/l	25.0	ND	97	80-125			
cis-1,3-Dichloropropene	24.5	2.0	ug/l	25.0	ND	98	75-120			
trans-1,3-Dichloropropene	23.2	2.0	ug/l	25.0	ND	93	75-130			
Ethylbenzene	30.4	2.0	ug/l	25.0	6.7	95	80-130			
Hexachlorobutadiene	23.1	5.0	ug/l	25.0	ND	92	65-130			
2-Hexanone	22.2	10	ug/l	25.0	ND	89	40-150			
Iodomethane	23.1	2.0	ug/l	25.0	ND	92	70-140			
Isopropylbenzene	26.7	2.0	ug/l	25.0	1.7	100	80-140			
p-Isopropyltoluene	24.3	2.0	ug/l	25.0	ND	97	80-135			
Methylene chloride	23.5	5.0	ug/l	25.0	ND	94	75-125			
4-Methyl-2-pentanone (MIBK)	21.9	10	ug/l	25.0	ND	88	40-140			
Methyl-tert-butyl Ether (MTBE)	29.2	5.0	ug/l	25.0	6.2	92	65-135			
Naphthalene	30.5	2.0	ug/l	25.0	12	74	60-140			
n-Propylbenzene	26.8	2.0	ug/l	25.0	2.3	98	80-140			
Styrene	24.6	2.0	ug/l	25.0	ND	98	30-150			
1,1,1,2-Tetrachloroethane	23.4	5.0	ug/l	25.0	ND	94	80-130			
1,1,2,2-Tetrachloroethane	24.1	2.0	ug/l	25.0	ND	96	65-140			
Tetrachloroethene	25.4	2.0	ug/l	25.0	1.4	96	80-130			
Toluene	24.3	2.0	ug/l	25.0	ND	97	80-130			
1,2,3-Trichlorobenzene	24.4	5.0	ug/l	25.0	ND	98	75-140			
1,2,4-Trichlorobenzene	23.7	5.0	ug/l	25.0	ND	95	80-135			
1,1,1-Trichloroethane	22.1	2.0	ug/l	25.0	ND	88	70-135			
1,1,2-Trichloroethane	23.1	2.0	ug/l	25.0	ND	92	70-135			
Trichloroethene	37.6	2.0	ug/l	25.0	14	94	80-125			
Trichlorofluoromethane	23.2	5.0	ug/l	25.0	ND	93	70-140			
1,2,3-Trichloropropane	22.7	10	ug/l	25.0	ND	91	65-135			
1,2,4-Trimethylbenzene	27.9	2.0	ug/l	25.0	4.9	92	75-130			
1,3,5-Trimethylbenzene	24.9	2.0	ug/l	25.0	1.2	95	80-135			
Vinyl acetate	30.2	25	ug/l	25.0	ND	121	30-150			
Vinyl chloride	25.4	1.7	ug/l	25.0	ND	102	70-135			
Xylenes, Total	53.0	3.0	ug/l	50.0	4.4	97	80-125			
Surrogate: Dibromofluoromethane	*24.7*		*ug/l*	*25.0*		*99*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.5*		*ug/l*	*25.0*		*102*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0320 Extracted: 10/03/06										
Matrix Spike Dup Analyzed: 10/03/2006 (P6J0320-MSD1)					**Source: PPI0750-04**					
Acetone	31.3	20	ug/l	25.0	ND	125	15-150	6	35	
Benzene	27.0	1.0	ug/l	25.0	4.8	89	80-125	6	10	
Bromobenzene	22.5	5.0	ug/l	25.0	ND	90	80-125	3	15	
Bromochloromethane	21.2	5.0	ug/l	25.0	ND	85	80-130	7	20	
Bromodichloromethane	22.1	2.0	ug/l	25.0	ND	88	70-130	5	15	
Bromoform	22.4	5.0	ug/l	25.0	ND	90	70-120	9	25	
Bromomethane	22.1	5.0	ug/l	25.0	ND	88	80-135	7	20	
2-Butanone (MEK)	22.7	10	ug/l	25.0	ND	91	30-150	2	35	
n-Butylbenzene	23.1	5.0	ug/l	25.0	0.52	90	80-135	5	20	
sec-Butylbenzene	23.3	5.0	ug/l	25.0	0.61	91	80-130	4	20	
tert-Butylbenzene	22.7	5.0	ug/l	25.0	ND	91	80-130	3	20	
Carbon Disulfide	23.9	5.0	ug/l	25.0	ND	96	45-150	7	15	
Carbon tetrachloride	20.3	5.0	ug/l	25.0	ND	81	65-135	9	15	
Chlorobenzene	22.5	1.0	ug/l	25.0	ND	90	80-125	5	15	
Chloroethane	23.0	5.0	ug/l	25.0	ND	92	80-125	7	20	
Chloroform	21.6	2.0	ug/l	25.0	1.1	82	75-130	9	15	
Chloromethane	22.4	5.0	ug/l	25.0	ND	90	65-130	9	20	
2-Chlorotoluene	22.7	5.0	ug/l	25.0	ND	91	80-130	3	15	
4-Chlorotoluene	22.6	5.0	ug/l	25.0	ND	90	80-135	4	15	
Dibromochloromethane	20.7	2.0	ug/l	25.0	ND	83	75-120	7	20	
1,2-Dibromo-3-chloropropane	19.6	5.0	ug/l	25.0	ND	78	50-130	10	35	
1,2-Dibromoethane (EDB)	21.2	2.0	ug/l	25.0	ND	85	70-130	10	25	
Dibromomethane	21.0	2.0	ug/l	25.0	ND	84	75-130	5	25	
1,2-Dichlorobenzene	21.3	1.0	ug/l	25.0	ND	85	80-130	7	15	
1,3-Dichlorobenzene	21.9	1.0	ug/l	25.0	ND	88	80-130	5	15	
1,4-Dichlorobenzene	22.8	1.0	ug/l	25.0	ND	91	80-125	4	10	
Dichlorodifluoromethane	18.2	5.0	ug/l	25.0	ND	73	60-140	13	45	
1,1-Dichloroethane	22.8	2.0	ug/l	25.0	0.64	89	80-125	6	15	
1,2-Dichloroethane	19.9	1.0	ug/l	25.0	ND	80	60-145	10	20	
1,1-Dichloroethene	23.2	5.0	ug/l	25.0	1.3	88	75-130	8	15	
cis-1,2-Dichloroethene	22.8	2.0	ug/l	25.0	1.3	86	80-125	7	15	
trans-1,2-Dichloroethene	22.7	2.0	ug/l	25.0	ND	91	80-120	7	15	
1,2-Dichloropropane	23.3	2.0	ug/l	25.0	ND	93	80-125	6	15	
1,3-Dichloropropane	21.9	2.0	ug/l	25.0	ND	88	75-130	7	20	
2,2-Dichloropropane	20.9	2.0	ug/l	25.0	ND	84	60-135	9	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0320 Extracted: 10/03/06										
Matrix Spike Dup Analyzed: 10/03/2006 (P6J0320-MSD1)					**Source: PPI0750-04**					
1,1-Dichloropropene	22.8	2.0	ug/l	25.0	ND	91	80-125	6	15	
cis-1,3-Dichloropropene	22.8	2.0	ug/l	25.0	ND	91	75-120	7	15	
trans-1,3-Dichloropropene	21.9	2.0	ug/l	25.0	ND	88	75-130	6	25	
Ethylbenzene	28.9	2.0	ug/l	25.0	6.7	89	80-130	5	15	
Hexachlorobutadiene	21.7	5.0	ug/l	25.0	ND	87	65-130	6	15	
2-Hexanone	22.6	10	ug/l	25.0	ND	90	40-150	2	35	
Iodomethane	22.8	2.0	ug/l	25.0	ND	91	70-140	1	15	
Isopropylbenzene	25.6	2.0	ug/l	25.0	1.7	96	80-140	4	20	
p-Isopropyltoluene	23.1	2.0	ug/l	25.0	ND	92	80-135	5	20	
Methylene chloride	22.2	5.0	ug/l	25.0	ND	89	75-125	6	15	
4-Methyl-2-pentanone (MIBK)	21.1	10	ug/l	25.0	ND	84	40-140	4	35	
Methyl-tert-butyl Ether (MTBE)	26.8	5.0	ug/l	25.0	6.2	82	65-135	9	30	
Naphthalene	29.0	2.0	ug/l	25.0	12	68	60-140	5	30	
n-Propylbenzene	25.6	2.0	ug/l	25.0	2.3	93	80-140	5	20	
Styrene	23.6	2.0	ug/l	25.0	ND	94	30-150	4	25	
1,1,1,2-Tetrachloroethane	22.0	5.0	ug/l	25.0	ND	88	80-130	6	15	
1,1,2,2-Tetrachloroethane	23.3	2.0	ug/l	25.0	ND	93	65-140	3	35	
Tetrachloroethene	23.3	2.0	ug/l	25.0	1.4	88	80-130	9	15	
Toluene	23.5	2.0	ug/l	25.0	ND	94	80-130	3	15	
1,2,3-Trichlorobenzene	21.6	5.0	ug/l	25.0	ND	86	75-140	12	20	
1,2,4-Trichlorobenzene	21.8	5.0	ug/l	25.0	ND	87	80-135	8	15	
1,1,1-Trichloroethane	20.4	2.0	ug/l	25.0	ND	82	70-135	8	15	
1,1,2-Trichloroethane	21.9	2.0	ug/l	25.0	ND	88	70-135	5	25	
Trichloroethene	35.7	2.0	ug/l	25.0	14	87	80-125	5	15	
Trichlorofluoromethane	20.9	5.0	ug/l	25.0	ND	84	70-140	10	15	
1,2,3-Trichloropropane	21.6	10	ug/l	25.0	ND	86	65-135	5	35	
1,2,4-Trimethylbenzene	26.8	2.0	ug/l	25.0	4.9	88	75-130	4	15	
1,3,5-Trimethylbenzene	23.8	2.0	ug/l	25.0	1.2	90	80-135	5	15	
Vinyl acetate	29.6	25	ug/l	25.0	ND	118	30-150	2	35	
Vinyl chloride	23.5	1.7	ug/l	25.0	ND	94	70-135	8	25	
Xylenes, Total	50.0	3.0	ug/l	50.0	4.4	91	80-125	6	15	
Surrogate: Dibromofluoromethane	*24.4*		*ug/l*	*25.0*		*98*	*80-130*			
Surrogate: Toluene-d8	*26.7*		*ug/l*	*25.0*		*107*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.7*		*ug/l*	*25.0*		*103*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
Blank Analyzed: 10/04/2006 (P6J0425-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
Blank Analyzed: 10/04/2006 (P6J0425-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*24.8*		*ug/l*	*25.0*		*99*	*80-130*			
Surrogate: Toluene-d8	*23.7*		*ug/l*	*25.0*		*95*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.0*		*ug/l*	*25.0*		*92*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
LCS Analyzed: 10/04/2006 (P6J0425-BS1)										
Acetone	27.6	20	ug/l	25.0		110	30-150			
Benzene	22.3	1.0	ug/l	25.0		89	80-120			
Bromobenzene	22.7	5.0	ug/l	25.0		91	80-125			
Bromochloromethane	22.7	5.0	ug/l	25.0		91	80-125			
Bromodichloromethane	22.8	2.0	ug/l	25.0		91	80-120			
Bromoform	22.1	5.0	ug/l	25.0		88	70-120			
Bromomethane	23.5	5.0	ug/l	25.0		94	80-135			
2-Butanone (MEK)	24.4	10	ug/l	25.0		98	55-150			
n-Butylbenzene	23.4	5.0	ug/l	25.0		94	80-120			
sec-Butylbenzene	23.2	5.0	ug/l	25.0		93	80-130			
tert-Butylbenzene	22.7	5.0	ug/l	25.0		91	80-130			
Carbon Disulfide	22.7	5.0	ug/l	25.0		91	55-145			
Carbon tetrachloride	22.5	5.0	ug/l	25.0		90	80-120			
Chlorobenzene	22.5	1.0	ug/l	25.0		90	80-120			
Chloroethane	23.7	5.0	ug/l	25.0		95	80-125			
Chloroform	22.9	2.0	ug/l	25.0		92	80-120			
Chloromethane	24.1	5.0	ug/l	25.0		96	70-130			
2-Chlorotoluene	22.0	5.0	ug/l	25.0		88	80-120			
4-Chlorotoluene	22.9	5.0	ug/l	25.0		92	80-120			
Dibromochloromethane	22.5	2.0	ug/l	25.0		90	75-120			
1,2-Dibromo-3-chloropropane	22.9	5.0	ug/l	25.0		92	55-120			
1,2-Dibromoethane (EDB)	23.6	2.0	ug/l	25.0		94	75-125			
Dibromomethane	22.5	2.0	ug/l	25.0		90	80-125			
1,2-Dichlorobenzene	22.3	1.0	ug/l	25.0		89	80-120			
1,3-Dichlorobenzene	22.1	1.0	ug/l	25.0		88	80-125			
1,4-Dichlorobenzene	23.0	1.0	ug/l	25.0		92	80-120			
Dichlorodifluoromethane	20.6	5.0	ug/l	25.0		82	60-140			
1,1-Dichloroethane	22.6	2.0	ug/l	25.0		90	80-120			
1,2-Dichloroethane	23.6	1.0	ug/l	25.0		94	75-125			
1,1-Dichloroethene	23.0	5.0	ug/l	25.0		92	75-120			
cis-1,2-Dichloroethene	22.0	2.0	ug/l	25.0		88	80-125			
trans-1,2-Dichloroethene	22.7	2.0	ug/l	25.0		91	80-120			
1,2-Dichloropropane	22.9	2.0	ug/l	25.0		92	80-120			
1,3-Dichloropropane	23.2	2.0	ug/l	25.0		93	80-120			
2,2-Dichloropropane	22.6	2.0	ug/l	25.0		90	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
LCS Analyzed: 10/04/2006 (P6J0425-BS1)										
1,1-Dichloropropene	23.5	2.0	ug/l	25.0		94	80-120			
cis-1,3-Dichloropropene	23.0	2.0	ug/l	25.0		92	75-120			
trans-1,3-Dichloropropene	23.4	2.0	ug/l	25.0		94	80-120			
Ethylbenzene	23.3	2.0	ug/l	25.0		93	80-125			
Hexachlorobutadiene	21.4	5.0	ug/l	25.0		86	70-130			
2-Hexanone	26.0	10	ug/l	25.0		104	40-150			
Iodomethane	22.1	2.0	ug/l	25.0		88	80-130			
Isopropylbenzene	24.6	2.0	ug/l	25.0		98	80-140			
p-Isopropyltoluene	23.3	2.0	ug/l	25.0		93	80-130			
Methylene chloride	23.0	5.0	ug/l	25.0		92	80-120			
4-Methyl-2-pentanone (MIBK)	23.6	10	ug/l	25.0		94	50-140			
Methyl-tert-butyl Ether (MTBE)	23.7	5.0	ug/l	25.0		95	65-130			
Naphthalene	20.8	2.0	ug/l	25.0		83	70-130			
n-Propylbenzene	23.8	2.0	ug/l	25.0		95	80-135			
Styrene	23.4	2.0	ug/l	25.0		94	80-125			
1,1,1,2-Tetrachloroethane	22.6	5.0	ug/l	25.0		90	80-120			
1,1,2,2-Tetrachloroethane	24.1	2.0	ug/l	25.0		96	65-140			
Tetrachloroethene	22.0	2.0	ug/l	25.0		88	80-125			
Toluene	22.8	2.0	ug/l	25.0		91	80-125			
1,2,3-Trichlorobenzene	23.4	5.0	ug/l	25.0		94	75-125			
1,2,4-Trichlorobenzene	22.6	5.0	ug/l	25.0		90	80-125			
1,1,1-Trichloroethane	22.6	2.0	ug/l	25.0		90	75-125			
1,1,2-Trichloroethane	22.9	2.0	ug/l	25.0		92	80-125			
Trichloroethene	22.4	2.0	ug/l	25.0		90	80-120			
Trichlorofluoromethane	24.5	5.0	ug/l	25.0		98	75-130			
1,2,3-Trichloropropane	24.5	10	ug/l	25.0		98	65-135			
1,2,4-Trimethylbenzene	23.0	2.0	ug/l	25.0		92	80-125			
1,3,5-Trimethylbenzene	23.3	2.0	ug/l	25.0		93	80-130			
Vinyl acetate	31.6	25	ug/l	25.0		126	70-140			
Vinyl chloride	24.2	1.7	ug/l	25.0		97	70-135			
Xylenes, Total	45.5	3.0	ug/l	50.0		91	80-125			
Surrogate: Dibromofluoromethane	*24.7*		*ug/l*	*25.0*		*99*	*80-130*			
Surrogate: Toluene-d8	*23.8*		*ug/l*	*25.0*		*95*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.3*		*ug/l*	*25.0*		*97*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
LCS Dup Analyzed: 10/04/2006 (P6J0425-BSD1)										
Acetone	28.8	20	ug/l	25.0		115	30-150	4	35	
Benzene	23.3	1.0	ug/l	25.0		93	80-120	4	10	
Bromobenzene	23.1	5.0	ug/l	25.0		92	80-125	2	10	
Bromochloromethane	23.5	5.0	ug/l	25.0		94	80-125	3	15	
Bromodichloromethane	23.4	2.0	ug/l	25.0		94	80-120	3	15	
Bromoform	22.5	5.0	ug/l	25.0		90	70-120	2	20	
Bromomethane	24.0	5.0	ug/l	25.0		96	80-135	2	15	
2-Butanone (MEK)	26.9	10	ug/l	25.0		108	55-150	10	35	
n-Butylbenzene	23.8	5.0	ug/l	25.0		95	80-120	2	10	
sec-Butylbenzene	23.5	5.0	ug/l	25.0		94	80-130	1	10	
tert-Butylbenzene	22.6	5.0	ug/l	25.0		90	80-130	0	10	
Carbon Disulfide	23.7	5.0	ug/l	25.0		95	55-145	4	15	
Carbon tetrachloride	23.3	5.0	ug/l	25.0		93	80-120	3	15	
Chlorobenzene	23.2	1.0	ug/l	25.0		93	80-120	3	10	
Chloroethane	24.5	5.0	ug/l	25.0		98	80-125	3	15	
Chloroform	23.4	2.0	ug/l	25.0		94	80-120	2	10	
Chloromethane	24.2	5.0	ug/l	25.0		97	70-130	0	15	
2-Chlorotoluene	22.4	5.0	ug/l	25.0		90	80-120	2	10	
4-Chlorotoluene	23.1	5.0	ug/l	25.0		92	80-120	1	10	
Dibromochloromethane	23.2	2.0	ug/l	25.0		93	75-120	3	15	
1,2-Dibromo-3-chloropropane	23.2	5.0	ug/l	25.0		93	55-120	1	35	
1,2-Dibromoethane (EDB)	24.5	2.0	ug/l	25.0		98	75-125	4	20	
Dibromomethane	23.3	2.0	ug/l	25.0		93	80-125	3	20	
1,2-Dichlorobenzene	22.8	1.0	ug/l	25.0		91	80-120	2	10	
1,3-Dichlorobenzene	22.6	1.0	ug/l	25.0		90	80-125	2	10	
1,4-Dichlorobenzene	23.4	1.0	ug/l	25.0		94	80-120	2	10	
Dichlorodifluoromethane	19.9	5.0	ug/l	25.0		80	60-140	3	15	
1,1-Dichloroethane	23.0	2.0	ug/l	25.0		92	80-120	2	10	
1,2-Dichloroethane	24.3	1.0	ug/l	25.0		97	75-125	3	20	
1,1-Dichloroethene	24.2	5.0	ug/l	25.0		97	75-120	5	15	
cis-1,2-Dichloroethene	22.2	2.0	ug/l	25.0		89	80-125	1	10	
trans-1,2-Dichloroethene	23.2	2.0	ug/l	25.0		93	80-120	2	10	
1,2-Dichloropropane	23.4	2.0	ug/l	25.0		94	80-120	2	15	
1,3-Dichloropropane	23.6	2.0	ug/l	25.0		94	80-120	2	15	
2,2-Dichloropropane	21.8	2.0	ug/l	25.0		87	70-130	4	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
LCS Dup Analyzed: 10/04/2006 (P6J0425-BSD1)										
1,1-Dichloropropene	24.2	2.0	ug/l	25.0		97	80-120	3	10	
cis-1,3-Dichloropropene	23.9	2.0	ug/l	25.0		96	75-120	4	15	
trans-1,3-Dichloropropene	24.2	2.0	ug/l	25.0		97	80-120	3	20	
Ethylbenzene	23.9	2.0	ug/l	25.0		96	80-125	3	15	
Hexachlorobutadiene	24.4	5.0	ug/l	25.0		98	70-130	13	15	
2-Hexanone	28.4	10	ug/l	25.0		114	40-150	9	35	
Iodomethane	23.4	2.0	ug/l	25.0		94	80-130	6	10	
Isopropylbenzene	24.6	2.0	ug/l	25.0		98	80-140	0	10	
p-Isopropyltoluene	23.8	2.0	ug/l	25.0		95	80-130	2	15	
Methylene chloride	23.3	5.0	ug/l	25.0		93	80-120	1	10	
4-Methyl-2-pentanone (MIBK)	25.5	10	ug/l	25.0		102	50-140	8	35	
Methyl-tert-butyl Ether (MTBE)	24.0	5.0	ug/l	25.0		96	65-130	1	25	
Naphthalene	22.2	2.0	ug/l	25.0		89	70-130	7	20	
n-Propylbenzene	24.0	2.0	ug/l	25.0		96	80-135	1	10	
Styrene	24.1	2.0	ug/l	25.0		96	80-125	3	15	
1,1,1,2-Tetrachloroethane	23.4	5.0	ug/l	25.0		94	80-120	3	15	
1,1,2,2-Tetrachloroethane	24.4	2.0	ug/l	25.0		98	65-140	1	25	
Tetrachloroethene	23.6	2.0	ug/l	25.0		94	80-125	7	15	
Toluene	23.5	2.0	ug/l	25.0		94	80-125	3	10	
1,2,3-Trichlorobenzene	24.2	5.0	ug/l	25.0		97	75-125	3	15	
1,2,4-Trichlorobenzene	24.1	5.0	ug/l	25.0		96	80-125	6	15	
1,1,1-Trichloroethane	23.2	2.0	ug/l	25.0		93	75-125	3	10	
1,1,2-Trichloroethane	23.3	2.0	ug/l	25.0		93	80-125	2	25	
Trichloroethene	23.3	2.0	ug/l	25.0		93	80-120	4	10	
Trichlorofluoromethane	25.1	5.0	ug/l	25.0		100	75-130	2	10	
1,2,3-Trichloropropane	24.2	10	ug/l	25.0		97	65-135	1	25	
1,2,4-Trimethylbenzene	23.2	2.0	ug/l	25.0		93	80-125	1	10	
1,3,5-Trimethylbenzene	23.2	2.0	ug/l	25.0		93	80-130	0	10	
Vinyl acetate	31.3	25	ug/l	25.0		125	70-140	1	30	
Vinyl chloride	24.8	1.7	ug/l	25.0		99	70-135	2	15	
Xylenes, Total	47.6	3.0	ug/l	50.0		95	80-125	5	15	
Surrogate: Dibromofluoromethane	*24.0*		*ug/l*	*25.0*		*96*	*80-130*			
Surrogate: Toluene-d8	*24.0*		*ug/l*	*25.0*		*96*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.7*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
Matrix Spike Analyzed: 10/04/2006 (P6J0425-MS1)					**Source: PPI0750-07**					
Acetone	602	20	ug/l	25.0	ND	2408	15-150			*N1, M1*
Benzene	344	1.0	ug/l	25.0	390	-184	80-125			*N1, M3*
Bromobenzene	24.3	5.0	ug/l	25.0	ND	97	80-125			
Bromochloromethane	23.4	5.0	ug/l	25.0	ND	94	80-130			
Bromodichloromethane	24.2	2.0	ug/l	25.0	ND	97	70-130			
Bromoform	21.7	5.0	ug/l	25.0	ND	87	70-120			
Bromomethane	23.4	5.0	ug/l	25.0	ND	94	80-135			
2-Butanone (MEK)	23.2	10	ug/l	25.0	ND	93	30-150			
n-Butylbenzene	31.6	5.0	ug/l	25.0	7.4	97	80-135			
sec-Butylbenzene	29.6	5.0	ug/l	25.0	6.9	91	80-130			
tert-Butylbenzene	25.3	5.0	ug/l	25.0	1.9	94	80-130			
Carbon Disulfide	23.6	5.0	ug/l	25.0	ND	94	45-150			
Carbon tetrachloride	23.3	5.0	ug/l	25.0	ND	93	65-135			
Chlorobenzene	24.1	1.0	ug/l	25.0	ND	96	80-125			
Chloroethane	32.0	5.0	ug/l	25.0	9.4	90	80-125			
Chloroform	23.9	2.0	ug/l	25.0	ND	96	75-130			
Chloromethane	24.5	5.0	ug/l	25.0	ND	98	65-130			
2-Chlorotoluene	23.2	5.0	ug/l	25.0	ND	93	80-130			
4-Chlorotoluene	26.6	5.0	ug/l	25.0	ND	106	80-135			
Dibromochloromethane	23.0	2.0	ug/l	25.0	ND	92	75-120			
1,2-Dibromo-3-chloropropane	24.1	5.0	ug/l	25.0	ND	96	50-130			
1,2-Dibromoethane (EDB)	23.7	2.0	ug/l	25.0	ND	95	70-130			
Dibromomethane	22.7	2.0	ug/l	25.0	ND	91	75-130			
1,2-Dichlorobenzene	23.9	1.0	ug/l	25.0	ND	96	80-130			
1,3-Dichlorobenzene	23.6	1.0	ug/l	25.0	ND	94	80-130			
1,4-Dichlorobenzene	24.3	1.0	ug/l	25.0	ND	97	80-125			
Dichlorodifluoromethane	20.4	5.0	ug/l	25.0	ND	82	60-140			
1,1-Dichloroethane	77.4	2.0	ug/l	25.0	64	54	80-125			*M3*
1,2-Dichloroethane	24.8	1.0	ug/l	25.0	ND	99	60-145			
1,1-Dichloroethene	24.1	5.0	ug/l	25.0	ND	96	75-130			
cis-1,2-Dichloroethene	23.3	2.0	ug/l	25.0	0.70	90	80-125			
trans-1,2-Dichloroethene	22.9	2.0	ug/l	25.0	ND	92	80-120			
1,2-Dichloropropane	24.5	2.0	ug/l	25.0	ND	98	80-125			
1,3-Dichloropropane	23.9	2.0	ug/l	25.0	ND	96	75-130			
2,2-Dichloropropane	19.5	2.0	ug/l	25.0	ND	78	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
Matrix Spike Analyzed: 10/04/2006 (P6J0425-MS1)					**Source: PPI0750-07**					
1,1-Dichloropropene	24.4	2.0	ug/l	25.0	ND	98	80-125			
cis-1,3-Dichloropropene	25.0	2.0	ug/l	25.0	ND	100	75-120			
trans-1,3-Dichloropropene	25.5	2.0	ug/l	25.0	ND	102	75-130			
Ethylbenzene	158	2.0	ug/l	25.0	160	-8	80-130			*M3*
Hexachlorobutadiene	24.9	5.0	ug/l	25.0	ND	100	65-130			
2-Hexanone	26.1	10	ug/l	25.0	ND	104	40-150			
Iodomethane	23.4	2.0	ug/l	25.0	ND	94	70-140			
Isopropylbenzene	64.2	2.0	ug/l	25.0	46	73	80-140			*M3*
p-Isopropyltoluene	30.8	2.0	ug/l	25.0	7.0	95	80-135			
Methylene chloride	23.2	5.0	ug/l	25.0	ND	93	75-125			
4-Methyl-2-pentanone (MIBK)	28.0	10	ug/l	25.0	ND	112	40-140			
Methyl-tert-butyl Ether (MTBE)	50.4	5.0	ug/l	25.0	28	90	65-135			
Naphthalene	281	2.0	ug/l	25.0	290	-36	60-140			*N1, M3*
n-Propylbenzene	68.8	2.0	ug/l	25.0	52	67	80-140			*M2*
Styrene	25.3	2.0	ug/l	25.0	ND	101	30-150			
1,1,1,2-Tetrachloroethane	23.9	5.0	ug/l	25.0	ND	96	80-130			
1,1,2,2-Tetrachloroethane	23.0	2.0	ug/l	25.0	ND	92	65-140			
Tetrachloroethene	22.9	2.0	ug/l	25.0	ND	92	80-130			
Toluene	26.4	2.0	ug/l	25.0	2.3	96	80-130			
1,2,3-Trichlorobenzene	28.6	5.0	ug/l	25.0	ND	114	75-140			
1,2,4-Trichlorobenzene	28.2	5.0	ug/l	25.0	ND	113	80-135			
1,1,1-Trichloroethane	23.3	2.0	ug/l	25.0	ND	93	70-135			
1,1,2-Trichloroethane	28.1	2.0	ug/l	25.0	ND	112	70-135			
Trichloroethene	24.0	2.0	ug/l	25.0	0.76	93	80-125			
Trichlorofluoromethane	25.0	5.0	ug/l	25.0	ND	100	70-140			
1,2,3-Trichloropropane	22.3	10	ug/l	25.0	ND	89	65-135			
1,2,4-Trimethylbenzene	114	2.0	ug/l	25.0	110	16	75-130			*M3*
1,3,5-Trimethylbenzene	41.5	2.0	ug/l	25.0	21	82	80-135			
Vinyl acetate	35.3	25	ug/l	25.0	ND	141	30-150			
Vinyl chloride	33.8	1.7	ug/l	25.0	13	83	70-135			
Xylenes, Total	122	3.0	ug/l	50.0	85	74	80-125			*M3*
Surrogate: Dibromofluoromethane	*24.3*		*ug/l*	*25.0*		*97*	*80-130*			
Surrogate: Toluene-d8	*24.5*		*ug/l*	*25.0*		*98*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.6*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
Matrix Spike Dup Analyzed: 10/04/2006 (P6J0425-MSD1)					**Source: PPI0750-07**					
Acetone	697	20	ug/l	25.0	ND	2788	15-150	15	35	*N1, M1*
Benzene	391	1.0	ug/l	25.0	390	4	80-125	13	10	*N1, M3*
Bromobenzene	25.0	5.0	ug/l	25.0	ND	100	80-125	3	15	
Bromochloromethane	24.4	5.0	ug/l	25.0	ND	98	80-130	4	20	
Bromodichloromethane	26.0	2.0	ug/l	25.0	ND	104	70-130	7	15	
Bromoform	23.8	5.0	ug/l	25.0	ND	95	70-120	9	25	
Bromomethane	24.4	5.0	ug/l	25.0	ND	98	80-135	4	20	
2-Butanone (MEK)	28.6	10	ug/l	25.0	ND	114	30-150	21	35	
n-Butylbenzene	32.9	5.0	ug/l	25.0	7.4	102	80-135	4	20	
sec-Butylbenzene	31.4	5.0	ug/l	25.0	6.9	98	80-130	6	20	
tert-Butylbenzene	26.1	5.0	ug/l	25.0	1.9	97	80-130	3	20	
Carbon Disulfide	24.3	5.0	ug/l	25.0	ND	97	45-150	3	15	
Carbon tetrachloride	24.8	5.0	ug/l	25.0	ND	99	65-135	6	15	
Chlorobenzene	25.1	1.0	ug/l	25.0	ND	100	80-125	4	15	
Chloroethane	34.2	5.0	ug/l	25.0	9.4	99	80-125	7	20	
Chloroform	25.4	2.0	ug/l	25.0	ND	102	75-130	6	15	
Chloromethane	25.0	5.0	ug/l	25.0	ND	100	65-130	2	20	
2-Chlorotoluene	24.1	5.0	ug/l	25.0	ND	96	80-130	4	15	
4-Chlorotoluene	28.0	5.0	ug/l	25.0	ND	112	80-135	5	15	
Dibromochloromethane	24.9	2.0	ug/l	25.0	ND	100	75-120	8	20	
1,2-Dibromo-3-chloropropane	28.4	5.0	ug/l	25.0	ND	114	50-130	16	35	
1,2-Dibromoethane (EDB)	26.3	2.0	ug/l	25.0	ND	105	70-130	10	25	
Dibromomethane	25.2	2.0	ug/l	25.0	ND	101	75-130	10	25	
1,2-Dichlorobenzene	25.1	1.0	ug/l	25.0	ND	100	80-130	5	15	
1,3-Dichlorobenzene	24.4	1.0	ug/l	25.0	ND	98	80-130	3	15	
1,4-Dichlorobenzene	25.1	1.0	ug/l	25.0	ND	100	80-125	3	10	
Dichlorodifluoromethane	19.8	5.0	ug/l	25.0	ND	79	60-140	3	45	
1,1-Dichloroethane	84.5	2.0	ug/l	25.0	64	82	80-125	9	15	
1,2-Dichloroethane	26.8	1.0	ug/l	25.0	ND	107	60-145	8	20	
1,1-Dichloroethene	25.2	5.0	ug/l	25.0	ND	101	75-130	4	15	
cis-1,2-Dichloroethene	23.9	2.0	ug/l	25.0	0.70	93	80-125	3	15	
trans-1,2-Dichloroethene	24.2	2.0	ug/l	25.0	ND	97	80-120	6	15	
1,2-Dichloropropane	25.6	2.0	ug/l	25.0	ND	102	80-125	4	15	
1,3-Dichloropropane	25.6	2.0	ug/l	25.0	ND	102	75-130	7	20	
2,2-Dichloropropane	20.0	2.0	ug/l	25.0	ND	80	60-135	3	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750
Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
Matrix Spike Dup Analyzed: 10/04/2006 (P6J0425-MSD1)					**Source: PPI0750-07**					
1,1-Dichloropropene	25.5	2.0	ug/l	25.0	ND	102	80-125	4	15	
cis-1,3-Dichloropropene	26.7	2.0	ug/l	25.0	ND	107	75-120	7	15	
trans-1,3-Dichloropropene	28.0	2.0	ug/l	25.0	ND	112	75-130	9	25	
Ethylbenzene	175	2.0	ug/l	25.0	160	60	80-130	10	15	*M3*
Hexachlorobutadiene	26.0	5.0	ug/l	25.0	ND	104	65-130	4	15	
2-Hexanone	32.7	10	ug/l	25.0	ND	131	40-150	22	35	
Iodomethane	24.5	2.0	ug/l	25.0	ND	98	70-140	5	15	
Isopropylbenzene	70.5	2.0	ug/l	25.0	46	98	80-140	9	20	
p-Isopropyltoluene	32.0	2.0	ug/l	25.0	7.0	100	80-135	4	20	
Methylene chloride	24.9	5.0	ug/l	25.0	ND	100	75-125	7	15	
4-Methyl-2-pentanone (MIBK)	35.4	10	ug/l	25.0	ND	142	40-140	23	35	*M1*
Methyl-tert-butyl Ether (MTBE)	58.0	5.0	ug/l	25.0	28	120	65-135	14	30	
Naphthalene	333	2.0	ug/l	25.0	290	172	60-140	17	30	*N1, M3*
n-Propylbenzene	73.6	2.0	ug/l	25.0	52	86	80-140	7	20	
Styrene	26.5	2.0	ug/l	25.0	ND	106	30-150	5	25	
1,1,1,2-Tetrachloroethane	25.2	5.0	ug/l	25.0	ND	101	80-130	5	15	
1,1,2,2-Tetrachloroethane	26.4	2.0	ug/l	25.0	ND	106	65-140	14	35	
Tetrachloroethene	23.5	2.0	ug/l	25.0	ND	94	80-130	3	15	
Toluene	27.7	2.0	ug/l	25.0	2.3	102	80-130	5	15	
1,2,3-Trichlorobenzene	30.5	5.0	ug/l	25.0	ND	122	75-140	6	20	
1,2,4-Trichlorobenzene	28.9	5.0	ug/l	25.0	ND	116	80-135	2	15	
1,1,1-Trichloroethane	24.5	2.0	ug/l	25.0	ND	98	70-135	5	15	
1,1,2-Trichloroethane	32.2	2.0	ug/l	25.0	ND	129	70-135	14	25	
Trichloroethene	25.0	2.0	ug/l	25.0	0.76	97	80-125	4	15	
Trichlorofluoromethane	26.2	5.0	ug/l	25.0	ND	105	70-140	5	15	
1,2,3-Trichloropropane	26.6	10	ug/l	25.0	ND	106	65-135	18	35	
1,2,4-Trimethylbenzene	125	2.0	ug/l	25.0	110	60	75-130	9	15	*M3*
1,3,5-Trimethylbenzene	44.7	2.0	ug/l	25.0	21	95	80-135	7	15	
Vinyl acetate	37.1	25	ug/l	25.0	ND	148	30-150	5	35	
Vinyl chloride	36.1	1.7	ug/l	25.0	13	92	70-135	7	25	
Xylenes, Total	132	3.0	ug/l	50.0	85	94	80-125	8	15	
Surrogate: Dibromofluoromethane	*24.0*		*ug/l*	*25.0*		*96*	*80-130*			
Surrogate: Toluene-d8	*24.6*		*ug/l*	*25.0*		*98*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.4*		*ug/l*	*25.0*		*102*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0526 Extracted: 10/05/06										
Blank Analyzed: 10/05/2006 (P6J0526-BLK1)										
Benzene	ND	1.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Surrogate: Dibromofluoromethane	*24.8*		*ug/l*	*25.0*		*99*	*80-130*			
Surrogate: Toluene-d8	*23.5*		*ug/l*	*25.0*		*94*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*22.8*		*ug/l*	*25.0*		*91*	*80-120*			
LCS Analyzed: 10/05/2006 (P6J0526-BS1)										
Benzene	21.4	1.0	ug/l	25.0		86	80-120			
Ethylbenzene	21.7	2.0	ug/l	25.0		87	80-125			
Methyl-tert-butyl Ether (MTBE)	21.8	5.0	ug/l	25.0		87	65-130			
Surrogate: Dibromofluoromethane	*24.4*		*ug/l*	*25.0*		*98*	*80-130*			
Surrogate: Toluene-d8	*24.1*		*ug/l*	*25.0*		*96*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.6*		*ug/l*	*25.0*		*94*	*80-120*			
LCS Dup Analyzed: 10/05/2006 (P6J0526-BSD1)										
Benzene	21.4	1.0	ug/l	25.0		86	80-120	0	10	
Ethylbenzene	21.7	2.0	ug/l	25.0		87	80-125	0	15	
Methyl-tert-butyl Ether (MTBE)	21.1	5.0	ug/l	25.0		84	65-130	3	25	
Surrogate: Dibromofluoromethane	*23.5*		*ug/l*	*25.0*		*94*	*80-130*			
Surrogate: Toluene-d8	*24.3*		*ug/l*	*25.0*		*97*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.0*		*ug/l*	*25.0*		*96*	*80-120*			
Matrix Spike Analyzed: 10/05/2006 (P6J0526-MS1)					**Source: PPI0706-07**					
Benzene	19.6	1.0	ug/l	25.0	ND	78	80-125			*M2*
Ethylbenzene	19.4	2.0	ug/l	25.0	ND	78	80-130			*M2*
Methyl-tert-butyl Ether (MTBE)	96.5	5.0	ug/l	25.0	78	74	65-135			
Surrogate: Dibromofluoromethane	*24.7*		*ug/l*	*25.0*		*99*	*80-130*			
Surrogate: Toluene-d8	*24.7*		*ug/l*	*25.0*		*99*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.2*		*ug/l*	*25.0*		*97*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0526 Extracted: 10/05/06										
Matrix Spike Dup Analyzed: 10/05/2006 (P6J0526-MSD1)					**Source: PPI0706-07**					
Benzene	20.7	1.0	ug/l	25.0	ND	83	80-125	5	10	
Ethylbenzene	21.4	2.0	ug/l	25.0	ND	86	80-130	10	15	
Methyl-tert-butyl Ether (MTBE)	97.9	5.0	ug/l	25.0	78	80	65-135	1	30	
Surrogate: Dibromofluoromethane	*25.0*		*ug/l*	*25.0*		*100*	*80-130*			
Surrogate: Toluene-d8	*24.6*		*ug/l*	*25.0*		*98*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.9*		*ug/l*	*25.0*		*100*	*80-120*			
Batch: P6J1931 Extracted: 10/19/06										
Blank Analyzed: 10/19/2006 (P6J1931-BLK1)										
Naphthalene	ND	2.0	ug/l							
Surrogate: Dibromofluoromethane	*27.3*		*ug/l*	*25.0*		*109*	*80-130*			
Surrogate: Toluene-d8	*26.4*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.8*		*ug/l*	*25.0*		*107*	*80-120*			
LCS Analyzed: 10/19/2006 (P6J1931-BS1)										
Naphthalene	24.8	2.0	ug/l	25.0		99	70-130			
Surrogate: Dibromofluoromethane	*26.4*		*ug/l*	*25.0*		*106*	*80-130*			
Surrogate: Toluene-d8	*25.8*		*ug/l*	*25.0*		*103*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*27.1*		*ug/l*	*25.0*		*108*	*80-120*			
LCS Dup Analyzed: 10/19/2006 (P6J1931-BSD1)										
Naphthalene	25.5	2.0	ug/l	25.0		102	70-130	3	20	
Surrogate: Dibromofluoromethane	*26.5*		*ug/l*	*25.0*		*106*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J1931 Extracted: 10/19/06										
Matrix Spike Analyzed: 10/20/2006 (P6J1931-MS1)					**Source: PPJ0222-11**					
Naphthalene	25.6	2.0	ug/l	25.0	ND	102	60-140			
Surrogate: Dibromofluoromethane	*27.7*		*ug/l*	*25.0*		*111*	*80-130*			
Surrogate: Toluene-d8	*25.8*		*ug/l*	*25.0*		*103*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*27.5*		*ug/l*	*25.0*		*110*	*80-120*			
Matrix Spike Dup Analyzed: 10/20/2006 (P6J1931-MSD1)					**Source: PPJ0222-11**					
Naphthalene	26.9	2.0	ug/l	25.0	ND	108	60-140	5	30	
Surrogate: Dibromofluoromethane	*28.4*		*ug/l*	*25.0*		*114*	*80-130*			
Surrogate: Toluene-d8	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.8*		*ug/l*	*25.0*		*107*	*80-120*			
Batch: P6J2021 Extracted: 10/20/06										
Blank Analyzed: 10/20/2006 (P6J2021-BLK1)										
Benzene	ND	1.0	ug/l							
Surrogate: Dibromofluoromethane	*25.8*		*ug/l*	*25.0*		*103*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.2*		*ug/l*	*25.0*		*101*	*80-120*			
LCS Analyzed: 10/20/2006 (P6J2021-BS1)										
Benzene	27.0	1.0	ug/l	25.0		108	80-120			
Surrogate: Dibromofluoromethane	*25.9*		*ug/l*	*25.0*		*104*	*80-130*			
Surrogate: Toluene-d8	*26.6*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.4*		*ug/l*	*25.0*		*102*	*80-120*			
LCS Dup Analyzed: 10/20/2006 (P6J2021-BSD1)										
Benzene	26.8	1.0	ug/l	25.0		107	80-120	1	10	
Surrogate: Dibromofluoromethane	*25.4*		*ug/l*	*25.0*		*102*	*80-130*			
Surrogate: Toluene-d8	*25.6*		*ug/l*	*25.0*		*102*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.4*		*ug/l*	*25.0*		*102*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J2021 Extracted: 10/20/06										
Matrix Spike Analyzed: 10/20/2006 (P6J2021-MS1)					**Source: PPJ0264-01**					
Benzene	28.2	1.0	ug/l	25.0	ND	113	80-125			
Surrogate: Dibromofluoromethane	*28.2*		*ug/l*	*25.0*		*113*	*80-130*			
Surrogate: Toluene-d8	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*26.7*		*ug/l*	*25.0*		*107*	*80-120*			
Matrix Spike Dup Analyzed: 10/21/2006 (P6J2021-MSD1)					**Source: PPJ0264-01**					
Benzene	28.4	1.0	ug/l	25.0	ND	114	80-125	1	10	
Surrogate: Dibromofluoromethane	*27.1*		*ug/l*	*25.0*		*108*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.8*		*ug/l*	*25.0*		*103*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2511 Extracted: 09/25/06										
Blank Analyzed: 10/08/2006 (P6I2511-BLK1)										
Acenaphthene	ND	3.0	ug/l							
Acenaphthylene	ND	3.0	ug/l							
Anthracene	ND	0.30	ug/l							
Benzo(a)anthracene	ND	0.050	ug/l							
Benzo(a)pyrene	ND	0.10	ug/l							
Benzo(b)fluoranthene	ND	0.30	ug/l							
Benzo(g,h,i)perylene	ND	0.30	ug/l							
Benzo(k)fluoranthene	ND	0.30	ug/l							
Chrysene	ND	0.30	ug/l							
Dibenz(a,h)anthracene	ND	0.50	ug/l							
Fluoranthene	ND	0.30	ug/l							
Fluorene	ND	0.30	ug/l							
Indeno(1,2,3-cd)pyrene	ND	0.30	ug/l							
Naphthalene	ND	2.0	ug/l							
Phenanthrene	ND	0.30	ug/l							
Pyrene	ND	0.30	ug/l							
Surrogate: 2-Methylanthracene	*0.606*		*ug/l*	*0.600*		*101*	*50-115*			
LCS Analyzed: 10/08/2006 (P6I2511-BS1)										**Q8**
Acenaphthene	5.12	3.0	ug/l	6.00		85	55-115			
Acenaphthylene	10.4	3.0	ug/l	12.0		87	55-115			
Anthracene	0.500	0.30	ug/l	0.600		83	55-115			
Benzo(a)anthracene	0.541	0.050	ug/l	0.600		90	70-115			
Benzo(a)pyrene	0.525	0.10	ug/l	0.600		87	75-115			
Benzo(b)fluoranthene	1.07	0.30	ug/l	1.20		89	80-115			
Benzo(g,h,i)perylene	1.05	0.30	ug/l	1.20		87	70-115			
Benzo(k)fluoranthene	0.551	0.30	ug/l	0.600		92	70-115			
Chrysene	0.537	0.30	ug/l	0.600		90	70-115			
Dibenz(a,h)anthracene	1.00	0.50	ug/l	1.20		83	65-115			
Fluoranthene	1.10	0.30	ug/l	1.20		92	60-115			
Fluorene	1.03	0.30	ug/l	1.20		86	55-115			
Indeno(1,2,3-cd)pyrene	0.537	0.30	ug/l	0.600		90	70-115			
Naphthalene	4.69	2.0	ug/l	6.00		78	45-115			
Phenanthrene	0.526	0.30	ug/l	0.600		88	50-115			
Pyrene	0.479	0.30	ug/l	0.600		80	65-115			
Surrogate: 2-Methylanthracene	*0.618*		*ug/l*	*0.600*		*103*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

POLYNUCLEAR AROMATIC HYDROCARBONS (EPA 3520C/8310)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6I2511 Extracted: 09/25/06										
LCS Dup Analyzed: 10/08/2006 (P6I2511-BSD1)										
Acenaphthene	5.12	3.0	ug/l	6.00		85	55-115	0	15	
Acenaphthylene	10.3	3.0	ug/l	12.0		86	55-115	1	20	
Anthracene	0.498	0.30	ug/l	0.600		83	55-115	0	20	
Benzo(a)anthracene	0.544	0.050	ug/l	0.600		91	70-115	1	15	
Benzo(a)pyrene	0.517	0.10	ug/l	0.600		86	75-115	2	15	
Benzo(b)fluoranthene	1.08	0.30	ug/l	1.20		90	80-115	1	15	
Benzo(g,h,i)perylene	1.06	0.30	ug/l	1.20		88	70-115	1	15	
Benzo(k)fluoranthene	0.554	0.30	ug/l	0.600		92	70-115	1	15	
Chrysene	0.561	0.30	ug/l	0.600		93	70-115	4	15	
Dibenz(a,h)anthracene	1.02	0.50	ug/l	1.20		85	65-115	2	15	
Fluoranthene	1.12	0.30	ug/l	1.20		93	60-115	2	20	
Fluorene	1.03	0.30	ug/l	1.20		86	55-115	0	20	
Indeno(1,2,3-cd)pyrene	0.546	0.30	ug/l	0.600		91	70-115	2	20	
Naphthalene	4.67	2.0	ug/l	6.00		78	45-115	0	25	
Phenanthrene	0.528	0.30	ug/l	0.600		88	50-115	0	25	
Pyrene	0.484	0.30	ug/l	0.600		81	65-115	1	20	
Surrogate: 2-Methylanthracene	*0.610*		*ug/l*	*0.600*		*102*	*50-115*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

DATA QUALIFIERS AND DEFINITIONS

C6	Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the higher value was reported as there was no obvious chromatographic interference.
H2	Initial analysis within holding time. Reanalysis for the required dilution was past holding time.
M1	Matrix spike recovery was high, the method control sample recovery was acceptable.
M2	Matrix spike recovery was low, the method control sample recovery was acceptable.
M3	The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
N1	See case narrative.
Q8	Insufficient sample received to meet method QC requirements. Batch QC satisfies ADEQ policies 0154 and 0155.
ND	Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
RPD	Relative Percent Difference

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0750

Sampled: 09/21/06
Received: 09/22/06

Certification Summary

TestAmerica - Phoenix, AZ

Method	Matrix	Nelac	Arizona
EPA 8015B	Water	X	X
EPA 8260B	Water	X	X
EPA 8310	Water	X	X

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

Subcontracted Laboratories

Transwest Geochem *Arizona Cert #AZ0133*
3725 E. Atlanta Ave Ste 1 - Phoenix, AZ 85040-2961
Analysis Performed: 8015B MOD-Low Level
Samples: PPI0750-02, PPI0750-03, PPI0750-04, PPI0750-05, PPI0750-06, PPI0750-07, PPI0750-08, PPI0750-09, PPI0750-10, PPI0750-11, PPI0750-12, PPI0750-13

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Test America Laboratories, Inc.
3800 South 32nd
Phoenix, AZ 85040
Phone 480 785 0043

COC # 37380 0609216

Lab Use Only
Project No:
Job No.

Client Contact (name, address):
Jennifer Holland
CH2M HILL
2625 South Plaza Dr STE 300
Tempe, AZ 85282
480-377-6287

Sampler: M Wiese
Project Number: PO #0365946
Analysis Turnaround Time
24 Hour
48 Hour
7 Day
14 Day
21 Day -
28 Day -

Site Name: Sky Harbor
Location of Site: Phoenix, AZ

	Sample Identification		Sample Date	Sample Time	Sample Type	Matrix	# of Cont.	Preservative Used	Use for MS / MSD	Reduced Sample	Insufficient Sample	SW8015	SW8260	SW 8311	Lab Sample Numbers
	Location ID	Field Sample ID													
1	Trip Blank	TB-092106A	Sep 21 2006	0616	BLKWATER	WATER	1	X			X		X		DPJ0750-1
~~2~~	~~ASE-68A~~	~~ASE-68A-6C2~~	~~Sep 21 2006~~		~~GW~~	~~WATER~~	~~5~~	~~X~~			~~X~~	~~X~~	~~X~~		
3	ASE-20A	ASE-20A-6C2	Sep 21 2006	0721	GW	WATER	5	X			X	X	X		-2
~~4~~	~~ASE-19A~~	~~ASE-19A-6C2~~	~~Sep 21 2006~~		~~GW~~	~~WATER~~	~~5~~	~~X~~			~~X~~	~~X~~	~~X~~		
5	ASE-51A	ASE-51A-6C2	Sep 21 2006	0907	GW	WATER	5	X			X	X	X		3
6	ASE-53A	ASE-53A-6C2	Sep 21 2006	0941	GW	WATER	5	X			X	X	X		4
~~7~~	~~ASE-67A~~	~~ASE-67A-6C2~~	~~Sep 21 2006~~		~~GW~~	~~WATER~~	~~5~~	~~X~~			~~X~~	~~X~~	~~X~~		
8	ASE-52A	ASE-52A-6C2	Sep 21 2006	1021	GW	WATER	5	X			X	X	X		5
9	FIELDQC	PL-516-6C2	Sep 21 2006	1031	GW	WATER	5	X			X	X	X		6
10	ASE-56A	ASE-56A-6C2	Sep 21 2006	1100	GW	WATER	7	X	X		X	X	X		7
11	ASE-57A	ASE-57A-6C2	Sep 21 2006	1135	GW	WATER	5	X			X	X	X		8
12	PL-101A	PL-101A-6C2	9-21-06	1207	GW	water	5	X			X	X	X		9
13	ASE-38A	ASE-38A-6C2	9-21-06	1247	GW	water	5	X			X	X	X		10
14	ASE-39A	ASE-39A-6C2	9-21-06	1337	GW	water	5	X			X	X	X		11
15	ASE-116A	ASE-116A-6C2	9-21-06	1412	GW	water	7	X			X	X	X	X	12
16	FIELDQC	PL-520-6C2	9-21-06	1422	GW	water	7	X			X	X	X	X	13
17															
18															
19															
20															
21															
22															
23															

Special Instructions: Standard TAT 10 days.

Relinquished by:	Company:	Date/Time:	Received by:	Company:
	H+A	09/22/06 1440		
Relinquished by:	Company:	Date/Time:	Received by:	Company:
Relinquished by:	Company:	Date/Time:	Received by: 9/22/6 14:40	Company: TA-Phx

38°C

Report

Third Quarter Status Report for 2006

Honeywell 34th Street Facility
Facility ID No. 0-002227
LUST File Nos. 0393.02-.10, .15

Volume 3 of 3

Prepared for

Honeywell International Inc.

November 2006

REGISTERED GEOLOGIST
CERTIFICATE NO.
35022
ROBERT J.
FRANK
Date Signed 11/30/06
ARIZONA U.S.A.

Robert J. Frank

Prepared by

CH2MHILL

TRANSWEST GEOCHEM

October 11, 2006

Ken Baker
TestAmerica - Phoenix
9830 S. 51st Street
Suite B-120
Phoenix, AZ 85044

Re: PPI0750
Work Order No.: 0609438

Dear Ken,

Attached is the original Report of Analysis from Columbia Analytical Services, Inc. (AZ0604) for the samples received on 9/25/06. The following analysis was performed:

Method EPA 8015B – Fuel Characterization

If you have any questions regarding the results, please call me. We appreciate your business and thank you for choosing Transwest Geochem.

Sincerely,

Skip Harden
Project Manager

ADHS License No. AZM133/AZ0133

CONFIDENTIAL AND PRIVILEGED

[illegible] Avenue • Phoenix, Arizona 85040 • (602) 437-0330 • (800) 927-5183 • Fax (602) 437-0660
[illegible] • Suite 301 • Tucson, Arizona 85714 • (520) 573-1061 • Fax (520) 573-1063

5090 Caterpillar Road Redding, California 96003 (530) 244-5227 (530) 244-4109 fax

Columbia Analytical Services INC
An Employee - Owned Company

October 09, 2006

Service Request No: D0601449

Skip Harden
Transwest Geochem, Incorporated
3725 East Atlanta Avenue
Suite 2
Phoenix, AZ 85040-2960

RE: PPC/PPD PPI0750/0609438

Dear Skip:

Enclosed are the results of the sample(s) submitted to our laboratory on September 26, 2006. For your reference, these analyses have been assigned our service request number D0601449.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 112. You may also contact me via email at mhovanec@redding.caslab.com.

Respectfully submitted,

Columbia Analytical Services, Inc.

Michael Hovanec
Project Chemist

NELAP Accredited ACIL Seal of Excellence Award 100% Recycled

Current CAS Redding Accreditation Programs

Federal and National Programs

- U.S Air Force, Air Force Center for Environmental Excellence (AFCEE)
  Approved laboratory for Wastewater and Hazardous Waste
- U.S. Army Corps of Engineers – MRD, HTRW Mandatory Center of Expertise
  Validated for Wastewater and Hazardous Waste
- Department of the Navy, Naval Facilities Engineering Service Center (NFESC)
  Approved laboratory for Wastewater and Hazardous Waste

State and Local Programs

- State of Alaska, Department of Environmental Conservation
  Approved Laboratory for Contaminated Sites
  Lab ID UST-001
- State of Arizona, Department of Health Services, Office of Laboratory Licensure
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID AZ0604
- State of California, Department of Health Services, National Environmental Laboratory Accreditation Program **(NELAP)**
  Approved Laboratory for Drinking Water, Wastewater and Hazardous Waste
  Lab ID 01105CA
  - Los Angeles County Sanitation District
    Approved Laboratory for Wastewater
    Lab ID 10243
- State of California, Department of Health Services, Environmental Laboratory Accreditation Program (ELAP)
  Approved Laboratory for Microbiology of Drinking Water and Wastewater
  Lab ID 2635
- State of Florida, Department of Health, Bureau of Laboratories **(NELAP)**
  Approved Environmental Testing Laboratory for Wastewater and Hazardous Waste
  Lab ID E87203
- State of Kansas, Department of Health and Environment **(NELAP)**
  Approved Laboratory for Hazardous Waste
  Lab ID E-10323
- State of Massachusetts, Department of Environmental Protection
  Approved laboratory for Drinking Water and Wastewater
  Lab ID M-CA025
- State of Oklahoma, Department of Environmental Quality
  Approved Laboratory for General Water Quality/Sludge Testing
  Lab ID 9952
- State of Oregon, Environmental Laboratory Accreditation Program **(ORELAP)**
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID CA200004
- State of Utah, Department of Health, Bureau of Laboratory Improvement **(NELAP)**
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID QUAL1
- State of Washington, Department of Ecology
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID C1234
- State of Wisconsin, Department of Natural Resources
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID 999767340

Arizona Data Qualifiers
Revision 2.0, 11/26/2003

Developed by the Sub-committee of the
Arizona Environmental Laboratory Advisory Committee

Microbiology:
A1 = Too numerous to count.
A2 = Sample incubation period exceeded method requirement.
A3 = Sample incubation period was shorter than method requirement.
A4 = Target organism detected in associated method blank.
A5 = Incubator/water bath temperature was outside method requirements.
A6 = Target organism not detected in associated positive control.
A7 = Micro sample received without adequate headspace.

Method/calibration blank:
B1 = Target analyte detected in method blank at or above the method reporting limit.
B2 = Non-target analyte detected in method blank and sample, producing interference.
B3 = Target analyte detected in calibration blank at or above the method reporting limit.
B4 = Target analyte detected in blank at/above method acceptance criteria.
B5 = Target analyte detected in method blank at or above the method reporting limit, but below trigger level or MCL.
B6 = Target analyte detected in calibration blank at or above the method reporting limit, but below trigger level or MCL.
B7 = Target analyte detected in method blank at or above method reporting limit. Concentration found in the sample was 10 times above the concentration found in the method blank.

Confirmation:
C1 = Confirmatory analysis not performed as required by the method.
C3 = Qualitative confirmation performed.
C4 = Confirmatory analysis was past holding time.
C5 = Confirmatory analysis was past holding time. Original result not confirmed.
C6 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the higher value was reported as there was no obvious chromatographic interference.
C7 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic interference.

Dilution:
D1 = Sample required dilution due to matrix.
D2 = Sample required dilution due to high concentration of target analyte.
D3 = Sample dilution required due to insufficient sample.
D4 = Minimum reporting level (MRL) adjusted to reflect sample amount received and analyzed.

Estimated concentration:
E1 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not possible due to insufficient sample.
E2 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to sample matrix.
E3 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

E4 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL).
E5 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL), but not confirmed by alternate analysis.
E6 = Concentration estimated. Internal standard recoveries did not meet method acceptance criteria.
E7 = Concentration estimated. Internal standard recoveries did not meet laboratory acceptance criteria.
E8 = Analyte reported to MDL per project specification. Target analyte was not detected in the sample.

Hold time:
H1 = Sample analysis performed past holding time.
H2 = Initial analysis within holding time. Reanalysis for the required dilution was past holding time.
H3 = Sample was received and analyzed past holding time.
H4 = Sample was extracted past required extraction holding time, but analyzed within analysis holding time.

BOD:
K1 = The sample dilutions set-up for the BOD analysis did not meet the oxygen depletion criteria of at least 2 mg/L. Any reported result is an estimated value.
K2 = The sample dilutions set up for the BOD analysis did not meet the criteria of a residual dissolved oxygen of at least 1 mg/L. Any reported result is an estimated value.
K4 = The seed depletion was outside the method acceptance limits. The reported result is an estimated value.
K5 = The dilution water D.O. depletion was > 0.2 mg/L.
K6 = Glucose/glutamic acid BOD was below method acceptance criteria.
K7 = A discrepancy between the BOD and COD results has been verified by reanalysis of the sample for COD.
K8 = Glucose/glutamic acid BOD was above method acceptance levels.

Laboratory fortified blank/blank spike:

L1 = The associated blank spike recovery was above laboratory acceptance limits.
L2 = The associated blank spike recovery was below laboratory acceptance limits.
L3 = The associated blank spike recovery was above method acceptance limits.
L4 = The associated blank spike recovery was below method acceptance limits.

Matrix spike:
M1 = Matrix spike recovery was high, the method control sample recovery was acceptable.
M2 = Matrix spike recovery was low, the method control sample recovery was acceptable.
M3 = The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
M4 = The analysis of the spiked sample required a dilution such that the spike concentration was diluted below the reporting limit. The method control sample recovery was acceptable.
M5 = Analyte concentration was determined by the method of standard addition (MSA).

M6 = Matrix spike recovery was high. Data reported per ADEQ policy 0154.000.
M7 = Matrix spike recovery was low. Data reported per ADEQ policy 0154.000.

General:
N1 = See case narrative.
N2 = See corrective action report.
N3 = The analysis meets all method requirements. See case narrative.

Sample quality:
Q1 = Sample integrity was not maintained. See case narrative.
Q2 = Sample received with headspace.
Q3 = Sample received with improper chemical preservation.
Q4 = Sample received and analyzed without chemical preservation.
Q5 = Sample received with inadequate chemical preservation, but preserved by the laboratory.
Q6 = Sample was received above recommended temperature.
Q7 = Sample inadequately dechlorinated.
Q8 = Insufficient sample received to meet method QC requirements. Batch QC requirements satisfies ADEQ policies 0154 and 0155.
Q9 = Insufficient sample received to meet method QC requirements.
Q10 = Sample received in inappropriate sample container.
Q11 = Sample is heterogeneous. Sample homogeneity could not be readily achieved using routine laboratory practices.

Duplicates:
R1 = RPD exceeded the method control limit. See case narrative.
R2 = RPD exceeded the laboratory control limit. See case narrative.
R4 = MS/MSD RPD exceeded the method control limit. Recovery met acceptance criteria.
R5 = MS/MSD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R6 = LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
R7 = LFB/LFBD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R8 = Sample RPD exceeded the method control limit.
R9 = Sample RPD exceeded the laboratory control limit.
R10 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic problems.
R11 = The RPD calculation for MS/MSD does not provide useful information due to the varying sample weights when Encore samplers/methanol field preserved samples are used.

Surrogate:
S1 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits.
S3 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits. No target analytes were detected in the sample.
S4 = Surrogate recovery was above laboratory and method acceptance limits. No target analytes were detected in the sample.
S5 = Surrogate recovery was below laboratory acceptance limits, but within method acceptance limits.
S6 = Surrogate recovery was below laboratory and method acceptance limits. Reextraction and/or reanalysis confirms low recovery caused by matrix effect.

S7 = Surrogate recovery was below laboratory and method acceptance limits. Unable to confirm matrix effect.
S8 = The analysis of the sample required a dilution such that the surrogate recovery calculation does not provide any useful information. The method control sample recovery was acceptable.
S10 = Surrogate recovery was above laboratory and method acceptance limits. See Case narrative.
S11 = Surrogate recovery was high. Data reported per ADEQ policy 0154.000.
S12 = Surrogate recovery was low. Data reported per ADEQ policy 0154.000.

Method/analyte discrepancies:
T1 = Method approved by EPA, but not yet licensed by ADHS.
T2 = Cited ADHS licensed method does not contain this analyte as part of method compound list.
T3 = Method not promulgated either by EPA or ADHS.
T4 = Tentatively identified compound. Concentration is estimated and based on the closest internal standard.

Calibration verification:
V1 = CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
V2 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample. The sample could not be reanalyzed due to insufficient sample.
V3 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample, but the sample was not reanalyzed. See case narrative.
V4 = CCV recovery was below method acceptance limits. The sample could not be reanalyzed due to insufficient sample.
V5 = CCV recovery after a group of samples was above acceptance limits. This target analyte was not detected in the sample. Acceptable per EPA Method 8000B.
V6 = Data reported from one-point calibration criteria per ADEQ policy 0155.000.
V7 = Calibration verification recovery was above the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.
V8 = Calibration verification recovery was below the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.

Calibration:
W1 = The % RSD for this compound was above 20%. The average % RSD for all compounds in the calibration met the 20% criteria as specified in EPA method 8000B.
W2 = The % RSD for this compound was above 15%. The average % RSD for all compounds in the calibration met the 15% criteria as specified in EPA method 8260B/8270C.

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
D0601449-001	PPI0750-02	09/21/06	07:21
D0601449-002	PPI0750-03	09/21/06	09:07
D0601449-003	PPI0750-04	09/21/06	09:41
D0601449-004	PPI0750-05	09/21/06	10:21
D0601449-005	PPI0750-06	09/21/06	10:31
D0601449-006	PPI0750-07	09/21/06	11:00
D0601449-007	PPI0750-08	09/21/06	11:35
D0601449-008	PPI0750-09	09/21/06	12:07
D0601449-009	PPI0750-10	09/21/06	12:47
D0601449-010	PPI0750-11	09/21/06	13:37
D0601449-011	PPI0750-12	09/21/06	14:12
D0601449-012	PPI0750-13	09/21/06	14:22

CASE NARRATIVE

COLUMBIA ANALYTICAL SERVICES, INC.

Client:	Transwest Geochem, Incorporated	**Service Request No.:**	D0601449
Project:	PPC/PPD PPI0750	**Date Received:**	09/26/06
Sample Matrix:	Aqueous		

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of Columbia Analytical Services, Inc. (CAS).This report contains analytical results for samples designated for Tier II data deliverables.

Sample Receipt

12 Aqueous samples were received for analysis at Columbia Analytical Services on 09/26/06.

The following discrepancies were noted upon initial sample inspection and documented on the cooler receipt/preservation form included in this data package:

* The samples arrived wet and some of the labels had rubbed off.

The samples were received in good condition and otherwise consistent with the accompanying chain of custody form. The samples were stored in a refrigerator at 4 degrees Celsius upon receipt at the laboratory.

Fuel Characterization by EPA Method 8015B

Insufficient sample volume was received to perform a Matrix Spike/Matrix Spike Duplicate (MS/MSD). A Laboratory Control Sample/Duplicate Laboratory Control Sample (LCS/DLCS) was analyzed in order to report precision data.

Calibration Range Exceedence:

Sample D0601449-007 required a dilution of 5x due to high levels of DRO in sample.

Approved by: _____ **Date:** 10/9/06

CHAIN OF CUSTODY DOCUMENTATION

CHAIN-OF-CUSTODY [redacted]

TRANSWEST GEOCHEM

Skip Harden
3725 E. Atlanta Avenue
Suite 2
Phoenix, AZ 85040
TEL: (602) 437-0330
FAX: (602) 437-0660

Work Order: 0609438

Project: PPI0750

Subcontractor:
Columbia Analytical Services
5090 Caterpillar Rd.
Redding, CA 96003
TEL: (530) 244-5227
FAX: (530) 244-4109

25-Sep-06

Client Sample ID	TGI ID	Matrix	Collection Date	Containers	Requested Tests: 8015MOD_W
PPI0750-02	01A	Water	9/21/2006 7:21:00 AM	2	1
PPI0750-03	02A	Water	9/21/2006 9:07:00 AM	2	1
PPI0750-04	03A	Water	9/21/2006 9:41:00 AM	2	1
PPI0750-05	04A	Water	9/21/2006 10:21:00 AM	2	1
PPI0750-06	05A	Water	9/21/2006 10:31:00 AM	2	1
PPI0750-07	06A	Water	9/21/2006 11:00:00 AM	2	1
PPI0750-08	07A	Water	9/21/2006 11:35:00 AM	2	1
PPI0750-09	08A	Water	9/21/2006 12:07:00 PM	2	1
PPI0750-10	09A	Water	9/21/2006 12:47:00 PM	2	1
PPI0750-11	10A	Water	9/21/2006 1:37:00 PM	2	1
PPI0750-12	11A	Water	9/21/2006 2:12:00 PM	2	1
PPI0750-13	12A	Water	9/21/2006 2:22:00 PM	2	1

* Lower reporting limits required.

Comments: After analysis, the samples do not need to be returned and can be disposed per your standard laboratory practices. Please provide a QC report, including Method Blank data.

Sample Receipt		
Temperature:	Ambient / Cold	Ice:
Received Intact:		Absent / Present
Custody Seals:		Wet / Blue
Total No. of Containers:		°C.

		Date/Time			Date/Time
Relinquished by:	Leslie May - TGI	9/25/06 1600	**Received by:**	UPS	
Relinquished by:			**Received by:**		
Relinquished by:			**Received by:**	K Maye	9-26-06 930

Columbia Analytical Services inc.
An Employee-Owned Company

5090 Caterpillar Road
Redding, CA 96003
Phone: (530) 244-5262
[redacted]

COOLER RECEIPT FORM

Project/Client: _____ Batch No. [redacted]

1. Cooler(s)/Sample(s) received on: 9·26·06 Shipped via: UPS
   Shipping Bill # (s): 1Z 52X 72X 01 9453 4033 # of Coolers/Packages 2
2. Radiological Screening by: _____ Acceptable Rejected
3. Custody seals on outside of cooler: YES NO N/A
   If yes, where? Front ✓ Rear ____ Lt Side ____ Rt Side ____
   Seals intact: YES NO

COOLER/SAMPLE PROCESSING

4. Sample Processing/Tagging by: KMC
5. Cooler(s)/Sample(s) Temp's: 4.0c ____ ____ ____ ____
   (or)
   Temp. Blank (if included): ____ ____ ____ ____ ____
6. Type of packing material (circle): Ice Blue Ice Bubble Wrap Bubble Bags Zip Locks Webbing
   Other: _____
7. Custody papers properly filled out (ink, signed, dated, released, etc.)? YES NO
8. Containers arrived in good condition (not broken, leaking, etc.)? YES NO
9. Samples received with adequate holding time remaining to conduct analysis? YES NO
10. Container labels complete (i.e. analysis, preservation, date/time, etc.)? YES NO
11. Container labels and tags agree with custody papers? YES NO
12. Correct types of containers used for the tests indicated? YES NO
    a.) Adequate sample received? If not, note on Exception Report. YES NO
13. Containers supplied by: CAS Other
14. Preserved containers received with the appropriate preservative? YES NO N/A
    pH: _____ (or) See pH log.
15. VOA vials free of air bubbles? YES NO N/A
16. Trip Blank preparation date: _____ CAS Other N/A
17. Volatile Soil samples: Encores or Plugs in Vials
    Freezer or GC/MS Date: _____ Time: _____ N/A

See Exception Report for discrepancies.

Rev. 8/18/2004/ds

Columbia Analytical Services inc.

An Employee-O[redacted]

pH Log

5090 Caterpillar Road
Redding, CA 96003
Phone: 530-244-5227
Fax: 530-244-4109

Reference No.: [redacted] By: KM Date: 9.26.06

Project/Client: [redacted]

Tests: >					
Sample No:	HNO3 pH<2	H2SO4 pH<2	ZnAc2/NaOH pH>9	NaOH pH>12	HCL pH<2
-001		<2			
-002					
-003					
-004					
-005					
-006					
-007					
-008					
-009					
-010					
-011					
-012		<2			
-013					
-014					
-015					
-016					
-017					
-018					
-019					
-020					

Adjustments by Lab: Shown below by sample number and quantity of preservative in the appropriate column.

Sample No:	HNO3 pH<2 Lot#	H2SO4 pH<2 Lot#	ZnAc2/NaOH pH>9 Lot#	NaOH pH>12 Lot#	HCL pH<2 Lot#
	mL	mL	mL	mL	mL
	mL	mL	mL	mL	mL
	mL	mL	mL	mL	mL
	mL	mL	mL	mL	mL

Columbia Analytical Services INC.
An Employee - Owned Company

5090 Caterpillar Road
Redding, CA 96003
530-244-5227
FAX 530-244-4109

BATCH: [redacted]
CLIENT:
PROJECT:

SAMPLE RECEIPT EXCEPTION REPORT

Issue Type Legend	
1) Holding Time	SMO Technician / Date: KM 9.26.06
2) Temperature	Project Chemist / Date:
3) COC/Label	Client Contact(s):
4) Container	
5) Other	

Item #	Issue Type	DESCRIPTION
1	3	The samples arrived wet and the labels on some of the samples were rubbed off.

Corrective Actions Taken	
1	

Fuel Characterization

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0750/0609438

Service Request: D0601449

Cover Page - Organic Analysis Data Package
Hydrocarbon Scan / Fuel Characterization

Sample Name	Lab Code	Date Collected	Date Received
PPI0750-02	D0601449-001	09/21/2006	09/26/2006
PPI0750-03	D0601449-002	09/21/2006	09/26/2006
PPI0750-04	D0601449-003	09/21/2006	09/26/2006
PPI0750-05	D0601449-004	09/21/2006	09/26/2006
PPI0750-06	D0601449-005	09/21/2006	09/26/2006
PPI0750-07	D0601449-006	09/21/2006	09/26/2006
PPI0750-08	D0601449-007	09/21/2006	09/26/2006
PPI0750-09	D0601449-008	09/21/2006	09/26/2006
PPI0750-10	D0601449-009	09/21/2006	09/26/2006
PPI0750-11	D0601449-010	09/21/2006	09/26/2006
PPI0750-12	D0601449-011	09/21/2006	09/26/2006
PPI0750-13	D0601449-012	09/21/2006	09/26/2006

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the case narrative. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: Wida Ang

Name: WIDA ANG

Date: 10/7/06

Title: Organic Manager

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601449
Project:	PPC/PPD PPI0750/0609438	**Date Collected:**	09/21/2006
Sample Matrix:	Water	**Date Received:**	09/26/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0750-02	**Units:**	ug/L
Lab Code:	D0601449-001	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	**400**		51	1	10/03/06	10/04/06	
C23 - C32 HRO	ND	U	51	1	10/03/06	10/04/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	78	40-150	10/04/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601449
Project:	PPC/PPD PPI0750/0609438	**Date Collected:**	09/21/2006
Sample Matrix:	Water	**Date Received:**	09/26/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0750-03	**Units:**	ug/L
Lab Code:	D0601449-002	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	**2200**		51	1	10/03/06	10/04/06	
C23 - C32 HRO	**120**		51	1	10/03/06	10/04/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	81	40-150	10/04/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601449
Project:	PPC/PPD PPI0750/0609438	**Date Collected:**	09/21/2006
Sample Matrix:	Water	**Date Received:**	09/26/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0750-04	**Units:**	ug/L
Lab Code:	D0601449-003	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	**54**		51	1	10/03/06	10/04/06	
C23 - C32 HRO	ND	U	51	1	10/03/06	10/04/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	82	40-150	10/04/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601449
Project:	PPC/PPD PPI0750/0609438	**Date Collected:**	09/21/2006
Sample Matrix:	Water	**Date Received:**	09/26/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0750-05	**Units:**	ug/L
Lab Code:	D0601449-004	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	**120**		51	1	10/03/06	10/04/06	
C23 - C32 HRO	ND	U	51	1	10/03/06	10/04/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	77	40-150	10/04/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601449
Project:	PPC/PPD PPI0750/0609438	**Date Collected:**	09/21/2006
Sample Matrix:	Water	**Date Received:**	09/26/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0750-06	**Units:**	ug/L
Lab Code:	D0601449-005	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	**110**		51	1	10/03/06	10/04/06	
C23 - C32 HRO	ND	U	51	1	10/03/06	10/04/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	86	40-150	10/04/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601449
Project:	PPC/PPD PPI0750/0609438	**Date Collected:**	09/21/2006
Sample Matrix:	Water	**Date Received:**	09/26/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0750-07	**Units:**	ug/L
Lab Code:	D0601449-006	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	**900**		51	1	10/03/06	10/05/06	
C23 - C32 HRO	ND	U	51	1	10/03/06	10/05/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	74	40-150	10/05/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601449
Project:	PPC/PPD PPI0750/0609438	**Date Collected:**	09/21/2006
Sample Matrix:	Water	**Date Received:**	09/26/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0750-08	**Units:**	ug/L
Lab Code:	D0601449-007	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	**15000**	D	260	5	10/03/06	10/05/06	D2
C23 - C32 HRO	ND	U	260	5	10/03/06	10/05/06	D2

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	86	40-150	10/05/06	D2

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601449
Project:	PPC/PPD PPI0750/0609438	**Date Collected:**	09/21/2006
Sample Matrix:	Water	**Date Received:**	09/26/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0750-09	**Units:**	ug/L
Lab Code:	D0601449-008	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	**450**		51	1	10/03/06	10/05/06	
C23 - C32 HRO	ND	U	51	1	10/03/06	10/05/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	79	40-150	10/05/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601449
Project:	PPC/PPD PPI0750/0609438	**Date Collected:**	09/21/2006
Sample Matrix:	Water	**Date Received:**	09/26/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0750-10	**Units:**	ug/L
Lab Code:	D0601449-009	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	**240**		51	1	10/03/06	10/05/06	
C23 - C32 HRO	ND	U	51	1	10/03/06	10/05/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	78	40-150	10/05/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601449
Project:	PPC/PPD PPI0750/0609438	**Date Collected:**	09/21/2006
Sample Matrix:	Water	**Date Received:**	09/26/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0750-11	**Units:**	ug/L
Lab Code:	D0601449-010	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	**440**		51	1	10/03/06	10/05/06	
C23 - C32 HRO	**52**		51	1	10/03/06	10/05/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	76	40-150	10/05/06	E1

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601449
Project:	PPC/PPD PPI0750/0609438	**Date Collected:**	09/21/2006
Sample Matrix:	Water	**Date Received:**	09/26/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0750-12	**Units:**	ug/L
Lab Code:	D0601449-011	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	**140**		51	1	10/03/06	10/05/06	
C23 - C32 HRO	ND	U	51	1	10/03/06	10/05/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	77	40-150	10/05/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601449
Project:	PPC/PPD PPI0750/0609438	**Date Collected:**	09/21/2006
Sample Matrix:	Water	**Date Received:**	09/26/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0750-13	**Units:**	ug/L
Lab Code:	D0601449-012	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	**130**		51	1	10/03/06	10/05/06	
C23 - C32 HRO	ND	U	51	1	10/03/06	10/05/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	78	40-150	10/05/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601449
Project:	PPC/PPD PPI0750/0609438	**Date Collected:**	NA
Sample Matrix:	Water	**Date Received:**	NA

Hydrocarbon Scan / Fuel Characterization

Sample Name:	Method Blank	**Units:**	ug/L
Lab Code:	DWG0600835-3	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	50	1	10/03/06	10/04/06	
C23 - C32 HRO	ND	U	50	1	10/03/06	10/04/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	67	40-150	10/04/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0750/0609438
Sample Matrix: Water

Service Request: D0601449

Surrogate Recovery Summary
Hydrocarbon Scan / Fuel Characterization

Extraction Method: EPA 3510C
Analysis Method: 8015B

Units: PERCENT
Level: Low

Sample Name	Lab Code	Sur1
PPI0750-02	D0601449-001	78
PPI0750-03	D0601449-002	81
PPI0750-04	D0601449-003	82
PPI0750-05	D0601449-004	77
PPI0750-06	D0601449-005	86
PPI0750-07	D0601449-006	74
PPI0750-08	D0601449-007	86
PPI0750-09	D0601449-008	79
PPI0750-10	D0601449-009	78
PPI0750-11	D0601449-010	76
PPI0750-12	D0601449-011	77
PPI0750-13	D0601449-012	78
Method Blank	DWG0600835-3	67
Lab Control Sample	DWG0600835-1	79
Duplicate Lab Control Sample	DWG0600835-2	77

Surrogate Recovery Control Limits (%)

Sur1 = Octacosane 40-150

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601449
Project:	PPC/PPD PPI0750/0609438	**Date Extracted:**	10/03/2006
Sample Matrix:	Water	**Date Analyzed:**	10/04/2006

Lab Control Spike/Duplicate Lab Control Spike Summary
Hydrocarbon Scan / Fuel Characterization

Extraction Method:	EPA 3510C	**Units:**	ug/L
Analysis Method:	8015B	**Basis:**	NA
		Level:	Low
		Extraction Lot:	DWG0600835

	Lab Control Sample DWG0600835-1 Lab Control Spike			Duplicate Lab Control Sample DWG0600835-2 Duplicate Lab Control Spike					
Analyte Name	**Result**	**Expected**	**%Rec**	**Result**	**Expected**	**%Rec**	**%Rec Limits**	**RPD**	**RPD Limit**
C13 - C22 DRO	1650	2500	66	1520	2500	61	50-140	8	30

Results flagged with an asterisk (*) indicate values outside control criteria.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

SUB

TRANSWEST GEOCHEM

Sample Receipt Checklist

Client Name: Test America

Work Order Number: 06094356

Checklist completed by: [signature] 9.25 2006
Signature / Date

Date and Time Received: 9.25.2006 9.30

Checked by: [initials]

Logged In by: [initials] 9.25.2006
Initials / Date

Matrix: Water Carrier Name: (Client) TGI _____

Reviewed by: SH 9/26/06
Initials / Date

				COMMENTS
Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐	
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☑	
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑	
Chain of custody present?	Yes ☑	No ☐		
Chain of custody signed when relinquished and received?	Yes ☑	No ☐		
Chain of custody agrees with sample labels?	Yes ☑	No ☐		
Samples in proper container/bottle?	Yes ☑	No ☐		
Sample containers intact?	Yes ☑	No ☐		
Sufficient sample volume for indicated test?	Yes ☑	No ☐		
All samples received within holding time?	Yes ☑	No ☐		
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	Temp: 5.1	Sampled < 2hrs ☐
Water – VOA vials have zero headspace?	Yes ☐	No ☐	N/A ☑	
Water – pH acceptable upon receipt?	Yes ☑	No ☐	N/A ☐	Checked by: [initials]
Water – Sulfides present in Cyanide samples?	Yes ☐	No ☐	N/A ☑	
Sample considered Drinking Water for metal analysis?	Yes ☐	No ☐	N/A ☑	

Client contacted: _____ Date contacted: _____ Person contacted: _____

Contacted by: _____ Regarding: _____

Corrective Action: _____

TestAmerica
ANALYTICAL TESTING CORPORATION

0609438

SUBCONTRACT ORDER - PROJECT # PPI0750

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPI0750-02 Water Sampled: 09/21/06 07:21		
8015B MOD-Low Level-O	09/28/06 07:21	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0750-02D)		
1 L Amber w/H2SO4 (PPI0750-02E)		
Sample ID: PPI0750-03 Water Sampled: 09/21/06 09:07		
8015B MOD-Low Level-O	09/28/06 09:07	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0750-03D)		
1 L Amber w/H2SO4 (PPI0750-03E)		
Sample ID: PPI0750-04 Water Sampled: 09/21/06 09:41		
8015B MOD-Low Level-O	09/28/06 09:41	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0750-04D)		
1 L Amber w/H2SO4 (PPI0750-04E)		
Sample ID: PPI0750-05 Water Sampled: 09/21/06 10:21		
8015B MOD-Low Level-O	09/28/06 10:21	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0750-05D)		
1 L Amber w/H2SO4 (PPI0750-05E)		
Sample ID: PPI0750-06 Water Sampled: 09/21/06 10:31		
8015B MOD-Low Level-O	09/28/06 10:31	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0750-06D)		
1 L Amber w/H2SO4 (PPI0750-06E)		

Released By	Date	Time	Received By	Date	Time

Released By	Date	Time	Received By	Date	Time

TestAmerica
ANALYTICAL TESTING CORPORATION

0609438

SUBCONTRACT ORDER - PROJECT # PPI0750

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPI0750-07 Water Sampled: 09/21/06 11:00		
8015B MOD-Low Level-O	09/28/06 11:00	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0750-07D)		
1 L Amber w/H2SO4 (PPI0750-07E)	6	L2, L2
Sample ID: PPI0750-08 Water Sampled: 09/21/06 11:35		
8015B MOD-Low Level-O	09/28/06 11:35	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0750-08D)		
1 L Amber w/H2SO4 (PPI0750-08E)	7	L2, L2
Sample ID: PPI0750-09 Water Sampled: 09/21/06 12:07		
8015B MOD-Low Level-O	09/28/06 12:07	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0750-09D)		
1 L Amber w/H2SO4 (PPI0750-09E)	8	L2, L2
Sample ID: PPI0750-10 Water Sampled: 09/21/06 12:47		
8015B MOD-Low Level-O	09/28/06 12:47	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0750-10D)		
1 L Amber w/H2SO4 (PPI0750-10E)	9	L2, L2
Sample ID: PPI0750-11 Water Sampled: 09/21/06 13:37		
8015B MOD-Low Level-O	09/28/06 13:37	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0750-11D)		
1 L Amber w/H2SO4 (PPI0750-11E)	10	L2, L2

Released By	Date	Time	Received By	Date	Time
Released By	Date	Time	Received By	Date	Time

TestAmerica
ANALYTICAL TESTING CORPORATION

#0609438

SUBCONTRACT ORDER - PROJECT # PPI0750

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPI0750-12 Water Sampled: 09/21/06 14:12		
8015B MOD-Low Level-O	09/28/06 14:12	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0750-12D)		
1 L Amber w/H2SO4 (PPI0750-12E)	11	12.12
Sample ID: PPI0750-13 Water Sampled: 09/21/06 14:22		
8015B MOD-Low Level-O	09/28/06 14:22	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0750-13D)		
1 L Amber w/H2SO4 (PPI0750-13E)	12	12.12

SAMPLE INTEGRITY:

All containers intact: ☑ Yes ☐ No
Custody Seals Present: ☐ Yes ☑ No
Sample labels/COC agree: ☑ Yes ☐ No
Samples Preserved Properly: ☑ Yes ☐ No
Samples Received On Ice:: ☑ Yes ☐ No
Samples Received at (temp): 5.1

Released By	Date	Time	Received By	Date	Time
MDV	9-25-06	0800	[signature]	9-25-06	0800
[signature]			[signature]	9.25.2006	9.30

TestAmerica
ANALYTICAL TESTING CORPORATION

9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

LABORATORY REPORT

Prepared For: CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project: Honeywell-Sky Harbor-PO# 2959460

Sampled: 09/21/06
Received: 09/22/06
Issued: 10/16/06 09:09

NELAP #01109CA Arizona DHS#AZ0426

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.
This entire report was reviewed and approved for release.

CASE NARRATIVE

LABORATORY ID	CLIENT ID	MATRIX
PPI0752-01	TB-092106B	Water
PPI0752-02	ASE-41B-6C2	Water
PPI0752-03	ASE-40B-6C2	Water
PPI0752-04	PL-105A-6C2	Water
PPI0752-05	ASE-108A-6C2	Water
PPI0752-06	ASE-62A-6C2	Water
PPI0752-07	ASE-47B-6C2	Water
PPI0752-08	ASE-65A-6C2	Water
PPI0752-09	ASE-41A-6C2	Water

SAMPLE RECEIPT: Samples were received intact, at 4°C, on ice and with chain of custody documentation.

HOLDING TIMES: All samples were analyzed within prescribed holding times and/or in accordance with the TestAmerica Sample Acceptance Policy unless otherwise noted in the report.

PRESERVATION: Samples requiring preservation were verified prior to sample analysis.

QA/QC CRITERIA: All analyses met method criteria, except as noted in the report with data qualifiers.

COMMENTS: N1: Concentration exceeds the calibration range and therefore result is semi-quantitative.

SUBCONTRACTED: Refer to the last page for specific subcontract laboratory information included in this report.

Reviewed By:

Ken Baker

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0752-01 (TB-092106B - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0425	20	ND	1	10/4/2006	10/4/2006	
Benzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Bromobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromochloromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromodichloromethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Bromoform	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromomethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Butanone (MEK)	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
n-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
sec-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
tert-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Carbon Disulfide	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Carbon tetrachloride	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Chlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Chloroethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Chloroform	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Chloromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Chlorotoluene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
4-Chlorotoluene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Dibromochloromethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Dibromomethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloroethane	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
2,2-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Ethylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Hexachlorobutadiene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Hexanone	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0752-01 (TB-092106B - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Isopropylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
p-Isopropyltoluene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Methylene chloride	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Naphthalene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
n-Propylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Styrene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Tetrachloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Toluene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Trichloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Trichlorofluoromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Vinyl acetate	EPA 8260B	P6J0425	25	ND	1	10/4/2006	10/4/2006	
Vinyl chloride	EPA 8260B	P6J0425	1.7	ND	1	10/4/2006	10/4/2006	
Xylenes, Total	EPA 8260B	P6J0425	3.0	ND	1	10/4/2006	10/4/2006	
Surrogate: Dibromofluoromethane (80-130%)				*98 %*				
Surrogate: Toluene-d8 (80-120%)				*94 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*94 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0752-02 (ASE-41B-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0425	20	ND	1	10/4/2006	10/4/2006	
Benzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Bromobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromochloromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromodichloromethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Bromoform	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromomethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Butanone (MEK)	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
n-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
sec-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
tert-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Carbon Disulfide	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Carbon tetrachloride	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Chlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Chloroethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Chloroform	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Chloromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Chlorotoluene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
4-Chlorotoluene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Dibromochloromethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Dibromomethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethane	EPA 8260B	P6J0425	2.0	**13**	1	10/4/2006	10/4/2006	
1,2-Dichloroethane	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0425	2.0	**2.8**	1	10/4/2006	10/4/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
2,2-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Ethylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Hexachlorobutadiene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Hexanone	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0752-02 (ASE-41B-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Isopropylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
p-Isopropyltoluene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Methylene chloride	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0425	5.0	**53**	1	10/4/2006	10/4/2006	
Naphthalene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
n-Propylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Styrene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Tetrachloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Toluene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Trichloroethene	EPA 8260B	P6J0425	2.0	**4.6**	1	10/4/2006	10/4/2006	
Trichlorofluoromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Vinyl acetate	EPA 8260B	P6J0425	25	ND	1	10/4/2006	10/4/2006	
Vinyl chloride	EPA 8260B	P6J0425	1.7	**7.2**	1	10/4/2006	10/4/2006	
Xylenes, Total	EPA 8260B	P6J0425	3.0	ND	1	10/4/2006	10/4/2006	
Surrogate: Dibromofluoromethane (80-130%)				*98 %*				
Surrogate: Toluene-d8 (80-120%)				*96 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*94 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0752-03 (ASE-40B-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0425	20	ND	1	10/4/2006	10/4/2006	
Benzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Bromobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromochloromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromodichloromethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Bromoform	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromomethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Butanone (MEK)	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
n-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
sec-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
tert-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Carbon Disulfide	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Carbon tetrachloride	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Chlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Chloroethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Chloroform	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Chloromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Chlorotoluene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
4-Chlorotoluene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Dibromochloromethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Dibromomethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethane	EPA 8260B	P6J0425	2.0	**3.0**	1	10/4/2006	10/4/2006	
1,2-Dichloroethane	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
2,2-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Ethylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Hexachlorobutadiene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Hexanone	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0752-03 (ASE-40B-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Isopropylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
p-Isopropyltoluene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Methylene chloride	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Naphthalene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
n-Propylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Styrene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Tetrachloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Toluene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Trichloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Trichlorofluoromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Vinyl acetate	EPA 8260B	P6J0425	25	ND	1	10/4/2006	10/4/2006	
Vinyl chloride	EPA 8260B	P6J0425	1.7	ND	1	10/4/2006	10/4/2006	
Xylenes, Total	EPA 8260B	P6J0425	3.0	ND	1	10/4/2006	10/4/2006	
Surrogate: Dibromofluoromethane (80-130%)				*99 %*				
Surrogate: Toluene-d8 (80-120%)				*95 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*95 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0752-04 (PL-105A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0527	20	ND	1	10/5/2006	10/5/2006	
Benzene	EPA 8260B	P6J0527	1.0	**16**	1	10/5/2006	10/5/2006	
Bromobenzene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
Bromochloromethane	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
Bromodichloromethane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Bromoform	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
Bromomethane	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
2-Butanone (MEK)	EPA 8260B	P6J0527	10	ND	1	10/5/2006	10/5/2006	
n-Butylbenzene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
sec-Butylbenzene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
tert-Butylbenzene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
Carbon Disulfide	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
Carbon tetrachloride	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
Chlorobenzene	EPA 8260B	P6J0527	1.0	ND	1	10/5/2006	10/5/2006	
Chloroethane	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
Chloroform	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Chloromethane	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
2-Chlorotoluene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
4-Chlorotoluene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
Dibromochloromethane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Dibromomethane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0527	1.0	ND	1	10/5/2006	10/5/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0527	1.0	ND	1	10/5/2006	10/5/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0527	1.0	ND	1	10/5/2006	10/5/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
1,1-Dichloroethane	EPA 8260B	P6J0527	2.0	**61**	1	10/5/2006	10/5/2006	
1,2-Dichloroethane	EPA 8260B	P6J0527	1.0	ND	1	10/5/2006	10/5/2006	
1,1-Dichloroethene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
1,2-Dichloropropane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
1,3-Dichloropropane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
2,2-Dichloropropane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
1,1-Dichloropropene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Ethylbenzene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Hexachlorobutadiene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
2-Hexanone	EPA 8260B	P6J0527	10	ND	1	10/5/2006	10/5/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0752-04 (PL-105A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Isopropylbenzene	EPA 8260B	P6J0527	2.0	**7.8**	1	10/5/2006	10/5/2006	
p-Isopropyltoluene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Methylene chloride	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0527	10	ND	1	10/5/2006	10/5/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
Naphthalene	EPA 8260B	P6J0527	2.0	**40**	1	10/5/2006	10/5/2006	
n-Propylbenzene	EPA 8260B	P6J0527	2.0	**4.2**	1	10/5/2006	10/5/2006	
Styrene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Tetrachloroethene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Toluene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Trichloroethene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Trichlorofluoromethane	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0527	10	ND	1	10/5/2006	10/5/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Vinyl acetate	EPA 8260B	P6J0527	25	ND	1	10/5/2006	10/5/2006	
Vinyl chloride	EPA 8260B	P6J0527	1.7	**7.6**	1	10/5/2006	10/5/2006	
Xylenes, Total	EPA 8260B	P6J0527	3.0	ND	1	10/5/2006	10/5/2006	
Surrogate: Dibromofluoromethane (80-130%)				*105 %*				
Surrogate: Toluene-d8 (80-120%)				*102 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*101 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0752-05 (ASE-108A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0425	20	ND	1	10/4/2006	10/4/2006	
Benzene	EPA 8260B	P6J0425	1.0	**2.4**	1	10/4/2006	10/4/2006	
Bromobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromochloromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromodichloromethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Bromoform	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromomethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Butanone (MEK)	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
n-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
sec-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
tert-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Carbon Disulfide	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Carbon tetrachloride	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Chlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Chloroethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Chloroform	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Chloromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Chlorotoluene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
4-Chlorotoluene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Dibromochloromethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Dibromomethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethane	EPA 8260B	P6J0425	2.0	**25**	1	10/4/2006	10/4/2006	
1,2-Dichloroethane	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
2,2-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Ethylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Hexachlorobutadiene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Hexanone	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0752-05 (ASE-108A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Isopropylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
p-Isopropyltoluene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Methylene chloride	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Naphthalene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
n-Propylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Styrene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Tetrachloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Toluene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Trichloroethene	EPA 8260B	P6J0425	2.0	**2.4**	1	10/4/2006	10/4/2006	
Trichlorofluoromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Vinyl acetate	EPA 8260B	P6J0425	25	ND	1	10/4/2006	10/4/2006	
Vinyl chloride	EPA 8260B	P6J0425	1.7	**3.0**	1	10/4/2006	10/4/2006	
Xylenes, Total	EPA 8260B	P6J0425	3.0	ND	1	10/4/2006	10/4/2006	
Surrogate: Dibromofluoromethane (80-130%)				*98 %*				
Surrogate: Toluene-d8 (80-120%)				*96 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*94 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0752-06 (ASE-62A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0425	20	ND	1	10/4/2006	10/4/2006	
Benzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Bromobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromochloromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromodichloromethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Bromoform	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromomethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Butanone (MEK)	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
n-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
sec-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
tert-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Carbon Disulfide	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Carbon tetrachloride	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Chlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Chloroethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Chloroform	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Chloromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Chlorotoluene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
4-Chlorotoluene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Dibromochloromethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Dibromomethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethane	EPA 8260B	P6J0425	2.0	**8.4**	1	10/4/2006	10/4/2006	
1,2-Dichloroethane	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
2,2-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Ethylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Hexachlorobutadiene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Hexanone	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0752-06 (ASE-62A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Isopropylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
p-Isopropyltoluene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Methylene chloride	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Naphthalene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
n-Propylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Styrene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Tetrachloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Toluene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Trichloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Trichlorofluoromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Vinyl acetate	EPA 8260B	P6J0425	25	ND	1	10/4/2006	10/4/2006	
Vinyl chloride	EPA 8260B	P6J0425	1.7	ND	1	10/4/2006	10/4/2006	
Xylenes, Total	EPA 8260B	P6J0425	3.0	ND	1	10/4/2006	10/4/2006	
Surrogate: Dibromofluoromethane (80-130%)				*100 %*				
Surrogate: Toluene-d8 (80-120%)				*96 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*94 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0752-07 (ASE-47B-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0507	20	ND	1	10/4/2006	10/4/2006	
Benzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
Bromobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromochloromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromodichloromethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Bromoform	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromomethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Butanone (MEK)	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
n-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
sec-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
tert-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Carbon Disulfide	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Carbon tetrachloride	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Chlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
Chloroethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Chloroform	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Chloromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Chlorotoluene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
4-Chlorotoluene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Dibromochloromethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Dibromomethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethane	EPA 8260B	P6J0507	2.0	**2.6**	1	10/4/2006	10/4/2006	
1,2-Dichloroethane	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethene	EPA 8260B	P6J0507	5.0	**6.7**	1	10/4/2006	10/4/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0507	2.0	**27**	1	10/4/2006	10/4/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
2,2-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Ethylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Hexachlorobutadiene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Hexanone	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0752-07 (ASE-47B-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Isopropylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
p-Isopropyltoluene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Methylene chloride	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Naphthalene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
n-Propylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Styrene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Tetrachloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Toluene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Trichloroethene	EPA 8260B	P6J0507	2.0	**91**	1	10/4/2006	10/4/2006	M2
Trichlorofluoromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Vinyl acetate	EPA 8260B	P6J0507	25	ND	1	10/4/2006	10/4/2006	
Vinyl chloride	EPA 8260B	P6J0507	1.7	ND	1	10/4/2006	10/4/2006	
Xylenes, Total	EPA 8260B	P6J0507	3.0	ND	1	10/4/2006	10/4/2006	
Surrogate: Dibromofluoromethane (80-130%)				*99 %*				
Surrogate: Toluene-d8 (80-120%)				*103 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*100 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0752-08 (ASE-65A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0425	20	ND	1	10/4/2006	10/4/2006	
Benzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Bromobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromochloromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromodichloromethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Bromoform	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Bromomethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Butanone (MEK)	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
n-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
sec-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
tert-Butylbenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Carbon Disulfide	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Carbon tetrachloride	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Chlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Chloroethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Chloroform	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Chloromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Chlorotoluene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
4-Chlorotoluene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Dibromochloromethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Dibromomethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloroethane	EPA 8260B	P6J0425	1.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0425	2.0	**3.5**	1	10/4/2006	10/4/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
2,2-Dichloropropane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Ethylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Hexachlorobutadiene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
2-Hexanone	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0752-08 (ASE-65A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Isopropylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
p-Isopropyltoluene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Methylene chloride	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
Naphthalene	EPA 8260B	P6J0425	2.0	**7.2**	1	10/4/2006	10/4/2006	
n-Propylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Styrene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Tetrachloroethene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Toluene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Trichloroethene	EPA 8260B	P6J0425	2.0	**10**	1	10/4/2006	10/4/2006	
Trichlorofluoromethane	EPA 8260B	P6J0425	5.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0425	10	ND	1	10/4/2006	10/4/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0425	2.0	ND	1	10/4/2006	10/4/2006	
Vinyl acetate	EPA 8260B	P6J0425	25	ND	1	10/4/2006	10/4/2006	
Vinyl chloride	EPA 8260B	P6J0425	1.7	ND	1	10/4/2006	10/4/2006	
Xylenes, Total	EPA 8260B	P6J0425	3.0	ND	1	10/4/2006	10/4/2006	
Surrogate: Dibromofluoromethane (80-130%)				*100 %*				
Surrogate: Toluene-d8 (80-120%)				*96 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*94 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0752-09 (ASE-41A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0527	20	ND	1	10/5/2006	10/5/2006	
Benzene	EPA 8260B	P6J0527	1.0	**66**	1	10/5/2006	10/5/2006	
Bromobenzene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
Bromochloromethane	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
Bromodichloromethane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Bromoform	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
Bromomethane	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
2-Butanone (MEK)	EPA 8260B	P6J0527	10	ND	1	10/5/2006	10/5/2006	
n-Butylbenzene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
sec-Butylbenzene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
tert-Butylbenzene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
Carbon Disulfide	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
Carbon tetrachloride	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
Chlorobenzene	EPA 8260B	P6J0527	1.0	ND	1	10/5/2006	10/5/2006	
Chloroethane	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
Chloroform	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Chloromethane	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
2-Chlorotoluene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
4-Chlorotoluene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
Dibromochloromethane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Dibromomethane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0527	1.0	ND	1	10/5/2006	10/5/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0527	1.0	ND	1	10/5/2006	10/5/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0527	1.0	ND	1	10/5/2006	10/5/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
1,1-Dichloroethane	EPA 8260B	P6J0527	2.0	**37**	1	10/5/2006	10/5/2006	
1,2-Dichloroethane	EPA 8260B	P6J0527	1.0	ND	1	10/5/2006	10/5/2006	
1,1-Dichloroethene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0527	2.0	**9.3**	1	10/5/2006	10/5/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
1,2-Dichloropropane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
1,3-Dichloropropane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
2,2-Dichloropropane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
1,1-Dichloropropene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Ethylbenzene	EPA 8260B	P6J0527	2.0	**37**	1	10/5/2006	10/5/2006	
Hexachlorobutadiene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
2-Hexanone	EPA 8260B	P6J0527	10	ND	1	10/5/2006	10/5/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0752-09 (ASE-41A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Isopropylbenzene	EPA 8260B	P6J0527	2.0	**9.3**	1	10/5/2006	10/5/2006	
p-Isopropyltoluene	EPA 8260B	P6J0527	2.0	**3.2**	1	10/5/2006	10/5/2006	
Methylene chloride	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0527	10	ND	1	10/5/2006	10/5/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0527	5.0	**150**	1	10/5/2006	10/5/2006	
Naphthalene	EPA 8260B	P6J0527	2.0	**150**	1	10/5/2006	10/5/2006	
n-Propylbenzene	EPA 8260B	P6J0527	2.0	**10**	1	10/5/2006	10/5/2006	
Styrene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Tetrachloroethene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Toluene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Trichloroethene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Trichlorofluoromethane	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0527	10	ND	1	10/5/2006	10/5/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0527	2.0	**17**	1	10/5/2006	10/5/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0527	2.0	**2.2**	1	10/5/2006	10/5/2006	
Vinyl acetate	EPA 8260B	P6J0527	25	ND	1	10/5/2006	10/5/2006	
Vinyl chloride	EPA 8260B	P6J0527	1.7	**13**	1	10/5/2006	10/5/2006	
Xylenes, Total	EPA 8260B	P6J0527	3.0	**13**	1	10/5/2006	10/5/2006	
Surrogate: Dibromofluoromethane (80-130%)				*102 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*103 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
Blank Analyzed: 10/04/2006 (P6J0425-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
Blank Analyzed: 10/04/2006 (P6J0425-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*24.8*		*ug/l*	*25.0*		*99*	*80-130*			
Surrogate: Toluene-d8	*23.7*		*ug/l*	*25.0*		*95*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*23.0*		*ug/l*	*25.0*		*92*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
LCS Analyzed: 10/04/2006 (P6J0425-BS1)										
Acetone	27.6	20	ug/l	25.0		110	30-150			
Benzene	22.3	1.0	ug/l	25.0		89	80-120			
Bromobenzene	22.7	5.0	ug/l	25.0		91	80-125			
Bromochloromethane	22.7	5.0	ug/l	25.0		91	80-125			
Bromodichloromethane	22.8	2.0	ug/l	25.0		91	80-120			
Bromoform	22.1	5.0	ug/l	25.0		88	70-120			
Bromomethane	23.5	5.0	ug/l	25.0		94	80-135			
2-Butanone (MEK)	24.4	10	ug/l	25.0		98	55-150			
n-Butylbenzene	23.4	5.0	ug/l	25.0		94	80-120			
sec-Butylbenzene	23.2	5.0	ug/l	25.0		93	80-130			
tert-Butylbenzene	22.7	5.0	ug/l	25.0		91	80-130			
Carbon Disulfide	22.7	5.0	ug/l	25.0		91	55-145			
Carbon tetrachloride	22.5	5.0	ug/l	25.0		90	80-120			
Chlorobenzene	22.5	1.0	ug/l	25.0		90	80-120			
Chloroethane	23.7	5.0	ug/l	25.0		95	80-125			
Chloroform	22.9	2.0	ug/l	25.0		92	80-120			
Chloromethane	24.1	5.0	ug/l	25.0		96	70-130			
2-Chlorotoluene	22.0	5.0	ug/l	25.0		88	80-120			
4-Chlorotoluene	22.9	5.0	ug/l	25.0		92	80-120			
Dibromochloromethane	22.5	2.0	ug/l	25.0		90	75-120			
1,2-Dibromo-3-chloropropane	22.9	5.0	ug/l	25.0		92	55-120			
1,2-Dibromoethane (EDB)	23.6	2.0	ug/l	25.0		94	75-125			
Dibromomethane	22.5	2.0	ug/l	25.0		90	80-125			
1,2-Dichlorobenzene	22.3	1.0	ug/l	25.0		89	80-120			
1,3-Dichlorobenzene	22.1	1.0	ug/l	25.0		88	80-125			
1,4-Dichlorobenzene	23.0	1.0	ug/l	25.0		92	80-120			
Dichlorodifluoromethane	20.6	5.0	ug/l	25.0		82	60-140			
1,1-Dichloroethane	22.6	2.0	ug/l	25.0		90	80-120			
1,2-Dichloroethane	23.6	1.0	ug/l	25.0		94	75-125			
1,1-Dichloroethene	23.0	5.0	ug/l	25.0		92	75-120			
cis-1,2-Dichloroethene	22.0	2.0	ug/l	25.0		88	80-125			
trans-1,2-Dichloroethene	22.7	2.0	ug/l	25.0		91	80-120			
1,2-Dichloropropane	22.9	2.0	ug/l	25.0		92	80-120			
1,3-Dichloropropane	23.2	2.0	ug/l	25.0		93	80-120			
2,2-Dichloropropane	22.6	2.0	ug/l	25.0		90	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
LCS Analyzed: 10/04/2006 (P6J0425-BS1)										
1,1-Dichloropropene	23.5	2.0	ug/l	25.0		94	80-120			
cis-1,3-Dichloropropene	23.0	2.0	ug/l	25.0		92	75-120			
trans-1,3-Dichloropropene	23.4	2.0	ug/l	25.0		94	80-120			
Ethylbenzene	23.3	2.0	ug/l	25.0		93	80-125			
Hexachlorobutadiene	21.4	5.0	ug/l	25.0		86	70-130			
2-Hexanone	26.0	10	ug/l	25.0		104	40-150			
Iodomethane	22.1	2.0	ug/l	25.0		88	80-130			
Isopropylbenzene	24.6	2.0	ug/l	25.0		98	80-140			
p-Isopropyltoluene	23.3	2.0	ug/l	25.0		93	80-130			
Methylene chloride	23.0	5.0	ug/l	25.0		92	80-120			
4-Methyl-2-pentanone (MIBK)	23.6	10	ug/l	25.0		94	50-140			
Methyl-tert-butyl Ether (MTBE)	23.7	5.0	ug/l	25.0		95	65-130			
Naphthalene	20.8	2.0	ug/l	25.0		83	70-130			
n-Propylbenzene	23.8	2.0	ug/l	25.0		95	80-135			
Styrene	23.4	2.0	ug/l	25.0		94	80-125			
1,1,1,2-Tetrachloroethane	22.6	5.0	ug/l	25.0		90	80-120			
1,1,2,2-Tetrachloroethane	24.1	2.0	ug/l	25.0		96	65-140			
Tetrachloroethene	22.0	2.0	ug/l	25.0		88	80-125			
Toluene	22.8	2.0	ug/l	25.0		91	80-125			
1,2,3-Trichlorobenzene	23.4	5.0	ug/l	25.0		94	75-125			
1,2,4-Trichlorobenzene	22.6	5.0	ug/l	25.0		90	80-125			
1,1,1-Trichloroethane	22.6	2.0	ug/l	25.0		90	75-125			
1,1,2-Trichloroethane	22.9	2.0	ug/l	25.0		92	80-125			
Trichloroethene	22.4	2.0	ug/l	25.0		90	80-120			
Trichlorofluoromethane	24.5	5.0	ug/l	25.0		98	75-130			
1,2,3-Trichloropropane	24.5	10	ug/l	25.0		98	65-135			
1,2,4-Trimethylbenzene	23.0	2.0	ug/l	25.0		92	80-125			
1,3,5-Trimethylbenzene	23.3	2.0	ug/l	25.0		93	80-130			
Vinyl acetate	31.6	25	ug/l	25.0		126	70-140			
Vinyl chloride	24.2	1.7	ug/l	25.0		97	70-135			
Xylenes, Total	45.5	3.0	ug/l	50.0		91	80-125			
Surrogate: Dibromofluoromethane	*24.7*		*ug/l*	*25.0*		*99*	*80-130*			
Surrogate: Toluene-d8	*23.8*		*ug/l*	*25.0*		*95*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.3*		*ug/l*	*25.0*		*97*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
LCS Dup Analyzed: 10/04/2006 (P6J0425-BSD1)										
Acetone	28.8	20	ug/l	25.0		115	30-150	4	35	
Benzene	23.3	1.0	ug/l	25.0		93	80-120	4	10	
Bromobenzene	23.1	5.0	ug/l	25.0		92	80-125	2	10	
Bromochloromethane	23.5	5.0	ug/l	25.0		94	80-125	3	15	
Bromodichloromethane	23.4	2.0	ug/l	25.0		94	80-120	3	15	
Bromoform	22.5	5.0	ug/l	25.0		90	70-120	2	20	
Bromomethane	24.0	5.0	ug/l	25.0		96	80-135	2	15	
2-Butanone (MEK)	26.9	10	ug/l	25.0		108	55-150	10	35	
n-Butylbenzene	23.8	5.0	ug/l	25.0		95	80-120	2	10	
sec-Butylbenzene	23.5	5.0	ug/l	25.0		94	80-130	1	10	
tert-Butylbenzene	22.6	5.0	ug/l	25.0		90	80-130	0	10	
Carbon Disulfide	23.7	5.0	ug/l	25.0		95	55-145	4	15	
Carbon tetrachloride	23.3	5.0	ug/l	25.0		93	80-120	3	15	
Chlorobenzene	23.2	1.0	ug/l	25.0		93	80-120	3	10	
Chloroethane	24.5	5.0	ug/l	25.0		98	80-125	3	15	
Chloroform	23.4	2.0	ug/l	25.0		94	80-120	2	10	
Chloromethane	24.2	5.0	ug/l	25.0		97	70-130	0	15	
2-Chlorotoluene	22.4	5.0	ug/l	25.0		90	80-120	2	10	
4-Chlorotoluene	23.1	5.0	ug/l	25.0		92	80-120	1	10	
Dibromochloromethane	23.2	2.0	ug/l	25.0		93	75-120	3	15	
1,2-Dibromo-3-chloropropane	23.2	5.0	ug/l	25.0		93	55-120	1	35	
1,2-Dibromoethane (EDB)	24.5	2.0	ug/l	25.0		98	75-125	4	20	
Dibromomethane	23.3	2.0	ug/l	25.0		93	80-125	3	20	
1,2-Dichlorobenzene	22.8	1.0	ug/l	25.0		91	80-120	2	10	
1,3-Dichlorobenzene	22.6	1.0	ug/l	25.0		90	80-125	2	10	
1,4-Dichlorobenzene	23.4	1.0	ug/l	25.0		94	80-120	2	10	
Dichlorodifluoromethane	19.9	5.0	ug/l	25.0		80	60-140	3	15	
1,1-Dichloroethane	23.0	2.0	ug/l	25.0		92	80-120	2	10	
1,2-Dichloroethane	24.3	1.0	ug/l	25.0		97	75-125	3	20	
1,1-Dichloroethene	24.2	5.0	ug/l	25.0		97	75-120	5	15	
cis-1,2-Dichloroethene	22.2	2.0	ug/l	25.0		89	80-125	1	10	
trans-1,2-Dichloroethene	23.2	2.0	ug/l	25.0		93	80-120	2	10	
1,2-Dichloropropane	23.4	2.0	ug/l	25.0		94	80-120	2	15	
1,3-Dichloropropane	23.6	2.0	ug/l	25.0		94	80-120	2	15	
2,2-Dichloropropane	21.8	2.0	ug/l	25.0		87	70-130	4	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
LCS Dup Analyzed: 10/04/2006 (P6J0425-BSD1)										
1,1-Dichloropropene	24.2	2.0	ug/l	25.0		97	80-120	3	10	
cis-1,3-Dichloropropene	23.9	2.0	ug/l	25.0		96	75-120	4	15	
trans-1,3-Dichloropropene	24.2	2.0	ug/l	25.0		97	80-120	3	20	
Ethylbenzene	23.9	2.0	ug/l	25.0		96	80-125	3	15	
Hexachlorobutadiene	24.4	5.0	ug/l	25.0		98	70-130	13	15	
2-Hexanone	28.4	10	ug/l	25.0		114	40-150	9	35	
Iodomethane	23.4	2.0	ug/l	25.0		94	80-130	6	10	
Isopropylbenzene	24.6	2.0	ug/l	25.0		98	80-140	0	10	
p-Isopropyltoluene	23.8	2.0	ug/l	25.0		95	80-130	2	15	
Methylene chloride	23.3	5.0	ug/l	25.0		93	80-120	1	10	
4-Methyl-2-pentanone (MIBK)	25.5	10	ug/l	25.0		102	50-140	8	35	
Methyl-tert-butyl Ether (MTBE)	24.0	5.0	ug/l	25.0		96	65-130	1	25	
Naphthalene	22.2	2.0	ug/l	25.0		89	70-130	7	20	
n-Propylbenzene	24.0	2.0	ug/l	25.0		96	80-135	1	10	
Styrene	24.1	2.0	ug/l	25.0		96	80-125	3	15	
1,1,1,2-Tetrachloroethane	23.4	5.0	ug/l	25.0		94	80-120	3	15	
1,1,2,2-Tetrachloroethane	24.4	2.0	ug/l	25.0		98	65-140	1	25	
Tetrachloroethene	23.6	2.0	ug/l	25.0		94	80-125	7	15	
Toluene	23.5	2.0	ug/l	25.0		94	80-125	3	10	
1,2,3-Trichlorobenzene	24.2	5.0	ug/l	25.0		97	75-125	3	15	
1,2,4-Trichlorobenzene	24.1	5.0	ug/l	25.0		96	80-125	6	15	
1,1,1-Trichloroethane	23.2	2.0	ug/l	25.0		93	75-125	3	10	
1,1,2-Trichloroethane	23.3	2.0	ug/l	25.0		93	80-125	2	25	
Trichloroethene	23.3	2.0	ug/l	25.0		93	80-120	4	10	
Trichlorofluoromethane	25.1	5.0	ug/l	25.0		100	75-130	2	10	
1,2,3-Trichloropropane	24.2	10	ug/l	25.0		97	65-135	1	25	
1,2,4-Trimethylbenzene	23.2	2.0	ug/l	25.0		93	80-125	1	10	
1,3,5-Trimethylbenzene	23.2	2.0	ug/l	25.0		93	80-130	0	10	
Vinyl acetate	31.3	25	ug/l	25.0		125	70-140	1	30	
Vinyl chloride	24.8	1.7	ug/l	25.0		99	70-135	2	15	
Xylenes, Total	47.6	3.0	ug/l	50.0		95	80-125	5	15	
Surrogate: Dibromofluoromethane	*24.0*		*ug/l*	*25.0*		*96*	*80-130*			
Surrogate: Toluene-d8	*24.0*		*ug/l*	*25.0*		*96*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.7*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
Matrix Spike Analyzed: 10/04/2006 (P6J0425-MS1)					**Source: PPI0750-07**					
Acetone	602	20	ug/l	25.0	ND	2408	15-150			*N1, M1*
Benzene	344	1.0	ug/l	25.0	390	-184	80-125			*N1, M3*
Bromobenzene	24.3	5.0	ug/l	25.0	ND	97	80-125			
Bromochloromethane	23.4	5.0	ug/l	25.0	ND	94	80-130			
Bromodichloromethane	24.2	2.0	ug/l	25.0	ND	97	70-130			
Bromoform	21.7	5.0	ug/l	25.0	ND	87	70-120			
Bromomethane	23.4	5.0	ug/l	25.0	ND	94	80-135			
2-Butanone (MEK)	23.2	10	ug/l	25.0	ND	93	30-150			
n-Butylbenzene	31.6	5.0	ug/l	25.0	7.4	97	80-135			
sec-Butylbenzene	29.6	5.0	ug/l	25.0	6.9	91	80-130			
tert-Butylbenzene	25.3	5.0	ug/l	25.0	1.9	94	80-130			
Carbon Disulfide	23.6	5.0	ug/l	25.0	ND	94	45-150			
Carbon tetrachloride	23.3	5.0	ug/l	25.0	ND	93	65-135			
Chlorobenzene	24.1	1.0	ug/l	25.0	ND	96	80-125			
Chloroethane	32.0	5.0	ug/l	25.0	9.4	90	80-125			
Chloroform	23.9	2.0	ug/l	25.0	ND	96	75-130			
Chloromethane	24.5	5.0	ug/l	25.0	ND	98	65-130			
2-Chlorotoluene	23.2	5.0	ug/l	25.0	ND	93	80-130			
4-Chlorotoluene	26.6	5.0	ug/l	25.0	ND	106	80-135			
Dibromochloromethane	23.0	2.0	ug/l	25.0	ND	92	75-120			
1,2-Dibromo-3-chloropropane	24.1	5.0	ug/l	25.0	ND	96	50-130			
1,2-Dibromoethane (EDB)	23.7	2.0	ug/l	25.0	ND	95	70-130			
Dibromomethane	22.7	2.0	ug/l	25.0	ND	91	75-130			
1,2-Dichlorobenzene	23.9	1.0	ug/l	25.0	ND	96	80-130			
1,3-Dichlorobenzene	23.6	1.0	ug/l	25.0	ND	94	80-130			
1,4-Dichlorobenzene	24.3	1.0	ug/l	25.0	ND	97	80-125			
Dichlorodifluoromethane	20.4	5.0	ug/l	25.0	ND	82	60-140			
1,1-Dichloroethane	77.4	2.0	ug/l	25.0	64	54	80-125			*M3*
1,2-Dichloroethane	24.8	1.0	ug/l	25.0	ND	99	60-145			
1,1-Dichloroethene	24.1	5.0	ug/l	25.0	ND	96	75-130			
cis-1,2-Dichloroethene	23.3	2.0	ug/l	25.0	0.70	90	80-125			
trans-1,2-Dichloroethene	22.9	2.0	ug/l	25.0	ND	92	80-120			
1,2-Dichloropropane	24.5	2.0	ug/l	25.0	ND	98	80-125			
1,3-Dichloropropane	23.9	2.0	ug/l	25.0	ND	96	75-130			
2,2-Dichloropropane	19.5	2.0	ug/l	25.0	ND	78	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
Matrix Spike Analyzed: 10/04/2006 (P6J0425-MS1)					**Source: PPI0750-07**					
1,1-Dichloropropene	24.4	2.0	ug/l	25.0	ND	98	80-125			
cis-1,3-Dichloropropene	25.0	2.0	ug/l	25.0	ND	100	75-120			
trans-1,3-Dichloropropene	25.5	2.0	ug/l	25.0	ND	102	75-130			
Ethylbenzene	158	2.0	ug/l	25.0	160	-8	80-130			*M3*
Hexachlorobutadiene	24.9	5.0	ug/l	25.0	ND	100	65-130			
2-Hexanone	26.1	10	ug/l	25.0	ND	104	40-150			
Iodomethane	23.4	2.0	ug/l	25.0	ND	94	70-140			
Isopropylbenzene	64.2	2.0	ug/l	25.0	46	73	80-140			*M3*
p-Isopropyltoluene	30.8	2.0	ug/l	25.0	7.0	95	80-135			
Methylene chloride	23.2	5.0	ug/l	25.0	ND	93	75-125			
4-Methyl-2-pentanone (MIBK)	28.0	10	ug/l	25.0	ND	112	40-140			
Methyl-tert-butyl Ether (MTBE)	50.4	5.0	ug/l	25.0	28	90	65-135			
Naphthalene	281	2.0	ug/l	25.0	290	-36	60-140			*N1, M3*
n-Propylbenzene	68.8	2.0	ug/l	25.0	52	67	80-140			*M2*
Styrene	25.3	2.0	ug/l	25.0	ND	101	30-150			
1,1,1,2-Tetrachloroethane	23.9	5.0	ug/l	25.0	ND	96	80-130			
1,1,2,2-Tetrachloroethane	23.0	2.0	ug/l	25.0	ND	92	65-140			
Tetrachloroethene	22.9	2.0	ug/l	25.0	ND	92	80-130			
Toluene	26.4	2.0	ug/l	25.0	2.3	96	80-130			
1,2,3-Trichlorobenzene	28.6	5.0	ug/l	25.0	ND	114	75-140			
1,2,4-Trichlorobenzene	28.2	5.0	ug/l	25.0	ND	113	80-135			
1,1,1-Trichloroethane	23.3	2.0	ug/l	25.0	ND	93	70-135			
1,1,2-Trichloroethane	28.1	2.0	ug/l	25.0	ND	112	70-135			
Trichloroethene	24.0	2.0	ug/l	25.0	0.76	93	80-125			
Trichlorofluoromethane	25.0	5.0	ug/l	25.0	ND	100	70-140			
1,2,3-Trichloropropane	22.3	10	ug/l	25.0	ND	89	65-135			
1,2,4-Trimethylbenzene	114	2.0	ug/l	25.0	110	16	75-130			*M3*
1,3,5-Trimethylbenzene	41.5	2.0	ug/l	25.0	21	82	80-135			
Vinyl acetate	35.3	25	ug/l	25.0	ND	141	30-150			
Vinyl chloride	33.8	1.7	ug/l	25.0	13	83	70-135			
Xylenes, Total	122	3.0	ug/l	50.0	85	74	80-125			
Surrogate: Dibromofluoromethane	*24.3*		*ug/l*	*25.0*		*97*	*80-130*			
Surrogate: Toluene-d8	*24.5*		*ug/l*	*25.0*		*98*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.6*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
Matrix Spike Dup Analyzed: 10/04/2006 (P6J0425-MSD1)					**Source: PPI0750-07**					
Acetone	697	20	ug/l	25.0	ND	2788	15-150	15	35	*N1, M1*
Benzene	391	1.0	ug/l	25.0	390	4	80-125	13	10	*N1, M3*
Bromobenzene	25.0	5.0	ug/l	25.0	ND	100	80-125	3	15	
Bromochloromethane	24.4	5.0	ug/l	25.0	ND	98	80-130	4	20	
Bromodichloromethane	26.0	2.0	ug/l	25.0	ND	104	70-130	7	15	
Bromoform	23.8	5.0	ug/l	25.0	ND	95	70-120	9	25	
Bromomethane	24.4	5.0	ug/l	25.0	ND	98	80-135	4	20	
2-Butanone (MEK)	28.6	10	ug/l	25.0	ND	114	30-150	21	35	
n-Butylbenzene	32.9	5.0	ug/l	25.0	7.4	102	80-135	4	20	
sec-Butylbenzene	31.4	5.0	ug/l	25.0	6.9	98	80-130	6	20	
tert-Butylbenzene	26.1	5.0	ug/l	25.0	1.9	97	80-130	3	20	
Carbon Disulfide	24.3	5.0	ug/l	25.0	ND	97	45-150	3	15	
Carbon tetrachloride	24.8	5.0	ug/l	25.0	ND	99	65-135	6	15	
Chlorobenzene	25.1	1.0	ug/l	25.0	ND	100	80-125	4	15	
Chloroethane	34.2	5.0	ug/l	25.0	9.4	99	80-125	7	20	
Chloroform	25.4	2.0	ug/l	25.0	ND	102	75-130	6	15	
Chloromethane	25.0	5.0	ug/l	25.0	ND	100	65-130	2	20	
2-Chlorotoluene	24.1	5.0	ug/l	25.0	ND	96	80-130	4	15	
4-Chlorotoluene	28.0	5.0	ug/l	25.0	ND	112	80-135	5	15	
Dibromochloromethane	24.9	2.0	ug/l	25.0	ND	100	75-120	8	20	
1,2-Dibromo-3-chloropropane	28.4	5.0	ug/l	25.0	ND	114	50-130	16	35	
1,2-Dibromoethane (EDB)	26.3	2.0	ug/l	25.0	ND	105	70-130	10	25	
Dibromomethane	25.2	2.0	ug/l	25.0	ND	101	75-130	10	25	
1,2-Dichlorobenzene	25.1	1.0	ug/l	25.0	ND	100	80-130	5	15	
1,3-Dichlorobenzene	24.4	1.0	ug/l	25.0	ND	98	80-130	3	15	
1,4-Dichlorobenzene	25.1	1.0	ug/l	25.0	ND	100	80-125	3	10	
Dichlorodifluoromethane	19.8	5.0	ug/l	25.0	ND	79	60-140	3	45	
1,1-Dichloroethane	84.5	2.0	ug/l	25.0	64	82	80-125	9	15	
1,2-Dichloroethane	26.8	1.0	ug/l	25.0	ND	107	60-145	8	20	
1,1-Dichloroethene	25.2	5.0	ug/l	25.0	ND	101	75-130	4	15	
cis-1,2-Dichloroethene	23.9	2.0	ug/l	25.0	0.70	93	80-125	3	15	
trans-1,2-Dichloroethene	24.2	2.0	ug/l	25.0	ND	97	80-120	6	15	
1,2-Dichloropropane	25.6	2.0	ug/l	25.0	ND	102	80-125	4	15	
1,3-Dichloropropane	25.6	2.0	ug/l	25.0	ND	102	75-130	7	20	
2,2-Dichloropropane	20.0	2.0	ug/l	25.0	ND	80	60-135	3	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0425 Extracted: 10/04/06										
Matrix Spike Dup Analyzed: 10/04/2006 (P6J0425-MSD1)					**Source: PPI0750-07**					
1,1-Dichloropropene	25.5	2.0	ug/l	25.0	ND	102	80-125	4	15	
cis-1,3-Dichloropropene	26.7	2.0	ug/l	25.0	ND	107	75-120	7	15	
trans-1,3-Dichloropropene	28.0	2.0	ug/l	25.0	ND	112	75-130	9	25	
Ethylbenzene	175	2.0	ug/l	25.0	160	60	80-130	10	15	*M3*
Hexachlorobutadiene	26.0	5.0	ug/l	25.0	ND	104	65-130	4	15	
2-Hexanone	32.7	10	ug/l	25.0	ND	131	40-150	22	35	
Iodomethane	24.5	2.0	ug/l	25.0	ND	98	70-140	5	15	
Isopropylbenzene	70.5	2.0	ug/l	25.0	46	98	80-140	9	20	
p-Isopropyltoluene	32.0	2.0	ug/l	25.0	7.0	100	80-135	4	20	
Methylene chloride	24.9	5.0	ug/l	25.0	ND	100	75-125	7	15	
4-Methyl-2-pentanone (MIBK)	35.4	10	ug/l	25.0	ND	142	40-140	23	35	*M1*
Methyl-tert-butyl Ether (MTBE)	58.0	5.0	ug/l	25.0	28	120	65-135	14	30	
Naphthalene	333	2.0	ug/l	25.0	290	172	60-140	17	30	*N1, M3*
n-Propylbenzene	73.6	2.0	ug/l	25.0	52	86	80-140	7	20	
Styrene	26.5	2.0	ug/l	25.0	ND	106	30-150	5	25	
1,1,1,2-Tetrachloroethane	25.2	5.0	ug/l	25.0	ND	101	80-130	5	15	
1,1,2,2-Tetrachloroethane	26.4	2.0	ug/l	25.0	ND	106	65-140	14	35	
Tetrachloroethene	23.5	2.0	ug/l	25.0	ND	94	80-130	3	15	
Toluene	27.7	2.0	ug/l	25.0	2.3	102	80-130	5	15	
1,2,3-Trichlorobenzene	30.5	5.0	ug/l	25.0	ND	122	75-140	6	20	
1,2,4-Trichlorobenzene	28.9	5.0	ug/l	25.0	ND	116	80-135	2	15	
1,1,1-Trichloroethane	24.5	2.0	ug/l	25.0	ND	98	70-135	5	15	
1,1,2-Trichloroethane	32.2	2.0	ug/l	25.0	ND	129	70-135	14	25	
Trichloroethene	25.0	2.0	ug/l	25.0	0.76	97	80-125	4	15	
Trichlorofluoromethane	26.2	5.0	ug/l	25.0	ND	105	70-140	5	15	
1,2,3-Trichloropropane	26.6	10	ug/l	25.0	ND	106	65-135	18	35	
1,2,4-Trimethylbenzene	125	2.0	ug/l	25.0	110	60	75-130	9	15	*M3*
1,3,5-Trimethylbenzene	44.7	2.0	ug/l	25.0	21	95	80-135	7	15	
Vinyl acetate	37.1	25	ug/l	25.0	ND	148	30-150	5	35	
Vinyl chloride	36.1	1.7	ug/l	25.0	13	92	70-135	7	25	
Xylenes, Total	132	3.0	ug/l	50.0	85	94	80-125	8	15	
Surrogate: Dibromofluoromethane	*24.0*		*ug/l*	*25.0*		*96*	*80-130*			
Surrogate: Toluene-d8	*24.6*		*ug/l*	*25.0*		*98*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.4*		*ug/l*	*25.0*		*102*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
Blank Analyzed: 10/04/2006 (P6J0507-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	0.50	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
Blank Analyzed: 10/04/2006 (P6J0507-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*24.3*		*ug/l*	*25.0*		*97*	*80-130*			
Surrogate: Toluene-d8	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.1*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
LCS Analyzed: 10/04/2006 (P6J0507-BS1)										
Acetone	23.7	20	ug/l	25.0		95	30-150			
Benzene	26.2	1.0	ug/l	25.0		105	80-120			
Bromobenzene	25.1	5.0	ug/l	25.0		100	80-125			
Bromochloromethane	23.9	5.0	ug/l	25.0		96	80-125			
Bromodichloromethane	23.8	2.0	ug/l	25.0		95	80-120			
Bromoform	26.8	5.0	ug/l	25.0		107	70-120			
Bromomethane	24.7	5.0	ug/l	25.0		99	80-135			
2-Butanone (MEK)	25.3	10	ug/l	25.0		101	55-150			
n-Butylbenzene	25.6	5.0	ug/l	25.0		102	80-120			
sec-Butylbenzene	25.0	5.0	ug/l	25.0		100	80-130			
tert-Butylbenzene	24.9	5.0	ug/l	25.0		100	80-130			
Carbon Disulfide	26.2	5.0	ug/l	25.0		105	55-145			
Carbon tetrachloride	22.8	5.0	ug/l	25.0		91	80-120			
Chlorobenzene	25.0	1.0	ug/l	25.0		100	80-120			
Chloroethane	25.5	5.0	ug/l	25.0		102	80-125			
Chloroform	23.0	2.0	ug/l	25.0		92	80-120			
Chloromethane	25.4	5.0	ug/l	25.0		102	70-130			
2-Chlorotoluene	25.1	5.0	ug/l	25.0		100	80-120			
4-Chlorotoluene	25.1	5.0	ug/l	25.0		100	80-120			
Dibromochloromethane	23.1	2.0	ug/l	25.0		92	75-120			
1,2-Dibromo-3-chloropropane	22.1	5.0	ug/l	25.0		88	55-120			
1,2-Dibromoethane (EDB)	23.9	2.0	ug/l	25.0		96	75-125			
Dibromomethane	23.5	2.0	ug/l	25.0		94	80-125			
1,2-Dichlorobenzene	24.3	1.0	ug/l	25.0		97	80-120			
1,3-Dichlorobenzene	24.8	1.0	ug/l	25.0		99	80-125			
1,4-Dichlorobenzene	25.2	1.0	ug/l	25.0		101	80-120			
Dichlorodifluoromethane	20.2	5.0	ug/l	25.0		81	60-140			
1,1-Dichloroethane	24.7	2.0	ug/l	25.0		99	80-120			
1,2-Dichloroethane	22.0	1.0	ug/l	25.0		88	75-125			
1,1-Dichloroethene	25.1	5.0	ug/l	25.0		100	75-120			
cis-1,2-Dichloroethene	24.4	2.0	ug/l	25.0		98	80-125			
trans-1,2-Dichloroethene	25.6	2.0	ug/l	25.0		102	80-120			
1,2-Dichloropropane	26.1	2.0	ug/l	25.0		104	80-120			
1,3-Dichloropropane	24.6	2.0	ug/l	25.0		98	80-120			
2,2-Dichloropropane	23.2	2.0	ug/l	25.0		93	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
LCS Analyzed: 10/04/2006 (P6J0507-BS1)										
1,1-Dichloropropene	25.6	2.0	ug/l	25.0		102	80-120			
cis-1,3-Dichloropropene	25.7	2.0	ug/l	25.0		103	75-120			
trans-1,3-Dichloropropene	25.0	2.0	ug/l	25.0		100	80-120			
Ethylbenzene	25.2	2.0	ug/l	25.0		101	80-125			
Hexachlorobutadiene	25.0	5.0	ug/l	25.0		100	70-130			
2-Hexanone	24.0	10	ug/l	25.0		96	40-150			
Iodomethane	24.0	2.0	ug/l	25.0		96	80-130			
Isopropylbenzene	26.8	2.0	ug/l	25.0		107	80-140			
p-Isopropyltoluene	25.4	2.0	ug/l	25.0		102	80-130			
Methylene chloride	24.8	5.0	ug/l	25.0		99	80-120			
4-Methyl-2-pentanone (MIBK)	22.6	10	ug/l	25.0		90	50-140			
Methyl-tert-butyl Ether (MTBE)	24.3	5.0	ug/l	25.0		97	65-130			
Naphthalene	23.0	2.0	ug/l	25.0		92	70-130			
n-Propylbenzene	26.2	2.0	ug/l	25.0		105	80-135			
Styrene	25.7	2.0	ug/l	25.0		103	80-125			
1,1,1,2-Tetrachloroethane	24.4	5.0	ug/l	25.0		98	80-120			
1,1,2,2-Tetrachloroethane	25.8	2.0	ug/l	25.0		103	65-140			
Tetrachloroethene	24.8	2.0	ug/l	25.0		99	80-125			
Toluene	26.0	2.0	ug/l	25.0		104	80-125			
1,2,3-Trichlorobenzene	25.8	5.0	ug/l	25.0		103	75-125			
1,2,4-Trichlorobenzene	25.8	5.0	ug/l	25.0		103	80-125			
1,1,1-Trichloroethane	22.5	2.0	ug/l	25.0		90	75-125			
1,1,2-Trichloroethane	23.9	2.0	ug/l	25.0		96	80-125			
Trichloroethene	25.1	2.0	ug/l	25.0		100	80-120			
Trichlorofluoromethane	23.3	5.0	ug/l	25.0		93	75-130			
1,2,3-Trichloropropane	23.9	10	ug/l	25.0		96	65-135			
1,2,4-Trimethylbenzene	24.5	2.0	ug/l	25.0		98	80-125			
1,3,5-Trimethylbenzene	25.3	2.0	ug/l	25.0		101	80-130			
Vinyl acetate	31.0	25	ug/l	25.0		124	70-140			
Vinyl chloride	25.4	1.7	ug/l	25.0		102	70-135			
Xylenes, Total	49.9	3.0	ug/l	50.0		100	80-125			
Surrogate: Dibromofluoromethane	*24.0*		*ug/l*	*25.0*		*96*	*80-130*			
Surrogate: Toluene-d8	*26.4*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.4*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
LCS Dup Analyzed: 10/04/2006 (P6J0507-BSD1)										
Acetone	21.5	20	ug/l	25.0		86	30-150	10	35	
Benzene	26.3	1.0	ug/l	25.0		105	80-120	0	10	
Bromobenzene	25.0	5.0	ug/l	25.0		100	80-125	0	10	
Bromochloromethane	24.0	5.0	ug/l	25.0		96	80-125	0	15	
Bromodichloromethane	23.5	2.0	ug/l	25.0		94	80-120	1	15	
Bromoform	26.1	5.0	ug/l	25.0		104	70-120	3	20	
Bromomethane	24.4	5.0	ug/l	25.0		98	80-135	1	15	
2-Butanone (MEK)	23.5	10	ug/l	25.0		94	55-150	7	35	
n-Butylbenzene	25.6	5.0	ug/l	25.0		102	80-120	0	10	
sec-Butylbenzene	25.4	5.0	ug/l	25.0		102	80-130	2	10	
tert-Butylbenzene	25.2	5.0	ug/l	25.0		101	80-130	1	10	
Carbon Disulfide	25.0	5.0	ug/l	25.0		100	55-145	5	15	
Carbon tetrachloride	23.2	5.0	ug/l	25.0		93	80-120	2	15	
Chlorobenzene	25.2	1.0	ug/l	25.0		101	80-120	1	10	
Chloroethane	26.1	5.0	ug/l	25.0		104	80-125	2	15	
Chloroform	23.5	2.0	ug/l	25.0		94	80-120	2	10	
Chloromethane	25.4	5.0	ug/l	25.0		102	70-130	0	15	
2-Chlorotoluene	25.0	5.0	ug/l	25.0		100	80-120	0	10	
4-Chlorotoluene	24.8	5.0	ug/l	25.0		99	80-120	1	10	
Dibromochloromethane	22.6	2.0	ug/l	25.0		90	75-120	2	15	
1,2-Dibromo-3-chloropropane	21.9	5.0	ug/l	25.0		88	55-120	1	35	
1,2-Dibromoethane (EDB)	24.0	2.0	ug/l	25.0		96	75-125	0	20	
Dibromomethane	22.7	2.0	ug/l	25.0		91	80-125	3	20	
1,2-Dichlorobenzene	23.8	1.0	ug/l	25.0		95	80-120	2	10	
1,3-Dichlorobenzene	24.4	1.0	ug/l	25.0		98	80-125	2	10	
1,4-Dichlorobenzene	25.0	1.0	ug/l	25.0		100	80-120	1	10	
Dichlorodifluoromethane	19.9	5.0	ug/l	25.0		80	60-140	1	15	
1,1-Dichloroethane	20.8	2.0	ug/l	25.0		83	80-120	17	10	*R6*
1,2-Dichloroethane	22.0	1.0	ug/l	25.0		88	75-125	0	20	
1,1-Dichloroethene	25.7	5.0	ug/l	25.0		103	75-120	2	15	
cis-1,2-Dichloroethene	24.9	2.0	ug/l	25.0		100	80-125	2	10	
trans-1,2-Dichloroethene	22.5	2.0	ug/l	25.0		90	80-120	13	10	*R6*
1,2-Dichloropropane	25.8	2.0	ug/l	25.0		103	80-120	1	15	
1,3-Dichloropropane	24.0	2.0	ug/l	25.0		96	80-120	2	15	
2,2-Dichloropropane	23.2	2.0	ug/l	25.0		93	70-130	0	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
LCS Dup Analyzed: 10/04/2006 (P6J0507-BSD1)										
1,1-Dichloropropene	25.4	2.0	ug/l	25.0		102	80-120	1	10	
cis-1,3-Dichloropropene	24.9	2.0	ug/l	25.0		100	75-120	3	15	
trans-1,3-Dichloropropene	24.3	2.0	ug/l	25.0		97	80-120	3	20	
Ethylbenzene	25.5	2.0	ug/l	25.0		102	80-125	1	15	
Hexachlorobutadiene	24.3	5.0	ug/l	25.0		97	70-130	3	15	
2-Hexanone	22.6	10	ug/l	25.0		90	40-150	6	35	
Iodomethane	24.7	2.0	ug/l	25.0		99	80-130	3	10	
Isopropylbenzene	27.5	2.0	ug/l	25.0		110	80-140	3	10	
p-Isopropyltoluene	25.4	2.0	ug/l	25.0		102	80-130	0	15	
Methylene chloride	25.4	5.0	ug/l	25.0		102	80-120	2	10	
4-Methyl-2-pentanone (MIBK)	21.8	10	ug/l	25.0		87	50-140	4	35	
Methyl-tert-butyl Ether (MTBE)	20.1	5.0	ug/l	25.0		80	65-130	19	25	
Naphthalene	22.8	2.0	ug/l	25.0		91	70-130	1	20	
n-Propylbenzene	26.6	2.0	ug/l	25.0		106	80-135	2	10	
Styrene	25.9	2.0	ug/l	25.0		104	80-125	1	15	
1,1,1,2-Tetrachloroethane	24.8	5.0	ug/l	25.0		99	80-120	2	15	
1,1,2,2-Tetrachloroethane	24.7	2.0	ug/l	25.0		99	65-140	4	25	
Tetrachloroethene	24.7	2.0	ug/l	25.0		99	80-125	0	15	
Toluene	25.4	2.0	ug/l	25.0		102	80-125	2	10	
1,2,3-Trichlorobenzene	25.8	5.0	ug/l	25.0		103	75-125	0	15	
1,2,4-Trichlorobenzene	25.3	5.0	ug/l	25.0		101	80-125	2	15	
1,1,1-Trichloroethane	22.9	2.0	ug/l	25.0		92	75-125	2	10	
1,1,2-Trichloroethane	23.1	2.0	ug/l	25.0		92	80-125	3	25	
Trichloroethene	24.3	2.0	ug/l	25.0		97	80-120	3	10	
Trichlorofluoromethane	23.7	5.0	ug/l	25.0		95	75-130	2	10	
1,2,3-Trichloropropane	23.4	10	ug/l	25.0		94	65-135	2	25	
1,2,4-Trimethylbenzene	24.7	2.0	ug/l	25.0		99	80-125	1	10	
1,3,5-Trimethylbenzene	25.5	2.0	ug/l	25.0		102	80-130	1	10	
Vinyl acetate	29.9	25	ug/l	25.0		120	70-140	4	30	
Vinyl chloride	25.6	1.7	ug/l	25.0		102	70-135	1	15	
Xylenes, Total	51.0	3.0	ug/l	50.0		102	80-125	2	15	
Surrogate: Dibromofluoromethane	*24.2*		*ug/l*	*25.0*		*97*	*80-130*			
Surrogate: Toluene-d8	*25.7*		*ug/l*	*25.0*		*103*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.7*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
Matrix Spike Analyzed: 10/04/2006 (P6J0507-MS1)					**Source: PPI0752-07**					
Acetone	25.9	20	ug/l	25.0	ND	104	15-150			
Benzene	24.3	1.0	ug/l	25.0	ND	97	80-125			
Bromobenzene	23.5	5.0	ug/l	25.0	ND	94	80-125			
Bromochloromethane	23.3	5.0	ug/l	25.0	ND	93	80-130			
Bromodichloromethane	24.0	2.0	ug/l	25.0	ND	96	70-130			
Bromoform	24.9	5.0	ug/l	25.0	ND	100	70-120			
Bromomethane	23.5	5.0	ug/l	25.0	ND	94	80-135			
2-Butanone (MEK)	25.6	10	ug/l	25.0	ND	102	30-150			
n-Butylbenzene	23.5	5.0	ug/l	25.0	ND	94	80-135			
sec-Butylbenzene	23.6	5.0	ug/l	25.0	ND	94	80-130			
tert-Butylbenzene	23.7	5.0	ug/l	25.0	ND	95	80-130			
Carbon Disulfide	25.5	5.0	ug/l	25.0	ND	102	45-150			
Carbon tetrachloride	22.8	5.0	ug/l	25.0	0.46	89	65-135			
Chlorobenzene	22.9	1.0	ug/l	25.0	ND	92	80-125			
Chloroethane	23.7	5.0	ug/l	25.0	ND	95	80-125			
Chloroform	23.4	2.0	ug/l	25.0	0.77	91	75-130			
Chloromethane	22.5	5.0	ug/l	25.0	ND	90	65-130			
2-Chlorotoluene	23.2	5.0	ug/l	25.0	ND	93	80-130			
4-Chlorotoluene	23.3	5.0	ug/l	25.0	ND	93	80-135			
Dibromochloromethane	21.7	2.0	ug/l	25.0	ND	87	75-120			
1,2-Dibromo-3-chloropropane	21.5	5.0	ug/l	25.0	ND	86	50-130			
1,2-Dibromoethane (EDB)	23.3	2.0	ug/l	25.0	ND	93	70-130			
Dibromomethane	22.8	2.0	ug/l	25.0	ND	91	75-130			
1,2-Dichlorobenzene	22.6	1.0	ug/l	25.0	ND	90	80-130			
1,3-Dichlorobenzene	23.0	1.0	ug/l	25.0	ND	92	80-130			
1,4-Dichlorobenzene	24.0	1.0	ug/l	25.0	ND	96	80-125			
Dichlorodifluoromethane	19.9	5.0	ug/l	25.0	ND	80	60-140			
1,1-Dichloroethane	26.2	2.0	ug/l	25.0	2.6	94	80-125			
1,2-Dichloroethane	23.2	1.0	ug/l	25.0	ND	93	60-145			
1,1-Dichloroethene	28.5	5.0	ug/l	25.0	6.7	87	75-130			
cis-1,2-Dichloroethene	48.9	2.0	ug/l	25.0	27	88	80-125			
trans-1,2-Dichloroethene	24.0	2.0	ug/l	25.0	0.46	94	80-120			
1,2-Dichloropropane	24.8	2.0	ug/l	25.0	ND	99	80-125			
1,3-Dichloropropane	22.8	2.0	ug/l	25.0	ND	91	75-130			
2,2-Dichloropropane	22.7	2.0	ug/l	25.0	ND	91	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
Matrix Spike Analyzed: 10/04/2006 (P6J0507-MS1)					**Source: PPI0752-07**					
1,1-Dichloropropene	23.9	2.0	ug/l	25.0	ND	96	80-125			
cis-1,3-Dichloropropene	24.4	2.0	ug/l	25.0	ND	98	75-120			
trans-1,3-Dichloropropene	24.7	2.0	ug/l	25.0	ND	99	75-130			
Ethylbenzene	23.0	2.0	ug/l	25.0	ND	92	80-130			
Hexachlorobutadiene	22.6	5.0	ug/l	25.0	ND	90	65-130			
2-Hexanone	24.1	10	ug/l	25.0	ND	96	40-150			
Iodomethane	24.5	2.0	ug/l	25.0	ND	98	70-140			
Isopropylbenzene	24.9	2.0	ug/l	25.0	ND	100	80-140			
p-Isopropyltoluene	23.9	2.0	ug/l	25.0	ND	96	80-135			
Methylene chloride	23.0	5.0	ug/l	25.0	ND	92	75-125			
4-Methyl-2-pentanone (MIBK)	25.1	10	ug/l	25.0	ND	100	40-140			
Methyl-tert-butyl Ether (MTBE)	24.3	5.0	ug/l	25.0	ND	97	65-135			
Naphthalene	22.9	2.0	ug/l	25.0	ND	92	60-140			
n-Propylbenzene	24.2	2.0	ug/l	25.0	ND	97	80-140			
Styrene	23.3	2.0	ug/l	25.0	ND	93	30-150			
1,1,1,2-Tetrachloroethane	22.9	5.0	ug/l	25.0	ND	92	80-130			
1,1,2,2-Tetrachloroethane	24.9	2.0	ug/l	25.0	ND	100	65-140			
Tetrachloroethene	22.3	2.0	ug/l	25.0	0.49	87	80-130			
Toluene	24.4	2.0	ug/l	25.0	ND	98	80-130			
1,2,3-Trichlorobenzene	24.2	5.0	ug/l	25.0	ND	97	75-140			
1,2,4-Trichlorobenzene	23.8	5.0	ug/l	25.0	ND	95	80-135			
1,1,1-Trichloroethane	22.3	2.0	ug/l	25.0	ND	89	70-135			
1,1,2-Trichloroethane	23.3	2.0	ug/l	25.0	ND	93	70-135			
Trichloroethene	107	2.0	ug/l	25.0	91	64	80-125			*M2*
Trichlorofluoromethane	23.1	5.0	ug/l	25.0	ND	92	70-140			
1,2,3-Trichloropropane	23.7	10	ug/l	25.0	ND	95	65-135			
1,2,4-Trimethylbenzene	23.0	2.0	ug/l	25.0	ND	92	75-130			
1,3,5-Trimethylbenzene	23.5	2.0	ug/l	25.0	ND	94	80-135			
Vinyl acetate	32.2	25	ug/l	25.0	ND	129	30-150			
Vinyl chloride	24.2	1.7	ug/l	25.0	ND	97	70-135			
Xylenes, Total	46.7	3.0	ug/l	50.0	ND	93	80-125			
Surrogate: Dibromofluoromethane	*25.1*		*ug/l*	*25.0*		*100*	*80-130*			
Surrogate: Toluene-d8	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.6*		*ug/l*	*25.0*		*102*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
Matrix Spike Dup Analyzed: 10/04/2006 (P6J0507-MSD1)					**Source: PPI0752-07**					
Acetone	26.3	20	ug/l	25.0	ND	105	15-150	2	35	
Benzene	24.6	1.0	ug/l	25.0	ND	98	80-125	1	10	
Bromobenzene	24.2	5.0	ug/l	25.0	ND	97	80-125	3	15	
Bromochloromethane	24.8	5.0	ug/l	25.0	ND	99	80-130	6	20	
Bromodichloromethane	25.1	2.0	ug/l	25.0	ND	100	70-130	4	15	
Bromoform	25.7	5.0	ug/l	25.0	ND	103	70-120	3	25	
Bromomethane	25.1	5.0	ug/l	25.0	ND	100	80-135	7	20	
2-Butanone (MEK)	28.6	10	ug/l	25.0	ND	114	30-150	11	35	
n-Butylbenzene	24.3	5.0	ug/l	25.0	ND	97	80-135	3	20	
sec-Butylbenzene	24.1	5.0	ug/l	25.0	ND	96	80-130	2	20	
tert-Butylbenzene	24.0	5.0	ug/l	25.0	ND	96	80-130	1	20	
Carbon Disulfide	26.5	5.0	ug/l	25.0	ND	106	45-150	4	15	
Carbon tetrachloride	22.8	5.0	ug/l	25.0	0.46	89	65-135	0	15	
Chlorobenzene	23.7	1.0	ug/l	25.0	ND	95	80-125	3	15	
Chloroethane	25.8	5.0	ug/l	25.0	ND	103	80-125	8	20	
Chloroform	24.9	2.0	ug/l	25.0	0.77	97	75-130	6	15	
Chloromethane	25.7	5.0	ug/l	25.0	ND	103	65-130	13	20	
2-Chlorotoluene	23.7	5.0	ug/l	25.0	ND	95	80-130	2	15	
4-Chlorotoluene	23.9	5.0	ug/l	25.0	ND	96	80-135	3	15	
Dibromochloromethane	23.4	2.0	ug/l	25.0	ND	94	75-120	8	20	
1,2-Dibromo-3-chloropropane	24.4	5.0	ug/l	25.0	ND	98	50-130	13	35	
1,2-Dibromoethane (EDB)	24.0	2.0	ug/l	25.0	ND	96	70-130	3	25	
Dibromomethane	24.3	2.0	ug/l	25.0	ND	97	75-130	6	25	
1,2-Dichlorobenzene	23.7	1.0	ug/l	25.0	ND	95	80-130	5	15	
1,3-Dichlorobenzene	23.4	1.0	ug/l	25.0	ND	94	80-130	2	15	
1,4-Dichlorobenzene	24.3	1.0	ug/l	25.0	ND	97	80-125	1	10	
Dichlorodifluoromethane	20.7	5.0	ug/l	25.0	ND	83	60-140	4	45	
1,1-Dichloroethane	27.3	2.0	ug/l	25.0	2.6	99	80-125	4	15	
1,2-Dichloroethane	25.0	1.0	ug/l	25.0	ND	100	60-145	7	20	
1,1-Dichloroethene	30.1	5.0	ug/l	25.0	6.7	94	75-130	5	15	
cis-1,2-Dichloroethene	50.2	2.0	ug/l	25.0	27	93	80-125	3	15	
trans-1,2-Dichloroethene	25.0	2.0	ug/l	25.0	0.46	98	80-120	4	15	
1,2-Dichloropropane	26.0	2.0	ug/l	25.0	ND	104	80-125	5	15	
1,3-Dichloropropane	24.8	2.0	ug/l	25.0	ND	99	75-130	8	20	
2,2-Dichloropropane	23.9	2.0	ug/l	25.0	ND	96	60-135	5	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752
Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
Matrix Spike Dup Analyzed: 10/04/2006 (P6J0507-MSD1)					**Source: PPI0752-07**					
1,1-Dichloropropene	23.8	2.0	ug/l	25.0	ND	95	80-125	0	15	
cis-1,3-Dichloropropene	25.3	2.0	ug/l	25.0	ND	101	75-120	4	15	
trans-1,3-Dichloropropene	25.8	2.0	ug/l	25.0	ND	103	75-130	4	25	
Ethylbenzene	23.8	2.0	ug/l	25.0	ND	95	80-130	3	15	
Hexachlorobutadiene	23.1	5.0	ug/l	25.0	ND	92	65-130	2	15	
2-Hexanone	24.9	10	ug/l	25.0	ND	100	40-150	3	35	
Iodomethane	24.5	2.0	ug/l	25.0	ND	98	70-140	0	15	
Isopropylbenzene	25.6	2.0	ug/l	25.0	ND	102	80-140	3	20	
p-Isopropyltoluene	24.4	2.0	ug/l	25.0	ND	98	80-135	2	20	
Methylene chloride	24.4	5.0	ug/l	25.0	ND	98	75-125	6	15	
4-Methyl-2-pentanone (MIBK)	25.1	10	ug/l	25.0	ND	100	40-140	0	35	
Methyl-tert-butyl Ether (MTBE)	25.7	5.0	ug/l	25.0	ND	103	65-135	6	30	
Naphthalene	24.5	2.0	ug/l	25.0	ND	98	60-140	7	30	
n-Propylbenzene	24.7	2.0	ug/l	25.0	ND	99	80-140	2	20	
Styrene	24.5	2.0	ug/l	25.0	ND	98	30-150	5	25	
1,1,1,2-Tetrachloroethane	24.2	5.0	ug/l	25.0	ND	97	80-130	6	15	
1,1,2,2-Tetrachloroethane	26.0	2.0	ug/l	25.0	ND	104	65-140	4	35	
Tetrachloroethene	23.5	2.0	ug/l	25.0	0.49	92	80-130	5	15	
Toluene	25.4	2.0	ug/l	25.0	ND	102	80-130	4	15	
1,2,3-Trichlorobenzene	24.2	5.0	ug/l	25.0	ND	97	75-140	0	20	
1,2,4-Trichlorobenzene	24.2	5.0	ug/l	25.0	ND	97	80-135	2	15	
1,1,1-Trichloroethane	23.2	2.0	ug/l	25.0	ND	93	70-135	4	15	
1,1,2-Trichloroethane	24.6	2.0	ug/l	25.0	ND	98	70-135	5	25	
Trichloroethene	107	2.0	ug/l	25.0	91	64	80-125	0	15	*M2*
Trichlorofluoromethane	24.1	5.0	ug/l	25.0	ND	96	70-140	4	15	
1,2,3-Trichloropropane	24.9	10	ug/l	25.0	ND	100	65-135	5	35	
1,2,4-Trimethylbenzene	23.8	2.0	ug/l	25.0	ND	95	75-130	3	15	
1,3,5-Trimethylbenzene	24.2	2.0	ug/l	25.0	ND	97	80-135	3	15	
Vinyl acetate	33.0	25	ug/l	25.0	ND	132	30-150	2	35	
Vinyl chloride	26.7	1.7	ug/l	25.0	ND	107	70-135	10	25	
Xylenes, Total	47.9	3.0	ug/l	50.0	ND	96	80-125	3	15	
Surrogate: Dibromofluoromethane	*26.1*		*ug/l*	*25.0*		*104*	*80-130*			
Surrogate: Toluene-d8	*26.4*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.9*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
Blank Analyzed: 10/05/2006 (P6J0527-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
Blank Analyzed: 10/05/2006 (P6J0527-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*24.8*		*ug/l*	*25.0*		*99*	*80-130*			
Surrogate: Toluene-d8	*26.0*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.1*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
LCS Analyzed: 10/05/2006 (P6J0527-BS1)										
Acetone	21.9	20	ug/l	25.0		88	30-150			
Benzene	22.9	1.0	ug/l	25.0		92	80-120			
Bromobenzene	22.5	5.0	ug/l	25.0		90	80-125			
Bromochloromethane	22.2	5.0	ug/l	25.0		89	80-125			
Bromodichloromethane	22.4	2.0	ug/l	25.0		90	80-120			
Bromoform	23.5	5.0	ug/l	25.0		94	70-120			
Bromomethane	22.6	5.0	ug/l	25.0		90	80-135			
2-Butanone (MEK)	23.0	10	ug/l	25.0		92	55-150			
n-Butylbenzene	23.5	5.0	ug/l	25.0		94	80-120			
sec-Butylbenzene	23.1	5.0	ug/l	25.0		92	80-130			
tert-Butylbenzene	23.3	5.0	ug/l	25.0		93	80-130			
Carbon Disulfide	24.1	5.0	ug/l	25.0		96	55-145			
Carbon tetrachloride	22.2	5.0	ug/l	25.0		89	80-120			
Chlorobenzene	23.2	1.0	ug/l	25.0		93	80-120			
Chloroethane	23.6	5.0	ug/l	25.0		94	80-125			
Chloroform	22.2	2.0	ug/l	25.0		89	80-120			
Chloromethane	23.8	5.0	ug/l	25.0		95	70-130			
2-Chlorotoluene	22.6	5.0	ug/l	25.0		90	80-120			
4-Chlorotoluene	22.7	5.0	ug/l	25.0		91	80-120			
Dibromochloromethane	21.8	2.0	ug/l	25.0		87	75-120			
1,2-Dibromo-3-chloropropane	19.4	5.0	ug/l	25.0		78	55-120			
1,2-Dibromoethane (EDB)	22.0	2.0	ug/l	25.0		88	75-125			
Dibromomethane	21.6	2.0	ug/l	25.0		86	80-125			
1,2-Dichlorobenzene	21.9	1.0	ug/l	25.0		88	80-120			
1,3-Dichlorobenzene	22.6	1.0	ug/l	25.0		90	80-125			
1,4-Dichlorobenzene	22.9	1.0	ug/l	25.0		92	80-120			
Dichlorodifluoromethane	19.1	5.0	ug/l	25.0		76	60-140			
1,1-Dichloroethane	23.0	2.0	ug/l	25.0		92	80-120			
1,2-Dichloroethane	22.0	1.0	ug/l	25.0		88	75-125			
1,1-Dichloroethene	22.3	5.0	ug/l	25.0		89	75-120			
cis-1,2-Dichloroethene	22.0	2.0	ug/l	25.0		88	80-125			
trans-1,2-Dichloroethene	22.8	2.0	ug/l	25.0		91	80-120			
1,2-Dichloropropane	23.6	2.0	ug/l	25.0		94	80-120			
1,3-Dichloropropane	22.4	2.0	ug/l	25.0		90	80-120			
2,2-Dichloropropane	22.6	2.0	ug/l	25.0		90	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
LCS Analyzed: 10/05/2006 (P6J0527-BS1)										
1,1-Dichloropropene	23.5	2.0	ug/l	25.0		94	80-120			
cis-1,3-Dichloropropene	23.2	2.0	ug/l	25.0		93	75-120			
trans-1,3-Dichloropropene	23.3	2.0	ug/l	25.0		93	80-120			
Ethylbenzene	23.1	2.0	ug/l	25.0		92	80-125			
Hexachlorobutadiene	22.4	5.0	ug/l	25.0		90	70-130			
2-Hexanone	21.9	10	ug/l	25.0		88	40-150			
Iodomethane	22.2	2.0	ug/l	25.0		89	80-130			
Isopropylbenzene	24.8	2.0	ug/l	25.0		99	80-140			
p-Isopropyltoluene	23.6	2.0	ug/l	25.0		94	80-130			
Methylene chloride	22.0	5.0	ug/l	25.0		88	80-120			
4-Methyl-2-pentanone (MIBK)	21.1	10	ug/l	25.0		84	50-140			
Methyl-tert-butyl Ether (MTBE)	22.3	5.0	ug/l	25.0		89	65-130			
Naphthalene	20.6	2.0	ug/l	25.0		82	70-130			
n-Propylbenzene	23.9	2.0	ug/l	25.0		96	80-135			
Styrene	23.8	2.0	ug/l	25.0		95	80-125			
1,1,1,2-Tetrachloroethane	22.9	5.0	ug/l	25.0		92	80-120			
1,1,2,2-Tetrachloroethane	22.6	2.0	ug/l	25.0		90	65-140			
Tetrachloroethene	22.6	2.0	ug/l	25.0		90	80-125			
Toluene	23.5	2.0	ug/l	25.0		94	80-125			
1,2,3-Trichlorobenzene	22.8	5.0	ug/l	25.0		91	75-125			
1,2,4-Trichlorobenzene	22.8	5.0	ug/l	25.0		91	80-125			
1,1,1-Trichloroethane	22.2	2.0	ug/l	25.0		89	75-125			
1,1,2-Trichloroethane	21.4	2.0	ug/l	25.0		86	80-125			
Trichloroethene	22.6	2.0	ug/l	25.0		90	80-120			
Trichlorofluoromethane	23.0	5.0	ug/l	25.0		92	75-130			
1,2,3-Trichloropropane	21.8	10	ug/l	25.0		87	65-135			
1,2,4-Trimethylbenzene	22.8	2.0	ug/l	25.0		91	80-125			
1,3,5-Trimethylbenzene	23.1	2.0	ug/l	25.0		92	80-130			
Vinyl acetate	29.1	25	ug/l	25.0		116	70-140			
Vinyl chloride	24.4	1.7	ug/l	25.0		98	70-135			
Xylenes, Total	46.2	3.0	ug/l	50.0		92	80-125			
Surrogate: Dibromofluoromethane	*25.1*		*ug/l*	*25.0*		*100*	*80-130*			
Surrogate: Toluene-d8	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.8*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
LCS Dup Analyzed: 10/05/2006 (P6J0527-BSD1)										
Acetone	22.0	20	ug/l	25.0		88	30-150	1	35	
Benzene	23.6	1.0	ug/l	25.0		94	80-120	3	10	
Bromobenzene	22.5	5.0	ug/l	25.0		90	80-125	0	10	
Bromochloromethane	22.4	5.0	ug/l	25.0		90	80-125	1	15	
Bromodichloromethane	22.4	2.0	ug/l	25.0		90	80-120	0	15	
Bromoform	22.9	5.0	ug/l	25.0		92	70-120	3	20	
Bromomethane	23.3	5.0	ug/l	25.0		93	80-135	3	15	
2-Butanone (MEK)	22.1	10	ug/l	25.0		88	55-150	4	35	
n-Butylbenzene	24.1	5.0	ug/l	25.0		96	80-120	3	10	
sec-Butylbenzene	23.3	5.0	ug/l	25.0		93	80-130	1	10	
tert-Butylbenzene	23.0	5.0	ug/l	25.0		92	80-130	1	10	
Carbon Disulfide	22.0	5.0	ug/l	25.0		88	55-145	9	15	
Carbon tetrachloride	22.1	5.0	ug/l	25.0		88	80-120	1	15	
Chlorobenzene	22.8	1.0	ug/l	25.0		91	80-120	2	10	
Chloroethane	23.4	5.0	ug/l	25.0		94	80-125	1	15	
Chloroform	21.8	2.0	ug/l	25.0		87	80-120	2	10	
Chloromethane	23.8	5.0	ug/l	25.0		95	70-130	0	15	
2-Chlorotoluene	22.7	5.0	ug/l	25.0		91	80-120	0	10	
4-Chlorotoluene	22.7	5.0	ug/l	25.0		91	80-120	0	10	
Dibromochloromethane	21.5	2.0	ug/l	25.0		86	75-120	1	15	
1,2-Dibromo-3-chloropropane	20.9	5.0	ug/l	25.0		84	55-120	7	35	
1,2-Dibromoethane (EDB)	22.3	2.0	ug/l	25.0		89	75-125	1	20	
Dibromomethane	22.2	2.0	ug/l	25.0		89	80-125	3	20	
1,2-Dichlorobenzene	22.8	1.0	ug/l	25.0		91	80-120	4	10	
1,3-Dichlorobenzene	22.7	1.0	ug/l	25.0		91	80-125	0	10	
1,4-Dichlorobenzene	23.6	1.0	ug/l	25.0		94	80-120	3	10	
Dichlorodifluoromethane	18.7	5.0	ug/l	25.0		75	60-140	2	15	
1,1-Dichloroethane	22.9	2.0	ug/l	25.0		92	80-120	0	10	
1,2-Dichloroethane	21.7	1.0	ug/l	25.0		87	75-125	1	20	
1,1-Dichloroethene	22.5	5.0	ug/l	25.0		90	75-120	1	15	
cis-1,2-Dichloroethene	22.3	2.0	ug/l	25.0		89	80-125	1	10	
trans-1,2-Dichloroethene	23.0	2.0	ug/l	25.0		92	80-120	1	10	
1,2-Dichloropropane	24.2	2.0	ug/l	25.0		97	80-120	3	15	
1,3-Dichloropropane	22.0	2.0	ug/l	25.0		88	80-120	2	15	
2,2-Dichloropropane	22.6	2.0	ug/l	25.0		90	70-130	0	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
LCS Dup Analyzed: 10/05/2006 (P6J0527-BSD1)										
1,1-Dichloropropene	24.0	2.0	ug/l	25.0		96	80-120	2	10	
cis-1,3-Dichloropropene	23.0	2.0	ug/l	25.0		92	75-120	1	15	
trans-1,3-Dichloropropene	23.4	2.0	ug/l	25.0		94	80-120	0	20	
Ethylbenzene	23.3	2.0	ug/l	25.0		93	80-125	1	15	
Hexachlorobutadiene	23.0	5.0	ug/l	25.0		92	70-130	3	15	
2-Hexanone	22.0	10	ug/l	25.0		88	40-150	1	35	
Iodomethane	22.2	2.0	ug/l	25.0		89	80-130	0	10	
Isopropylbenzene	25.2	2.0	ug/l	25.0		101	80-140	2	10	
p-Isopropyltoluene	23.8	2.0	ug/l	25.0		95	80-130	1	15	
Methylene chloride	22.4	5.0	ug/l	25.0		90	80-120	2	10	
4-Methyl-2-pentanone (MIBK)	21.7	10	ug/l	25.0		87	50-140	3	35	
Methyl-tert-butyl Ether (MTBE)	22.3	5.0	ug/l	25.0		89	65-130	0	25	
Naphthalene	22.6	2.0	ug/l	25.0		90	70-130	9	20	
n-Propylbenzene	24.0	2.0	ug/l	25.0		96	80-135	0	10	
Styrene	23.5	2.0	ug/l	25.0		94	80-125	1	15	
1,1,1,2-Tetrachloroethane	22.7	5.0	ug/l	25.0		91	80-120	1	15	
1,1,2,2-Tetrachloroethane	22.8	2.0	ug/l	25.0		91	65-140	1	25	
Tetrachloroethene	22.7	2.0	ug/l	25.0		91	80-125	0	15	
Toluene	23.8	2.0	ug/l	25.0		95	80-125	1	10	
1,2,3-Trichlorobenzene	23.6	5.0	ug/l	25.0		94	75-125	3	15	
1,2,4-Trichlorobenzene	23.3	5.0	ug/l	25.0		93	80-125	2	15	
1,1,1-Trichloroethane	21.9	2.0	ug/l	25.0		88	75-125	1	10	
1,1,2-Trichloroethane	22.0	2.0	ug/l	25.0		88	80-125	3	25	
Trichloroethene	23.0	2.0	ug/l	25.0		92	80-120	2	10	
Trichlorofluoromethane	23.0	5.0	ug/l	25.0		92	75-130	0	10	
1,2,3-Trichloropropane	22.1	10	ug/l	25.0		88	65-135	1	25	
1,2,4-Trimethylbenzene	22.7	2.0	ug/l	25.0		91	80-125	0	10	
1,3,5-Trimethylbenzene	22.9	2.0	ug/l	25.0		92	80-130	1	10	
Vinyl acetate	28.8	25	ug/l	25.0		115	70-140	1	30	
Vinyl chloride	24.2	1.7	ug/l	25.0		97	70-135	1	15	
Xylenes, Total	46.9	3.0	ug/l	50.0		94	80-125	2	15	
Surrogate: Dibromofluoromethane	*25.1*		*ug/l*	*25.0*		*100*	*80-130*			
Surrogate: Toluene-d8	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.3*		*ug/l*	*25.0*		*97*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
Matrix Spike Analyzed: 10/05/2006 (P6J0527-MS1)					**Source: PPI0787-01**					
Acetone	27.1	20	ug/l	25.0	ND	108	15-150			
Benzene	24.3	1.0	ug/l	25.0	ND	97	80-125			
Bromobenzene	23.5	5.0	ug/l	25.0	ND	94	80-125			
Bromochloromethane	23.4	5.0	ug/l	25.0	ND	94	80-130			
Bromodichloromethane	23.4	2.0	ug/l	25.0	ND	94	70-130			
Bromoform	24.8	5.0	ug/l	25.0	ND	99	70-120			
Bromomethane	23.7	5.0	ug/l	25.0	ND	95	80-135			
2-Butanone (MEK)	26.2	10	ug/l	25.0	ND	105	30-150			
n-Butylbenzene	23.7	5.0	ug/l	25.0	ND	95	80-135			
sec-Butylbenzene	23.5	5.0	ug/l	25.0	ND	94	80-130			
tert-Butylbenzene	23.3	5.0	ug/l	25.0	ND	93	80-130			
Carbon Disulfide	22.9	5.0	ug/l	25.0	ND	92	45-150			
Carbon tetrachloride	21.0	5.0	ug/l	25.0	ND	84	65-135			
Chlorobenzene	23.4	1.0	ug/l	25.0	ND	94	80-125			
Chloroethane	24.5	5.0	ug/l	25.0	ND	98	80-125			
Chloroform	24.1	2.0	ug/l	25.0	1.4	91	75-130			
Chloromethane	23.8	5.0	ug/l	25.0	ND	95	65-130			
2-Chlorotoluene	23.2	5.0	ug/l	25.0	ND	93	80-130			
4-Chlorotoluene	23.1	5.0	ug/l	25.0	ND	92	80-135			
Dibromochloromethane	22.6	2.0	ug/l	25.0	ND	90	75-120			
1,2-Dibromo-3-chloropropane	22.2	5.0	ug/l	25.0	ND	89	50-130			
1,2-Dibromoethane (EDB)	23.7	2.0	ug/l	25.0	ND	95	70-130			
Dibromomethane	23.0	2.0	ug/l	25.0	ND	92	75-130			
1,2-Dichlorobenzene	23.0	1.0	ug/l	25.0	ND	92	80-130			
1,3-Dichlorobenzene	23.0	1.0	ug/l	25.0	ND	92	80-130			
1,4-Dichlorobenzene	24.0	1.0	ug/l	25.0	ND	96	80-125			
Dichlorodifluoromethane	18.9	5.0	ug/l	25.0	ND	76	60-140			
1,1-Dichloroethane	24.1	2.0	ug/l	25.0	ND	96	80-125			
1,2-Dichloroethane	23.0	1.0	ug/l	25.0	ND	92	60-145			
1,1-Dichloroethene	24.4	5.0	ug/l	25.0	ND	98	75-130			
cis-1,2-Dichloroethene	24.0	2.0	ug/l	25.0	0.70	93	80-125			
trans-1,2-Dichloroethene	23.9	2.0	ug/l	25.0	ND	96	80-120			
1,2-Dichloropropane	25.2	2.0	ug/l	25.0	ND	101	80-125			
1,3-Dichloropropane	23.5	2.0	ug/l	25.0	ND	94	75-130			
2,2-Dichloropropane	22.0	2.0	ug/l	25.0	ND	88	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
Matrix Spike Analyzed: 10/05/2006 (P6J0527-MS1)					**Source: PPI0787-01**					
1,1-Dichloropropene	23.9	2.0	ug/l	25.0	ND	96	80-125			
cis-1,3-Dichloropropene	24.5	2.0	ug/l	25.0	ND	98	75-120			
trans-1,3-Dichloropropene	24.0	2.0	ug/l	25.0	ND	96	75-130			
Ethylbenzene	23.4	2.0	ug/l	25.0	ND	94	80-130			
Hexachlorobutadiene	22.5	5.0	ug/l	25.0	ND	90	65-130			
2-Hexanone	23.9	10	ug/l	25.0	ND	96	40-150			
Iodomethane	23.1	2.0	ug/l	25.0	ND	92	70-140			
Isopropylbenzene	25.2	2.0	ug/l	25.0	ND	101	80-140			
p-Isopropyltoluene	23.4	2.0	ug/l	25.0	ND	94	80-135			
Methylene chloride	24.0	5.0	ug/l	25.0	ND	96	75-125			
4-Methyl-2-pentanone (MIBK)	24.2	10	ug/l	25.0	ND	97	40-140			
Methyl-tert-butyl Ether (MTBE)	25.0	5.0	ug/l	25.0	ND	100	65-135			
Naphthalene	23.9	2.0	ug/l	25.0	ND	96	60-140			
n-Propylbenzene	24.4	2.0	ug/l	25.0	ND	98	80-140			
Styrene	22.5	2.0	ug/l	25.0	ND	90	30-150			
1,1,1,2-Tetrachloroethane	23.0	5.0	ug/l	25.0	ND	92	80-130			
1,1,2,2-Tetrachloroethane	25.5	2.0	ug/l	25.0	ND	102	65-140			
Tetrachloroethene	24.4	2.0	ug/l	25.0	1.9	90	80-130			
Toluene	24.4	2.0	ug/l	25.0	ND	98	80-130			
1,2,3-Trichlorobenzene	24.6	5.0	ug/l	25.0	ND	98	75-140			
1,2,4-Trichlorobenzene	23.8	5.0	ug/l	25.0	ND	95	80-135			
1,1,1-Trichloroethane	22.1	2.0	ug/l	25.0	ND	88	70-135			
1,1,2-Trichloroethane	24.2	2.0	ug/l	25.0	ND	97	70-135			
Trichloroethene	27.0	2.0	ug/l	25.0	4.1	92	80-125			
Trichlorofluoromethane	22.8	5.0	ug/l	25.0	ND	91	70-140			
1,2,3-Trichloropropane	24.8	10	ug/l	25.0	ND	99	65-135			
1,2,4-Trimethylbenzene	23.0	2.0	ug/l	25.0	ND	92	75-130			
1,3,5-Trimethylbenzene	23.6	2.0	ug/l	25.0	ND	94	80-135			
Vinyl acetate	28.3	25	ug/l	25.0	ND	113	30-150			
Vinyl chloride	24.7	1.7	ug/l	25.0	ND	99	70-135			
Xylenes, Total	46.7	3.0	ug/l	50.0	ND	93	80-125			
Surrogate: Dibromofluoromethane	*25.2*		*ug/l*	*25.0*		*101*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.4*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
Matrix Spike Dup Analyzed: 10/05/2006 (P6J0527-MSD1)					**Source: PPI0787-01**					
Acetone	21.0	20	ug/l	25.0	ND	84	15-150	25	35	
Benzene	22.6	1.0	ug/l	25.0	ND	90	80-125	7	10	
Bromobenzene	21.9	5.0	ug/l	25.0	ND	88	80-125	7	15	
Bromochloromethane	21.8	5.0	ug/l	25.0	ND	87	80-130	7	20	
Bromodichloromethane	21.9	2.0	ug/l	25.0	ND	88	70-130	7	15	
Bromoform	23.0	5.0	ug/l	25.0	ND	92	70-120	8	25	
Bromomethane	21.6	5.0	ug/l	25.0	ND	86	80-135	9	20	
2-Butanone (MEK)	23.2	10	ug/l	25.0	ND	93	30-150	12	35	
n-Butylbenzene	22.0	5.0	ug/l	25.0	ND	88	80-135	7	20	
sec-Butylbenzene	21.9	5.0	ug/l	25.0	ND	88	80-130	7	20	
tert-Butylbenzene	21.5	5.0	ug/l	25.0	ND	86	80-130	8	20	
Carbon Disulfide	22.2	5.0	ug/l	25.0	ND	89	45-150	3	15	
Carbon tetrachloride	19.9	5.0	ug/l	25.0	ND	80	65-135	5	15	
Chlorobenzene	21.8	1.0	ug/l	25.0	ND	87	80-125	7	15	
Chloroethane	22.7	5.0	ug/l	25.0	ND	91	80-125	8	20	
Chloroform	22.0	2.0	ug/l	25.0	1.4	82	75-130	9	15	
Chloromethane	22.0	5.0	ug/l	25.0	ND	88	65-130	8	20	
2-Chlorotoluene	21.5	5.0	ug/l	25.0	ND	86	80-130	8	15	
4-Chlorotoluene	21.6	5.0	ug/l	25.0	ND	86	80-135	7	15	
Dibromochloromethane	20.9	2.0	ug/l	25.0	ND	84	75-120	8	20	
1,2-Dibromo-3-chloropropane	20.7	5.0	ug/l	25.0	ND	83	50-130	7	35	
1,2-Dibromoethane (EDB)	22.0	2.0	ug/l	25.0	ND	88	70-130	7	25	
Dibromomethane	21.1	2.0	ug/l	25.0	ND	84	75-130	9	25	
1,2-Dichlorobenzene	21.3	1.0	ug/l	25.0	ND	85	80-130	8	15	
1,3-Dichlorobenzene	21.0	1.0	ug/l	25.0	ND	84	80-130	9	15	
1,4-Dichlorobenzene	21.9	1.0	ug/l	25.0	ND	88	80-125	9	10	
Dichlorodifluoromethane	16.4	5.0	ug/l	25.0	ND	66	60-140	14	45	
1,1-Dichloroethane	22.0	2.0	ug/l	25.0	ND	88	80-125	9	15	
1,2-Dichloroethane	21.0	1.0	ug/l	25.0	ND	84	60-145	9	20	
1,1-Dichloroethene	22.0	5.0	ug/l	25.0	ND	88	75-130	10	15	
cis-1,2-Dichloroethene	22.0	2.0	ug/l	25.0	0.70	85	80-125	9	15	
trans-1,2-Dichloroethene	22.3	2.0	ug/l	25.0	ND	89	80-120	7	15	
1,2-Dichloropropane	23.0	2.0	ug/l	25.0	ND	92	80-125	9	15	
1,3-Dichloropropane	22.0	2.0	ug/l	25.0	ND	88	75-130	7	20	
2,2-Dichloropropane	20.1	2.0	ug/l	25.0	ND	80	60-135	9	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
Matrix Spike Dup Analyzed: 10/05/2006 (P6J0527-MSD1)					**Source: PPI0787-01**					
1,1-Dichloropropene	22.2	2.0	ug/l	25.0	ND	89	80-125	7	15	
cis-1,3-Dichloropropene	22.5	2.0	ug/l	25.0	ND	90	75-120	9	15	
trans-1,3-Dichloropropene	22.0	2.0	ug/l	25.0	ND	88	75-130	9	25	
Ethylbenzene	21.9	2.0	ug/l	25.0	ND	88	80-130	7	15	
Hexachlorobutadiene	20.8	5.0	ug/l	25.0	ND	83	65-130	8	15	
2-Hexanone	22.0	10	ug/l	25.0	ND	88	40-150	8	35	
Iodomethane	22.2	2.0	ug/l	25.0	ND	89	70-140	4	15	
Isopropylbenzene	23.0	2.0	ug/l	25.0	ND	92	80-140	9	20	
p-Isopropyltoluene	22.0	2.0	ug/l	25.0	ND	88	80-135	6	20	
Methylene chloride	22.2	5.0	ug/l	25.0	ND	89	75-125	8	15	
4-Methyl-2-pentanone (MIBK)	22.1	10	ug/l	25.0	ND	88	40-140	9	35	
Methyl-tert-butyl Ether (MTBE)	22.2	5.0	ug/l	25.0	ND	89	65-135	12	30	
Naphthalene	22.2	2.0	ug/l	25.0	ND	89	60-140	7	30	
n-Propylbenzene	22.5	2.0	ug/l	25.0	ND	90	80-140	8	20	
Styrene	20.4	2.0	ug/l	25.0	ND	82	30-150	10	25	
1,1,1,2-Tetrachloroethane	21.2	5.0	ug/l	25.0	ND	85	80-130	8	15	
1,1,2,2-Tetrachloroethane	23.8	2.0	ug/l	25.0	ND	95	65-140	7	35	
Tetrachloroethene	23.8	2.0	ug/l	25.0	1.9	88	80-130	2	15	
Toluene	22.2	2.0	ug/l	25.0	ND	89	80-130	9	15	
1,2,3-Trichlorobenzene	22.8	5.0	ug/l	25.0	ND	91	75-140	8	20	
1,2,4-Trichlorobenzene	21.8	5.0	ug/l	25.0	ND	87	80-135	9	15	
1,1,1-Trichloroethane	20.3	2.0	ug/l	25.0	ND	81	70-135	8	15	
1,1,2-Trichloroethane	21.4	2.0	ug/l	25.0	ND	86	70-135	12	25	
Trichloroethene	24.9	2.0	ug/l	25.0	4.1	83	80-125	8	15	
Trichlorofluoromethane	21.0	5.0	ug/l	25.0	ND	84	70-140	8	15	
1,2,3-Trichloropropane	22.4	10	ug/l	25.0	ND	90	65-135	10	35	
1,2,4-Trimethylbenzene	21.1	2.0	ug/l	25.0	ND	84	75-130	9	15	
1,3,5-Trimethylbenzene	21.7	2.0	ug/l	25.0	ND	87	80-135	8	15	
Vinyl acetate	25.6	25	ug/l	25.0	ND	102	30-150	10	35	
Vinyl chloride	21.6	1.7	ug/l	25.0	ND	86	70-135	13	25	
Xylenes, Total	43.5	3.0	ug/l	50.0	ND	87	80-125	7	15	
Surrogate: Dibromofluoromethane	*24.5*		*ug/l*	*25.0*		*98*	*80-130*			
Surrogate: Toluene-d8	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.8*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

DATA QUALIFIERS AND DEFINITIONS

M1	Matrix spike recovery was high, the method control sample recovery was acceptable.
M2	Matrix spike recovery was low, the method control sample recovery was acceptable.
M3	The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
N1	See case narrative.
R6	LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
ND	Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
RPD	Relative Percent Difference

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0752

Sampled: 09/21/06
Received: 09/22/06

Certification Summary

TestAmerica - Phoenix, AZ

Method	Matrix	Nelac	Arizona
EPA 8015B	Water	X	X
EPA 8260B	Water	X	X

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

Subcontracted Laboratories

Transwest Geochem *Arizona Cert #AZ0133*
3725 E. Atlanta Ave Ste 1 - Phoenix, AZ 85040-2961

Analysis Performed: 8015B MOD-Low Level
Samples: PPI0752-04, PPI0752-05, PPI0752-06, PPI0752-08, PPI0752-09

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Test America Phoenix (formerly DELMAR)
9830 South 51st St. SuiteB-120
Phoenix, AZ 85044
Phone 480-785-0043

Chain Of Custody / Analysis Request

COC # : 37380_060921B
Page 1 of 1

Lab Use Only
Project No:
Job No.

Client Contact: (name, co., address)
Jennifer Holland
CH2M HILL
2625 South Plaza Dr STE 300
Tempe, AZ 85282
480-377-6287

Sampler: ~~M Wiese~~ Rich Randall
Project Number: PO #2959460
Site Name: Sky Harbor
Location of Site: Phoenix, AZ

Analysis Turnaround Time:
24 Hour - ☐
7 Day - ☐ Normal TAT
14 Day - ☐
21 Day - ☐
28 Day - ☐

	Sample Identification		Sample Date	Sample Time	Sample Type	Matrix	# of Cont.	Filtration Used	Time for MS / MSD	Preserved Sample	Unpreserved Sample	SW8015	SW8260																	Lab Sample Numbers
	Location ID	Field Sample ID																												
1	Trip Blank	TB-092106B	Sep 21 2006	0622	BLKWATER	WATER	1	X			X		X						PPJ8752-1											
2	ASE-41B	ASE-41B-6C2	Sep 21 2006	0641	GW	WATER	3	X			X		X																	2
3	ASE-40B	ASE-40B-6C2	Sep 21 2006	0729	GW	WATER	3	X			X		X																	3
4	PL-105A	PL-105A-6C2	Sep 21 2006	0804	GW	WATER	5	X			X	X	X																	4
5	ASE-108A	ASE-108A-6C2	Sep 21 2006	0837	GW	WATER	5	X			X	X	X																	5
6	ASE-62A	ASE-62A-6C2	Sep 21 2006	0928	GW	WATER	5	X			X	X	X	0928																6
7	ASE-47B	ASE-47B-6C2	Sep 21 2006	1018	GW	WATER	5	X	X		X		X	-																7
~~8~~ 8	~~ASE-26A~~	~~ASE-26A-6C2~~	~~Sep 21 2006~~		~~GW~~	~~WATER~~	~~3~~	~~X~~			~~X~~		~~X~~																	
9	ASE-65A	ASE-65A-6C2	Sep 21 2006	1445	GW	WATER	5	X			X	X	X																	8
10																														
9 11	ASE-41A	ASE-41A-6C2	9-21-06	1400	GW	WTR	5	X			X	X	X																	9
12																														
13																														
14																														
15																														
16																														
17																														
18																														
19																														
20																														
21																														
22																														
23																														

Special Instructions: Standard TAT 10 days.

Relinquished by:	Company:	Date/Time:	Received by:	Company:
	HTA 09/22/06	1457		
Relinquished by:	Company:	Date/Time:	Received by:	Company:
Relinquished by:	Company:	Date/Time:	Received by: TA-Phx 9/22/06 14:57	Company:

3.8°C

TRANSWEST GEOCHEM

October 16, 2006

Ken Baker
TestAmerica - Phoenix
9830 S. 51st Street
Suite B-120
Phoenix, AZ 85044

Re: PPI0752
Work Order No.: 0609439

Dear Ken,

Attached is the original Report of Analysis from Columbia Analytical Services, Inc. (AZ0604) for the samples received on 9/25/06. The following analysis was performed:

Method EPA 8015B – Diesel Range Organics

If you have any questions regarding the results, please call me. We appreciate your business and thank you for choosing Transwest Geochem.

Sincerely,

Skip Harden
Project Manager

ADHS License No. AZM133/AZ0133

CONFIDENTIAL AND PRIVILEGED

2525 E. Atlanta Avenue • Phoenix, Arizona 85040 • (602) 437-0330 • (800) 927-5183 • Fax (602) 437-0660
3860 E. Palo Verde Rd. • Suite 301 • Tucson, Arizona 85714 • (520) 573-1061 • Fax (520) 573-1063

100% Recycled

5090 Caterpillar Road Redding, California 96003 (530) 244-5227 (530) 244-4109 fax

Columbia Analytical Services INC.
An Employee - Owned Company

October 11, 2006 Service Request No: D0601447

Skip Harden
Transwest Geochem, Incorporated
3725 East Atlanta Avenue
Suite 2
Phoenix, AZ 85040-2960

RE: PPC/PPD PPI0752/0609439

Dear Skip:

Enclosed are the results of the sample(s) submitted to our laboratory on September 26, 2006. For your reference, these analyses have been assigned our service request number D0601447.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 112. You may also contact me via email at mhovanec@redding.caslab.com.

Respectfully submitted,

Columbia Analytical Services, Inc.

Michael Hovanec
Project Chemist

NELAP Accredited ACIL Seal of Excellence Award 100% Recycled

Current CAS Redding Accreditation Programs

Federal and National Programs

- U.S Air Force, Air Force Center for Environmental Excellence (AFCEE)
  Approved laboratory for Wastewater and Hazardous Waste
- U.S. Army Corps of Engineers – MRD, HTRW Mandatory Center of Expertise
  Validated for Wastewater and Hazardous Waste
- Department of the Navy, Naval Facilities Engineering Service Center (NFESC)
  Approved laboratory for Wastewater and Hazardous Waste

State and Local Programs

- State of Alaska, Department of Environmental Conservation
  Approved Laboratory for Contaminated Sites
  Lab ID UST-001
- State of Arizona, Department of Health Services, Office of Laboratory Licensure
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID AZ0604
- State of California, Department of Health Services, National Environmental Laboratory Accreditation Program **(NELAP)**
  Approved Laboratory for Drinking Water, Wastewater and Hazardous Waste
  Lab ID 01105CA
  - Los Angeles County Sanitation District
    Approved Laboratory for Wastewater
    Lab ID 10243
- State of California, Department of Health Services, Environmental Laboratory Accreditation Program (ELAP)
  Approved Laboratory for Microbiology of Drinking Water and Wastewater
  Lab ID 2635
- State of Florida, Department of Health, Bureau of Laboratories **(NELAP)**
  Approved Environmental Testing Laboratory for Wastewater and Hazardous Waste
  Lab ID E87203
- State of Kansas, Department of Health and Environment **(NELAP)**
  Approved Laboratory for Hazardous Waste
  Lab ID E-10323
- State of Massachusetts, Department of Environmental Protection
  Approved laboratory for Drinking Water and Wastewater
  Lab ID M-CA025
- State of Oklahoma, Department of Environmental Quality
  Approved Laboratory for General Water Quality/Sludge Testing
  Lab ID 9952
- State of Oregon, Environmental Laboratory Accreditation Program **(ORELAP)**
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID CA200004
- State of Utah, Department of Health, Bureau of Laboratory Improvement **(NELAP)**
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID QUAL1
- State of Washington, Department of Ecology
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID C1234
- State of Wisconsin, Department of Natural Resources
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID 999767340

Arizona Data Qualifiers
Revision 2.0, 11/26/2003

Developed by the Sub-committee of the
Arizona Environmental Laboratory Advisory Committee

Microbiology:
A1 = Too numerous to count.
A2 = Sample incubation period exceeded method requirement.
A3 = Sample incubation period was shorter than method requirement.
A4 = Target organism detected in associated method blank.
A5 = Incubator/water bath temperature was outside method requirements.
A6 = Target organism not detected in associated positive control.
A7 = Micro sample received without adequate headspace.

Method/calibration blank:
B1 = Target analyte detected in method blank at or above the method reporting limit.
B2 = Non-target analyte detected in method blank and sample, producing interference.
B3 = Target analyte detected in calibration blank at or above the method reporting limit.
B4 = Target analyte detected in blank at/above method acceptance criteria.
B5 = Target analyte detected in method blank at or above the method reporting limit, but below trigger level or MCL.
B6 = Target analyte detected in calibration blank at or above the method reporting limit, but below trigger level or MCL.
B7 = Target analyte detected in method blank at or above method reporting limit. Concentration found in the sample was 10 times above the concentration found in the method blank.

Confirmation:
C1 = Confirmatory analysis not performed as required by the method.
C3 = Qualitative confirmation performed.
C4 = Confirmatory analysis was past holding time.
C5 = Confirmatory analysis was past holding time. Original result not confirmed.
C6 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the higher value was reported as there was no obvious chromatographic interference.
C7 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic interference.

Dilution:
D1 = Sample required dilution due to matrix.
D2 = Sample required dilution due to high concentration of target analyte.
D3 = Sample dilution required due to insufficient sample.
D4 = Minimum reporting level (MRL) adjusted to reflect sample amount received and analyzed.

Estimated concentration:
E1 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not possible due to insufficient sample.
E2 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to sample matrix.
E3 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

E4 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL).
E5 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL), but not confirmed by alternate analysis.
E6 = Concentration estimated. Internal standard recoveries did not meet method acceptance criteria.
E7 = Concentration estimated. Internal standard recoveries did not meet laboratory acceptance criteria.
E8 = Analyte reported to MDL per project specification. Target analyte was not detected in the sample.

Hold time:
H1 = Sample analysis performed past holding time.
H2 = Initial analysis within holding time. Reanalysis for the required dilution was past holding time.
H3 = Sample was received and analyzed past holding time.
H4 = Sample was extracted past required extraction holding time, but analyzed within analysis holding time.

BOD:
K1 = The sample dilutions set-up for the BOD analysis did not meet the oxygen depletion criteria of at least 2 mg/L. Any reported result is an estimated value.
K2 = The sample dilutions set up for the BOD analysis did not meet the criteria of a residual dissolved oxygen of at least 1 mg/L. Any reported result is an estimated value.
K4 = The seed depletion was outside the method acceptance limits. The reported result is an estimated value.
K5 = The dilution water D.O. depletion was > 0.2 mg/L.
K6 = Glucose/glutamic acid BOD was below method acceptance criteria.
K7 = A discrepancy between the BOD and COD results has been verified by reanalysis of the sample for COD.
K8 = Glucose/glutamic acid BOD was above method acceptance levels.

Laboratory fortified blank/blank spike:

L1 = The associated blank spike recovery was above laboratory acceptance limits.
L2 = The associated blank spike recovery was below laboratory acceptance limits.
L3 = The associated blank spike recovery was above method acceptance limits.
L4 = The associated blank spike recovery was below method acceptance limits.

Matrix spike:
M1 = Matrix spike recovery was high, the method control sample recovery was acceptable.
M2 = Matrix spike recovery was low, the method control sample recovery was acceptable.
M3 = The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
M4 = The analysis of the spiked sample required a dilution such that the spike concentration was diluted below the reporting limit. The method control sample recovery was acceptable.
M5 = Analyte concentration was determined by the method of standard addition (MSA).

M6 = Matrix spike recovery was high. Data reported per ADEQ policy 0154.000.
M7 = Matrix spike recovery was low. Data reported per ADEQ policy 0154.000.

General:
N1 = See case narrative.
N2 = See corrective action report.
N3 = The analysis meets all method requirements. See case narrative.

Sample quality:
Q1 = Sample integrity was not maintained. See case narrative.
Q2 = Sample received with headspace.
Q3 = Sample received with improper chemical preservation.
Q4 = Sample received and analyzed without chemical preservation.
Q5 = Sample received with inadequate chemical preservation, but preserved by the laboratory.
Q6 = Sample was received above recommended temperature.
Q7 = Sample inadequately dechlorinated.
Q8 = Insufficient sample received to meet method QC requirements. Batch QC requirements satisfies ADEQ policies 0154 and 0155.
Q9 = Insufficient sample received to meet method QC requirements.
Q10 = Sample received in inappropriate sample container.
Q11 = Sample is heterogeneous. Sample homogeneity could not be readily achieved using routine laboratory practices.

Duplicates:
R1 = RPD exceeded the method control limit. See case narrative.
R2 = RPD exceeded the laboratory control limit. See case narrative.
R4 = MS/MSD RPD exceeded the method control limit. Recovery met acceptance criteria.
R5 = MS/MSD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R6 = LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
R7 = LFB/LFBD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R8 = Sample RPD exceeded the method control limit.
R9 = Sample RPD exceeded the laboratory control limit.
R10 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic problems.
R11 = The RPD calculation for MS/MSD does not provide useful information due to the varying sample weights when Encore samplers/methanol field preserved samples are used.

Surrogate:
S1 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits.
S3 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits. No target analytes were detected in the sample.
S4 = Surrogate recovery was above laboratory and method acceptance limits. No target analytes were detected in the sample.
S5 = Surrogate recovery was below laboratory acceptance limits, but within method acceptance limits.
S6 = Surrogate recovery was below laboratory and method acceptance limits. Reextraction and/or reanalysis confirms low recovery caused by matrix effect.

S7 = Surrogate recovery was below laboratory and method acceptance limits. Unable to confirm matrix effect.
S8 = The analysis of the sample required a dilution such that the surrogate recovery calculation does not provide any useful information. The method control sample recovery was acceptable.
S10 = Surrogate recovery was above laboratory and method acceptance limits. See Case narrative.
S11 = Surrogate recovery was high. Data reported per ADEQ policy 0154.000.
S12 = Surrogate recovery was low. Data reported per ADEQ policy 0154.000.

Method/analyte discrepancies:
T1 = Method approved by EPA, but not yet licensed by ADHS.
T2 = Cited ADHS licensed method does not contain this analyte as part of method compound list.
T3 = Method not promulgated either by EPA or ADHS.
T4 = Tentatively identified compound. Concentration is estimated and based on the closest internal standard.

Calibration verification:
V1 = CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
V2 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample. The sample could not be reanalyzed due to insufficient sample.
V3 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample, but the sample was not reanalyzed. See case narrative.
V4 = CCV recovery was below method acceptance limits. The sample could not be reanalyzed due to insufficient sample.
V5 = CCV recovery after a group of samples was above acceptance limits. This target analyte was not detected in the sample. Acceptable per EPA Method 8000B.
V6 = Data reported from one-point calibration criteria per ADEQ policy 0155.000.
V7 = Calibration verification recovery was above the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.
V8 = Calibration verification recovery was below the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.

Calibration:
W1 = The % RSD for this compound was above 20%. The average % RSD for all compounds in the calibration met the 20% criteria as specified in EPA method 8000B.
W2 = The % RSD for this compound was above 15%. The average % RSD for all compounds in the calibration met the 15% criteria as specified in EPA method 8260B/8270C.

Client: Transwest Geochem, Incorporated
Project: PPC/PPD PPI0752/0609439

Service Request: D0601447

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
D0601447-001	PPI0752-04	09/21/06	08:04
D0601447-002	PPI0752-05	09/21/06	08:37
D0601447-003	PPI0752-06	09/21/06	09:28
D0601447-004	PPI0752-08	09/21/06	14:45
D0601447-005	PPI0752-09	09/21/06	14:00

CASE NARRATIVE

COLUMBIA ANALYTICAL SERVICES, INC.

Client:	Transwest Geochem, Incorporated	**Service Request No.:**	D0601447
Project:	PPC/PPD PPI0752	**Date Received:**	09/26/06
Sample Matrix:	Aqueous		

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of Columbia Analytical Services, Inc. (CAS).This report contains analytical results for samples designated for Tier II data deliverables.

Sample Receipt

5 Aqueous samples were received for analysis at Columbia Analytical Services on 09/26/06.

No discrepancies were noted upon initial sample inspection. The samples were received in good condition and consistent with the accompanying chain of custody form. The samples were stored in a refrigerator at 4 degrees Celsius upon receipt at the laboratory.

Diesel Range Organics by EPA Method 8015B

Surrogate Exceptions:

The lower control criteria were exceeded for the following surrogates in sample PPI0752-05: Triacontane and Octacosane. Sample could not be re-extracted and re-analyzed due to limited sample amount available. However, the associated QC recoveries of surrogate compounds were in control, indicating the analysis was in control. The surrogate outlier is flagged accordingly. No further corrective action was appropriate.

Matrix Spike Recovery Exceptions:

Insufficient sample volume was received to perform a Matrix Spike/Matrix Spike Duplicate (MS/MSD). A Laboratory Control Sample/Duplicate Laboratory Control Sample (LCS/DLCS) was analyzed in order to report precision data.

Approved by: Mark Hovane **Date:** 10/11/06

CHAIN OF CUSTODY DOCUMENTATION

TRANSWEST GEOCHEM

CHAIN-OF-CUSTODY [redacted]

Skip Harden
3725 E. Atlanta Avenue
Suite 2
Phoenix, AZ 85040
TEL: (602) 437-0330
FAX: (602) 437-0660

Work Order: 0609439

Project: PPI0752

Subcontractor:
Columbia Analytical Services
5090 Caterpillar Rd.
Redding, CA 96003
TEL: (530) 244-5227
FAX: (530) 244-4109

25-Sep-06

Client Sample ID	TGI ID	Matrix	Collection Date	Containers	8015MOD_W
PPI0752-04	01A	Water	9/21/2006 8:04:00 AM	~~2~~ 1	1
PPI0752-05	02A	Water	9/21/2006 8:37:00 AM	~~2~~ 1	1
PPI0752-06	03A	Water	9/21/2006 9:28:00 AM	~~2~~ 1	1
PPI0752-08	04A	Water	9/21/2006 2:45:00 PM	~~2~~ 1	1
PPI0752-09	05A	Water	9/21/2006 2:00:00 PM	~~2~~ 1	1

Requested Tests

* Lower reporting limits required

Comments: After analysis, the samples do not need to be returned and can be disposed per your standard laboratory practices. Please provide a QC report, including Method Blank data.

Sample Receipt

Temperature:	Ambient / Cold	Ice:
Received Intact:		Absent / Present
Custody Seals:		Wet / Blue
Total No. of Containers:		° C.

		Date/Time			Date/Time
Relinquished by:	Leslie Hay - TGI	9/25/06	**Received by:**	UPS	
Relinquished by:			**Received by:**		
Relinquished by:			**Received by:**	K M Maze	9.26.06 930

Columbia Analytical Services inc.
An Employee-Owned Company

5090 Caterpillar Road
Redding, CA 96003
Phone: (530) 244-5262
Fax #: (530) 244-4109

[redacted]

COOLER RECEIPT FORM

Project/Client: _____ Batch No.: [redacted]

1. Cooler(s)/Sample(s) received on: 9.26.06 Shipped via: UPS

   Shipping Bill # (s): _____ # of Coolers/Packages 2

2. Radiological Screening by: _____ Acceptable Rejected

3. Custody seals on outside of cooler: YES NO N/A

   If yes, where? Front ✓ Rear ____ Lt Side ____ Rt Side ____

   Seals intact: YES NO

COOLER/SAMPLE PROCESSING

4. Sample Processing/Tagging by: KMC

5. Cooler(s)/Sample(s) Temp's: 4.0c ____ ____ ____ ____

   (or)

   Temp. Blank (if included): ____ ____ ____ ____ ____

6. Type of packing material (circle): Ice Blue Ice Bubble Wrap Bubble Bags Zip Locks Webbing

   Other: _____

7. Custody papers properly filled out (ink, signed, dated, released, etc.)? YES NO

8. Containers arrived in good condition (not broken, leaking, etc.)? YES NO

9. Samples received with adequate holding time remaining to conduct analysis? YES NO

10. Container labels complete (i.e. analysis, preservation, date/time, etc.)? YES NO

11. Container labels and tags agree with custody papers? YES NO

12. Correct types of containers used for the tests indicated? YES NO

    a.) Adequate sample received? If not, note on Exception Report. YES NO

13. Containers supplied by: CAS Other

14. Preserved containers received with the appropriate preservative? YES NO N/A

    pH: _____ (or) See pH log.

15. VOA vials free of air bubbles? YES NO N/A

16. Trip Blank preparation date: _____ CAS Other N/A

17. Volatile Soil samples: Encores or Plugs in Vials

    Freezer or GC/MS Date: _____ Time: _____ N/A

See Exception Report for discrepancies.

Rev. 8/18/2004/ds

Columbia Analytical Services inc.

pH Log

5090 Caterpillar Road
Redding, CA 96003
Phone: 530-244-5227
Fax: 530-244-4109

An Employee-C[redacted]

Reference No.: [redacted] By: KM Date: 9.26.06

Project/Client: [redacted]

Tests: >					
Sample No:	HNO3 pH<2	H2SO4 pH<2	ZnAc2/NaOH pH>9	NaOH pH>12	HCL pH<2
-001		<2			
-002		<2			
-003		<2			
-004		<2			
-005		<2			
-006					
-007					
-008					
-009					
-010					
-011					
-012					
-013					
-014					
-015					
-016					
-017					
-018					
-019					
-020					

Adjustments by Lab: Shown below by sample number and quantity of preservative in the appropriate column.

Sample No:	HNO3 pH<2 Lot#	H2SO4 pH<2 Lot#	ZnAc2/NaOH pH>9 Lot#	NaOH pH>12 Lot#	HCL pH<2 Lot#
	mL	mL	mL	mL	mL
	mL	mL	mL	mL	mL
	mL	mL	mL	mL	mL
	mL	mL	mL	mL	mL

Columbia Analytical Services INC.
An Employee - Owned Company

5090 Caterpillar Road
Redding, CA 96003
530-244-5227
FAX 530-244-4109

BATCH: [redacted]
CLIENT:
PROJECT:

SAMPLE RECEIPT EXCEPTION REPORT

Issue Type Legend		
	1) Holding Time	SMO Technician / Date: KM 9.26.06
	2) Temperature	Project Chemist / Date: [illegible] 10/11/06
	3) COC/Label	Client Contact(s): no
	4) Container	
	5) Other	

Item #	Issue Type	DESCRIPTION
1	3	some of the labels on the samples arrived wet and were partially rubbed of the jar.

Corrective Actions Taken	
1	none. SMO was able to identify samples ok.

GC TPH DIESEL

ORGANIC ANALYSES DATA PACKAGE

Analytical Method: CA LUFT

AAB #: D0601447

Lab Name: Columbia Analytical Services/Redding

Base/Command: ARIZONA DELIVERABLES

Project: PPC/PPD PPI0752

Field Sample ID	Lab Sample ID
PPI0752-04	D0601447-001
PPI0752-05	D0601447-002
PPI0752-06	D0601447-003
PPI0752-08	D0601447-004
PPI0752-09	D0601447-005

Comments:

See attached narrative

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0601447

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPI0752-04 Lab Sample ID: D0601447-001 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 09/26/06 Date Extracted: 09/29/06 Date Analyzed: 10/03/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**2000**	1		
C23 - C32 HRO		50	**76**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	102	58-111	
Triacontane - SS	103	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0601447

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPI0752-05 Lab Sample ID: D0601447-002 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 09/26/06 Date Extracted: 09/29/06 Date Analyzed: 10/05/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	ND	1		
C23 - C32 HRO		50	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	17	58-111	*
Triacontane - SS	17	54-109	*

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0601447

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPI0752-06 Lab Sample ID: D0601447-003 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 09/26/06 Date Extracted: 09/29/06 Date Analyzed: 10/03/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	ND	1		
C23 - C32 HRO		50	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	103	58-111	
Triacontane - SS	104	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0601447

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPI0752-08 Lab Sample ID: D0601447-004 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 09/26/06 Date Extracted: 09/29/06 Date Analyzed: 10/03/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	68	1		
C23 - C32 HRO		50	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	101	58-111	
Triacontane - SS	102	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0601447

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPI0752-09 Lab Sample ID: D0601447-005 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 09/26/06 Date Extracted: 09/29/06 Date Analyzed: 10/03/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**1800**	1		
C23 - C32 HRO		50	**74**	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	102	58-111	
Triacontane - SS	104	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 6
BLANKS

Analytical Method: CA LUFT AAB #: D0601447

Lab Name: Columbia Analytical Services/Redding

Concentration Units (ug/L or mg/kg): UG/L Method Blank ID: DWB10929

Lab Sample ID: DWB10929

Initial Calibration ID: 05/20/06GCF

Analyte		Method Blank	RL	Q
C13 - C22 DRO		ND	50	
C23 - C32 HRO		ND	50	

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	92	58-111	
Triacontane - SS	93	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0601447

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: DWB10929LCS Lab Sample ID: DWB10929LCS Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: _____ Date Extracted: 09/29/06 Date Analyzed: 10/02/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**2140**	1		
C23 - C32 HRO		50	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	95	58-111	
Triacontane - SS	95	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0601447

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: DWB10929LCSD Lab Sample ID: DWB10929LCSD Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: _____ Date Extracted: 09/29/06 Date Analyzed: 10/02/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 1.000 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**2270**	1		
C23 - C32 HRO		50	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	98	58-111	
Triacontane - SS	99	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 7
LABORATORY CONTROL SAMPLE/LABORATORY CONTROL SAMPLE DUPLICATE

Analytical Method: CA LUFT AAB #: D0601447

Lab Name: Columbia Analytical Services/Redding

Concentration Units (ug/L or mg/kg): UG/L %Solids: _____

Parent Field Sample ID: DWB10929 BS ID: DWB10929LCS BSD ID: DWB10929LCSD

Analyte	Parent Sample Result	Spike Added	Spiked Sample Result	%R	Duplicat Spike Sample Result	%R	%RPD	Control Limits %RPD	Control Limits %R	Q
C13 - C22 DRO		2500	2140	85	2270	91	6	30	64-106	

Comments:

_____

_____

_____

ORGANIC ANALYSES DATA SHEET APPENDIX A
SURROGATE RESULTS

Analytical Method: CA LUFT AAB #: D0601447

Lab Name: Columbia Analytical Services/Redding

Matrix: Water

Field/QC Sample ID	S1	S2	S3	S4	S5	S6	S7	S8	Q
DWB10929	92	93							
DWB10929LCS	95	95							
DWB10929LCSD	98	99							
PPI0752-04	102	103							
PPI0752-06	103	104							
PPI0752-08	101	102							
PPI0752-09	102	104							
PPI0752-05	17	17							S7

S1: Octacosane - SS 58-111
S2: Triacontane - SS 54-109

Comments:

SUB

TRANSWEST GEOCHEM

Sample Receipt Checklist

Client Name: Test America

Work Order Number: 0609439

Checklist completed by: _____ 9 25 2006
Signature / Date

Matrix: Water Carrier Name: (Client) TGI _____

Date and Time Received: 9.25.2006 9.30

Checked by: EB

Logged In by: EB 9.25.2006
Initials / Date

Reviewed by: SW 9/26/06
Initials / Date

				COMMENTS
Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐	
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☑	
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑	
Chain of custody present?	Yes ☑	No ☐		
Chain of custody signed when relinquished and received?	Yes ☑	No ☐		
Chain of custody agrees with sample labels?	Yes ☑	No ☐		
Samples in proper container/bottle?	Yes ☑	No ☐		
Sample containers intact?	Yes ☑	No ☐		
Sufficient sample volume for indicated test?	Yes ☑	No ☐		
All samples received within holding time?	Yes ☑	No ☐		
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	Temp: 5.1	Sampled < 2hrs ☐
Water – VOA vials have zero headspace?	Yes ☐	No ☐	N/A ☑	
Water – pH acceptable upon receipt?	Yes ☑	No ☐	N/A ☐	Checked by: EB
Water – Sulfides present in Cyanide samples?	Yes ☐	No ☐	N/A ☑	
Sample considered Drinking Water for metal analysis?	Yes ☐	No ☐	N/A ☑	

Client contacted: _____ Date contacted: _____ Person contacted: _____

Contacted by: _____ Regarding: _____

Corrective Action: _____

TestAmerica
ANALYTICAL TESTING CORPORATION

0609439

SUBCONTRACT ORDER - PROJECT # PPI0752

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPI0752-04 Water Sampled: 09/21/06 08:04		RH
8015B MOD-Low Level-O	09/28/06 08:04	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0752-04D)		
1 L Amber w/H2SO4 (PPI0752-04E)	1	L2, L2
Sample ID: PPI0752-05 Water Sampled: 09/21/06 08:37		
8015B MOD-Low Level-O	09/28/06 08:37	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0752-05D)		
1 L Amber w/H2SO4 (PPI0752-05E)	2	L2, L2
Sample ID: PPI0752-06 Water Sampled: 09/21/06 09:28		
8015B MOD-Low Level-O	09/28/06 09:28	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0752-06D)		
1 L Amber w/H2SO4 (PPI0752-06E)	3	L2, L2
Sample ID: PPI0752-08 Water Sampled: 09/21/06 14:45		
8015B MOD-Low Level-O	09/28/06 14:45	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0752-08D)		
1 L Amber w/H2SO4 (PPI0752-08E)	4	L2, L2
Sample ID: PPI0752-09 Water Sampled: 09/21/06 14:00		
8015B MOD-Low Level-O	09/28/06 14:00	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0752-09D)		
1 L Amber w/H2SO4 (PPI0752-09E)	5	L2, L2

Released By	Date	Time	Received By	Date	Time

Released By	Date	Time	Received By	Date	Time

TestAmerica
ANALYTICAL TESTING CORPORATION

0609439

SUBCONTRACT ORDER - PROJECT # PPI0752

SAMPLE INTEGRITY:

All containers intact: ☑ Yes ☐ No
Custody Seals Present: ☐ Yes ☑ No
Sample labels/COC agree: ☑ Yes ☐ No
Samples Preserved Properly: ☑ Yes ☐ No
Samples Received On Ice:: ☑ Yes ☐ No
Samples Received at (temp): 5.1

Released By	Date	Time	Received By	Date	Time
MDV	9-25-06	0800	[illegible]	9-25-06	0800
[illegible]			[illegible]	9.25.06	930

TestAmerica
ANALYTICAL TESTING CORPORATION

9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

LABORATORY REPORT

Prepared For: CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project: Honeywell-Sky Harbor-PO# 2959460

Sampled: 09/22/06
Received: 09/22/06
Issued: 10/11/06 11:18

NELAP #01109CA Arizona DHS#AZ0426

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.
This entire report was reviewed and approved for release.

CASE NARRATIVE

LABORATORY ID	CLIENT ID	MATRIX
PPI0753-01	TB-092206A	Water
PPI0753-02	ASE-37A-6C2	Water
PPI0753-03	PL-518-6C2	Water

SAMPLE RECEIPT: Samples were received intact, at 4°C, on ice and with chain of custody documentation.

HOLDING TIMES: All samples were analyzed within prescribed holding times and/or in accordance with the TestAmerica Sample Acceptance Policy unless otherwise noted in the report.

PRESERVATION: Samples requiring preservation were verified prior to sample analysis.

QA/QC CRITERIA: All analyses met method criteria, except as noted in the report with data qualifiers.

COMMENTS: No significant observations were made.

SUBCONTRACTED: Refer to the last page for specific subcontract laboratory information included in this report.

Reviewed By:

Ken Baker

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0753-01 (TB-092206A - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0507	20	ND	1	10/4/2006	10/4/2006	
Benzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
Bromobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromochloromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromodichloromethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Bromoform	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromomethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Butanone (MEK)	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
n-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
sec-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
tert-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Carbon Disulfide	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Carbon tetrachloride	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Chlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
Chloroethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Chloroform	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Chloromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Chlorotoluene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
4-Chlorotoluene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Dibromochloromethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Dibromomethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloroethane	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
2,2-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Ethylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Hexachlorobutadiene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Hexanone	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0753-01 (TB-092206A - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Isopropylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
p-Isopropyltoluene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Methylene chloride	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Naphthalene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
n-Propylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Styrene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Tetrachloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Toluene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Trichloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Trichlorofluoromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Vinyl acetate	EPA 8260B	P6J0507	25	ND	1	10/4/2006	10/4/2006	
Vinyl chloride	EPA 8260B	P6J0507	1.7	ND	1	10/4/2006	10/4/2006	
Xylenes, Total	EPA 8260B	P6J0507	3.0	ND	1	10/4/2006	10/4/2006	
Surrogate: Dibromofluoromethane (80-130%)				*98 %*				
Surrogate: Toluene-d8 (80-120%)				*103 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0753-02 (ASE-37A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0507	20	ND	1	10/4/2006	10/4/2006	
Bromobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromochloromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromodichloromethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Bromoform	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromomethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Butanone (MEK)	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
n-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
sec-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
tert-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Carbon Disulfide	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Carbon tetrachloride	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Chlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
Chloroethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Chloroform	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Chloromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Chlorotoluene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
4-Chlorotoluene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Dibromochloromethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Dibromomethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloroethane	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0507	2.0	**3.2**	1	10/4/2006	10/4/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
2,2-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Ethylbenzene	EPA 8260B	P6J0507	2.0	**64**	1	10/4/2006	10/4/2006	
Hexachlorobutadiene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Hexanone	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
Iodomethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0753-02 (ASE-37A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Isopropylbenzene	EPA 8260B	P6J0507	2.0	**13**	1	10/4/2006	10/4/2006	
p-Isopropyltoluene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Methylene chloride	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0507	5.0	**80**	1	10/4/2006	10/4/2006	
Naphthalene	EPA 8260B	P6J0507	2.0	**17**	1	10/4/2006	10/4/2006	
n-Propylbenzene	EPA 8260B	P6J0507	2.0	**10**	1	10/4/2006	10/4/2006	
Styrene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Tetrachloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Toluene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Trichloroethene	EPA 8260B	P6J0507	2.0	**3.8**	1	10/4/2006	10/4/2006	
Trichlorofluoromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0507	2.0	**27**	1	10/4/2006	10/4/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0507	2.0	**9.3**	1	10/4/2006	10/4/2006	
Vinyl acetate	EPA 8260B	P6J0507	25	ND	1	10/4/2006	10/4/2006	
Vinyl chloride	EPA 8260B	P6J0507	1.7	ND	1	10/4/2006	10/4/2006	
Xylenes, Total	EPA 8260B	P6J0507	3.0	**69**	1	10/4/2006	10/4/2006	
Surrogate: Dibromofluoromethane (80-130%)				*101 %*				
Surrogate: Toluene-d8 (80-120%)				*105 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*102 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0753-02RE1 (ASE-37A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Benzene	EPA 8260B	P6J0527	10	**210**	10	10/5/2006	10/5/2006	
Surrogate: Dibromofluoromethane (80-130%)				*96 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*97 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0753-03 (PL-518-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0507	20	ND	1	10/4/2006	10/4/2006	
Benzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
Bromobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromochloromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromodichloromethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Bromoform	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromomethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Butanone (MEK)	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
n-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
sec-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
tert-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Carbon Disulfide	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Carbon tetrachloride	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Chlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
Chloroethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Chloroform	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Chloromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Chlorotoluene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
4-Chlorotoluene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Dibromochloromethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Dibromomethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloroethane	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
2,2-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Ethylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Hexachlorobutadiene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Hexanone	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0753-03 (PL-518-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Isopropylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
p-Isopropyltoluene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Methylene chloride	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Naphthalene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
n-Propylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Styrene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Tetrachloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Toluene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Trichloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Trichlorofluoromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Vinyl acetate	EPA 8260B	P6J0507	25	ND	1	10/4/2006	10/4/2006	
Vinyl chloride	EPA 8260B	P6J0507	1.7	ND	1	10/4/2006	10/4/2006	
Xylenes, Total	EPA 8260B	P6J0507	3.0	ND	1	10/4/2006	10/4/2006	
Surrogate: Dibromofluoromethane (80-130%)				*97 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*100 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
Blank Analyzed: 10/04/2006 (P6J0507-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	0.50	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
Blank Analyzed: 10/04/2006 (P6J0507-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*24.3*		*ug/l*	*25.0*		*97*	*80-130*			
Surrogate: Toluene-d8	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.1*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
LCS Analyzed: 10/04/2006 (P6J0507-BS1)										
Acetone	23.7	20	ug/l	25.0		95	30-150			
Benzene	26.2	1.0	ug/l	25.0		105	80-120			
Bromobenzene	25.1	5.0	ug/l	25.0		100	80-125			
Bromochloromethane	23.9	5.0	ug/l	25.0		96	80-125			
Bromodichloromethane	23.8	2.0	ug/l	25.0		95	80-120			
Bromoform	26.8	5.0	ug/l	25.0		107	70-120			
Bromomethane	24.7	5.0	ug/l	25.0		99	80-135			
2-Butanone (MEK)	25.3	10	ug/l	25.0		101	55-150			
n-Butylbenzene	25.6	5.0	ug/l	25.0		102	80-120			
sec-Butylbenzene	25.0	5.0	ug/l	25.0		100	80-130			
tert-Butylbenzene	24.9	5.0	ug/l	25.0		100	80-130			
Carbon Disulfide	26.2	5.0	ug/l	25.0		105	55-145			
Carbon tetrachloride	22.8	5.0	ug/l	25.0		91	80-120			
Chlorobenzene	25.0	1.0	ug/l	25.0		100	80-120			
Chloroethane	25.5	5.0	ug/l	25.0		102	80-125			
Chloroform	23.0	2.0	ug/l	25.0		92	80-120			
Chloromethane	25.4	5.0	ug/l	25.0		102	70-130			
2-Chlorotoluene	25.1	5.0	ug/l	25.0		100	80-120			
4-Chlorotoluene	25.1	5.0	ug/l	25.0		100	80-120			
Dibromochloromethane	23.1	2.0	ug/l	25.0		92	75-120			
1,2-Dibromo-3-chloropropane	22.1	5.0	ug/l	25.0		88	55-120			
1,2-Dibromoethane (EDB)	23.9	2.0	ug/l	25.0		96	75-125			
Dibromomethane	23.5	2.0	ug/l	25.0		94	80-125			
1,2-Dichlorobenzene	24.3	1.0	ug/l	25.0		97	80-120			
1,3-Dichlorobenzene	24.8	1.0	ug/l	25.0		99	80-125			
1,4-Dichlorobenzene	25.2	1.0	ug/l	25.0		101	80-120			
Dichlorodifluoromethane	20.2	5.0	ug/l	25.0		81	60-140			
1,1-Dichloroethane	24.7	2.0	ug/l	25.0		99	80-120			
1,2-Dichloroethane	22.0	1.0	ug/l	25.0		88	75-125			
1,1-Dichloroethene	25.1	5.0	ug/l	25.0		100	75-120			
cis-1,2-Dichloroethene	24.4	2.0	ug/l	25.0		98	80-125			
trans-1,2-Dichloroethene	25.6	2.0	ug/l	25.0		102	80-120			
1,2-Dichloropropane	26.1	2.0	ug/l	25.0		104	80-120			
1,3-Dichloropropane	24.6	2.0	ug/l	25.0		98	80-120			
2,2-Dichloropropane	23.2	2.0	ug/l	25.0		93	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
LCS Analyzed: 10/04/2006 (P6J0507-BS1)										
1,1-Dichloropropene	25.6	2.0	ug/l	25.0		102	80-120			
cis-1,3-Dichloropropene	25.7	2.0	ug/l	25.0		103	75-120			
trans-1,3-Dichloropropene	25.0	2.0	ug/l	25.0		100	80-120			
Ethylbenzene	25.2	2.0	ug/l	25.0		101	80-125			
Hexachlorobutadiene	25.0	5.0	ug/l	25.0		100	70-130			
2-Hexanone	24.0	10	ug/l	25.0		96	40-150			
Iodomethane	24.0	2.0	ug/l	25.0		96	80-130			
Isopropylbenzene	26.8	2.0	ug/l	25.0		107	80-140			
p-Isopropyltoluene	25.4	2.0	ug/l	25.0		102	80-130			
Methylene chloride	24.8	5.0	ug/l	25.0		99	80-120			
4-Methyl-2-pentanone (MIBK)	22.6	10	ug/l	25.0		90	50-140			
Methyl-tert-butyl Ether (MTBE)	24.3	5.0	ug/l	25.0		97	65-130			
Naphthalene	23.0	2.0	ug/l	25.0		92	70-130			
n-Propylbenzene	26.2	2.0	ug/l	25.0		105	80-135			
Styrene	25.7	2.0	ug/l	25.0		103	80-125			
1,1,1,2-Tetrachloroethane	24.4	5.0	ug/l	25.0		98	80-120			
1,1,2,2-Tetrachloroethane	25.8	2.0	ug/l	25.0		103	65-140			
Tetrachloroethene	24.8	2.0	ug/l	25.0		99	80-125			
Toluene	26.0	2.0	ug/l	25.0		104	80-125			
1,2,3-Trichlorobenzene	25.8	5.0	ug/l	25.0		103	75-125			
1,2,4-Trichlorobenzene	25.8	5.0	ug/l	25.0		103	80-125			
1,1,1-Trichloroethane	22.5	2.0	ug/l	25.0		90	75-125			
1,1,2-Trichloroethane	23.9	2.0	ug/l	25.0		96	80-125			
Trichloroethene	25.1	2.0	ug/l	25.0		100	80-120			
Trichlorofluoromethane	23.3	5.0	ug/l	25.0		93	75-130			
1,2,3-Trichloropropane	23.9	10	ug/l	25.0		96	65-135			
1,2,4-Trimethylbenzene	24.5	2.0	ug/l	25.0		98	80-125			
1,3,5-Trimethylbenzene	25.3	2.0	ug/l	25.0		101	80-130			
Vinyl acetate	31.0	25	ug/l	25.0		124	70-140			
Vinyl chloride	25.4	1.7	ug/l	25.0		102	70-135			
Xylenes, Total	49.9	3.0	ug/l	50.0		100	80-125			
Surrogate: Dibromofluoromethane	*24.0*		*ug/l*	*25.0*		*96*	*80-130*			
Surrogate: Toluene-d8	*26.4*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.4*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
LCS Dup Analyzed: 10/04/2006 (P6J0507-BSD1)										
Acetone	21.5	20	ug/l	25.0		86	30-150	10	35	
Benzene	26.3	1.0	ug/l	25.0		105	80-120	0	10	
Bromobenzene	25.0	5.0	ug/l	25.0		100	80-125	0	10	
Bromochloromethane	24.0	5.0	ug/l	25.0		96	80-125	0	15	
Bromodichloromethane	23.5	2.0	ug/l	25.0		94	80-120	1	15	
Bromoform	26.1	5.0	ug/l	25.0		104	70-120	3	20	
Bromomethane	24.4	5.0	ug/l	25.0		98	80-135	1	15	
2-Butanone (MEK)	23.5	10	ug/l	25.0		94	55-150	7	35	
n-Butylbenzene	25.6	5.0	ug/l	25.0		102	80-120	0	10	
sec-Butylbenzene	25.4	5.0	ug/l	25.0		102	80-130	2	10	
tert-Butylbenzene	25.2	5.0	ug/l	25.0		101	80-130	1	10	
Carbon Disulfide	25.0	5.0	ug/l	25.0		100	55-145	5	15	
Carbon tetrachloride	23.2	5.0	ug/l	25.0		93	80-120	2	15	
Chlorobenzene	25.2	1.0	ug/l	25.0		101	80-120	1	10	
Chloroethane	26.1	5.0	ug/l	25.0		104	80-125	2	15	
Chloroform	23.5	2.0	ug/l	25.0		94	80-120	2	10	
Chloromethane	25.4	5.0	ug/l	25.0		102	70-130	0	15	
2-Chlorotoluene	25.0	5.0	ug/l	25.0		100	80-120	0	10	
4-Chlorotoluene	24.8	5.0	ug/l	25.0		99	80-120	1	10	
Dibromochloromethane	22.6	2.0	ug/l	25.0		90	75-120	2	15	
1,2-Dibromo-3-chloropropane	21.9	5.0	ug/l	25.0		88	55-120	1	35	
1,2-Dibromoethane (EDB)	24.0	2.0	ug/l	25.0		96	75-125	0	20	
Dibromomethane	22.7	2.0	ug/l	25.0		91	80-125	3	20	
1,2-Dichlorobenzene	23.8	1.0	ug/l	25.0		95	80-120	2	10	
1,3-Dichlorobenzene	24.4	1.0	ug/l	25.0		98	80-125	2	10	
1,4-Dichlorobenzene	25.0	1.0	ug/l	25.0		100	80-120	1	10	
Dichlorodifluoromethane	19.9	5.0	ug/l	25.0		80	60-140	1	15	
1,1-Dichloroethane	20.8	2.0	ug/l	25.0		83	80-120	17	10	*R6*
1,2-Dichloroethane	22.0	1.0	ug/l	25.0		88	75-125	0	20	
1,1-Dichloroethene	25.7	5.0	ug/l	25.0		103	75-120	2	15	
cis-1,2-Dichloroethene	24.9	2.0	ug/l	25.0		100	80-125	2	10	
trans-1,2-Dichloroethene	22.5	2.0	ug/l	25.0		90	80-120	13	10	*R6*
1,2-Dichloropropane	25.8	2.0	ug/l	25.0		103	80-120	1	15	
1,3-Dichloropropane	24.0	2.0	ug/l	25.0		96	80-120	2	15	
2,2-Dichloropropane	23.2	2.0	ug/l	25.0		93	70-130	0	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
LCS Dup Analyzed: 10/04/2006 (P6J0507-BSD1)										
1,1-Dichloropropene	25.4	2.0	ug/l	25.0		102	80-120	1	10	
cis-1,3-Dichloropropene	24.9	2.0	ug/l	25.0		100	75-120	3	15	
trans-1,3-Dichloropropene	24.3	2.0	ug/l	25.0		97	80-120	3	20	
Ethylbenzene	25.5	2.0	ug/l	25.0		102	80-125	1	15	
Hexachlorobutadiene	24.3	5.0	ug/l	25.0		97	70-130	3	15	
2-Hexanone	22.6	10	ug/l	25.0		90	40-150	6	35	
Iodomethane	24.7	2.0	ug/l	25.0		99	80-130	3	10	
Isopropylbenzene	27.5	2.0	ug/l	25.0		110	80-140	3	10	
p-Isopropyltoluene	25.4	2.0	ug/l	25.0		102	80-130	0	15	
Methylene chloride	25.4	5.0	ug/l	25.0		102	80-120	2	10	
4-Methyl-2-pentanone (MIBK)	21.8	10	ug/l	25.0		87	50-140	4	35	
Methyl-tert-butyl Ether (MTBE)	20.1	5.0	ug/l	25.0		80	65-130	19	25	
Naphthalene	22.8	2.0	ug/l	25.0		91	70-130	1	20	
n-Propylbenzene	26.6	2.0	ug/l	25.0		106	80-135	2	10	
Styrene	25.9	2.0	ug/l	25.0		104	80-125	1	15	
1,1,1,2-Tetrachloroethane	24.8	5.0	ug/l	25.0		99	80-120	2	15	
1,1,2,2-Tetrachloroethane	24.7	2.0	ug/l	25.0		99	65-140	4	25	
Tetrachloroethene	24.7	2.0	ug/l	25.0		99	80-125	0	15	
Toluene	25.4	2.0	ug/l	25.0		102	80-125	2	10	
1,2,3-Trichlorobenzene	25.8	5.0	ug/l	25.0		103	75-125	0	15	
1,2,4-Trichlorobenzene	25.3	5.0	ug/l	25.0		101	80-125	2	15	
1,1,1-Trichloroethane	22.9	2.0	ug/l	25.0		92	75-125	2	10	
1,1,2-Trichloroethane	23.1	2.0	ug/l	25.0		92	80-125	3	25	
Trichloroethene	24.3	2.0	ug/l	25.0		97	80-120	3	10	
Trichlorofluoromethane	23.7	5.0	ug/l	25.0		95	75-130	2	10	
1,2,3-Trichloropropane	23.4	10	ug/l	25.0		94	65-135	2	25	
1,2,4-Trimethylbenzene	24.7	2.0	ug/l	25.0		99	80-125	1	10	
1,3,5-Trimethylbenzene	25.5	2.0	ug/l	25.0		102	80-130	1	10	
Vinyl acetate	29.9	25	ug/l	25.0		120	70-140	4	30	
Vinyl chloride	25.6	1.7	ug/l	25.0		102	70-135	1	15	
Xylenes, Total	51.0	3.0	ug/l	50.0		102	80-125	2	15	
Surrogate: Dibromofluoromethane	*24.2*		*ug/l*	*25.0*		*97*	*80-130*			
Surrogate: Toluene-d8	*25.7*		*ug/l*	*25.0*		*103*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.7*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
Matrix Spike Analyzed: 10/04/2006 (P6J0507-MS1)					**Source: PPI0752-07**					
Acetone	25.9	20	ug/l	25.0	ND	104	15-150			
Benzene	24.3	1.0	ug/l	25.0	ND	97	80-125			
Bromobenzene	23.5	5.0	ug/l	25.0	ND	94	80-125			
Bromochloromethane	23.3	5.0	ug/l	25.0	ND	93	80-130			
Bromodichloromethane	24.0	2.0	ug/l	25.0	ND	96	70-130			
Bromoform	24.9	5.0	ug/l	25.0	ND	100	70-120			
Bromomethane	23.5	5.0	ug/l	25.0	ND	94	80-135			
2-Butanone (MEK)	25.6	10	ug/l	25.0	ND	102	30-150			
n-Butylbenzene	23.5	5.0	ug/l	25.0	ND	94	80-135			
sec-Butylbenzene	23.6	5.0	ug/l	25.0	ND	94	80-130			
tert-Butylbenzene	23.7	5.0	ug/l	25.0	ND	95	80-130			
Carbon Disulfide	25.5	5.0	ug/l	25.0	ND	102	45-150			
Carbon tetrachloride	22.8	5.0	ug/l	25.0	0.46	89	65-135			
Chlorobenzene	22.9	1.0	ug/l	25.0	ND	92	80-125			
Chloroethane	23.7	5.0	ug/l	25.0	ND	95	80-125			
Chloroform	23.4	2.0	ug/l	25.0	0.77	91	75-130			
Chloromethane	22.5	5.0	ug/l	25.0	ND	90	65-130			
2-Chlorotoluene	23.2	5.0	ug/l	25.0	ND	93	80-130			
4-Chlorotoluene	23.3	5.0	ug/l	25.0	ND	93	80-135			
Dibromochloromethane	21.7	2.0	ug/l	25.0	ND	87	75-120			
1,2-Dibromo-3-chloropropane	21.5	5.0	ug/l	25.0	ND	86	50-130			
1,2-Dibromoethane (EDB)	23.3	2.0	ug/l	25.0	ND	93	70-130			
Dibromomethane	22.8	2.0	ug/l	25.0	ND	91	75-130			
1,2-Dichlorobenzene	22.6	1.0	ug/l	25.0	ND	90	80-130			
1,3-Dichlorobenzene	23.0	1.0	ug/l	25.0	ND	92	80-130			
1,4-Dichlorobenzene	24.0	1.0	ug/l	25.0	ND	96	80-125			
Dichlorodifluoromethane	19.9	5.0	ug/l	25.0	ND	80	60-140			
1,1-Dichloroethane	26.2	2.0	ug/l	25.0	2.6	94	80-125			
1,2-Dichloroethane	23.2	1.0	ug/l	25.0	ND	93	60-145			
1,1-Dichloroethene	28.5	5.0	ug/l	25.0	6.7	87	75-130			
cis-1,2-Dichloroethene	48.9	2.0	ug/l	25.0	27	88	80-125			
trans-1,2-Dichloroethene	24.0	2.0	ug/l	25.0	0.46	94	80-120			
1,2-Dichloropropane	24.8	2.0	ug/l	25.0	ND	99	80-125			
1,3-Dichloropropane	22.8	2.0	ug/l	25.0	ND	91	75-130			
2,2-Dichloropropane	22.7	2.0	ug/l	25.0	ND	91	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
Matrix Spike Analyzed: 10/04/2006 (P6J0507-MS1)					**Source: PPI0752-07**					
1,1-Dichloropropene	23.9	2.0	ug/l	25.0	ND	96	80-125			
cis-1,3-Dichloropropene	24.4	2.0	ug/l	25.0	ND	98	75-120			
trans-1,3-Dichloropropene	24.7	2.0	ug/l	25.0	ND	99	75-130			
Ethylbenzene	23.0	2.0	ug/l	25.0	ND	92	80-130			
Hexachlorobutadiene	22.6	5.0	ug/l	25.0	ND	90	65-130			
2-Hexanone	24.1	10	ug/l	25.0	ND	96	40-150			
Iodomethane	24.5	2.0	ug/l	25.0	ND	98	70-140			
Isopropylbenzene	24.9	2.0	ug/l	25.0	ND	100	80-140			
p-Isopropyltoluene	23.9	2.0	ug/l	25.0	ND	96	80-135			
Methylene chloride	23.0	5.0	ug/l	25.0	ND	92	75-125			
4-Methyl-2-pentanone (MIBK)	25.1	10	ug/l	25.0	ND	100	40-140			
Methyl-tert-butyl Ether (MTBE)	24.3	5.0	ug/l	25.0	ND	97	65-135			
Naphthalene	22.9	2.0	ug/l	25.0	ND	92	60-140			
n-Propylbenzene	24.2	2.0	ug/l	25.0	ND	97	80-140			
Styrene	23.3	2.0	ug/l	25.0	ND	93	30-150			
1,1,1,2-Tetrachloroethane	22.9	5.0	ug/l	25.0	ND	92	80-130			
1,1,2,2-Tetrachloroethane	24.9	2.0	ug/l	25.0	ND	100	65-140			
Tetrachloroethene	22.3	2.0	ug/l	25.0	0.49	87	80-130			
Toluene	24.4	2.0	ug/l	25.0	ND	98	80-130			
1,2,3-Trichlorobenzene	24.2	5.0	ug/l	25.0	ND	97	75-140			
1,2,4-Trichlorobenzene	23.8	5.0	ug/l	25.0	ND	95	80-135			
1,1,1-Trichloroethane	22.3	2.0	ug/l	25.0	ND	89	70-135			
1,1,2-Trichloroethane	23.3	2.0	ug/l	25.0	ND	93	70-135			
Trichloroethene	107	2.0	ug/l	25.0	91	64	80-125			*M2*
Trichlorofluoromethane	23.1	5.0	ug/l	25.0	ND	92	70-140			
1,2,3-Trichloropropane	23.7	10	ug/l	25.0	ND	95	65-135			
1,2,4-Trimethylbenzene	23.0	2.0	ug/l	25.0	ND	92	75-130			
1,3,5-Trimethylbenzene	23.5	2.0	ug/l	25.0	ND	94	80-135			
Vinyl acetate	32.2	25	ug/l	25.0	ND	129	30-150			
Vinyl chloride	24.2	1.7	ug/l	25.0	ND	97	70-135			
Xylenes, Total	46.7	3.0	ug/l	50.0	ND	93	80-125			
Surrogate: Dibromofluoromethane	*25.1*		*ug/l*	*25.0*		*100*	*80-130*			
Surrogate: Toluene-d8	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.6*		*ug/l*	*25.0*		*102*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
Matrix Spike Dup Analyzed: 10/04/2006 (P6J0507-MSD1)					**Source: PPI0752-07**					
Acetone	26.3	20	ug/l	25.0	ND	105	15-150	2	35	
Benzene	24.6	1.0	ug/l	25.0	ND	98	80-125	1	10	
Bromobenzene	24.2	5.0	ug/l	25.0	ND	97	80-125	3	15	
Bromochloromethane	24.8	5.0	ug/l	25.0	ND	99	80-130	6	20	
Bromodichloromethane	25.1	2.0	ug/l	25.0	ND	100	70-130	4	15	
Bromoform	25.7	5.0	ug/l	25.0	ND	103	70-120	3	25	
Bromomethane	25.1	5.0	ug/l	25.0	ND	100	80-135	7	20	
2-Butanone (MEK)	28.6	10	ug/l	25.0	ND	114	30-150	11	35	
n-Butylbenzene	24.3	5.0	ug/l	25.0	ND	97	80-135	3	20	
sec-Butylbenzene	24.1	5.0	ug/l	25.0	ND	96	80-130	2	20	
tert-Butylbenzene	24.0	5.0	ug/l	25.0	ND	96	80-130	1	20	
Carbon Disulfide	26.5	5.0	ug/l	25.0	ND	106	45-150	4	15	
Carbon tetrachloride	22.8	5.0	ug/l	25.0	0.46	89	65-135	0	15	
Chlorobenzene	23.7	1.0	ug/l	25.0	ND	95	80-125	3	15	
Chloroethane	25.8	5.0	ug/l	25.0	ND	103	80-125	8	20	
Chloroform	24.9	2.0	ug/l	25.0	0.77	97	75-130	6	15	
Chloromethane	25.7	5.0	ug/l	25.0	ND	103	65-130	13	20	
2-Chlorotoluene	23.7	5.0	ug/l	25.0	ND	95	80-130	2	15	
4-Chlorotoluene	23.9	5.0	ug/l	25.0	ND	96	80-135	3	15	
Dibromochloromethane	23.4	2.0	ug/l	25.0	ND	94	75-120	8	20	
1,2-Dibromo-3-chloropropane	24.4	5.0	ug/l	25.0	ND	98	50-130	13	35	
1,2-Dibromoethane (EDB)	24.0	2.0	ug/l	25.0	ND	96	70-130	3	25	
Dibromomethane	24.3	2.0	ug/l	25.0	ND	97	75-130	6	25	
1,2-Dichlorobenzene	23.7	1.0	ug/l	25.0	ND	95	80-130	5	15	
1,3-Dichlorobenzene	23.4	1.0	ug/l	25.0	ND	94	80-130	2	15	
1,4-Dichlorobenzene	24.3	1.0	ug/l	25.0	ND	97	80-125	1	10	
Dichlorodifluoromethane	20.7	5.0	ug/l	25.0	ND	83	60-140	4	45	
1,1-Dichloroethane	27.3	2.0	ug/l	25.0	2.6	99	80-125	4	15	
1,2-Dichloroethane	25.0	1.0	ug/l	25.0	ND	100	60-145	7	20	
1,1-Dichloroethene	30.1	5.0	ug/l	25.0	6.7	94	75-130	5	15	
cis-1,2-Dichloroethene	50.2	2.0	ug/l	25.0	27	93	80-125	3	15	
trans-1,2-Dichloroethene	25.0	2.0	ug/l	25.0	0.46	98	80-120	4	15	
1,2-Dichloropropane	26.0	2.0	ug/l	25.0	ND	104	80-125	5	15	
1,3-Dichloropropane	24.8	2.0	ug/l	25.0	ND	99	75-130	8	20	
2,2-Dichloropropane	23.9	2.0	ug/l	25.0	ND	96	60-135	5	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
Matrix Spike Dup Analyzed: 10/04/2006 (P6J0507-MSD1)					**Source: PPI0752-07**					
1,1-Dichloropropene	23.8	2.0	ug/l	25.0	ND	95	80-125	0	15	
cis-1,3-Dichloropropene	25.3	2.0	ug/l	25.0	ND	101	75-120	4	15	
trans-1,3-Dichloropropene	25.8	2.0	ug/l	25.0	ND	103	75-130	4	25	
Ethylbenzene	23.8	2.0	ug/l	25.0	ND	95	80-130	3	15	
Hexachlorobutadiene	23.1	5.0	ug/l	25.0	ND	92	65-130	2	15	
2-Hexanone	24.9	10	ug/l	25.0	ND	100	40-150	3	35	
Iodomethane	24.5	2.0	ug/l	25.0	ND	98	70-140	0	15	
Isopropylbenzene	25.6	2.0	ug/l	25.0	ND	102	80-140	3	20	
p-Isopropyltoluene	24.4	2.0	ug/l	25.0	ND	98	80-135	2	20	
Methylene chloride	24.4	5.0	ug/l	25.0	ND	98	75-125	6	15	
4-Methyl-2-pentanone (MIBK)	25.1	10	ug/l	25.0	ND	100	40-140	0	35	
Methyl-tert-butyl Ether (MTBE)	25.7	5.0	ug/l	25.0	ND	103	65-135	6	30	
Naphthalene	24.5	2.0	ug/l	25.0	ND	98	60-140	7	30	
n-Propylbenzene	24.7	2.0	ug/l	25.0	ND	99	80-140	2	20	
Styrene	24.5	2.0	ug/l	25.0	ND	98	30-150	5	25	
1,1,1,2-Tetrachloroethane	24.2	5.0	ug/l	25.0	ND	97	80-130	6	15	
1,1,2,2-Tetrachloroethane	26.0	2.0	ug/l	25.0	ND	104	65-140	4	35	
Tetrachloroethene	23.5	2.0	ug/l	25.0	0.49	92	80-130	5	15	
Toluene	25.4	2.0	ug/l	25.0	ND	102	80-130	4	15	
1,2,3-Trichlorobenzene	24.2	5.0	ug/l	25.0	ND	97	75-140	0	20	
1,2,4-Trichlorobenzene	24.2	5.0	ug/l	25.0	ND	97	80-135	2	15	
1,1,1-Trichloroethane	23.2	2.0	ug/l	25.0	ND	93	70-135	4	15	
1,1,2-Trichloroethane	24.6	2.0	ug/l	25.0	ND	98	70-135	5	25	
Trichloroethene	107	2.0	ug/l	25.0	91	64	80-125	0	15	*M2*
Trichlorofluoromethane	24.1	5.0	ug/l	25.0	ND	96	70-140	4	15	
1,2,3-Trichloropropane	24.9	10	ug/l	25.0	ND	100	65-135	5	35	
1,2,4-Trimethylbenzene	23.8	2.0	ug/l	25.0	ND	95	75-130	3	15	
1,3,5-Trimethylbenzene	24.2	2.0	ug/l	25.0	ND	97	80-135	3	15	
Vinyl acetate	33.0	25	ug/l	25.0	ND	132	30-150	2	35	
Vinyl chloride	26.7	1.7	ug/l	25.0	ND	107	70-135	10	25	
Xylenes, Total	47.9	3.0	ug/l	50.0	ND	96	80-125	3	15	
Surrogate: Dibromofluoromethane	*26.1*		*ug/l*	*25.0*		*104*	*80-130*			
Surrogate: Toluene-d8	*26.4*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.9*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
Blank Analyzed: 10/05/2006 (P6J0527-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
Blank Analyzed: 10/05/2006 (P6J0527-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*24.8*		*ug/l*	*25.0*		*99*	*80-130*			
Surrogate: Toluene-d8	*26.0*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.1*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
LCS Analyzed: 10/05/2006 (P6J0527-BS1)										
Acetone	21.9	20	ug/l	25.0		88	30-150			
Benzene	22.9	1.0	ug/l	25.0		92	80-120			
Bromobenzene	22.5	5.0	ug/l	25.0		90	80-125			
Bromochloromethane	22.2	5.0	ug/l	25.0		89	80-125			
Bromodichloromethane	22.4	2.0	ug/l	25.0		90	80-120			
Bromoform	23.5	5.0	ug/l	25.0		94	70-120			
Bromomethane	22.6	5.0	ug/l	25.0		90	80-135			
2-Butanone (MEK)	23.0	10	ug/l	25.0		92	55-150			
n-Butylbenzene	23.5	5.0	ug/l	25.0		94	80-120			
sec-Butylbenzene	23.1	5.0	ug/l	25.0		92	80-130			
tert-Butylbenzene	23.3	5.0	ug/l	25.0		93	80-130			
Carbon Disulfide	24.1	5.0	ug/l	25.0		96	55-145			
Carbon tetrachloride	22.2	5.0	ug/l	25.0		89	80-120			
Chlorobenzene	23.2	1.0	ug/l	25.0		93	80-120			
Chloroethane	23.6	5.0	ug/l	25.0		94	80-125			
Chloroform	22.2	2.0	ug/l	25.0		89	80-120			
Chloromethane	23.8	5.0	ug/l	25.0		95	70-130			
2-Chlorotoluene	22.6	5.0	ug/l	25.0		90	80-120			
4-Chlorotoluene	22.7	5.0	ug/l	25.0		91	80-120			
Dibromochloromethane	21.8	2.0	ug/l	25.0		87	75-120			
1,2-Dibromo-3-chloropropane	19.4	5.0	ug/l	25.0		78	55-120			
1,2-Dibromoethane (EDB)	22.0	2.0	ug/l	25.0		88	75-125			
Dibromomethane	21.6	2.0	ug/l	25.0		86	80-125			
1,2-Dichlorobenzene	21.9	1.0	ug/l	25.0		88	80-120			
1,3-Dichlorobenzene	22.6	1.0	ug/l	25.0		90	80-125			
1,4-Dichlorobenzene	22.9	1.0	ug/l	25.0		92	80-120			
Dichlorodifluoromethane	19.1	5.0	ug/l	25.0		76	60-140			
1,1-Dichloroethane	23.0	2.0	ug/l	25.0		92	80-120			
1,2-Dichloroethane	22.0	1.0	ug/l	25.0		88	75-125			
1,1-Dichloroethene	22.3	5.0	ug/l	25.0		89	75-120			
cis-1,2-Dichloroethene	22.0	2.0	ug/l	25.0		88	80-125			
trans-1,2-Dichloroethene	22.8	2.0	ug/l	25.0		91	80-120			
1,2-Dichloropropane	23.6	2.0	ug/l	25.0		94	80-120			
1,3-Dichloropropane	22.4	2.0	ug/l	25.0		90	80-120			
2,2-Dichloropropane	22.6	2.0	ug/l	25.0		90	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
LCS Analyzed: 10/05/2006 (P6J0527-BS1)										
1,1-Dichloropropene	23.5	2.0	ug/l	25.0		94	80-120			
cis-1,3-Dichloropropene	23.2	2.0	ug/l	25.0		93	75-120			
trans-1,3-Dichloropropene	23.3	2.0	ug/l	25.0		93	80-120			
Ethylbenzene	23.1	2.0	ug/l	25.0		92	80-125			
Hexachlorobutadiene	22.4	5.0	ug/l	25.0		90	70-130			
2-Hexanone	21.9	10	ug/l	25.0		88	40-150			
Iodomethane	22.2	2.0	ug/l	25.0		89	80-130			
Isopropylbenzene	24.8	2.0	ug/l	25.0		99	80-140			
p-Isopropyltoluene	23.6	2.0	ug/l	25.0		94	80-130			
Methylene chloride	22.0	5.0	ug/l	25.0		88	80-120			
4-Methyl-2-pentanone (MIBK)	21.1	10	ug/l	25.0		84	50-140			
Methyl-tert-butyl Ether (MTBE)	22.3	5.0	ug/l	25.0		89	65-130			
Naphthalene	20.6	2.0	ug/l	25.0		82	70-130			
n-Propylbenzene	23.9	2.0	ug/l	25.0		96	80-135			
Styrene	23.8	2.0	ug/l	25.0		95	80-125			
1,1,1,2-Tetrachloroethane	22.9	5.0	ug/l	25.0		92	80-120			
1,1,2,2-Tetrachloroethane	22.6	2.0	ug/l	25.0		90	65-140			
Tetrachloroethene	22.6	2.0	ug/l	25.0		90	80-125			
Toluene	23.5	2.0	ug/l	25.0		94	80-125			
1,2,3-Trichlorobenzene	22.8	5.0	ug/l	25.0		91	75-125			
1,2,4-Trichlorobenzene	22.8	5.0	ug/l	25.0		91	80-125			
1,1,1-Trichloroethane	22.2	2.0	ug/l	25.0		89	75-125			
1,1,2-Trichloroethane	21.4	2.0	ug/l	25.0		86	80-125			
Trichloroethene	22.6	2.0	ug/l	25.0		90	80-120			
Trichlorofluoromethane	23.0	5.0	ug/l	25.0		92	75-130			
1,2,3-Trichloropropane	21.8	10	ug/l	25.0		87	65-135			
1,2,4-Trimethylbenzene	22.8	2.0	ug/l	25.0		91	80-125			
1,3,5-Trimethylbenzene	23.1	2.0	ug/l	25.0		92	80-130			
Vinyl acetate	29.1	25	ug/l	25.0		116	70-140			
Vinyl chloride	24.4	1.7	ug/l	25.0		98	70-135			
Xylenes, Total	46.2	3.0	ug/l	50.0		92	80-125			
Surrogate: Dibromofluoromethane	*25.1*		*ug/l*	*25.0*		*100*	*80-130*			
Surrogate: Toluene-d8	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.8*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
LCS Dup Analyzed: 10/05/2006 (P6J0527-BSD1)										
Acetone	22.0	20	ug/l	25.0		88	30-150	1	35	
Benzene	23.6	1.0	ug/l	25.0		94	80-120	3	10	
Bromobenzene	22.5	5.0	ug/l	25.0		90	80-125	0	10	
Bromochloromethane	22.4	5.0	ug/l	25.0		90	80-125	1	15	
Bromodichloromethane	22.4	2.0	ug/l	25.0		90	80-120	0	15	
Bromoform	22.9	5.0	ug/l	25.0		92	70-120	3	20	
Bromomethane	23.3	5.0	ug/l	25.0		93	80-135	3	15	
2-Butanone (MEK)	22.1	10	ug/l	25.0		88	55-150	4	35	
n-Butylbenzene	24.1	5.0	ug/l	25.0		96	80-120	3	10	
sec-Butylbenzene	23.3	5.0	ug/l	25.0		93	80-130	1	10	
tert-Butylbenzene	23.0	5.0	ug/l	25.0		92	80-130	1	10	
Carbon Disulfide	22.0	5.0	ug/l	25.0		88	55-145	9	15	
Carbon tetrachloride	22.1	5.0	ug/l	25.0		88	80-120	1	15	
Chlorobenzene	22.8	1.0	ug/l	25.0		91	80-120	2	10	
Chloroethane	23.4	5.0	ug/l	25.0		94	80-125	1	15	
Chloroform	21.8	2.0	ug/l	25.0		87	80-120	2	10	
Chloromethane	23.8	5.0	ug/l	25.0		95	70-130	0	15	
2-Chlorotoluene	22.7	5.0	ug/l	25.0		91	80-120	0	10	
4-Chlorotoluene	22.7	5.0	ug/l	25.0		91	80-120	0	10	
Dibromochloromethane	21.5	2.0	ug/l	25.0		86	75-120	1	15	
1,2-Dibromo-3-chloropropane	20.9	5.0	ug/l	25.0		84	55-120	7	35	
1,2-Dibromoethane (EDB)	22.3	2.0	ug/l	25.0		89	75-125	1	20	
Dibromomethane	22.2	2.0	ug/l	25.0		89	80-125	3	20	
1,2-Dichlorobenzene	22.8	1.0	ug/l	25.0		91	80-120	4	10	
1,3-Dichlorobenzene	22.7	1.0	ug/l	25.0		91	80-125	0	10	
1,4-Dichlorobenzene	23.6	1.0	ug/l	25.0		94	80-120	3	10	
Dichlorodifluoromethane	18.7	5.0	ug/l	25.0		75	60-140	2	15	
1,1-Dichloroethane	22.9	2.0	ug/l	25.0		92	80-120	0	10	
1,2-Dichloroethane	21.7	1.0	ug/l	25.0		87	75-125	1	20	
1,1-Dichloroethene	22.5	5.0	ug/l	25.0		90	75-120	1	15	
cis-1,2-Dichloroethene	22.3	2.0	ug/l	25.0		89	80-125	1	10	
trans-1,2-Dichloroethene	23.0	2.0	ug/l	25.0		92	80-120	1	10	
1,2-Dichloropropane	24.2	2.0	ug/l	25.0		97	80-120	3	15	
1,3-Dichloropropane	22.0	2.0	ug/l	25.0		88	80-120	2	15	
2,2-Dichloropropane	22.6	2.0	ug/l	25.0		90	70-130	0	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
LCS Dup Analyzed: 10/05/2006 (P6J0527-BSD1)										
1,1-Dichloropropene	24.0	2.0	ug/l	25.0		96	80-120	2	10	
cis-1,3-Dichloropropene	23.0	2.0	ug/l	25.0		92	75-120	1	15	
trans-1,3-Dichloropropene	23.4	2.0	ug/l	25.0		94	80-120	0	20	
Ethylbenzene	23.3	2.0	ug/l	25.0		93	80-125	1	15	
Hexachlorobutadiene	23.0	5.0	ug/l	25.0		92	70-130	3	15	
2-Hexanone	22.0	10	ug/l	25.0		88	40-150	1	35	
Iodomethane	22.2	2.0	ug/l	25.0		89	80-130	0	10	
Isopropylbenzene	25.2	2.0	ug/l	25.0		101	80-140	2	10	
p-Isopropyltoluene	23.8	2.0	ug/l	25.0		95	80-130	1	15	
Methylene chloride	22.4	5.0	ug/l	25.0		90	80-120	2	10	
4-Methyl-2-pentanone (MIBK)	21.7	10	ug/l	25.0		87	50-140	3	35	
Methyl-tert-butyl Ether (MTBE)	22.3	5.0	ug/l	25.0		89	65-130	0	25	
Naphthalene	22.6	2.0	ug/l	25.0		90	70-130	9	20	
n-Propylbenzene	24.0	2.0	ug/l	25.0		96	80-135	0	10	
Styrene	23.5	2.0	ug/l	25.0		94	80-125	1	15	
1,1,1,2-Tetrachloroethane	22.7	5.0	ug/l	25.0		91	80-120	1	15	
1,1,2,2-Tetrachloroethane	22.8	2.0	ug/l	25.0		91	65-140	1	25	
Tetrachloroethene	22.7	2.0	ug/l	25.0		91	80-125	0	15	
Toluene	23.8	2.0	ug/l	25.0		95	80-125	1	10	
1,2,3-Trichlorobenzene	23.6	5.0	ug/l	25.0		94	75-125	3	15	
1,2,4-Trichlorobenzene	23.3	5.0	ug/l	25.0		93	80-125	2	15	
1,1,1-Trichloroethane	21.9	2.0	ug/l	25.0		88	75-125	1	10	
1,1,2-Trichloroethane	22.0	2.0	ug/l	25.0		88	80-125	3	25	
Trichloroethene	23.0	2.0	ug/l	25.0		92	80-120	2	10	
Trichlorofluoromethane	23.0	5.0	ug/l	25.0		92	75-130	0	10	
1,2,3-Trichloropropane	22.1	10	ug/l	25.0		88	65-135	1	25	
1,2,4-Trimethylbenzene	22.7	2.0	ug/l	25.0		91	80-125	0	10	
1,3,5-Trimethylbenzene	22.9	2.0	ug/l	25.0		92	80-130	1	10	
Vinyl acetate	28.8	25	ug/l	25.0		115	70-140	1	30	
Vinyl chloride	24.2	1.7	ug/l	25.0		97	70-135	1	15	
Xylenes, Total	46.9	3.0	ug/l	50.0		94	80-125	2	15	
Surrogate: Dibromofluoromethane	*25.1*		*ug/l*	*25.0*		*100*	*80-130*			
Surrogate: Toluene-d8	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.3*		*ug/l*	*25.0*		*97*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
Matrix Spike Analyzed: 10/05/2006 (P6J0527-MS1)					**Source: PPI0787-01**					
Acetone	27.1	20	ug/l	25.0	ND	108	15-150			
Benzene	24.3	1.0	ug/l	25.0	ND	97	80-125			
Bromobenzene	23.5	5.0	ug/l	25.0	ND	94	80-125			
Bromochloromethane	23.4	5.0	ug/l	25.0	ND	94	80-130			
Bromodichloromethane	23.4	2.0	ug/l	25.0	ND	94	70-130			
Bromoform	24.8	5.0	ug/l	25.0	ND	99	70-120			
Bromomethane	23.7	5.0	ug/l	25.0	ND	95	80-135			
2-Butanone (MEK)	26.2	10	ug/l	25.0	ND	105	30-150			
n-Butylbenzene	23.7	5.0	ug/l	25.0	ND	95	80-135			
sec-Butylbenzene	23.5	5.0	ug/l	25.0	ND	94	80-130			
tert-Butylbenzene	23.3	5.0	ug/l	25.0	ND	93	80-130			
Carbon Disulfide	22.9	5.0	ug/l	25.0	ND	92	45-150			
Carbon tetrachloride	21.0	5.0	ug/l	25.0	ND	84	65-135			
Chlorobenzene	23.4	1.0	ug/l	25.0	ND	94	80-125			
Chloroethane	24.5	5.0	ug/l	25.0	ND	98	80-125			
Chloroform	24.1	2.0	ug/l	25.0	1.4	91	75-130			
Chloromethane	23.8	5.0	ug/l	25.0	ND	95	65-130			
2-Chlorotoluene	23.2	5.0	ug/l	25.0	ND	93	80-130			
4-Chlorotoluene	23.1	5.0	ug/l	25.0	ND	92	80-135			
Dibromochloromethane	22.6	2.0	ug/l	25.0	ND	90	75-120			
1,2-Dibromo-3-chloropropane	22.2	5.0	ug/l	25.0	ND	89	50-130			
1,2-Dibromoethane (EDB)	23.7	2.0	ug/l	25.0	ND	95	70-130			
Dibromomethane	23.0	2.0	ug/l	25.0	ND	92	75-130			
1,2-Dichlorobenzene	23.0	1.0	ug/l	25.0	ND	92	80-130			
1,3-Dichlorobenzene	23.0	1.0	ug/l	25.0	ND	92	80-130			
1,4-Dichlorobenzene	24.0	1.0	ug/l	25.0	ND	96	80-125			
Dichlorodifluoromethane	18.9	5.0	ug/l	25.0	ND	76	60-140			
1,1-Dichloroethane	24.1	2.0	ug/l	25.0	ND	96	80-125			
1,2-Dichloroethane	23.0	1.0	ug/l	25.0	ND	92	60-145			
1,1-Dichloroethene	24.4	5.0	ug/l	25.0	ND	98	75-130			
cis-1,2-Dichloroethene	24.0	2.0	ug/l	25.0	0.70	93	80-125			
trans-1,2-Dichloroethene	23.9	2.0	ug/l	25.0	ND	96	80-120			
1,2-Dichloropropane	25.2	2.0	ug/l	25.0	ND	101	80-125			
1,3-Dichloropropane	23.5	2.0	ug/l	25.0	ND	94	75-130			
2,2-Dichloropropane	22.0	2.0	ug/l	25.0	ND	88	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
Matrix Spike Analyzed: 10/05/2006 (P6J0527-MS1)					**Source: PPI0787-01**					
1,1-Dichloropropene	23.9	2.0	ug/l	25.0	ND	96	80-125			
cis-1,3-Dichloropropene	24.5	2.0	ug/l	25.0	ND	98	75-120			
trans-1,3-Dichloropropene	24.0	2.0	ug/l	25.0	ND	96	75-130			
Ethylbenzene	23.4	2.0	ug/l	25.0	ND	94	80-130			
Hexachlorobutadiene	22.5	5.0	ug/l	25.0	ND	90	65-130			
2-Hexanone	23.9	10	ug/l	25.0	ND	96	40-150			
Iodomethane	23.1	2.0	ug/l	25.0	ND	92	70-140			
Isopropylbenzene	25.2	2.0	ug/l	25.0	ND	101	80-140			
p-Isopropyltoluene	23.4	2.0	ug/l	25.0	ND	94	80-135			
Methylene chloride	24.0	5.0	ug/l	25.0	ND	96	75-125			
4-Methyl-2-pentanone (MIBK)	24.2	10	ug/l	25.0	ND	97	40-140			
Methyl-tert-butyl Ether (MTBE)	25.0	5.0	ug/l	25.0	ND	100	65-135			
Naphthalene	23.9	2.0	ug/l	25.0	ND	96	60-140			
n-Propylbenzene	24.4	2.0	ug/l	25.0	ND	98	80-140			
Styrene	22.5	2.0	ug/l	25.0	ND	90	30-150			
1,1,1,2-Tetrachloroethane	23.0	5.0	ug/l	25.0	ND	92	80-130			
1,1,2,2-Tetrachloroethane	25.5	2.0	ug/l	25.0	ND	102	65-140			
Tetrachloroethene	24.4	2.0	ug/l	25.0	1.9	90	80-130			
Toluene	24.4	2.0	ug/l	25.0	ND	98	80-130			
1,2,3-Trichlorobenzene	24.6	5.0	ug/l	25.0	ND	98	75-140			
1,2,4-Trichlorobenzene	23.8	5.0	ug/l	25.0	ND	95	80-135			
1,1,1-Trichloroethane	22.1	2.0	ug/l	25.0	ND	88	70-135			
1,1,2-Trichloroethane	24.2	2.0	ug/l	25.0	ND	97	70-135			
Trichloroethene	27.0	2.0	ug/l	25.0	4.1	92	80-125			
Trichlorofluoromethane	22.8	5.0	ug/l	25.0	ND	91	70-140			
1,2,3-Trichloropropane	24.8	10	ug/l	25.0	ND	99	65-135			
1,2,4-Trimethylbenzene	23.0	2.0	ug/l	25.0	ND	92	75-130			
1,3,5-Trimethylbenzene	23.6	2.0	ug/l	25.0	ND	94	80-135			
Vinyl acetate	28.3	25	ug/l	25.0	ND	113	30-150			
Vinyl chloride	24.7	1.7	ug/l	25.0	ND	99	70-135			
Xylenes, Total	46.7	3.0	ug/l	50.0	ND	93	80-125			
Surrogate: Dibromofluoromethane	*25.2*		*ug/l*	*25.0*		*101*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.4*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
Matrix Spike Dup Analyzed: 10/05/2006 (P6J0527-MSD1)					**Source: PPI0787-01**					
Acetone	21.0	20	ug/l	25.0	ND	84	15-150	25	35	
Benzene	22.6	1.0	ug/l	25.0	ND	90	80-125	7	10	
Bromobenzene	21.9	5.0	ug/l	25.0	ND	88	80-125	7	15	
Bromochloromethane	21.8	5.0	ug/l	25.0	ND	87	80-130	7	20	
Bromodichloromethane	21.9	2.0	ug/l	25.0	ND	88	70-130	7	15	
Bromoform	23.0	5.0	ug/l	25.0	ND	92	70-120	8	25	
Bromomethane	21.6	5.0	ug/l	25.0	ND	86	80-135	9	20	
2-Butanone (MEK)	23.2	10	ug/l	25.0	ND	93	30-150	12	35	
n-Butylbenzene	22.0	5.0	ug/l	25.0	ND	88	80-135	7	20	
sec-Butylbenzene	21.9	5.0	ug/l	25.0	ND	88	80-130	7	20	
tert-Butylbenzene	21.5	5.0	ug/l	25.0	ND	86	80-130	8	20	
Carbon Disulfide	22.2	5.0	ug/l	25.0	ND	89	45-150	3	15	
Carbon tetrachloride	19.9	5.0	ug/l	25.0	ND	80	65-135	5	15	
Chlorobenzene	21.8	1.0	ug/l	25.0	ND	87	80-125	7	15	
Chloroethane	22.7	5.0	ug/l	25.0	ND	91	80-125	8	20	
Chloroform	22.0	2.0	ug/l	25.0	1.4	82	75-130	9	15	
Chloromethane	22.0	5.0	ug/l	25.0	ND	88	65-130	8	20	
2-Chlorotoluene	21.5	5.0	ug/l	25.0	ND	86	80-130	8	15	
4-Chlorotoluene	21.6	5.0	ug/l	25.0	ND	86	80-135	7	15	
Dibromochloromethane	20.9	2.0	ug/l	25.0	ND	84	75-120	8	20	
1,2-Dibromo-3-chloropropane	20.7	5.0	ug/l	25.0	ND	83	50-130	7	35	
1,2-Dibromoethane (EDB)	22.0	2.0	ug/l	25.0	ND	88	70-130	7	25	
Dibromomethane	21.1	2.0	ug/l	25.0	ND	84	75-130	9	25	
1,2-Dichlorobenzene	21.3	1.0	ug/l	25.0	ND	85	80-130	8	15	
1,3-Dichlorobenzene	21.0	1.0	ug/l	25.0	ND	84	80-130	9	15	
1,4-Dichlorobenzene	21.9	1.0	ug/l	25.0	ND	88	80-125	9	10	
Dichlorodifluoromethane	16.4	5.0	ug/l	25.0	ND	66	60-140	14	45	
1,1-Dichloroethane	22.0	2.0	ug/l	25.0	ND	88	80-125	9	15	
1,2-Dichloroethane	21.0	1.0	ug/l	25.0	ND	84	60-145	9	20	
1,1-Dichloroethene	22.0	5.0	ug/l	25.0	ND	88	75-130	10	15	
cis-1,2-Dichloroethene	22.0	2.0	ug/l	25.0	0.70	85	80-125	9	15	
trans-1,2-Dichloroethene	22.3	2.0	ug/l	25.0	ND	89	80-120	7	15	
1,2-Dichloropropane	23.0	2.0	ug/l	25.0	ND	92	80-125	9	15	
1,3-Dichloropropane	22.0	2.0	ug/l	25.0	ND	88	75-130	7	20	
2,2-Dichloropropane	20.1	2.0	ug/l	25.0	ND	80	60-135	9	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
Matrix Spike Dup Analyzed: 10/05/2006 (P6J0527-MSD1)					**Source: PPI0787-01**					
1,1-Dichloropropene	22.2	2.0	ug/l	25.0	ND	89	80-125	7	15	
cis-1,3-Dichloropropene	22.5	2.0	ug/l	25.0	ND	90	75-120	9	15	
trans-1,3-Dichloropropene	22.0	2.0	ug/l	25.0	ND	88	75-130	9	25	
Ethylbenzene	21.9	2.0	ug/l	25.0	ND	88	80-130	7	15	
Hexachlorobutadiene	20.8	5.0	ug/l	25.0	ND	83	65-130	8	15	
2-Hexanone	22.0	10	ug/l	25.0	ND	88	40-150	8	35	
Iodomethane	22.2	2.0	ug/l	25.0	ND	89	70-140	4	15	
Isopropylbenzene	23.0	2.0	ug/l	25.0	ND	92	80-140	9	20	
p-Isopropyltoluene	22.0	2.0	ug/l	25.0	ND	88	80-135	6	20	
Methylene chloride	22.2	5.0	ug/l	25.0	ND	89	75-125	8	15	
4-Methyl-2-pentanone (MIBK)	22.1	10	ug/l	25.0	ND	88	40-140	9	35	
Methyl-tert-butyl Ether (MTBE)	22.2	5.0	ug/l	25.0	ND	89	65-135	12	30	
Naphthalene	22.2	2.0	ug/l	25.0	ND	89	60-140	7	30	
n-Propylbenzene	22.5	2.0	ug/l	25.0	ND	90	80-140	8	20	
Styrene	20.4	2.0	ug/l	25.0	ND	82	30-150	10	25	
1,1,1,2-Tetrachloroethane	21.2	5.0	ug/l	25.0	ND	85	80-130	8	15	
1,1,2,2-Tetrachloroethane	23.8	2.0	ug/l	25.0	ND	95	65-140	7	35	
Tetrachloroethene	23.8	2.0	ug/l	25.0	1.9	88	80-130	2	15	
Toluene	22.2	2.0	ug/l	25.0	ND	89	80-130	9	15	
1,2,3-Trichlorobenzene	22.8	5.0	ug/l	25.0	ND	91	75-140	8	20	
1,2,4-Trichlorobenzene	21.8	5.0	ug/l	25.0	ND	87	80-135	9	15	
1,1,1-Trichloroethane	20.3	2.0	ug/l	25.0	ND	81	70-135	8	15	
1,1,2-Trichloroethane	21.4	2.0	ug/l	25.0	ND	86	70-135	12	25	
Trichloroethene	24.9	2.0	ug/l	25.0	4.1	83	80-125	8	15	
Trichlorofluoromethane	21.0	5.0	ug/l	25.0	ND	84	70-140	8	15	
1,2,3-Trichloropropane	22.4	10	ug/l	25.0	ND	90	65-135	10	35	
1,2,4-Trimethylbenzene	21.1	2.0	ug/l	25.0	ND	84	75-130	9	15	
1,3,5-Trimethylbenzene	21.7	2.0	ug/l	25.0	ND	87	80-135	8	15	
Vinyl acetate	25.6	25	ug/l	25.0	ND	102	30-150	10	35	
Vinyl chloride	21.6	1.7	ug/l	25.0	ND	86	70-135	13	25	
Xylenes, Total	43.5	3.0	ug/l	50.0	ND	87	80-125	7	15	
Surrogate: Dibromofluoromethane	*24.5*		*ug/l*	*25.0*		*98*	*80-130*			
Surrogate: Toluene-d8	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.8*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

DATA QUALIFIERS AND DEFINITIONS

M2	Matrix spike recovery was low, the method control sample recovery was acceptable.
R6	LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
ND	Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
RPD	Relative Percent Difference

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0753

Sampled: 09/22/06
Received: 09/22/06

Certification Summary

TestAmerica - Phoenix, AZ

Method	Matrix	Nelac	Arizona
EPA 8015B	Water	X	X
EPA 8260B	Water	X	X

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

Subcontracted Laboratories

Transwest Geochem *Arizona Cert #AZ0133*
3725 E. Atlanta Ave Ste 1 - Phoenix, AZ 85040-2961

Analysis Performed: 8015B MOD-Low Level
Samples: PPI0753-02

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

COC # 37380 092206A

Page 1 of 1

Lab Use Only

Project No:

Job No.

Phone 480 [illegible]

Client Contact (name [illegible]

Jennifer Holland

CH2M HILL

2625 South Plaza Dr STE 300

Tempe, AZ 85282

480-377-6287

Sampler: M Wies

Project Number [illegible]

Address [illegible]

24 Hour ☐

7 Day ☐

14 Day - ☐

21 Day - ☐

28 Day - ☐

TAT

Site Name [illegible]

Location of Site Phoenix Az

	Sample Identification		Sample Date	Sample Time	Sample Type	Matrix	# of Cont.	Preservation Used	Use for MS / MSD	Filtered Sample	Unfiltered Sample	SW8015	SW8260	SW8310															Lab Sample Numbers
	Location ID	Field Sample ID																											
1	Trip Blank	TB-092206A	Sep 22 2006	0553	BLKWATER	WATER	1	X			X		X																PP10153 1
2	ASE-37A	ASE-37A-6C2	Sep 22 2006	0812	GW	WATER	5	X			X	X	X																- 2
3	~~PL-101A~~	~~PL-101A-6C2~~	~~Sep 22 2006~~		~~GW~~	~~WATER~~	~~5~~	~~X~~			~~X~~	~~X~~	~~X~~																
4	~~ASE-38A~~	~~ASE-38A-6C2~~	~~Sep 22 2006~~		~~GW~~	~~WATER~~	~~5~~	~~X~~			~~X~~	~~X~~	~~X~~																
5	~~ASE-39A~~	~~ASE-39A-6C2~~	~~Sep 22 2006~~		~~GW~~	~~WATER~~	~~5~~	~~X~~			~~X~~	~~X~~	~~X~~																
6	EQUIPBLANK	PL-518-6C2	Sep 22 2006	0828	BLKWATER	WATER	3	X			X		X																- 3
7	~~ASE-116A~~	~~ASE-116A-6C2~~	~~Sep 22 2006~~		~~GW~~	~~WATER~~	~~7~~	~~X~~			~~X~~	~~X~~	~~X~~	~~X~~															
8	~~FIELDDUP~~	~~PL-520-6C2~~	~~Sep 22 2006~~		~~GW~~	~~WATER~~	~~7~~	~~X~~			~~X~~	~~X~~	~~X~~	~~X~~															
9																													
10																													
11																													
12																													
13																													
14																													
15																													
16																													
17																													
18																													
19																													
20																													
21																													
22																													
23																													

Special Instructions: Standard TAT 10 days.

Relinquished by:	Company:	Date/Time:	Received by:	Company:
	H+A	09/22/06 1457		
Relinquished by:	Company:	Date/Time:	Received by:	Company:
Relinquished by:	Company:	Date/Time:	Received by:	Company: TA

TRANSWEST GEOCHEM

October 10, 2006

Ken Baker
TestAmerica - Phoenix
9830 S. 51st Street
Suite B-120
Phoenix, AZ 85044

Re: PPI0753
Work Order No.: 0609440

Dear Ken,

Attached is the original Report of Analysis from Columbia Analytical Services, Inc. (AZ0604) for the sample received on 9/25/06. The following analysis was performed:

Method EPA 8015B – Diesel Range Organics

If you have any questions regarding the results, please call me. We appreciate your business and thank you for choosing Transwest Geochem.

Sincerely,

Skip Harden
Project Manager

ADHS License No. AZM133/AZ0133

CONFIDENTIAL AND PRIVILEGED

[illegible] • 602-437-0330 • (800) 927-5183 • Fax (602) 437-0660
[illegible] • Tucson, Arizona 85714 • (520) 573-1061 • Fax (520) 573-1063

5090 Caterpillar Road Redding, California 96003 (530) 244-5227 (530) 244-4109 fax

Columbia Analytical Services INC.
An Employee - Owned Company

October 06, 2006

Service Request No: D0601444

Skip Harden
Transwest Geochem, Incorporated
3725 East Atlanta Avenue
Suite 2
Phoenix, AZ 85040-2960

RE: PPC/PPD PPI0753/0609440

Dear Skip:

Enclosed are the results of the sample(s) submitted to our laboratory on September 26, 2006. For your reference, these analyses have been assigned our service request number D0601444.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 112. You may also contact me via email at mhovanec@redding.caslab.com.

Respectfully submitted,

Columbia Analytical Services, Inc.

Michael Hovanec
Project Chemist

NELAP Accredited ACIL Seal of Excellence Award 100% Recycled

Current CAS Redding Accreditation Programs

Federal and National Programs

- U.S Air Force, Air Force Center for Environmental Excellence (AFCEE)
  Approved laboratory for Wastewater and Hazardous Waste
- U.S. Army Corps of Engineers – MRD, HTRW Mandatory Center of Expertise
  Validated for Wastewater and Hazardous Waste
- Department of the Navy, Naval Facilities Engineering Service Center (NFESC)
  Approved laboratory for Wastewater and Hazardous Waste

State and Local Programs

- State of Alaska, Department of Environmental Conservation
  Approved Laboratory for Contaminated Sites
  Lab ID UST-001
- State of Arizona, Department of Health Services, Office of Laboratory Licensure
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID AZ0604
- State of California, Department of Health Services, National Environmental Laboratory Accreditation Program **(NELAP)**
  Approved Laboratory for Drinking Water, Wastewater and Hazardous Waste
  Lab ID 01105CA
  - Los Angeles County Sanitation District
    Approved Laboratory for Wastewater
    Lab ID 10243
- State of California, Department of Health Services, Environmental Laboratory Accreditation Program (ELAP)
  Approved Laboratory for Microbiology of Drinking Water and Wastewater
  Lab ID 2635
- State of Florida, Department of Health, Bureau of Laboratories **(NELAP)**
  Approved Environmental Testing Laboratory for Wastewater and Hazardous Waste
  Lab ID E87203
- State of Kansas, Department of Health and Environment **(NELAP)**
  Approved Laboratory for Hazardous Waste
  Lab ID E-10323
- State of Massachusetts, Department of Environmental Protection
  Approved laboratory for Drinking Water and Wastewater
  Lab ID M-CA025
- State of Oklahoma, Department of Environmental Quality
  Approved Laboratory for General Water Quality/Sludge Testing
  Lab ID 9952
- State of Oregon, Environmental Laboratory Accreditation Program **(ORELAP)**
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID CA200004
- State of Utah, Department of Health, Bureau of Laboratory Improvement **(NELAP)**
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID QUAL1
- State of Washington, Department of Ecology
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID C1234
- State of Wisconsin, Department of Natural Resources
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID 999767340

Arizona Data Qualifiers
Revision 2.0, 11/26/2003

Developed by the Sub-committee of the
Arizona Environmental Laboratory Advisory Committee

Microbiology:
A1 = Too numerous to count.
A2 = Sample incubation period exceeded method requirement.
A3 = Sample incubation period was shorter than method requirement.
A4 = Target organism detected in associated method blank.
A5 = Incubator/water bath temperature was outside method requirements.
A6 = Target organism not detected in associated positive control.
A7 = Micro sample received without adequate headspace.

Method/calibration blank:
B1 = Target analyte detected in method blank at or above the method reporting limit.
B2 = Non-target analyte detected in method blank and sample, producing interference.
B3 = Target analyte detected in calibration blank at or above the method reporting limit.
B4 = Target analyte detected in blank at/above method acceptance criteria.
B5 = Target analyte detected in method blank at or above the method reporting limit, but below trigger level or MCL.
B6 = Target analyte detected in calibration blank at or above the method reporting limit, but below trigger level or MCL.
B7 = Target analyte detected in method blank at or above method reporting limit. Concentration found in the sample was 10 times above the concentration found in the method blank.

Confirmation:
C1 = Confirmatory analysis not performed as required by the method.
C3 = Qualitative confirmation performed.
C4 = Confirmatory analysis was past holding time.
C5 = Confirmatory analysis was past holding time. Original result not confirmed.
C6 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the higher value was reported as there was no obvious chromatographic interference.
C7 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic interference.

Dilution:
D1 = Sample required dilution due to matrix.
D2 = Sample required dilution due to high concentration of target analyte.
D3 = Sample dilution required due to insufficient sample.
D4 = Minimum reporting level (MRL) adjusted to reflect sample amount received and analyzed.

Estimated concentration:
E1 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not possible due to insufficient sample.
E2 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to sample matrix.
E3 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

E4 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL).
E5 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL), but not confirmed by alternate analysis.
E6 = Concentration estimated. Internal standard recoveries did not meet method acceptance criteria.
E7 = Concentration estimated. Internal standard recoveries did not meet laboratory acceptance criteria.
E8 = Analyte reported to MDL per project specification. Target analyte was not detected in the sample.

Hold time:
H1 = Sample analysis performed past holding time.
H2 = Initial analysis within holding time. Reanalysis for the required dilution was past holding time.
H3 = Sample was received and analyzed past holding time.
H4 = Sample was extracted past required extraction holding time, but analyzed within analysis holding time.

BOD:
K1 = The sample dilutions set-up for the BOD analysis did not meet the oxygen depletion criteria of at least 2 mg/L. Any reported result is an estimated value.
K2 = The sample dilutions set up for the BOD analysis did not meet the criteria of a residual dissolved oxygen of at least 1 mg/L. Any reported result is an estimated value.
K4 = The seed depletion was outside the method acceptance limits. The reported result is an estimated value.
K5 = The dilution water D.O. depletion was > 0.2 mg/L.
K6 = Glucose/glutamic acid BOD was below method acceptance criteria.
K7 = A discrepancy between the BOD and COD results has been verified by reanalysis of the sample for COD.
K8 = Glucose/glutamic acid BOD was above method acceptance levels.

Laboratory fortified blank/blank spike:

L1 = The associated blank spike recovery was above laboratory acceptance limits.
L2 = The associated blank spike recovery was below laboratory acceptance limits.
L3 = The associated blank spike recovery was above method acceptance limits.
L4 = The associated blank spike recovery was below method acceptance limits.

Matrix spike:
M1 = Matrix spike recovery was high, the method control sample recovery was acceptable.
M2 = Matrix spike recovery was low, the method control sample recovery was acceptable.
M3 = The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
M4 = The analysis of the spiked sample required a dilution such that the spike concentration was diluted below the reporting limit. The method control sample recovery was acceptable.
M5 = Analyte concentration was determined by the method of standard addition (MSA).

M6 = Matrix spike recovery was high. Data reported per ADEQ policy 0154.000.
M7 = Matrix spike recovery was low. Data reported per ADEQ policy 0154.000.

General:
N1 = See case narrative.
N2 = See corrective action report.
N3 = The analysis meets all method requirements. See case narrative.

Sample quality:
Q1 = Sample integrity was not maintained. See case narrative.
Q2 = Sample received with headspace.
Q3 = Sample received with improper chemical preservation.
Q4 = Sample received and analyzed without chemical preservation.
Q5 = Sample received with inadequate chemical preservation, but preserved by the laboratory.
Q6 = Sample was received above recommended temperature.
Q7 = Sample inadequately dechlorinated.
Q8 = Insufficient sample received to meet method QC requirements. Batch QC requirements satisfies ADEQ policies 0154 and 0155.
Q9 = Insufficient sample received to meet method QC requirements.
Q10 = Sample received in inappropriate sample container.
Q11 = Sample is heterogeneous. Sample homogeneity could not be readily achieved using routine laboratory practices.

Duplicates:
R1 = RPD exceeded the method control limit. See case narrative.
R2 = RPD exceeded the laboratory control limit. See case narrative.
R4 = MS/MSD RPD exceeded the method control limit. Recovery met acceptance criteria.
R5 = MS/MSD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R6 = LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
R7 = LFB/LFBD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R8 = Sample RPD exceeded the method control limit.
R9 = Sample RPD exceeded the laboratory control limit.
R10 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic problems.
R11 = The RPD calculation for MS/MSD does not provide useful information due to the varying sample weights when Encore samplers/methanol field preserved samples are used.

Surrogate:
S1 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits.
S3 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits. No target analytes were detected in the sample.
S4 = Surrogate recovery was above laboratory and method acceptance limits. No target analytes were detected in the sample.
S5 = Surrogate recovery was below laboratory acceptance limits, but within method acceptance limits.
S6 = Surrogate recovery was below laboratory and method acceptance limits. Reextraction and/or reanalysis confirms low recovery caused by matrix effect.

S7 = Surrogate recovery was below laboratory and method acceptance limits. Unable to confirm matrix effect.
S8 = The analysis of the sample required a dilution such that the surrogate recovery calculation does not provide any useful information. The method control sample recovery was acceptable.
S10 = Surrogate recovery was above laboratory and method acceptance limits. See Case narrative.
S11 = Surrogate recovery was high. Data reported per ADEQ policy 0154.000.
S12 = Surrogate recovery was low. Data reported per ADEQ policy 0154.000.

Method/analyte discrepancies:
T1 = Method approved by EPA, but not yet licensed by ADHS.
T2 = Cited ADHS licensed method does not contain this analyte as part of method compound list.
T3 = Method not promulgated either by EPA or ADHS.
T4 = Tentatively identified compound. Concentration is estimated and based on the closest internal standard.

Calibration verification:
V1 = CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
V2 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample. The sample could not be reanalyzed due to insufficient sample.
V3 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample, but the sample was not reanalyzed. See case narrative.
V4 = CCV recovery was below method acceptance limits. The sample could not be reanalyzed due to insufficient sample.
V5 = CCV recovery after a group of samples was above acceptance limits. This target analyte was not detected in the sample. Acceptable per EPA Method 8000B.
V6 = Data reported from one-point calibration criteria per ADEQ policy 0155.000.
V7 = Calibration verification recovery was above the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.
V8 = Calibration verification recovery was below the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.

Calibration:
W1 = The % RSD for this compound was above 20%. The average % RSD for all compounds in the calibration met the 20% criteria as specified in EPA method 8000B.
W2 = The % RSD for this compound was above 15%. The average % RSD for all compounds in the calibration met the 15% criteria as specified in EPA method 8260B/8270C.

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
D0601444-001	PPI0753-02	09/22/06	08:21

CASE NARRATIVE

COLUMBIA ANALYTICAL SERVICES, INC.

Client:	Transwest Geochem, Incorporated	**Service Request No.:**	D0601444
Project:	PPC/PPD PPI0753	**Date Received:**	09/26/06
Sample Matrix:	Aqueous		

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of Columbia Analytical Services, Inc. (CAS).This report contains analytical results for samples designated for Tier II data deliverables.

Sample Receipt

1 Aqueous sample was received for analysis at Columbia Analytical Services on 09/26/06.

No discrepancies were noted upon initial sample inspection. The samples were received in good condition and consistent with the accompanying chain of custody form. The samples were stored in a refrigerator at 4 degrees Celsius upon receipt at the laboratory.

Diesel Range Organics by EPA Method 8015B

No anomalies associated with the analysis of these samples by the above-mentioned method were observed.

Matrix Spike Recovery Exceptions:

Insufficient sample volume was received to perform a Matrix Spike/Matrix Spike Duplicate (MS/MSD). A Laboratory Control Sample/Duplicate Laboratory Control Sample (LCS/DLCS) was analyzed in order to report precision data.

Approved by: Michael Hovan **Date:** 10/6/06

CHAIN OF CUSTODY DOCUMENTATION

TRANSWEST GEOCHEM

CHAIN-OF-CUSTODY [redacted]

Skip Harden
3725 E. Atlanta Avenue
Suite 2
Phoenix, AZ 85040
TEL: (602) 437-0330
FAX: (602) 437-0660

Work Order: 0609440

Project: PPI0753

Subcontractor:
Columbia Analytical Services
5090 Caterpillar Rd.
Redding, CA 96003
TEL: (530) 244-5227
FAX: (530) 244-4109

25-Sep-06

Client Sample ID	TGI ID	Matrix	Collection Date	Containers	Requested Tests: 8015MOD_W						
PPIO753-02	01A	Water	9/22/2006 8:12:00 AM	2/	1						

*Lower reporting limits required

Comments: After analysis, the samples do not need to be returned and can be disposed per your standard laboratory practices. Please provide a QC report, including Method Blank data.

Sample Receipt		
Temperature:	Ambient / Cold	Ice:
Received Intact:		Absent / Present
Custody Seals:		Wet / Blue
Total No. of Containers:		° C.

		Date/Time			Date/Time
Relinquished by:	Leslie May- TGI	9/25/06 1600	Received by:	UPS	
Relinquished by:			Received by:		
Relinquished by:			Received by:	K Maze	9-26-06 930

Columbia Analytical Services inc.
An Employee-Owned Company

5090 Caterpillar Road
Redding, CA 96003
Phone: (530) 244-5262
[redacted]

COOLER RECEIPT FORM

Project/Client: _____ Batch No.: [redacted]

1. Cooler(s)/Sample(s) received on: 9.26.06 Shipped via: UPS

   Shipping Bill # (s): _____ # of Coolers/Packages 2

2. Radiological Screening by: _____ Acceptable Rejected

3. Custody seals on outside of cooler: YES NO N/A

   If yes, where? Front ✓ Rear____ Lt Side____ Rt Side____

   Seals intact: YES NO

COOLER/SAMPLE PROCESSING

4. Sample Processing/Tagging by: KMC

5. Cooler(s)/Sample(s) Temp's: 4.0c ____ ____ ____ ____

   (or)

   Temp. Blank (if included): ____ ____ ____ ____ ____

6. Type of packing material (circle): Ice Blue Ice Bubble Wrap Bubble Bags Zip Locks Webbing

   Other: _____

7. Custody papers properly filled out (ink, signed, dated, released, etc.)? YES NO

8. Containers arrived in good condition (not broken, leaking, etc.)? YES NO

9. Samples received with adequate holding time remaining to conduct analysis? YES NO

10. Container labels complete (i.e. analysis, preservation, date/time, etc.)? YES NO

11. Container labels and tags agree with custody papers? YES NO

12. Correct types of containers used for the tests indicated? YES NO

    a.) Adequate sample received? If not, note on Exception Report. YES NO

13. Containers supplied by: CAS Other

14. Preserved containers received with the appropriate preservative? YES NO N/A

    pH: <2 H_2SO_4 (or) See pH log.

15. VOA vials free of air bubbles? YES NO N/A

16. Trip Blank preparation date: _____ CAS Other N/A

17. Volatile Soil samples: Encores or Plugs in Vials

    Freezer or GC/MS Date: _____ Time: _____ N/A

See Exception Report for discrepancies.

Rev. 8/18/2004/ds

GC TPH DIESEL

ORGANIC ANALYSES DATA PACKAGE

Analytical Method: CA LUFT AAB #: D0601444

Lab Name: Columbia Analytical Services/Redding

Base/Command: ARIZONA DELIVERABLES (RL)

Project: PPC/PPD PPI0753

Field Sample ID	Lab Sample ID
PPI0753-02	D0601444-001

Comments:

I certify this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: Wilda Ang Name: WILDA ANG

Date: 10/5/06 Title: Organic Manager

RDD-061004:CC:BS-1603PST-SR:D0601444-D0601444-D

ORGANIC ANALYSES DATA SHEET 2
RESULTS

Analytical Method: CA LUFT Preparatory Method: METHOD AAB #: D0601444

Lab Name: Columbia Analytical Services/Redding

Field Sample ID: PPI0753-02 Lab Sample ID: D0601444-001 Matrix: Water

% Solids: _____ Preparation Factor: 1 Initial Calibration ID: 05/20/06GCF

Date Received: 09/26/06 Date Extracted: 09/29/06 Date Analyzed: 10/03/06

Concentration Units (ug/L or ug/Kg dry weight): UG/L Sample Volume: 0.990 L

Analyte		RL	Concentration	Dilution	Confirm	Qualifier
C13 - C22 DRO		50	**280**	1		
C23 - C32 HRO		50	ND	1		

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	100	58-111	
Triacontane - SS	101	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 6
BLANKS

Analytical Method: CA LUFT AAB #: D0601444

Lab Name: Columbia Analytical Services/Redding

Concentration Units (ug/L or mg/kg): UG/L Method Blank ID: DWB10929

Lab Sample ID: DWB10929

Initial Calibration ID: 05/20/06GCF

Analyte		Method Blank	RL	Q
C13 - C22 DRO		ND	50	
C23 - C32 HRO		ND	50	

Surrogate	Recovery	Control Limits	Qualifier
Octacosane - SS	92	58-111	
Triacontane - SS	93	54-109	

Comments:

ORGANIC ANALYSES DATA SHEET 7
LABORATORY CONTROL SAMPLE/LABORATORY CONTROL SAMPLE DUPLICATE

Analytical Method: CA LUFT AAB #: D0601444

Lab Name: Columbia Analytical Services/Redding

Concentration Units (ug/L or mg/kg): UG/L %Solids: _____

Parent Field Sample ID: DWB10929 BS ID: DWB10929LCS BSD ID: DWB10929LCSD

Analyte	Parent Sample Result	Spike Added	Spiked Sample Result	%R	Duplicat Spike Sample Result	%R	%RPD	Control Limits %RPD	Control Limits %R	Q
C13 - C22 DRO		2500	2140	85	2270	91	6	30	64-106	

Comments:

ORGANIC ANALYSES DATA SHEET 10
INSTRUMENT ANALYSIS SEQUENCE LOG

Analytical Method: CA LUFT AAB #: D0601444

Lab Name: Columbia Analytical Services/Redding

Instrument ID #: GCF RTX-5

Field Sample ID/Std ID/ Blank ID/QC Sample ID	Laboratory File ID	Date Analysis Started	Time Analysis Started	Date Analysis Completed	Time Analysis Completed
DSTD6	F0520002	05/20/06	1838	05/20/06	1908
DSTD1	F0520003	05/20/06	1923	05/20/06	1953
DSTD2	F0520004	05/20/06	2008	05/20/06	2038
DSTD3	F0520005	05/20/06	2054	05/20/06	2124
DSTD4	F0520006	05/20/06	2139	05/20/06	2209
DSTD5	F0520007	05/20/06	2225	05/20/06	2255
QC ALT	F0520009	05/20/06	2356	05/21/06	0026
DSTD3	F1002005	10/02/06	1515	10/02/06	1545
DWB10929	F1002006	10/02/06	1559	10/02/06	1629
DWB10929LCS	F1002007	10/02/06	1643	10/02/06	1713
DWB10929LCSD	F1002008	10/02/06	1728	10/02/06	1758
DSTD4	F1002017	10/03/06	0006	10/03/06	0036
PPI0753-02	F1002019	10/03/06	0134	10/03/06	0204
DSTD3	F1002029	10/03/06	0855	10/03/06	0925

Comments:

ORGANIC ANALYSES DATA SHEET APPENDIX A
SURROGATE RESULTS

Analytical Method: CA LUFT AAB #: D0601444

Lab Name: Columbia Analytical Services/Redding

Matrix: Water

Field/QC Sample ID	S1	S2	S3	S4	S5	S6	S7	S8	Q
DWB10929	92	93							
DWB10929LCS	95	95							
DWB10929LCSD	98	99							
PPI0753-02	100	101							

S1: Octacosane - SS 58-111
S2: Triacontane - SS 54-109

Comments:

SUB

TRANSWEST GEOCHEM

Sample Receipt Checklist

Client Name: Test America

Work Order Number: 0606 9440

Checklist completed by: [signature] 9.25.2006
Signature / Date

Matrix: Water Carrier Name: (Client) TGI _____

Date and Time Received: 9.25.2006 9.30

Checked by: EB

Logged In by: EB 9.25.2006
Initials / Date

Reviewed by: SH 9/26/06
Initials / Date

				COMMENTS
Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐	
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☑	
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑	
Chain of custody present?	Yes ☑	No ☐		
Chain of custody signed when relinquished and received?	Yes ☑	No ☐		
Chain of custody agrees with sample labels?	Yes ☑	No ☐		
Samples in proper container/bottle?	Yes ☑	No ☐		
Sample containers intact?	Yes ☑	No ☐		
Sufficient sample volume for indicated test?	Yes ☑	No ☐		
All samples received within holding time?	Yes ☑	No ☐		
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	Temp: 5.1	Sampled < 2hrs ☐
Water – VOA vials have zero headspace?	Yes ☐	No ☐	N/A ☑	
Water – pH acceptable upon receipt?	Yes ☑	No ☐	N/A ☐	Checked by: EB
Water – Sulfides present in Cyanide samples?	Yes ☐	No ☐	N/A ☑	
Sample considered Drinking Water for metal analysis?	Yes ☐	No ☐	N/A ☑	

Client contacted: _____ Date contacted: _____ Person contacted: _____

Contacted by: _____ Regarding: _____

Corrective Action: _____

TestAmerica
ANALYTICAL TESTING CORPORATION

#0009440

SUBCONTRACT ORDER - PROJECT # PPI0753

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPI0753-02 Water Sampled: 09/22/06 08:12		
8015B MOD-Low Level-O	09/29/06 08:12	sub to Transwest, need transfer file for EDD

Containers Supplied:
1 L Amber w/H2SO4 (PPI0753-02D)
1 L Amber w/H2SO4 (PPI0753-02E)

PH

12.12

SAMPLE INTEGRITY:

All containers intact: ☑ Yes ☐ No
Custody Seals Present: ☐ Yes ☑ No
Sample labels/COC agree: ☑ Yes ☐ No
Samples Preserved Properly: ☑ Yes ☐ No
Samples Received On Ice:: ☑ Yes ☐ No
Samples Received at (temp): 5.1

Released By	Date	Time	Received By	Date	Time
MDV	9-25-06	0800	[signature]	9-25-06	0800
[signature]			[signature]	9.25.06	9.30

TestAmerica
ANALYTICAL TESTING CORPORATION

9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

LABORATORY REPORT

Prepared For: CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project: Honeywell-Sky Harbor-PO# 2959460

Sampled: 09/25/06
Received: 09/25/06
Issued: 10/15/06 11:03

NELAP #01109CA Arizona DHS#AZ0426

The results listed within this Laboratory Report pertain only to the samples tested in the laboratory. The analyses contained in this report were performed in accordance with the applicable certifications as noted. All soil samples are reported on a wet weight basis unless otherwise noted in the report. This Laboratory Report is confidential and is intended for the sole use of TestAmerica and its client. This report shall not be reproduced, except in full, without written permission from TestAmerica. The Chain of Custody, 1 page, is included and is an integral part of this report.
This entire report was reviewed and approved for release.

CASE NARRATIVE

LABORATORY ID	CLIENT ID	MATRIX
PPI0785-01	TB-092206B	Water
PPI0785-02	ASE-92A-6C2	Water
PPI0785-03	ASE-91A-6C2	Water
PPI0785-04	ASE-55A-6C2	Water
PPI0785-05	ASE-64A-6C2	Water
PPI0785-06	ASE-63A-6C2	Water
PPI0785-07	PL-517-6C2	Water
PPI0785-08	PL-519-6C2	Water
PPI0785-09	ASE 26A-6C2	Water

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe 2625 S. Plaza Drive, Ste. 300 Tempe, AZ 85282 Attention: Jennifer Holland	Project ID: Honeywell-Sky Harbor-PO# 2959460 Report Number: PPI0785	Sampled: 09/25/06 Received: 09/25/06

SAMPLE RECEIPT:	Samples were received intact, at 3°C, on ice and with chain of custody documentation.
HOLDING TIMES:	All samples were analyzed within prescribed holding times and/or in accordance with the TestAmerica Sample Acceptance Policy unless otherwise noted in the report.
PRESERVATION:	Samples requiring preservation were verified prior to sample analysis.
QA/QC CRITERIA:	All analyses met method criteria, except as noted in the report with data qualifiers.
COMMENTS:	No significant observations were made.
SUBCONTRACTED:	Refer to the last page for specific subcontract laboratory information included in this report.

Reviewed By:

Ken Baker

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0785-01 (TB-092206B - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0507	20	ND	1	10/4/2006	10/4/2006	
Benzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
Bromobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromochloromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromodichloromethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Bromoform	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromomethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Butanone (MEK)	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
n-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
sec-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
tert-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Carbon Disulfide	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Carbon tetrachloride	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Chlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
Chloroethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Chloroform	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Chloromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Chlorotoluene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
4-Chlorotoluene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Dibromochloromethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Dibromomethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloroethane	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
2,2-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Ethylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Hexachlorobutadiene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Hexanone	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0785-01 (TB-092206B - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Isopropylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
p-Isopropyltoluene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Methylene chloride	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Naphthalene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
n-Propylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Styrene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Tetrachloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Toluene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Trichloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Trichlorofluoromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Vinyl acetate	EPA 8260B	P6J0507	25	ND	1	10/4/2006	10/4/2006	
Vinyl chloride	EPA 8260B	P6J0507	1.7	ND	1	10/4/2006	10/4/2006	
Xylenes, Total	EPA 8260B	P6J0507	3.0	ND	1	10/4/2006	10/4/2006	
Surrogate: Dibromofluoromethane (80-130%)				*99 %*				
Surrogate: Toluene-d8 (80-120%)				*99 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0785-02 (ASE-92A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0507	20	ND	1	10/4/2006	10/4/2006	
Benzene	EPA 8260B	P6J0507	1.0	**3.6**	1	10/4/2006	10/4/2006	
Bromobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromochloromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromodichloromethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Bromoform	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromomethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Butanone (MEK)	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
n-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
sec-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
tert-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Carbon Disulfide	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Carbon tetrachloride	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Chlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
Chloroethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Chloroform	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Chloromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Chlorotoluene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
4-Chlorotoluene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Dibromochloromethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Dibromomethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethane	EPA 8260B	P6J0507	2.0	**14**	1	10/4/2006	10/4/2006	
1,2-Dichloroethane	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0507	2.0	**4.9**	1	10/4/2006	10/4/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
2,2-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Ethylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Hexachlorobutadiene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Hexanone	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0785-02 (ASE-92A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Isopropylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
p-Isopropyltoluene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Methylene chloride	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0507	5.0	**130**	1	10/4/2006	10/4/2006	
Naphthalene	EPA 8260B	P6J0507	2.0	**2.1**	1	10/4/2006	10/4/2006	
n-Propylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Styrene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Tetrachloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Toluene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Trichloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Trichlorofluoromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Vinyl acetate	EPA 8260B	P6J0507	25	ND	1	10/4/2006	10/4/2006	
Vinyl chloride	EPA 8260B	P6J0507	1.7	**3.2**	1	10/4/2006	10/4/2006	
Xylenes, Total	EPA 8260B	P6J0507	3.0	ND	1	10/4/2006	10/4/2006	
Surrogate: Dibromofluoromethane (80-130%)				*101 %*				
Surrogate: Toluene-d8 (80-120%)				*103 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*103 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0785-03 (ASE-91A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0507	20	ND	1	10/4/2006	10/4/2006	
Benzene	EPA 8260B	P6J0507	1.0	**29**	1	10/4/2006	10/4/2006	
Bromobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromochloromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromodichloromethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Bromoform	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromomethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Butanone (MEK)	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
n-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
sec-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
tert-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Carbon Disulfide	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Carbon tetrachloride	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Chlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
Chloroethane	EPA 8260B	P6J0507	5.0	**29**	1	10/4/2006	10/4/2006	
Chloroform	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Chloromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Chlorotoluene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
4-Chlorotoluene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Dibromochloromethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Dibromomethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethane	EPA 8260B	P6J0507	2.0	**95**	1	10/4/2006	10/4/2006	
1,2-Dichloroethane	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
2,2-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Ethylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Hexachlorobutadiene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Hexanone	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0785-03 (ASE-91A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Isopropylbenzene	EPA 8260B	P6J0507	2.0	**7.6**	1	10/4/2006	10/4/2006	
p-Isopropyltoluene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Methylene chloride	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0507	5.0	**60**	1	10/4/2006	10/4/2006	
Naphthalene	EPA 8260B	P6J0507	2.0	**19**	1	10/4/2006	10/4/2006	
n-Propylbenzene	EPA 8260B	P6J0507	2.0	**5.4**	1	10/4/2006	10/4/2006	
Styrene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Tetrachloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Toluene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Trichloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Trichlorofluoromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Vinyl acetate	EPA 8260B	P6J0507	25	ND	1	10/4/2006	10/4/2006	
Vinyl chloride	EPA 8260B	P6J0507	1.7	**14**	1	10/4/2006	10/4/2006	
Xylenes, Total	EPA 8260B	P6J0507	3.0	ND	1	10/4/2006	10/4/2006	
Surrogate: Dibromofluoromethane (80-130%)				*99 %*				
Surrogate: Toluene-d8 (80-120%)				*106 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0785-04 (ASE-55A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0507	200	ND	10	10/4/2006	10/4/2006	
Benzene	EPA 8260B	P6J0507	5.0	**8.7**	10	10/4/2006	10/4/2006	
Bromobenzene	EPA 8260B	P6J0507	50	ND	10	10/4/2006	10/4/2006	
Bromochloromethane	EPA 8260B	P6J0507	50	ND	10	10/4/2006	10/4/2006	
Bromodichloromethane	EPA 8260B	P6J0507	20	ND	10	10/4/2006	10/4/2006	
Bromoform	EPA 8260B	P6J0507	50	ND	10	10/4/2006	10/4/2006	
Bromomethane	EPA 8260B	P6J0507	50	ND	10	10/4/2006	10/4/2006	
2-Butanone (MEK)	EPA 8260B	P6J0507	100	ND	10	10/4/2006	10/4/2006	
n-Butylbenzene	EPA 8260B	P6J0507	50	ND	10	10/4/2006	10/4/2006	
sec-Butylbenzene	EPA 8260B	P6J0507	50	ND	10	10/4/2006	10/4/2006	
tert-Butylbenzene	EPA 8260B	P6J0507	50	ND	10	10/4/2006	10/4/2006	
Carbon Disulfide	EPA 8260B	P6J0507	50	ND	10	10/4/2006	10/4/2006	
Carbon tetrachloride	EPA 8260B	P6J0507	50	ND	10	10/4/2006	10/4/2006	
Chlorobenzene	EPA 8260B	P6J0507	10	ND	10	10/4/2006	10/4/2006	
Chloroethane	EPA 8260B	P6J0507	50	ND	10	10/4/2006	10/4/2006	
Chloroform	EPA 8260B	P6J0507	20	ND	10	10/4/2006	10/4/2006	
Chloromethane	EPA 8260B	P6J0507	50	ND	10	10/4/2006	10/4/2006	
2-Chlorotoluene	EPA 8260B	P6J0507	50	ND	10	10/4/2006	10/4/2006	
4-Chlorotoluene	EPA 8260B	P6J0507	50	ND	10	10/4/2006	10/4/2006	
Dibromochloromethane	EPA 8260B	P6J0507	20	ND	10	10/4/2006	10/4/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0507	50	ND	10	10/4/2006	10/4/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0507	20	ND	10	10/4/2006	10/4/2006	
Dibromomethane	EPA 8260B	P6J0507	20	ND	10	10/4/2006	10/4/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0507	10	ND	10	10/4/2006	10/4/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0507	10	ND	10	10/4/2006	10/4/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0507	10	ND	10	10/4/2006	10/4/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0507	50	ND	10	10/4/2006	10/4/2006	
1,1-Dichloroethane	EPA 8260B	P6J0507	20	**52**	10	10/4/2006	10/4/2006	
1,2-Dichloroethane	EPA 8260B	P6J0507	10	ND	10	10/4/2006	10/4/2006	
1,1-Dichloroethene	EPA 8260B	P6J0507	50	ND	10	10/4/2006	10/4/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0507	20	ND	10	10/4/2006	10/4/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0507	20	ND	10	10/4/2006	10/4/2006	
1,2-Dichloropropane	EPA 8260B	P6J0507	20	ND	10	10/4/2006	10/4/2006	
1,3-Dichloropropane	EPA 8260B	P6J0507	20	ND	10	10/4/2006	10/4/2006	
2,2-Dichloropropane	EPA 8260B	P6J0507	20	ND	10	10/4/2006	10/4/2006	
1,1-Dichloropropene	EPA 8260B	P6J0507	20	ND	10	10/4/2006	10/4/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0507	20	ND	10	10/4/2006	10/4/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0507	20	ND	10	10/4/2006	10/4/2006	
Ethylbenzene	EPA 8260B	P6J0507	20	ND	10	10/4/2006	10/4/2006	
Hexachlorobutadiene	EPA 8260B	P6J0507	50	ND	10	10/4/2006	10/4/2006	
2-Hexanone	EPA 8260B	P6J0507	100	ND	10	10/4/2006	10/4/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0785-04 (ASE-55A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0507	20	ND	10	10/4/2006	10/4/2006	
Isopropylbenzene	EPA 8260B	P6J0507	20	ND	10	10/4/2006	10/4/2006	
p-Isopropyltoluene	EPA 8260B	P6J0507	20	ND	10	10/4/2006	10/4/2006	
Methylene chloride	EPA 8260B	P6J0507	50	ND	10	10/4/2006	10/4/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0507	100	ND	10	10/4/2006	10/4/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0507	50	ND	10	10/4/2006	10/4/2006	
Naphthalene	EPA 8260B	P6J0507	20	**25**	10	10/4/2006	10/4/2006	
n-Propylbenzene	EPA 8260B	P6J0507	20	ND	10	10/4/2006	10/4/2006	
Styrene	EPA 8260B	P6J0507	20	ND	10	10/4/2006	10/4/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0507	50	ND	10	10/4/2006	10/4/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0507	20	ND	10	10/4/2006	10/4/2006	
Tetrachloroethene	EPA 8260B	P6J0507	20	ND	10	10/4/2006	10/4/2006	
Toluene	EPA 8260B	P6J0507	20	ND	10	10/4/2006	10/4/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0507	50	ND	10	10/4/2006	10/4/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0507	50	ND	10	10/4/2006	10/4/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0507	20	ND	10	10/4/2006	10/4/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0507	20	ND	10	10/4/2006	10/4/2006	
Trichloroethene	EPA 8260B	P6J0507	20	ND	10	10/4/2006	10/4/2006	
Trichlorofluoromethane	EPA 8260B	P6J0507	50	ND	10	10/4/2006	10/4/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0507	100	ND	10	10/4/2006	10/4/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0507	20	ND	10	10/4/2006	10/4/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0507	20	ND	10	10/4/2006	10/4/2006	
Vinyl acetate	EPA 8260B	P6J0507	250	ND	10	10/4/2006	10/4/2006	
Vinyl chloride	EPA 8260B	P6J0507	17	ND	10	10/4/2006	10/4/2006	
Xylenes, Total	EPA 8260B	P6J0507	30	ND	10	10/4/2006	10/4/2006	
Surrogate: Dibromofluoromethane (80-130%)				*95 %*				
Surrogate: Toluene-d8 (80-120%)				*105 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*99 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0785-05 (ASE-64A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0507	20	ND	1	10/4/2006	10/4/2006	
Benzene	EPA 8260B	P6J0507	1.0	**120**	1	10/4/2006	10/4/2006	
Bromobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromochloromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromodichloromethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Bromoform	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromomethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Butanone (MEK)	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
n-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
sec-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
tert-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Carbon Disulfide	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Carbon tetrachloride	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Chlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
Chloroethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Chloroform	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Chloromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Chlorotoluene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
4-Chlorotoluene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Dibromochloromethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Dibromomethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloroethane	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
2,2-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Hexachlorobutadiene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Hexanone	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
Iodomethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0785-05 (ASE-64A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Isopropylbenzene	EPA 8260B	P6J0507	2.0	**62**	1	10/4/2006	10/4/2006	
p-Isopropyltoluene	EPA 8260B	P6J0507	2.0	**2.1**	1	10/4/2006	10/4/2006	
Methylene chloride	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Naphthalene	EPA 8260B	P6J0507	2.0	**67**	1	10/4/2006	10/4/2006	
n-Propylbenzene	EPA 8260B	P6J0507	2.0	**31**	1	10/4/2006	10/4/2006	
Styrene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Tetrachloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Toluene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Trichloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Trichlorofluoromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0507	2.0	**65**	1	10/4/2006	10/4/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0507	2.0	**17**	1	10/4/2006	10/4/2006	
Vinyl acetate	EPA 8260B	P6J0507	25	ND	1	10/4/2006	10/4/2006	
Vinyl chloride	EPA 8260B	P6J0507	1.7	ND	1	10/4/2006	10/4/2006	
Surrogate: Dibromofluoromethane (80-130%)				*96 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*100 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0785-05RE1 (ASE-64A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Ethylbenzene	EPA 8260B	P6J0527	20	**260**	10	10/5/2006	10/5/2006	
Xylenes, Total	EPA 8260B	P6J0527	30	**460**	10	10/5/2006	10/5/2006	
Surrogate: Dibromofluoromethane (80-130%)				*93 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*102 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0785-06 (ASE-63A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0507	20	ND	1	10/4/2006	10/4/2006	
Bromobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromochloromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromodichloromethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Bromoform	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromomethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Butanone (MEK)	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
n-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
sec-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
tert-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Carbon Disulfide	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Carbon tetrachloride	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Chlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
Chloroethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Chloroform	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Chloromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Chlorotoluene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
4-Chlorotoluene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Dibromochloromethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Dibromomethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloroethane	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0507	2.0	**9.5**	1	10/4/2006	10/4/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
2,2-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Hexachlorobutadiene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Hexanone	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
Iodomethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Isopropylbenzene	EPA 8260B	P6J0507	2.0	**58**	1	10/4/2006	10/4/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0785-06 (ASE-63A-6C2 - Water) - cont.								
Reporting Units: ug/l								
p-Isopropyltoluene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Methylene chloride	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
Naphthalene	EPA 8260B	P6J0507	2.0	**120**	1	10/4/2006	10/4/2006	
n-Propylbenzene	EPA 8260B	P6J0507	2.0	**39**	1	10/4/2006	10/4/2006	
Styrene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Tetrachloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Toluene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Trichloroethene	EPA 8260B	P6J0507	2.0	**4.6**	1	10/4/2006	10/4/2006	
Trichlorofluoromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Vinyl acetate	EPA 8260B	P6J0507	25	ND	1	10/4/2006	10/4/2006	
Vinyl chloride	EPA 8260B	P6J0507	1.7	ND	1	10/4/2006	10/4/2006	
Xylenes, Total	EPA 8260B	P6J0507	3.0	**7.0**	1	10/4/2006	10/4/2006	
Surrogate: Dibromofluoromethane (80-130%)				*94 %*				
Surrogate: Toluene-d8 (80-120%)				*105 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*100 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0785-06RE1 (ASE-63A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Benzene	EPA 8260B	P6J0527	50	**4000**	50	10/5/2006	10/5/2006	
Ethylbenzene	EPA 8260B	P6J0527	100	**680**	50	10/5/2006	10/5/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0527	250	**450**	50	10/5/2006	10/5/2006	
Surrogate: Dibromofluoromethane (80-130%)				*95 %*				
Surrogate: Toluene-d8 (80-120%)				*103 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*99 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0785-07 (PL-517-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0507	20	ND	1	10/4/2006	10/4/2006	
Benzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
Bromobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromochloromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromodichloromethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Bromoform	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Bromomethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Butanone (MEK)	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
n-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
sec-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
tert-Butylbenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Carbon Disulfide	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Carbon tetrachloride	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Chlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
Chloroethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Chloroform	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Chloromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Chlorotoluene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
4-Chlorotoluene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Dibromochloromethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Dibromomethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloroethane	EPA 8260B	P6J0507	1.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloroethene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,3-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
2,2-Dichloropropane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Ethylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Hexachlorobutadiene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
2-Hexanone	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0785-07 (PL-517-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Isopropylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
p-Isopropyltoluene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Methylene chloride	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
Naphthalene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
n-Propylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Styrene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Tetrachloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Toluene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Trichloroethene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Trichlorofluoromethane	EPA 8260B	P6J0507	5.0	ND	1	10/4/2006	10/4/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0507	10	ND	1	10/4/2006	10/4/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0507	2.0	ND	1	10/4/2006	10/4/2006	
Vinyl acetate	EPA 8260B	P6J0507	25	ND	1	10/4/2006	10/4/2006	
Vinyl chloride	EPA 8260B	P6J0507	1.7	ND	1	10/4/2006	10/4/2006	
Xylenes, Total	EPA 8260B	P6J0507	3.0	ND	1	10/4/2006	10/4/2006	
Surrogate: Dibromofluoromethane (80-130%)				*93 %*				
Surrogate: Toluene-d8 (80-120%)				*105 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0785-08 (PL-519-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0527	1000	ND	50	10/5/2006	10/5/2006	
Benzene	EPA 8260B	P6J0527	50	**4000**	50	10/5/2006	10/5/2006	
Bromobenzene	EPA 8260B	P6J0527	250	ND	50	10/5/2006	10/5/2006	
Bromochloromethane	EPA 8260B	P6J0527	250	ND	50	10/5/2006	10/5/2006	
Bromodichloromethane	EPA 8260B	P6J0527	100	ND	50	10/5/2006	10/5/2006	
Bromoform	EPA 8260B	P6J0527	250	ND	50	10/5/2006	10/5/2006	
Bromomethane	EPA 8260B	P6J0527	250	ND	50	10/5/2006	10/5/2006	
2-Butanone (MEK)	EPA 8260B	P6J0527	500	ND	50	10/5/2006	10/5/2006	
n-Butylbenzene	EPA 8260B	P6J0527	250	ND	50	10/5/2006	10/5/2006	
sec-Butylbenzene	EPA 8260B	P6J0527	250	ND	50	10/5/2006	10/5/2006	
tert-Butylbenzene	EPA 8260B	P6J0527	250	ND	50	10/5/2006	10/5/2006	
Carbon Disulfide	EPA 8260B	P6J0527	250	ND	50	10/5/2006	10/5/2006	
Carbon tetrachloride	EPA 8260B	P6J0527	250	ND	50	10/5/2006	10/5/2006	
Chlorobenzene	EPA 8260B	P6J0527	50	ND	50	10/5/2006	10/5/2006	
Chloroethane	EPA 8260B	P6J0527	250	ND	50	10/5/2006	10/5/2006	
Chloroform	EPA 8260B	P6J0527	100	ND	50	10/5/2006	10/5/2006	
Chloromethane	EPA 8260B	P6J0527	250	ND	50	10/5/2006	10/5/2006	
2-Chlorotoluene	EPA 8260B	P6J0527	250	ND	50	10/5/2006	10/5/2006	
4-Chlorotoluene	EPA 8260B	P6J0527	250	ND	50	10/5/2006	10/5/2006	
Dibromochloromethane	EPA 8260B	P6J0527	100	ND	50	10/5/2006	10/5/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0527	250	ND	50	10/5/2006	10/5/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0527	100	ND	50	10/5/2006	10/5/2006	
Dibromomethane	EPA 8260B	P6J0527	100	ND	50	10/5/2006	10/5/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0527	50	ND	50	10/5/2006	10/5/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0527	50	ND	50	10/5/2006	10/5/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0527	50	ND	50	10/5/2006	10/5/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0527	250	ND	50	10/5/2006	10/5/2006	
1,1-Dichloroethane	EPA 8260B	P6J0527	100	ND	50	10/5/2006	10/5/2006	
1,2-Dichloroethane	EPA 8260B	P6J0527	50	ND	50	10/5/2006	10/5/2006	
1,1-Dichloroethene	EPA 8260B	P6J0527	250	ND	50	10/5/2006	10/5/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0527	100	ND	50	10/5/2006	10/5/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0527	100	ND	50	10/5/2006	10/5/2006	
1,2-Dichloropropane	EPA 8260B	P6J0527	100	ND	50	10/5/2006	10/5/2006	
1,3-Dichloropropane	EPA 8260B	P6J0527	100	ND	50	10/5/2006	10/5/2006	
2,2-Dichloropropane	EPA 8260B	P6J0527	100	ND	50	10/5/2006	10/5/2006	
1,1-Dichloropropene	EPA 8260B	P6J0527	100	ND	50	10/5/2006	10/5/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0527	100	ND	50	10/5/2006	10/5/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0527	100	ND	50	10/5/2006	10/5/2006	
Ethylbenzene	EPA 8260B	P6J0527	100	**680**	50	10/5/2006	10/5/2006	
Hexachlorobutadiene	EPA 8260B	P6J0527	250	ND	50	10/5/2006	10/5/2006	
2-Hexanone	EPA 8260B	P6J0527	500	ND	50	10/5/2006	10/5/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0785-08 (PL-519-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0527	100	ND	50	10/5/2006	10/5/2006	
Isopropylbenzene	EPA 8260B	P6J0527	100	ND	50	10/5/2006	10/5/2006	
p-Isopropyltoluene	EPA 8260B	P6J0527	100	ND	50	10/5/2006	10/5/2006	
Methylene chloride	EPA 8260B	P6J0527	250	ND	50	10/5/2006	10/5/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0527	500	ND	50	10/5/2006	10/5/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0527	250	**430**	50	10/5/2006	10/5/2006	
Naphthalene	EPA 8260B	P6J0527	100	**110**	50	10/5/2006	10/5/2006	
n-Propylbenzene	EPA 8260B	P6J0527	100	ND	50	10/5/2006	10/5/2006	
Styrene	EPA 8260B	P6J0527	100	ND	50	10/5/2006	10/5/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0527	250	ND	50	10/5/2006	10/5/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0527	100	ND	50	10/5/2006	10/5/2006	
Tetrachloroethene	EPA 8260B	P6J0527	100	ND	50	10/5/2006	10/5/2006	
Toluene	EPA 8260B	P6J0527	100	ND	50	10/5/2006	10/5/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0527	250	ND	50	10/5/2006	10/5/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0527	250	ND	50	10/5/2006	10/5/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0527	100	ND	50	10/5/2006	10/5/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0527	100	ND	50	10/5/2006	10/5/2006	
Trichloroethene	EPA 8260B	P6J0527	100	ND	50	10/5/2006	10/5/2006	
Trichlorofluoromethane	EPA 8260B	P6J0527	250	ND	50	10/5/2006	10/5/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0527	500	ND	50	10/5/2006	10/5/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0527	100	ND	50	10/5/2006	10/5/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0527	100	ND	50	10/5/2006	10/5/2006	
Vinyl acetate	EPA 8260B	P6J0527	1200	ND	50	10/5/2006	10/5/2006	
Vinyl chloride	EPA 8260B	P6J0527	85	ND	50	10/5/2006	10/5/2006	
Xylenes, Total	EPA 8260B	P6J0527	150	ND	50	10/5/2006	10/5/2006	
Surrogate: Dibromofluoromethane (80-130%)				*94 %*				
Surrogate: Toluene-d8 (80-120%)				*104 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*98 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0785-09 (ASE 26A-6C2 - Water)								
Reporting Units: ug/l								
Acetone	EPA 8260B	P6J0527	20	ND	1	10/5/2006	10/5/2006	
Benzene	EPA 8260B	P6J0527	1.0	ND	1	10/5/2006	10/5/2006	
Bromobenzene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
Bromochloromethane	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
Bromodichloromethane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Bromoform	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
Bromomethane	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
2-Butanone (MEK)	EPA 8260B	P6J0527	10	ND	1	10/5/2006	10/5/2006	
n-Butylbenzene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
sec-Butylbenzene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
tert-Butylbenzene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
Carbon Disulfide	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
Carbon tetrachloride	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
Chlorobenzene	EPA 8260B	P6J0527	1.0	ND	1	10/5/2006	10/5/2006	
Chloroethane	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
Chloroform	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Chloromethane	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
2-Chlorotoluene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
4-Chlorotoluene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
Dibromochloromethane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
1,2-Dibromo-3-chloropropane	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
1,2-Dibromoethane (EDB)	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Dibromomethane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
1,2-Dichlorobenzene	EPA 8260B	P6J0527	1.0	ND	1	10/5/2006	10/5/2006	
1,3-Dichlorobenzene	EPA 8260B	P6J0527	1.0	ND	1	10/5/2006	10/5/2006	
1,4-Dichlorobenzene	EPA 8260B	P6J0527	1.0	ND	1	10/5/2006	10/5/2006	
Dichlorodifluoromethane	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
1,1-Dichloroethane	EPA 8260B	P6J0527	2.0	**4.0**	1	10/5/2006	10/5/2006	
1,2-Dichloroethane	EPA 8260B	P6J0527	1.0	ND	1	10/5/2006	10/5/2006	
1,1-Dichloroethene	EPA 8260B	P6J0527	5.0	**8.8**	1	10/5/2006	10/5/2006	
cis-1,2-Dichloroethene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
trans-1,2-Dichloroethene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
1,2-Dichloropropane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
1,3-Dichloropropane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
2,2-Dichloropropane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
1,1-Dichloropropene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
cis-1,3-Dichloropropene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
trans-1,3-Dichloropropene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Ethylbenzene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Hexachlorobutadiene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
2-Hexanone	EPA 8260B	P6J0527	10	ND	1	10/5/2006	10/5/2006	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: PPI0785-09 (ASE 26A-6C2 - Water) - cont.								
Reporting Units: ug/l								
Iodomethane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Isopropylbenzene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
p-Isopropyltoluene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Methylene chloride	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
4-Methyl-2-pentanone (MIBK)	EPA 8260B	P6J0527	10	ND	1	10/5/2006	10/5/2006	
Methyl-tert-butyl Ether (MTBE)	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
Naphthalene	EPA 8260B	P6J0527	2.0	**3.0**	1	10/5/2006	10/5/2006	
n-Propylbenzene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Styrene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
1,1,1,2-Tetrachloroethane	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
1,1,2,2-Tetrachloroethane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Tetrachloroethene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Toluene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
1,2,3-Trichlorobenzene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
1,2,4-Trichlorobenzene	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
1,1,1-Trichloroethane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
1,1,2-Trichloroethane	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Trichloroethene	EPA 8260B	P6J0527	2.0	**2.6**	1	10/5/2006	10/5/2006	
Trichlorofluoromethane	EPA 8260B	P6J0527	5.0	ND	1	10/5/2006	10/5/2006	
1,2,3-Trichloropropane	EPA 8260B	P6J0527	10	ND	1	10/5/2006	10/5/2006	
1,2,4-Trimethylbenzene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
1,3,5-Trimethylbenzene	EPA 8260B	P6J0527	2.0	ND	1	10/5/2006	10/5/2006	
Vinyl acetate	EPA 8260B	P6J0527	25	ND	1	10/5/2006	10/5/2006	
Vinyl chloride	EPA 8260B	P6J0527	1.7	ND	1	10/5/2006	10/5/2006	
Xylenes, Total	EPA 8260B	P6J0527	3.0	ND	1	10/5/2006	10/5/2006	
Surrogate: Dibromofluoromethane (80-130%)				*102 %*				
Surrogate: Toluene-d8 (80-120%)				*103 %*				
Surrogate: 4-Bromofluorobenzene (80-120%)				*99 %*				

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
Blank Analyzed: 10/04/2006 (P6J0507-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	0.50	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
Blank Analyzed: 10/04/2006 (P6J0507-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*24.3*		*ug/l*	*25.0*		*97*	*80-130*			
Surrogate: Toluene-d8	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.1*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
LCS Analyzed: 10/04/2006 (P6J0507-BS1)										
Acetone	23.7	20	ug/l	25.0		95	30-150			
Benzene	26.2	1.0	ug/l	25.0		105	80-120			
Bromobenzene	25.1	5.0	ug/l	25.0		100	80-125			
Bromochloromethane	23.9	5.0	ug/l	25.0		96	80-125			
Bromodichloromethane	23.8	2.0	ug/l	25.0		95	80-120			
Bromoform	26.8	5.0	ug/l	25.0		107	70-120			
Bromomethane	24.7	5.0	ug/l	25.0		99	80-135			
2-Butanone (MEK)	25.3	10	ug/l	25.0		101	55-150			
n-Butylbenzene	25.6	5.0	ug/l	25.0		102	80-120			
sec-Butylbenzene	25.0	5.0	ug/l	25.0		100	80-130			
tert-Butylbenzene	24.9	5.0	ug/l	25.0		100	80-130			
Carbon Disulfide	26.2	5.0	ug/l	25.0		105	55-145			
Carbon tetrachloride	22.8	5.0	ug/l	25.0		91	80-120			
Chlorobenzene	25.0	1.0	ug/l	25.0		100	80-120			
Chloroethane	25.5	5.0	ug/l	25.0		102	80-125			
Chloroform	23.0	2.0	ug/l	25.0		92	80-120			
Chloromethane	25.4	5.0	ug/l	25.0		102	70-130			
2-Chlorotoluene	25.1	5.0	ug/l	25.0		100	80-120			
4-Chlorotoluene	25.1	5.0	ug/l	25.0		100	80-120			
Dibromochloromethane	23.1	2.0	ug/l	25.0		92	75-120			
1,2-Dibromo-3-chloropropane	22.1	5.0	ug/l	25.0		88	55-120			
1,2-Dibromoethane (EDB)	23.9	2.0	ug/l	25.0		96	75-125			
Dibromomethane	23.5	2.0	ug/l	25.0		94	80-125			
1,2-Dichlorobenzene	24.3	1.0	ug/l	25.0		97	80-120			
1,3-Dichlorobenzene	24.8	1.0	ug/l	25.0		99	80-125			
1,4-Dichlorobenzene	25.2	1.0	ug/l	25.0		101	80-120			
Dichlorodifluoromethane	20.2	5.0	ug/l	25.0		81	60-140			
1,1-Dichloroethane	24.7	2.0	ug/l	25.0		99	80-120			
1,2-Dichloroethane	22.0	1.0	ug/l	25.0		88	75-125			
1,1-Dichloroethene	25.1	5.0	ug/l	25.0		100	75-120			
cis-1,2-Dichloroethene	24.4	2.0	ug/l	25.0		98	80-125			
trans-1,2-Dichloroethene	25.6	2.0	ug/l	25.0		102	80-120			
1,2-Dichloropropane	26.1	2.0	ug/l	25.0		104	80-120			
1,3-Dichloropropane	24.6	2.0	ug/l	25.0		98	80-120			
2,2-Dichloropropane	23.2	2.0	ug/l	25.0		93	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
LCS Analyzed: 10/04/2006 (P6J0507-BS1)										
1,1-Dichloropropene	25.6	2.0	ug/l	25.0		102	80-120			
cis-1,3-Dichloropropene	25.7	2.0	ug/l	25.0		103	75-120			
trans-1,3-Dichloropropene	25.0	2.0	ug/l	25.0		100	80-120			
Ethylbenzene	25.2	2.0	ug/l	25.0		101	80-125			
Hexachlorobutadiene	25.0	5.0	ug/l	25.0		100	70-130			
2-Hexanone	24.0	10	ug/l	25.0		96	40-150			
Iodomethane	24.0	2.0	ug/l	25.0		96	80-130			
Isopropylbenzene	26.8	2.0	ug/l	25.0		107	80-140			
p-Isopropyltoluene	25.4	2.0	ug/l	25.0		102	80-130			
Methylene chloride	24.8	5.0	ug/l	25.0		99	80-120			
4-Methyl-2-pentanone (MIBK)	22.6	10	ug/l	25.0		90	50-140			
Methyl-tert-butyl Ether (MTBE)	24.3	5.0	ug/l	25.0		97	65-130			
Naphthalene	23.0	2.0	ug/l	25.0		92	70-130			
n-Propylbenzene	26.2	2.0	ug/l	25.0		105	80-135			
Styrene	25.7	2.0	ug/l	25.0		103	80-125			
1,1,1,2-Tetrachloroethane	24.4	5.0	ug/l	25.0		98	80-120			
1,1,2,2-Tetrachloroethane	25.8	2.0	ug/l	25.0		103	65-140			
Tetrachloroethene	24.8	2.0	ug/l	25.0		99	80-125			
Toluene	26.0	2.0	ug/l	25.0		104	80-125			
1,2,3-Trichlorobenzene	25.8	5.0	ug/l	25.0		103	75-125			
1,2,4-Trichlorobenzene	25.8	5.0	ug/l	25.0		103	80-125			
1,1,1-Trichloroethane	22.5	2.0	ug/l	25.0		90	75-125			
1,1,2-Trichloroethane	23.9	2.0	ug/l	25.0		96	80-125			
Trichloroethene	25.1	2.0	ug/l	25.0		100	80-120			
Trichlorofluoromethane	23.3	5.0	ug/l	25.0		93	75-130			
1,2,3-Trichloropropane	23.9	10	ug/l	25.0		96	65-135			
1,2,4-Trimethylbenzene	24.5	2.0	ug/l	25.0		98	80-125			
1,3,5-Trimethylbenzene	25.3	2.0	ug/l	25.0		101	80-130			
Vinyl acetate	31.0	25	ug/l	25.0		124	70-140			
Vinyl chloride	25.4	1.7	ug/l	25.0		102	70-135			
Xylenes, Total	49.9	3.0	ug/l	50.0		100	80-125			
Surrogate: Dibromofluoromethane	*24.0*		*ug/l*	*25.0*		*96*	*80-130*			
Surrogate: Toluene-d8	*26.4*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.4*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
LCS Dup Analyzed: 10/04/2006 (P6J0507-BSD1)										
Acetone	21.5	20	ug/l	25.0		86	30-150	10	35	
Benzene	26.3	1.0	ug/l	25.0		105	80-120	0	10	
Bromobenzene	25.0	5.0	ug/l	25.0		100	80-125	0	10	
Bromochloromethane	24.0	5.0	ug/l	25.0		96	80-125	0	15	
Bromodichloromethane	23.5	2.0	ug/l	25.0		94	80-120	1	15	
Bromoform	26.1	5.0	ug/l	25.0		104	70-120	3	20	
Bromomethane	24.4	5.0	ug/l	25.0		98	80-135	1	15	
2-Butanone (MEK)	23.5	10	ug/l	25.0		94	55-150	7	35	
n-Butylbenzene	25.6	5.0	ug/l	25.0		102	80-120	0	10	
sec-Butylbenzene	25.4	5.0	ug/l	25.0		102	80-130	2	10	
tert-Butylbenzene	25.2	5.0	ug/l	25.0		101	80-130	1	10	
Carbon Disulfide	25.0	5.0	ug/l	25.0		100	55-145	5	15	
Carbon tetrachloride	23.2	5.0	ug/l	25.0		93	80-120	2	15	
Chlorobenzene	25.2	1.0	ug/l	25.0		101	80-120	1	10	
Chloroethane	26.1	5.0	ug/l	25.0		104	80-125	2	15	
Chloroform	23.5	2.0	ug/l	25.0		94	80-120	2	10	
Chloromethane	25.4	5.0	ug/l	25.0		102	70-130	0	15	
2-Chlorotoluene	25.0	5.0	ug/l	25.0		100	80-120	0	10	
4-Chlorotoluene	24.8	5.0	ug/l	25.0		99	80-120	1	10	
Dibromochloromethane	22.6	2.0	ug/l	25.0		90	75-120	2	15	
1,2-Dibromo-3-chloropropane	21.9	5.0	ug/l	25.0		88	55-120	1	35	
1,2-Dibromoethane (EDB)	24.0	2.0	ug/l	25.0		96	75-125	0	20	
Dibromomethane	22.7	2.0	ug/l	25.0		91	80-125	3	20	
1,2-Dichlorobenzene	23.8	1.0	ug/l	25.0		95	80-120	2	10	
1,3-Dichlorobenzene	24.4	1.0	ug/l	25.0		98	80-125	2	10	
1,4-Dichlorobenzene	25.0	1.0	ug/l	25.0		100	80-120	1	10	
Dichlorodifluoromethane	19.9	5.0	ug/l	25.0		80	60-140	1	15	
1,1-Dichloroethane	20.8	2.0	ug/l	25.0		83	80-120	17	10	*R6*
1,2-Dichloroethane	22.0	1.0	ug/l	25.0		88	75-125	0	20	
1,1-Dichloroethene	25.7	5.0	ug/l	25.0		103	75-120	2	15	
cis-1,2-Dichloroethene	24.9	2.0	ug/l	25.0		100	80-125	2	10	
trans-1,2-Dichloroethene	22.5	2.0	ug/l	25.0		90	80-120	13	10	*R6*
1,2-Dichloropropane	25.8	2.0	ug/l	25.0		103	80-120	1	15	
1,3-Dichloropropane	24.0	2.0	ug/l	25.0		96	80-120	2	15	
2,2-Dichloropropane	23.2	2.0	ug/l	25.0		93	70-130	0	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
LCS Dup Analyzed: 10/04/2006 (P6J0507-BSD1)										
1,1-Dichloropropene	25.4	2.0	ug/l	25.0		102	80-120	1	10	
cis-1,3-Dichloropropene	24.9	2.0	ug/l	25.0		100	75-120	3	15	
trans-1,3-Dichloropropene	24.3	2.0	ug/l	25.0		97	80-120	3	20	
Ethylbenzene	25.5	2.0	ug/l	25.0		102	80-125	1	15	
Hexachlorobutadiene	24.3	5.0	ug/l	25.0		97	70-130	3	15	
2-Hexanone	22.6	10	ug/l	25.0		90	40-150	6	35	
Iodomethane	24.7	2.0	ug/l	25.0		99	80-130	3	10	
Isopropylbenzene	27.5	2.0	ug/l	25.0		110	80-140	3	10	
p-Isopropyltoluene	25.4	2.0	ug/l	25.0		102	80-130	0	15	
Methylene chloride	25.4	5.0	ug/l	25.0		102	80-120	2	10	
4-Methyl-2-pentanone (MIBK)	21.8	10	ug/l	25.0		87	50-140	4	35	
Methyl-tert-butyl Ether (MTBE)	20.1	5.0	ug/l	25.0		80	65-130	19	25	
Naphthalene	22.8	2.0	ug/l	25.0		91	70-130	1	20	
n-Propylbenzene	26.6	2.0	ug/l	25.0		106	80-135	2	10	
Styrene	25.9	2.0	ug/l	25.0		104	80-125	1	15	
1,1,1,2-Tetrachloroethane	24.8	5.0	ug/l	25.0		99	80-120	2	15	
1,1,2,2-Tetrachloroethane	24.7	2.0	ug/l	25.0		99	65-140	4	25	
Tetrachloroethene	24.7	2.0	ug/l	25.0		99	80-125	0	15	
Toluene	25.4	2.0	ug/l	25.0		102	80-125	2	10	
1,2,3-Trichlorobenzene	25.8	5.0	ug/l	25.0		103	75-125	0	15	
1,2,4-Trichlorobenzene	25.3	5.0	ug/l	25.0		101	80-125	2	15	
1,1,1-Trichloroethane	22.9	2.0	ug/l	25.0		92	75-125	2	10	
1,1,2-Trichloroethane	23.1	2.0	ug/l	25.0		92	80-125	3	25	
Trichloroethene	24.3	2.0	ug/l	25.0		97	80-120	3	10	
Trichlorofluoromethane	23.7	5.0	ug/l	25.0		95	75-130	2	10	
1,2,3-Trichloropropane	23.4	10	ug/l	25.0		94	65-135	2	25	
1,2,4-Trimethylbenzene	24.7	2.0	ug/l	25.0		99	80-125	1	10	
1,3,5-Trimethylbenzene	25.5	2.0	ug/l	25.0		102	80-130	1	10	
Vinyl acetate	29.9	25	ug/l	25.0		120	70-140	4	30	
Vinyl chloride	25.6	1.7	ug/l	25.0		102	70-135	1	15	
Xylenes, Total	51.0	3.0	ug/l	50.0		102	80-125	2	15	
Surrogate: Dibromofluoromethane	*24.2*		*ug/l*	*25.0*		*97*	*80-130*			
Surrogate: Toluene-d8	*25.7*		*ug/l*	*25.0*		*103*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.7*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
Matrix Spike Analyzed: 10/04/2006 (P6J0507-MS1)					**Source: PPI0752-07**					
Acetone	25.9	20	ug/l	25.0	ND	104	15-150			
Benzene	24.3	1.0	ug/l	25.0	ND	97	80-125			
Bromobenzene	23.5	5.0	ug/l	25.0	ND	94	80-125			
Bromochloromethane	23.3	5.0	ug/l	25.0	ND	93	80-130			
Bromodichloromethane	24.0	2.0	ug/l	25.0	ND	96	70-130			
Bromoform	24.9	5.0	ug/l	25.0	ND	100	70-120			
Bromomethane	23.5	5.0	ug/l	25.0	ND	94	80-135			
2-Butanone (MEK)	25.6	10	ug/l	25.0	ND	102	30-150			
n-Butylbenzene	23.5	5.0	ug/l	25.0	ND	94	80-135			
sec-Butylbenzene	23.6	5.0	ug/l	25.0	ND	94	80-130			
tert-Butylbenzene	23.7	5.0	ug/l	25.0	ND	95	80-130			
Carbon Disulfide	25.5	5.0	ug/l	25.0	ND	102	45-150			
Carbon tetrachloride	22.8	5.0	ug/l	25.0	0.46	89	65-135			
Chlorobenzene	22.9	1.0	ug/l	25.0	ND	92	80-125			
Chloroethane	23.7	5.0	ug/l	25.0	ND	95	80-125			
Chloroform	23.4	2.0	ug/l	25.0	0.77	91	75-130			
Chloromethane	22.5	5.0	ug/l	25.0	ND	90	65-130			
2-Chlorotoluene	23.2	5.0	ug/l	25.0	ND	93	80-130			
4-Chlorotoluene	23.3	5.0	ug/l	25.0	ND	93	80-135			
Dibromochloromethane	21.7	2.0	ug/l	25.0	ND	87	75-120			
1,2-Dibromo-3-chloropropane	21.5	5.0	ug/l	25.0	ND	86	50-130			
1,2-Dibromoethane (EDB)	23.3	2.0	ug/l	25.0	ND	93	70-130			
Dibromomethane	22.8	2.0	ug/l	25.0	ND	91	75-130			
1,2-Dichlorobenzene	22.6	1.0	ug/l	25.0	ND	90	80-130			
1,3-Dichlorobenzene	23.0	1.0	ug/l	25.0	ND	92	80-130			
1,4-Dichlorobenzene	24.0	1.0	ug/l	25.0	ND	96	80-125			
Dichlorodifluoromethane	19.9	5.0	ug/l	25.0	ND	80	60-140			
1,1-Dichloroethane	26.2	2.0	ug/l	25.0	2.6	94	80-125			
1,2-Dichloroethane	23.2	1.0	ug/l	25.0	ND	93	60-145			
1,1-Dichloroethene	28.5	5.0	ug/l	25.0	6.7	87	75-130			
cis-1,2-Dichloroethene	48.9	2.0	ug/l	25.0	27	88	80-125			
trans-1,2-Dichloroethene	24.0	2.0	ug/l	25.0	0.46	94	80-120			
1,2-Dichloropropane	24.8	2.0	ug/l	25.0	ND	99	80-125			
1,3-Dichloropropane	22.8	2.0	ug/l	25.0	ND	91	75-130			
2,2-Dichloropropane	22.7	2.0	ug/l	25.0	ND	91	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
Matrix Spike Analyzed: 10/04/2006 (P6J0507-MS1)					**Source: PPI0752-07**					
1,1-Dichloropropene	23.9	2.0	ug/l	25.0	ND	96	80-125			
cis-1,3-Dichloropropene	24.4	2.0	ug/l	25.0	ND	98	75-120			
trans-1,3-Dichloropropene	24.7	2.0	ug/l	25.0	ND	99	75-130			
Ethylbenzene	23.0	2.0	ug/l	25.0	ND	92	80-130			
Hexachlorobutadiene	22.6	5.0	ug/l	25.0	ND	90	65-130			
2-Hexanone	24.1	10	ug/l	25.0	ND	96	40-150			
Iodomethane	24.5	2.0	ug/l	25.0	ND	98	70-140			
Isopropylbenzene	24.9	2.0	ug/l	25.0	ND	100	80-140			
p-Isopropyltoluene	23.9	2.0	ug/l	25.0	ND	96	80-135			
Methylene chloride	23.0	5.0	ug/l	25.0	ND	92	75-125			
4-Methyl-2-pentanone (MIBK)	25.1	10	ug/l	25.0	ND	100	40-140			
Methyl-tert-butyl Ether (MTBE)	24.3	5.0	ug/l	25.0	ND	97	65-135			
Naphthalene	22.9	2.0	ug/l	25.0	ND	92	60-140			
n-Propylbenzene	24.2	2.0	ug/l	25.0	ND	97	80-140			
Styrene	23.3	2.0	ug/l	25.0	ND	93	30-150			
1,1,1,2-Tetrachloroethane	22.9	5.0	ug/l	25.0	ND	92	80-130			
1,1,2,2-Tetrachloroethane	24.9	2.0	ug/l	25.0	ND	100	65-140			
Tetrachloroethene	22.3	2.0	ug/l	25.0	0.49	87	80-130			
Toluene	24.4	2.0	ug/l	25.0	ND	98	80-130			
1,2,3-Trichlorobenzene	24.2	5.0	ug/l	25.0	ND	97	75-140			
1,2,4-Trichlorobenzene	23.8	5.0	ug/l	25.0	ND	95	80-135			
1,1,1-Trichloroethane	22.3	2.0	ug/l	25.0	ND	89	70-135			
1,1,2-Trichloroethane	23.3	2.0	ug/l	25.0	ND	93	70-135			
Trichloroethene	107	2.0	ug/l	25.0	91	64	80-125			*M2*
Trichlorofluoromethane	23.1	5.0	ug/l	25.0	ND	92	70-140			
1,2,3-Trichloropropane	23.7	10	ug/l	25.0	ND	95	65-135			
1,2,4-Trimethylbenzene	23.0	2.0	ug/l	25.0	ND	92	75-130			
1,3,5-Trimethylbenzene	23.5	2.0	ug/l	25.0	ND	94	80-135			
Vinyl acetate	32.2	25	ug/l	25.0	ND	129	30-150			
Vinyl chloride	24.2	1.7	ug/l	25.0	ND	97	70-135			
Xylenes, Total	46.7	3.0	ug/l	50.0	ND	93	80-125			
Surrogate: Dibromofluoromethane	*25.1*		*ug/l*	*25.0*		*100*	*80-130*			
Surrogate: Toluene-d8	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.6*		*ug/l*	*25.0*		*102*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
Matrix Spike Dup Analyzed: 10/04/2006 (P6J0507-MSD1)					**Source: PPI0752-07**					
Acetone	26.3	20	ug/l	25.0	ND	105	15-150	2	35	
Benzene	24.6	1.0	ug/l	25.0	ND	98	80-125	1	10	
Bromobenzene	24.2	5.0	ug/l	25.0	ND	97	80-125	3	15	
Bromochloromethane	24.8	5.0	ug/l	25.0	ND	99	80-130	6	20	
Bromodichloromethane	25.1	2.0	ug/l	25.0	ND	100	70-130	4	15	
Bromoform	25.7	5.0	ug/l	25.0	ND	103	70-120	3	25	
Bromomethane	25.1	5.0	ug/l	25.0	ND	100	80-135	7	20	
2-Butanone (MEK)	28.6	10	ug/l	25.0	ND	114	30-150	11	35	
n-Butylbenzene	24.3	5.0	ug/l	25.0	ND	97	80-135	3	20	
sec-Butylbenzene	24.1	5.0	ug/l	25.0	ND	96	80-130	2	20	
tert-Butylbenzene	24.0	5.0	ug/l	25.0	ND	96	80-130	1	20	
Carbon Disulfide	26.5	5.0	ug/l	25.0	ND	106	45-150	4	15	
Carbon tetrachloride	22.8	5.0	ug/l	25.0	0.46	89	65-135	0	15	
Chlorobenzene	23.7	1.0	ug/l	25.0	ND	95	80-125	3	15	
Chloroethane	25.8	5.0	ug/l	25.0	ND	103	80-125	8	20	
Chloroform	24.9	2.0	ug/l	25.0	0.77	97	75-130	6	15	
Chloromethane	25.7	5.0	ug/l	25.0	ND	103	65-130	13	20	
2-Chlorotoluene	23.7	5.0	ug/l	25.0	ND	95	80-130	2	15	
4-Chlorotoluene	23.9	5.0	ug/l	25.0	ND	96	80-135	3	15	
Dibromochloromethane	23.4	2.0	ug/l	25.0	ND	94	75-120	8	20	
1,2-Dibromo-3-chloropropane	24.4	5.0	ug/l	25.0	ND	98	50-130	13	35	
1,2-Dibromoethane (EDB)	24.0	2.0	ug/l	25.0	ND	96	70-130	3	25	
Dibromomethane	24.3	2.0	ug/l	25.0	ND	97	75-130	6	25	
1,2-Dichlorobenzene	23.7	1.0	ug/l	25.0	ND	95	80-130	5	15	
1,3-Dichlorobenzene	23.4	1.0	ug/l	25.0	ND	94	80-130	2	15	
1,4-Dichlorobenzene	24.3	1.0	ug/l	25.0	ND	97	80-125	1	10	
Dichlorodifluoromethane	20.7	5.0	ug/l	25.0	ND	83	60-140	4	45	
1,1-Dichloroethane	27.3	2.0	ug/l	25.0	2.6	99	80-125	4	15	
1,2-Dichloroethane	25.0	1.0	ug/l	25.0	ND	100	60-145	7	20	
1,1-Dichloroethene	30.1	5.0	ug/l	25.0	6.7	94	75-130	5	15	
cis-1,2-Dichloroethene	50.2	2.0	ug/l	25.0	27	93	80-125	3	15	
trans-1,2-Dichloroethene	25.0	2.0	ug/l	25.0	0.46	98	80-120	4	15	
1,2-Dichloropropane	26.0	2.0	ug/l	25.0	ND	104	80-125	5	15	
1,3-Dichloropropane	24.8	2.0	ug/l	25.0	ND	99	75-130	8	20	
2,2-Dichloropropane	23.9	2.0	ug/l	25.0	ND	96	60-135	5	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0507 Extracted: 10/04/06										
Matrix Spike Dup Analyzed: 10/04/2006 (P6J0507-MSD1)					**Source: PPI0752-07**					
1,1-Dichloropropene	23.8	2.0	ug/l	25.0	ND	95	80-125	0	15	
cis-1,3-Dichloropropene	25.3	2.0	ug/l	25.0	ND	101	75-120	4	15	
trans-1,3-Dichloropropene	25.8	2.0	ug/l	25.0	ND	103	75-130	4	25	
Ethylbenzene	23.8	2.0	ug/l	25.0	ND	95	80-130	3	15	
Hexachlorobutadiene	23.1	5.0	ug/l	25.0	ND	92	65-130	2	15	
2-Hexanone	24.9	10	ug/l	25.0	ND	100	40-150	3	35	
Iodomethane	24.5	2.0	ug/l	25.0	ND	98	70-140	0	15	
Isopropylbenzene	25.6	2.0	ug/l	25.0	ND	102	80-140	3	20	
p-Isopropyltoluene	24.4	2.0	ug/l	25.0	ND	98	80-135	2	20	
Methylene chloride	24.4	5.0	ug/l	25.0	ND	98	75-125	6	15	
4-Methyl-2-pentanone (MIBK)	25.1	10	ug/l	25.0	ND	100	40-140	0	35	
Methyl-tert-butyl Ether (MTBE)	25.7	5.0	ug/l	25.0	ND	103	65-135	6	30	
Naphthalene	24.5	2.0	ug/l	25.0	ND	98	60-140	7	30	
n-Propylbenzene	24.7	2.0	ug/l	25.0	ND	99	80-140	2	20	
Styrene	24.5	2.0	ug/l	25.0	ND	98	30-150	5	25	
1,1,1,2-Tetrachloroethane	24.2	5.0	ug/l	25.0	ND	97	80-130	6	15	
1,1,2,2-Tetrachloroethane	26.0	2.0	ug/l	25.0	ND	104	65-140	4	35	
Tetrachloroethene	23.5	2.0	ug/l	25.0	0.49	92	80-130	5	15	
Toluene	25.4	2.0	ug/l	25.0	ND	102	80-130	4	15	
1,2,3-Trichlorobenzene	24.2	5.0	ug/l	25.0	ND	97	75-140	0	20	
1,2,4-Trichlorobenzene	24.2	5.0	ug/l	25.0	ND	97	80-135	2	15	
1,1,1-Trichloroethane	23.2	2.0	ug/l	25.0	ND	93	70-135	4	15	
1,1,2-Trichloroethane	24.6	2.0	ug/l	25.0	ND	98	70-135	5	25	
Trichloroethene	107	2.0	ug/l	25.0	91	64	80-125	0	15	*M2*
Trichlorofluoromethane	24.1	5.0	ug/l	25.0	ND	96	70-140	4	15	
1,2,3-Trichloropropane	24.9	10	ug/l	25.0	ND	100	65-135	5	35	
1,2,4-Trimethylbenzene	23.8	2.0	ug/l	25.0	ND	95	75-130	3	15	
1,3,5-Trimethylbenzene	24.2	2.0	ug/l	25.0	ND	97	80-135	3	15	
Vinyl acetate	33.0	25	ug/l	25.0	ND	132	30-150	2	35	
Vinyl chloride	26.7	1.7	ug/l	25.0	ND	107	70-135	10	25	
Xylenes, Total	47.9	3.0	ug/l	50.0	ND	96	80-125	3	15	
Surrogate: Dibromofluoromethane	*26.1*		*ug/l*	*25.0*		*104*	*80-130*			
Surrogate: Toluene-d8	*26.4*		*ug/l*	*25.0*		*106*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.9*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
Blank Analyzed: 10/05/2006 (P6J0527-BLK1)										
Acetone	ND	20	ug/l							
Benzene	ND	1.0	ug/l							
Bromobenzene	ND	5.0	ug/l							
Bromochloromethane	ND	5.0	ug/l							
Bromodichloromethane	ND	2.0	ug/l							
Bromoform	ND	5.0	ug/l							
Bromomethane	ND	5.0	ug/l							
2-Butanone (MEK)	ND	10	ug/l							
n-Butylbenzene	ND	5.0	ug/l							
sec-Butylbenzene	ND	5.0	ug/l							
tert-Butylbenzene	ND	5.0	ug/l							
Carbon Disulfide	ND	5.0	ug/l							
Carbon tetrachloride	ND	5.0	ug/l							
Chlorobenzene	ND	1.0	ug/l							
Chloroethane	ND	5.0	ug/l							
Chloroform	ND	2.0	ug/l							
Chloromethane	ND	5.0	ug/l							
2-Chlorotoluene	ND	5.0	ug/l							
4-Chlorotoluene	ND	5.0	ug/l							
Dibromochloromethane	ND	2.0	ug/l							
1,2-Dibromo-3-chloropropane	ND	5.0	ug/l							
1,2-Dibromoethane (EDB)	ND	2.0	ug/l							
Dibromomethane	ND	2.0	ug/l							
1,2-Dichlorobenzene	ND	1.0	ug/l							
1,3-Dichlorobenzene	ND	1.0	ug/l							
1,4-Dichlorobenzene	ND	1.0	ug/l							
Dichlorodifluoromethane	ND	5.0	ug/l							
1,1-Dichloroethane	ND	2.0	ug/l							
1,2-Dichloroethane	ND	1.0	ug/l							
1,1-Dichloroethene	ND	5.0	ug/l							
cis-1,2-Dichloroethene	ND	2.0	ug/l							
trans-1,2-Dichloroethene	ND	2.0	ug/l							
1,2-Dichloropropane	ND	2.0	ug/l							
1,3-Dichloropropane	ND	2.0	ug/l							
2,2-Dichloropropane	ND	2.0	ug/l							

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
Blank Analyzed: 10/05/2006 (P6J0527-BLK1)										
1,1-Dichloropropene	ND	2.0	ug/l							
cis-1,3-Dichloropropene	ND	2.0	ug/l							
trans-1,3-Dichloropropene	ND	2.0	ug/l							
Ethylbenzene	ND	2.0	ug/l							
Hexachlorobutadiene	ND	5.0	ug/l							
2-Hexanone	ND	10	ug/l							
Iodomethane	ND	2.0	ug/l							
Isopropylbenzene	ND	2.0	ug/l							
p-Isopropyltoluene	ND	2.0	ug/l							
Methylene chloride	ND	5.0	ug/l							
4-Methyl-2-pentanone (MIBK)	ND	10	ug/l							
Methyl-tert-butyl Ether (MTBE)	ND	5.0	ug/l							
Naphthalene	ND	2.0	ug/l							
n-Propylbenzene	ND	2.0	ug/l							
Styrene	ND	2.0	ug/l							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/l							
1,1,2,2-Tetrachloroethane	ND	2.0	ug/l							
Tetrachloroethene	ND	2.0	ug/l							
Toluene	ND	2.0	ug/l							
1,2,3-Trichlorobenzene	ND	5.0	ug/l							
1,2,4-Trichlorobenzene	ND	5.0	ug/l							
1,1,1-Trichloroethane	ND	2.0	ug/l							
1,1,2-Trichloroethane	ND	2.0	ug/l							
Trichloroethene	ND	2.0	ug/l							
Trichlorofluoromethane	ND	5.0	ug/l							
1,2,3-Trichloropropane	ND	10	ug/l							
1,2,4-Trimethylbenzene	ND	2.0	ug/l							
1,3,5-Trimethylbenzene	ND	2.0	ug/l							
Vinyl acetate	ND	25	ug/l							
Vinyl chloride	ND	1.7	ug/l							
Xylenes, Total	ND	3.0	ug/l							
Surrogate: Dibromofluoromethane	*24.8*		*ug/l*	*25.0*		*99*	*80-130*			
Surrogate: Toluene-d8	*26.0*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*25.1*		*ug/l*	*25.0*		*100*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
LCS Analyzed: 10/05/2006 (P6J0527-BS1)										
Acetone	21.9	20	ug/l	25.0		88	30-150			
Benzene	22.9	1.0	ug/l	25.0		92	80-120			
Bromobenzene	22.5	5.0	ug/l	25.0		90	80-125			
Bromochloromethane	22.2	5.0	ug/l	25.0		89	80-125			
Bromodichloromethane	22.4	2.0	ug/l	25.0		90	80-120			
Bromoform	23.5	5.0	ug/l	25.0		94	70-120			
Bromomethane	22.6	5.0	ug/l	25.0		90	80-135			
2-Butanone (MEK)	23.0	10	ug/l	25.0		92	55-150			
n-Butylbenzene	23.5	5.0	ug/l	25.0		94	80-120			
sec-Butylbenzene	23.1	5.0	ug/l	25.0		92	80-130			
tert-Butylbenzene	23.3	5.0	ug/l	25.0		93	80-130			
Carbon Disulfide	24.1	5.0	ug/l	25.0		96	55-145			
Carbon tetrachloride	22.2	5.0	ug/l	25.0		89	80-120			
Chlorobenzene	23.2	1.0	ug/l	25.0		93	80-120			
Chloroethane	23.6	5.0	ug/l	25.0		94	80-125			
Chloroform	22.2	2.0	ug/l	25.0		89	80-120			
Chloromethane	23.8	5.0	ug/l	25.0		95	70-130			
2-Chlorotoluene	22.6	5.0	ug/l	25.0		90	80-120			
4-Chlorotoluene	22.7	5.0	ug/l	25.0		91	80-120			
Dibromochloromethane	21.8	2.0	ug/l	25.0		87	75-120			
1,2-Dibromo-3-chloropropane	19.4	5.0	ug/l	25.0		78	55-120			
1,2-Dibromoethane (EDB)	22.0	2.0	ug/l	25.0		88	75-125			
Dibromomethane	21.6	2.0	ug/l	25.0		86	80-125			
1,2-Dichlorobenzene	21.9	1.0	ug/l	25.0		88	80-120			
1,3-Dichlorobenzene	22.6	1.0	ug/l	25.0		90	80-125			
1,4-Dichlorobenzene	22.9	1.0	ug/l	25.0		92	80-120			
Dichlorodifluoromethane	19.1	5.0	ug/l	25.0		76	60-140			
1,1-Dichloroethane	23.0	2.0	ug/l	25.0		92	80-120			
1,2-Dichloroethane	22.0	1.0	ug/l	25.0		88	75-125			
1,1-Dichloroethene	22.3	5.0	ug/l	25.0		89	75-120			
cis-1,2-Dichloroethene	22.0	2.0	ug/l	25.0		88	80-125			
trans-1,2-Dichloroethene	22.8	2.0	ug/l	25.0		91	80-120			
1,2-Dichloropropane	23.6	2.0	ug/l	25.0		94	80-120			
1,3-Dichloropropane	22.4	2.0	ug/l	25.0		90	80-120			
2,2-Dichloropropane	22.6	2.0	ug/l	25.0		90	70-130			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
LCS Analyzed: 10/05/2006 (P6J0527-BS1)										
1,1-Dichloropropene	23.5	2.0	ug/l	25.0		94	80-120			
cis-1,3-Dichloropropene	23.2	2.0	ug/l	25.0		93	75-120			
trans-1,3-Dichloropropene	23.3	2.0	ug/l	25.0		93	80-120			
Ethylbenzene	23.1	2.0	ug/l	25.0		92	80-125			
Hexachlorobutadiene	22.4	5.0	ug/l	25.0		90	70-130			
2-Hexanone	21.9	10	ug/l	25.0		88	40-150			
Iodomethane	22.2	2.0	ug/l	25.0		89	80-130			
Isopropylbenzene	24.8	2.0	ug/l	25.0		99	80-140			
p-Isopropyltoluene	23.6	2.0	ug/l	25.0		94	80-130			
Methylene chloride	22.0	5.0	ug/l	25.0		88	80-120			
4-Methyl-2-pentanone (MIBK)	21.1	10	ug/l	25.0		84	50-140			
Methyl-tert-butyl Ether (MTBE)	22.3	5.0	ug/l	25.0		89	65-130			
Naphthalene	20.6	2.0	ug/l	25.0		82	70-130			
n-Propylbenzene	23.9	2.0	ug/l	25.0		96	80-135			
Styrene	23.8	2.0	ug/l	25.0		95	80-125			
1,1,1,2-Tetrachloroethane	22.9	5.0	ug/l	25.0		92	80-120			
1,1,2,2-Tetrachloroethane	22.6	2.0	ug/l	25.0		90	65-140			
Tetrachloroethene	22.6	2.0	ug/l	25.0		90	80-125			
Toluene	23.5	2.0	ug/l	25.0		94	80-125			
1,2,3-Trichlorobenzene	22.8	5.0	ug/l	25.0		91	75-125			
1,2,4-Trichlorobenzene	22.8	5.0	ug/l	25.0		91	80-125			
1,1,1-Trichloroethane	22.2	2.0	ug/l	25.0		89	75-125			
1,1,2-Trichloroethane	21.4	2.0	ug/l	25.0		86	80-125			
Trichloroethene	22.6	2.0	ug/l	25.0		90	80-120			
Trichlorofluoromethane	23.0	5.0	ug/l	25.0		92	75-130			
1,2,3-Trichloropropane	21.8	10	ug/l	25.0		87	65-135			
1,2,4-Trimethylbenzene	22.8	2.0	ug/l	25.0		91	80-125			
1,3,5-Trimethylbenzene	23.1	2.0	ug/l	25.0		92	80-130			
Vinyl acetate	29.1	25	ug/l	25.0		116	70-140			
Vinyl chloride	24.4	1.7	ug/l	25.0		98	70-135			
Xylenes, Total	46.2	3.0	ug/l	50.0		92	80-125			
Surrogate: Dibromofluoromethane	*25.1*		*ug/l*	*25.0*		*100*	*80-130*			
Surrogate: Toluene-d8	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.8*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
LCS Dup Analyzed: 10/05/2006 (P6J0527-BSD1)										
Acetone	22.0	20	ug/l	25.0		88	30-150	1	35	
Benzene	23.6	1.0	ug/l	25.0		94	80-120	3	10	
Bromobenzene	22.5	5.0	ug/l	25.0		90	80-125	0	10	
Bromochloromethane	22.4	5.0	ug/l	25.0		90	80-125	1	15	
Bromodichloromethane	22.4	2.0	ug/l	25.0		90	80-120	0	15	
Bromoform	22.9	5.0	ug/l	25.0		92	70-120	3	20	
Bromomethane	23.3	5.0	ug/l	25.0		93	80-135	3	15	
2-Butanone (MEK)	22.1	10	ug/l	25.0		88	55-150	4	35	
n-Butylbenzene	24.1	5.0	ug/l	25.0		96	80-120	3	10	
sec-Butylbenzene	23.3	5.0	ug/l	25.0		93	80-130	1	10	
tert-Butylbenzene	23.0	5.0	ug/l	25.0		92	80-130	1	10	
Carbon Disulfide	22.0	5.0	ug/l	25.0		88	55-145	9	15	
Carbon tetrachloride	22.1	5.0	ug/l	25.0		88	80-120	1	15	
Chlorobenzene	22.8	1.0	ug/l	25.0		91	80-120	2	10	
Chloroethane	23.4	5.0	ug/l	25.0		94	80-125	1	15	
Chloroform	21.8	2.0	ug/l	25.0		87	80-120	2	10	
Chloromethane	23.8	5.0	ug/l	25.0		95	70-130	0	15	
2-Chlorotoluene	22.7	5.0	ug/l	25.0		91	80-120	0	10	
4-Chlorotoluene	22.7	5.0	ug/l	25.0		91	80-120	0	10	
Dibromochloromethane	21.5	2.0	ug/l	25.0		86	75-120	1	15	
1,2-Dibromo-3-chloropropane	20.9	5.0	ug/l	25.0		84	55-120	7	35	
1,2-Dibromoethane (EDB)	22.3	2.0	ug/l	25.0		89	75-125	1	20	
Dibromomethane	22.2	2.0	ug/l	25.0		89	80-125	3	20	
1,2-Dichlorobenzene	22.8	1.0	ug/l	25.0		91	80-120	4	10	
1,3-Dichlorobenzene	22.7	1.0	ug/l	25.0		91	80-125	0	10	
1,4-Dichlorobenzene	23.6	1.0	ug/l	25.0		94	80-120	3	10	
Dichlorodifluoromethane	18.7	5.0	ug/l	25.0		75	60-140	2	15	
1,1-Dichloroethane	22.9	2.0	ug/l	25.0		92	80-120	0	10	
1,2-Dichloroethane	21.7	1.0	ug/l	25.0		87	75-125	1	20	
1,1-Dichloroethene	22.5	5.0	ug/l	25.0		90	75-120	1	15	
cis-1,2-Dichloroethene	22.3	2.0	ug/l	25.0		89	80-125	1	10	
trans-1,2-Dichloroethene	23.0	2.0	ug/l	25.0		92	80-120	1	10	
1,2-Dichloropropane	24.2	2.0	ug/l	25.0		97	80-120	3	15	
1,3-Dichloropropane	22.0	2.0	ug/l	25.0		88	80-120	2	15	
2,2-Dichloropropane	22.6	2.0	ug/l	25.0		90	70-130	0	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
LCS Dup Analyzed: 10/05/2006 (P6J0527-BSD1)										
1,1-Dichloropropene	24.0	2.0	ug/l	25.0		96	80-120	2	10	
cis-1,3-Dichloropropene	23.0	2.0	ug/l	25.0		92	75-120	1	15	
trans-1,3-Dichloropropene	23.4	2.0	ug/l	25.0		94	80-120	0	20	
Ethylbenzene	23.3	2.0	ug/l	25.0		93	80-125	1	15	
Hexachlorobutadiene	23.0	5.0	ug/l	25.0		92	70-130	3	15	
2-Hexanone	22.0	10	ug/l	25.0		88	40-150	1	35	
Iodomethane	22.2	2.0	ug/l	25.0		89	80-130	0	10	
Isopropylbenzene	25.2	2.0	ug/l	25.0		101	80-140	2	10	
p-Isopropyltoluene	23.8	2.0	ug/l	25.0		95	80-130	1	15	
Methylene chloride	22.4	5.0	ug/l	25.0		90	80-120	2	10	
4-Methyl-2-pentanone (MIBK)	21.7	10	ug/l	25.0		87	50-140	3	35	
Methyl-tert-butyl Ether (MTBE)	22.3	5.0	ug/l	25.0		89	65-130	0	25	
Naphthalene	22.6	2.0	ug/l	25.0		90	70-130	9	20	
n-Propylbenzene	24.0	2.0	ug/l	25.0		96	80-135	0	10	
Styrene	23.5	2.0	ug/l	25.0		94	80-125	1	15	
1,1,1,2-Tetrachloroethane	22.7	5.0	ug/l	25.0		91	80-120	1	15	
1,1,2,2-Tetrachloroethane	22.8	2.0	ug/l	25.0		91	65-140	1	25	
Tetrachloroethene	22.7	2.0	ug/l	25.0		91	80-125	0	15	
Toluene	23.8	2.0	ug/l	25.0		95	80-125	1	10	
1,2,3-Trichlorobenzene	23.6	5.0	ug/l	25.0		94	75-125	3	15	
1,2,4-Trichlorobenzene	23.3	5.0	ug/l	25.0		93	80-125	2	15	
1,1,1-Trichloroethane	21.9	2.0	ug/l	25.0		88	75-125	1	10	
1,1,2-Trichloroethane	22.0	2.0	ug/l	25.0		88	80-125	3	25	
Trichloroethene	23.0	2.0	ug/l	25.0		92	80-120	2	10	
Trichlorofluoromethane	23.0	5.0	ug/l	25.0		92	75-130	0	10	
1,2,3-Trichloropropane	22.1	10	ug/l	25.0		88	65-135	1	25	
1,2,4-Trimethylbenzene	22.7	2.0	ug/l	25.0		91	80-125	0	10	
1,3,5-Trimethylbenzene	22.9	2.0	ug/l	25.0		92	80-130	1	10	
Vinyl acetate	28.8	25	ug/l	25.0		115	70-140	1	30	
Vinyl chloride	24.2	1.7	ug/l	25.0		97	70-135	1	15	
Xylenes, Total	46.9	3.0	ug/l	50.0		94	80-125	2	15	
Surrogate: Dibromofluoromethane	*25.1*		*ug/l*	*25.0*		*100*	*80-130*			
Surrogate: Toluene-d8	*26.1*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.3*		*ug/l*	*25.0*		*97*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
Matrix Spike Analyzed: 10/05/2006 (P6J0527-MS1)					**Source: PPI0787-01**					
Acetone	27.1	20	ug/l	25.0	ND	108	15-150			
Benzene	24.3	1.0	ug/l	25.0	ND	97	80-125			
Bromobenzene	23.5	5.0	ug/l	25.0	ND	94	80-125			
Bromochloromethane	23.4	5.0	ug/l	25.0	ND	94	80-130			
Bromodichloromethane	23.4	2.0	ug/l	25.0	ND	94	70-130			
Bromoform	24.8	5.0	ug/l	25.0	ND	99	70-120			
Bromomethane	23.7	5.0	ug/l	25.0	ND	95	80-135			
2-Butanone (MEK)	26.2	10	ug/l	25.0	ND	105	30-150			
n-Butylbenzene	23.7	5.0	ug/l	25.0	ND	95	80-135			
sec-Butylbenzene	23.5	5.0	ug/l	25.0	ND	94	80-130			
tert-Butylbenzene	23.3	5.0	ug/l	25.0	ND	93	80-130			
Carbon Disulfide	22.9	5.0	ug/l	25.0	ND	92	45-150			
Carbon tetrachloride	21.0	5.0	ug/l	25.0	ND	84	65-135			
Chlorobenzene	23.4	1.0	ug/l	25.0	ND	94	80-125			
Chloroethane	24.5	5.0	ug/l	25.0	ND	98	80-125			
Chloroform	24.1	2.0	ug/l	25.0	1.4	91	75-130			
Chloromethane	23.8	5.0	ug/l	25.0	ND	95	65-130			
2-Chlorotoluene	23.2	5.0	ug/l	25.0	ND	93	80-130			
4-Chlorotoluene	23.1	5.0	ug/l	25.0	ND	92	80-135			
Dibromochloromethane	22.6	2.0	ug/l	25.0	ND	90	75-120			
1,2-Dibromo-3-chloropropane	22.2	5.0	ug/l	25.0	ND	89	50-130			
1,2-Dibromoethane (EDB)	23.7	2.0	ug/l	25.0	ND	95	70-130			
Dibromomethane	23.0	2.0	ug/l	25.0	ND	92	75-130			
1,2-Dichlorobenzene	23.0	1.0	ug/l	25.0	ND	92	80-130			
1,3-Dichlorobenzene	23.0	1.0	ug/l	25.0	ND	92	80-130			
1,4-Dichlorobenzene	24.0	1.0	ug/l	25.0	ND	96	80-125			
Dichlorodifluoromethane	18.9	5.0	ug/l	25.0	ND	76	60-140			
1,1-Dichloroethane	24.1	2.0	ug/l	25.0	ND	96	80-125			
1,2-Dichloroethane	23.0	1.0	ug/l	25.0	ND	92	60-145			
1,1-Dichloroethene	24.4	5.0	ug/l	25.0	ND	98	75-130			
cis-1,2-Dichloroethene	24.0	2.0	ug/l	25.0	0.70	93	80-125			
trans-1,2-Dichloroethene	23.9	2.0	ug/l	25.0	ND	96	80-120			
1,2-Dichloropropane	25.2	2.0	ug/l	25.0	ND	101	80-125			
1,3-Dichloropropane	23.5	2.0	ug/l	25.0	ND	94	75-130			
2,2-Dichloropropane	22.0	2.0	ug/l	25.0	ND	88	60-135			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
Matrix Spike Analyzed: 10/05/2006 (P6J0527-MS1)					**Source: PPI0787-01**					
1,1-Dichloropropene	23.9	2.0	ug/l	25.0	ND	96	80-125			
cis-1,3-Dichloropropene	24.5	2.0	ug/l	25.0	ND	98	75-120			
trans-1,3-Dichloropropene	24.0	2.0	ug/l	25.0	ND	96	75-130			
Ethylbenzene	23.4	2.0	ug/l	25.0	ND	94	80-130			
Hexachlorobutadiene	22.5	5.0	ug/l	25.0	ND	90	65-130			
2-Hexanone	23.9	10	ug/l	25.0	ND	96	40-150			
Iodomethane	23.1	2.0	ug/l	25.0	ND	92	70-140			
Isopropylbenzene	25.2	2.0	ug/l	25.0	ND	101	80-140			
p-Isopropyltoluene	23.4	2.0	ug/l	25.0	ND	94	80-135			
Methylene chloride	24.0	5.0	ug/l	25.0	ND	96	75-125			
4-Methyl-2-pentanone (MIBK)	24.2	10	ug/l	25.0	ND	97	40-140			
Methyl-tert-butyl Ether (MTBE)	25.0	5.0	ug/l	25.0	ND	100	65-135			
Naphthalene	23.9	2.0	ug/l	25.0	ND	96	60-140			
n-Propylbenzene	24.4	2.0	ug/l	25.0	ND	98	80-140			
Styrene	22.5	2.0	ug/l	25.0	ND	90	30-150			
1,1,1,2-Tetrachloroethane	23.0	5.0	ug/l	25.0	ND	92	80-130			
1,1,2,2-Tetrachloroethane	25.5	2.0	ug/l	25.0	ND	102	65-140			
Tetrachloroethene	24.4	2.0	ug/l	25.0	1.9	90	80-130			
Toluene	24.4	2.0	ug/l	25.0	ND	98	80-130			
1,2,3-Trichlorobenzene	24.6	5.0	ug/l	25.0	ND	98	75-140			
1,2,4-Trichlorobenzene	23.8	5.0	ug/l	25.0	ND	95	80-135			
1,1,1-Trichloroethane	22.1	2.0	ug/l	25.0	ND	88	70-135			
1,1,2-Trichloroethane	24.2	2.0	ug/l	25.0	ND	97	70-135			
Trichloroethene	27.0	2.0	ug/l	25.0	4.1	92	80-125			
Trichlorofluoromethane	22.8	5.0	ug/l	25.0	ND	91	70-140			
1,2,3-Trichloropropane	24.8	10	ug/l	25.0	ND	99	65-135			
1,2,4-Trimethylbenzene	23.0	2.0	ug/l	25.0	ND	92	75-130			
1,3,5-Trimethylbenzene	23.6	2.0	ug/l	25.0	ND	94	80-135			
Vinyl acetate	28.3	25	ug/l	25.0	ND	113	30-150			
Vinyl chloride	24.7	1.7	ug/l	25.0	ND	99	70-135			
Xylenes, Total	46.7	3.0	ug/l	50.0	ND	93	80-125			
Surrogate: Dibromofluoromethane	*25.2*		*ug/l*	*25.0*		*101*	*80-130*			
Surrogate: Toluene-d8	*26.2*		*ug/l*	*25.0*		*105*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.4*		*ug/l*	*25.0*		*98*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
Matrix Spike Dup Analyzed: 10/05/2006 (P6J0527-MSD1)					**Source: PPI0787-01**					
Acetone	21.0	20	ug/l	25.0	ND	84	15-150	25	35	
Benzene	22.6	1.0	ug/l	25.0	ND	90	80-125	7	10	
Bromobenzene	21.9	5.0	ug/l	25.0	ND	88	80-125	7	15	
Bromochloromethane	21.8	5.0	ug/l	25.0	ND	87	80-130	7	20	
Bromodichloromethane	21.9	2.0	ug/l	25.0	ND	88	70-130	7	15	
Bromoform	23.0	5.0	ug/l	25.0	ND	92	70-120	8	25	
Bromomethane	21.6	5.0	ug/l	25.0	ND	86	80-135	9	20	
2-Butanone (MEK)	23.2	10	ug/l	25.0	ND	93	30-150	12	35	
n-Butylbenzene	22.0	5.0	ug/l	25.0	ND	88	80-135	7	20	
sec-Butylbenzene	21.9	5.0	ug/l	25.0	ND	88	80-130	7	20	
tert-Butylbenzene	21.5	5.0	ug/l	25.0	ND	86	80-130	8	20	
Carbon Disulfide	22.2	5.0	ug/l	25.0	ND	89	45-150	3	15	
Carbon tetrachloride	19.9	5.0	ug/l	25.0	ND	80	65-135	5	15	
Chlorobenzene	21.8	1.0	ug/l	25.0	ND	87	80-125	7	15	
Chloroethane	22.7	5.0	ug/l	25.0	ND	91	80-125	8	20	
Chloroform	22.0	2.0	ug/l	25.0	1.4	82	75-130	9	15	
Chloromethane	22.0	5.0	ug/l	25.0	ND	88	65-130	8	20	
2-Chlorotoluene	21.5	5.0	ug/l	25.0	ND	86	80-130	8	15	
4-Chlorotoluene	21.6	5.0	ug/l	25.0	ND	86	80-135	7	15	
Dibromochloromethane	20.9	2.0	ug/l	25.0	ND	84	75-120	8	20	
1,2-Dibromo-3-chloropropane	20.7	5.0	ug/l	25.0	ND	83	50-130	7	35	
1,2-Dibromoethane (EDB)	22.0	2.0	ug/l	25.0	ND	88	70-130	7	25	
Dibromomethane	21.1	2.0	ug/l	25.0	ND	84	75-130	9	25	
1,2-Dichlorobenzene	21.3	1.0	ug/l	25.0	ND	85	80-130	8	15	
1,3-Dichlorobenzene	21.0	1.0	ug/l	25.0	ND	84	80-130	9	15	
1,4-Dichlorobenzene	21.9	1.0	ug/l	25.0	ND	88	80-125	9	10	
Dichlorodifluoromethane	16.4	5.0	ug/l	25.0	ND	66	60-140	14	45	
1,1-Dichloroethane	22.0	2.0	ug/l	25.0	ND	88	80-125	9	15	
1,2-Dichloroethane	21.0	1.0	ug/l	25.0	ND	84	60-145	9	20	
1,1-Dichloroethene	22.0	5.0	ug/l	25.0	ND	88	75-130	10	15	
cis-1,2-Dichloroethene	22.0	2.0	ug/l	25.0	0.70	85	80-125	9	15	
trans-1,2-Dichloroethene	22.3	2.0	ug/l	25.0	ND	89	80-120	7	15	
1,2-Dichloropropane	23.0	2.0	ug/l	25.0	ND	92	80-125	9	15	
1,3-Dichloropropane	22.0	2.0	ug/l	25.0	ND	88	75-130	7	20	
2,2-Dichloropropane	20.1	2.0	ug/l	25.0	ND	80	60-135	9	15	

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

METHOD BLANK/QC DATA

VOLATILE ORGANICS BY GC/MS (EPA 5030B/8260B)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: P6J0527 Extracted: 10/05/06										
Matrix Spike Dup Analyzed: 10/05/2006 (P6J0527-MSD1)					**Source: PPI0787-01**					
1,1-Dichloropropene	22.2	2.0	ug/l	25.0	ND	89	80-125	7	15	
cis-1,3-Dichloropropene	22.5	2.0	ug/l	25.0	ND	90	75-120	9	15	
trans-1,3-Dichloropropene	22.0	2.0	ug/l	25.0	ND	88	75-130	9	25	
Ethylbenzene	21.9	2.0	ug/l	25.0	ND	88	80-130	7	15	
Hexachlorobutadiene	20.8	5.0	ug/l	25.0	ND	83	65-130	8	15	
2-Hexanone	22.0	10	ug/l	25.0	ND	88	40-150	8	35	
Iodomethane	22.2	2.0	ug/l	25.0	ND	89	70-140	4	15	
Isopropylbenzene	23.0	2.0	ug/l	25.0	ND	92	80-140	9	20	
p-Isopropyltoluene	22.0	2.0	ug/l	25.0	ND	88	80-135	6	20	
Methylene chloride	22.2	5.0	ug/l	25.0	ND	89	75-125	8	15	
4-Methyl-2-pentanone (MIBK)	22.1	10	ug/l	25.0	ND	88	40-140	9	35	
Methyl-tert-butyl Ether (MTBE)	22.2	5.0	ug/l	25.0	ND	89	65-135	12	30	
Naphthalene	22.2	2.0	ug/l	25.0	ND	89	60-140	7	30	
n-Propylbenzene	22.5	2.0	ug/l	25.0	ND	90	80-140	8	20	
Styrene	20.4	2.0	ug/l	25.0	ND	82	30-150	10	25	
1,1,1,2-Tetrachloroethane	21.2	5.0	ug/l	25.0	ND	85	80-130	8	15	
1,1,2,2-Tetrachloroethane	23.8	2.0	ug/l	25.0	ND	95	65-140	7	35	
Tetrachloroethene	23.8	2.0	ug/l	25.0	1.9	88	80-130	2	15	
Toluene	22.2	2.0	ug/l	25.0	ND	89	80-130	9	15	
1,2,3-Trichlorobenzene	22.8	5.0	ug/l	25.0	ND	91	75-140	8	20	
1,2,4-Trichlorobenzene	21.8	5.0	ug/l	25.0	ND	87	80-135	9	15	
1,1,1-Trichloroethane	20.3	2.0	ug/l	25.0	ND	81	70-135	8	15	
1,1,2-Trichloroethane	21.4	2.0	ug/l	25.0	ND	86	70-135	12	25	
Trichloroethene	24.9	2.0	ug/l	25.0	4.1	83	80-125	8	15	
Trichlorofluoromethane	21.0	5.0	ug/l	25.0	ND	84	70-140	8	15	
1,2,3-Trichloropropane	22.4	10	ug/l	25.0	ND	90	65-135	10	35	
1,2,4-Trimethylbenzene	21.1	2.0	ug/l	25.0	ND	84	75-130	9	15	
1,3,5-Trimethylbenzene	21.7	2.0	ug/l	25.0	ND	87	80-135	8	15	
Vinyl acetate	25.6	25	ug/l	25.0	ND	102	30-150	10	35	
Vinyl chloride	21.6	1.7	ug/l	25.0	ND	86	70-135	13	25	
Xylenes, Total	43.5	3.0	ug/l	50.0	ND	87	80-125	7	15	
Surrogate: Dibromofluoromethane	*24.5*		*ug/l*	*25.0*		*98*	*80-130*			
Surrogate: Toluene-d8	*25.9*		*ug/l*	*25.0*		*104*	*80-120*			
Surrogate: 4-Bromofluorobenzene	*24.8*		*ug/l*	*25.0*		*99*	*80-120*			

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

DATA QUALIFIERS AND DEFINITIONS

M2	Matrix spike recovery was low, the method control sample recovery was acceptable.
R6	LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
ND	Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
RPD	Relative Percent Difference

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

TestAmerica
ANALYTICAL TESTING CORPORATION
9830 South 51st Street, Suite B-120, Phoenix, AZ 85044 (480) 785-0043 Fax:(480) 785-0851

CH2M Hill - Tempe
2625 S. Plaza Drive, Ste. 300
Tempe, AZ 85282
Attention: Jennifer Holland

Project ID: Honeywell-Sky Harbor-PO# 2959460
Report Number: PPI0785

Sampled: 09/25/06
Received: 09/25/06

Certification Summary

TestAmerica - Phoenix, AZ

Method	Matrix	Nelac	Arizona
EPA 8015B	Water	X	X
EPA 8260B	Water	X	X

Nevada and NELAP provide analyte specific accreditations. Analyte specific information for TestAmerica may be obtained by contacting the laboratory or visiting our website at www.testamericainc.com

Subcontracted Laboratories

Transwest Geochem *Arizona Cert #AZ0133*
3725 E. Atlanta Ave Ste 1 - Phoenix, AZ 85040-2961

Analysis Performed: 8015B MOD-Low Level
Samples: PPI0785-02, PPI0785-03, PPI0785-04, PPI0785-05, PPI0785-06, PPI0785-08

TestAmerica - Phoenix, AZ
Ken Baker
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Phoenix, AZ 85014
Phone 480-785-094

Client Contact: [illegible]
Jennifer Holland
CH2M HILL
2625 South Plaza Dr STE 300
Tempe, AZ 85282
480-377-6287

Sampler: [illegible]
Project Number: [illegible]
Analysis Turnaround Time
24 Hour
7 Day
14 Day
21 Day
28 Day

Site Name: [illegible]
Location of Site: Phoenix, AZ

COC [illegible]
Page 1 of 1

Lab Use Only
Project No:
Job No.
PPI0785-

	Sample Identification		Sample Date	Sample Time	Sample Type	Matrix	# of Cont.	Preservation Used	Use for MS / MSD	Filtered Sample	Unfiltered Sample	SW8015	SW8260	Lab Sample Numbers
	Location ID	Field Sample ID												
1	Trip Blank	TB-092206B	Sep 22 2006	0615	BLKWATER	WATER	1	X			X		X	1
2	ASE-92A	ASE-92A-6C2	Sep 22 2006	0806	GW	WATER	5	X			X	X	X	2
3	ASE-91A	ASE-91A-6C2	Sep 22 2006	0836	GW	WATER	5	X			X	X	X	3
4	ASE-55A	ASE-55A-6C2	Sep 22 2006	0906	GW	WATER	5	X			X	X	X	4
5	~~ASE-41A~~	~~ASE-41A-6C2~~	~~Sep 22 2006~~		~~GW~~	~~WATER~~	~~5~~	X			X	X	X	5
6	ASE-64A	ASE-64A-6C2	Sep 22 2006	1036	GW	WATER	5	X			X	X	X	6
7	ASE-63A	ASE-63A-6C2	Sep 22 2006	0957	GW	WATER	5	X			X	X	X	7
8	EQUIPBLANK	PL-517-6C2	Sep 22 2006	1049	BLKWATER	WATER	3	X			X	X	X	8
9	FIELDQC	PL-519-6C2	Sep 22 2006	1004	GW	WATER	5	X			X	X	X	9
10		Call 9-25												
11	ASE 26A	ASE 26A-6C2	9-25-06	0714	GW	WATER	3	X			X		X	
12														
13														
14														
15														
16														
17														
18														
19														
20														
21														
22														
23														

Special Instructions: Standard TAT 10 days.

3.4°C

Relinquished by:	Company:	Date/Time:	Received by:	Company:
	HHA	09/25/06 1553		
Relinquished by:	Company:	Date/Time:	Received by:	Company:
Relinquished by:	Company:	9/25/06 1053	Received by:	Company: TA

TRANSWEST GEOCHEM

October 11, 2006

Ken Baker
TestAmerica - Phoenix
9830 S. 51st Street
Suite B-120
Phoenix, AZ 85044

Re: PPI0785
Work Order No.: 0609459

Dear Ken,

Attached is the original Report of Analysis from Columbia Analytical Services, Inc. (AZ0604) for the samples received on 9/26/06. The following analysis was performed:

Method EPA 8015B – Fuel Characterization

If you have any questions regarding the results, please call me. We appreciate your business and thank you for choosing Transwest Geochem.

Sincerely,

Skip Harden
Project Manager

ADHS License No. AZM133/AZ0133

CONFIDENTIAL AND PRIVILEGED

[illegible] • Phoenix, Arizona 85040 • (602) 437-0330 • (800) 927-5183 • Fax (602) 437-0660
[illegible] East Ajo [illegible] • Suite 301 • Tucson, Arizona 85714 • (520) 573-1061 • Fax (520) 573-1063
100% Recycled

5090 Caterpillar Road Redding, California 96003 (530) 244-5227 (530) 244-4109 fax

Columbia Analytical Services INC.
An Employee - Owned Company

October 09, 2006

Service Request No: D0601458

Skip Harden
Transwest Geochem, Incorporated
3725 East Atlanta Avenue
Suite 2
Phoenix, AZ 85040-2960

RE: PPC/PPD/PPI0785

Dear Skip:

Enclosed are the results of the sample(s) submitted to our laboratory on September 28, 2006. For your reference, these analyses have been assigned our service request number D0601458.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and Columbia Analytical Services, Inc. (CAS) is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report.

Please call if you have any questions. My extension is 112. You may also contact me via email at mhovanec@redding.caslab.com.

Respectfully submitted,

Columbia Analytical Services, Inc.

Michael Hovanec
Project Chemist

NELAP Accredited ACIL Seal of Excellence Award 100% Recycled

Current CAS Redding Accreditation Programs

Federal and National Programs

- U.S Air Force, Air Force Center for Environmental Excellence (AFCEE)
  Approved laboratory for Wastewater and Hazardous Waste
- U.S. Army Corps of Engineers – MRD, HTRW Mandatory Center of Expertise
  Validated for Wastewater and Hazardous Waste
- Department of the Navy, Naval Facilities Engineering Service Center (NFESC)
  Approved laboratory for Wastewater and Hazardous Waste

State and Local Programs

- State of Alaska, Department of Environmental Conservation
  Approved Laboratory for Contaminated Sites
  Lab ID UST-001
- State of Arizona, Department of Health Services, Office of Laboratory Licensure
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID AZ0604
- State of California, Department of Health Services, National Environmental Laboratory Accreditation Program **(NELAP)**
  Approved Laboratory for Drinking Water, Wastewater and Hazardous Waste
  Lab ID 01105CA
  - Los Angeles County Sanitation District
    Approved Laboratory for Wastewater
    Lab ID 10243
- State of California, Department of Health Services, Environmental Laboratory Accreditation Program (ELAP)
  Approved Laboratory for Microbiology of Drinking Water and Wastewater
  Lab ID 2635
- State of Florida, Department of Health, Bureau of Laboratories **(NELAP)**
  Approved Environmental Testing Laboratory for Wastewater and Hazardous Waste
  Lab ID E87203
- State of Kansas, Department of Health and Environment **(NELAP)**
  Approved Laboratory for Hazardous Waste
  Lab ID E-10323
- State of Massachusetts, Department of Environmental Protection
  Approved laboratory for Drinking Water and Wastewater
  Lab ID M-CA025
- State of Oklahoma, Department of Environmental Quality
  Approved Laboratory for General Water Quality/Sludge Testing
  Lab ID 9952
- State of Oregon, Environmental Laboratory Accreditation Program **(ORELAP)**
  Approved Laboratory for Drinking Water, Wastewater, and Hazardous Waste
  Lab ID CA200004
- State of Utah, Department of Health, Bureau of Laboratory Improvement **(NELAP)**
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID QUAL1
- State of Washington, Department of Ecology
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID C1234
- State of Wisconsin, Department of Natural Resources
  Approved Laboratory for Wastewater and Hazardous Waste
  Lab ID 999767340

Arizona Data Qualifiers
Revision 2.0, 11/26/2003

Developed by the Sub-committee of the
Arizona Environmental Laboratory Advisory Committee

Microbiology:
A1 = Too numerous to count.
A2 = Sample incubation period exceeded method requirement.
A3 = Sample incubation period was shorter than method requirement.
A4 = Target organism detected in associated method blank.
A5 = Incubator/water bath temperature was outside method requirements.
A6 = Target organism not detected in associated positive control.
A7 = Micro sample received without adequate headspace.

Method/calibration blank:
B1 = Target analyte detected in method blank at or above the method reporting limit.
B2 = Non-target analyte detected in method blank and sample, producing interference.
B3 = Target analyte detected in calibration blank at or above the method reporting limit.
B4 = Target analyte detected in blank at/above method acceptance criteria.
B5 = Target analyte detected in method blank at or above the method reporting limit, but below trigger level or MCL.
B6 = Target analyte detected in calibration blank at or above the method reporting limit, but below trigger level or MCL.
B7 = Target analyte detected in method blank at or above method reporting limit. Concentration found in the sample was 10 times above the concentration found in the method blank.

Confirmation:
C1 = Confirmatory analysis not performed as required by the method.
C3 = Qualitative confirmation performed.
C4 = Confirmatory analysis was past holding time.
C5 = Confirmatory analysis was past holding time. Original result not confirmed.
C6 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the higher value was reported as there was no obvious chromatographic interference.
C7 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic interference.

Dilution:
D1 = Sample required dilution due to matrix.
D2 = Sample required dilution due to high concentration of target analyte.
D3 = Sample dilution required due to insufficient sample.
D4 = Minimum reporting level (MRL) adjusted to reflect sample amount received and analyzed.

Estimated concentration:
E1 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not possible due to insufficient sample.
E2 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to sample matrix.
E3 = Concentration estimated. Analyte exceeded calibration range. Reanalysis not performed due to holding time requirements.

E4 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL).
E5 = Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL), but not confirmed by alternate analysis.
E6 = Concentration estimated. Internal standard recoveries did not meet method acceptance criteria.
E7 = Concentration estimated. Internal standard recoveries did not meet laboratory acceptance criteria.
E8 = Analyte reported to MDL per project specification. Target analyte was not detected in the sample.

Hold time:
H1 = Sample analysis performed past holding time.
H2 = Initial analysis within holding time. Reanalysis for the required dilution was past holding time.
H3 = Sample was received and analyzed past holding time.
H4 = Sample was extracted past required extraction holding time, but analyzed within analysis holding time.

BOD:
K1 = The sample dilutions set-up for the BOD analysis did not meet the oxygen depletion criteria of at least 2 mg/L. Any reported result is an estimated value.
K2 = The sample dilutions set up for the BOD analysis did not meet the criteria of a residual dissolved oxygen of at least 1 mg/L. Any reported result is an estimated value.
K4 = The seed depletion was outside the method acceptance limits. The reported result is an estimated value.
K5 = The dilution water D.O. depletion was > 0.2 mg/L.
K6 = Glucose/glutamic acid BOD was below method acceptance criteria.
K7 = A discrepancy between the BOD and COD results has been verified by reanalysis of the sample for COD.
K8 = Glucose/glutamic acid BOD was above method acceptance levels.

Laboratory fortified blank/blank spike:

L1 = The associated blank spike recovery was above laboratory acceptance limits.
L2 = The associated blank spike recovery was below laboratory acceptance limits.
L3 = The associated blank spike recovery was above method acceptance limits.
L4 = The associated blank spike recovery was below method acceptance limits.

Matrix spike:
M1 = Matrix spike recovery was high, the method control sample recovery was acceptable.
M2 = Matrix spike recovery was low, the method control sample recovery was acceptable.
M3 = The accuracy of the spike recovery value is reduced since the analyte concentration in the sample is disproportionate to spike level. The method control sample recovery was acceptable.
M4 = The analysis of the spiked sample required a dilution such that the spike concentration was diluted below the reporting limit. The method control sample recovery was acceptable.
M5 = Analyte concentration was determined by the method of standard addition (MSA).

M6 = Matrix spike recovery was high. Data reported per ADEQ policy 0154.000.
M7 = Matrix spike recovery was low. Data reported per ADEQ policy 0154.000.

General:
N1 = See case narrative.
N2 = See corrective action report.
N3 = The analysis meets all method requirements. See case narrative.

Sample quality:
Q1 = Sample integrity was not maintained. See case narrative.
Q2 = Sample received with headspace.
Q3 = Sample received with improper chemical preservation.
Q4 = Sample received and analyzed without chemical preservation.
Q5 = Sample received with inadequate chemical preservation, but preserved by the laboratory.
Q6 = Sample was received above recommended temperature.
Q7 = Sample inadequately dechlorinated.
Q8 = Insufficient sample received to meet method QC requirements. Batch QC requirements satisfies ADEQ policies 0154 and 0155.
Q9 = Insufficient sample received to meet method QC requirements.
Q10 = Sample received in inappropriate sample container.
Q11 = Sample is heterogeneous. Sample homogeneity could not be readily achieved using routine laboratory practices.

Duplicates:
R1 = RPD exceeded the method control limit. See case narrative.
R2 = RPD exceeded the laboratory control limit. See case narrative.
R4 = MS/MSD RPD exceeded the method control limit. Recovery met acceptance criteria.
R5 = MS/MSD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R6 = LFB/LFBD RPD exceeded the method control limit. Recovery met acceptance criteria.
R7 = LFB/LFBD RPD exceeded the laboratory control limit. Recovery met acceptance criteria.
R8 = Sample RPD exceeded the method control limit.
R9 = Sample RPD exceeded the laboratory control limit.
R10 = Sample RPD between the primary and confirmatory analysis exceeded 40%. Per EPA Method 8000B, the lower value was reported due to apparent chromatographic problems.
R11 = The RPD calculation for MS/MSD does not provide useful information due to the varying sample weights when Encore samplers/methanol field preserved samples are used.

Surrogate:
S1 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits.
S3 = Surrogate recovery was above laboratory acceptance limits, but within method acceptance limits. No target analytes were detected in the sample.
S4 = Surrogate recovery was above laboratory and method acceptance limits. No target analytes were detected in the sample.
S5 = Surrogate recovery was below laboratory acceptance limits, but within method acceptance limits.
S6 = Surrogate recovery was below laboratory and method acceptance limits. Reextraction and/or reanalysis confirms low recovery caused by matrix effect.

S7 = Surrogate recovery was below laboratory and method acceptance limits. Unable to confirm matrix effect.
S8 = The analysis of the sample required a dilution such that the surrogate recovery calculation does not provide any useful information. The method control sample recovery was acceptable.
S10 = Surrogate recovery was above laboratory and method acceptance limits. See Case narrative.
S11 = Surrogate recovery was high. Data reported per ADEQ policy 0154.000.
S12 = Surrogate recovery was low. Data reported per ADEQ policy 0154.000.

Method/analyte discrepancies:
T1 = Method approved by EPA, but not yet licensed by ADHS.
T2 = Cited ADHS licensed method does not contain this analyte as part of method compound list.
T3 = Method not promulgated either by EPA or ADHS.
T4 = Tentatively identified compound. Concentration is estimated and based on the closest internal standard.

Calibration verification:
V1 = CCV recovery was above method acceptance limits. This target analyte was not detected in the sample.
V2 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample. The sample could not be reanalyzed due to insufficient sample.
V3 = CCV recovery was above method acceptance limits. This target analyte was detected in the sample, but the sample was not reanalyzed. See case narrative.
V4 = CCV recovery was below method acceptance limits. The sample could not be reanalyzed due to insufficient sample.
V5 = CCV recovery after a group of samples was above acceptance limits. This target analyte was not detected in the sample. Acceptable per EPA Method 8000B.
V6 = Data reported from one-point calibration criteria per ADEQ policy 0155.000.
V7 = Calibration verification recovery was above the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.
V8 = Calibration verification recovery was below the method control limit for this analyte, however the average % difference or % drift for all the analytes met method criteria.

Calibration:
W1 = The % RSD for this compound was above 20%. The average % RSD for all compounds in the calibration met the 20% criteria as specified in EPA method 8000B.
W2 = The % RSD for this compound was above 15%. The average % RSD for all compounds in the calibration met the 15% criteria as specified in EPA method 8260B/8270C.

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
D0601458-001	PPI0785-02	09/25/06	08:05
D0601458-002	PPI0785-03	09/25/06	08:36
D0601458-003	PPI0785-04	09/25/06	09:06
D0601458-004	PPI0785-05	09/25/06	10:36
D0601458-005	PPI0785-06	09/25/06	09:54
D0601458-006	PPI0785-08	09/25/06	10:04

CASE NARRATIVE

COLUMBIA ANALYTICAL SERVICES, INC.

Client:	Transwest Geochem, Incorporated	**Service Request No.:**	D0601458
Project:	PPC/PPD PPI0785	**Date Received:**	09/28/06
Sample Matrix:	Aqueous		

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of Columbia Analytical Services, Inc. (CAS).This report contains analytical results for samples designated for Tier II data deliverables.

Sample Receipt

6 Aqueous samples were received for analysis at Columbia Analytical Services on 09/28/06.

No discrepancies were noted upon initial sample inspection. The samples were received in good condition and consistent with the accompanying chain of custody form. The samples were stored in a refrigerator at 4 degrees Celsius upon receipt at the laboratory.

Fuel Characterization by EPA Method 8015B

Insufficient sample volume was received to perform a Matrix Spike/Matrix Spike Duplicate (MS/MSD). A Laboratory Control Sample/Duplicate Laboratory Control Sample (LCS/DLCS) was analyzed in order to report precision data.

No anomalies associated with the analysis of these samples by the above-mentioned method were observed.

Approved by: _____ **Date:** 10/9/06

CHAIN OF CUSTODY DOCUMENTATION

TRANSWEST GEOCHEM

CHAIN-OF-CUSTOD[redacted]

Skip Harden
3725 E. Atlanta Avenue
Suite 2
Phoenix, AZ 85040
TEL: (602) 437-0330
FAX: (602) 437-0660

Work Order: 0609459

Project: PPI0785

Subcontractor:
Columbia Analytical Services
5090 Caterpillar Rd.
Redding, CA 96003
TEL: (530) 244-5227
FAX: (530) 244-4109

26-Sep-06

Client Sample ID	TGI ID	Matrix	Collection Date	Containers	8015MOD_W
PPI0785-02	01A	Water	9/25/2006 8:05:00 AM	2	1
PPI0785-03	02A	Water	9/25/2006 8:36:00 AM	2	1
PPI0785-04	03A	Water	9/25/2006 9:06:00 AM	2	1
PPI0785-05	04A	Water	9/25/2006 10:36:00 AM	2	1
PPI0785-06	05A	Water	9/25/2006 9:54:00 AM	2	1
PPI0785-08	06A	Water	9/25/2006 10:04:00 AM	2	1

Requested Tests

Low Level

Transfer Files for EDD Required

Comments After analysis, the samples do not need to be returned and can be disposed per your standard laboratory practices. Please provide a QC report, including Method Blank data.

Sample Receipt		
Temperature:	Ambient / Cold	Ice:
Received Intact:		Absent / Present
Custody Seals:		Wet / Blue
Total No. of Containers:		° C.

		Date/Time			Date/Time
Relinquished by:	Leslie May - TGI	9/27/06 1530	**Received by:**	UPS	
Relinquished by:			**Received by:**		
Relinquished by:			**Received by:**	J Chatman	9/28/06 0930

Columbia Analytical Services inc.
An Employee-Owned Company

5090 Caterpillar Road
Redding, CA 96003
Phone: (530) 244-5262

[redacted]

COOLER RECEIPT FORM

Project/Client:_____ Batch [redacted]

1. Cooler(s)/Sample(s) received on: 9/28/06 Shipped via: UPS

   Shipping Bill # (s): 1Z 2X72X01 9353 8648 # of Coolers/Packages 1

2. Radiological Screening by: _____ Acceptable Rejected

3. Custody seals on outside of cooler: YES NO N/A

   If yes, where? Front ✓ Rear_____ Lt Side_____ Rt Side_____

   Seals intact: YES NO

COOLER/SAMPLE PROCESSING

4. Sample Processing/Tagging by: J Chatman

5. Cooler(s)/Sample(s) Temp's: 3.0C _____ _____ _____ _____

   (or)

   Temp. Blank (if included): _____ _____ _____ _____ _____

6. Type of packing material (circle): Ice Blue Ice Bubble Wrap Bubble Bags Zip Locks Webbing

   Other:_____

7. Custody papers properly filled out (ink, signed, dated, released, etc.)? YES NO

8. Containers arrived in good condition (not broken, leaking, etc.)? YES NO

9. Samples received with adequate holding time remaining to conduct analysis? YES NO

10. Container labels complete (i.e. analysis, preservation, date/time, etc.)? YES NO

11. Container labels and tags agree with custody papers? YES NO

12. Correct types of containers used for the tests indicated? YES NO

    a.) Adequate sample received? If not, note on Exception Report. YES NO

13. Containers supplied by: CAS Other

14. Preserved containers received with the appropriate preservative? YES NO N/A

    pH:_____ (or) See pH log.

15. VOA vials free of air bubbles? YES NO N/A

16. Trip Blank preparation date: _____ CAS Other N/A

17. Volatile Soil samples: Encores or Plugs in Vials

    Freezer or GC/MS Date:_____ Time:_____ N/A

See Exception Report for discrepancies.

Rev. 8/18/2004/ds

Fuel Characterization

Client: Transwest Geochem, Incorporated
Project: PPC/PPD/PPI0785

Service Request: D0601458

Cover Page - Organic Analysis Data Package
Hydrocarbon Scan / Fuel Characterization

Sample Name	Lab Code	Date Collected	Date Received
PPI0785-02	D0601458-001	09/25/2006	09/28/2006
PPI0785-03	D0601458-002	09/25/2006	09/28/2006
PPI0785-04	D0601458-003	09/25/2006	09/28/2006
PPI0785-05	D0601458-004	09/25/2006	09/28/2006
PPI0785-06	D0601458-005	09/25/2006	09/28/2006
PPI0785-08	D0601458-006	09/25/2006	09/28/2006

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the case narrative. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: Wida Ang

Name: WIDA ANG

Date: 10/6/06

Title: Organic Manager

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601458
Project:	PPC/PPD/PPI0785	**Date Collected:**	09/25/2006
Sample Matrix:	Water	**Date Received:**	09/28/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0785-02	**Units:**	ug/L
Lab Code:	D0601458-001	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	**140**		51	1	10/03/06	10/05/06	
C23 - C32 HRO	ND	U	51	1	10/03/06	10/05/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	73	40-150	10/05/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601458
Project:	PPC/PPD/PPI0785	**Date Collected:**	09/25/2006
Sample Matrix:	Water	**Date Received:**	09/28/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0785-03	**Units:**	ug/L
Lab Code:	D0601458-002	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	**520**		51	1	10/03/06	10/05/06	
C23 - C32 HRO	ND	U	51	1	10/03/06	10/05/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	79	40-150	10/05/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601458
Project:	PPC/PPD/PPI0785	**Date Collected:**	09/25/2006
Sample Matrix:	Water	**Date Received:**	09/28/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0785-04	**Units:**	ug/L
Lab Code:	D0601458-003	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	**3400**		51	1	10/03/06	10/05/06	
C23 - C32 HRO	**100**		51	1	10/03/06	10/05/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	77	40-150	10/05/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601458
Project:	PPC/PPD/PPI0785	**Date Collected:**	09/25/2006
Sample Matrix:	Water	**Date Received:**	09/28/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0785-05	**Units:**	ug/L
Lab Code:	D0601458-004	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	**400**		51	1	10/03/06	10/05/06	
C23 - C32 HRO	ND	U	51	1	10/03/06	10/05/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	75	40-150	10/05/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601458
Project:	PPC/PPD/PPI0785	**Date Collected:**	09/25/2006
Sample Matrix:	Water	**Date Received:**	09/28/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0785-06	**Units:**	ug/L
Lab Code:	D0601458-005	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	**460**		51	1	10/03/06	10/05/06	
C23 - C32 HRO	ND	U	51	1	10/03/06	10/05/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	73	40-150	10/05/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601458
Project:	PPC/PPD/PPI0785	**Date Collected:**	09/25/2006
Sample Matrix:	Water	**Date Received:**	09/28/2006

Hydrocarbon Scan / Fuel Characterization

Sample Name:	PPI0785-08	**Units:**	ug/L
Lab Code:	D0601458-006	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	**490**		51	1	10/03/06	10/05/06	
C23 - C32 HRO	ND	U	51	1	10/03/06	10/05/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	78	40-150	10/05/06	

Comments:

COLUMBIA ANALYTICAL SERVICES, INC.

Analytical Results

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601458
Project:	PPC/PPD/PPI0785	**Date Collected:**	NA
Sample Matrix:	Water	**Date Received:**	NA

Hydrocarbon Scan / Fuel Characterization

Sample Name:	Method Blank	**Units:**	ug/L
Lab Code:	DWG0600835-3	**Basis:**	NA
Extraction Method:	EPA 3510C	**Level:**	Low
Analysis Method:	8015B		

Analyte Name	Result	Q	MRL	Dilution Factor	Date Extracted	Date Analyzed	Arizona Qualifier
C13 - C22 DRO	ND	U	50	1	10/03/06	10/04/06	
C23 - C32 HRO	ND	U	50	1	10/03/06	10/04/06	

Surrogate Name	%Rec	Control Limits	Date Analyzed	Arizona Qualifier
Octacosane	67	40-150	10/04/06	

Comments:

Client: Transwest Geochem, Incorporated
Project: PPC/PPD/PPI0785
Sample Matrix: Water

Service Request: D0601458

Surrogate Recovery Summary
Hydrocarbon Scan / Fuel Characterization

Extraction Method: EPA 3510C
Analysis Method: 8015B

Units: PERCENT
Level: Low

Sample Name	Lab Code	Sur1
PPI0785-02	D0601458-001	73
PPI0785-03	D0601458-002	79
PPI0785-04	D0601458-003	77
PPI0785-05	D0601458-004	75
PPI0785-06	D0601458-005	73
PPI0785-08	D0601458-006	78
Method Blank	DWG0600835-3	67
Lab Control Sample	DWG0600835-1	79
Duplicate Lab Control Sample	DWG0600835-2	77

Surrogate Recovery Control Limits (%)

Sur1 = Octacosane 40-150

Results flagged with an asterisk (*) indicate values outside control criteria.
Results flagged with a pound (#) indicate the control criteria is not applicable.

COLUMBIA ANALYTICAL SERVICES, INC.

QA/QC Report

Client:	Transwest Geochem, Incorporated	**Service Request:**	D0601458
Project:	PPC/PPD/PPI0785	**Date Extracted:**	10/03/2006
Sample Matrix:	Water	**Date Analyzed:**	10/04/2006

Lab Control Spike/Duplicate Lab Control Spike Summary
Hydrocarbon Scan / Fuel Characterization

Extraction Method:	EPA 3510C	**Units:**	ug/L
Analysis Method:	8015B	**Basis:**	NA
		Level:	Low
		Extraction Lot:	DWG0600835

	Lab Control Sample DWG0600835-1 Lab Control Spike			Duplicate Lab Control Sample DWG0600835-2 Duplicate Lab Control Spike					
Analyte Name	**Result**	**Expected**	**%Rec**	**Result**	**Expected**	**%Rec**	**%Rec Limits**	**RPD**	**RPD Limit**
C13 - C22 DRO	1650	2500	66	1520	2500	61	50-140	8	30

Results flagged with an asterisk (*) indicate values outside control criteria.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Storage Location: Redding

TRANSWEST GEOCHEM

Sample Receipt Checklist

Client Name: 0609459

Date and Time Received: 9/26/06 7:56

Work Order Number: Test America - Phx

Checked by: SH

Checklist completed by: [signature] 9/26/06
Signature / Date

Logged In by: [initials] 9.26.2006
Initials / Date

Matrix: ☐

Carrier Name: (Client) TGI _____

Reviewed by: SH 9/26/06
Initials / Date

				COMMENTS
Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐	
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☑	
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☑	
Chain of custody present?	Yes ☑	No ☐		
Chain of custody signed when relinquished and received?	Yes ☑	No ☐		
Chain of custody agrees with sample labels?	Yes ☑	No ☐		
Samples in proper container/bottle?	Yes ☑	No ☐		
Sample containers intact?	Yes ☑	No ☐		
Sufficient sample volume for indicated test?	Yes ☑	No ☐		
All samples received within holding time?	Yes ☑	No ☐		
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐	Temp: 2.6	Sampled < 2hrs ☐
Water – VOA vials have zero headspace?	Yes ☐	No ☐	N/A ☑	
Water – pH acceptable upon receipt?	Yes ☑	No ☐	N/A ☐	Checked by: SH
Water – Sulfides present in Cyanide samples?	Yes ☐	No ☐	N/A ☑	
Samples considered Drinking Water for metal analysis?	Yes ☐	No ☐	N/A ☑	

Client contacted: _____ Date contacted: _____ Person contacted: _____

Contacted by: _____ Regarding: _____

Corrective Action: _____

TestAmerica
ANALYTICAL TESTING CORPORATION

0609459

SUBCONTRACT ORDER - PROJECT # PPI0785

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPI0785-02 Water Sampled: 09/25/06 08:05		
8015B MOD-Low Level-O	10/02/06 08:05	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0785-02D)		
1 L Amber w/H2SO4 (PPI0785-02E)		
Sample ID: PPI0785-03 Water Sampled: 09/25/06 08:36		
8015B MOD-Low Level-O	10/02/06 08:36	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0785-03D)		
1 L Amber w/H2SO4 (PPI0785-03E)		
Sample ID: PPI0785-04 Water Sampled: 09/25/06 09:06		
8015B MOD-Low Level-O	10/02/06 09:06	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0785-04D)		
1 L Amber w/H2SO4 (PPI0785-04E)		
Sample ID: PPI0785-05 Water Sampled: 09/25/06 10:36		
8015B MOD-Low Level-O	10/02/06 10:36	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0785-05D)		
1 L Amber w/H2SO4 (PPI0785-05E)		
Sample ID: PPI0785-06 Water Sampled: 09/25/06 09:54		
8015B MOD-Low Level-O	10/02/06 09:54	sub to Transwest, need transfer file for EDD
Containers Supplied:		
1 L Amber w/H2SO4 (PPI0785-06D)		
1 L Amber w/H2SO4 (PPI0785-06E)		

Released By	Date	Time	Received By	Date	Time

Released By	Date	Time	Received By	Date	Time

TestAmerica
ANALYTICAL TESTING CORPORATION

0609459

SUBCONTRACT ORDER - PROJECT # PPI0785

SENDING LABORATORY:
TestAmerica - Phoenix, AZ
9830 South 51st Street, Suite B-120
Phoenix, AZ 85044
Phone: (480) 785-0043
Fax: (480) 785-0851
Project Manager: Ken Baker

RECEIVING LABORATORY:
Transwest Geochem
3725 E. Atlanta Ave. Suite 2
Phoenix, AZ 85040
Phone :(602) 437-0330
Fax: (602) 437-0660

Standard TAT is requested unless specific due date is requested => Due Date:_____ Initials:_____

Analysis	Expiration	Comments
Sample ID: PPI0785-08 Water Sampled: 09/25/06 10:04		
8015B MOD-Low Level-O	10/02/06 10:04	sub to Transwest, need transfer file for EDD

Containers Supplied:
1 L Amber w/H2SO4 (PPI0785-08D)
1 L Amber w/H2SO4 (PPI0785-08E)

2.6°

SAMPLE INTEGRITY:

All containers intact: ☒ Yes ☐ No
Custody Seals Present: ☐ Yes ☐ No
Sample labels/COC agree: ☒ Yes ☐ No
Samples Preserved Properly: ☒ Yes ☐ No
Samples Received On Ice:: ☒ Yes ☐ No
Samples Received at (temp): _____

Released By	Date	Time	Received By	Date	Time
[signature]	9-26-06	7:30	[signature]	9-26-06	7:30
[signature]	9-26-06	0756	[signature]	9-26-06	756

Soil Gas Helium Analyses for CH2M Hill

Performed by
Dr. Richard L. Johnson
304 SW Hamilton Street
Portland, Oregon 97239

Introduction

The text below describes soil gas samples that have been analyzed for helium concentration using gas chromatography (GC) with thermal conduction detection. The samples were collected by CH2M Hill in 0.8 liter stainless steel cans that had been evacuated prior to sampling. The GC analytical method used was sufficient to separate helium from all other common atmospheric constituents, including hydrogen[1]. All samples were collected by CH2M Hill in September and October 2006. They were then shipped by overnight courier to Portland, Oregon and were analyzed on the day they were received.

Sample Handling Procedure

Upon receipt, canisters were pressurized by injecting 1.0 liters of argon into each canister using a gas-tight syringe.

Analysis Method

At the time of analysis, a one-milliliter sample was taken from the canister to be analyzed and injected into a gas sampling valve with a 0.3 mL sample loop. With the GC oven at 30°C, the sample was injected onto a 15m long Carboxen 1010 PLOT column. The temperature was maintained at 30°C for 1.5 minutes until after the helium had eluted, and then raised to 200°C at 25 degrees per minute to remove all other soil gas components.

The GC was calibrated each day with four gas standards (0.02%, 0.1%, 1%, and 10% helium by volume). The standards were prepared by making the appropriate mixture in a one-liter Tedlar bag, then drawing the sample into an evacuated canister in much the same manner as the samples were taken in the field. Each of the canisters was then pressurized with 1.0 liters of argon. A linear calibration curve, passing through the origin, was generated from the standards and used for quantitation of helium in the samples. The calibration data are listed in Table II. The quantitation limit for the analysis was 0.02% helium by volume.

---

[1] We are unaware of any interferences with the helium analysis, and given the significant number of “non-detects” in the samples analyzed, we are confident that nothing interfered with these helium measurements. The objective of these analyses was to eliminate the interferences that occur when helium leak detectors are used in the field to detect helium in soil gas. Those interferences are primarily due to carbon dioxide and methane in soil gas. The GC method is known to eliminate those interferences.

Results

Table I lists the helium analyses for all of the samples received from CH2M Hill (reported as percent helium by volume of the received sample), along with sample time and date and analysis date. In all cases the chromatograms were examined to ensure that integration of the helium peaks was satisfactory and that there were no interferences.

TABLE I.

SAMPLE	COLLECTION DATE:TIME	He (%V:V)	ANALYSIS DATE
P-16-M-WD06-0918	09/18:0907	0.04	09/19
P-23-U-WD06-0918	09/18:1047	0.05	09/19
P-37-WD06-0918	09/18:1254	<0.02	09/19
P-38-WD06-0918	09/18:1342	<0.02	09/19
P35-WD06-0918	09/18:1532	4.04	09/19
P-33-WD06-0919	09/19:1044	0.17	09/21
ASE-113A-WD06-0920	09/20:0258	0.39	09/21
P-25-M-WD06-0920	09/20:0530	<0.02	09/21
BC-7A-WD06-0921	09/21:0918	<0.02	09/22
P-40-WD06-0921	09/21:1052	<0.02	09/22
P-28-U-WD06-0921	09/21:1208	<0.02	09/22
P-28-M-WD06-0921	09/21:1306	<0.02	09/22
P-28-L-WD06-0921	09/21:1432	<0.02	09/22
D-WD06-01-0921	09/21:0700	<0.02	09/22
P-32-WD06-0922	09/22:1352	<0.02	09/26
P-46-U-WD06-092	09/22:0835	<0.02	09/26
P-21-U-WD06-092	09/22:1249	<0.02	09/26
PL-103A-WD06-0922	09/22:1159	0.08	09/26

TABLE I (Cont.)

SAMPLE	COLLECTION DATE:TIME	He (%V:V)	ANALYSIS DATE
P31-WD06-0925	09/25:1235	0.15	09/26
D-WD06-0925	09/25:1000	<0.02	09/26
P-47-WD06-0925	09/25:1134	<0.02	09/26
P-36-WD06-0925	09/25:1349	<0.02	09/26
P-39-WD06-0925	09/25:1514	0.67	09/26
P-34-WD06-0925	09/25:1025	<0.02	09/26
ASE-114A-WD06-0928	09/28:0217	23.4	09/29
ASE-69A-WD06-0927	09/27:0814	0.66	09/29
P-25-M-WD06-0928	09/28:0553	<0.02	09/29
P-25-U-WD06-0928	09/28:0520	<0.02	09/29
PL-105A-WD06-0929	09/29:0911	<0.02	10/03
P-34-M-WD06-0929	09/29:1328	<0.02	10/03
P-17-U-WD06-0929	09/29:1139	<0.02	10/03
BC-18-WD06-1006	10/06:0205	0.31	10/06
P-14-U-WD06-1010	10/10:1000	<0.02	10/11
D-WD06-1010	10/10:1000	<0.02	10/11

TABLE II. GC CALIBRATION DATA

DATE	He CONCENTRATION (%V:V)	PEAK AREA
09/19	0.02%	0.10
	0.10	0.66
	1.0	6.40
	10.0	69.90
09/21	0.02%	0.12
	0.10	0.77
	1.0	7.54
	10.0	86.09
09/22	0.02%	0.12
	0.10	0.75
	1.0	7.46
	10.0	79.23
09/26	0.02%	0.12
	0.10	0.76
	1.0	6.74
	10.0	73.76
09/29	0.02%	0.09
	0.10	0.55
	1.0	5.08
	10.0	48.29

TABLE II. GC CALIBRATION DATA (Cont)

DATE	He CONCENTRATION (%V:V)	PEAK AREA
10/03	0.02%	0.09
	0.10	0.61
	1.0	6.11
	10.0	59.90
10/06	0.02%	0.10
	0.10	0.47
	1.0	4.88
	10.0	44.63
10/11	0.02%	0.18
	0.10	0.94
	1.0	9.70
	10.0	94.44